

76428 Hagrid's hut: An unexpected visit

Adapted by Jordi Isus. And tested by Jolene Nemeth.

Relive Harry Potter™ and friends' unexpected visit to Rubeus Hagrid's hut and role-play other Wizarding World adventures with this LEGO® Harry Potter fantasy toy playset for kids (76428). It features a buildable model of Hagrid's hut, which has a removable roof and opens out for easy access to the detailed interior – find a foldout chair for Hagrid™ to sit on, a dragon egg element, 2 of 14 collectible Hogwarts™ portraits, and more inside. A buildable doghouse outside for Hagrid's pet Fang adds to the creative play possibilities.

This buildable house kit of an iconic Harry Potter location features 5 LEGO minifigures – Harry Potter, Hermione Granger™, Ron Weasley™, Draco Malfoy™, and Rubeus Hagrid, plus Norbert and Fang toy figures.

If you're looking for the best Harry Potter birthday gift idea for kids aged 8 and up, this Wizarding World building toy is great for inspiring independent play and is fun to build and play with as a group activity.

- LEGO® Harry Potter™ fantasy toy playset for kids' buildable adventures – Recreate Harry Potter and friends' unexpected visit to Rubeus Hagrid's hut, an iconic location in the Wizarding World
- 7 LEGO® Harry Potter™ characters – Harry Potter, Hermione Granger™, Ron Weasley™, Draco Malfoy™, and Rubeus Hagrid™ minifigures, plus LEGO figures of Norbert the dragon and Hagrid's dog Fang.
- A buildable hut and doghouse – The hut has a removable roof and opens out for easy play, and the detailed interior includes Hagrid's foldout chair, an umbrella stand and a dragon egg element
- 2 of 14 collectible Hogwarts™ portraits – This building toy includes gold-colored elements printed with 2 of 14 random Hogwarts portraits to display in Hagrid's hut
- Gift idea for kids – This set makes a fun treat or birthday gift for girls and boys aged 8 years old and up
- A helping hand – Discover intuitive instructions in the LEGO® Builder app where builders can zoom in and rotate their models in 3D, track their progress, and save LEGO sets
- Buildable Wizarding World toys – LEGO® Harry Potter™ sets let young wizards, witches and Muggles™ play out favorite scenes, make up their own adventures, or simply display the models
- Build, play and display – The brick-built Hagrid's Hut in this 896-piece LEGO® set measures over 7 in. (17 cm) high, 7.5 in. (19 cm) wide and 6 in. (15 cm) deep.

On the front of the box, there is an image of Hagrid's hut, built entirely of stone with a green and grey stone pointed roof! Beside it stands Fang's doghouse, smaller but also made of stone so it matches the hut. Around the hut are the characters: Hagrid, Harry Potter, Hermione Granger, Ron Weasley, Draco Malfoy, Fang, and the baby dragon Norbert! Behind them rises the Forbidden Forest, with tall thick trees adding an exciting, mysterious, spooky atmosphere! At the top of the box, the LEGO logo appears in bright red with white letters, next to the Harry Potter name! Just below are the age recommendation 8+ and the set title 76428 Hagrid's Hut: An Unexpected Visit!

On the back of the box, another image shows the hut open so the stone interior can be seen. A view from above, with the roof removed, reveals all the sections and furniture inside! Smaller

images highlight playful details: Hagrid reclining in his special chair that transforms into a bed, Hermione examining the cracked egg and baby dragon Norbert while Harry sits nearby, Draco Malfoy peeking through the window, and Fang resting comfortably in his stone doghouse!

This set has 896 pieces and is for kids aged 8+!

Bag 1 includes the pieces to build the dog house, and Fang Hagrid's dog minifigure.

Bag 2 includes the pieces to build Ron Weasley, and Hagrid's hut.

Bag 3 includes the pieces to build Harry Potter and Hagrid's hut.

Bag 4 includes the pieces to build Hermione Granger and Hagrid's hut.

Bag 5 includes the pieces to build Hagrid and Hagrid's hut.

Bag 6 includes the pieces to build Hagrid's hut.

Bag 7 includes the pieces to build Draco Malfoy and Hagrid's hut.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- Anti-stud is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.

- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

- Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

- Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pinhole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard-length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop; however, it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

- Technic brick - a brick which contains one or more holes which accept technic pins.

- Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift- arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells, and triangles.

- Gears - A gear is a functional element. They are typically discs with teeth on the outside; there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

- Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pinholes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

- Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts or can form useful elements such as bars. Bushes are typically light gray, cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make it easier to pull on and off.

- For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/building-instructions/76428>)

- As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

- Sorting the pieces:

- To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3 and put them in one container.

-This LEGO set comes with 7 plastic bags labeled 1-7, a sticker sheet, and 1 set of instructions.

Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into different groups to make telling the difference easier for the builder. LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Specific placement guidelines:

1. Rows and Columns Across the Whole Build:

Unless we say otherwise, rows are counted from front to back or back to front, and columns are counted from left to right or from right to left across the entire build.

Example: "Vertically place a tan 1x2 plate on the 4th and 5th rows from the front on the 3rd column from the left." or "Place a white 2x2 tile with stud on the 2 back rows on the 3rd and 4th columns from the right."

This uses the full build's row and column layout.

2. Why We Sometimes Count Columns From a Specific Row:

Each row can have a different number of columns. This happens when the build becomes narrower or wider toward the sides, or when certain rows have cutouts, curves, or irregular shapes.

So, if a row is shorter or wider than the rows above or below it, counting columns across the whole build becomes misleading. To avoid confusion, we count columns within that specific row.

Example: Instead of: "Place the 1x2 plate on the front row on the 2nd and 3rd columns from the right." We say: "Place the 1x2 plate on the 2nd and 3rd columns from the right of the front row."

This makes it clear that the row itself is the reference, not the whole build.

3. Why We Sometimes Count Rows From a Specific Column:

Each column can have a different number of rows. This happens when one column extends further back than the next, another extends forward, some columns are tall, others short, or the shape is staggered or irregular. When columns vary in height or depth, counting rows across the entire build becomes confusing. To avoid this, we count rows within that specific column.

Example: "Place a tan 1x1 round plate on the 3rd row from the back of the 2nd column from the right."

This avoids the problem of columns with different lengths.

4. Using Landmarks for Tactile Orientation:

When rows and columns alone aren't enough, we add landmarks—nearby pieces that help the builder feel where the new piece belongs.

Example: "Vertically place a green 2x4 plate on the 2nd through 5th rows from the back on the 2nd and 3rd columns from the left, so the back row sits on the front row of the back left 2x2 corner plate, and the front row sits on the back row of the front left 2x2 corner plate."

These tactile cues confirm the correct placement.

Description:

Before you begin building, it may help you to know that this set contains two separate builds: a small doghouse and the main model, Hagrid's hut. The doghouse is compact, built of stone with straight walls and a simple sloped roof, serving as a companion piece to the larger hut. The main build begins with a base that includes both the floor of the hut and the outside entrance area. On either side of the hut, you will also build two small patches: one with pumpkins and another with a tree stump, adding detail to the surroundings. From the base rise the hut's walls, which form an octagonal shape, giving the structure its distinctive outline. Two wall sections are designed with slopes that can be pulled open—one to the right and one to the left, allowing you to view and access the interior once complete. The hut includes a front door and two windows, and inside you will find furniture elements that bring the space to life. Both the walls and roof are built to resemble stone, emphasizing the rustic look. The roof itself is high and pointed, colored in grey and green tones, and features a chimney with smoke. It is not permanently attached, so you can place it on or lift it off as needed. Because of its size, the roof is built using two bags of pieces, making it a massive but compact structure that crowns the octagonal base. Visualizing this overall layout—the stone doghouse, the octagonal hut with opening sides, the door, windows, furniture, the chimney with smoke, and the two outdoor patches—can make it easier to follow the steps as you build.

Book 1

Bag 1: Doghouse.

Group 1: contains the pieces for steps 1-3.

Group 2: contains the pieces for step 4.

Group 3: contains the pieces for steps 5-8.

Group 4: contains the pieces for steps 9-13.

Bag 2: Hagrid's hut.

Group 5: Ron Weasley page 16.

Group 6: contains the pieces for steps 1-3.1.

Group 7: contains the pieces for steps 3.2-16.

Group 8: contains the pieces for steps 17-19 and a light grey 2x2 triangular tile you will need later in step 20.

Group 9: contains the pieces for steps 20-33.

Group 10: contains the pieces for steps 34-46.1.

Group 11: contains the pieces for steps 46.2-47.

Bag 3: Hagrid's hut

Group 12: Harry Potter page 57.

Group 13: contains the pieces for steps 48-58.

Group 14: contains the pieces for steps 59-68.

Group 15: contains the pieces for steps 69-80.

Group 16: contains the pieces for steps 81-91.

Group 17: contains the pieces for steps 92-98.

Group 18: contains the pieces for steps 99-110.

Group 19: contains the pieces for steps 111-121.

Group 20: contains the pieces for steps 122-124.

Bag 4: Hagrid's hut.

Group 21: Hermione Granger page 97.

Group 22: contains the pieces for steps 125-133.

Group 23: contains the pieces for steps 134-142.

Group 24: contains the pieces for steps 143-150.

Group 25: contains the pieces for steps 151-160.

Group 26: contains the pieces for steps 161-165.

Group 27: contains the pieces for steps 166-172.

Bag 5: Hagrid's hut.

Group 28: Rubeus Hagrid page 120.

Group 29: contains the pieces for steps 173-191.

Group 30: contains the pieces for steps 192-209.

Group 31: contains the pieces for steps 210-213.1.

Group 32: contains the pieces for steps 213.2-214.

Bag 6: Hagrid's hut roof.

Group 33: contains the pieces for steps 215-228.

Group 34: contains the pieces for steps 229-240.

Group 35: contains the pieces for steps 241-259.

Group 36: contains the pieces for steps 260-261.

Group 37: contains the pieces for steps 262-268.

Bag 7: Hagrid's hut roof.

Group 38: Draco Malfoy page 169.

Group 39: contains the pieces for steps 269-276.

Group 40: contains the pieces for steps 277-285.

Group 41: contains the pieces for steps 286-288.1.

Group 42: contains the pieces for steps 288.2-290.1.

Group 43: contains the pieces for steps 290.2-295.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Doghouse

Group 1:

1. Horizontally place a green 4x8 half round plate in front of you, so the rounded edge faces the back. Vertically place the 2 back rows of a nougat 2x4 tile on the 2 front rows of the ppp, so it is centered horizontally and 2 rows overhang to the front.

2. Horizontally place a green 4x8 half round plate under the front overhang so it is aligned with the rest of the build to form a circle.

3. Vertically place a reddish brown 1x4 tile on the 3rd column from the right, so it is centered vertically and sits to the right of the vertical nougat 2x4 tile. Repeat symmetrically to the left.

Group 2:

4. Horizontally place the leftmost column of a grey 1x4 tile in front of the ppp. Repeat symmetrically to the back. Place a grey 1x1 quarter round tile to the right of the ppp so the right angle faces the front left, and the rounded edge faces the back right. Repeat symmetrically to the left. Then repeat both parts symmetrically to the front. The 2nd row from the front and the 2nd row from the back of your build should be covered.

Group 3:

5.1 Let's make 2 identical parts! Let's build the left and right walls! Horizontally place a reddish brown 1x4 brick in front of you.

5.2 Horizontally place a reddish brown 1x2 brick with 2 side studs on the long side on the ppp, so it is centered horizontally, and the side studs face the front. Place a nougat 1x1 brick with a side stud to the right of the ppp, so the side stud faces the right. Repeat symmetrically to the left.

5.3 Stack 2 nougat 1x4 plates. Horizontally place your stack on top of your part.

5.4 Place a reddish brown 2x2 inverted slope brick on the ppp, so it is centered horizontally, and it slopes upward to the back. Place a nougat 1x1 brick with a side stud to the right of the ppp, so the side stud faces the right. Repeat symmetrically to the left.

5.5 Horizontally place a reddish brown 1x4 tile on top of your part on the front row. You should now have 2 identical parts!

5.6 Rotate your first part 90 degrees counterclockwise, so the side studs face the right. Bring back your main build and place it in front of you, so the 2nd row from the front and the 2nd row from the back are covered. Vertically place your first part on the 2nd column from the right between the front right and back right 1x1 quarter round tiles, so it is centered vertically, and the horizontal side studs face the right. Place your other part symmetrically to the left.

6.1 Let's make a part! Horizontally place a black 2x4 plate in front of you. Place a black 2x2 plate with 1x2 upright side studs on top of the ppp, so the side studs face the front, and it is centered horizontally.

6.2 Horizontally place a tan 1x2 plate on the back row of the ppp. Insert the bar of a white 1x1 round tile with upright bar into the front right facing side stud. Repeat symmetrically to the left.

6.3 Place a black 2x2 round plate with axle hole on top of your part, so it is centered horizontally.

6.4 Bring back your main build, so the walls face vertically. Horizontally place your part on top of your main build, so it is centered horizontally and vertically and the antistuds of the 2 white 1x1 round tiles with upright bar face the front. The leftmost column and the rightmost column attach to the left and right 2x2 inverted slope bricks.

7.1 Let's make a part! Let's build the back wall! Horizontally place a light grey 4x6 plate in front of you. Horizontally place a nougat 1x4 plate on the front row, so it is centered horizontally. Repeat symmetrically to the back.

7.2 Vertically place a light grey 2x4 tile on the 2nd and 3rd columns from the right of your part. Repeat symmetrically to the left.

7.3 Place a grey 1x2 slope tile to the left of the ppp, so it is centered vertically, and it slopes to the left. Repeat symmetrically to the right. Place a light grey 1x1 slope tile behind the ppp, so it slopes to the right. Repeat symmetrically to the left. Repeat both placements symmetrically to the front.

7.4 Rotate the main build so the antistuds of the 2 1x1 round tiles with upright bar face the back.

Attach the wall horizontally upright to the front facing columns of side studs. Now rotate the build so the wall faces the back.

8.1 Let's make 2 identical parts! Horizontally place a black 2x4 plate in front of you. Place the front row of a grey 2x2 curved slope tile on the 2 left columns of the back row of the ppp, so it slopes to the back. Repeat symmetrically to the right.

8.2 Vertically place a light grey 1x2 curved slope tile in front of the right column of the ppp, so it slopes to the front. Repeat symmetrically to the left. Place a grey 2x2 curved slope tile to the right of the ppp, so it slopes to the front. You should now have 2 identical parts!

8.3 Bring back the main build so the open side faces the front. Place one part upright on the right facing side studs so it slopes to the front and back and is even with the front of the wall. Repeat symmetrically to the left.

Group 4:

9.1 Let's make 2 identical parts! Horizontally place a light grey 1x4 plate in front of you.

9.2 Horizontally place a grey 1x2 slope tile on the ppp, so it is centered horizontally and slopes to the front. Place a light grey 1x1 slope tile to the right of the ppp, so it slopes to the front. Repeat symmetrically to the left. You should now have 2 identical parts!

9.3 Bring back the main build so the opening faces the front. Place one part vertically upright on the left column of front facing side studs so it slopes to the left. Repeat symmetrically to the right.

10.1 Let's make a part! Let's start building the roof! Place a light grey 2x2 round plate with axle hole and 8 bars in front of you. Place a grey 1x1 round plate on the center of the ppp, on the axle hole, so it doesn't sit on any studs.

10.2 Place another grey 1x1 round plate on top of the ppp.

10.3 Bring back your main build so the opening faces the front. Place the part on top of the round 2x2 plate with axle hole in the center of the main build so there is a horizontal bar facing the front and back.

11.1 Let's make 4 identical parts! Vertically place a grey 2x3 left wedge plate in front of you so the short side faces the back. A wedge plate is left if, when holding it with the studs facing up and the wide edge closest to you, the angled edge slopes away toward your right hand. It is right if the slope goes away toward your left hand. The narrow end usually ends in a short side or corner, not a sharp tip like wedge tiles. To tell the difference by touch, hold the wide end and trace the angled edge — the direction it leans tells you the name: left or right.

Horizontally place the left column of a sand green 1x2 plate with rail on the back row of the ppp so 1 column overhangs to the right and the rail faces the back.

11.2 Vertically place the left column of the back row of a grey 2x3 right wedge plate underneath the overhang, so the short side of the wedge plate faces the back.

11.3 Place a sand green 2x2 plate with cut corner on the 2 front rows of your part, so the right angle faces the back left and it is centered horizontally.

11.4 Horizontally place a black 1x2 plate with clip on the long side underneath the back row of your part, so the clip faces the back. The hands of the clip should face up and down. You should now have 4 identical parts!

11.5 Bring back your main build, so the opening faces the front. Clip your first part to the horizontal front facing bar, so the studs face up. Repeat symmetrically to the back. Clip the 3rd part to the right facing vertical bar. Repeat symmetrically to the left. There should be a diagonal bar between each attached part. Push them down.

12.1 Let's make 4 identical parts! Vertically place a reddish brown 1x2 plate with clip on 1 short side in front of you so the clip faces the back. Vertically place the left column of the 2 back rows of a grey 2x3 right wedge plate on the ppp, so the short side faces the back and 1 column overhangs to the right and 1 row to the front. Place the right column of a grey 3x2 left wedge plate on the left column of the ppp, so 1 column overhangs to the left. You should now have 4 identical parts!

12.2 Bring back your main build, so the open side faces the front. Clip your first part to the diagonal front right facing bar, so the studs face up. Repeat symmetrically to the left. then repeat both placements symmetrically to the back. Push them down.

13. Place a sand green 2x2 inverted round dish on top of your main build, so it is centered horizontally and vertically. Then vertically place Fang, Hagrid's big reddish brown dog, inside its doghouse so it faces the front.

Woof, woof! Fang is finally home. His stone doghouse is ready, and he can curl up inside after a long day of adventures. With his wagging tail and watchful eyes, he's already guarding the edge of the Forbidden Forest, waiting for the next magical surprise! In the next bag, the magic continues: we'll start building the floor of Hagrid's hut, the place where all the stories inside will begin!

Building Instructions (Bag 2, Book 1):

Group 5 – Ron Weasley

Sub build 1. Locate a grey pair of short legs, a torso printed with a jumper featuring horizontal grey and blue stripes over a visible white shirt with black sleeves, a tan dual-sided head showing two expressions — one smiling, the other worried, a red hairpiece, representing Ron's iconic ginger hair, and a reddish brown set of wands.

Assemble your minifigure. Choose which facial expression you want to display, either the cheerful smile or the worried face. Ask a sighted helper to help you identify the face. Break off a wand and attach it to Ron's right hand. Set Ron aside while we start building Hagrid's hut.

Hagrid's hut

Group 6:

1. Vertically place a green 4x10 plate in front of you. Place the left column of a light grey 2x2 round plate with axle hole on the back right corner, so 1 column overhangs to the right. Repeat symmetrically to the left.

2. Place the back right corner of a green 6x6 quarter round plate underneath the left overhang, so the right angle faces the front right and the rounded edge faces the back left. Repeat symmetrically to the right.

3.1 Place a yellow 1x1 round plate with 3 leaves on the 2nd column from the right of the back row, so the leaves face the back, and it sits to the right of the right 2x2 round plate with axle hole.

Group 7:

3.2 Place an orange 1x1 round plate with 3 leaves symmetrically to the left.

4. Place the right column of a grey 2x2 corner slope brick in front of the ppp, so it slopes to the back left. Repeat symmetrically to the right. Place a white 1x1 round plate on the 2nd column from the left of the 3rd row from the front, so it sits to the left of the front row of the left 2x2 corner slope brick. Place another on the leftmost column of the 2nd row from the back.

5. Horizontally place a grey 2x6 plate on the 2 back rows, so it is centered horizontally, and it sits on the 2 2x2 round plates with axle hole. Horizontally place a grey 1x6 tile on the front row of the ppp.

6. Horizontally place a black 2x6 brick in front of the ppp, so it is centered horizontally.

7. Horizontally place the right column of a gray 1x2 plate with 2x2 upright side studs on the back left corner of the ppp so the left column sits on the corner slope brick, and the side studs face the back. Place an orange 1x1 round plate with 3 leaves on the 2nd column of the 3rd row from the back (here, we are counting only the columns of this mentioned row), so the leaves face the right. Place a red 1x1 round tile on the 2nd column from the left of the 3rd row from the back (here, we are counting only the columns of this mentioned row), so it sits on the white 1x1 round plate. Place a red 1x1 short dome brick on the leftmost column of the 2nd row from the back on the white 1x1 round plate. This is a mushroom!

8. Horizontally place a gray 1x2 slope brick on the 2nd and 3rd columns from the left of the 4th row from the back so it slopes to the left and the right column sits behind the 1x1 round tile. Repeat symmetrically to the right. Place a green 1x1 round tile on the ppp. Then, place another symmetrically to the left.

9. Vertically place a white 2x3 tile on the 4th through 6th rows from the front on the 6th and 7th columns from the left counting the entire build, so 1 column of the front row overhangs to the left and the back row sits in front of the 2 left columns of the horizontal 2x6 brick. Repeat symmetrically to the right. Horizontally place a light grey 1x2 brick with vertical bar handle on a short side on the 5th row from the back on the 2nd and 3rd columns from the left counting the entire build, so the bar handle faces the left and it sits in front of the horizontal left sloping 1x2 slope brick. Repeat symmetrically to the right.

10. Horizontally place the back left corner of a green 4x6 plate under the front right overhang. Repeat symmetrically to the left.

11. Horizontally place a black 2x6 brick on the 2nd row from the front, so it is centered horizontally, and it sits in front of the 2 vertical white 2x3 tiles from step 9. Place a grey 2x2 slope brick on the 4th and 5th rows from the front on the 2nd and 3rd columns from the right, so it slopes to the front and sits in front of the right horizontal 1x2 brick with bar handle. Repeat symmetrically to the left.

12. Place a grey 1x1 quarter round tile on the 5th row from the back on the 2nd column from the right, so the right angle faces the front left, and the rounded edge faces the back right, and it sits on the back right column of a light grey 1x2 brick with bar handle. Place another symmetrically to the left. Place a grey 2x2 corner tile with cut corner in front and to the right of the ppp, so the cut corner faces the front right. Repeat symmetrically to the right.

13.1 Horizontally place a grey 1x2 log brick on the 3rd row from the front on the 2 right columns. Repeat symmetrically to the left.

13.2 Let's make 2 identical parts! Now we will assemble two grey 1x4 hinge bricks! Locate a 1x2 brick which has a downward pointing pin on one short end, and a 1x2 brick which has a pin hole at the bottom of one short end. Push the pin from the first piece into the hole on the second, keeping the studs of both pointed up. You can open the hinge to create a 1x4 brick, close the hinge to make a 2x2 brick, or make it some angle in between. You should now have 2 identical parts! vertically place the 2 back rows of the first part on the leftmost column of the 2 front rows of your build, so 2 rows overhang to the front and the round hinge part faces the left. Repeat symmetrically to the right.

14. Place a grey 2x2 slope brick to the left of the 2 back rows of the ppp, so it slopes to the left. Repeat symmetrically to the right. Fold the hinge bricks so the round hinge part faces the front. Horizontally place a grey 1x2 log brick on the front row on the 6th and 7th columns from the right, not counting the folded 1x2 brick. Repeat symmetrically to the left. Horizontally place a light grey 1x2 brick with 2 side studs on a long side between the 2 ppps, so the side studs face the front.

15. Horizontally place a tan 1x8 plate on the front row on the 8 left columns not counting the folded overhanging 1x2 hinge brick. Repeat symmetrically to the right. Vertically place the front row of a tan 1x2 plate behind the rightmost column of the ppp. Repeat symmetrically to the left.

16. Place a tan 6x6 triangular plate with cut corners on the 2nd through 7th rows from the front on the 2nd through 7th columns from the left, so the right angle faces the front right and the leftmost column sits to the right of the ppp. Repeat symmetrically to the right.

Group 8:

17.1 Let's make 2 identical parts! Horizontally place a grey 1x5 plate in front of you. Then place a dark grey 1x1 round plate underneath the ppp, so it is centered horizontally.

17.2 Horizontally place the 2 left columns of a light grey 1x4 hinge plate to the right of the ppp, so 2 columns are exposed to the right, and the round hinge part faces the front. Repeat symmetrically to the left. You should now have 2 identical parts. fold the 2 right columns of your first part vertically to the front, then place them on the rightmost column of the 2nd and 3rd rows from the front, not counting the folded overhanging 1x2 hinge brick, so it sits on the right vertical tan 1x2 plate. Horizontally place the left 2 columns on the 3rd row from the back so it sits on the right horizontal grey 1x2 plate with 2x2 upright side studs. Repeat symmetrically to the left.

18. Place a yellow 2x2 round plate with axle hole on the 4th and 5th rows from the back on the 6th and 7th columns from the right, so it sits on the 2 back rows of the right 6x6 triangular plate with cut corners. Place a grey 2x2 corner plate on the 2 front rows on the 2 right columns, so it looks like a braille letter H, and it sits on the horizontal 1x8 plate and on the rightmost column of the front row of the right facing 6x6 triangular plate with cut corners. Horizontally place a tan 1x2 plate on the 2 left columns of the front row, so it sits on the left horizontal 1x8 plate. Horizontally place the higher column of a grey 1x2 curved left slope wedge tile on the right column of the ppp, so it slopes to the right. A wedge tile is left if, when holding it with the smooth surface facing up and the wide end closest to you, the curved or angled edge tapers away toward your right hand, ending in a sharp tip on the right. It is right if the taper goes toward your left hand,

ending in a sharp tip on the left. Wedge tiles are thinner and smoother than plates, and the pointed tip makes it easier to feel the direction. Trace the edge from wide to narrow — the side the tip points to tells you the name: left or right.

19. Place a light grey 2x2 triangular tile behind the ppp, so the right angle faces the back right and the left diagonal edge aligns with the left wedge tile. Place a dark red 2x2 tile to the right of the ppp. Place a light grey 2x2 triangular tile to the right of the ppp, so the right angle faces the back left.

Group 9:

20.1 Place a dark red 2x2 tile behind the ppp. Place a light grey 2x2 tile with stud to the left of the ppp. Place a dark red 2x2 triangular tile to the left of the ppp, so the right angle faces the front right. Place another on the 5th and 6th rows from the front on the 4th and 5th columns from the left counting the entire build, so it sits behind the light grey 2x2 tile with stud and the right angle faces the front right.

20.2 Place a light grey 2x2 triangular tile to the right of the ppp, so the right angle faces the front left.

21. Vertically place a tan 2x6 plate on the 4th through 9th rows from the back, so it is centered horizontally, and it attaches to the horizontal front black 2x6 brick and the back horizontal 2x6 brick. Let's start building the floor of the left moving section! Push the left overhanging 1x2 hinge brick 90 degrees, so it is facing horizontally to the left. Vertically place the back row of a tan 2x6 plate underneath the left overhanging horizontal 1x2 hinge brick, so 5 rows are exposed to the front.

22. You'll be placing pieces and building the floor of the left moving section in the next steps! Vertically place a light grey 1x2 slope brick on the 2nd and 3rd rows from the back on the right column of the ppp, so it slopes to the front, and it sits in front of the horizontal grey 1x2 hinge brick. Place the right column of a black 2x2 corner brick to the left of the ppp, so it looks like a braille letter J and 1 column overhangs to the left.

23. Place a green 6x6 quarter round plate to the left of the vertical 2x6 plate from step 21, so the 3rd row from the back of the rightmost column attaches underneath the left overhang, and the rounded edge faces the back left and the right angle the front right.

24. Place a grey 2x2 slope brick on the back right corner of the ppp, so it slopes to the left, and it sits to the left of the back row of the 2x2 corner brick and to the left of the horizontal 1x2 hinge brick.

25. Vertically place a light grey 1x2 slope brick to the left of the ppp, so it slopes to the back. Place another horizontally on the 2 left columns of the 4th row from the front (here, we are counting only the columns of this mentioned row), so it slopes to the right. Place a green 1x1 round tile on top of the 2 ppps.

26.1 Let's make a part! Horizontally place a sand green 1x3 plate in front of you. Place the front row of a grey 2x2 slope brick on the 2 right columns of the ppp, so it slopes to the front and 1 row overhangs to the back.

26.2 Place the front row of a grey 2x2 corner slope brick to the left of the ppp, so it slopes to the front left, and 1 row overhangs to the back and 1 column overhangs to the left.

26.3 Horizontally place a sand green 1x3 plate on top of your part. Rotate your part 90 degrees clockwise so the sloping side slopes to the left. Bring back your main build so the moving section you have been working on the previous steps faces the front and the row in front of you has 8 columns. Vertically attach the right overhanging column of the 3 back rows of your part to

the leftmost column of the 3 front rows of your main build. The front right corner of your part should overhang.

27. Horizontally place the back left corner of a green 2x8 plate underneath the front right overhanging corner of your attached part from the previous step.

28. Place a black 1x1 brick with side stud and bottom lip on the front right corner of the left moving section, so the side stud and the bottom lip face the left. Place a light grey 1x1 tile on the left facing side stud of the ppp.

29. Horizontally place the right column of a reddish brown 2x4 brick behind the ppps. Place a light gray 1x1 brick on the leftmost column of the front row of the left section of the build so it sits in front of a vertical 1x3 plate. Then, place the front row of a reddish brown 1x3 brick to the right of the ppp.

30.1 Let's make a part! Horizontally place a light grey 1x4 plate in front of you. Horizontally place a sand green 1x2 plate with rail on the ppp, so it is centered horizontally, and the rail faces the front.

30.2 Place a grey 1x1 round plate to the right of the ppp. Repeat symmetrically to the left.

30.3 Horizontally place a light grey 1x4 plate on top of your part. Bring back your main build so the left moving section you have been working on in the previous steps faces the front and the row in front of you has 8 columns. Horizontally place your part on the front row, so it is centered horizontally, and the rail faces the front.

31. Horizontally place a tan 1x8 plate on the front row. Vertically place a tan 1x6 plate behind the rightmost column of the ppp. Horizontally place the rightmost column of a sand green 1x3 plate behind the ppp.

32.1 Let's make a part! Place a tan 6x6 triangular plate with cut corners in front of you, so the right angle faces the back right. Place a dark green 1x2 curved tile on the 2 back rows of the ppp, so the right column sits on the 2nd row from the back, the left column sits on the back row, and the rounded edge faces the back right.

32.2 Place the back row of a light grey 2x2 round tile with stud to the left of the right column of the ppp. Let's surround it by placing 3 more dark green 1x2 curved tiles around the ppp.

32.3 Rotate your part 90 degrees clockwise so the right angle faces the front right. Bring back your main build so the left moving section you have been working on in the previous steps faces the front and the row in front of you has 8 columns. Place your part on the 2nd through 7th rows from the front on the 2nd through 7th columns from the right, so it sits to the left of the vertical tan 1x6 plate, and the back row sits in front of the 2 left columns of the sand green horizontal 1x3 plate from the previous step.

33. Place a grey 1x1 round plate on the 8th row from the front on the rightmost column which is the back right corner of the moving section. Place the right column of a grey 2x2 plate with cut corner in front of the ppp, so the right angle faces the back left. Place a grey 1x1 quarter round tile to the left of the back row of the ppp, so the rounded edge faces the back left and the right angle faces the front right. Place another in front of the ppp, so the right angle faces the back right and the rounded edge faces the front left. Vertically place a tan 1x2 plate on the 2 front rows on the 2nd column from the left counting the entire build, or the leftmost column if we are counting only the visible studs, so it sits on the leftmost column of a horizontal 1x8 plate and on the front row of a vertical left facing sand green 1x3 plate.

Group 10:

34. Let's start building the floor of the right moving section! Push the right overhanging 1x2 hinge brick 90 degrees, so it is facing horizontally to the right. Vertically place the back row of a tan 2x6 plate underneath the right overhanging horizontal 1x2 hinge brick, so 5 rows are exposed to the front.

35. Vertically place a light grey 1x2 slope brick on the 2nd and 3rd rows from the back on the left column of the ppp, so it slopes to the front, and it sits in front of the horizontal grey 1x2 hinge brick. Place the left column of a black 2x2 corner brick to the left of the ppp, so it looks like a braille letter H and 1 column overhangs to the right.

36. Place a green 6x6 quarter round plate to the right of the vertical 2x6 plate from step 34, so the 3rd row from the back of the leftmost column attaches underneath the right overhanging column of a 2x2 corner brick, the rounded edge should face the back right and the right angle the front left.

37. Place a grey 2x2 slope brick on the back left corner of the ppp, so it slopes to the right, and it sits to the right of the back row of the 2x2 corner brick and to the right of the horizontal 1x2 hinge brick.

38. Vertically place a light grey 1x2 slope brick to the right of the ppp, so it slopes to the back. Place another horizontally on the 2 right columns of the 4th row from the front, so it slopes to the right. We are only counting the columns in this row. Place a green 1x1 round tile on top of the 2 ppps.

39.1 Let's make a part! Horizontally place a sand green 1x3 plate in front of you. Place the back row of a grey 2x2 slope brick on the 2 right columns of the ppp, so it slopes to the back and 1 row overhangs to the front.

39.2 Place the back row of a grey 2x2 corner slope brick to the left of the ppp so it slopes to the back left, 1 row overhangs to the front and 1 column overhangs to the left.

39.3 Horizontally place a sand green 1x3 plate on top of your part. Rotate your part 90 degrees clockwise so it slopes to the right. Bring back your main build so the right moving section you have been working on in the previous steps faces the front and the row in front of you has 8 columns. Vertically attach the left overhanging column of the 3 back rows of your part to the rightmost column of the 3 front rows of your main build. The front left corner of your part should overhang.

40. Horizontally place the back right corner of a green 2x8 plate underneath the front left overhanging corner of your attached part from the previous step.

41. Place a black 1x1 brick with side stud and bottom lip on the front left corner of the right moving section, so the side stud and the bottom lip face the right. Place a light grey 1x1 tile on the right facing side stud of the ppp. Horizontally place the left column of a reddish brown 2x4 brick behind the ppp.

42. Place a gray 1x1 brick on the rightmost column of the front row of the right section. Vertically place the front row of a reddish brown 1x3 brick to the left of the ppp. Horizontally place a black 1x4 brick with sliding groove to the left of the front row of the ppp, so the sliding groove faces the front.

43. Horizontally place a tan 1x8 plate on the front row. Vertically place a tan 1x6 plate behind the leftmost column of the ppp. Horizontally place the leftmost column of a sand green 1x3 plate behind the ppp.

44. Place the 2 left columns of a tan 6x6 triangular plate with cut corners in front of the 2 right columns of the ppp on the 2nd through 7th rows from the front on the 2nd through 7th columns from the right, so the right angle faces the front left, and it sits to the right of the vertical tan 1x6 plate.

45. Place a grey 2x2 corner plate on the 7th and 8th rows from the front on the 7th and 8th columns from the right, on the back left corner of the right moving section, so it looks like a Braille letter H and the right column sits on the leftmost column of the back row of the ppp and the left column sits on a horizontal sand green 1x3 plate and on a vertical tan 1x6 plate. Place the right column of a blue 1x2 curved tile in front of the right column of the ppp, so the rounded edge faces the back left and the left column sits on the 5th row from the front on the 8th column from the right counting the entire build, or on the leftmost column of the right moving section. Vertically place a tan 1x2 plate on the rightmost column of the 2 front rows of the right moving section.

46.1 Place the back row of a light grey 2x2 round tile with stud to the right of the left column of the blue 1x2 curved tile from the previous step, on the 4th and 5th rows from the front, on the 6th and 7th columns from the right counting the entire build.

Group 11:

46.2 Let's surround the ppp by placing 3 more blue 1x2 curved tiles around the ppp. Place a reddish brown 2x2 round tile with stud on the 2 front rows on the 3rd and 4th columns from the left of the right moving section.

47.1 Let's make 2 identical parts! Horizontally place a grey 1x5 plate in front of you. Then place a 1x1 round plate underneath the ppp, so it is centered horizontally.

47.2 Horizontally place the 2 left columns of a light grey 1x4 hinge plate to the right of the ppp, so 2 columns are exposed to the right, and the round hinge part faces the front. Repeat symmetrically to the left. You should now have 2 identical parts.

47.3 Vertically place the 2 right columns of your first part on the 3rd and 4th rows from the front on the rightmost column, counting the visible studs, and the 2 left columns on the 8th row from the front on the 6th and 7th columns from the right, counting the visible studs, so both hinge sides sit on sand green 1x3 plates. Repeat symmetrically on the left moving section.

Well, done, wizard builder! You've laid down the strong stone floor of Hagrid's hut, the very ground where countless magical stories will unfold. You've also built the floors of the two moving sections, ready to swing open like secret doors when the hut is complete. Just like in the world of Harry Potter, every great adventure begins with a solid foundation — and now yours is ready! In the next bag, the hut will start to rise from the ground, and the magic will grow even stronger!

Building Instructions (Bag 3, Book 1):

Group 12 – Harry Potter.

Sub build 2. Locate a short tan pair of legs, A torso printed with a green sweater with a braided wool texture, hand-knitted by Molly Weasley, with a white shirt collar peeking out, a tan dual-sided head printed with glasses showing **two** expressions — one smiling, the other showing a shocked expression, a black hairpiece, and a brown set of wands.

Assemble your minifigure. Choose which facial expression you want to display, either the cheerful smile or the shocked expression face. Ask a sighted helper to help you identify the face. Break off a wand and attach it to Harry's right hand. Set him aside while we continue building Hagrid's hut.

Group 13:

48. Let's make a part! Let's start building the back horizontal wall! Horizontally place a light grey 1x2x3 brick in front of you. Horizontally place a tan 1x2 plate on the ppp.

49. Place a light grey 1x1 brick on the right column of the ppp. Place a grey 1x1 brick with clip on 1 side to the left of the ppp, so the clip faces the front.

50. Stack 2 tan 1x2 plates. Horizontally place the stack on top of your part.

51. Attach the bottom facing bar of a white 1x1 round tile with upright bar to the front facing clip. Attach a transparent orange candle flame to the ppp.

52. Horizontally place your part on the 4th and 5th columns from the left of the 3rd row from the back (here, we are counting only the columns of this mentioned row), so the flame faces the front, and it sits on the back left horizontal 1x4 hinge plate from step 17 and in front of the 2x2 upright back facing side studs.

53. Let's make a part! Horizontally place a light grey 1x2x3 brick in front of you. Horizontally place a tan 1x2 plate on the ppp.

54. Place a light grey 1x1 brick on the left column of the ppp. Place a grey 1x1 brick with clip on 1 side to the right of the ppp, so the clip faces the front.

55. Stack 2 tan 1x2 plates. Horizontally place the stack on top of your part.

56. Attach the bottom facing bar of a white 1x1 round tile with upright bar to the front facing clip, so the anti-stud faces up. Then, attach a transparent orange candle flame to the ppp.

57. Horizontally place your part on the 4th and 5th columns from the right of the 3rd row from the back (here, we are counting only the columns of this mentioned row), so the flame faces the front, and it sits on the back right horizontal 1x4 hinge plate from step 17 and in front of the 2x2 upright back facing side studs panel.

58.1 Let's make a part! Vertically place a reddish brown 1x4x6 door frame flat in front of you, so the ridges face up, and the studs face the back. Attach the right edge of a reddish brown 1x4x6 door with stud handle to the door's ridges so it snaps in place, and the handle faces the left.

58.2 Place a grey 1x1 round plate on the stud of the ppp. Horizontally place your part on the 3rd row from the back so it is centered horizontally, and the handle of the door faces the back. It sits between the 2 walls with flames. You have built the horizontal back wall with the door entrance to the hut.

Group 14:

59. Let's make a part! Let's start building the back left diagonal wall! Horizontally place a sand green 1x4 brick with 4 side studs on 1 long side in front of you, so the side studs face the front. Place a light grey 1x1 tile on the rightmost column of front facing side studs. Place a grey 1x2 ingot tile horizontally upright to the left of the ppp.

60. Horizontally place a light grey 1x3 brick on the 3 right columns of your part.

61. Horizontally place a light grey 1x2 brick with 2 side studs on a long side to the left of the ppp, so the side studs face the front and 1 column overhangs to the left. Place a light grey 1x1 brick underneath the left overhang.

62. Place a grey 1x2 ingot tile horizontally upright on the 2 left columns of the top row of front facing side studs. Horizontally place a grey 1x2 brick on the 2 right columns of your part. Horizontally place a light grey 1x3 brick to the left of the ppp.

63. Horizontally place a tan 1x2 plate on the 2 left columns of the ppp. Horizontally place a light grey 1x2 brick with 2 side studs on a long side on the ppp, so the side studs face the front. Place a grey 1x2 ingot tile horizontally upright on the side studs of the ppp. Horizontally place a tan 1x2 plate on the 2 left columns of your part.

64. Horizontally place a brown 1x2x2 window frame to the right of the ppp, so the ridged side faces the front. Attach a black 1x2x2 lattice pane to the window by pressing it into the front facing ridge. You will hear it snap into place.

65. Place a light grey 1x1 brick to the right of the window.

66. Place a black 1x1 brick with side stud and bottom lip on the ppp, so the side stud and the bottom lip face the front. Place a light grey 1x1 tile on the front facing side stud of the ppp.

67. Bring back your main build so the 2 moving sections are at the front opened 90 degrees in reference to the rest of the build. Diagonally attach your part, so the right column sits to the left of the horizontal back wall on a diagonal 1x5 plate. Make sure that the ingot tiles face the back left.

68. Let's connect the back left diagonal wall with the back horizontal wall. Place the 2 left columns of a light grey 1x4 hinge plate on the 2 right columns of the left back diagonal wall, and the 2 right columns on the 2 left columns of the back horizontal wall, so the round hinge part faces the front.

Group 15:

69. Let's make a part! Let's make the left wall! Horizontally place a grey 1x2 brick in front of you. Horizontally place the left column of a grey 1x2 brick on the right column of the ppp, so 1 column overhangs to the right.

70. Place a light grey 1x1 brick underneath the right overhang. Place another on the leftmost column of your part.

71. Place a light grey 1x1 brick on the rightmost column of your part. Horizontally place a grey 1x2 brick to the left of the ppp.

72. Horizontally place a sand green 1x3 plate on top of the ppps.

73. Vertically place a grey 1x3x3 half arch brick on the rightmost column of the ppp, so it overhangs 2 rows to the front. Horizontally place a grey 1x2 brick to the left of the back row of the ppp.

74. Horizontally place the 2 left columns of a light grey 1x3 brick on top of the ppp.

75. Place a grey 1x1 round plate on the leftmost column of the ppp. Place another on the front overhanging row of your part. Place a grey 1x1 quarter round tile behind the ppp, so the right angle faces the front left, and the rounded edge faces the back right.

76. Bring back your main build so the 2 moving sections are at the front opened 90 degrees in reference to the rest of the build. Close them so they are attached. Vertically place your part on the leftmost column of the 8th through 10th rows from the back counting the entire build, so the arch faces the right, and it sits in front of the leftmost column of the diagonal left wall.

77. Vertically place the 2 front rows of a light grey 1x4 hinge plate on the left column of the 2 back rows of the vertical wall, and the 2 right columns on the 2 left columns of the diagonal wall, so the round hinge part faces the front right.

78. Place a sand green 1x3 plate following the shape of the diagonal wall to the right of the ppp.

79. We'll continue placing pieces on the diagonal wall. Diagonally place the 3 right columns of a light grey 1x4 plate on the ppp. Place a grey 1x1 round plate to the left of the ppp, so it sits on the 1x4 hinge plate.

80. Horizontally place the leftmost column of a nougat 1x3 jumper plate in front of the ppp, so it sits on the 1x4 hinge plate, on the 1x1 quarter round tile and on the 1x1 round plate. Diagonally place the left column of a grey 1x4 tile behind the left column of the ppp, so it sits on the grey 1x1 round plate and on the light grey 1x4 plate. Orient the grey 1x1 quarter round tile so the right angle faces the front left, and the rounded edge faces the back right. In this position place it to the right of the ppp on the diagonal wall.

Group 16:

81. Let's make a part! Let's build the back right diagonal wall! Horizontally place a sand green 1x4 brick with 4 side studs on a long side in front of you, so the side studs face the front. Horizontally place a tan 1x2 brick with 2 side studs on each long side on the ppp, so it is centered horizontally, and the side studs face the front and the back.

82. Horizontally place the left column of a grey 1x2 brick to the right of the ppp, so 1 column overhangs to the right.

83. Place a light grey 1x1 brick underneath the right overhang. Place another on the leftmost column of your part.

84. Place a grey 1x2 ingot tile horizontally upright on the top front facing side studs. Place another horizontally upright on the 2 left columns of the bottom front facing side studs. Place a light grey 1x1 tile to the right of the ppp.

85. Place a light grey 1x1 brick on the rightmost column of your part. Horizontally place a grey 1x4 brick to the left of the ppp.

86. Place a light grey 1x1 brick on the leftmost column of the ppp. Horizontally place a grey 1x2 brick to the right of the ppp.

87. Horizontally place a grey 1x3 brick on the ppps.

88. Stack 2 tan 1x2 plates. Horizontally place the stack to the right of the ppp. Horizontally place a grey 1x2 brick with 2 side studs on a long side on top of the tan 1x2 stacked plates, so the side studs face the front. Place a grey 1x2 ingot tile horizontally upright on the front facing side studs of the ppp.

89. Bring back your main build, so the moving parts are closed and face the front, and the door faces the back. Diagonally place the leftmost column of your part to the right of the back wall, on the 3rd through 7th rows from the back, so the ingot tiles face the back, and it is symmetrical to the back left diagonal wall. It sits on the back right grey diagonal 1x5 plate.

90. Let's connect the right diagonal wall with the back horizontal wall. Place the 2 right columns of a light grey 1x4 hinge plate on the 2 left columns of the right diagonal wall, and the 2 left columns on the 2 right columns of the back wall, so the round hinge part faces the front left.

91. Horizontally place a tan 1x8 plate on top of the back wall, on the 3rd row from the back. Place a black 2x2x2 barrel on the 4th and 5th rows from the back on the 6th and 7th columns from the right counting the entire build, so it sits to the right of the door in front of the back wall on a yellow 2x2 round plate with axle hole.

Group 17:

92. Let's make a part! Let's build the kitchen furniture! Vertically place a black 1x2 plate with 1x2 upright side studs in front of you, so the side studs face the right. Vertically place the 2 back rows of a black 1x4 tile with 2 studs on the right facing side studs of the ppp.

93. Vertically place a black 1x2 plate with 1x2 upright side studs in front of the first 1x2 plate with 1x2 upright side studs, so the side studs face the right. Attach the right facing side studs to the left facing antistuds of the ppp.

94. Place the right column of a black 2x2 plate with upright 1x2 side studs underneath the ppp, so the side studs face the left, and 1 column is exposed to the left. Repeat symmetrically to the back.

95. Vertically place a yellow 2x4 tile with 2 studs on top of your part. Set your part aside for now.

96.1 Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the black 1x4x3 window pane. This sticker shows a soft light brown background with two shelves. On the top shelf sits a frying pan beside two pale ceramic jars. The lower shelf holds a turquoise jar labeled flour in white, placed next to a glass and a tan ceramic jar. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

96.2 Let's make a part! Horizontally place a black 1x4x3 window pane with sticker in front of you.

96.3 Turn your black 1x4x3 window pane upside down, so the sticker faces the table. Locate a black 1x4x3 window frame and place it horizontally in front of you, so the studs face the back with the ridged side facing up. Attach the black 1x4x3 window pane with sticker to the window by pressing it into the top facing ridge. You will hear it snap into place. Turn your part right side up. Bring back your previous part so the 1x4 side studs face the back and the 1x4 tile with 2 studs faces the front. Attach your window frame to the back facing studs of your previous part.

97. Place a grey 1x1 quarter round tile on the rightmost column of the back facing side studs, so the right angle faces the top left, and the rounded edge faces the bottom right. Repeat symmetrically to the left.

98. Rotate your shelf sub build vertically upright, so the antistuds face the right and it sits on the 1x4 tile with 2 studs. In this position attach it to the left facing side studs of the right diagonal wall next to the barrel.

Group 18:

99. Let's make a part! Let's build the right wall! Horizontally place a light grey 1x3 brick in front of you. Then horizontally place a grey 1x2 brick on the 2 left columns of the ppp.

100. Place a light grey 1x1 brick to the right of the ppp.

101. Place a grey 1x1 round plate on the leftmost column of your part. Place the back row of a grey 2x2 plate to the right of the ppp, so 1 row overhangs to the front.

102. Horizontally place a dark red 1x2x2 wall panel underneath the overhanging row of the ppp, so the wall faces the back.

103. Horizontally place a light grey 1x3 brick on the back row of your part.

104. Horizontally place a grey 1x2 brick on the 2 left columns of the ppp. Place a light grey 1x1 brick to the right of the ppp.

105. Place a light grey 1x1 brick on the leftmost column of your part. Horizontally place a grey 1x2 brick to the right of the ppp.

106. Place a grey 1x1 round plate on the right column of the ppp. Then place a red cup on the left column of the front row (here, we are counting only the columns of this mentioned row), so the handle faces the right.

107. Bring back your main build, so the moving parts are closed and face the front, and the door faces the back. Vertically place your part on the 8th through 10th rows from the back on the rightmost column counting the entire build, in front of the rightmost column of the right diagonal wall, so the side with the red cup faces the left, and it is placed symmetrical to the vertical left wall with the half arch.

108. Vertically place the 2 right columns of a light grey 1x4 hinge plate on the 2 back rows of the vertical right wall, and the 2 left columns on the 2 right columns of the right diagonal wall, so the round hinge part faces the front left. We are going to place some pieces on the right diagonal wall, so when placing them remember that they follow the diagonal shape of the wall. Orient a grey 2x2 corner plate, so it looks like a braille letter F. Place the right column behind the ppp, so the left column sits on top of the shelf between the 2 grey 1x1 quarter round tiles. Vertically place a tan 1x2 plate behind the right column of the ppp.

109. Let's continue placing pieces on the right diagonal wall! Diagonally place the 2 left columns of a light grey 1x4 plate on the ppp. Place a grey 1x1 round plate to the right of the ppp. Place a light grey 1x1 tile in front of the ppp so it sits on the back row of the vertical right wall on the rightmost column of the 8th row from the back counting the entire build. Let's place some pieces on top of the back wall! Horizontally place a reddish brown 1x2 plate with 2x2 side studs hanging down on the 2 right columns of the back wall, so the side studs face the back. Repeat symmetrically to the left. Horizontally place a light grey 1x4 plate between the 2 ppps.

110. Let's continue placing pieces on top of the back wall! Horizontally place a grey 1x4 tile on top of the 2 ppps. Horizontally place another to the right of the ppp. your back wall is covered! Place a grey 1x1 quarter round tile on the left column of the right diagonal wall, so the right angle faces the front left, and the rounded edge faces the back right, it sits on the left column of the diagonal light grey 1x4 plate from the previous step. Diagonally place a grey 1x4 tile in front of the ppp. your right diagonal wall should be covered!

Group 19:

111. Let's make a part! Let's build Hagrid's special armchair, which can fold out into a bed! Place a tan 3x3 plate in front of you. Vertically place a black 1x3 plate on the ppp, so it is centered vertically and horizontally.

112. Place a black 1x1 plate with clip to the right of the front row of the ppp so the clip faces the front. Repeat symmetrically to the left.

113. Place the right column of a reddish brown 2x2 plate behind the ppp, so 1 column overhangs to the left. repeat symmetrically to the right.

114. Vertically attach the 2 back rows of a nougat 1x4 plate underneath the right overhang. Repeat symmetrically to the left. Vertically place a reddish brown 1x2 plate on the 2 front rows of the ppp. Repeat symmetrically to the right.

115. Vertically place a nougat 1x4 plate on the leftmost column of your part. Repeat symmetrically to the right.

116. Place a reddish brown 1x1 tile with upright clip to the left of the back row of the ppp, so the hands of the clip face front and back. Repeat symmetrically to the left.

117. Horizontally place a nougat 1x3 tile in front of the 2 ppps, so it is centered horizontally. Horizontally place a nougat 1x3 jumper plate in front of the ppp.

118. Vertically place 2 reddish brown 1x2 curved slope bricks on the leftmost column of your part, so they slope to the left. Repeat both parts symmetrically to the right.

119.1 Let's make a part! Horizontally place a nougat 2x3 plate in front of you.

119.2 Horizontally place a reddish brown 1x2 plate with horizontal bar on the 2 right columns of the front row of the ppp, so the bar overhangs to the front. Place a reddish brown 1x1 plate with bar handle to the left of the ppp.

119.3 Place the left column of the front row of a nougat 2x2 curved slope tile on the ppp, so it slopes to the back. Vertically place a nougat 1x2 curved slope tile to the right of the ppp, so it slopes to the back. Bring back your armchair sub build so the upright clips are on the back row. Attach your part to the clips using the horizontal bar and the bar handle. Push it up so the antistuds of your attached part face the back.

120.1 Let's make a part! Horizontally place a reddish brown 1x2 plate with horizontal bar in front of you, so the bar faces the back. Horizontally place the 2 left columns of a nougat 1x3x1 panel on the ppp, so the wall faces the front and 1 column overhangs to the right.

120.2 Place a reddish brown 1x1 plate with bar handle underneath the right overhang, so the bar handle faces the back aligned with the previous one.

120.3 Bring back Hagrid's armchair sub build so the back rest is at the back. Horizontally attach your part to the front facing clips from step 112 using the back facing bar and handle of your part.

121. Bring back your main build, so the moving parts are closed and face the front, and the door faces the back. Locate a light grey 2x2 tile with stud to the right of the left diagonal wall, on the 7th and 8th rows from the back on the 4th and 5th columns from the left counting the entire build. Attach your armchair to the stud of the 2x2 tile with stud, so the backrest leans against the left diagonal wall and the armchair spins only half way since it touches the wall.

122. Rotate your main build 180 degrees, so the door faces the front. Place the 2 back rows and the 2 front rows of a light grey 1x8 tile vertically upright on the rightmost column of front facing side studs. Repeat symmetrically to the left.

123. Place a grey 1x1 round plate to the right of the bottom row of the ppp on a front facing side stud. Repeat symmetrically to the right. Place a light grey 1x1 tile on the ppp. Repeat symmetrically to the left. Place an olive green 1x1 round plate with 3 leaves on a left facing side stud in front of the left facing light grey 1x1 tile, so the leaves face the front. Repeat symmetrically to the right, on this side it sits in front of the right facing 1x2 ingot tile.

124.1 Let's make 3 identical parts! Horizontally place a tan 1x6 plate in front of you. Place a light grey 1x1 tile on the rightmost column of the ppp. Horizontally place the right column of a grey 1x2 ingot tile to the left of the ppp.

124.2 Place a light grey 1x1 tile to the left of the ppp. Horizontally place the right column of a grey 1x2 ingot tile to the left of the ppp. You should now have 3 identical parts! Bring back your main build, so the moving parts are closed and face the back, and the door faces the front. Let's cover the entrance walls from outside! Place your first part vertically upright on the right column of front facing side studs next to the door and above the bottom front right facing light grey 1x1 tile from the previous step, so a grey 1x2 ingot tile of your part is at the bottom. The top front facing side stud of this column should remain free. Repeat symmetrically to the left. Place the leftmost and rightmost columns of your 3rd part horizontally upright on the top front facing side studs above the previous 2 attached parts, so a light grey 1x1 tile faces the front right above the light grey 1x1 tile from the first attached part.

Well, done, wizard builder! You've raised the back wall with its door entrance and covered the outside around and above it. You've built the left and right diagonal walls, started shaping the vertical walls, and even added the kitchen closet. Hagrid's special armchair is now inside, ready to fold out into a bed after a long day of adventures. Step by step, the hut is becoming more complete — just like in the magical world of Harry Potter, where every brick holds a story. Keep building, because soon Hagrid's hut will be ready to welcome friends, creatures, and plenty of Hogwarts magic!

Building Instructions (Bag 4, Book 1):

Group 21 – Hermione Granger.

Sub build 3. Locate a short black pair of legs, a torso printed with a dark blue open jacket, detailed with white and black edging, worn over a blue sweater, a tan dual-sided head showing two expressions — one smiling, the other worried, a long brown hair piece, and a tan set of wands.

Assemble your minifigure. Choose which facial expression you want to display, either the cheerful smile or the worried face. Ask a sighted helper to help you identify the face. Break off a wand and attach it to Hermione's right hand. Set her aside while we continue building Hagrid's hut.

Group 22:

125. Let's make a part! Let's build the fireplace and the rest of the vertical left wall! Horizontally place a grey 1x2 brick in front of you. Horizontally place the right column of another on the left column of the ppp, so 1 column overhangs to the left.

126. Place a light grey 1x1 brick underneath the left column of the ppp. Place another on the rightmost column of your part.

127. Horizontally place the right column of a grey 1x2 brick on the ppp. Place a light grey 1x1 brick to the left of the ppp.

128. Horizontally place the back row of a grey 2x3 plate on the ppps, so 1 row overhangs to the front.

129.1 Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the black 1x4x3 window pane. The sticker has a grey background and features a wood-burning fireplace with lively flames, lit to warm the hut. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

129.2 Let's make a sub build! Place a black 1x3x3 window frame flat in front of you with the ridged side facing down and the studs facing the back. Attach a black 1x3x3 window pane with sticker to the window frame by pressing it into the bottom facing ridge. You will hear it snap into place. The side with the sticker should face up.

129.3 Place your sub build underneath the front overhanging row of your part, so the hollow side of the frame with the sticker faces the front.

130. Horizontally place a grey 1x2 brick on the back row of your part on the 2 left columns. Then place a light grey 1x1 brick to the right of the ppp.

131. Horizontally place the right column of a grey 1x2 brick on the ppp. Place a light grey 1x1 brick to the left of the ppp.

132. Place a pink cup with handle in front of the ppp, so the handle faces the front. Place a tan 1x1 half round tile to the right of the ppp, so the rounded edge faces the back. Place another to the right of the ppp, so the rounded edge faces the back

133. Bring back your main build, so the moving parts are closed and face the front, and the door faces the back. Vertically place your sub build with the fire place on the 6th through 8th rows from the front on the leftmost column counting the visible rows of studs, so it sits in front of the vertical left wall with a half arch and the side with the fire place faces the right.

Group 23:

134. Let's make a part! Let's make the front left diagonal wall! Horizontally place a sand green 1x4 brick with 4 side studs on a long side in front of you, so the side studs face the front. Horizontally place the 3 right columns of another on the 3 left columns of the ppp, so the side studs face the front and 1 column overhangs to the left.

135. Place a light grey 1x1 brick underneath the left column of the ppp. place another on the rightmost column of your part.

136. Place a light grey 1x1 tile on the rightmost column of the bottom row of front facing side studs. Place a grey 1x2 ingot tile horizontally upright to the left of the ppp. Place a light grey 1x1 tile to the left of the ppp. Place another light grey 1x1 tile on the leftmost column of the top row of front facing side studs. Place a grey 1x2 ingot tile horizontally upright to the right of the ppp. the rightmost column of the top row of front facing side studs should remain free.

137. Place a light grey 1x1 brick on top of your part on the leftmost column. Horizontally place a light grey 1x2 brick with 2 side studs on a long side to the right of the ppp, so the side studs face the back. Horizontally place a grey 1x2 brick to the right of the ppp.

138. Place an olive green 1x1 round plate with 3 leaves on the free front facing side stud, so the leaves face the right.

139. Horizontally place a grey 1x4 brick on top of your part on the 4 left columns. Place a light grey 1x1 brick to the right of the ppp.

140. Horizontally place the rightmost column of a grey 1x4 brick on the ppp. Place a light grey 1x1 brick to the left of the ppp.

141. Rotate your part 180 degrees, so 2 side studs face the front. Orient a collector's 2x3 pentagonal tile featuring a random portrait, so the triangle side faces the back. It could, for example, be a portrait of a sleeping witch. Attach the front row of the portrait to the front facing side studs of your part, so the triangle side faces up.

142. Bring back your main build, so the moving parts are closed and face the front, and the door faces the back. Diagonally place the leftmost column of your part in front of the vertical left wall with the fire place on the 2nd through 5th rows from the front on the 5 left columns counting the visible studs, so the portrait faces the back right and the rightmost column and leftmost column of this front left diagonal wall sit on light grey 1x4 hinge plates.

Group 24:

143. Let's make a part! Let's start building the front wall! Horizontally place a sand green 1x4 brick with 4 side studs on a long side in front of you, so the side studs face the front. Horizontally place a light grey 1x4 plate on the ppp.

144. Place a light grey 1x1 tile on the leftmost column of front facing side studs. Repeat symmetrically to the right. then place a grey 1x2 ingot tile horizontally upright to the left of the ppp.

145. Horizontally place a grey 1x4 brick on top of your part. Horizontally place a light grey 1x3 brick on the 3 left columns of the ppp.

146. Place a black 1x1 brick with side stud and bottom lip to the right of the ppp, so the side stud and the bottom lip face the front. Place a light grey 1x1 tile on the front facing side stud of the ppp.

147. Horizontally place the right column of a light grey 1x2 brick with 2 side studs on a long side on the ppp, so the side studs face the front. Horizontally place a grey 1x2 brick to the left of the ppp.

148. Place a grey 1x2 ingot tile horizontally upright on the 2 front facing side studs. Horizontally place a light grey 1x3 brick on the 3 left columns on top of your part.

149. Place a black 1x1 brick with side stud and bottom lip to the right of the ppp, so the side stud and the bottom lip face the front. Place a light grey 1x1 tile on the front facing side stud of the ppp.

150. Bring back your main build, so the moving parts are closed and face the front, and the door faces the back. Horizontally place your sub build on the 4 left columns of the front row counting the visible studs and only this row, so the 1x2 ingot tiles face the front and the leftmost column sits in front of the rightmost column of the front left diagonal build. The 2 left columns sit on a 1x4 hinge plate, and the 2 right columns sit on a horizontal tan 1x2 plate.

Group 25:

151. Let's make a part! Let's make a cupboard! Horizontally place a reddish brown 1x3 brick in front of you. Place a brown 1x1 round brick on the leftmost column. Horizontally place a reddish brown 1x2 brick with clip on a long side to the right of the ppp, so the clip faces the front. Horizontally place a sand green 1x3 plate on top of your part.

152. Bring back your main build, so the moving parts are closed and face the front, and the door faces the back. Rotate your part 180 degrees, then place it horizontally behind the 3 right columns of the front wall on the 2nd row from the front counting the visible studs.

152. Let's make a part! Let's build a key rack! Locate a black 1x2x3 window pane and place it vertically in front of you.

153.1 Place sticker 4 on the ppp.

153.2 Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the black 1x4x3 window pane. The sticker has a reddish-brown background and shows a hook with two grey keys hanging from it, resembling a key rack. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

154. Horizontally place a sand green 1x2x3 window frame in front of you, so the ridged side faces the front. Attach the black 1x2x3 pane with sticker to the window by pressing it into the front facing ridge, so the sticker faces the back. You will hear it snap into place.

155. Horizontally place a sand green 1x2 plate with rail on top of your part, so the rail faces the back.

156. Bring back your main build, so the moving parts are closed and face the front, and the door faces the back. Horizontally place your part on the 3rd and 4th columns from the left of the 2nd row from the front counting the visible studs and only this row, so it sits behind the 2 right columns of the front wall, and the sticker faces the back.

157. You'll next be placing pieces on top of the left walls! Place the back row of a grey 2x2 plate on top of the key rack and the front row on the 2 right columns of the front wall. Horizontally place the 2 right columns of a light grey 1x4 hinge plate to the left of the front row of the ppp, so the round hinge part faces the left and the 2 left columns attach to the 2 right columns of the front left diagonal wall. Place a grey 1x1 round plate to the left of the ppp. place the 2 right columns of a 1x4 hinge plate to the left of the ppp, so the rounded hinge part faces the right, and the 2 left columns attach to the 2 front rows of the left wall with fire place. Place a grey 1x1 round plate behind the ppp, so it sits in front of another grey 1x1 round plate.

158. Vertically place the 2nd row from the front of a light grey 1x4 hinge plate on the ppp, so the round hinge part faces the left, and the back row sits in front of the leftmost column of a horizontal nougat 1x3 jumper plate. Place a light grey 1x1 tile in front of the front row of the ppp on the front row of the left wall. Place a grey 1x1 round plate in front of the ppp on the leftmost column of the front left diagonal wall. Diagonally place a light grey 1x4 plate to the right of the ppp following the shape of the front left diagonal wall. Horizontally place another in front of the ppp on the front wall.

159. Horizontally place a grey 1x4 tile on the ppp. place a grey 1x1 quarter round tile behind the leftmost column of the ppp, on the rightmost column of the front left diagonal wall, so the right angle faces the back right and the rounded edge the front left. Diagonally place a grey 1x4 tile to the left of the ppp. Vertically place a grey 1x2 ingot tile on the leftmost column on the 7th and 8th rows from the front counting the rows with visible studs so it sits on the 2 front rows of the vertical 1x4 hinge plate from the previous step. Vertically place another behind the ppp.

160. Place a grey 1x1 round plate to the right of the fire place. then place a silver 2x2 inverted round dome brick on the ppp, this might be a table. Attach the handle of an axe to the back facing pin below the key rack, so the axe head faces down, and the blade faces the right.

Group 26:

161. Let's make a part! Let's build a tan armchair! Place a tan 2x2 round plate with axle hole in front of you, so the studs form columns and rows.

162. Vertically place a tan 1x2 plate with 2x2 upright side studs on the left column of the ppp, so the side studs face the left. Repeat symmetrically to the right.

163. Place a tan 2x2x2 chair on the ppps, so the backrest faces the back, and the studs face the front.

164. Place a tan 2x2 tile upright on the right facing side studs. Repeat symmetrically to the left.

165. Bring back your main build, so the moving parts are closed and face the front, and the door faces the back. Place your chair on the 5th and 6th columns from the left on the 5th and 6th rows from the front counting only the rows with visible studs, so it sits on a light grey 2x2 round tile with stud, 1 row behind the axe and between the axe and the fireplace. Ensure the seat of the chair faces the back right.

Group 27:

166. Let's make a part! Let's build the pumpkin patch! Place a green 4x4 round plate with axle hole in front of you, so the studs form columns and rows. Vertically place a reddish brown 1x2 slope brick on the 2 back rows on the 2nd column from the left, so it slopes to the back.

167. Place a green 2x2 round tile with stud on the 2 right columns, so it is centered vertically.

168. Place a reddish brown 1x1 brick with clip on 1 side on the 2nd row from the back on the leftmost column, so the clip faces the left, it sits to the left of the front row of the vertical 1x2 slope brick.

169. Place a green 1x1 round plate with 3 leaves on the ppp, so the leaves face the left. Horizontally place the left and higher column of a reddish brown 1x2 curved slope tile on the ppp, so it slopes to the right.

170. Place a big orange pumpkin on the 2 right columns of your part, so it is centered vertically, and it sits on the green 2x2 tile with stud. Place a green 1x1 flower plate on the ppp.

171. Place an orange 1x1 minifigure head on the leftmost column of the front row counting only this row. Place a green 1x1 flower plate on the ppp.

172. Bring back your main build so the door faces the front, and the moving parts are closed and face the back. Locate a bar handle on the right side of the front right diagonal wall. Attach the left facing clip of your part to the right facing handle.

Brilliant work, wizard builder! You've brought Hagrid's hut to life with the warm glow of the fireplace on the vertical left wall, Hang a magic portrait with a spell on the front left diagonal wall, added part of the front wall, and filled the sitting room with cozy furniture. The key rack is ready for Hagrid's giant keys, and his armchair stands waiting for him to rest after a long day. Outside, the pumpkin patch has sprouted — just like in the magical world of Harry Potter, where Hagrid's garden is full of surprises. Step by step, your hut is becoming a true Hogwarts scene! Keep building because the magic is growing stronger with every brick you place!

Building Instructions (Bag 5, Book 1):

Group 28 – Rubeus Hagrid.

Sub build 4. Locate a brown short pair of legs, a torso printed with a white apron patterned with green spots — as if the fabric itself were speckled with mossy tones or potion splashes — worn over a dark red polo shirt, 2 tan arms, a tan head with a gentle smiling expression, a long brown beard piece attached to a brown hair part, and Norbert minifigure — a small dragon with molded wings and a curious pose.

Assemble your minifigure. Ask a sighted helper to confirm the face orientation if needed. Set Hagrid aside next to Norbert while we continue building Hagrid's hut.

Group 29:

173. Let's make a part! Let's finish building the vertical right wall! Horizontally place a grey 1x2 brick in front of you. Horizontally place the left column of a grey 1x2 brick on the right column of the ppp, so 1 column overhangs to the right.

174. Place a light grey 1x1 brick underneath the right overhang. Place another on the leftmost column of your part.

175. Horizontally place the back row of a grey 2x2 plate on the 2 left columns of your part, so 1 row overhangs to the front. Place a grey 1x1 round plate to the right of the back row of the ppp.

176. Horizontally place a dark red 1x2x2 wall panel underneath the front overhanging row of your part, so the wall faces the back.

177. Horizontally place a light grey 1x3 brick on the back row of your part.

178. Vertically place a grey 1x3x3 half arch brick on the rightmost column of the ppp, so it overhangs 2 rows to the front. Horizontally place a grey 1x2 brick to the left of the back row of the ppp.

179. Horizontally place the 2 left columns of a light grey 1x3 brick on top of the ppp.

180. Place a grey 1x1 round plate on the leftmost column of the ppp. Place another on the front overhanging row. Place a grey 1x1 quarter round tile behind the ppp, so the right angle faces the front left, and the rounded edge faces the back right. Place a grey cup on the front row of the 2nd column from the left, so the handle faces the front.

181. Bring back your main build, so the door faces the back and the closed moving sections face the front. Vertically place your part on the rightmost column of your main build in front of the right vertical wall with a shelf and a cup, so the 2 shelves are aligned and the half arch brick faces the left.

182. Let's make a part! Let's build the front right diagonal wall! Horizontally place a sand green 1x4 brick with 4 side studs on a long side in front of you, so the side studs face the front. Horizontally place the 2 left columns of a light grey 1x3 brick on the ppp, so 1 column overhangs to the right.

183. Horizontally place a light grey 1x2 brick with 2 side studs on a long side to the left of the ppp, so the side studs face the front. Place a light grey 1x1 brick underneath the right overhang.

184. Place a light grey 1x1 tile on the leftmost column of the bottom row of front facing side studs. Place a grey 1x2 ingot tile horizontally upright to the right of the ppp. Place an olive green 1x1 round plate with 3 leaves to the right of the ppp, so the leaves face the right. Place a grey 1x2 ingot tile horizontally upright on the top row of front facing side studs.

185. Horizontally place a grey 1x4 brick on the 4 left columns on top of your part. Place a light grey 1x1 brick to the right of the ppp.

186. Horizontally place the right column of a light grey 1x2 brick with 2 side studs on the long side on the ppp, so the side studs face the front. Horizontally place a grey 1x2 brick on the ppp.

187. Horizontally place a brown 1x2x2 window frame to the left of the ppp, so the ridged side faces the front. Attach a black 1x2x2 lattice pane to the window by pressing it into the front facing ridge. You will hear it snap into place.

188. Place a light grey 1x1 brick to the left of the ppp. Place a grey 1x2 ingot tile horizontally upright on the front facing side studs to the right of the window.

189. Place a black 1x1 brick with side stud and bottom lip on the leftmost column of the build, so the side stud and the bottom lip face the front. Place a light grey 1x1 tile on the front facing side stud of the ppp.

190. Bring back your main build, so the door faces the back and the closed moving parts face the front. Diagonally place the rightmost column of your part in front of the vertical right wall—the one with the shelf holding two cups. The part sits on the 2nd through 5th rows from the front on the 5 right columns (counting the visible studs). Make sure the ingot tiles face the front right, and that both the rightmost and leftmost columns of your part rest on light grey 1x4 hinge plates.

191. Horizontally place the rightmost column of a light grey 1x4 plate in front of the leftmost column of the front right diagonal wall on the 4 right columns of the front row (counting the visible studs and only this row). Horizontally place a sand green 1x3 plate behind the 3 left columns of the ppp, so the leftmost column sits to the right of the furniture with the key rack.

Group 30:

192. Let's make a part! Let's build the right part of the front horizontal wall! Horizontally place a sand green 1x4 brick with 4 side studs in front of you, so the side studs face the front.

193. Place a black 1x1 brick with side stud and bottom lip on the rightmost column of the ppp, so the side stud and the bottom lip face the front. Place a light grey 1x1 tile on the front facing side stud of the ppp.

194. Horizontally place a light grey 1x3 brick to the left of the ppps.

195. Horizontally place a grey 1x2 brick on the 2 left columns of the ppp. Horizontally place a light grey 1x2 brick with 2 side studs on the long side to the right of the ppp, so the side studs face the front.

196. Place a grey 1x2 ingot tile horizontally upright on the front side studs of the ppp. Place another horizontally upright on the bottom row of front facing side studs, so it is centered horizontally. Place a light grey 1x1 tile to the left of the ppp, Repeat symmetrically to the right.

197. Place a black 1x1 brick with side stud and bottom lip on the rightmost column on top of your part, so the side stud and the bottom lip face the front. Place a light grey 1x1 tile on the front facing side stud of the ppp.

198. Horizontally place a light grey 1x3 brick to the left of the ppps.

199. Horizontally place a grey 1x4 brick on top of your part.

200. Bring back your main build, so the door faces the back and the closed moving sections face the front. Horizontally position your part on the 4 right columns of the front row counting the visible studs and only the columns of this row, so the rightmost column sits in front of the leftmost column of the front right diagonal wall, and the left column sits to the right of the front left horizontal wall -the one with the key rack and the hanging axe. Ensure the 1x2 ingot tiles face the front.

201.1 Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the hollow side of the tan 1x4x2 panel. This sticker has a light brown background. It shows two balls of yarn—one white and one grey—sitting next to each other. Two brown knitting needles cross through them in an X shape. On the left side, there is a small magical plant with curly leaves. The whole image feels warm and cozy, like something handmade, and fits well with the simple, welcoming style of Hagrid's hut. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

201.2 Let's make a part! Let's build a cupboard and a shelf! Horizontally place a tan 1x4x2 panel with sticker in front of you, so the hollow side faces the front. Horizontally place a tan 1x4 plate on the ppp.

201.3 Let's make the cupboard! Horizontally place a tan 1x4x3 window frame in front of you, so the ridged side faces the front. Attach 2 tan 1x2x3 doors with vertical handle by pressing them into the front facing ridges. You will hear them snap into place.

201.4 Horizontally place the tan 1x4x2 panel with sticker on top of the cupboard, so the sticker faces the front.

202. Bring back your main build, so the door faces the back, and the closed sections face the front. Horizontally place your part behind the front wall of the right section, so the 3 left columns rest on a sand green horizontal 1x3 plate from step 191 and the doors of the cupboard and the sticker face the back.

203. Open the right section by pulling the right front slopes to the right, so the doors of the cupboard face the left. Orient a collector's 2x3 pentagonal tile featuring a random portrait, so the triangle side faces the left. It could, for example, be a portrait of Elizabeth Burke. Place it loosely

horizontally upright inside the cupboard so the triangular side faces the back. Then close the doors of your cupboard. Close your right section by pushing it to the front left.

204. You'll next be placing pieces on top of the right walls! Place the back row of a grey 2x2 plate on top of the tan 1x4x2 panel with sticker above the cupboard. Horizontally place the 2 left columns of a light grey 1x4 hinge plate to the right of the front row of the ppp, so the 2 right columns sit on the 2 front left columns of the front right diagonal wall, and the round hinge part faces the back left. Place a grey 1x1 round plate to the right of the ppp, so it sits on top of the window frame. Following the shape of the front right diagonal wall place the 2 left columns of a light grey 1x4 hinge plate to the right of the ppp, so the rounded hinge part faces the back, left and the 2 right columns sit on top of the 2 front rows of the vertical right wall.

205. Vertically place the front row of a light grey 1x4 hinge plate on the rightmost column of the ppp, so the rounded hinge part faces the right, and the back row sits in front of a light grey 1x1 tile. Skip 1 row to the front -the 1 with the half arch-, then place a grey 1x1 round plate on the 2nd column from the right of the 5th row from the front (counting the visible studs and only this row), so it sits on the rightmost column of the front right diagonal wall. place a light grey 1x4 plate to the left of the ppp following the shape of the front right diagonal wall. Horizontally place the rightmost column of a light grey 1x4 plate in front of the leftmost column of the ppp, so it sits on top of the front wall of the right section.

206. Horizontally place a grey 1x4 tile on the ppp. Place a grey 1x1 quarter round tile behind the rightmost column of the ppp, so it sits on the leftmost column of the front right diagonal wall, position it so the right angle faces the back left and the rounded edge faces the front right. Following the shape of the front diagonal wall place a grey 1x4 plate behind the ppp. Horizontally place the rightmost column of a nougat 1x3 jumper plate behind the rightmost column of the ppp, so it sits on the 1x1 round plate and a 1x4 hinge plate over the right half brick. Vertically place 2 grey 1x2 ingot tiles behind the rightmost column of the ppp

207.1 Let's make a part! Let's build a table! Place a brown 4x4 round plate in front of you, so the studs form columns and rows. Place a brown 1x1 brick underneath the ppp, so it is centered horizontally and vertically.

207.2 Place a gold 1x1 crown with center stud on top of your part, so it is centered horizontally and vertically. This represents the cracked dragon egg! Bring back your main build, so the door faces the back, and the closed sections face the front. Open the right section, so the cupboard with the portrait inside is at the right. Place your table on the light grey 2x2 round tile with stud surrounded by 4 blue 1x2 curved corner tiles located in front of the shelf with a cup.

208. Place a reddish brown 2x2x2 chair on the front reddish brown 2x2 round tile with stud so the backrest faces the right. Place Hagrid's pink umbrella inside the barrel next to the door.

209. Close your right moving section.

Group 31:

210. Let's build the tree stump patch! Place a green 4x4 round plate with axle hole in front of you, so the studs form columns and rows. Vertically place a reddish brown 1x2 slope brick on the 2 back rows on the 2nd column from the right, so it slopes to the back.

211. Place a reddish brown 1x1 brick with clip on 1 side to the right of the front row of the ppp, so the clip faces the right. Horizontally place a reddish brown 1x2 slope brick on the 2nd row from the front, so it is centered horizontally, and it slopes to the left.

212. Place a brown 1x1 slope tile in front of the right column of the ppp, so it slopes to the front. Place a brown 1x1 round brick on the rightmost column of the 2nd row from the front.

213.1 Let's make a part! Let's build the tree stump! Stack a reddish brown 2x2 round ridge brick with axel hole on a reddish brown 2x2 round plate with axle hole. Place a reddish brown 2x2 round plate with axle hole on top of your stack.

Group 32:

213.2 Place a tan 2x2 round plate with axle hole on top of your part. Bring back your sub build, so the 1x1 slope tile faces the front. Place your part on the 2 right columns, so it is centered vertically, and it sits on 2 1x2 slope bricks, on the brown 1x1 round brick and on the 1x1 brick with a right facing clip.

214. Bring back your main build, so the door faces the front and the closed moving sections face the back. Attach your tree stump patch sub build to the main build by clipping it to the vertical bar handle to the left of the front left diagonal wall, this is symmetrical to the pumpkin patch.

Wonderful work, wizard builder! You've finished the vertical right wall, complete with a kitchen shelf holding a cup, and added the front right diagonal wall along with the missing part of the front wall. Inside, the cupboard now hides a secret portrait, tucked safely away, and above the cupboard there is a shelf holding Hagrid's magical wool yarn. The sitting room is coming alive with a sturdy table and chair — and right on the table rests something incredibly special: a cracked dragon egg! Outside, the tree stump patch balances the garden, making Hagrid's hut feel even more complete. But remember, dragons are not allowed at Hogwarts... so this egg must stay hidden here in Hagrid's cozy hut, waiting for its magical secret to unfold. Step by step, you're bringing the world of Harry Potter to life. Keep building — the adventure is only just beginning!

Building Instructions (Bag 6, Book 1):

Group 33:

215. Let's make a part! Let's start building the internal roof structure! Place a grey 4x4 plate in front of you. Place a sand green 2x2 tile with 2 studs on edge on the 2 right columns, so it is centered vertically, and the studs face the left.

216. Horizontally place a yellow 2x4 plate to the left of the ppp, so 2 columns overhang to the left.

217. Horizontally place the 2 right columns of a tan 4x6 plate underneath the left overhang, so it is centered vertically.

218. Horizontally place the 4 right columns of a white 2x6 plate on the 4 left columns of the ppp, so it is centered vertically, and 2 columns overhang to the left.

219. Place the 2 right columns of a grey 4x4 plate underneath the left overhang. Set your roof build aside.

220. Let's make 2 identical parts! Horizontally place a black 2x12 plate in front of you. Horizontally place the 6 right columns of a reddish brown 1x8 plate underneath the 6 left columns of the front row of the ppp, so 2 columns are exposed to the left. Repeat symmetrically to the right. You should now have 2 identical parts! Bring back your previous sub build and place it horizontally in front of you. Horizontally place the back row of your first part on the front row of your roof build, so it is centered horizontally. 1 column of the reddish brown 1x8 plates should be exposed to the left and right. Place your second part symmetrically to the back.

221. Turn your part upside down. Vertically place a tan 2x6 plate on the 4th and 5th columns of antistuds from the left. Repeat symmetrically to the right. Vertically place another on your part, so it is centered horizontally.

222. Turn your part right side up, so the sand green 2x2 tile with 2 studs on edge faces the right. Vertically place a yellow 1x2 brick with axle hole on the 3rd column from the right (counting the entire build), so it is centered vertically and sits on the sand green 2x2 tile with 2 studs on edge. Insert the axle of a blue 2L pin axle from right to left into the right facing axle hole of the ppp, so the 1L pin end faces the right.

223. Place a red 2x2 round brick with axle hole to the left of the ppps.

224. Place the right column of a light grey 2x2 corner plate behind the left column of the ppp, so it looks like a braille letter H. Repeat symmetrically to the front. Place a grey 1x1 round plate to the left of the front row of the ppp on the 7th column of the front row. Repeat symmetrically to the back.

225. Place the left column of a light grey 2x2 corner plate on the ppp, so it looks like a braille letter D. Repeat symmetrically to the front. Place a grey 1x1 round plate to the right of the back row of the ppp, so it sits on the front 2x2 corner plate from the previous step. Repeat symmetrically to the back.

226. Place a tan 2x2 corner brick on the 2nd and 3rd rows from the back on the 6th and 7th columns from the right, so it looks like a braille letter H, and the right column sits to the left of the back row of the 2x2 round brick. Repeat symmetrically to the front.

227.1 Let's make a part! Vertically place a grey 2x8 plate with 7 holes in front of you. Stack 2 yellow 2x2 round plates with axle hole. Place your stack on the ppp, so it is centered vertically.

227.2 Vertically place a tan 1x2 plate with handle on a short side on the right column of the 2 front rows, so the handle faces the front. Repeat symmetrically to the left. Then repeat both placements symmetrically to the back.

227.3 Bring back your roof structure, so the pin faces the right. Vertically place your part on top of your roof build, so it is centered horizontally and vertically.

228. Make 2 identical stacks of tan 1x2 plates. Once you have 2 identical stacks, horizontally place 1 on the front row of the 6th and 7th columns from the left so it sits to the left of the front left 1x2 plate with handle. Now, repeat symmetrically to the back.

Group 34:

229. Horizontally place the 2 left columns of a tan 1x6 plate on the ppp. Repeat symmetrically to the front.

230. Place a tan 2x2 corner brick behind the 2 left columns of the ppp on the 6th and 7th columns from the left, so it looks like a braille letter J. Repeat symmetrically to the back.

231. Horizontally place a tan 1x2 plate on the front overhanging row of your roof build. Repeat symmetrically to the back. Horizontally place a reddish brown 1x2 plate with handle on a short side on the 2nd row of the 4th and 5th columns from the right (here, we are counting only the rows of the 2 mentioned columns), so the handle faces the right and it sits on the front right grey 1x1 round plate and on the front right light grey 2x2 corner plate. Repeat symmetrically to the back.

232. Horizontally place a grey 2x8 plate with 7 holes on the 3rd through 10th columns from the right counting the entire build, so it is centered vertically, and the rightmost column sits on the vertical 1x2 brick with axle hole.

233. Place a black 2x2 inverted slope brick to the left of the ppp, so it slopes upward to the left. Place a grey 1x1 round plate on the 2nd row from the front of the 7th column from the left, so it sits in front of the leftmost column of the horizontal 2x8 plate with 7 holes from the previous step. We are only counting the columns of this row. Repeat symmetrically to the back. Place another on the 2nd row from the back of the 7th column from the right (here, we are counting only the rows of this mentioned column). Repeat symmetrically to the front.

234. Horizontally place a reddish brown 1x2 plate with handle on a short side on the 3rd row from the front of the 5th and 6th columns from the left (here, we are counting only the rows of the 2 mentioned columns), so the handle faces the left, and it sits on top of the 2x2 inverted slope brick. Horizontally place another behind the ppp. Vertically place another on the 2 front rows on the 8th column from the left counting the entire build, so the handle faces the front, and it sits above the front left vertical 1x2 plate with handle. Repeat symmetrically to the right. Then repeat both parts symmetrically to the back.

235. Place a white 1x1 round tile with upright bar on the front row of the 7th column from the right (here, we are counting only the rows of this mentioned column), so it sits to the right of the back row of the vertical front right reddish brown 1x2 plate with front facing handle from the previous step. Repeat symmetrically to the left. Then repeat both placements symmetrically to the back. Place another on the 2nd row from the front of the 6th column from the right. so, it sits on the left column of a horizontal front right reddish brown 1x2 plate with right facing handle. Repeat symmetrically to the left, so it sits on the front left 2x2 corner brick. Repeat both parts symmetrically to the back.

236. Diagonally place the left column of a reddish brown 1x2 plate with handle on a short side on the 2nd row from the front of the 7th column from the right (here, we are counting only the rows of this mentioned column), so the handle points to the front right, the right column sits between the 2 front right 1x1 round tiles with upright bar and it sits on the front right grey 1x1 round plate. Repeat symmetrically to the left. Then repeat both parts symmetrically to the back.

237. Place a light grey 4x4 plate with open center on top of your part, so it is centered horizontally and vertically, and each corner sits on a diagonal reddish brown 1x2 plate with handle. Place a red 2x2 round brick with axle hole in the open center.

238. Let's make 4 identical stacks! Stack 2 tan 1x2 plates. You should have 4 identical stacks! Place your first stack horizontally on the 2nd row from the front counting the entire build, so it is centered horizontally, and it sits in front of the 4x4 plate with 2x2 open center. Repeat symmetrically to the back. Vertically place another on the 6th column from the right counting the entire build, so it is centered vertically, and it sits to the right of the 4x4 plate with 2x2 open center. Repeat symmetrically to the left.

239. Horizontally place the left column of a grey 1x2 plate with stud and upright clip on the back row of the ppp, so the clip faces the left. Repeat symmetrically to the front. Then repeat both parts symmetrically to the right. Vertically place a grey 1x2 plate with stud and upright clip on the 2nd and 3rd rows from the front on the 8th column from the right counting the entire build, so the clip faces the front, and it sits on the horizontal tan 1x2 stacked plates and on the 4x4 plate with 2x2 open center. Repeat symmetrically to the left. then repeat both parts symmetrically to the back.

240. Place a white 4x4 round plate on top of your roof build, so it is centered horizontally and vertically.

Group 35:

241. Let's make a part! Let's start building the external roof. Place a grey 4x4 plate in front of you. Place a sand green 1x2 plate with rail on the back row of the ppp, so it is centered horizontally, and the rail faces the back.
242. Place the left column of the back row of a sand green 2x2 plate with cut corner to the right of the ppp, so the right angle faces the front left and 1 column overhangs to the right. Repeat symmetrically to the left.
243. Vertically place a grey 2x4 left wedge plate underneath the left overhang and to the left of the 4x4 plate, so the short side faces the back. Place a grey 2x4 right wedge plate symmetrically to the right.
244. Place a sand green 2x2 plate with cut corner on top of your part, so it is centered horizontally and vertically, and the right angle faces the back right. it sits in front of the sand green 1x2 plate with rail. Place the left corner of another to the right of the front row of the ppp, so the right angle faces the back left.
245. Place a dark green 1x1 quarter round tile to the left of the front row of the ppp, so the right angle faces the back right and the rounded edge faces the front left. Place an olive green 1x1 round plate with 3 leaves on the 2nd row from the front on the 2nd column from the left, so the leaves face the front left.
246. Turn your part upside down so it is horizontal and the long side faces the front. Horizontally place a nougat 1x4 plate on the back row of antistuds, so it is centered horizontally.
247. Horizontally place a black 1x6 plate in front of the ppp. Horizontally place a light grey 1x2 plate with 2 clips on a long side on the back row of antistuds, so it is centered horizontally, and the clips face the back.
248. Place the back row of a black 2x2 curved inverted slope tile on the ppp, so it slopes to the front.
249. Turn your part right side up, so the clips face the back. Bring back your roof build and place it vertically in front of you, so the pin faces the back. Clip your part to the front facing handles, then push the front side of the attached part down.
250. Let's make 2 identical parts! Place a grey 4x4 plate in front of you. Place a sand green 1x2 plate with rail on the back row of the ppp, so it is centered horizontally, and the rail faces the back.
251. Place the left column of the back row of a sand green 2x2 plate with cut corner to the right of the ppp, so the right angle faces the front left and 1 column overhangs to the right. Repeat symmetrically to the left.
252. Vertically place a grey 2x4 left wedge plate underneath the left overhang, so the short side faces the back. Place a grey 2x4 right wedge plate symmetrically to the right.
253. Place a sand green 2x2 plate with cut corner on top of your part, so it is centered horizontally and vertically, and the right angle faces the back right. it sits in front of the sand green 1x2 plate with rail. Place the left corner of another to the right of the front row of the ppp, so the right angle faces the back left.
254. Place a dark green 1x1 quarter round tile to the left of the front row of the ppp, so the right angle faces the back right and the rounded edge faces the front left. Place an olive green 1x1 round plate with 3 leaves on the 2nd row from the front on the 2nd column from the left, so the leaves face the front left.

255. Turn your part upside down so the long side of the part faces the front. Horizontally place a nougat 1x4 plate on the back row of antistuds, so it is centered horizontally.

256. Horizontally place a tan 2x6 plate in front of the ppp.

257. Vertically place the front row of a black 1x2 plate with clip on a short side on the back row on the 3rd column from the right of antistuds of the ppp, so the clip faces the back. Repeat symmetrically to the left.

258. Place the back row of a black 2x2 curved inverted slope tile on the front row of the 2 ppps, so it slopes to the front. You should now have 2 identical parts!

259. Turn your parts right side up, so the clips face the back. Bring back your roof build and position it horizontally in front of you, so the pin faces the right. clip your first part to the 2 top front facing handles. Push the front side of your attached part down. Repeat symmetrically to the back.

Group 36:

260.1 Let's make a part! Horizontally place a grey 1x4 plate in front of you. Place the back row of a sand green 2x2 plate with cut corner on the 2 right columns of the ppp, so the right angle faces the back right and 1 row overhangs to the front.

260.2 Horizontally place the 2 right columns of a gray 2x4 right wedge plate under the front overhang so the narrow side faces to the right.

260.3 Place an olive green 1x1 round plate with 3 leaves on the 2nd column from the left of the back row of your part, so the leaves face the front.

260.4 Turn your part upside down, so it is horizontally in front of you, and the wedge faces the back, and the long straight side faces the front. Place a sand green 2x2 plate with cut corner on the 2 right columns of the 2 front rows, so the right angle faces the front left.

260.5 Horizontally place a black 1x2 plate with clip on a short side on the front row of the ppp, so the clip faces the right. Turn your part right side up so the clip faces the back left. Bring back your roof build, so the pin faces the front. Clip your part to the right front facing handle to the right of the horizontal front 1x2 brick with axle hole. Press the front side of your attached part down.

261.1 Let's make a part! Horizontally place a grey 1x4 plate in front of you. Place the back row of a sand green 2x2 plate with cut corner on the 2 left columns of the ppp, so the right angle faces the back left and 1 row overhangs to the front.

261.2 Horizontally place a grey 2x4 left wedge plate, so its 2 left columns attach under the front overhang and the short side points to the left.

261.3 Place an olive green 1x1 round plate with 3 leaves on the 2nd column from the right of the back row of your part, so the leaves face the front.

261.4 Turn your part upside down, so the part is horizontally in front of you, the wedge faces the back, and the long straight side faces the front. Place a sand green 2x2 plate with cut corner on the 2 left columns of the 2 front rows, so the right angle faces the front right.

261.5 Horizontally place a black 1x2 plate with clip on a short side on the front row of the ppp, so the clip faces the left. Turn your part right side up so the clip faces the back right. Bring back your roof build, so the pin faces the front. Vertically attach your part to the left front facing handle to the right of the horizontal front 1x2 brick with axle hole. Press the front side of your attached part down.

Group 37:

262. Let's make a part! Let's build the internal roof pillar! Place a red 2L axle connector in front of you, so the axle holes face the left and the right. Insert a light grey 3L axle from right to left into the right facing axle hole of the ppp, so 2L of the axle extends to the right.

263. Slide 2 yellow 1/2L thin bushes with axle hole from right to left through the right end of the ppp, so after sliding 1L of the axle extends to the right.

264. Stack a yellow 2x2 round plate with axle hole on a red 2x2 round brick with axle hole. Attach the bottom facing axle hole of your stack from right to left to the 1L right facing axle end, so the 2x2 round plate with axle hole faces the right.

265. Hold your part vertically upright so the previous stack faces the top. Place a light grey 2x2 tile with stud on top of your part.

266. Stack 2 grey 1x1 round plates. Place your stack on the stud of the ppp.

267. Insert a yellow 5L axle from bottom to top into the bottom facing axle hole of your part, so 4L of the axle extends downward.

268. Bring back your roof build, so the pin faces the front. Insert the bottom end of the 4L downward extending axle of your part from top to bottom into the top center facing axle hole of the 4x4 round plate with axle hole on top of the roof build. Push your part down through as far as you can.

Magnificent work, wizard builder! You've raised the internal structure of the roof, added the first external pieces, and placed the central inner pillar that holds everything together. The hut is growing taller and stronger, just like a spell taking shape brick by brick. Step by step, Hagrid's home is becoming a true sanctuary — a place where friends can gather, secrets can be kept, and magical creatures might peek in from the forest. Keep building, because soon the roof will be complete, and the hut will be ready to welcome all the wonders of the wizarding world!

Building Instructions (Bag 7, Book 1):

Group 38 – Draco Malfoy.

Sub build 5. Locate a short black pair of legs, a torso printed with Black Hogwarts school robes with Slytherin green detailing including the house crest and tie, a tan dual-sided head showing two expressions — one with a subtle smirk, and the other angry, a blond hairpiece, and a black set of wands.

Assemble your minifigure. Choose which facial expression you want to display, either the smirking or the angry face. Ask a sighted helper to help you identify the face. Break off a wand and attach it to Malfoy's right hand. Set him aside while we finish building Hagrid's hut.

Group 39:

269. Let's make 4 identical parts! Let's continue building the external parts of the roof! Place a black 3x3 plate in front of you. Horizontally place a grey 1x2 plate with stud and upright clip on the 2 right columns, so it is centered vertically, and the clip faces the right.

270. Horizontally place a grey 1x2 plate to the left of the ppp, so 1 column overhangs to the left.

271. Horizontally place a grey 2x4 left wedge plate behind the ppps, so the short side faces the right and 1 column overhangs to the left. Horizontally place a grey 2x4 right wedge plate symmetrically to the front.

272. Place a sand green 2x2 plate with cut corner on the 2 front rows of your part, so it is centered horizontally, and the right angle faces the back right.

273. Turn your part upside down, so the short side faces the right. Horizontally place a black 1x4 curved inverted slope tile in front of you, so it slopes upward to the left. Horizontally place a reddish brown 1x2 plate with clip on a short side on the 2 right columns of the ppp, so the clip faces the right. Place it on top of your part, so it is centered horizontally and vertically, and the clip faces the right.

274. Turn your part right side up, so the clip faces the right. Vertically place a sand green 1x2 curved slope tile on the 2 back rows, so it is centered horizontally, and it slopes to the back. Place an olive green 1x1 round plate with 3 leaves to the left of the back row of the ppp, so the leaves face the left. You should now have 4 identical parts!

275. Let's make 4 identical parts! Horizontally place a bicolor grey and light grey 1x2 plate with flexible triangular extension in front of you, so the angular extension faces the back. Horizontally place a sand green 1x2 jumper plate on the ppp. Place a sand green 1x1 round plate with handle on the ppp, so the handle faces the front. Attach the handle to the upright clip of your part, so the hollow side of the 1x2 plate with flexible triangular extension faces the right. You should now have 4 identical parts!

276. Bring back your roof structure build, so the pin faces the front. Clip your first part to the handle of the front left diagonal reddish brown 1x2 plate with handle, so the 1x2 plate with flexible triangular extension points upright. Press the front side of your attached part down. Repeat symmetrically to the right. then repeat both attachments symmetrically to the back.

277. Let's make 4 identical parts! Place a grey 4x4 plate in front of you. Place a black 2x2 round plate with axle hole on the ppp, so it is centered horizontally and vertically.

278. Vertically place a sand green 1x2 plate with rail to the left of the ppp, so the rail faces the left.

279. Horizontally place the 3 right columns of a grey 2x4 right wedge plate on the 3 left columns of the front row of your part, so the short side faces the right and 1 row overhangs to the front and 1 column to the left. Place a grey 2x4 left wedge plate symmetrically to the back.

280. Place a sand green 2x2 plate with cut corner on the 2 back rows on the 2nd and 3rd columns from the left of your part counting the entire build, so the right angle faces the front left. Repeat symmetrically to the front.

281. Horizontally place a grey 2x4 right wedge plate on the 2 front rows of the rightmost column of the grey 4x4 plate, so the short side faces the right, and 3 columns overhang to the right. it sits to the right of the 2x2 round plate with axle hole and to the right of the 4x2 right wedge plate. Repeat symmetrically to the back.

282. Place a sand green 2x2 plate with cut corner on the 4th and 5th columns from the right on the 2nd and 3rd rows from the front and sits to the right of 2 sand green 2x2 plates with cut corner. Then vertically place a dark green 1x2 ingot tile on the 2nd column from the left counting the entire build, so it is centered vertically, and it sits on the leftmost column of the left 2x2 sand green 2x2 plates with cut corner.

283. Turn your part upside down so the short side faces the right. Horizontally place a white 2x3 plate with bar handle underneath on the 2nd through 4th columns of antistuds from the left counting the entire build, so it is centered vertically. Turn your part right side up. You should now have 4 identical parts!

284. Bring back your roof build, so the pin faces the front. Rotate your first part, so the short side faces the back. Attach it using the bottom handle to the 2 front upright clips on top of your roof build. Repeat symmetrically to the back. Then, attach another to the right top upright clips. Repeat symmetrically to the left.

285. Press the top sides of the 4 attached parts from the previous step toward the center pillar. Then close the 1x2 plates with flexible triangular extension by pushing their top sides towards the center of your roof build. Place a grey 2x2 inverted dish on top of your roof, so it is centered horizontally and vertically.

Group 41:

286. Let's make a part! Let's build the chimney! Place a grey 1x2 brick with pin hole and 1x2 plate in front of you, so the pin hole faces the back. Horizontally place a grey 1x2 plate underneath the front row of the ppp.

287. Horizontally place a grey 1x2 plate on the front row of your part.

288.1 Vertically place a grey 1x2 brick on the left column of your part.

Group 42:

288.2 Vertically place a light grey 1x2 brick to the right of the ppp.

289. Place a light grey 2x2 brick on top of your part.

290.1 Horizontally place a light grey 1x2 brick on the back row of the ppp.

Group 43:

290.2 Horizontally place a grey 1x2 brick in front of the ppp.

291. Place a grey 2x2 brick with vertical grooves and axle hole on top.

292. Place a grey 1x1 quarter round tile on the back right corner of the ppp, so the right angle faces the back right and the rounded edge faces the front left. Repeat symmetrically to the left. Then repeat both parts symmetrically to the front.

293. Insert the bottom bar of a white swirled smoke into the top axle hole of your part in a vertical orientation, so the flat sides face the right and the left.

294. Bring back your roof build, so the pin faces the front. Attach the back facing pin hole of your part to the front facing pin.

295.1 Bring back your main build of Hagrid's hut, so the door faces the front and the closed moving sections face the back. Place your roof on top of your hut, so the chimney faces the right.

295.2 Let's set up your magical scene! Place Hagrid's hut in front of you, with the door facing forward. Put Fang inside his stone doghouse, which stands to the left of the hut. Ron goes between the doghouse and the hut, also facing forward. Draco Malfoy stands on top of the tree stump, looking to the front, while Harry Potter takes his place just in front of Draco. Hagrid should be right at the door, facing forward as if he's welcoming his friends. Norbert, the baby dragon, belongs on Hagrid's right side. Finally, place Hermione to the far right, ready to join the adventure!

Congratulations, builder! Your set is now complete. Just like in the Philosopher's Stone, when Hagrid proudly showed Harry, Ron, and Hermione the baby dragon Norbert, your hut is ready to hold magical secrets and adventures. Help Hagrid keep Norbert hidden from Draco, otherwise

the secret might escape into all of Hogwarts! Fang is home, the friends are gathered, and the magic of Hagrid's hut has come to life in your hands!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

At the end of the instruction booklets are advertisements for the following 2 LEGO Harry Potter Theme kits:

76426 Hogwarts™ Castle Boathouse

76430 Hogwarts™ Castle: Owlery