

76459 Hagrid and Harry's Privet Drive Escape

Adapted by Arturo Moncada-Torres and Peter Durieux.

Relive Hagrid™ & Harry's Privet Drive escape from the Death Eaters in Harry Potter and the Deathly Hallows™ with this LEGO® Harry Potter™ motorcycle toy (76459) for kids. This magical building set makes a fun small gift for boys, girls and any fans ages 8 years old and up on their birthdays. It features the first minifigure-scale LEGO model of Hagrid's flying motorcycle, 4 LEGO Harry Potter minifigures and a Privet Drive mini build scene to inspire creative play. Place the Rubeus Hagrid minifigure on the motorcycle and Harry Potter in the sidecar. Pose the 2 Death Eater minifigures on the Privet Drive scene, which features a lamppost and a planter of flowerpots that is designed to be flipped over during the heroes' daring escape.

The packaging gives a feeling of excitement. The front of the box shows Hagrid riding his motorcycle, with Harry sitting in its side car, while they take off escaping from the Death Eaters, located on the right. Behind them, we can see the terrain build, composed of some plants, a lamp post, and some poles with a chain. The background shows a small street with a house, similar to those found on Privet Drive. On the top left corner, we have the classic red LEGO logo, as well as the Harry Potter logo to its right. On the bottom right, there is a golden stripe featuring all the characters contained in the set. These are, from left to right: 2 Death Eaters, Harry Potter, and Rubeus Hagrid. In the middle and to the left, the box displays the set's suggested age group (8+), set number (76459), name, and number of pieces (124), all in white letters. The left side of the box shows Hagrid flying his bike with Harry sitting in the side car. The back of the box shows the builds of the set arranged differently. On the left, we have the Death Eaters jumping to capture Harry, while he is fleeing passing by the terrain build. On the right, Hagrid is waiting for him, standing to the right of his light aqua bike. All of this is on top of a dark purple background. On the top left corner, we have the logos of LEGO and Harry Potter. On the right corner, we have 2 insets. In the first one, Hagrid is riding his bike with Harry sitting in the side car while they flee from a Death Eater. On the second one, we can see the set's action feature, which consists of being able to flip the plants of the terrain build. The right side of the box has a warning that states that the set contains small parts, and it is therefore not recommended for children younger than 3 years old in other languages. The top of the box has the LEGO and Harry Potter logos, as well as Harry and Hagrid minifigures facing each other. To the right, there is an inset with a picture of Hagrid's minifigure on a 1:1 scale. The bottom side of the box is a tidy strip that contains the barcode as well as a few technical bits, such as the place of manufacture, copyright and trademark notices.

The build consists of 124 pieces in total and is recommended for ages 8+. Once finished, you will have Hagrid's motorcycle, a small terrain build, and 4 minifigures. The set consists of 2 numbered bags.

Welcome to text-based instructions from Bricks for the Blind! Before you start building, here are some terms we may be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.

- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- Open/hollow stud: a bump on a LEGO brick with a hole, which allows attaching bars. In the case of open studs, the hole goes all the way through. In the case of hollow studs, it does not.
- “Anti-stud” is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Left/right wedge parts: these are parts that when placed in front of you and are pointing to the back, their wedge is on the left/right side of the part.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

Additionally, it is worth mentioning that besides the printed visual instructions that come with each kit, a PDF version for the set’s instructions is always available online at [<https://www.lego.com/en-nl/service/building-instructions/76459>]. This might help a sighted building partner that may want to follow along or low vision users that may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2, and 3 and put them in one container.

This LEGO set comes with 2 numbered bags, 1 instruction booklet, and 4 minifigures. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder!

LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Book 1 – Hagrid’s motorcycle, terrain build

Group 1: pages 4-5

Group 2: pages 6-7

Group 3: steps 1-5

Group 4: steps 6-17

Group 5: steps 18-23
Group 6: steps 24-31
Group 7: page 38
Group 8: page 39
Group 9: steps 1-8
Group 10: steps 9-17
Group 11: steps 18-20

Building Instructions

Book 1, bag 1:

Group 1 – Harry Potter

Pages 4-5. Locate 1 dark blue pair of legs, 1 light bluish gray torso with hoodie, dark red shirt, light bluish gray arms, and light nougat hands, and 1 light nougat head with black eyebrows, round glasses, and nougat lightning scar. Assemble the minifigure. Ask a sighted friend to make sure that the face print is facing the right way. Then, put Harry's black tousled hair on. Take 1 dark brown wand from the sprue and put it in Harry's right hand. Harry is ready!

Group 2 – Hagrid

Pages 6-7. Place 1 reddish brown pair of short legs in front of you. Then, place 1 medium nougat large torso on top of them, so that its molded pockets face to the front left and right. Attach the medium nougat large arms with light nougat hands to the left- and right-facing pin holes of the torso. Next, attach 1 light nougat head to the minifigure's head. Ask a sighted friend to orient the head so that it shows either the face with dark brown bushy eyebrows and wrinkles or the face with dark bluish gray goggles. Finally, place the dark brown shaggy long hair and beard on the minifigure. Hagrid is done!

Group 3 – Hagrid's motorcycle

1. Place 1 black motorcycle chassis horizontally in front of you, so that its up-facing clip is to the left. Then, place 1 light aqua motorcycle fairing horizontally on top of the ppp, so that its 2 hollow studs are to the right.
2. Place 1 light bluish gray 1x1 plate with 1x1 side stud hanging down on the rightmost column, so that its side stud faces to the right. Rotate 1 light aqua 1x2 curved slope tile horizontally, so that it slopes to the left. Place its rightmost column on top of the ppp.
 - 3.1 Let's make a sub-build for the motorcycle's handlebars. Place 1 transparent clear 1x1 round plate with open stud in front of you. Then, place 1 flat silver 1x1 cut cone on top of the ppp.
 - 3.2 Place 1 black 1x1 round plate with bar handle on top of the ppp, so that its bar handle faces to the back.
 - 3.3 Place 1 black 1x1 plate with 2 bar handles on top of the ppp, so that its bar handles face to the left and right.

3.4 Attach 1 black 1L mechanical claw to each of the bar handles on the left and right, so that they point to the left up and right up, respectively.

3.5 Place 1 transparent dark blue 1x1 round plate on top of the sub-build.

3.6 The sub-build is ready. Flip it upright 90 degrees from front to back. Then, rotate it 90 degrees clockwise, so that its ppp is to the right. Attach its down-facing bar handle to the up-facing clip on the left of the motorcycle.

4. Attach 1 transparent orange 1x1 round plate with open stud upright to the right-facing side stud. Insert 1 trans-orange flame to the ppp.

5. Locate 2 flat silver wheels and 2 black tires. Place each of the wheels inside the tires. Attach the first one to the down-facing clips on the left of the motorcycle. Then, attach the second one to the right-facing clips on the right of the motorcycle. The motorcycle's main build is ready! Put it to the side for now. Make sure that it keeps the same orientation.

Group 4 – Hagrid's motorcycle sidecar

6. Let's build the sidecar of the motorcycle. Place 1 light bluish gray 2x4 plate horizontally in front of you. Then, place 1 dark bluish gray 1x2 plate with finger on long side horizontally on the back row of the ppp, so that it is centered horizontally and that its finger is to the back.

7. Place 1 black 1x2 plate with wheel holder on long edge horizontally in front of the ppp, so that its wheel holder faces to the front.

8. Place 1 light bluish gray 1x2 plate with 1x2 upright side studs sticking up vertically on the rightmost column, so that its side studs face to the right.

9. Place 1 light bluish gray 1x2 brick with pin hole and 1x2 plate on the 2 leftmost columns, so that its 1x2 plate is to the right and its pin hole faces to the left.

10. Place 1 reddish brown 2x2 tile with studs to the right of the ppp, so that its studs are on the right.

11. Locate 2 light bluish gray 1x1 plates with 1x1 side stud hanging down. Place the first one on the front right corner of the ppp, so that its side stud faces to the front. Then, take the second one and repeat symmetrically on the back.

12. Find 2 light aqua 1x1 plates with 1x1 upright side stud sticking up. Place the first one on top of the ppp, so that its side stud faces to the back. Then, take the second one and repeat symmetrically on the front.

13. Place 1 light aqua 1x2 plate with 1x2 side studs hanging down vertically on top of the ppps, so that its side studs face to the right.

14. Place 1 light aqua 1x2 slope tile vertically on top of the ppp, so that it slopes to the right.

15.1 Let's make a small sub-build. Place 1 light aqua 1x1 plate with 1x1 upright side stud sticking up in front of you, so that its side stud faces to the back. Then, place 1 light aqua 1x2 plate vertically on top of the ppp, so that it overhangs to the front by 1 row.

15.2 Place 1 light aqua 1x1 plate with 1x1 upright side stud sticking up under the overhang of the ppp, so that its side stud faces to the front.

15.3 Place 2 transparent clear 1x1 slope tiles, one in front of the other, on top of the sub-build, so that they slope to the left.

15.4 The sub-build is complete. Place it vertically on the leftmost column of the sidecar build, so that it slopes to the left.

16. Insert 1 red 1/2L technic pin to the left-facing hole, so that its stud faces to the left.

17. Insert 1 blue 3L bar into the ppp. Make sure that it goes as deep as possible, until it protrudes to the left by approximately 2L. Put the sidecar build to the side for now. Make sure that it keeps the same orientation.

Group 5 – Hagrid's motorcycle sidecar (continued)

18. Let's build the sidecar's nose. Place 1 red 1x1 short brick in front of you. Then, place 1 light bluish gray 1x1 with side studs on 4 sides on top.

19. Hold 1 light aqua 1x2 curved slope tile vertically upright, so that its antistuds face to the left and it slopes upwards. Attach 1 yellow 1x1 round plate upright to the bottom row of the ppp. Attach the top row to the right-facing side stud.

20. Grab 1 light aqua 1x2 curved slope tile and 1 green 1x1 round plate and repeat symmetrically on the left.

21. Hold 1 light aqua 1x2 curved slope tile vertically upright, so that its antistuds face to the back and it slopes upwards. Attach 1 light aqua 1x2 jumper plate horizontally upright to the bottom row of the ppp. Attach the top row to the front-facing side stud.

Locate another light aqua 1x2 curved slope tile and another light aqua 1x2 jumper plate and repeat symmetrically on the back.

22. Place 1 light aqua 1x1 pyramid on top of the sidecar build.

23. The sidecar's nose build is finished. Rotate the sidecar so that it is horizontal and it slopes from all sides to the left. Bring back the sidecar build. Attach the sidecar's nose by sliding it into the left-facing protruding bar. Make sure to push it as far as possible.

Group 6 – Hagrid's motorcycle sidecar (continued)

24. Rotate the sidecar 180 degrees on the horizontal plane, so that its nose slopes to the right. Attach 1 dark bluish gray 1x1 round plate with pin upright to the rightmost front-facing side stud.

25. Place 1 light aqua 1x2 plate vertically upright to the leftmost column of front-facing side studs.
26. Attach 1 light aqua 2x2 truncated cone upright to the left-facing side studs. Then, attach 1 light aqua 1x1 pyramid upright to the ppp.
27. Rotate the sidecar 180 degrees on the horizontal plane, so that its nose slopes to the left. Attach 1 light aqua 1x4 plate horizontally upright to the top row of front-facing side studs. Then, attach 1 light aqua 1x1 plate upright below the rightmost column of the ppp.
28. Rotate 1 light aqua 2x2 round corner tile upright, so that its antistuds face to the back and its long curved edge faces up right. Place its bottom right corner on top of the ppp.
29. Hold 1 light aqua 2x2 round corner tile upright, so that its antistuds face to the back and its long curved edge faces up left. Attach 1 light aqua 1x1 plate to the back of the bottom left corner of the ppp. Place the top right corner of the 2x2 round corner tile to the left of the 2x2 round corner from the previous step. Together, they should form a tiled semicircle along the top of the front-facing wheel holder.
30. Insert 1 light bluish gray small wheel into 1 black small tire. Attach assembled wheel upright to the front-facing wheel holder.
31. The sidecar build is complete. Bring back the motorcycle main build. Attach the sidecar's back-facing finger to the motorcycle's front-facing locking hinge.

The motorcycle build is complete! If you wish, you can sit Harry on the sidecar and stand Harry behind the motorcycle's handlebars so that he can drive.

Book 1, bag 2

Group 7 – Death Eater 1

Page 38. Locate 1 black pair of legs with dark bluish gray coattails outline, 1 black torso with dark bluish gray shirt, silver belt buckle, dark bluish gray arms, and black hands, and 1 black head with silver face with mouth vent and dark silver pattern. Assemble the minifigure. Ask a sighted friend to make sure that the face print is facing the right way. Then, put 1 black hood on the minifigure, so that its opening faces to the front. Take 1 light bluish gray wand from the sprue and put it in the Death Eater's right hand. Put together the Death Eater's broom by inserting the end of 1 reddish brown 6L bent bar into 1 dark brown broom bristles. Put the broom horizontally in the Death Eater's left hand, so that the broom's bristles are to the back. The Death Eater is complete!

Group 8 – Death Eater 2

Page 39. Locate 1 black pair of legs, 1 black torso with silver buttons, silver belt buckle, black arms, and dark bluish gray hands, and 1 black head with silver face with mouth vent and dark silver pattern. Assemble the minifigure. Ask a sighted friend to make sure that the face print is facing the right way. Then, put 1 black hood on the minifigure, so that its opening faces to the front. Take 1 reddish brown wand from the sprue and put it in the Death Eater's right hand.

Group 9 – Terrain

1. Place 1 dark bluish gray 2x14 plate horizontally in front of you. Then, place 1 light bluish gray 1x4 tile with studs horizontally on the 4 rightmost columns of the back row of the ppp.
2. Place 1 dark bluish gray 1x2 ingot tile horizontally on the 2 rightmost columns of the front row. Then, place 1 light bluish gray 1x4 tile with studs horizontally to the left of the ppp. Next, place 1 light bluish gray 1x2 jumper plate horizontally behind the 2 leftmost columns of the ppp.
3. Place 1 light bluish gray 2x2 plate to the left of the 2 ppps.
4. Place 2 white 1x1 round tiles on the 2nd and 5th columns from the left of the front row.
5. Place 1 dark green 1x1 round plant plate on the 4th column from the right of the back row, so that its leaves face to the front right. Then, locate 2 dark bluish gray 1x1 round tiles with pin. Place the first one on the rightmost column of the back row. Then, place the second one on the 1x2 jumper of the back row.
6. Attach 1 black candle to each of the 2 dark bluish gray 1x1 round tiles with pin from the previous step. Then, rotate 1 black 5L chain so that it is horizontal and the studs on its ends are upside down. Attach it to the ppps.
7. Turn 2 black 1x1 round plates with open stud upside down. Place the first one on top of the left end of the chain. Take the second one and repeat on the chain's right end.
8. Place 1 transparent clear 1x1 round plate with angled bar on top of the ppp, so that its 1x1 round plate faces to the front left. Put the terrain main build to the side for now. Make sure that it keeps the same orientation.

Group 10 – Terrain (continued)

9. Let's make a sub-build for the terrain's plants. Place 1 white 1x4 plate horizontally in front of you. Then, place 1 white 1x2 rounded plate with open studs horizontally on top of the ppp, so that it is centered horizontally.
10. Locate 1 white 1x2 plates with pin hole on bottom. Place the first one vertically on the leftmost column, so that its pin hole is to the back and it faces to the left and right. Take the second one and repeat symmetrically on the right.
11. Place 1 white 2x4 plate with 3 holes horizontally on top of the sub-build.
12. Place 2 reddish brown 2x2 round tiles with stud, one next to the other, on top of the ppp.
13. Find 2 green upright curved leaves. Place the first one on top of the left piece from the previous step, so that its leaf faces to the back left. Take the second one and repeat symmetrically on the right.
14. Insert 1 bright green plant stem vertically into each of the ppps.

15. Grab 2 light bluish gray 2L pins with no friction ridges. Insert the first one horizontally into the left-facing hole, so that it protrudes to the left by 1L. Take the second one and repeat symmetrically on the right.

16. Locate 2 dark bluish gray 1x2 plates with pin hole. Rotate the first one vertically, so that its pin hole is to the back. Slide its pin hole into the ppp. Take the second one and repeat symmetrically on the left.

17. The terrain's plants sub-build is complete. Bring back the terrain build. Place the plants' sub-build horizontally on the 6 leftmost columns. If you wish, you can flip the plants by lifting their base from front to back.

Group 11 – Terrain (continued)

18. Place 1 black 2x2 round jumper plate on the 7th and 8th columns from the left. This will be the lamp post's base.

19. Stack 2 black candles vertically upright, so that their bars face down. Then, insert them into the hole of the ppp.

20.1 Let's make a sub-build for the lamp post. Hold one black technic connector hub vertically upright, so that its axle hole faces to the left and right. Insert 1 black 3L bar horizontally into the axle hole of the ppp, so that it is centered horizontally.

20.2 Rotate 1 black 6L bar with stop ring vertically upright, so that its ring faces up. Insert it into the down-facing hole of the technic connector hub. Rotate 1 black 2L bar with stop right vertically upright. Insert it into the up-facing hole of the technic connector hub, so that it protrudes up by 1L.

20.3 Slide 1 black 1x1 round plate with open stud into the protrusion of the ppp. Place 1 transparent yellow 1x1 brick on top of the ppp. Then, place 1 black 2x2 jumper plate on top of the ppp. Lastly, place 1 black 1x1 pyramid on top of the ppp.

20.4 The lamp post is complete. Attach it to its base, located in the center of the 7th and 8th columns from the left.

We are done with the construction! You can pose the Death Eaters on the terrain build, while Hagrid and Harry escape from them in their motorcycle.

At the end of the instruction booklet, you will find one page advertising other sets from the theme. On the left, you will find sets 76435 (Hogwarts Castle: The Great Hall), 76445 (Hogwarts Castle: Herbology Class), and 76454 (Hogwarts Castle: The Main Tower). On the right, you will find sets 76447 (Hogwarts Castle: Flying Lessons) and 76463 (Hogwarts Castle: Hospital Wing). In the middle of these, we have all sets combined, forming a huge Hogwarts Castle. On the top right corner, you can find the text that says "Build the most detailed HOGWARTS CASTLE" in gold letters. On the right, there is a text in white font that states that each set is sold separately and is available for different periods of time in different languages. All of this is on top of a dark purple background, with golden stripes on the top and bottom. The next page has the same page setup, but it shows the combined Hogwarts Castle from the back. To the right, sets 76460 (Hogwarts Castle: Sorting Hat Ceremony) and 76442 (Hogwarts Castle: Charms Class) are advertised. Lastly, you will find more advertisements for sets 76467 (Luna Lovegood's House), 76464 (Cauldron Secret Potions Classroom), 76463 (Hogwarts Castle: Hospital Wing), and 76460 (Hogwarts Castle: Sorting Hat Ceremony). At the center, 4 collectible patronuses are shown in their satin trans-light blue form: a cat, a hare, an otter, and a wolf.

Afterwards, you will find the set inventory. On the last page you will find an invitation to share feedback.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind are able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!