

31376 Cute Hamster with a Flower

Adapted by John Le and tested by Radar.

Animal-loving girls and boys ages 7 and up can play out fun stories with this LEGO® Creator 3 in 1 Cute Hamster with a Flower (31376) building toy. This adorable animal playset offers 3 different building options with the same set of bricks. Kids can choose to build a toy hamster with a posable head and front legs and a purple flower. They can also rebuild it into a hedgehog toy with a flower, or a posable eagle with its egg in a nest. Once the building and playtime fun is over, each model can be displayed as cute room decor on a shelf or desk.

3 IN 1 ANIMAL TOY FOR KIDS – LEGO® Creator 3 in 1 Cute Hamster with a Flower (31376) building toy lets girls and boys ages 7 and up build and rebuild 3 cute toys with the same bricks.

ENDLESS PRETEND PLAY OPTIONS – Play out fun stories with 3 small animal toys (models cannot be built simultaneously): a cute hamster, a hedgehog with a flower or an eagle with a bird's nest and egg.

POSABLE TOY ANIMAL FIGURES – The toy hamster can be posed sitting up or standing on 4 legs; the toy bird can move its wings and the hedgehog toy can be displayed standing on 4 legs.

DIMENSIONS – This 166-piece 3 in 1 animal set features a hamster toy for kids measuring over 2 in. (6 cm) high, 3 in. (8 cm) long and 2 in. (5 cm) wide.

The front of the box shows a cute hamster holding a purple flower in the grassland!

The back of the box shows the alternate builds! There is a cute hedgehog and an eagle!

The top of the box shows a real size image of a light purple 1x1 round plate with 3 leaves.

The build is 166 pieces in total and is for ages 7+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.

- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray,

generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/31376>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 2 unlabeled bags, 3 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bags 1-2 - Flower and Cute Hamster

Group 1 - Steps 1-3.

Group 2 - Step 4.

Group 3 - Steps 1-15 and 2 white 1x1 round plates from Step 16.

Group 4 - Rest of Step 16, Steps 17-22, and 1 light nougat 1x1 round plate from Step 23.

Group 5 - Rest of Step 23, Steps 24-28, and 1 white 1x1 round plate from Step 29.

Group 6 - Rest of Step 29 and Steps 30-44.

Group 7 - Steps 45-51.

Group 8 - Steps 52-59.

Group 9 - Steps 60-67.

Group 10 - Steps 68-70.

Let's get to building!

Building Instructions (Bags 1-2, Book 1):

Group 1 - Flower

1. Place a light green 4x4 round plate in front of you. Then horizontally place a sand green 1x2 plate with a stud and an upright clip on the 2nd row from the back so it is centered horizontally and the clip is on the right. Now place a lime green 1x1 round plate with 3 leaves in front of the right column of the ppp so the leaves face the front right.

2. Place a lime green 1x1 round plate with 3 leaves on top of the 1x2 plate with a stud and an upright clip so the leaves face the front left.

3.1. Let's make a part! Vertically place a dark grey 2L bar with a stop in front of you. Place a lime green 1x1 round plate with 3 leaves upright on the back-facing bar so it goes all the way in, the stud faces the back, and the leaves face the right.

3.2. Place a lime green 1x1 round plate with 3 leaves upright on the front-facing bar so it goes all the way in, the stud faces the front, and the leaves face up.

3.3. Attach a light green candle stick to the front-facing bar so the bar on the candle stick faces the front. Attach a green bar holder with a handle to the ppp so the handle is horizontal. Now place a green 1x1 round plate with an angled bar upright on the back-facing bar so the angled bar faces the right.

3.4. Place a light nougat 1x1 round plate with an open stud upright on the angled bar of the ppp.

3.5. Attach the front-facing handle of your part to the top-facing clip of the main build so your part is upright and the 1x1 round plate faces the front.

Group 2 - Flower

4.1. Let's make a part! Place a purple 2x2 round plate in front of you.

4.2. Place a magenta 1x1 round plate with 3 leaves on the back left corner so the leaves face the back left. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the front.

4.3. Place a purple 2x2 round tile with a stud on top so it is centered. Now place a magenta 1x1 double layered flower on top.

4.4. Place your part upright on the front-facing 1x1 round plate so it is centered on it. Now put your flower away while we make the hamster!

Group 3 - Cute Hamster

1. Horizontally place a white 1x2 brick with an axle hole in front of you.

2. Place a white 2x2 inverted sloped curved tile underneath the left column so 1 row exposes to the front, and it slopes and exposes 1 column to the left. Then repeat symmetrically to the right.

3. Place a tan 2x2 plate on the front row so it is centered horizontally and overhangs 1 row to the front.

4. Place a tan 2x2 corner plate on the back left corner so there is no overhang and it looks like the braille letter h. Then repeat symmetrically to the right.

5. Place a white 2x2 inverted sloped curved tile underneath the front row so it is centered horizontally, and slopes and exposes 1 row to the front.

6. Place a tan 2x2 plate on the front 2 rows.

7. Vertically place a light brown 2x3 plate on the front 3 rows so it is centered horizontally.
8. Place a white 1x2 plate with a 1x2 inverted sloped curved short brick on the back left corner so it slopes and overhangs 1 column to the left. Then repeat symmetrically to the right.
9. Horizontally place 2 white 1x2 bricks with 2 pinholes, 1 to the right of the other, on the back row so together they are centered horizontally.
10. Vertically place a light brown 1x2 brick on the back left corner. Then repeat symmetrically to the right.
11. Horizontally place a red 2x4 brick on the 2nd and 3rd rows from the front so it is centered horizontally.
12. Horizontally place a light brown 1x2 brick on the front row.
13. Horizontally place a light brown 2x4 plate on the back 2 rows so it is centered horizontally.
14. Horizontally place a tan 2x6 plate with a round side on the front 2 rows so it is centered horizontally and the round side faces the front.
15. Place a light brown 2x2 corner brick with a cutoff corner underneath the front left corner, so the cutoff corner faces the front left. Then repeat symmetrically to the right.

You will have 2 extra white 1x1 round plates. Save them for later!

Group 4 - Cute Hamster

- 16.1. Let's make 2 identical parts! Place a white 2x2 inverted dome brick in front of you. Then place a white 1x1 round plate from group 3 on top. Now place a light nougat 1x1 round plate on top of the ppp. Place a white 2x2 round plate on top so it is centered.
- 16.2. Now you should have 2 identical parts! Place 1 part underneath the front left corner. Then repeat symmetrically to the right.
- 17.1. Let's make a part! Horizontally place a white 1x2 inverted sloped curved tile in front of you so it slopes to the left. Then place a short white 1x1 brick on the left column. Then place a white 1x1 brick with an axle hole on the right column so the hole faces the right.
- 17.2. Horizontally stack 2 white 1x2 plates on top. Then horizontally place a tan 1x2 jumper plate on top. Now insert a red 2L axle into the right-facing axle hole.
- 17.3. Rotate your main build 180 degrees so the holes face the front and the studs face up. Then insert the axle of your part into the front-facing axle hole of the main build so the axle hole faces the back.
18. Insert a black 2L pin into the leftmost front-facing pinhole. Then repeat symmetrically to the right.
19. Let's make a part! Place a white 2x2 round plate in front of you. Then horizontally place a tan 1x2 plate with a stud and an upright pinhole on the back row so the pinhole is on the right.
20. Horizontally place a light brown 1x2 plate on the front row.

21. Vertically place a light brown 1x2 plate on the left column.

22. Place a tan 1x1 tile on the back left corner. Then horizontally place a tan 1x2 curved sloped left wedge tile on the front row so it slopes to the right and the angled part faces the back right.

You should have an extra light nougat 1x1 round plate. Save it for later!

Group 5 - Cute Hamster

23. Let's make another part! Place a white 2x2 inverted dome brick in front of you. Then place a white 1x1 round plate on top. Now place a light nougat 1x1 round plate from group 4 on top of the ppp.

24. Place your part underneath your previous part so it is centered. Now attach the back-facing pinhole of your part to the leftmost front-facing pin of the main build.

25. Let's make a part! Place a white 2x2 round plate in front of you. Then horizontally place a tan 1x2 plate with a stud and an upright pinhole on the back row so the pinhole is on the left.

26. Horizontally place a light brown 1x2 plate on the front row.

27. Vertically place a light brown 1x2 plate on the right column.

28. Place a tan 1x1 tile on the back right corner. Then horizontally place a tan 1x2 curved sloped right wedge tile on the front row so it slopes to the left and the angled part faces the back left.

You should have an extra white 1x1 round plate. Save it for later!

Group 6 - Cute Hamster

29. Let's make a part! Place a white 2x2 inverted dome brick in front of you. Then place a white 1x1 round plate from group 5 on top. Now place a light nougat 1x1 round plate on top of the ppp.

30. Place your part underneath the previous part so it is centered. Now attach the back-facing pinhole of your part to the rightmost front-facing pin of the main build.

31. Horizontally place a light brown 2x6 plate on the front 2 rows so it is centered horizontally. It should just sit on 1 stud.

32. Place a tan 2x2 plate on the back 2 rows so it is centered horizontally. Then place a black 1x1 round tile printed with a white eye to the left of the front row of the ppp. Then repeat symmetrically to the right.

33. Horizontally place a white 1x2 plate on the 3rd row from the back so it is centered horizontally. Then place 2 tan 1x1 tiles, 1 to the right of the other, in front of the ppp.

34. Vertically place a light brown 2x4 plate on the front left corner. Then repeat symmetrically to the right.

35. Vertically place 2 light brown 1x2 slope bricks, 1 to the right of the other, on the back 2 rows so together they are centered horizontally and slope to the back.

36. Place a light brown 2x2 corner sloped curved brick on the back left corner, to the left of the 2 ppp so it slopes to the back left. Then repeat symmetrically to the right.

37. Horizontally place a tan 1x2 brick with 2 side studs on the 3rd row from the back so it is centered horizontally and the side studs face the front.

38. Horizontally place a white 1x2 brick with 2 pinholes on the 2nd row from the front so it is centered horizontally. Then insert 2 red 1L pins with a stud into the 2 front-facing pinholes of the ppp so the studs face the back.

39. Horizontally place a tan 1x2 brick with a pinhole on the front row so it is centered horizontally. Then insert a black 2L pin into the front-facing pinhole.

40. Vertically place 2 light brown 1x2 plates, 1 to the right of the other, on the front 2 rows so together they are centered horizontally.

41. Place 2 light brown 2x2 slope bricks, 1 in front of the other, on the front right corner so they slope to the right. Then repeat symmetrically to the left.

42.1. Let's make a part! Place a tan 2x2 plate in front of you. Then horizontally place a light brown 1x2 plate with claws on the back row so the claws overhang to the back. Then repeat symmetrically to the front.

42.2. Vertically place your part on the 2nd to 5th rows from the front so it is centered horizontally.

43. Vertically place a light brown 1x2 slope tile on the 2nd and 3rd rows from the front of the rightmost column of studs so it slopes to the right. Then place a light brown 1x1 slope tile behind the ppp so it slopes to the right. Now repeat both parts symmetrically to the left.

44. Place your build on its back-facing side so the pin faces up and the anti-studs of the 2x2 inverted dome bricks face the front. Now place a white 1x1 round plate with a handle upright on each of the front-facing anti-studs so the handles face up.

Group 7 - Cute Hamster

45. Let's make a part! Let's make the hamster's head! Vertically place a white 1x2 plate with a pinhole underneath in front of you so the pinhole is in the back. Then insert a black 2L pin into the left-facing pinhole.

46. Vertically place a light brown 1x2 plate on top.

47. Vertically attach the pinhole of a white 1x2 plate with a pinhole underneath to the left-facing pin so it faces the front.

48. Horizontally place a white 1x4 tile with 2 studs underneath the front row so 2 columns are exposed to the left.

49.1. Let's make a part! Vertically place a white 1x2 plate with a pinhole underneath in front of you so the pinhole is in the back. Then insert a black 2L pin into the left-facing pinhole. Now vertically attach the pinhole of a white 1x2 plate with a pinhole underneath to the left-facing pin so it faces the front.

49.2. Place your part on the 2 leftmost columns of your part so the pinhole overhangs 1 row to the back.

50. Vertically place a light brown 1x2 plate on the leftmost column. Then horizontally place another 1 on the front row so it is centered horizontally.

51. Place a short tan 1x1 rounded brick with a side stud on the back left corner so the side stud faces the left. Then repeat symmetrically to the right.

Group 8 - Cute Hamster

52. Place a short black 1x1 rounded brick with a side stud on the front left corner so the side stud faces the front. Then repeat symmetrically to the right.

53. Place a light brown 1x2 brick with a pinhole and 1x2 plate on top so it is centered horizontally and the brick is in the back. Then place a light brown 2x2 sloped curved tile on top of the ppp so it slopes to the front.

54. Place a brown 1x1 brick with 4 side studs on the front left corner. Then repeat symmetrically to the right.

55. Horizontally place a tan 1x4 plate on top of the 2 ppp.

56. Place a light brown 1x2 plate with claws on top of the ppp so it is centered horizontally and the claws overhang to the front. Then vertically place a light brown 1x2 curved sloped right wedge tile to the left of the ppp so it slopes and overhangs to the front and the angled part faces the front left. Then repeat symmetrically to the right with a light brown 1x2 curved sloped left wedge tile.

57. Let's make a part! Horizontally place a tan 1x4 plate in front of you. Then place a short black 1x1 dome on the leftmost column. Then repeat symmetrically to the right.

58. Vertically place a light brown 2x3 plate on top so it overhangs 2 rows to the front.

59. Place a tan 2x2 plate with 2 side studs underneath the left column of the front 2 rows so 1 column is exposed to the left and the side studs face the left. Then repeat symmetrically to the right.

Group 9 - Cute Hamster

60. Horizontally place a pink 1x2 plate on the front row so it is centered horizontally.

61. Vertically place a tan 1x2 rounded plate on the front left corner. Then repeat symmetrically to the right.

62. Place a light brown 2x2 slope brick on the back 2 rows so it is centered horizontally and slopes to the back.

63. Horizontally place a white 1x2 jumper plate with a round side on top of the ppp so the round side faces the back.

64. Place a white 1x1 corner sloped curved brick on the 2nd row from the front of the leftmost column so it slopes to the left. Then repeat symmetrically to the right. Now place a pink 1x1 round tile in between the 2 ppp so it sits on the 1x2 jumper plate.

65. Place a white 1x1 corner sloped curved brick on the front left corner so it slopes to the front left. Then place another 1 to the right of the ppp so it slopes to the front right. Now repeat both parts symmetrically to the right.

66. This is the hamster's face! Horizontally place it upright on the front-facing side studs of your previous part so it is centered horizontally and the 2x2 slope brick slopes up.

67.1. Let's make 2 identical parts! Place a tan 2x2 round plate in front of you. Then horizontally place a light brown 1x2 tile with a round side on the back row so the round side faces the back. Now place a light brown 1x2 plate with claws on the front row so the claws overhang to the front.

67.2. Now you should have 2 identical parts! Vertically place 1 part upright on the bottom 2 rows of left-facing side studs so the claws overhang 1 row to the front. Then repeat symmetrically to the right.

Group 10 - Cute Hamster

68. Place a light brown 1x1 slope tile on the top right-facing side stud, above the previous part so it slopes up. Then repeat symmetrically to the left.

69.1. Let's make 2 identical parts! Place a light brown 2x2 inverted round tile with a rounded bottom in front of you. Then horizontally place a white 1x2 tile with a round side on the back row so the round side faces the back. Now horizontally place a white 1x2 plate with an upright bar on the long side on the front row so the upright bar is in the front. Then place a pink 2x2 round tile on top so it is centered.

69.2. Now you should have 2 identical parts! Rotate your hamster head 90 degrees counterclockwise so it is vertical and the face faces the right. Then attach the bar of 1 part to the front left-facing side stud so it slants to the front and faces up. Then repeat symmetrically to the back.

70. Bring back your main build and orient it so it is horizontal and the pin faces the right. Now attach the left-facing pinhole of your hamster head to the pin!

You have finished the hamster!

Let's make an alternate build now!

Bags 1-2 - Flower and Hedge Hog

Group 1 - Steps 1-5.

Group 2 - Steps 1-5 and 4 white 1x1 round plates from Step 6.

Group 3 - Rest of Step 6 and Steps 7-13.

Group 4 - Steps 14-29.

Group 5 - Steps 30-34.

Building Instructions (Bags 1-2, Book 2):

Group 1 - Flower

1. Place a tan 2x2 corner plate in front of you so it looks like the braille letter d. Then horizontally place a sand green 1x2 plate with a stud and an upright clip on the back row so the clip is on the left.
2. Place a lime green 1x1 round plate with 3 leaves on the front row so the leaves face the front.
3. Place a lime green 1x1 round plate with 3 leaves on the back right corner so the leaves face the front right.
4. Place a light nougat 1x1 round plate on top of the ppp. Then place a lime green 1x1 round plate with 3 leaves on top of the ppp so the leaves face the front left.
5. Place a green 1x1 round plate with an angled bar underneath on top of the ppp so the stud faces the front left. Then place a light purple 1x1 round flower on top of the ppp. Now put your double layered flower away while we make the hedgehog!

Group 2 - Hedgehog

1. Place a white 2x2 inverted sloped curved tile in front of you so it slopes to the back.
2. Place a white 1x2 plate with a 1x2 inverted sloped curved short brick on the front left corner so 1 overhangs to the front and it slopes and overhangs 1 column to the left. Then repeat symmetrically to the right.
3. Place a white 2x2 inverted sloped curved tile underneath the front row so it is centered horizontally and it slopes and is exposed 1 row to the front.
4. Place a purple 2x2 round plate on top so it is centered.
5. Horizontally place a white 1x4 tile with 2 studs on the back row so it is centered horizontally. Then horizontally place 2 white 1x2 plates, 1 to the right of the other, on the front row so together they are centered horizontally.
- 6.1. Place a white 1x1 round plate underneath the front left corner. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.

Group 3 - Hedgehog

- 6.2. Place a light nougat 1x1 round plate underneath each of the 4 ppp.
7. Place a tan 2x2 plate with 2 side studs on the front 2 rows so it is centered horizontally and the side studs face the front. Then repeat symmetrically to the back.
8. Place a white 2x2 round plate on top of the 2 ppp so it is centered.
9. Vertically place 2 light brown 1x2 plates, 1 in front of the other, on the rightmost column. Then repeat symmetrically to the left.

10. Vertically place a light brown 1x2 tile with a round side on the rightmost column so it is centered vertically and the round side faces the left. Then repeat symmetrically to the left.

11. Place a tan 1x1 tile on the front left corner. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.

12. Horizontally place a light brown 1x2 brick on the back left corner so it sits on 1 stud. Then horizontally place a tan 1x2 brick with 2 side studs to the right of the ppp so the side studs face the back.

13. Place 2 tan 1x1 short rounded bricks with a side stud, 1 to the right of the other, in front of the 2 ppp so together they are centered horizontally and the side studs face outwards to the left and right.

Group 4 - Hedgehog

14. Place 2 black 1x1 short rounded bricks with a side stud, 1 to the right of the other, in front of the 2 ppp so together they are centered horizontally and the side studs face outwards to the left and right.

15. Place a tan 2x2 plate on the 2nd and 3rd rows from the back so it is centered horizontally.

16. Horizontally place a tan 1x4 plate on the front row so it is centered horizontally.

17. Horizontally place a light brown 1x2 plate on the back row so it is centered horizontally. Then place a white 2x2 round plate in front of the ppp.

18. Place a light brown 1x1 slope tile on the back left corner so it slopes to the left. Then repeat symmetrically to the right.

19. Horizontally place a light brown 1x2 slope brick on the front left corner so it slopes to the left. Then repeat symmetrically to the right.

20. Place a light brown 2x2 slope brick on the front 2 rows so it is centered horizontally and slopes to the front. Then place another 1 behind the ppp so it slopes to the back.

21. Place a light brown 1x1 slope tile on the front left stud so it slopes to the back. Then place another 1 on the back right stud so it slopes to the back.

22.1. Let's make 2 identical parts! Place a tan 2x2 plate in front of you. Then place a tan 2x2 round plate on top of the ppp. Now vertically place a light brown 1x2 slope tile on the left column so it slopes to the right. Then place a light brown 1x2 plate with claws to the right of the ppp so the claws overhang to the right.

22.2. Now you should have 2 identical parts! Vertically place 1 part upright on the 2 right-facing side studs so the claws face up. Then repeat symmetrically to the left.

23. Place a tan 2x2 plate upright on the front-facing side studs so 1 row overhangs to the top.

24. Place a light brown 1x2 plate with claws upright on the top row of front-facing side studs so the claws overhang to the top.

25. Let's make a part! Vertically place a nougat 2x3 plate in front of you. Then place a light grey 1x2 plate with claws on the back row so the claws overhang to the back.

26. Horizontally place a tan 1x4 plate on the 2nd row from the front so it is centered horizontally.

27. Vertically place a light brown 1x2 plate underneath the leftmost column so 1 row is exposed to the front. Then repeat symmetrically to the right.

28. Vertically place 2 light brown 1x2 plates, 1 to the right of the other, on the 2nd and 3rd rows from the front so together they are centered horizontally.

29. Vertically place a light brown 1x2 curved sloped left wedge tile to the left of the 2 ppp so it slopes and overhangs to the back, and the angled part faces the back left. Then repeat symmetrically to the right with a light brown 1x2 curved sloped right wedge tile.

Group 5 - Hedgehog

30. Vertically place a white 1x2 plate with a pinhole underneath on the front 2 rows of the 2nd column from the left so the pinhole is in the front. Now insert a red 1L pin with a stud into the left-facing pinhole so the stud faces the left. Now place a black 1x1 round tile printed with an eye upright on the left-facing side stud.

31. Vertically place a white 1x2 plate with a pinhole underneath on the front 2 rows of the 2nd column from the right so the pinhole is in the front. Now insert a red 1L pin with a stud into the right-facing pinhole so the stud faces the right. Now place a black 1x1 round tile printed with an eye upright on the right-facing side stud.

32. Place a light brown 1x2 plate with claws on the 2nd and 3rd rows from the front so it is centered horizontally and the claws face the back.

33. Horizontally place a white 1x2 jumper plate with a round side on the front row so it is centered horizontally and the round side faces the front. Now place a short black 1x1 dome brick on top of the ppp.

34. Rotate your main build 180 degrees so the upright claws face the back. Now horizontally place the bottom 2 rows of your part upright on the front-facing side studs so it is centered horizontally and the side studs face up.

You have finished the hedgehog!

Let's make an alternate build now!

Bags 1-2 - Egg and Eagle

Group 1 - Steps 1-2 and 4 lime green 1x1 round plates with 3 leaves from Step 3.

Group 2 - Rest of Step 3.

Group 3 - Steps 1-14.

Group 4 - Steps 15-29.

Building Instructions (Bags 1-2, Book 3):

Group 1 - Egg

1. Place a green 4x4 round plate in front of you. Then place a white 2x2 round plate on top so it is centered.
2. Place a white 1x1 corner sloped curved brick on the 2nd row from the front of the 2nd column from the left so it slopes to the front left. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.
- 3.1. Place a lime green 1x1 round plate with 3 leaves on the right stud of the front row so the leaves face the front left. Then place another 1 on the front stud of the leftmost column so the leaves face the back left. Now place 1 on the left stud of the back row so the leaves face the back right. Then place 1 more on the back stud of the rightmost column so the leaves face the front right.

Group 2 - Egg

- 3.2. Place a magenta 1x1 round plate with 3 leaves on the plate with leaves that is on the front row so the leaves face the front right. Then place 1 on the rightmost plate with leaves so the leaves face the back. Now place 1 on the leftmost plate with leaves so the leaves face the front. Then place 1 more on the back plate with leaves so the leaves face the back left. Now put your egg away while we make the eagle!

Group 3 - Eagle

1. Place a white 2x2 round plate in front of you. Then place a light brown 1x2 plate with claws on the back row so the claws overhang to the back.
2. Vertically place a light brown 2x4 plate on the front row so it overhangs 3 rows to the front.
3. Place a white 2x2 round plate underneath the 2nd and 3rd rows from the front.
4. Place a light brown 2x2 slope brick on the back 2 rows of studs so it slopes to the back.
5. Place a tan 2x2 plate in front of the ppp.
6. Horizontally place a tan 1x2 rounded plate on the front row so it overhangs 1 column to the left. Now place a white 1x1 round plate underneath the left column of the ppp. Now place a white 1x1 round plate with a handle underneath the ppp so the handle faces the front.
7. Horizontally place a tan 1x2 rounded plate on the front row so it overhangs 1 column to the right. Now place a white 1x1 round plate underneath the right column of the ppp. Now place a white 1x1 round plate with a handle underneath the ppp so the handle faces the front.
8. Horizontally stack 2 light brown 1x2 plates on the 3rd row from the front.
9. Place a light brown 2x2 slope brick on the 3rd and 4th rows from the front so it slopes to the back.
10. Place a light brown 2x2 corner brick with a cutoff corner on the 2 leftmost columns of the front 2 rows so the cutoff corner faces the back left. Then repeat symmetrically to the right.

11. Horizontally place a tan 1x2 brick with 2 side studs on the front row so it is centered horizontally and the side studs face the front.
12. Horizontally place a light brown 2x4 plate on the front 2 rows so it is centered horizontally.
13. Place 2 tan 2x2 plates, 1 to the right of the other, on the front 2 rows.
14. Horizontally place a tan 1x2 brick with a pinhole on the front row so it is centered horizontally. Now place a light brown 2x2 slope brick behind the ppp so it slopes to the back.

Group 4 - Eagle

15. Stack 2 light nougat 1x1 round plates on the 2nd row from the front of the rightmost column. Then repeat symmetrically to the left.
16. Place a tan 1x1 short round brick with a side stud on the front right corner so the side stud faces the right. Then repeat symmetrically to the left.
17. Place a tan 2x2 plate with 2 side studs on the front 2 rows so it is centered horizontally and the side studs face the front. Then horizontally place a light brown 1x2 plate on the back row of the ppp.
18. Vertically place a light brown 1x2 slope brick on the front right corner so it slopes to the back. Then repeat symmetrically to the left.
19. Vertically place 2 light brown 1x2 bricks, 1 to the right of the other, on the front 2 rows so together they are centered horizontally.
20. Place a light brown 1x1 slope tile on the front right corner so it slopes to the right. Then repeat symmetrically to the left.
- 21.1. Let's make a part! Horizontally place a light brown 2x4 plate in front of you. Then place a light brown 1x2 plate with claws on the front row so it is centered horizontally and the claws overhang to the front.
- 21.2. Now horizontally place the claws of your part upright on the bottom row of front-facing side studs so it is centered horizontally and the claws face down.
22. Place a light brown 1x2 plate with claws upright on the top 2 rows of front-facing side studs so it is centered horizontally and the claws face up.
- 23.1. Let's make 2 identical parts! Place a tan 2x2 round plate in front of you. Then vertically place a light brown 1x2 tile with a round side on the left column so the round side faces the left. Now place a light brown 1x2 plate with claws on the right column so the claws overhang to the right.
- 23.2. Now you should have 2 identical parts! Place the 2x2 round plate of your part upright on the right-facing side stud so it is centered on it and the claws face the back. Then repeat symmetrically to the left.
24. Let's make a part! Vertically place a light brown 2x3 plate in front of you. Then horizontally place a light brown 1x2 plate on the back row.

25. Place 2 black 1x1 short round bricks with a side stud, 1 to the right of the other, on the 2nd row from the front so together they are centered horizontally and the side studs face outwards to the left and right.

26. Vertically place a tan 1x2 curved sloped left wedge tile on the front right corner so it slopes to the front and the angled part faces the front right. Then repeat symmetrically to the left with a tan 1x2 curved sloped right wedge tile.

27. Horizontally place a light brown 1x2 slope tile on the back row so it slopes to the back. Then place a light brown 2x2 sloped curved tile in front of the ppp so it slopes to the front.

28. Place a black 1x1 round tile printed with an eye upright on the right-facing side stud. Then repeat symmetrically to the left.

29. Vertically place your part on top of your main build so it overhangs 2 rows to the front.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

At the end of the instruction booklets are advertisements for the following 4 LEGO Creator Theme kits:

31168 Medieval Horse Knight Castle

31385 Sea Animals: Beautiful Dolphins

31380 Retro Gaming Console

31382 Cute Animals: Playful Puppy Dog