

76450 Book Nook: Hogwarts™ Express

Adapted by John Le and tested by Natalie Charbonneau.

Bring wizardry to kids' bookshelves with the first-ever LEGO® Harry Potter™ book nook (76450), featuring a buildable section of the Hogwarts™ Express – a creative way to make an enchanting book display. This magical toy lets children recreate iconic scenes at King's Cross Platform 9 3/4™ with Harry Potter and Ron Weasley™ minifigures and LEGO figures of their pets Hedwig™ and Scabbers™. The train model includes a detailed locomotive and carriage with side cutouts for minifigure access, and the carriage has mirrors at one end to create the illusion of a longer train.

A wizard gift for boys, girls and any Harry Potter fans aged 10 and up, this fun, collectible train toy is designed for customizable display. Open the model for easy play on the platform, close the model to fit neatly between books or divide the locomotive and carriage sections to create bookends. However your young wizard, witch or Muggle™ chooses to display it, this book nook makes a magical piece of Harry Potter house decor.

Magical toy to create an enchanting book display – Display books in a wizardly way with the first-ever LEGO® Harry Potter™ book nook, featuring a buildable Hogwarts™ Express locomotive and carriage.

4 Harry Potter™ characters – The set includes Harry Potter and Ron Weasley™ minifigures, plus Hedwig™ and Scabbers™ figures, which can be placed inside the train.

Fun Harry Potter™ collectible – Build a section of the Hogwarts™ Express train and the iconic Platform 9 3/4™ at King's Cross station with Harry, Ron and their pets ready to board.

Customizable display – Open the model for easy play on the platform (using the side cutouts to access the train's interior), close the model to fit neatly between books and split it to create bookends.

Build, display and play – This 832-piece buildable Harry Potter™ house decor measures over 6.5 in. (17 cm) high, 15 in. (38 cm) wide and 2.5 in. (7 cm) deep in open formation.

The front of the box shows the locomotive entering the train station! Harry Potter and Ron Weasley are pushing their carts of belongings to the train!

The back of the box shows the build can fold in half to make the build look like an entire train station with trains on either side!

The top of the box shows a real size image of Ron Weasley.

The build is 832 pieces in total and is for ages 10+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.

- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/PPP: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/76450>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 8 bags labeled 1 to 8, 2 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Harry Potter, Hedwig, Luggage Cart, and Train Station

Group 1 - Pages 5-6.

Group 2 - Steps 1-7.

Group 3 - Steps 8-17.

Group 4 - Steps 18-23 and 1 black 3x3 L-shaped plate from Step 24.

Group 5 - Rest of Step 24 and Step 25.

Bag 2 - Train Station

Group 6 - Steps 26-29.

Group 7 - Steps 30-37.

Group 8 - Steps 38-55.

Group 9 - Steps 56-70.

Group 10 - Steps 71-81.

Group 11 - Steps 82-86.

Bag 3 - Train Station

Group 12 - Steps 87-100.

Group 13 - Steps 101-114.

Bag 4 - Train Station

Group 14 - Steps 115-140.

Group 15 - Steps 141-152.

Bag 5 - Ron Weasley, Scabbers, Luggage Cart, and Train Station

Group 16 - Page 2.

Group 17 - Steps 1-17.

Group 18 - Steps 18-21 and 1 light grey 1x1 tile from Step 22.

Group 19 - Rest of Step 22.

Bag 6 - Train Station

Group 20 - Steps 23-29.

Group 21 - 1 dark blue 1x1 round tile printed with a gold pentagon on it from Step 30.

Group 22 - Rest of Step 30 and Steps 31-49.

Group 23 - Steps 50-51.

Bag 7 - Train Station

Group 24 - Steps 52-63.

Group 25 - Steps 64-78.

Bag 8 - Train Station

Group 26 - Steps 79-88.

Group 27 - Steps 89-104.

Group 28 - Steps 105-112.

Group 29 - Steps 113-116.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Harry Potter, Hedwig, and Luggage Cart

Sub-build 1. Locate 1 short dark tan pair of legs, 1 torso printed with a black belt, green shirt, and a sand blue sweater, 1 light tan head printed with eyes, glasses, lips, 1 black hair, and 1 white owl. Assemble your minifigure then place the owl on his hand! Now put him away while we make the luggage cart!

Sub-build 2.1. Horizontally place a dark grey 2x3 plate in front of you. Then vertically place a black 1x2 hinge plate, underneath the leftmost column. Then repeat symmetrically to the right.

Sub-build 2.2. Place a light grey 2x2 tile with a stud on the 2 leftmost columns. Then vertically place a dark grey 1x2 tile with an upright horizontal bar to the right of the ppp so it slopes to the left.

Sub-build 2.3. Horizontally place a nougat 1x2 plate with a bar on the 2x2 tile with a stud so it is centered horizontally on it and the bar faces the front. Now horizontally place a nougat 1x2 tile with a sticker on top of the ppp. This is a luggage cart with Harry Potter's suitcase! Now put it away while we make the train station!

Sub-build 2.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 16 on the nougat 1x2 tile. This sticker says HP which stands for Harry Potter! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Group 2 - Train Station

1. Horizontally place a black 2x10 plate in front of you.
2. Horizontally place a black 2x8 slope brick on top so it is centered horizontally and slopes to the front.
3. Horizontally place a black 1x2 brick with a pinhole on the back left corner so 1 column overhangs to the left. Then repeat symmetrically to the right.
- 4.1. Let's make 2 identical parts! Place a black wheel in front of you. Then place a black 2x2 round plate with a pin underneath on top of the wheel. Now horizontally place a black 2x3 stair plate on the leftmost column so the lower side overhangs 2 columns to the left. Then repeat symmetrically to the right.
- 4.2. Now you should have 2 identical parts! Horizontally place your part underneath the leftmost column of the main build so 1 row is exposed to the front. Then repeat symmetrically to the right.
- 5.1. Let's make a part! Vertically place a black 1x4 plate in front of you. Then vertically place a black 1x4 brick with 3 pinholes on the front 2 rows so 2 rows overhang to the front. Then repeat symmetrically to the back.
- 5.2. Vertically place your part on the leftmost column so 6 rows overhang to the front.
6. Place a black 1x1 brick on the back right corner. Then place the right column of a black 2x2 corner brick in front of the ppp so 1 row overhangs to the front and it looks like the braille letter j.
7. Horizontally place a dark grey 4x6 plate underneath the front row of the 2 rightmost columns so 3 rows are exposed to the front and 4 columns are exposed to the left.
8. Vertically place a brown 1x3 plate on the front row of the rightmost column so 2 rows overhang to the front. Now vertically place a brown 1x2 plate behind the ppp.
9. Vertically place a brown 1x3 plate on the front 3 rows of the 3rd column from the right. Now vertically place a brown 1x2 plate on the front 2 rows of the 5th column from the right. Then place a black 1x1 brick behind the ppp. Now horizontally place the leftmost column of a light grey 1x3 brick behind the ppp.
- 10.1. Let's make 2 identical parts! Place a black wheel in front of you. Then place a black 2x2 round plate with a pin underneath on top of the wheel. Now horizontally place a black 2x3 stair plate on the leftmost column so the lower side overhangs 2 columns to the left. Then repeat symmetrically to the right.

10.2. Now you should have 2 identical parts! Horizontally place the leftmost column of 1 part underneath the front 2 rows of the leftmost column of the main build. Then repeat symmetrically to the right.

11.1. Let's make a part! Horizontally place a black 2x10 plate in front of you. Then horizontally place a black 1x12 brick on the front row so it is centered horizontally. Now horizontally place your part on the front 2 rows so it is centered horizontally. The 1x12 brick should be in the front and only attach to 2 studs.

12. Horizontally place a light grey 1x2 log brick on the 6th and 7th columns from the left of the 2nd row from the front. Then repeat symmetrically to the back.

13. Horizontally place a dark grey 1x4 tile on the 4 rightmost columns of the 4th row from the back so it sits on 2 studs. Now place a brown 2x2 corner brick on the 2nd and 3rd rows from the front of the 6th and 7th columns from the right so it looks like the braille letter j. Then repeat symmetrically to the back.

14. Horizontally place a light grey 1x2 log brick on the back right corner. Then horizontally place a light grey 1x2 panel to the left of the ppp so the wall faces the front.

15. Horizontally place a light grey 2x4 brick on the 4 rightmost columns of the 2nd and 3rd rows from the back so it sits in front of the 2 ppp. Now horizontally place a light grey 1x3 brick on the front row of the 2nd to 4th columns from the right.

16.1. Vertically place a light grey 2x8 brick on the 2 leftmost columns so it is centered vertically. Then horizontally place a light grey 1x2 panel on the back row to the right of the ppp so the wall faces the front.

16.2. Vertically place a light grey 2x8 brick to the right of the ppp so it is centered vertically. Then horizontally place a light grey 1x2 panel on the back row to the right of the ppp so the wall faces the front.

16.3. Repeat the previous step 2 more times to the right. Now you should have placed 4 2x8 bricks and 4 1x2 panels in total.

16.4. Vertically place a light grey 2x8 brick to the right of the ppp so it is centered vertically.

17.1. Horizontally place a light grey 1x2 log brick on the front row of the 3rd and 4th columns from the left.

17.2. Horizontally place a light grey 1x2 log brick to the right of the ppp so there is a 2 column gap in between them. Then repeat this step 2 more times to the right. They should sit in between the 2x8 bricks.

Group 3 - Train Station

Group 4 - Train Station

18. Horizontally place a dark grey 1x12 plate on the back right corner. Then horizontally place a dark grey 1x8 plate to the left of the ppp. Now horizontally place a dark grey 2x3 plate on the 3 rightmost columns of the 2nd and 3rd rows from the back. Then horizontally place a dark grey 1x2 plate to the left of the back row of the ppp.

19. Place a dark grey 2x2 corner plate in front of the ppp so it looks like the braille letter f. Now vertically place a brown 1x3 plate in front of the left column of the ppp.

20. Horizontally place a dark tan 2x8 plate on the 2nd to 9th columns from the left of the 2nd and 3rd rows from the back. Then horizontally place another 1 to the right of the ppp.

21.1. Horizontally place a light grey 2x4 tile on the back right corner. Then horizontally place 2 more, 1 to the left of the other, to the left of the ppp. Now place a light grey 2x2 tile with a stud to the left of the ppp. Then horizontally place another light grey 2x4 tile to the left of the ppp. Now place a light grey 2x2 tile with a stud to the left of the ppp.

21.2. Place a light grey 1x1 tile on the 2nd row from the back of the 2nd column from the left. Now horizontally place a white 1x4 tile on the 4 rightmost columns so it sits in front of the 2x4 tile.

22.1. Vertically place a brown 1x3 plate to the left of the ppp. Then vertically place a dark grey 1x2 plate in front of the ppp.

22.2. Horizontally place a white 1x4 tile on the 3rd row from the back of the 2nd to 5th columns from the left. Now horizontally place 3 more white 1x4 tiles, 1 to the right of the other, to the right of the ppp.

23. Horizontally place a black 2x8 brick on the 2nd and 3rd rows from the front of the 6th to 13th columns from the right. Then horizontally place another 1 behind the ppp.

You will have an extra black 3x3 L-shaped plate. Save it for later!

Group 5 - Train Station

24.1. Let's make a part! Place a tan 4x4 plate in front of you. Then place a white 3x3 L-shaped plate on the back right corner so the right angle faces the back right.

24.2. Horizontally place a dark grey 1x2 plate on the front right corner. Then vertically place another 1 behind the left column of the ppp.

24.3. Place a black 2x2 tile with a stud on the front left corner. Then place a black 2x2 corner tile behind the ppp so it looks like the braille letter h.

24.4. Place a black 3x3 L-shaped plate from group 4 on the back right corner so the right angle faces the back right. Then horizontally place a red 1x1 plate with a 1x1 slope tile on the front right corner so it slopes to the left. Then vertically place a gold 1x2 ingot tile behind the left column of the ppp.

24.5. Place your part on the 2nd to 5th rows from the front of the 6th to 9th columns from the left so the 2x2 tile with a stud is in the front left corner.

25. Horizontally place 2 black 2x4 bricks, 1 in front of the other, to the left of the previous part.

Building Instructions (Bag 2, Book 1):

Group 6 - Train Station

26. Horizontally stack 2 red 1x3 bricks on the 4th row from the back of the 7th to 9th columns from the left so it sits to the right of a 1x1 tile gap.

27.1. Horizontally place 3 red 1x2 ingot tiles, 1 to the right of the other, to the right of the 2 ppp. Then place a black 1x1 round tile to the right of the 3 ppp so there is a 1 column gap in between them.

27.2. Place a black 1x1 round tile on the 2nd row from the front of the 6th column from the right. Now horizontally place a red 1x2 ingot tile to the left of the ppp so there is a free stud in between them. Then horizontally place another red 1x2 ingot tile to the left of the ppp.

28. Let's make a part! Place 2 black 1x2 plate with 2x2 side studs hanging down, 1 to the right of the other, in front of you so the side studs face the front.

29. Horizontally place a dark grey 1x2 rounded plate upright on the bottom row of front-facing side studs so it is centered horizontally. Then horizontally place a black 1x2 ingot tile upright above the ppp so it is centered horizontally.

Group 7 - Train Station

30. Horizontally place a black 1x2 plate with an upright bar, upright on the bottom row of front-facing side studs so it is centered horizontally and the bar is on top.

31. Horizontally place a dark grey 1x2 rounded plate upright on the ppp.

32. Vertically place a black 1x2 inverted half arch brick upright on the leftmost column of front-facing side studs so it slopes up. Then repeat symmetrically to the right.

33. Horizontally place 2 black 1x2 plates with a hinge, 1 to the right of the other, upright on the bottom row of front-facing side studs so the hinges face up.

34. Horizontally place a red 1x2 jumper plate upright on the bottom row of front-facing side studs so it is centered horizontally. Then place a light grey 1x1 round plate with a bar upright on the ppp so the bar faces down.

35. Place a red 1x1 plate on the bottom left front-facing side stud. Then place a silver 1x1 round plate upright on the ppp. Now place a black 1x1 round tile upright on the ppp. Now repeat everything symmetrically to the right.

36. Vertically place your part on the 2nd to 5th rows from the front of the 5th column from the right so the upright 1x1 round tiles face the right. This is the front bumper of the train!

37. Vertically place a light grey 1x2x2 brick with 2x2 side studs on the front right corner so the side studs face the right.

Group 8 - Train Station

38. Let's make a part! Horizontally place a light grey 2x10 plate in front of you. Then vertically place a transparent orange 1x2 plate on the leftmost column.

39. Place a light orange 1x1 plate with 2 upright side studs on the back row of the 2nd column from the left so the side studs face the back. Now horizontally place a red 1x2 plate with 2x2 upright side studs to the right of the ppp so the side studs face the back. Then horizontally place a black set of 2 1x1 plates with 2x6 side studs to the right of the ppp so the side studs face the back.

40. Horizontally place a black set of 2 1x1 plates with 2x6 side studs on the front right corner so the side studs face the front. Now place a light orange 1x1 plate with 2 upright side studs to the left of the ppp so the side studs face the front.

41. Horizontally place a light grey 2x10 plate on top.

42. Vertically place a dark orange 1x2 rounded plate on the rightmost column.

43. Horizontally place a white 2x8 brick to the left of the ppp.

44. Horizontally place a red 1x2 plate with 2x2 upright side studs on the back row of the 2nd and 3rd columns from the left so the side studs face the back. Now place a silver 1x1 round plate in front of the right column of the ppp.

45. Horizontally place a red 1x2 plate with 2x2 upright side studs, on the front row to the right of the ppp so the side studs face the front. Then repeat symmetrically to the back. Now vertically place a dark orange 1x2 rounded plate to the right of the 2 ppp.

46. Horizontally place a red 1x2 plate with 2x2 upright side studs, on the front row to the right of the ppp so the side studs face the front. Then repeat symmetrically to the back.

47. Vertically place a lime green 1x2 brick with a pinhole on the rightmost column. Then insert a blue 2L pin axle into the right-facing pin hole so the axle faces the right.

48. Horizontally place a white 2x8 brick on the 8 rightmost columns. Then place a tan 1x1 brick on the back row, to the left of the ppp.

49. Horizontally place a black 1x2 plate with 2x2 side studs hanging down on the front row of the 2 rightmost columns so the side studs face the front. Then repeat symmetrically to the back.

50. This is the body of the train! Horizontally place your part on the 3rd and 4th rows from the front of the 9th to 18th columns from the left so the axle faces the right. The leftmost column should sit behind the 1x1 plate of the 1x1 plate with a 1x1 slope tile.

51. Place a red 1x1x3 brick to the left of the 2 1x2 ingot tiles that are in front of the previous part.

52. Place a tan 1x1 brick on the front row so it sits 1 column to the left of the ppp. Then vertically place a tan 1x2x2 brick on the front 2 rows, on top of the ppp.

53. Vertically place a tan 1x3 brick on top of the ppp so there is no overhang.

54. Place the left column of a dark grey 2x2 corner plate on the back 2 rows of the ppp so it looks like the braille letter h.

55. Horizontally place a red 1x2 ingot tile on the front row of the ppp. Then horizontally place the 2 leftmost columns of 2 light grey 1x3 rounded plates, 1 in front of the other, behind the ppp. Now horizontally place a red 2x4 plate to the right of the 2 ppp.

Group 9 - Train Station

56.1. Let's make a part! Horizontally place a red 1x3 brick with a sticker in front of you so the sticker faces the front.

56.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the red 1x3 brick. This sticker says 5972. This is the number of the train! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

56.3. Horizontally place a red 1x2x2 window frame on the 2 leftmost columns so the ridged side faces the front. Then attach a transparent window pane to the front of the ppp.

56.4. Place a red 1x1 plate on the rightmost column. Then place a red 1x1 telescope bar on top of the ppp.

56.5. Horizontally place your part on the 4th row from the back of the 7th to 9th columns from the left so the telescope bar is on the left.

57.1. Let's make a part! Horizontally place a black 1x2 brick with 2 side studs in front of you so the side studs face the front. Then horizontally place a black 1x2 log brick on top of the ppp. Now horizontally place a black 1x2 brick with 2 side studs on top so the side studs face the front.

57.2. Place 2 gold 1x1 round plates with a bar, 1 to the right of the other, upright on the bottom row of front-facing side studs so the bars face up.

57.3. Place a light grey 1x1 round tile printed with a black compass upright on the top left front-facing side stud. Then place a light grey 1x1 round part with a black antenna upright on the top right front-facing side stud so the antenna faces down.

57.4. Vertically place your part on the 3rd and 4th rows from the front of the 9th column from the left so the side studs face the left. This is the controls to slow down and speed up the train!

58. Place a red 1x1x3 brick in front of the ppp. Then horizontally place a red 1x3x2 half arch brick on top of the ppp so it arches to the left.

59. Vertically place the front stud of a red 1x3 brick on the rightmost column of the ppp.

60. Horizontally place the rightmost column of a black 2x3 plate on the back 2 rows of the ppp so it overhangs 2 columns to the left. Then vertically place a black 1x4 double sloped curved tile on the rightmost column of the ppp so it is centered vertically to it. Now place 2 black 2x2 sloped curved tiles, 1 in front of the other, to the left of the ppp so they slope outwards to the front and back.

61. Horizontally place a red 2x4 sloped curved tile upright on the 2 bottom rows of the 4 leftmost columns of front-facing side studs that are on the 8th to 11th columns from the right so it slopes down. Then horizontally place another 1 upright above the ppp so it slopes up.

62.1. Let's make a part! Horizontally place a black 2x3 plate in front of you. Then place a black 2x2 tile on the 2 rightmost columns. Now vertically place a red 1x4 double sloped curved tile on the leftmost column so it is centered vertically.

62.2. Place your part upright on the front-facing side studs so it sits to the right of the 2 ppp and the 1x4 sloped curved tile is on the left and slopes up and down.

63. Horizontally place a black 1x2 slope tile upright on the bottom row of the 2 rightmost front-facing side studs so it slopes down. Then repeat symmetrically to the top.

64.1. Horizontally place a red 1x4x3 panel with a sticker on the 2nd to 5th columns from the left of the 4th row from the back so the wall faces the back.

64.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the red 1x4x3 panel. This sticker has a red, green, yellow, and blue shield on it. This is the Hogwarts Latin motto! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

65. Vertically place a black 1x2x3 panel in front of the rightmost column of the ppp so the wall faces the left.

66. Horizontally place the rightmost column of a red 1x4x3 panel in front of the ppp so the wall faces the front.

67.1. Let's make a part! Place a red 4x4 plate in front of you. Then vertically place a red 1x2 panel on the rightmost column so it is centered vertically and the wall faces the left. Then horizontally place a black 2x3 brick to the left of the ppp.

67.2. Horizontally place a red 1x2 brick on the front left corner. Then horizontally place a red 1x2 inverted half arch brick to the right of the ppp so it slopes to the right. Then repeat both parts symmetrically to the back.

67.3. Horizontally place a red 1x3 tile on the front left corner. Then repeat symmetrically to the back.

67.4. Place a black 1x1 round tile on the leftmost column of the 2nd row from the back. Then place another 1 to the right so there is a 1 column gap in between them. Now place 1 more on the 2nd column from the left of the 2nd row from the front. This is the coal used to power the train!

67.5. Place your part on the 2nd to 5th columns from the left of the 2nd to 5th rows from the front so it slopes to the right.

68. Rotate your build 180 degrees so it is horizontal and the side studs face the front. Now vertically place a red 2x4 plate upright on the 2 rightmost columns of front-facing side studs that are on the 12th and 13th columns from the left. Then vertically place a red 2x4 tile upright on the ppp. These pieces are used to cover the engine of the train!

69.1. Horizontally place a red 2x4 sloped curved tile with a sticker upright on the bottom 2 rows of front-facing side studs, to the left of the ppp so it slopes down. Then horizontally place a red 2x4 sloped curved tile upright, above the ppp so it slopes up.

69.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 16 on the red 2x4 sloped curved tile. This sticker says Hogwarts Express on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

70.1. Let's make a part! Horizontally place a black 2x3 plate in front of you. Then vertically place a red 1x4 double sloped curved tile on the rightmost column so it is centered vertically. Then place a black 2x2 tile to the left of the ppp.

70.2. Place your part upright on the front-facing side studs to the left of the 2 ppp so the 1x4 double sloped curved tile is on the right and slopes up and down.

Group 10 - Train Station

71. Horizontally place a black 1x2 slope tile upright on the bottom row of the 2 leftmost columns of front-facing side studs so it slopes down. Then repeat symmetrically to the top.

72. Vertically place a red 1x3 jumper plate to the left of the 1x4 double sloped curved tile and 2x2 sloped curved tiles that are on the 7th to 9th columns from the right so it is centered vertically on the 2 studs. Then vertically place a black 1x2 jumper plate with a round side on top of the ppp so the round side faces the left. Now place a gold 1x1 round tile with an upright bar on top of the ppp.

73. Vertically place a red 1x3 tile to the left of the ppp so it is centered vertically on the 2 studs. Now place a gold 2x2 tile with a stud to the left of the ppp. Then place a gold 1x1 half cone brick on top of the ppp. Now horizontally place a red 2x3 tile to the left of the ppp.

74. Stack 2 black 2x2 round plates to the left of the ppp.

75. Then insert a white 3L bar into the middle of the 2 ppp so it sticks up.

76.1. Let's make a part! Insert a red 1L pin with a stud into a gold wheel. Now place it on top of the 3L bar so the stud faces up.

77. Let's make a part! Place a black 4x4 round plate in front of you. Then place a brown 2x2 round tile with a stud on top so it is centered.

78. Place a black 1x2 curved tile on the front right corner so the curve faces the front right. Then repeat symmetrically to the left. Now place another 1 on the back left corner so the curve faces the back left.

79. Place 2 silver 1x1 round plates, 1 next to the other, on the back right corner.

80. Place a lime green 2x2 round plate underneath your part so it is centered.

81. Place a black 4x4 round plate with a 2x2 hole underneath your part so it is centered.

Group 11 - Train Station

82.1. Place a red 1x2 curved tile with a sticker on the back right corner so the curve faces the back right.

82.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 9 on the red 1x2 curved tile. This sticker says Hogwarts Express. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

83. Place a black 2x2 dish on top so it is centered.

84. Place your part upright on the left-facing axle so it is centered on it and the 1x2 curved tile with a sticker faces up.

85. Attach the clip of a black 1x1 plate with a clip on the side to the top-facing bar that is below the ppp so the plate is on top and the stud faces the left. Now place a transparent 1x1 round tile upright on the ppp.

86. Place a white 1x1 clip on the 5th row from the left of the 3rd row from the front so the clip hands face the front and back. Then horizontally attach a white cloud with a bar to the clip so the cloud faces the right. Make sure the round part of the cloud faces up.

Building Instructions (Bag 3, Book 1):

Group 12 - Train Station

87. Horizontally place a tan 1x2x5 brick on the front right corner.

88.1. Vertically place a tan 1x6x5 panel with a sticker on the rightmost column, behind the ppp so the wall faces the right.

88.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 12 on the tan 1x6x5 panel. This sticker has a light grey mirror. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

89. Place a tan 2x2 corner brick on the front right corner so it looks like the braille letter j.

90. Place a dark grey 1x1 plate on the rightmost column, behind the ppp. Then place a light grey 1x1 plate with a side stud hanging down on top of the ppp so the side stud faces the left. Now place a black 1x1 plate with an upright side stud on top of the ppp so the side stud faces the left.

91.1. Place a black 2x2 tile with a sticker upright on the 2 left-facing side stud from the previous step so 1 column overhangs to the front.

91.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 6 on the black 2x2 tile. This sticker has a red, green, yellow, and blue logo on it. This is the Hogwarts Latin motto! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

92. Rotate your build 180 degrees. Now horizontally place a tan 1x2x5 brick on the front left corner.

93. Place a tan 2x2 corner brick on the front left corner so it looks like the braille letter h. Then vertically place a tan 1x3 brick on the leftmost column, behind the ppp.

94. Place a tan 1x1 brick on the front row of the 3rd column from the left. Then place a tan 1x1x5 brick on top of the ppp.

95. Horizontally place a tan 1x6x6 rounded door frame on the front row to the right of the ppp so the round side of the pillars face the front.

96. Place a tan 1x1 brick to the right of the ppp. Then horizontally place 2 tan 1x6x5 panels, 1 to the right of the other, to the right of the ppp so the walls face the front.

97. Horizontally place a tan 1x2 brick on the 2nd and 3rd columns from the right of the front row. Then horizontally place a tan 1x10 brick to the left of the ppp.

98. Horizontally place a tan 1x10 brick on the front row on the 2nd to 11th columns from the right. Then horizontally place a tan 1x3 brick to the left of the ppp. Now horizontally place another tan 1x3 brick on the front row, on the 2nd to 4th columns from the left.

99. Place a tan 1x1x5 brick on the 2nd row from the front of the rightmost column.

100. Vertically place a tan 1x2x2 brick with 2x2 side studs on the front right corner so the side studs face the right. Then vertically place a tan 1x2 rounded plate on top of the ppp.

Group 13 - Train Station

101. Place a dark grey 2x2 corner plate on the front right corner so it looks like the braille letter j. Then horizontally place 3 dark grey 1x6 plates, 1 to the left of the other, on the front row, to the left of the ppp. Now place a dark grey 1x1 plate to the left of the 3 ppp.

102.1. Vertically place a tan 1x2 brick on the front right corner. Then horizontally place a black 1x2 plate with 2 clips to the left of the front row of the ppp so the clips face the back. Now horizontally place a dark tan 1x4 plate to the left of the ppp.

102.2. Horizontally place a black 1x2 plate with 2 clips to the left of the ppp so the clips face the back. Now horizontally place a dark tan 1x4 plate to the left of the ppp.

102.3. Repeat the previous step again. Then horizontally place a black 1x2 plate with 2 clips to the left of the ppp so the clips face the back.

103.1. Let's make 4 identical parts! Horizontally place a tan 1x2x2 brick with 2x2 side studs in front of you so the side studs face the front. Then horizontally stack 2 tan 1x2 rounded plates on top.

103.2. Now you should have 4 identical parts! Horizontally place each of them on top of each of the 1x2 plates with 2 clips so the side studs face the back.

104.1. Let's make 3 identical parts! Horizontally place a dark tan 1x4 masonry brick in front of you so the brick grooves face the front. Then horizontally place a dark tan 1x4 plate on top of the ppp. Now horizontally place another dark tan 1x4 masonry brick on top so the brick grooves face the front. Then horizontally place a dark tan 1x2 brick with 2 side studs on top so it is centered horizontally and the side studs face the front.

104.2. Now you should have 3 identical parts! Horizontally place them in between each of the 4 previous parts from the previous step so the side studs face the back.

105. Horizontally place a tan 1x3 brick on the front row, on the 2nd to 4th columns from the right. Then horizontally place a dark tan 1x4 brick to the left of the ppp so it sits in between the 1x2 bricks with side

studs. Now horizontally place a tan 1x4 brick to the left of the ppp so it also sits in between the 1x2 bricks with side studs. Now horizontally place a tan 1x3 brick to the left of the 1x2 brick with side studs that is to the left of the ppp.

106.1. Lay your build on its front-facing side so the anti-studs face the back. Place a tan 1x1 quarter circle tile on the rightmost top-facing side stud that is the front, on the 2nd column from the right so the curve faces the front left. Now place the back row of a tan 1x3 curved tile to the left of the ppp so the curve faces the front right. Then place another 1 to the left of the ppp so it is symmetrical to it.

106.2. Place a tan 1x3 curved tile to the left of the ppp so the curve faces the front right. Then place another 1 to the left of the ppp so it is symmetrical to it.

106.3. Place a tan 1x3 curved tile to the left of the ppp so the curve faces the front right. Then place another 1 to the left of the ppp so it is symmetrical to it. Now place a tan 1x1 quarter circle tile to the left of the back row of the ppp so the curve faces the front right.

107.1. Let's make 4 identical parts! Place a black 1x1 telescope bar in front of you. Then place a black 1x1 round plate on top of the ppp. Now place a black curved bar with a stud and an axle on top so the stud faces the right and the axle faces the front. Now horizontally attach a black T-shaped bar underneath your part so the other ends of the bar faces left and right.

107.2. Now you should have 4 identical parts! Horizontally attach the T-shaped bar of 1 part to the 2 rightmost top-facing clips so the axle faces the back. Then repeat again to the other 3 sets of 2 clips that are to the left.

108. Horizontally place your main build upright, then rotate it 180 degrees, so it is horizontal and the 4 axles curve to the front. Now vertically place a tan 1x2x2 brick with 2x2 side studs on the back left corner so the side studs face the left. Then vertically place a light grey 1x2 brick with a bar on top of the ppp so the bar faces the front.

109. Place a tan 1x1x5 brick on the back right corner.

110.1. Vertically place a tan 1x6x5 panel with a sticker in front of the ppp so the wall faces the right. Then horizontally place the right column of a tan 1x2x5 brick in front of the ppp.

110.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 11 on the tan 1x6x5 panel. This sticker is a light grey mirror. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

111. Horizontally place a dark tan 2x3 plate on the back right corner so it overhangs 2 studs in the front left corner. Now vertically place a dark tan 1x4 plate in front of the rightmost column of the ppp. Then place a dark tan 2x2 corner plate in front of the ppp so it looks like the braille letter j.

112.1. Let's make a part! Horizontally place a dark tan 2x8 plate in front of you. Then place a tan 2x2 tile on the rightmost column so 1 column overhangs to the right.

112.2. Horizontally place a dark tan 2x8 plate underneath the rightmost column so 7 columns are exposed to the right.

112.3. Horizontally place a tan 2x4 tile on the 4th to 7th columns from the right. Then repeat symmetrically to the left.

112.4. Horizontally place your part on the back row to the left of the 2x3 plate that is in the back right corner so it overhangs 1 row to the front.

113. Horizontally place a dark tan 2x3 plate on the back left corner, to the left of the ppp so it overhangs 2 studs in the front right. Now place a tan 2x2 tile on the 2 leftmost columns of the ppp.

114. Vertically place a tan 1x4 tile on the back right corner. Then vertically place a tan 1x2 ingot tile to the left of the back 2 rows of the ppp.

Building Instructions (Bag 4, Book 1):

Group 14 - Train Station

115. Let's make a part! Horizontally place a black 1x10 plate in front of you. Then horizontally place a black 1x6 plate on the 6 rightmost columns.

116. Horizontally place a black 1x10 plate on the 4 leftmost columns so 6 columns overhang to the left.

117. Horizontally place a black 1x2 plate underneath the 5th and 6th columns from the left.

118. Horizontally place a black 1x10 plate underneath the 4 leftmost columns so 6 columns are exposed to the left.

119. Horizontally place a black 1x6 plate on the 6 leftmost columns.

120. Stack 2 black 1x1 bricks with a clip on the leftmost column so the clips face the front.

121. Horizontally place 3 clear 1x2x2 panels, 1 to the right of the other, to the right of the 2 ppp so the walls face the back. Now stack 2 black 1x1 bricks to the right of the 3 ppp. Then horizontally place 3 clear 1x2x2 panels, 1 to the right of the other, to the right of the 2 ppp so the walls face the back. Now stack 2 black 1x1 bricks to the right of the 3 ppp. Then finally horizontally place 3 clear 1x2x2 panels, 1 to the right of the other, to the right of the 2 ppp so the walls face the back.

122. Vertically place a black 1x2 brick with 2 side studs on the rightmost column so 1 row overhangs to the front and the side studs face the right. Then vertically place a black 1x2 slope brick on top of the ppp so it slopes to the front.

123. Horizontally place a black 1x6 plate on the 6 rightmost columns. Then repeat symmetrically to the left. Now horizontally place a black 1x10 plate in between the 2 ppp.

124.1. Let's make a part! Horizontally stack 2 black 1x3 plates. Then horizontally place a light grey 1x2 plate with a bar underneath the 2 leftmost columns so the bar faces the left. Then horizontally place another 1 on top of the 2 leftmost columns so the bar faces the left.

124.2. Place a dark tan 1x1 round plate underneath the rightmost column and another 1 on top of the rightmost column. Horizontally place a black 1x2 plate with 2 anti side studs on the 2 rightmost columns so the anti-studs face the right.

124.3. Horizontally place a tan 1x2 ingot tile on the 2 rightmost columns. Now horizontally place a black 1x2 plate with 2 anti side studs underneath the 2 rightmost columns so the anti-studs face the right.

124.4. Vertically attach the bars of your part to the 2 front-facing clips that are on the leftmost column so the upright anti-studs face the front.

125. Let's make another part! Place a black 1x1 round plate in front of you. Then vertically place a black 1x6x5 half arch brick on top so it overhangs to the back and slopes down to the front.

126. Horizontally place a tan 1x3 tile on the back row so it overhangs 2 columns to the right.

127. Horizontally place a transparent 6x6x5 half arch panel underneath the 2 rightmost columns so it slopes to the front.

128. Horizontally place a tan 1x8 tile on the back row so 4 columns overhang to the right.

129. Vertically place a black 1x6x5 half arch brick underneath the 4th column from the right so it slopes to the front. Now place a black 1x1 round plate underneath the front row of the ppp. Now horizontally place a transparent 6x6x5 half arch brick underneath the 3 rightmost columns so it slopes to the front and 3 columns overhang to the right.

130. Horizontally place a tan 1x8 tile on the 3 rightmost columns so 5 columns overhang to the right.

131. Vertically place a black 1x6x5 half arch brick underneath the 5th column from the right so it slopes to the front. Now place a black 1x1 round plate underneath the front row of the ppp. Now horizontally place a transparent 6x6x5 half arch brick underneath the 4 rightmost columns so it slopes to the front and 2 columns overhang to the right.

132. Horizontally place a tan 1x3 tile on the 3 rightmost columns so 1 column overhangs to the right.

133. Vertically place a black 1x6x5 half arch brick underneath the rightmost column from the right so it slopes to the front. Now place a black 1x1 round plate underneath the front row of the ppp.

134. Flip your part upside down so it is horizontal and slopes to the back. The lower row should be in the front. Now horizontally place a black 1x2 plate on the front right corner. Then repeat symmetrically to the left.

135. Horizontally place 2 tan 1x2 plates with 2x2 anti side studs, 1 to the right of the other, on the 3rd to 6th columns from the right of the front row so the anti-studs face the front. Then repeat symmetrically to the left.

136. Horizontally place a black 1x10 plate on the front row so it is centered horizontally.

137. Horizontally place a black 1x10 plate on the front right corner. Then repeat symmetrically to the left.

138. Bring back your previous part and orient it in front of you so it is horizontal and the side studs face the right. Now flip your current part over and horizontally place the back row of your part on the top of the previous part so it overhangs to the front and slopes to the back. Make sure the part with the 1x1 round plates and the 1x6x6 curved panels connect!

139. Bring back your main build and rotate your part 180 so it slopes to the front. Then horizontally place the back-facing anti-studs of your part on the back 2 rows so it is centered horizontally and slopes to the back.

140. Lift up the 4 curved bars with an axle and a stud that are underneath the previous part so they hold up the roof.

Group 15 - Train Station

141. Let's make a part! Place a light grey 2x2 plate with 2 side studs in front of you so the side studs face the left. Then horizontally place a tan 1x3 inverted arch brick on the back row so it slopes and overhangs 1 column to the right.

142. Horizontally place a tan 1x3 inverted arch brick on the front row so it slopes and overhangs 1 column to the right.

143. Vertically place a tan 1x2 ingot tile on the leftmost column.

144. Place a brown 2x2 plate upright on the left-facing side studs so 1 row sticks up.

145. Place a black 2x2 tile upright on the left-facing side studs.

146. Horizontally place a tan 2x12 plate underneath the rightmost column so 11 columns are exposed to the right. Then vertically place a tan 1x2 ingot tile on the leftmost column of studs.

147.1. Horizontally place a tan 2x6 tile with a sticker to the right of the ppp.

147.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 13 on the tan 2x6 tile. This sticker has a wanted poster of Sirius Black on it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

148. Vertically place a tan 1x2 ingot tile to the right of the ppp.

149.1. Let's make a part! Horizontally place a black 2x4 rounded tile with a sticker upside down in front of you.

149.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 8 on the black 2x4 rounded tile. This sticker says "Platform 9 and $\frac{3}{4}$... There is no such thing". Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

149.3. Place a black 2x2 corner plate on the 2 rightmost columns so it looks like the braille letter j.

149.4. Place a black 1x6 curved plate to the left of the front row of the ppp so the curve faces the front left and it overhangs to the left. Then place another 1 to the left of the back row of the 2x2 corner plate so the curve faces the front left and it overhangs to the left.

149.5. Flip your part upside down so the 2x4 rounded tile is in the front right corner and horizontal. Now horizontally place a tan 2x6 tile with a sticker on the back 2 rows so it overhangs 4 columns to the left. Then place a black 1x1 tile with a round side to the right of the back row of the ppp so the curve faces the right.

149.6. Skip this step if you have already placed your sticker! Ask a helper to place sticker 17 on the tan 2x6 tile. This sticker has brick grooves on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

149.7. Place a black 2x2 corner plate underneath the 4th and 5th columns from the left so it looks like the braille letter f.

149.8. Horizontally place the 3 leftmost columns of your part on the 3 rightmost columns of the previous part.

150. Hold your part upright so the 2x4 rounded tile is on the top right. Then place your part upright on the left-facing side studs of the main build so it is aligned with the curve and the back 2 rows of your part is aligned with the back 2 rows of the main build.

151. Place a curved axle connector on top of the top-facing bar that is underneath the roof, and on top of a round part of the train. Then attach a white cloud with a bar to the right-facing axle hole of the ppp so the flat side faces down. This is the smoke coming from the train engine!

152.1. Vertically attach the clip of a dark grey 1x2 plate with a clip to the front-facing bar that is underneath the leftmost column of the roof and to the left of the 4 axles so the studs face the left. Then place a brown 2x2 round tile with a sticker upright on it so 1 row overhangs to the bottom. Now put your build away while we make the next build!

152.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 15 on the brown 2x2 round tile. This sticker has a clock on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Building Instructions (Bag 5, Book 2):

Group 16 - Ron Weasley

Sub-build 3. Locate 1 short dark grey pair of legs, 1 dark green torso printed with a blue zipper, 1 light tan head printed with eyes, lips, and a light brown eyelashes, and 1 light brown hair. Assemble your minifigure then put him away while we make his luggage cart!

You will have an extra brown 1x2 plate with a bar. Save it for later!

Group 17 - Luggage Cart

Sub-build 4.1. Horizontally place a dark grey 2x3 plate in front of you. Then vertically place a black 1x2 hinge plate underneath, underneath the leftmost column. Then repeat symmetrically to the right.

Sub-build 4.2. Vertically place a dark grey 1x2 tile with an upright horizontal bar on the leftmost column so it slopes to the right. Then place a light grey 2x2 tile with a stud to the right of the ppp.

Sub-build 4.3. Horizontally place a green 1x2 plate with a bar on top of the ppp so it is centered horizontally on it and the bar faces the front. Then horizontally place a brown 1x2 plate with a bar from group 16 on top of the ppp so the bar faces the back. Now rotate the 2 ppp 45 degrees counterclockwise so the bars face the front right and back left. Then horizontally place a dark tan rat on top so the tail faces the left. Now put it away while we make the rest of the train station!

Group 18 - Train Station

1. Horizontally place a black 2x10 plate in front of you. Then horizontally place a black 1x12 brick on the back row so it is centered horizontally.

2.1. Let's make 2 identical parts! Place a black wheel in front of you. Then place a black 2x2 round plate with a pin underneath on top of the wheel. Now horizontally place a black 2x3 stair plate on the leftmost column so the lower side overhangs 2 columns to the left. Then repeat symmetrically to the right.

2.2. Now you should have 2 identical parts! Horizontally place your part underneath the leftmost column of the main build so 1 row is exposed to the front. Then repeat symmetrically to the right.

3. Vertically place a brown 1x3 plate on the rightmost column so 1 row overhangs to the front.

4. Horizontally place the back right corner of a dark grey 4x6 plate underneath the overhang of the ppp.

5. Vertically place a brown 1x2 plate on the 2nd and 3rd rows from the front of the rightmost column. Then vertically place a brown 1x3 plate on the 2nd to 4th rows from the front of the 3rd column from the right. Then vertically place another 1 to the left of the ppp so there is a 1 column gap in between them.

6. Horizontally place a dark grey 1x4 tile on the 4 rightmost columns of the 2nd row from the front. It should sit on 2 studs.

7. Place a black 2x2 corner brick on the front right corner so it looks like the braille letter d and 1 row overhangs to the front. Then horizontally place a light grey 1x3 brick to the left of the back row of the ppp.

8.1. Let's make a part! Vertically place a black 1x4 plate in front of you. Then vertically place 2 black 1x4 bricks with pinholes, 1 in front of the other, on top of the ppp so together they are centered vertically. Now insert a black 2L pin into the front left-facing pinhole so the pin faces the left. Then repeat symmetrically to the back.

8.2. Vertically place your part on the leftmost column so 6 rows overhang to the front and the pins face the left.

9.1. Let's make 2 identical parts! Place a black wheel in front of you. Then place a black 2x2 round plate with a pin underneath on top of the wheel. Now horizontally place a black 2x3 stair plate on the leftmost column so the lower side overhangs 2 columns to the left. Then repeat symmetrically to the right.

9.2. Now you should have 2 identical parts! Horizontally place 1 part underneath the front 2 rows of the leftmost column so 5 columns are exposed to the right. Then repeat symmetrically to the right.

10.1. Let's make a part! Horizontally place a black 2x10 plate in front of you. Then horizontally place a black 2x8 slope brick on top so it is centered horizontally and slopes to the front. Then horizontally place a black 1x2 brick with a pinhole on the back left corner so 1 column overhangs to the left. Then repeat symmetrically to the right.

10.2. Rotate your part 180 degrees then horizontally place it on the front 2 rows so it is centered horizontally.

11. Horizontally place a light grey 1x2 log brick on the 6th and 7th columns from the left of the 2nd row from the front. Then repeat symmetrically to the back.

12. Place a black 1x1 brick on the front right corner. Then place a brown 2x2 corner brick on the 6th and 7th columns from the right of the 2nd and 3rd rows from the front so it looks like the braille letter j. Then repeat symmetrically to the back.

13. Horizontally place a light grey 1x3 brick on the 2nd to 4th columns from the right of the back row.

14. Let's make a part! Vertically place a black 1x4 arch brick in front of you. Then place a silver 1x1 round plate underneath the front row of the ppp. Now vertically place your part in front of the leftmost column of the 1x3 brick that is in the back right corner.

15. Horizontally place a light grey 1x2 log brick on the front right corner. Then horizontally place a light grey 1x2 panel to the left of the ppp so the wall faces the back. Now horizontally place a light grey 2x4 brick behind the 2 ppp.

16.1. Vertically place a light grey 2x8 brick on the 2 leftmost columns so it is centered vertically. Then horizontally place a light grey 1x2 log brick on the back row to the right of the ppp.

16.2. Vertically place a light grey 2x8 brick to the right of the ppp so it is centered vertically. Then horizontally place a light grey 1x2 log brick on the back row to the right of the ppp.

16.3. Repeat the previous step 2 more times to the right. Now you should have placed 4 2x8 bricks and 4 1x2 log bricks in total.

16.4. Vertically place a light grey 2x8 brick to the right of the ppp so it is centered vertically.

17. Horizontally place 4 light grey 1x2 panels on the front row in between the 5 previously placed 2x8 bricks so the walls face the back.

18. Place a dark grey 3x3 plate on the front right corner. Then place 2 more, 1 to the left of the other, to the left of the ppp. Horizontally place a dark grey 2x8 plate on the front 2 rows to the left of the ppp. Then horizontally place another 1 behind the ppp.

19. Horizontally place a dark grey 1x3 plate on the front row, to the left of the 2 ppp. Horizontally place the 3 rightmost columns of a light orange 2x4 plate behind the ppp. Then place a white 4x4 tile with 4 studs behind the ppp so the studs are on the left.

20. Horizontally place 2 white 3x4 tiles with 4 studs, 1 to the right of the other, to the right of the back 3 rows of the ppp. Then place the back 3 rows of a white 4x4 tile with 4 studs to the right of the ppp so the studs are on the right. Then vertically place a light orange 2x4 plate to the right of the ppp.

21. Vertically place a black 1x2 plate with 4 side studs on top of the right column of the ppp so it is centered vertically on it and the side studs face the right.

22.1. Place a light grey 1x1 tile on the 2nd row from the front of the 2nd column from the left.

Group 19 - Train Station

Group 20 - Train Station

22.2. Place a white 1x1 tile behind the ppp. Then horizontally place 5 white 1x4 tiles, 1 to the right of the other, to the right of the ppp. Now place 3 light grey 2x4 tiles, 1 to the left of the other, on the front right corner. Then place a light grey 2x2 tile with a stud to the left of the ppp. Now horizontally place another light grey 2x4 tile to the left of the ppp. Then place a light grey 2x2 tile with a stud to the left of the ppp.

Building Instructions (Bag 6, Book 2):

Group 21 - Train Station

23.1. Let's make a part! Horizontally place a dark grey 1x4 plate in front of you. Then horizontally place a black 1x2 jumper plate on top so it is centered horizontally. Then place a black 1x1 plate to the left and right of the ppp.

23.2. Place a silver 1x1 round plate on the leftmost column. Then place a black 1x1 round tile on top of the ppp. Then repeat both parts symmetrically to the right. Now place a light grey 1x1 round plate with a bar on top so it is centered horizontally and the bar faces the front.

23.3. Horizontally place your part upright on the right-facing side studs so the bar faces down.

24. Vertically place a light grey 1x2x2 brick with 2x2 side studs on the back right corner so the side studs face the right.

25. Vertically place a dark grey 2x3 plate on the 2nd and 3rd columns from the left of the 2nd to 4th rows from the back. Then horizontally place the 2 leftmost columns of a white 1x6 plate in front of the ppp. Now horizontally place 2 more white 1x6 plates, 1 to the right of the other, to the right of the ppp. Then vertically place a dark grey 2x3 plate behind the 2nd and 3rd columns from the right of the ppp. Now place a dark grey 1x1 round plate to the right of the back row of the ppp.

26. Let's make a part! Horizontally place a black 2x12 plate in front of you. Then vertically place a red 1x2 ingot tile on the rightmost column.

27. Place a brown 2x2 plate on the 2 leftmost columns. Then place 3 more to the right of the ppp so there is a 1 column gap in between each of them.

28.1. Let's make a part! Vertically place a dark grey 1x3 jumper plate in front of you. Then vertically place a brown 1x3x3 window frame on top so the ridged side faces the right. Now vertically place a brown 1x3 brick on top of the ppp. Then vertically place a white 1x3 plate on top of the ppp.

28.2. Vertically place your part on the 6th column from the left so it is centered vertically.

29. Place a sand blue 2x2 chair on the 2 leftmost columns so the back of the chair faces the left. Then place another 1 to the right so there is a 1 column gap in between them and the back of the chair faces the left. Now repeat both parts symmetrically to the right on the 2x2 plates.

30.1. Place a dark blue 1x1 round tile printed with a gold pentagon on the front stud of the leftmost chair.

Group 22 - Train Station

30.2. Place a brown 1x1 frog on the back stud of the 2nd chair from the left so it faces the front.

30.3. Place a gold 1x1 round tile printed with a flame on the back stud of the 2nd chair from the right.

30.4. Place a white 1x1 brick printed with jelly beans on the front stud of the rightmost chair so the print faces the front. Then place a white 1x1 pyramid tile on top.

31. Rotate your part 180 degrees. Now horizontally place your part on the 8 studs of the 2 white 3x4 tiles with 4 studs that are on the 2nd to 4th rows from the back so it is centered horizontally and vertically on it.

32.1. Let's make a part! Horizontally place a red 1x8 brick with a sticker in front of you so the sticker faces the front. Then horizontally place a red 1x8 plate on top of and underneath the ppp.

32.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the red 1x8 brick. This sticker says Hogwarts Railways. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

32.3. Horizontally place 2 light orange 1x4 plates, 1 to the right of the other, on top.

32.4. Horizontally place a red 1x2x3 window frame on the 2 leftmost columns so the ridged side faces the front. Then horizontally place 2 more to the right so there is a 1 column gap in between each of them. Now attach a glass pane to the front of each of the 3 ppp.

32.5. Place a red 1x1x3 brick on the 3rd column from the left. Then repeat symmetrically to the right.

32.6. Horizontally place your part on the 7th to 14th columns from the left of the 4th row from the front so the glass panes face the front.

33. Horizontally place 3 dark grey 1x3 jumper plates, 1 behind the other, behind the previous part so together they are centered horizontally to it and overhang 1 column to the left and right.

34. Vertically place a light orange 2x4 plate on the 3 ppp and previous part so there is no overhang. Then horizontally place a dark grey 1x2 slope tile on the front row of the ppp so it slopes to the front. Then repeat symmetrically to the back.

35.1. Vertically place a red 1x2x2 brick with 2x2 side studs on the 2nd and 3rd rows from the back of the 2nd column from the left so the side studs face the left. Then vertically place a red 1x2x2 brick with 2x2 side studs in front of the ppp so the side studs face the left.

35.2. Vertically place a light orange 1x4 plate on top of the 2 ppp. Now vertically place a red 1x4x3 window frame on top of the ppp so the ridged side faces the right.

36. Horizontally place a red 1x4x5 door with a window to the right of the front row of the ppp so the stud is on the left and it opens to the front. There are 2 orientations of this piece, make sure you have the right one! Now attach a glass pane to the back-facing side of the window.

37.1. Horizontally place a light orange 2x8 plate in front of you. Then horizontally place 4 dark grey 1x2 slope tiles, 1 to the right of the other, on the back row so they slope to the back. Horizontally place a dark grey 2x6 plate on the front left corner so 1 row overhangs to the front.

37.2. Horizontally place a light orange 2x8 plate underneath the front row so 1 row is exposed to the front and 2 columns are exposed to the right.

37.3. Horizontally place 4 dark grey 1x2 slope tiles, 1 to the right of the other, on the front row so they slope to the front.

37.4. Place a dark grey 2x2 tile on the 2 leftmost columns. Then place a black 2x2 tile with a stud to the right of the ppp. Then place a black 1x1 round tile on top of the ppp. Now place a dark grey 2x2 tile to the right of the ppp.

37.5. Horizontally place the leftmost column of your part on the 1x4x3 window frame that is on the 2nd to 5th rows from the back of the 2nd column from the left. It should sit to the left of a 2x4 plate with 2 1x2 slope tiles.

38. Vertically place a red 1x2 ingot tile to the right of the rightmost 2x2 chair that is on the 9th and 10th columns from the right.

39. Horizontally place 2 dark grey 1x3 jumper plates, 1 in front of the other, to the right of the ppp.

40. Place a red 1x1x2 brick with 2 side studs in front of the 2 ppp so it is centered horizontally to them and the side studs face the right. Then vertically place a red 1x2 ingot tile upright on the right-facing side studs of the ppp. Now repeat both parts symmetrically to the back.

41. Let's make a part! Place a black 2x2 slope brick in front of you so it slopes to the left. Then place a black 1x1 brick with a bottom lip on the back row so the side stud faces the right.

42. Place a black 1x1 brick on the front row. Then place a silver 1x1 round plate upright on the right-facing side stud.

43. Vertically place a black 1x2x2 window frame on top so the ridged side faces the right. Now attach a transparent glass pane to the right-facing side.

44. Horizontally place 2 black 1x2 jumper plates, 1 in front of the other, on top so they overhang 1 column to the left.

45. Vertically place a dark grey 1x2 plate with 2 upright side studs on top so the side studs face the right. Now rotate your part 90 degrees clockwise so the side studs face the front. Then place a black 1x1 quarter circle tile upright on the left front-facing side stud so the curve faces the top left. Then repeat symmetrically to the right. Now rotate it 90 degrees counterclockwise.

46. Place your part on the 2 1x3 jumper plates that are on the 3rd to 5th columns from the right so the glass pane faces the right.

47. Place a light orange 1x1 plate behind the previous part so it sits on the 1x1x2 brick with 2 side studs. Then place a red 1x1x3 brick on top of the ppp. Now repeat both parts symmetrically to the front.

48. Horizontally place a red 1x4x5 door with a window to the left of the ppp so the stud is on the right and it opens to the front. Then attach a glass pane to the back-facing side of the window.

49. Horizontally place a tan 1x6x5 panel on the back right corner so the wall faces the back. Then place a light grey 1x2 brick with a pinhole and a 1x2 plate on the 2 leftmost columns of the ppp so the pinhole faces the back and it overhangs to the front.

Group 23 - Train Station

Group 24 - Train Station

50.1. Let's make a part! Let's make part of the train roof! Horizontally place a light orange 2x8 plate in front of you. Then horizontally place 4 dark grey 1x2 slope tiles, 1 to the right of the other, on the back row so they slope to the back.

50.2. Horizontally place a dark grey 2x6 plate on the 6 rightmost columns so it overhangs 1 row to the front. Now horizontally place a light orange 2x8 plate underneath the overhang so 1 row is exposed to the front and 2 rows are exposed to the left.

50.3. Horizontally place 4 dark grey 1x2 slope tiles, 1 to the right of the other, on the front row so they slope to the front.

50.4. Place a dark grey 2x2 tile on the 2 rightmost columns. Then place a black 2x2 tile with a stud to the left. Now place a black 1x1 round tile on top of the ppp. Now place a dark grey 2x2 tile to the left of the ppp.

50.5. Horizontally place your part to the right of the 2x4 plate with 1x2 slope tiles on the front and back row that are on the 2nd to 5th rows from the back. Your part should be aligned with all the other slope tiles that are already placed.

51.1. Let's make a part! Horizontally place a dark grey 2x6 plate in front of you. Then place a dark grey 2x2 tile on top so it is centered horizontally. Now place a dark grey 2x2 tile with a stud to the left of the ppp. Then place a black 1x1 round tile on top of the ppp. Now repeat both parts symmetrically to the right.

51.2. Horizontally place your part in the 2x6 gap made by the 1x2 slope tiles of the train roof.

Building Instructions (Bag 7, Book 2):

Group 25 - Train Station

52. Place a tan 1x1x5 brick on the 2nd row from the back of the rightmost column.
53. Horizontally place a tan 1x3 brick on the 2nd to 4th columns from the right of the back row. Then horizontally place a tan 1x2 brick on the 2 rightmost columns of the ppp.
54. Vertically place a tan 1x2x2 brick with 2x2 side studs on the back right corner so the side studs face the right. Then vertically place a tan 1x2 rounded plate on top of the ppp.
55. Horizontally place a tan 1x2x5 brick on the front left corner.
- 56.1. Vertically place a tan 1x6x5 panel with a sticker on the leftmost column, behind the ppp so the wall faces the left.
- 56.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 12 on the tan 1x6x5 panel. This sticker has a light grey mirror. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
57. Place a tan 2x2 corner brick on the front left corner so it looks like the braille letter h.
- 58.1. Let's make a part! Place a dark grey 1x1 plate in front of you. Then place a light grey 1x1 plate with a side stud hanging down on top so the side stud faces the right.
- 58.2. Place a black 1x1 plate with a side stud sticking up on top so the side stud faces the right. Now place a black 1x1 plate with an upright side stud on top of the ppp so the side stud faces the right. Then place a black 2x2 tile with a sticker upright on the 2 right-facing side studs so 1 column overhangs to the front.
- 58.3. Skip this step if you have already placed your sticker! Ask a helper to place sticker 6 on the black 2x2 tile. This sticker has a red, green, yellow, and blue logo on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 58.4. Place your part on the 3rd row from the front of the leftmost column so the upright tile faces the right.
59. Rotate your build 180 degrees. Now horizontally place a tan 1x2x5 brick on the front right corner.
60. Place a tan 2x2 corner brick on the front right corner so it looks like the braille letter j. Then vertically place a tan 1x3 brick on the rightmost column behind the ppp.
61. Horizontally place a tan 1x2x5 brick on the 3rd and 4th columns from the right of the front row. Then horizontally place a tan 1x2 brick on top of the ppp.
62. Horizontally place 2 tan 1x6x6 rounded door frames, 1 to the left of the other, to the left of the ppp so the round sides of the pillars face the front.

63. Horizontally place a tan 1x4 brick on the front row of the 4th to 7th columns from the left. Then horizontally place a tan 1x2 brick on the front row of the 10th and 11th columns from the right so it sits in the 1x2 gap. Then horizontally place a tan 1x4 brick on the front row of the 2nd to 5th columns from the right.

64. Place a dark grey 2x2 corner plate on the front left corner so it looks like the braille letter h. Then horizontally place 3 dark grey 1x6 plates, 1 to the right of the other, to the right of the front row of the ppp. Now place a dark grey 1x1 plate to the right of the ppp.

65.1. Vertically place a tan 1x2 brick on the front left corner. Then horizontally place a black 1x2 plate with 2 clips on the front row to the right of the ppp so the clips face the back. Now horizontally place a dark tan 1x4 plate to the right of the ppp.

65.2. Horizontally place a black 1x2 plate with 2 clips on the front row to the right of the ppp so the clips face the back. Now horizontally place a dark tan 1x4 plate to the right of the ppp.

65.3. Repeat the previous step again. Then horizontally place a black 1x2 plate with 2 clips to the right of the ppp so the clips face the back.

66.1. Let's make 4 identical parts! Horizontally place a tan 1x2x2 brick with 2x2 side studs in front of you so the side studs face the back. Now horizontally stack 2 tan 1x2 rounded plates on top.

66.2. Now you should have 4 identical parts! Horizontally place each of them on each of the 1x2 plates with 2 clips that are on the front row so the side studs face the back.

67.1. Let's make 3 identical parts! Horizontally place a dark tan 1x4 masonry brick in front of you so the brick grooves face the back. Then horizontally place a dark tan 1x4 plate on top. Now horizontally place another dark tan 1x4 masonry brick on top so the brick grooves face the back. Now horizontally place a dark tan 1x2 brick with 2 side studs on top of the ppp so it is centered horizontally and the side studs face the back.

67.2. Horizontally place your parts on the front row in between each of the previous 4 parts so the side studs face the back.

68. Horizontally place a tan 1x3 brick on the 2nd to 4th columns from the right of the front row. Then horizontally place a tan 1x4 brick on the 7th and 8th columns from the right of the front row so it sits in between the 1x2 bricks with side studs. Now repeat both parts symmetrically to the left.

69.1. Lay your build on its front-facing side so the anti-studs face the back. Place a tan 1x1 quarter circle tile on the rightmost top-facing side stud that is the front, on the 2nd column from the right so the curve faces the front left. Now place the back row of a tan 1x3 curved tile to the left of the ppp so the curve faces the front right. Then place another 1 to the left of the ppp so it is symmetrical to it.

69.2. Place a tan 1x3 curved tile to the left of the ppp so the curve faces the front right. Then place another 1 to the left of the ppp so it is symmetrical to it.

69.3. Place a tan 1x3 curved tile to the left of the ppp so the curve faces the front right. Then place another 1 to the left of the ppp so it is symmetrical to it. Now place a tan 1x1 quarter circle tile to the left of the back row of the ppp so the curve faces the front right.

70.1. Let's make 4 identical parts! Place a black 1x1 telescope bar in front of you. Then place a black 1x1 round plate on top of the ppp. Now place a black curved bar with a stud and an axle on top so the stud faces the right and the axle faces the front. Now horizontally attach a black T-shaped bar underneath your part so the other ends of the bar faces left and right.

70.2. Now you should have 4 identical parts! Horizontally attach the T-shaped bar of 1 part to the 2 rightmost top-facing clips so the axle faces the back. Then repeat again to the other 3 sets of 2 clips that are to the left.

71. Horizontally place your main build upright so it is horizontal and the 4 axles curve to the front. Now vertically place a tan 1x2x2 brick with 2x2 side studs on the front left corner so the side studs face the left. Then vertically place a light grey 1x2 brick with a handle on top of the ppp so the handle faces the back.

72.1. Rotate your build 180 degrees. Now vertically place a tan 1x6x5 panel with a sticker on the rightmost column so it is centered vertically and the wall faces the left.

72.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 11 on the tan 1x6x5 panel. This sticker is a light grey mirror. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

73. Horizontally place a tan 1x2x5 brick on the front left corner.

74. Place a dark tan 2x2 corner plate on the front left corner so it looks like the braille letter h. Then vertically place a dark tan 1x4 plate behind the left column of the ppp. Now horizontally place the leftmost column of a dark tan 2x3 plate behind the ppp.

75.1. Let's make a part! Horizontally place a dark tan 2x8 plate in front of you. Then place a tan 2x2 tile on the rightmost column so 1 column overhangs to the right. Now horizontally place a dark tan 2x8 plate underneath the rightmost column so 7 columns are exposed to the right.

75.2. Horizontally place a tan 2x4 tile to the left of the 2x2 tile. Then repeat symmetrically to the right.

75.3. Horizontally place your part to the right of the 2x3 plate that is in the back left corner so 1 row overhangs to the front.

76. Horizontally place a dark tan 2x3 plate on the back right corner so 2 studs overhang to the front. Then place a tan 2x2 tile on the back right corner.

77. Vertically place a tan 1x4 tile on the back left corner. Then vertically place a tan 1x2 ingot tile to the right of the back 2 rows of the ppp.

78.1. Place a light brown 1x1 plate with 2 side studs hanging down on the 2nd column from the left of the front row so the side studs face the right. Now place a black 4x4 round tile with a sticker upright on the right-facing side studs of the ppp so it is centered vertically and 2 columns overhang to the front.

78.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 10 on the black 4x4 round tile. This sticker says 9 and $\frac{3}{4}$ on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Building Instructions (Bag 8, Book 2):

Group 26 - Train Station

Group 27 - Train Station

79. Let's make a part! Horizontally place a black 1x10 plate in front of you. Then horizontally place a black 1x6 plate on the 6 rightmost columns.

80. Horizontally place a black 1x10 plate on the 4 leftmost columns so 6 columns overhang to the left.

81. Horizontally place a black 1x2 plate underneath the 5th and 6th columns from the left.

82. Horizontally place a black 1x10 plate underneath the 4 leftmost columns so 6 columns are exposed to the left.

83. Horizontally place a black 1x6 plate on the 6 leftmost columns.

84. Stack 2 black 1x1 bricks with a clip on the rightmost column so the clips face the front.

85. Horizontally place 3 clear 1x2x2 panels, 1 to the left of the other, to the left of the 2 ppp so the walls face the back. Now stack 2 black 1x1 bricks to the left of the 3 ppp. Then horizontally place 3 clear 1x2x2 panels, 1 to the left of the other, to the left of the 2 ppp so the walls face the back. Now stack 2 black 1x1 bricks to the left of the 3 ppp. Then finally horizontally place 3 clear 1x2x2 panels, 1 to the left of the other, to the left of the 2 ppp so the walls face the back.

86. Vertically place a black 1x2 brick with 2 side studs on the leftmost column so 1 row overhangs to the front and the side studs face the left. Then vertically place a black 1x2 slope brick on top of the ppp so it slopes to the front.

87. Horizontally place a black 1x6 plate on the 6 rightmost columns. Then repeat symmetrically to the left. Now horizontally place a black 1x10 plate in between the 2 ppp.

88.1. Let's make a part! Horizontally stack 2 black 1x3 plates. Then horizontally place a light grey 1x2 plate with a bar underneath the 2 leftmost columns so the bar faces the left. Then horizontally place another 1 on top of the 2 leftmost columns so the bar faces the left.

88.2. Place a dark tan 1x1 round plate underneath the rightmost column and another 1 on top of the rightmost column. Horizontally place a black 1x2 plate with 2 anti side studs on the 2 rightmost columns so the anti-studs face the right.

88.3. Horizontally place a tan 1x2 ingot tile on the 2 rightmost columns. Now horizontally place a black 1x2 plate with 2 anti side studs underneath the 2 rightmost columns so the anti-studs face the right.

88.4. Vertically attach the bars of your part to the 2 front-facing clips that are on the rightmost column so the upright anti-studs face the front.

Group 28 - Train Station

89. Let's make another part! Place a black 1x1 round plate in front of you. Then vertically place a black 1x6x5 half arch brick on top so it overhangs to the back and slopes down to the front.
90. Horizontally place a tan 1x3 tile on the back row so it overhangs 2 columns to the right.
91. Horizontally place a transparent 6x6x5 half arch panel underneath the 2 rightmost columns so it slopes to the front.
92. Horizontally place a tan 1x8 tile on the back row so 4 columns overhang to the right.
93. Vertically place a black 1x6x5 half arch brick underneath the 4th column from the right so it slopes to the front. Now place a black 1x1 round plate underneath the front row of the ppp. Now horizontally place a transparent 6x6x5 half arch panel underneath the 3 rightmost columns so it slopes to the front and 3 columns overhang to the right.
94. Horizontally place a tan 1x8 tile on the 3 rightmost columns so 5 columns overhang to the right.
95. Vertically place a black 1x6x5 half arch brick underneath the 5th column from the right so it slopes to the front. Now place a black 1x1 round plate underneath the front row of the ppp. Now horizontally place a transparent 6x6x5 half arch panel underneath the 4 rightmost columns so it slopes to the front and 2 columns overhang to the right.
96. Horizontally place a tan 1x3 tile on the 3 rightmost columns so 1 column overhangs to the right.
97. Vertically place a black 1x6x5 half arch brick underneath the rightmost column from the right so it slopes to the front. Now place a black 1x1 round plate underneath the front row of the ppp.
98. Flip your part upside down so it is horizontal and slopes to the back. The lower row should be in the front. Now horizontally place a black 1x2 plate on the front right corner. Then repeat symmetrically to the left.
99. Horizontally place 2 tan 1x2 plates with 2x2 anti side studs, 1 to the right of the other, on the 3rd to 6th columns from the right of the front row so the anti-studs face the front. Then repeat symmetrically to the left.
100. Horizontally place a black 1x10 plate on the front row so it is centered horizontally.
101. Horizontally place a black 1x10 plate on the front right corner. Then repeat symmetrically to the left.
102. Bring back your previous part and orient it in front of you so it is horizontal and the side studs face the right. Now flip your current part over and horizontally place the back row of your part on the top of the previous part so it overhangs to the front and slopes to the back.
103. Bring back your main build and rotate your part 180 so it slopes to the back and the anti-studs of the 1x2 plates with 2x2 anti side studs are in the front and face down. Now horizontally place the bottom-facing antistuds of your part on the back 2 rows so it is centered horizontally and slopes to the back. Make sure you attach the part with the 1x6x6 curved panels and 1x1 round plates.

104. Lift up the 4 curved bars with an axle and a stud that are underneath the previous part so they hold up the roof.

Group 29 - Train Station

105. Let's make a part! Place a light grey 2x2 plate with 2 side studs in front of you so the side studs face the right. Then horizontally place a tan 1x3 inverted arch brick on the back row so it slopes and overhangs 1 column to the left.

106. Horizontally place a tan 1x3 inverted arch brick on the front row so it slopes and overhangs 1 column to the left.

107. Vertically place a tan 1x2 ingot tile on the rightmost column.

108. Place a brown 2x2 plate upright on the right-facing side studs so 1 row sticks up.

109. Place a black 2x2 tile upright on the right-facing side studs.

110. Horizontally place a tan 2x12 plate underneath the leftmost column so 11 columns are exposed to the right. Then vertically place a tan 1x2 ingot tile on the rightmost column of studs.

111.1. Horizontally place a tan 2x6 tile with a sticker to the left of the ppp.

111.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 14 on the tan 2x6 tile. This sticker has a wanted poster with Sirius Black on it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

112. Vertically place a tan 1x2 ingot tile to the left of the ppp.

113.1. Let's make a part! Horizontally place a black 2x4 rounded tile with a sticker upside down in front of you.

113.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 7 on the black 2x4 rounded tile. This sticker says "Do you really have the scar?". Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

113.3. Place a black 2x2 corner plate on the 2 leftmost columns so it looks like the braille letter h.

113.4. Place a black 1x6 curved plate to the right of the front row of the ppp so the curve faces the front left and it overhangs to the left. Then place another 1 to the right of the back row of the 2x2 corner plate so the curve faces the front left and it overhangs to the left.

113.5. Flip your part over so the 2x4 rounded tile is in the front right corner and vertical. Now horizontally place a tan 2x6 tile with a sticker on the back 2 rows so it overhangs 4 columns to the right. Then place a black 1x1 tile with a round side to the left of the back row of the ppp so the round side faces the left.

113.6. Skip this step if you have already placed your sticker! Ask a helper to place sticker 17 on the tan 2x6 tile. This sticker has brick grooves on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

113.7. Place a black 2x2 corner plate underneath the 4th and 5th columns from the right so it looks like the braille letter j.

113.8. Horizontally place the 3 rightmost columns of your part on the 3 leftmost columns of the previous part.

114. Place your part upright on the right-facing side studs of the main build so it is aligned with the curve and the back 2 rows of your part is aligned with the back 2 rows of the main build.

115.1. Let's make a part! Vertically place a light grey 1x2 plate with a clip in front of you so the clip faces the right. Then horizontally place a red 2x3 tile with a sticker on top so 2 columns overhang to the left.

115.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the red 2x3 tile. This sticker says 9 $\frac{3}{4}$ and Hogwarts Express. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

116. Bring back your previous build from the first instruction booklet and horizontally attach it to the left-facing pins of your current build so the roof slopes to the back.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind are able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

At the end of the instruction booklets, there are no ads.