

11372 Autumn Cottage Garden

Adapted by Arturo Moncada-Torres and tested by Natalie Charbonneau.

Capture the essence of fall with the LEGO® Icons Autumn Cottage Garden (11372) model building kit for adults. Craft a seasonal centerpiece bursting with fall colors. Unwind as you build each intricate detail, then rearrange the trees, plants and cottagecore decor elements to create a vibrant display for the home or office. Inspired by storybook cottages, this addition to the Gardens of the World collection features birch, weeping willow, blue spruce and maple trees, plus seasonal flowers. Other highlights include a sundial, birdhouse, vegetable cart, a garden gnome and a stream with stepping stones. A cottage with a cozy kitchen and woodland creatures including robin and nuthatch birds, a squirrel, frog, and snail add the final touches to this model – a perfect gift for adult fans of creative home decor.

The packaging has a very elegant feeling, with the esthetic design of all recent 18+ sets. The front of the box depicts the set, consisting of a diorama on a rectangular base with a small cottage on the back right corner, a small river on the left, and lots of flora around, including a few trees. It is on top of a black background with a light orange aura coming from its center. On the top left corner, we have the name of the set in a white font. The bottom left corner is decorated with the iconic red LEGO logo. The bottom has a dark orange stripe composed of greebling made of LEGO pieces. On its left, it has the "ICONS" series name, while on its right it has the set's suggested age group (18+), the set number (11372) and number of pieces (1102). The right side of the box has name of the set again in the same font as in the front, plus its translation to other languages. The back of the box depicts five insets. Firstly, the left half shows a picture of the set very similar to the one from the front of the box. The top right corner shows the outline of the set in white lines with its dimensions annotated: 29 cm (11.5 inches) wide and 19 cm (7.5 inches) tall. Beneath, to the left, we can see that the trees are built in such a way that their positions can be swapped very easily. To the right, we can see that the cottage's roof can easily be removed for access to its interior. Underneath them, we have the different trees that are part of the diorama. The top left corner has the iconic red LEGO logo. The left of the box depicts another picture of the set, except that due to the space, it only fits about half of it. The top of the box shows the LEGO logo again, as well as a top view of the set and an inset with a build of a garden gnome on a 1:1 scale. The bottom side is a tidy strip that contains a few technical bits: the place of manufacture, copyright and trademark notices.

The build consists of 1102 pieces in total and is recommended for ages 18+. Once finished, you will have a diorama of a cozy cottage in an autumn garden. There are no minifigures. The set consists of 9 numbered bags.

Welcome to text-based instructions from Bricks for the Blind! Before you start building, here are some terms we may be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.

- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- Open/hollow stud: a bump on a LEGO brick with a hole, which allows attaching bars. In the case of open studs, the hole goes all the way through. In the case of hollow studs, it does not.
- “Anti-stud” is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Left/right wedge parts: these are parts that when placed in front of you and are pointing to the back, their wedge is on the left/right side of the part.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

Additionally, it is worth mentioning that besides the printed visual instructions that come with each kit, a PDF version for the set's instructions is always available online at [\[https://www.lego.com/en-us/service/building-instructions/11372\]](https://www.lego.com/en-us/service/building-instructions/11372). This might help a sighted building partner that may want to follow along or low vision users that may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2, and 3 and put them in one container.

This LEGO set comes with 9 numbered bags, 1 instruction booklet, and no minifigures. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder!

LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Book 1, bag 1 – Base (left half)

Group 1: steps 1-8 + 1 tan 2x4 plate from step 9

Group 2: the rest of step 9 + steps 10-13

Group 3: steps 14-16

Group 4: steps 17-24

Group 5: steps 25-26

Book 1, bag 2 – Base (left half, right half)

Group 6: step 27

Group 7: steps 28-32

Group 8: steps 33-35

Group 9: steps 36-41

Group 10: steps 42-45

Book 1, bag 3 – Base (grass, legs)

Group 11: steps 46-48

Group 12: step 49

Group 13: steps 50-53

Group 14: steps 54-55

Group 15: steps 56-58

Book 1, bag 4 – Vegetation, decorations

Group 16: steps 59-61

Group 17: steps 62-66

Group 18: steps 67-69

Book 1, bag 5 – Cottage

Group 19: steps 70-78

Group 20: steps 79-81

Group 21: steps 82-87 + 2 black 1x1 plates from step 88

Group 22: white pieces from step 88

Group 23: 2 black 1x1 plates from step 88 + steps 89-92

Group 24: step 93

Book 1, bag 6 – Cottage (continued)

Group 25: steps 94-100

Group 26: steps 101-102

Group 27: steps 103-109

Group 28: steps 110-115 + 1 black 1x1 tile and 1 light bluish gray 1x2 masonry brick from step 116

Group 29: the rest of step 116 + steps 117-125

Book 1, bag 7 – Cottage (continued)

Group 30: steps 126-130

Group 31: steps 131-136

Group 32: steps 137-141

Group 33: steps 142-143

Group 34: steps 144-149

Group 35: steps 150.1-150.2

Group 36: steps 150.3-151

Group 37: steps 152-153

Group 38: steps 154-158

Group 39: steps 159-166

Group 40: steps 167-171

Group 41: steps 172-181

Book 1, bag 8 – Trees

Group 42: steps 182-194 + 1 orange 1x1 round plate with leaves from step 195

Group 43: the rest of step 195 + steps 196-200

Group 44: steps 201-202

Group 45: steps 203-204

Group 46: steps 205-206

Group 47: steps 207-213

Group 48: steps 214-219

Book 1, bag 9 – Tree and decorations

Group 49: steps 220-226

Group 50: steps 227-238

Group 51: steps 239-248

Alright, we are done with sorting.

Building Instructions

The instructions begin with a preamble about different elements of the diorama.

FROM THE LEGO ICONS DESIGN TEAM

Welcome to the third model in our LEGO Icons “Gardens of the World” series, where you can unwind in a cozy autumn scene. Inspired by the thatched rural cottages of northern Europe, this set features all the charm of country life, whether you want to forage in the woods, harvest from the vegetable patch or care for the wildlife. (Or, perhaps best of all, cook hearty stews!) Sideways building and triangular geometry shape the cottage's roof and frame, and lots of elements debut in new LEGO colors or decorations, including the two birds: a European robin and a Eurasian nuthatch. You can even use elements from the 10315 Tranquil Garden or the 10359 Fountain Garden to add a creative twist to your model!

LOCAL BIRDLIFE

Eurasian Nuthatch

With its sleek blue-gray plumage and distinctive black eye-stripe, this nimble songbird is renowned for its unique ability to descend tree trunks headfirst!

European Robin

With its vibrant orange chest and melodious song, the European robin is a beloved garden inhabitant, often seen searching for unearthed insects.

Let's get building!

Book 1, bag 1:

Group 1 – Base (left half)

1. Place 1 black 6x16 plate horizontally in front of you. Then, place 1 light bluish gray 2x2 corner plate on the back left corner of the ppp, so that it resembles an F in Braille.

2. Locate 2 dark bluish gray 1x8 plates. Place the first one horizontally to the right of the back row of the ppp. Then, place the second one vertically in front of the left column of the 2x2 corner plate, so that it overhangs to the front by 4 rows.

3. Place 1 black 16x16 plate in front of the 6x16 plate, so that its 4 back rows of the leftmost column are attached under the overhang of the ppp.

4. Place 1 olive green 1x2 plate vertically in front of the 1x8 vertical plate located on the leftmost column. Then, place 1 dark bluish gray 1x8 plate vertically in front of the ppp. Next, place 1 light bluish gray 2x2 corner plate in front of the ppp, on the front left corner of the build, so that it resembles an H in Braille. Lastly, place 1 dark bluish gray 1x8 plate horizontally to the right of the front row of the ppp.

5. Find 2 dark bluish gray 1x8 plates. Place the first one horizontally to the right of the ppp, so that it overhangs to the right by 2 columns. Then, take the second one and repeat symmetrically on the back.

6. Rotate 1 dark bluish gray 4x6 plate vertically. Place its 2 leftmost columns of the back row under the overhang of the ppp. Then, place 1 olive green 1x2 plate horizontally on the 2nd and 3rd columns from the right of the 2nd column from the back. Next, place 1 lime 2x2 tile in front of the ppp. Lastly, place 1 olive green 1x2 plate horizontally in front of the ppp.

7. Place 1 reddish brown 2x8 plate vertically in front of the ppp, so that it overhangs to the front by 7 rows. Rotate 1 tan 4x10 plate vertically. Place its 1st to 7th rows from the back of its 2 center columns under the overhang of the ppp. Then, place 1 dark bluish gray 4x6 plate vertically in front of the ppp, so that its 2 leftmost columns of the front row attach under the overhanging columns of the 1x8 plate.

8. Place 1 tan 2x4 plate horizontally on the 2nd to 5th columns from the right of the 2nd and 3rd rows from the front. Then, place 1 tan 2x4 plate vertically behind the 2 leftmost columns of the ppp. Next, place 1 lime 2x2 tile to the right of the 2 front rows of the ppp. Lastly, place 1 light bluish gray 2x4 brick vertically behind the ppp.

9. Place 1 tan 2x4 plate vertically on the 2nd to 5th rows from the back of the 4th and 5th columns from the right.

Group 2 – Base (left half, continued)

9 (continued). Let's start building a stream. From now on, all the transparent dark blue pieces will be part of it. Place 1 transparent dark blue 1x4 tile vertically to the left of the ppp. Next, place 1 transparent dark blue 2x4 plate vertically to the left of the ppp.

Continue by placing 1 transparent dark blue 1x4 tile vertically in front of the leftmost column of the ppp. Then, place 1 transparent dark blue 2x4 plate horizontally to the right of the 2 back rows of the ppp. Next, place 1 olive green 1x2 plate vertically in front of the rightmost column of the ppp. Place 3 transparent dark blue 1x2 tiles vertically, one to the left of the other, to the left of the ppp.

10. Rotate 1 transparent dark blue 2x4 plate horizontally. Place its 3 leftmost columns in front of the ppp. Then, place 1 transparent dark blue 2x4 plate vertically in front of the 2 rightmost columns of the ppp. Next, place 2 transparent dark blue 1x4 tiles, one to the left of the other, to the left of the ppp. Place 1 transparent dark blue 2x4 plate vertically in front of the ppp.

Rotate 1 transparent dark blue 2x4 plate horizontally. Place its 2 rightmost columns in front of the ppp. Then, place 1 transparent dark blue 1x2 tile vertically behind the 2nd column from the left of the ppp. Next, place 2 transparent dark blue 1x4 tiles vertically, one behind the other, behind the ppp.

11. Place 2 transparent dark blue 1x4 tiles vertically, one behind the other, on the 4th to 11th rows from the front of the 9th column from the right. Rotate 1 transparent dark blue 2x4 plate vertically. Place its rightmost column behind the ppp. Place 1 transparent dark blue 1x2 tile vertically behind the rightmost column of the ppp. Then, place 1 transparent dark blue 1x4 tile vertically behind the ppp.

Continue by placing 1 transparent dark blue 2x4 plate horizontally to the left of the 2 back rows of the ppp. Place 1 transparent dark blue 1x4 tile vertically in front of the rightmost column of the ppp. Then, place 1 transparent dark blue 1x4 tile vertically to the left of the ppp. Next, place 2 transparent dark blue 1x4 tile vertically, one in front of the other, in front of the ppp. Place 1 transparent dark blue 1x2 tile vertically to the right of the 2 back rows of the ppp. Then, place 1 transparent dark blue 1x4 tile vertically in front of the ppp. Lastly, place 1 transparent dark blue 1x2 tile vertically to the left of the 2 front rows of the ppp.

12. Place 2 transparent dark blue 1x4 tiles horizontally, one to the right of the other, on the 2nd to the 9th columns from the left of the 2nd row from the front. Then, place 1 transparent dark blue 1x2 tile horizontally to the right of the ppp.

Place 1 transparent dark blue 1x2 tile horizontally on the 2nd to the 3rd columns from the left of the 3rd row from the front. Then, place 2 transparent dark blue 1x4 tiles horizontally, one to the right of the other, to the right of the ppp.

Place 2 transparent dark blue 1x4 tiles horizontally, one to the right of the other, on the 2nd to the 9th columns from the left of the 4th row from the front. Then, place 1 transparent dark blue 1x2 tile horizontally to the right of the ppp.

Rotate 1 transparent dark blue 1x4 tile horizontally. Place its 2 rightmost columns behind the ppp. Then, place 1 transparent dark blue 1x4 tile horizontally to the left of the ppp. Lastly, place 1 olive green 1x2 plate horizontally to the left of the ppp.

13. Rotate 1 transparent dark blue 2x4 plate horizontally. Place its 2 leftmost columns behind the ppp. Then, place 1 transparent dark blue 2x4 plate horizontally to the right of the ppp. Next, place 1 transparent dark blue 2x4 plate vertically behind the 2 rightmost columns of the ppp. Lastly, place 1 reddish brown 2x8 plate vertically behind the ppp.

Group 3 – Base (left half, continued)

14. Place 1 medium nougat 1x2 brick horizontally on the 2nd and 3rd columns from the right of the 2nd row from the back. Then, place 1 reddish brown 2x2 brick on the 2nd and 3rd columns from the right of the 5th and 6th rows from the back. Next, place 1 reddish brown 1x3 brick vertically in front of the rightmost column of the ppp.

Continue by placing 1 tan 1x4 brick vertically in front of the ppp. Then, place 1 white 1x4 plate vertically to the left of the ppp. Lastly, place 1 dark tan 2x4 left wedge plate vertically to the left of the ppp, so that it points to the back.

15. In this and the next step, we will build the right ridge of the stream.

Rotate 1 dark tan 2x4 left wedge plate vertically so that it points to the back. Place its leftmost column on top of the rightmost column of the ppp. Then, rotate 1 reddish brown 3x3 sloped right wedge brick vertically so that it slopes to the left. Place its rightmost column behind the rightmost column of the ppp. Next, rotate 1 reddish brown 2x2 slope brick so that it slopes to the left. Place its leftmost column behind the leftmost column of the ppp. Lastly, rotate 1 reddish brown 3x3 sloped right wedge brick vertically so that it slopes to the left. Place its rightmost column behind the rightmost column of the ppp. Its back row should be to the left of the medium nougat 1x2 brick.

The left-facing slopes of the 3 ppps should create a single continued slope.

16. Place 1 reddish brown 2x2 brick on the 2nd and 3rd columns from the right of the 2nd and 3rd columns from the front. Then, rotate 1 tan 1x4 brick vertically. Place its 2 front rows to the left of the ppp. Next, place 1 red 1x1 round brick behind the ppp.

Continue by placing 1 reddish brown 1x2 slope brick horizontally on the 6th and 7th columns from the right of the 2nd row from the front, so that it slopes to the left. Then, place 1 red 1x1 round brick to the right of the ppp. Rotate 1 reddish brown 3x3 sloped left wedge brick vertically so that it slopes to the left. Place its rightmost column behind the ppp. Next, place 1 reddish brown 1x2 slope brick horizontally behind the ppp, so that it slopes to the left. Lastly, rotate 1 reddish brown 3x3 sloped left wedge brick vertically so that it slopes to the left. Place its 2 leftmost columns behind the ppp.

Group 4 – Base (left half, continued)

17. Place 1 medium nougat 1x2 brick horizontally on the 6th to 7th columns from the left of the 2nd row from the back. Then, place the back row of 1 reddish brown 4x4 plate with 2x2 open center to the left of the ppp. Next, place 1 lime 2x2 tile in the open center of the ppp.

18. Grab 4 reddish brown 2x2 corner bricks. Place the first one on the back left corner of the 4x4 plate with 2x2 open center from the previous step, so that it resembles an F in Braille. Then, take the second one and repeat symmetrically to the right, so that it resembles a D in Braille. Lastly, take the remaining two and repeat symmetrically to the front. Together, they should form a square surrounding the lime 2x2 tile. This empty 2x2 space is 1 of 5 where later we will be placing other modular builds (e.g., a tree, a sun dial).

19. Starting on this step and until step 24, we will build the left ridge of the stream.

Place 1 tan 1x4 brick vertically on the 2nd column from the left on the 7th to 10th rows from the back. Rotate 1 tan 1x4 brick horizontally. Place its leftmost column behind the ppp. Place the front row of 1 reddish brown 2x2 brick to the right of the ppp. Next, place 1 reddish brown 2x2 slope brick on the 2nd and 3rd rows from the back, on the 8th and 9th columns from the left, so that it slopes to the right. Place 2 reddish brown 1x1 tiles with upright clip, one in front of the other, to the right of the ppp, so that their clip hands face to the left and right. Place 1 reddish brown 3x3 sloped right wedge brick vertically, so that it points to the back. Place its leftmost column in front of the leftmost column of the reddish brown 2x2 slope brick.

20. Place 1 red 1x1 round brick in front of the leftmost column of the ppp. Rotate 1 tan 1x4 brick vertically. Place its back row to the left of the ppp. Rotate 1 white 1x4 plate vertically. Place its 3 back rows to the right of the 3 front rows of the ppp. Rotate 1 dark tan 2x4 left wedge plate vertically, so that it points to the front. Place it to the right of the ppp. Place 1 reddish brown 1x2 slope brick horizontally behind the ppp, so that it slopes to the right. Rotate 1 dark tan 2x4 left wedge plate vertically, so that it points to the front. Place its rightmost column (which has no studs) in front of the leftmost column of the ppp.

21. Place 1 reddish brown 2x2 brick on the 2nd and 3rd columns from the left on the 11th and 12th rows from the front. Then, place 1 tan 1x4 brick horizontally to the right of the back row of the ppp. Next, place 1 reddish brown 4x4 plate with 2x2 open center in front of the ppp. Lastly, place 1 medium nougat 1x2 brick horizontally to the left of the front row of the ppp.

22. Place 1 lime 2x2 tile in the 2x2 open center of the 4x4 plate from the previous step. Then, place 1 medium nougat 1x2 brick horizontally behind the ppp. Rotate 1 reddish brown 1x3 brick vertically. Place its back row to the left of the ppp.

23. Rotate 1 tan 2x2 triangular tile so that its right angle faces to the back left. Place its back left corner on the 8th row from the back of the 8th column from the left, in front of the red 1x1 round brick. Place 1 tan 2x4 plate vertically on the 6th and 7th columns from the left on the 2nd to 5th rows from the back. Place the 2 rightmost columns of 1 tan 6x6 plate in front of the ppp. Next, place 1 tan 2x4 plate vertically in front of the 2 leftmost columns of the ppp.

24. Place 1 reddish brown 2x2 slope brick in front of the ppp, so that it slopes to the front. Rotate 1 reddish brown 3x3 sloped right wedge brick horizontally, so that it points to the right. Place its front row to the right of the front row of the ppp. Rotate 1 reddish brown 2x2 slope corner so that its stud is to the back left. Place its back row to the right of the back row of the ppp. Rotate 1 reddish brown 3x3 sloped left wedge brick vertically, so that it points to the front. Place its leftmost column behind the leftmost column of the ppp. Locate 3 reddish brown 1x1 tiles with upright clip. Place the first one on the 2nd column from the left on the 5th row from the front, so that its clip hands face to the left and right. Then, place the second one on the 7th column from the left on the 6th row from the front, so that its clip hands face to the left and right. Place the last one 2 columns to the right and 2 rows to the back of the ppp, so that its clip hands face to the front and back.

The empty 2x2 space created in this space is the 2nd one of 5 where later we will be placing other modular builds (e.g., a tree, a sun dial).

Group 5 – Base (left half, continued)

25. Place 1 olive green 1x4 plate horizontally on the 5th row from the back on the 2nd to 5th columns from the left. Then, place 2 olive green 1x2 plates vertically behind the leftmost and rightmost columns of the ppp. Next, place 1 olive green 1x4 plate horizontally behind the 2 ppps. Rotate 1 olive green 2x4 plate vertically. Place its back row to the right of the ppp. Then, place 1 olive green 1x2 plate vertically to the right of the 2 back rows of the ppp. Rotate 1 olive green 2x4 wedge plate vertically, so that it points to the back. Place its leftmost column in front of the ppp. Rotate 1 olive green 2x4 pointed left wedge plate horizontally, so that it points to the left. Place it to the left of the 2 front rows of the ppp.

26. Place 1 olive green 1x4 plate horizontally on the 5th to 8th columns from the left on the 11th row from the front. Rotate 1 olive green 2x4 pointed left wedge plate vertically, so that it points to the front. Place it in front of the 2 rightmost columns of the ppp. Then, rotate 1 olive green 1x2 plate vertically. Place its back row to the left of the 1x4 plate. Rotate 1 olive green 2x4 plate vertically. Place its 2 front rows to the left of the ppp. Rotate 1 olive green 2x4 pointed left wedge plate horizontally, so that it points to the right. Place it to the right of the 2 back rows of the ppp. Rotate 1 olive green 3x3 corner plate so that its right angle is on the back left. Place its 2 leftmost columns in front of the 2x4 plate. Lastly rotate 1 olive green 2x4 wedge plate horizontally, so that it points to the right. Place it to the right of the 2 front rows of the ppp.

Book 1, bag 2:

When starting this bag, make sure that you have the base in front of you, with the stream flowing from the back of the build to the front left.

Group 6 – Base (left half, continued)

27. Place 1 dark bluish gray 1x1 brick with side studs on 2 adjacent sides on the left front corner, so that its side studs face to the front and left. Then, place 4 dark bluish gray 1x4 bricks with side studs horizontally, one to the right of the other, to the right of the ppp, so that their side studs face to the front. Next, locate 1 dark bluish gray 1x1 brick with side studs on 2 adjacent sides and 4 more dark bluish gray 1x4 bricks with side studs and repeat symmetrically on the back. Lastly, place 5 dark bluish gray 1x4 bricks with side studs vertically, one in front of the other, on the leftmost column, so that their side studs face to the left. Put the left half of the base to the side for now. Make sure that it stays in the same orientation.

Group 7 – Base (right half)

28. Place 1 black 6x16 plate horizontally in front of you. Then, place 1 light bluish gray 2x2 corner plate on the back right corner of the ppp, so that it resembles a D in Braille.

29. Locate 3 dark bluish gray 1x8 plates. Place the first 2 horizontally, one to the left of the other, to the left of the back row of the ppp, so that the last one overhangs to the left by 2 columns. Then, place the last one vertically in front of the right column of the 2x2 corner plate, so that it overhangs to the front by 4 rows.

30. Place 1 black 16x16 plate in front of the 6x16 plate, so that its 4 back rows of the rightmost column are attached under the overhang of the ppp.

31. Place 1 olive green 1x2 plate vertically in front of the 1x8 vertical plate on the rightmost column. Then, place 1 dark bluish gray 1x8 plate vertically in front of the ppp. Next, place 1 light bluish gray 2x2 corner plate in front of the ppp, on the front right corner of the build, so that it resembles a J in Braille. Lastly, place 2 dark bluish gray 1x8 plates horizontally, one to the left of the other, to the left of the front row of the ppp, so that the last one overhangs to the left by 2 columns.

32. Place 1 dark bluish gray 1x1 brick with side studs on 2 adjacent sides on the back right corner, so that its side studs face to the back right. Then, place 3 dark bluish gray 1x4 bricks with side studs horizontally, one to the left of the other, to the left of the ppp, so that their side studs face to the back. Lastly, place 5 dark bluish gray 1x4 bricks with side studs vertically, one in front of the other, in front of the 1x1 brick with side studs on 2 adjacent sides, so that their side studs face to the right.

Group 8 – Base (right half, continued)

33. Place 1 reddish brown 1x3 brick horizontally on the 2nd to 4th columns from the right on the 2nd row from the front. Then, place 1 medium nougat 1x2 brick vertically behind the rightmost column of the ppp. Next, place 1 lime 2x2 tile to the left of the ppp. Rotate 1 reddish brown 2x3 brick horizontally. Place its 2 leftmost columns behind the ppp.

Place 1 red 1x1 round brick on the 2nd column from the right on the 12 row from the back. Rotate 1 light bluish gray 2x10 brick vertically. Place its rightmost column behind the ppp.

34. Place 1 white 1x12 brick horizontally to the left of the back row of the ppp. Then, place 3 light bluish gray 2x4 bricks horizontally, one to the left of the other, to the left of the 5th and 6th rows from the back of the 2x10 brick. Lastly, place 1 white 1x12 brick horizontally to the left of the front row of the 2x10 brick.

Place 1 light bluish gray 2x10 brick vertically in front of the 2nd and 3rd columns from the right of the ppp. Then, place 1 medium nougat 1x2 brick horizontally to the left of the 2nd row from the back of the ppp. Place 1 reddish brown 1x6 brick vertically on the 2nd to 7th rows from the front of the 7th column from the right. Lastly, place 1 red 1x1 round brick behind the ppp.

35. Place 1 dark tan 1x2 tile horizontally on the 8th and 9th columns from the right on the 2nd row from the front. Then, place 1 lime 2x2 tile on the 8th and 9th columns from the right on the 5th and 6th rows from the front. Lastly, place 1 reddish brown 1x3 brick vertically on the 9th column from the right on the 9th to 11th rows from the front.

Group 9 – Base (right half, continued)

36.1 We need to build 2 identical sub-builds. Let's begin with the first one. Place 1 tan 2x2 plate in front of you. Then, place 1 reddish brown 1x2 rounded plate with open studs horizontally on the back row of the ppp.

36.2 Place 1 reddish brown 1x2 rounded plate with open studs horizontally in front of the ppp.

36.3 Place 1 olive green 1x2 brick with side studs horizontally on the back row of the sub-build, so that its side studs face to the front. Attach 1 olive green 1x2 plate horizontally upright to the front-facing side studs of the ppp. Lastly, attach 1 dark tan 1x2 tile horizontally upright to the ppp.

36.4 The sub-build is complete. Place it on the 8th and 9th columns from the right on the 3rd and 4th rows from the front, behind a dark tan 1x2 tile.

36.5 Build a second sub-build by repeating steps 36.1 to 36.3. Place it on the 8th and 9th columns from the right on the 7th and 8th rows from the front, behind a lime 2x2 tile.

37. Place 1 light bluish gray 2x10 brick vertically on the 10th and 11th columns from the right on the 2nd to 11th rows from the front. It should be to the left of the 2 sub-builds from the previous step. Locate 3 tan 1x4 bricks. Place the first one horizontally to the left of the front row of the ppp. Place the second one horizontally to the left of the 6th row from the front of the 2x10 brick. Place the last one vertically behind the leftmost column of the ppp.

38. Place 1 dark bluish gray 1x1 brick with side studs on 2 adjacent sides on the front right corner, so that its side studs face to the front and right. Then, place 3 dark bluish gray 1x4 bricks with side studs horizontally, one to the left of the other, to the left of the ppp, so that their side studs face to the front.

39. Bring back the base's left half. Place the 2 overhanging left columns of the front and back rows of the right half on top of the 2 rightmost columns of the base's left half.

40. Place 2 light bluish gray 2x10 bricks vertically, one behind the other, on the 16th and 17th columns from the right, so that together they are centered vertically.

41. Locate 2 dark bluish gray 1x4 bricks with side studs. Place the first one horizontally on the gap located on the 14th to 17th columns from the right of the front row, so that its side studs face to the front. Take the second one and repeat symmetrically on the back. Locate 2 black 1x2 bricks with side studs. Place the first one horizontally to the left of the ppp, so that its side studs face to the back. Take the second one and repeat symmetrically on the front.

Group 10 – Base (sides)

42. Rotate 1 dark bluish gray 2x2 tile with a round side upright, so that its antistuds face to the back and its round side faces to the left. Attach its top row to the 2 leftmost columns of front-facing side studs. Then, attach 1 dark bluish gray 2x4 tile horizontally upright to the right of the ppp. Next, attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces to the right.

Attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces up. Then, attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces down. Next, attach 1 dark bluish gray 2x4 tile horizontally upright to the right of the ppp.

Attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces to the left. Then, attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces to the right. Next, attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces down.

Attach 1 dark bluish gray 2x4 tile horizontally upright to the right of the ppp. Then, attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces to the left. Next, attach 1 dark bluish gray 2x2 jumper plate to the right of the ppp.

Attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces to the right. Attach 1 dark bluish gray 2x4 tile horizontally upright to the right of the ppp.

43. Rotate the build 90 degrees clockwise, so that the tiled side from the previous step faces to the left.

Rotate 1 dark bluish gray 2x2 tile with a round side upright, so that its antistuds face to the back and its round side faces to the left. Attach its top row to the 2 leftmost columns of front-facing side studs. Then, attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces to the right. Then, attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces down.

Attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces up. Then, attach 1 dark bluish gray 2x4 tile horizontally upright to the right of the ppp. Next, attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces left.

Attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces right. Then, attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces down. Next, attach 1 dark bluish gray 2x4 tile horizontally upright to the right of the ppp.

44. Rotate the build 90 degrees clockwise, so that the tiled side from the previous step faces to the left.

Rotate 1 dark bluish gray 2x2 tile with a round side upright, so that its antistuds face to the back and its round side faces to the left. Attach its top row to the 2 leftmost columns of front-facing side studs. Then, attach 1 dark bluish gray 2x4 tile horizontally upright to the right of the ppp. Next, attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces to the right.

Attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces up. Then, attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces down. Next, attach 1 dark bluish gray 2x4 tile horizontally upright to the right of the ppp.

Attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces to the left. Then, attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces to the right. Next, attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces down.

Attach 1 dark bluish gray 2x4 tile horizontally upright to the right of the ppp. Then, attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces to the left. Next, attach 1 dark bluish gray 2x2 jumper plate to the right of the ppp.

Attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces to the right. Attach 1 dark bluish gray 2x4 tile horizontally upright to the right of the ppp.

45. Rotate the build 90 degrees clockwise, so that the tiled side from the previous step faces to the left.

Rotate 1 dark bluish gray 2x2 tile with a round side upright, so that its antistuds face to the back and its round side faces to the left. Attach its top row to the 2 leftmost columns of front-facing side studs. Then, attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces to the right. Then, attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces down.

Attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces up. Then, attach 1 dark bluish gray 2x4 tile horizontally upright to the right of the ppp. Next, attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces left.

Attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces right. Then, attach 1 dark bluish gray 2x2 tile with a round side upright to the right of the ppp, so that its round side faces down. Next, attach 1 dark bluish gray 2x4 tile horizontally upright to the right of the ppp.

Book 1, bag 3:

When starting this bag, make sure that you have the base vertically in front of you, with the stream flowing from the left of the build to the right front.

Group 11 – Base

46. Rotate the build 90 degrees counterclockwise, so that the tiled side from the previous step faces to the right. The stream should now flow from the front to the back right.

Place 1 reddish brown 4x4 plate with 2x2 open center on the 2nd to 5th columns from the left of the 2nd to 5th rows from the back. This empty 2x2 space is the 3rd of 5 where later we will be placing other modular builds (e.g., a tree, a sun dial).

Then, place 1 tan 4x6 plate vertically in front of the ppp. Rotate 1 tan 2x4 plate vertically. Place it to the right of the 4 front rows of the ppp. Next, place 1 dark tan 2x6 plate vertically behind the ppp. Lastly, place 1 tan 2x3 plate vertically to the right of the 3 front rows of the tan 2x4 plate.

47. Rotate 1 tan 4x6 plate horizontally. Place its 3 front rows to the right of the ppp. Then, place 1 reddish brown 1x6 plate vertically behind the leftmost column of the ppp. Next, place 1 tan 6x6 plate to the right of the ppp. Continue by placing 1 reddish brown 1x6 plate vertically to the right of the ppp. Rotate 1 tan 2x4 plate vertically. Place its rightmost column in front of the ppp. Rotate 1 tan 2x4 plate vertically. Place its 2 front rows to the right of the 2 back rows of the ppp. Rotate 1 tan 2x2 triangular tile so that its right angle faces to the back left. Place its leftmost column in front of the rightmost column of the ppp. Lastly, place 1 olive green 1x1 quarter round tile 2 rows in front of the leftmost column of the ppp, so that its curved edge faces to the back right.

The empty 2x2 space created in this step is the 4th of 5 where later we will be placing other modular builds (e.g., a tree, a sun dial).

48. Find 4 tan 4x10 plates. Place the first one vertically on the 2nd to 5th columns from the left of the 2nd to 11th rows from the front. Then, place the remaining 3 plates vertically, one to the right of the other, to the right of the ppp.

The empty 2x2 space located to the right of the ppp is the last one of 5 where later we will be placing other modular builds (e.g., a tree, a sun dial).

Group 12 – Base (sides)

49. Place 1 dark bluish gray 1x2 rounded tile vertically on the 2 front rows of the leftmost column. Then, place 1 dark bluish gray 1x8 tile vertically behind the ppp. Next, place 1 dark bluish gray 1x2 rounded tile vertically behind the ppp. Continue by placing 1 dark bluish gray 1x8 tile vertically behind the ppp. Lastly, place 1 dark bluish gray 1x2 rounded tile vertically behind the ppp. Grab 3 dark bluish gray 1x2 rounded tiles and 2 dark bluish gray 1x8 tiles and repeat symmetrically on the right.

Place 1 dark bluish gray 1x2 rounded tile horizontally on the 2nd and 3rd columns from the left of the front row. Then, place 1 dark bluish gray 1x8 tile horizontally to the right of the ppp. Next, place 1 dark bluish gray 1x2 rounded tile horizontally to the right of the ppp. Continue by placing 1 dark bluish gray 1x8 tile horizontally to the right of the ppp. Then, place 2 dark bluish gray 1x2 rounded tiles horizontally, one to the right of the other, to the right of the ppp. Next, place 1 dark bluish gray 1x8 tile horizontally to the right of the ppp. Lastly, place 1 dark bluish gray 1x2 rounded tile horizontally to the right of the ppp. Locate 5 dark bluish gray 1x2 rounded tiles and 3 dark bluish gray 1x8 tiles and repeat symmetrically on the back.

We have tiled the whole edge of the build's base. Since we will not place anything on top of it, from this step onwards the reference for rows and columns will not consider the edge of the base.

Group 13 – Base (grass)

50. Place 1 olive green 3x3 plate on the front left corner. Then, place 1 dark bluish gray 2x2 jumper plate behind the 2 rightmost columns of the ppp. Continue by placing 1 tan 1x2 tile vertically to the left of the ppp. Next, place 1 olive green 1x3 tile horizontally behind the 2 ppps.

Place the back row of a 2x2 tile to the right of the ppp. Then, place 1 olive green 2x4 tile vertically in front of the ppp. Continue by placing 1 dark bluish gray 2x2 jumper plate to the right of the 2 front rows of the ppp. Next, place 1 olive green 2x4 tile vertically behind the ppp.

Place 1 dark tan 1x2 tile vertically to the right of the 2 back rows of the ppp. Then, place 1 dark bluish gray 2x2 jumper plate to the right of the ppp. Continue by placing 1 light bluish gray 1x1 tile to the right of the front row of the ppp. Next, place 2 olive green 2x4 tiles horizontally, one in front of the other, in front of the 3 ppps.

51. Place 2 olive green 2x4 tiles horizontally, one behind the other, on the 1st to 4th columns from the left on the 7th to 10th rows from the front. This is directly behind the section we just tiled in the previous step. Rotate 1 olive green 2x4 pointed left wedge plate horizontally so that it points to the right. Place it behind the ppp.

Place 1 dark tan 1x4 tile horizontally on the 5th to 8th columns from the left on the row in front of the ppp. Then, place 1 dark bluish gray 2x2 jumper plate in front of the 2 leftmost columns of the ppp. Rotate 1 olive green 1x3 tile horizontally. Place its 2 leftmost columns in front of the ppp. Continue by placing 1 olive green 1x3 tile horizontally to the right of the ppp. Next, place 1 olive green 2x4 tile horizontally behind the ppp, so that its right edge is flush with the ppp. Lastly, rotate 1 olive green 1x4 plate vertically. Place its 2 back rows to the right of the ppp.

52. Rotate 1 olive green 2x8 plate vertically. Place its 3 back rows to the right of the 3 front rows of the ppp. Then, place 1 olive green 2x8 plate vertically to the right of the ppp. Continue by placing 1 olive green 1x4 plate vertically to the right of the 4 front rows of the ppp. Place 1 olive green 1x2 plate horizontally to the right of the back row of the ppp. Lastly, place 1 olive green 1x4 plate horizontally to the right of the front row of the 1x4 plate.

53. Rotate 1 olive green 2x4 right wedge plate vertically, so that it points to the back. Place it behind the 2 rightmost columns of the ppp. Then, place 1 olive green 1x3 tile horizontally to the left of the back row of the ppp. Continue by placing 1 olive green 2x2 plate behind the 2 leftmost columns of the ppp. Next, place 1 olive green 2x2 wedge plate with cut corner to the right of the ppp, so that its right angle faces to the front left. Place 1 olive green 1x1 quarter round tile behind the leftmost column of the ppp, so that its curved edge faces to the back right. Rotate 1 olive green 2x2 wedge plate with cut corner so that its right angle faces to the front left. Place its front row to the left of the ppp. Then, place 1 olive green 1x4 plate horizontally to the left of the back row of the ppp. Rotate 1 olive green 2x4 right wedge plate horizontally, so that it points to the left. Place its rightmost column behind the leftmost column of the ppp. Lastly, place 1 olive green 2x4 pointed left wedge plate horizontally to the right of the ppp, so that it points to the right.

Group 14 – Base (grass, continued)

54. Place 1 olive green 1x2 plate horizontally on the 2nd and 3rd columns from the left on the back row. Rotate 1 olive green 1x4 plate vertically. Place its back row to the left of the ppp. Place 1 olive green 1x2 plate horizontally to the right of the front row of the ppp. Rotate 1 olive green 2x4 plate vertically. Place its front row to the right of the ppp.

Place 1 olive green 1x4 plate horizontally to the right of the back row of the ppp. Then, place 2 olive green 1x2 plates vertically in front of the leftmost and rightmost column of the ppp. Continue by placing 1 olive green 2x4 plate horizontally in front of the 2 ppps. This will create 2 horizontal slots, where later we will place the wheels of a wheelbarrow.

Place 1 olive green 1x2 plate vertically in front of the leftmost column of the ppp. Rotate 1 olive green 2x4 pointed left wedge plate horizontally, so that it points to the left. Place it to the left of the ppp. Place 1 olive green 1x3 tile horizontally behind the 3 rightmost columns of the ppp. Lastly, place 1 olive green 1x2 plate horizontally to the left of the ppp.

55. Place 1 olive green 2x8 plate horizontally on the 10th to 17th columns from the left of the 2 back rows. Then, place 1 olive green 3x3 plate in front of the 3 leftmost columns of the ppp. Rotate 1 olive green 2x4 right wedge plate horizontally, so that it points to the right. Place its 3 rightmost columns in front of the ppp.

Place the front row of 1 olive green 2x2 plate to the right of the back row of the ppp. Rotate 2 olive green 2x4 plates horizontally. Take the first one and place its 2 leftmost columns behind the ppp. Take the second one and place it to the right of the olive green 2x2 plate. Rotate 1 olive green 2x4 pointed left wedge plate horizontally, so that it points to the left. Place it in front of the ppp.

Place 1 olive green 2x2 plate on the 18th and 19th columns from the left of the 2 back rows, to the right of the olive green 2x8 plate and behind the right column of one of the 2x2 holes on the ground. Rotate 1 olive green 2x2 wedge plate with cut corner so that its right angle faces to the back left. Place it to the right of the ppp. Then, place the rightmost column of a 2x2 plate in front of the leftmost column of the ppp. Lastly, rotate 1 olive green 2x4 pointed left wedge plate vertically, so that it points to the front. Place it in front of the ppp.

Group 15 – Base (legs)

56. Flip the base upside down from front to back. Find 4 dark tan 2x6 plates. Place the first one horizontally on the 2nd and 3rd rows from the front on the 16th to 21st columns from the left, so that it is centered horizontally. Its left column should be on top of the rightmost column of the front left 16x16 plate, while its right column should be on top of the leftmost column of the front right 16x16 plate. Place the next 2 dark tan 2x6 plates vertically behind the 2 leftmost and the 2 rightmost columns of the ppp. Place the last 2x6 plate horizontally behind the 2 ppps.

Locate 2 light bluish gray 2x2 plates. Place the first one 8 and 9 columns to the left of the ppp. Take the second one and repeat symmetrically to the right.

Grab 3 dark tan 2x6 plates. Place the first 2 vertically behind the 2 leftmost and the 2 rightmost columns of the last dark tan 2x6 plate that we placed (it is horizontal and at the center of the base). Lastly, place the remaining one horizontally behind the 2 ppps.

57. Grab 6 black 2x2 thin round plates with stem. Place the first 2 on top of the 2 light bluish gray 2x2 plates from the previous step. Place the next one on the 2nd and 3rd row from the front on the 16th and 17th columns from the left (on the 2 leftmost columns of the dark tan 2x6 plate). Place the next one on the 2nd and 3rd row from the front on the 16th and 17th columns from the right (on the 2 rightmost columns of the dark tan 2x6 plate). Next, take the remaining 2 and repeat symmetrically on the back.

Lastly, place 1 dark bluish gray 2x2 brick with vertical channels and axle hole on each of the four corners of the base, so that they have no overhang.

58. Locate 6 black smooth tires. Attach them to the stem of each of the black 2x2 thin round plates with stem from the previous step. Find 4 dark bluish gray 2x2 inverted round tiles. Attach them to each of the dark bluish gray 2x2 bricks with vertical channels and axle hole from the previous step.

Book 1, bag 4:

When starting this bag, the base should be horizontally in front of you and upside down.

Group 16 – Vegetation and decorations

59. Flip the base right side up from front to back. Then, rotate it 180 degrees in the horizontal plane. The stream should flow from back to front left of the base.

Let's add a contour to each of the 5 2x2 holes where later we will be placing other modular builds (e.g., a tree, a sun dial).

Find 4 olive green 2x2 corner tiles with cut corner. Rotate the first one so that its cut corner faces to the back left. Place it on the back left corner of the base. Take the second one and place it symmetrically to the right of the ppp. Take the remaining 2 and place them symmetrically in front of the 2 ppps.

Grab 16 more olive green 2x2 corner tiles with cut corner and place them similarly around the 4 2x2 holes located in the following locations: 4th and 5th columns from the left on the 12th and 13th rows from the back; 2nd and 3rd columns from the right on the 2nd and 3rd rows from the front; 17th and 18th columns from the right on the 3rd and 4th rows from the front; and 18th and 19th columns from the right on the 2nd and 3rd rows from the back.

60. Locate 4 reddish brown 2x2 round tiles with open stud. Place the first one on the 12th and 13th columns from the right on the 1st and 2nd rows from the back. This is 3 and 4 columns to the right of the contour of the 2x2 hole located on the middle back of the base. Place the second one in front of the ppp. Then, place the 3rd one 3 and 4 rows in front of the ppp. Place the last one 3 and 4 columns to the left and 1 row behind the ppp.

Place 1 dark bluish gray 2x2 corner tile with cut corner on the 2nd and 3rd rows from the back on the 14th and 15th columns from the right, so that its cut corner faces to the front right. This is to the right of the contour of the 2x2 hole located on the middle back of the base. Then, place 1 dark bluish gray 1x1 quarter round tile on the back left corner of the ppp, so that its curved edge faces back left. Together, they form one cobblestone.

Place 1 dark bluish gray 2x2 corner tile with cut corner 2 and 3 rows in front of the previous cobblestone, so that its cut corner faces to the front left. Then, place 1 dark bluish gray 1x1 quarter round tile on the back right corner of the ppp, so that its curved edge faces back right. This is a second cobblestone.

Place 1 dark bluish gray 2x2 corner tile with cut corner 2 and 3 rows in front of the previous cobblestone, so that its cut corner faces to the front right. Then, place 1 dark bluish gray 1x1 quarter round tile on the back left corner of the ppp, so that its curved edge faces back left. This is the third cobblestone.

61. Let's place 2 rocks in the stream. For the first one, find the 2x4 vertical studded surface located on the left part and about halfway from back to front of the vertical section of the stream. Place 1 dark bluish gray 2x2 corner tile with cut corner on the middle of said surface, so that its cut corner faces to the front right. Then, place 1 dark bluish gray 1x1 quarter round tile on the back left corner of the ppp, so that its curved edge faces back left.

For the second rock, find the 2x3 horizontal studded surface located to the right of the previous rock. Place 1 dark bluish gray 2x2 corner tile with cut corner on the 2 leftmost columns of said surface, so that its cut corner faces to the back right. Then, place 1 dark bluish gray 1x1 quarter round tile on the front left corner of the ppp, so that its curved edge faces front left.

Let's place 2 lily pads on the stream. For the first one, find the 2x4 vertical studded surface located on the right and back part of the vertical section of the stream. Find 3 bright green 1x1 quarter round tiles. Place the first one on the 3rd row from the back of the leftmost column of said studded surface, so that its curved edge faces back left. Place the second one symmetrically to the right of the ppp. Place the last one symmetrically in front of the ppp.

For the second lily pad, place the left column of 1 bright green 2x2 round tile with open stud in front of the ppp.

Group 17 – Vegetation and decorations (continued)

62. Place 1 olive green frog on top of the ppp, so that it faces to the left.

62.1 Let's make two identical builds for 2 bulrush plants (also known as reedmaces), beginning with the first one. Place 1 dark brown 1x1 round plate in front of you. Then, place 1 dark green 1x1 round plate with open stud and curved upright leaf on top of the ppp, so that the leaf points to the right.

62.2 Place 1 dark green 1x1 round plate with open stud and curved upright leaf on top of the ppp, so that the leaf points to the back.

62.3 Insert 1 tan 3L bar vertically upright into the open studs.

62.4 Attach 1 dark brown candle element vertically upright to the ppp.

62.5 The build is complete. Place it behind the right column of the first lily pad from the previous step, so that its leaves point to the right and back.

62.6 Build a second plant by repeating steps 62.1 to 62.4. Then, find the 2x2 studded surface located on the front right corner of the stream. Place the second plant on the back right corner of said studded surface, so that its leaves point to the left and front.

63. Find 2 dark brown 1x1 round plates. Place the first one on the 7th column from the left on the 2nd row from the back. Then, place the second one 3 rows in front of the ppp.

Along the left ridge of the stream, we have 5 clips that follow a path from back to front left. Rotate 2 pearl gold claws vertically upright, so that its bar faces to the back and its claws point up. Attach the first one to the clip located on the back left corner of the stream. Attach the second one to the clip in front of the ppp.

Grab 2 yellow plume feathers. Rotate the first one so that its bar faces to the left and its plume feathers face to the front. Attach it to the 3rd clip located along the left ridge of the stream. Rotate the second one so that its bar faces to the back and its plume feathers face to the left. Attach it to the 4th clip, located in front and to the left of the previous one.

Finally, attach 1 pearl gold claws vertically upright to the last clip, located on the back left of the horizontal segment of the stream.

This page has an insert with the following text: "The LEGO feather element is perfect for golden willow leaves floating in the stream."

64.1 Insert the pin of 1 dark green candle into the 2x2 round tile with open stud located on the 12th and 13th columns from the right on the 1st and 2nd rows from the back. Then, attach one more dark green candle vertically upright into the ppp.

64.2 Insert 1 dark green 3L bar vertically upright into the ppp. Then, slide 1 dark green 1x1 round plate with leaves into the ppp, so that its leaves face to the left and the 3L bar protrudes up.

64.3 Attach 1 green 1x1 round plate with clip on bottom upright to the middle of the protruding 3L bar, so that its stud faces to the front left. Then, attach 1 yellow 1x1 round plate with petals upright to the ppp. Lastly, attach 1 dark brown 1x1 round plate to the ppp.

65.1 Insert the pin of 1 dark green candle into the 2x2 round tile with open stud located in front of the previous flower.

65.2 Insert 1 dark green 3L bar vertically upright into the ppp. Then, slide 1 dark green 1x1 round plate with leaves into the ppp as far as it can go, so that its leaves face to the left and the 3L bar protrudes up.

65.3 Attach 1 green 1x1 round plate with clip on bottom upright to the middle of the protruding 3L bar, so that its stud faces to the front left. Then, attach 1 yellow 1x1 round plate with petals upright to the ppp. Lastly, attach 1 dark brown 1x1 round plate to the ppp.

66.1 Attach 1 dark green plant stem with 6 stems to the 2x2 round tile with open stud located 3 and 4 rows in front of the previous flower.

66.2 Attach 1 orange flower with indent underneath to each of the 6 stems of the ppp.

66.3 Find 2 sand green plant stems with 3 stems. Attach the first one to the 2x2 round tile with open stud located 3 and 4 columns to the left of the previous flowers. Then, attach the second one on top of the ppp, so that its stems are offset from those of the ppp.

66.4 Attach 1 lavender flower with bar underneath to each of the 6 stems of the 2 ppps.

Group 18 – Vegetation and decorations (continued)

67.1 Let's build a small lantern. Place 1 black 1x1 round plate with pin on the back row on the 6th column from the left. This is 2 columns to the right of the contour of the 2x2 hole located on the back left of the base. Attach 1 black weapon hilt vertically upright to the ppp. Next, place 1 transparent yellow 1x1 round brick on top of the ppp.

67.2 Place 1 black lantern on top of the ppp. The lantern is complete.

67.3 Let's build a small garden gnome. Place 1 dark brown 1x1 round plate on the 12th column from the right on the 15th row from the back. This is 2 rows in front of the right column of the orange flowers (with indent underneath) from the previous step. Then, place 1 blue 1x1 short brick on top of the ppp.

67.4 Place 1 white minifigure beard on top of the ppp, so that it faces to the front. Hold it in place by placing 1 tan plain minifigure head on top of the 1x1 short brick.

67.5 Lastly, place 1 red cone hat on top of the ppp, so that its point faces to the back.

This page has an insert with the following text: "Garden gnomes bring luck, or at least fun, to your garden. Legend says, they wear white hats if they want to be seen, red if they want to hide! This point LEGO hat debuts in red for the first time."

68.1 Let's make a small build for a bench. Place 1 black 1x2 plate with clips on long edge vertically in front of you, so that its clips face to the left. Place 1 medium nougat 1x4 tile with wood grain and nails pattern vertically on top of the ppp, so that it overhangs to the front by 2 rows.

68.2 Place 1 black 1x2 plate with clips on long edge vertically under the overhang of the ppp, so that its clips face to the left.

68.3 Attach 2 black 1x2 plates with handle on long end vertically to the left-facing clips.

68.4 Place 1 medium nougat 1x4 tile with wood grain and nails pattern vertically on top of the 2 ppps.

68.5 The build is complete. Place its rightmost column (the bench's base) on top of the 2 dark brown 1x1 round plates located on the 7th column from the left on the 2nd and 5th rows from the back. This is in front of the lantern from the previous step. Then, bring the bench's backrest upright as much as possible.

69.1 Let's make a small build for a bird house. Place 1 tan 2x2 plate in front of you. Then, place 1 medium nougat 1x2 brick horizontally on the back row of the ppp.

69.2 Place 1 medium nougat 1x2 brick with hole horizontally in front of the ppp, so that its hole faces to the front.

69.3 Place 2 dark brown 1x2 sloped tiles vertically, one to the right of the other, on top of the bird house build, so that they slope to the front.

69.4 Attach 1 dark tan 1x1x3 brick centered under the bird house build.

69.5 The bird house is complete. Place it on the 2nd column from the left on the 4th row from the front. This is to the right of the pearl gold claws attached to a clip on the left of the horizontal segment of the stream.

69.6 Lastly, let's place 1 small snail onto our build. Attach 1 nougat snail body to the front-facing side stud of the base's edge, so that its eyes face up left. Attach 1 reddish brown 1x1 round plate with swirl to the ppp.

Put the base to the side for now. Make sure that it keeps the same orientation.

Book 1, bag 5:

Group 19 – Cottage

70. Let's build the cottage. Place 1 dark tan 2x6 plate vertically in front of you. Place 1 light bluish gray 1x4 masonry brick horizontally on top of the back row of the ppp, so that its brick pattern faces to the back and it overhangs to the right by 2 columns.

71. Rotate 1 dark tan 4x6 tile with studs on edge vertically, so that its studless edge is to the right. Place the 2 leftmost columns of the back row under the overhang of the ppp.

72. Place 1 light bluish gray 1x4 masonry brick horizontally on top of the back row of the ppp, so that its brick pattern faces to the back and it overhangs to the right by 2 columns. Rotate 1 dark tan 4x6 tile with studs on edge vertically, so that its studless edge is to the left. Place the 2 leftmost columns of the back row under the overhang of the ppp.

73. Place 1 light bluish gray 1x2 masonry brick horizontally on the 2 rightmost columns of the back row of the ppp, so that its brick pattern faces to the back.

74. Locate 2 black 1x3 plates. Place the first one horizontally on the 3 leftmost columns of the back row. Take the second one and repeat symmetrically on the right. Find 2 reddish brown 1x2 plates with 1x2 inverted curved slope. Place the first one to the left of the ppp, so that it slopes and leaves 1 row exposed to the back. Take the second one and repeat symmetrically on the left.

75. Place 1 white 1x8 plate horizontally on the 2nd row from the back (considering that we added an additional exposed row with the 2 ppps), so that it is centered horizontally.

76. Place 1 dark green 1x2 jumper plate horizontally on the back row, so that it is centered horizontally.

77. Grab 3 dark green 1x1 round plates with leaves. Place the first one to the left of the ppp, so that its leaves face to the back left. Take the second one and repeat symmetrically on the right. Place the third one on top of the 1x2 jumper plate, so that its leaves face to the back. Lastly, place 1 dark red 1x1 round plate with petals on top of each of the 3 1x1 round plates with leaves.

78. Place 2 white 1x4 plates horizontally, one to the right of the other, on the back row (considering that we no longer have an additional exposed row at the back), so that together they are centered horizontally.

Group 20 – Cottage (continued)

79. Place 2 black 1x2x2 windows horizontally, one to the right of the other, on the back row, so that together they are centered horizontally and their windows face to the back. Attach 1 pearl gold 1x2x2 lattice window pane to the front of each of the 2 ppps. Lastly, place 1 black 1x2 plate with handle on long edge horizontally on top of each of the windows, so that its handle faces to the back.

80.1 Let's make two identical small sub-builds. Let's begin with the first one. Place 1 black 1x2 plate with 1x2 inverted upright plate in front of you, so that its 1x2 plate is vertically upright and its anti-studs face to the right.

80.2 Attach 2 white 1x2 plates vertically upright to the right-facing antistuds.

80.3 Attach 1 white 1x2 plate vertically upright to the left-facing studs. Then, attach 1 white 1x2 tile vertically upright to the ppp.

80.4 The sub-build is complete. Place it on the 2nd and 3rd columns from the left of the back row.

80.5 Build a second identical sub-build by following steps 80.1 to 80.3. Place the second sub-build symmetrically on the right. Notice that the white 1x2 tile should face to the right.

81. Locate 2 black 1x1x3 bricks. Place the first one on the leftmost column of the back row. Take the second one and repeat symmetrically on the right.

Group 21 – Cottage (continued)

82. Place 1 black 1x1 plate on top of each of the 2 ppps.

Let's make a small sub-build. Place 1 white 1x8 plate horizontally in front of you. Find 2 black 1x2 plates. Place the first one horizontally under the 2 leftmost columns of the ppp. Take the second one and repeat symmetrically on the right. The sub-build is complete. Place it horizontally on the back row, so that it is centered horizontally.

Place the cottage build to the side for now. Make sure that it keeps the same orientation.

83. Let's build the cottage's left wall. Place 1 light bluish gray 1x4 masonry brick horizontally in front of you, so that its brick pattern faces to the front. Grab 2 black 1x1 plates. Place the first one on the leftmost column of the ppp. Take the second one and repeat symmetrically on the right.

84. Place 1 reddish brown 1x2 plate with 1x2 inverted curved slope on the back row, so that it is centered horizontally and it slopes to the front.

85. Place 2 white 1x4 plates horizontally, one on top of the other, on the back row, so that they are centered horizontally.

86. Place 1 black 1x2x2 window horizontally on the back row, so that it is centered horizontally and its window faces to the front. Attach 1 pearl gold 1x2x2 lattice window pane to the ppp from the back.

87. Place 1 black 1x2 plate with handle on long edge horizontally on top of the window, so that its handle faces to the front.

88. Find 2 black 1x1 plates. Place them on the leftmost and rightmost columns of the back row.

Group 22 – Cottage (continued)

88 (continued). Place 1 white 1x1 plate on top of each of the 2 ppps. Place 1 white 1x1 brick on top of each of the 2 ppps. Place 1 white 1x1 plate on top of each of the 2 ppps.

Group 23 – Cottage (continued)

88 (continued). Place 1 black 1x1 plate on top of each of the 2 ppps.

89. Place 1 white 1x4 plate horizontally on top of the back row.

90. Grab 2 dark green 1x1 round plate with leaves. Place the first one on the leftmost column of the front row, so that its leaves face to the front left. Take the second one and repeat symmetrically on the right. Lastly, place 1 dark red 1x1 round plate with petals on top of each of the 2 ppps.

91. The left wall sub-build is ready. Rotate it 90 degrees clockwise on the horizontal plane, so that its leaves are on the left. Bring back the main build for the cottage. Place the left wall on the leftmost column of the cottage build, so that there is 1 exposed row at the front.

92. Let's add some stone steps to enter the cottage. Locate 2 dark bluish gray 2x2 tiles with a round side. Take the first one and rotate it so that its round edge faces to the right. Place its back row on the 3rd and 4th column from the right of the front row, so that it overhangs to the front by 1 row. Take the second one and place it to the left of the ppp, so that its round edge faces to the left and it also overhangs to the front by 1 row.

Rotate 1 dark bluish gray 2x6 plate with double rounded corner horizontally, so that its straight long edge is to the back. Place its back row under the overhang of the 2 ppps, so that it is centered horizontally.

Group 24 – Cottage (continued)

93.1 Let's make a small build for a table with a cutting board. Place 1 reddish brown 1x3 plate horizontally in front of you.

93.2 Rotate 2 reddish brown 1x2 log bricks vertically. Place the back row of the first one under the leftmost column of the ppp, so that it has 1 exposed row to the front. Take the second one and repeat symmetrically on the right.

93.3 Rotate 1 reddish brown 3x3 round corner plate so that its rounded edge faces to the front right. Place its back row on top of the front row of the table build, so that it overhangs to the front by 2 rows.

93.4 Place 1 reddish brown 1x2 log brick horizontally under the front row of the ppp.

93.5 Rotate 1 tan 2x2 corner tile so that its long right angle is to the back right. Place its back row on top of the 2 leftmost columns of the back row of the table build.

93.6 Find 2 reddish brown 1x1 plates with upright clips. Place the first one on the back right corner of the table build, so that its clip hands face to the front and back. Place the second one on the front left corner of the table build, so that its clip hands face to the front and back. Then, place 1 tan 1x2 jumper plate vertically behind the ppp. Lastly, place 1 tan 1x1 plate to the right of the front row of the ppp.

93.7 Attach the handle of 1 flat silver cleaver to the clip on the back right corner of the table, so that its edge is to the left and faces to the front. Attach 1 bright green bar with 3 stems horizontally to the clip on the front left corner of the table, so that its 3 stems face to the right. Lastly, find 2 orange 1x1 round tiles. Place the first one on the jumper plate on the leftmost column. Place the second one on the 2nd column from the left on the 2nd row from the front, to the right and slightly in front of the ppp.

93.8 Place the table inside the cottage, all the way to the back and to the left of its interior. This should leave the front row of the cottage free (excluding the stone steps).

This page has an insert with the following text: "Looks like someone has been chopping vegetables from the garden. What could they be making?"

Place the cottage build to the side for now. Make sure that it keeps the same orientation.

Book 1, bag 6:

Group 25 – Cottage (continued)

94. Let's build the cottage's right wall, which has a fireplace. Place 1 dark bluish gray 2x4 plate horizontally in front of you. Then, place 1 transparent red 1x2 plate horizontally on the back row, so that it is centered horizontally.

95. Place 2 reddish brown 1x1 round tiles with bar and pin hole in front of the ppp.

96. Attach 1 transparent orange candle flame to each of the 2 ppps.

97. Locate 2 dark bluish gray 1x2 inverted arches. Place the first one vertically on the leftmost column, so that it slopes to the back. Take the second one and repeat symmetrically on the right.

98. Place 1 dark bluish gray 1x1 brick with side stud on top of each of the 2 ppps, so that their side studs face to the front.

99. Rotate the right wall build 180 degrees on the horizontal plane, so that the side studs face to the back. Place 1 light bluish gray 1x4 plate horizontally on top of the back row. Then, place 1 light bluish gray 1x2 plate with clip on long end horizontally, so that it is centered horizontally and its clip faces to the front. Lastly, find 2 light bluish gray 1x1 round plates with handle. Place the first one to the left of the ppp, so that its handle faces to the front. Take the second one and repeat symmetrically on the right.

100. Place 1 light bluish gray 1x2 brick with side studs on two sides horizontally on the 2 leftmost columns of the back row, so that its side studs face to the front and back. Attach 1 dark bluish gray 1x2 sloped tile horizontally upright to the front-facing side studs of the ppp, so that it slopes down. Find another light bluish gray 1x2 brick with side studs and another 1 dark bluish gray 1x2 sloped tile and repeat symmetrically on the right.

Group 26 – Cottage (continued)

101.1 Rotate the right wall build 180 degrees on the horizontal plane, so that the candle flames face to the front. Locate 2 light bluish gray 2x2 corner plates. Rotate the first one so that it resembles a D in Braille. Place its front row on the 2nd column from the left on the front row. Take the second one and repeat symmetrically on the right.

101.2 Place 1 white 1x4 plate horizontally on the back row.

101.3 Place 1 dark bluish gray 1x2 ingot tile horizontally on the front row, so that it is centered horizontally.

102. Find 2 dark bluish gray 1x1 sloped tiles. Place the first one to the left of the ppp, so that it slopes to the left. Take the second one and repeat symmetrically on the right.

Group 27 – Cottage (continued)

103. Place 1 light bluish gray 1x4 plate horizontally under the front row of the build.

104.1 Let's make a small sub-build for the right wall's outer chimney. Place 1 dark bluish gray 4x4 plate in front of you. Place 1 light bluish gray 1x2 plate with clip on short end on the 2 leftmost columns on the back row, so that its clip faces to the left and its clip hands face up and down.

104.2 Grab 4 dark bluish gray 1x1 quarter round tiles and place them in the following locations: in front of the left column of the ppp, so that its curved edge faces back left; on the front left corner, so that its curved edge faces back right; on the front right corner, so that its curved edge faces front left; on the back right corner, so that its curved edge faces to the back right.

Locate 2 light bluish gray 1x2 rounded tiles. Place the first one vertically in front of the ppp. Place the second one horizontally on the 2 leftmost columns on the 2nd row from the front. Then, place 1 dark bluish gray 1x2 ingot tile horizontally on the 2nd and 3rd column from the left on the 2nd row from the back. Lastly, rotate 1 light bluish gray 2x2 corner plate so that it resembles a J in Braille. Place its front row on top of the 2nd and 3rd columns from the left on the front row.

104.3 The sub-build is complete. Bring it upright from back to front, so that its antistuds face to the back and its clip faces to the left. Bring back the chimney, so that it is horizontal, its flames are to the front and it slopes to the back. Attach the sub-build by placing its top edge immediately below the chimney's top row of front-facing side studs.

105.1 Let's make a small sub-build for the right wall's outer chimney upper part. Place 1 light bluish gray 2x2 wedge plate in front of you, so that its right angle faces to the front right. Then, place 1 dark bluish gray 1x2 ingot tile horizontally on the back row of the ppp, so that it overhangs to the right by 1 column.

105.2 Rotate 1 light bluish gray 2x2 wedge plate so that its right angle faces to the front left. Place its back row under the overhang of the ppp.

105.3 Place 1 dark bluish gray 1x2 ingot tile horizontally on the 2 leftmost columns on the front row. Rotate 1 light bluish gray 2x2 corner plate so that it resembles an F in Braille. Place its back row to the right of the ppp, so that it overhangs to the front by 1 row.

105.4 The sub-build is complete. Bring it horizontally upright from back to front, so that its antistuds face to the back and its narrow side is on top. Attach its 2nd row from the bottom to the top row of front-facing side studs. The overhanging bottom row will attach to the sub-build from the previous step.

106. Find 4 dark green 1x1 round plates with leaves and attach them upright to the following locations: 2nd column from the left on the bottom row, so that its leaves point up left; 2nd column from the right on the 2nd row from the bottom, so that its leaves point up; 2nd column from the right on the 4th row from the bottom, so that its leaves point up left; rightmost column on the 5th row from the bottom, so that its leaves point up.

107.1 Rotate the right wall build 180 degrees horizontally, so that the leaves from the previous step face to the back. Let's make a small sub-build for a pot. Place 1 pearl dark gray pot in front of you. Place and attach 1 transparent yellow 1x1 round plate inside the pot. Then, place 1 orange 1x1 round tile on top of the ppp.

107.2 Attach 1 black pot handle to the pot's rim.

107.3 The pot sub-build is complete. Attach its handle to the front-facing clip.

108. The cottage's right wall build is complete. Rotate it 90 degrees clockwise, so that the pot faces to the left. Bring back the cottage's build. Place the right wall's leftmost column on top of the rightmost column of the cottage, so that it leaves 1 row exposed to the front.

109. Grab 2 reddish brown 2x2 corner tiles. Rotate the first one so that its largest right angle faces back left. Place it on the back left corner of the cottage. Take the second one and repeat symmetrically on the right. Locate 3 reddish brown 1x2 tiles. Place the first one vertically in front of the ppp. Then, take the second one and repeat symmetrically on the left. Next, place the third one horizontally on the 3rd and 4th columns from the right on the back row, to the left of the back right corner piece. Lastly, place 1 reddish brown 1x4 tile with studs horizontally to the left of the ppp.

This page has an insert with the following text: "Ah yes – a scrumptious pumpkin soup is just the thing for a crisp autumn day."

Let's put the cottage build to the side for now. Make sure it keeps the same orientation.

Group 28 – Cottage (continued)

110. Let's build the right half of the cottage's door frame. Place 1 white 1x1 plate with 1x2 upright side studs sticking up in front of you, so that its side studs face to the front.

111. Locate 3 white 1x1 plates with clip. Place the first one on top of the ppp, so that its clip faces to the right. Next, place the second one on top of the ppp, so that its clip faces to the left. Place the last one on top of the ppp, so that its clip faces to the right.

112. Place 1 white 1x3x2 arch vertically on top of the ppp, so that its arch slopes to the back.

113. Place 2 white 1x1 plates, one on top of the other, on the front row of the ppp.

114. Place 1 white 1x1 plate with 1x2 side studs hanging down on top of the ppp, so that its side studs face to the front.

115. Attach 1 black 1x4 plate vertically upright to the front-facing side studs. Then, attach 1 black 1x4 tile vertically upright to the ppp.

116.1 Let's make a small sub-build. Place 1 light bluish gray 1x2 masonry brick vertically in front of you, so that its brick pattern faces to the left. Then, place 1 black 1x1 tile on the front row of the ppp.

Group 29 – Cottage (continued)

116.2 Place 1 black 1x1 plate with clip behind the ppp, so that its clip faces to the right.

116.3 The small sub-build is complete. Place it vertically under the 2 front rows of the cottage's door right half build, so that the sub-build's clip faces to the right.

Put the cottage's door frame right half build to the side for now. Make sure that it keeps the same orientation.

117. Let's build the cottage's wooden door. Place 1 dark tan 1x2 plate with handle on long side vertically in front of you, so that its handle faces to the left. Then, place 1 reddish brown 1x4 tile with studs vertically on top of the ppp, so that it overhangs to the front and back by 1 row.

118. Rotate 1 black 1x4 plate horizontally. Place its leftmost column under the overhanging back row. Rotate 1 black 2x4 plate horizontally. Place its back left corner under the overhanging front row.

119. Place 1 black 2x3 plate horizontally to the right of the 1x2 plate with handle on long side. At this moment, the plate will not be attached to anything. Then, place 1 reddish brown 1x4 tile with studs vertically to the right of the other reddish brown 1x4 tile with studs.

120. Place 1 reddish brown 1x4 tile with studs vertically to the right of the ppp. Then, place 2 reddish brown 1x2 jumper plates vertically, one in front of the other, to the right of the ppp.

121. Place 1 reddish brown 1x2 tile horizontally on the front row, so that it is centered horizontally. Find 2 reddish brown 1x1 quarter round tiles. Place the first one to the left of the ppp, so that its curved edge faces to the front left. Take the second one and repeat symmetrically on the right.

122. Insert the ends of 1 black curved bar to the 2 jumper plates located on the rightmost column.

123. Stand the wooden door vertically upright by rotating it 90 degrees from front to back, so that its antistuds face to the front and its handle faces to the left. Find 4 reddish brown 2x2 inverted round tiles. Place the first 2 on the bottom row, one to the side of the other. Then, place the remaining 2 above the 2 ppps.

124. The wooden door is complete. Bring back the cottage's door frame right half. Rotate it 90 degrees clockwise, so that the side with 3 clips faces to the front. Attach the wooden door's left-facing handle to the clips. These will be the wooden door's hinge.

125. Rotate the door build 180 degrees, so that its remaining free clip faces to the front. Bring back the cottage's build. Place the 2 rightmost columns of the door build on the 2 rightmost columns on the 3rd row from the front.

Put the cottage's build to the side for now. Make sure that it keeps the same orientation.

Group 30 – Cottage (continued)

126. Let's build the cottage's door frame left half. Place 1 light bluish gray 1x4 masonry brick horizontally in front of you, so that its brick pattern faces to the front. Place 1 black 1x1 plate on the rightmost column of the ppp.

127. Place 1 reddish brown 1x2 plate with 1x2 inverted curved slope to the left of the ppp, so that it slopes to the front. Then, place 1 black 1x1 tile to the left of the ppp.

128. Place 1 white 1x2 plate horizontally on the 2 rightmost columns on the back row. Then, place 1 white 1x1 plate with 1x2 upright side studs sticking up to the left of the ppp, so that its side studs face to the left.

129. Place 1 white 1x2 plate horizontally on the 2nd and 3rd columns from the right on the back row. Then, place 1 black 1x2x2 window horizontally on top of the ppp, so that its window faces to the front. Attach 1 pearl gold 1x2x2 lattice window pane to the ppp from the back. Then, place 1 black 1x2 plate with handle on long edge horizontally on top of the black 1x2x2 window, so that its handle faces to the front. Lastly, place 1 white 1x1 plate with 1x2 side studs hanging down on the leftmost column of the ppp, so that its side studs face to the left.

130. Attach 1 black 1x4 plate vertically upright to the left-facing side studs. Then, attach 1 black 1x1 tile vertically upright to the ppp.

Group 31 – Cottage (continued)

131. Place 1 white 1x1 brick on the rightmost column on the back row. Then, place 1 white 1x3x2 arch horizontally on top of the ppp, so that it slopes to the right. Lastly, place 2 white 1x1 plates, one on top of the other, on the leftmost column of the ppp.

132. Place 1 white 1x2 plate horizontally on the 3rd and 4th columns from the right on the back row.

133. Grab 2 dark green 1x1 round plates with leaves. Place the first one on the leftmost column on the front row, so that its leaves face to the front left. Place the second one symmetrically on the right. Then, place 1 dark red 1x1 round plate with petals on top of each of the 2 ppps.

134. The cottage's door frame left half is complete. Bring back the cottage build. Place the cottage's door frame left half on top of the 4 leftmost columns on the 3rd row from the front.

135. Grab 2 reddish brown 2x2 corner tiles. Rotate the first one so that its largest right angle faces front left. Place it on the front left corner of the cottage. Take the second one and repeat symmetrically on the right. Place 1 reddish brown 1x6 tile horizontally to the left of the front row of the ppp.

136. Attach 1 reddish brown pitchfork to the front-facing clip on the right side of the cottage (in front of the right-facing leaves), so that the fork faces down. Attach 1 black cone with bar to the front-facing clip to the right of the door, so that its antistud faces up. Then, place 1 transparent yellow 1x1 round plate on top of the ppp. Continue by placing 1 black 1x1 pyramid on top of the ppp.

Put the cottage build to the side for now. Make sure that it keeps the same orientation.

Book 1, bag 7:

Group 32 – Cottage (continued)

137. Let's build the cottage's roof, beginning with its base. Place 1 black 6x10 plate horizontally in front of you.

138. Locate 6 black 1x4 tiles. Place the first one vertically on the leftmost column, so that it is centered vertically. Place the second one horizontally on the 4 leftmost columns on the front row. Take the 3rd one and repeat symmetrically on the back. Then, take the remaining 3 and repeat symmetrically on the right.

Find 2 black 2x2 jumper plates. Place the first one on the 2 back rows, so that it is centered horizontally. Take the second one and repeat symmetrically on the front.

139. Grab 6 reddish brown 1x2 jumper plates. Place the first one horizontally to the left of the front row of the ppp. Take the second one and repeat symmetrically on the right. Place the third one horizontally on the 3rd row from the front, so that it is centered horizontally. Then, take the remaining 3 and repeat symmetrically on the back.

140. Flip the build upside down from front to back. Place 2 reddish brown 4x4 plates with 2x2 cutout, one to the right of the other, so that together they are centered horizontally and vertically.

141. Flip the build right side up. Place 1 dark tan bird on the stud of the front 2x2 jumper plate.

This page has an insert with the following text: "The European robin loves it when you do your gardening! If you see one supervising your work, it might be eagerly waiting to snatch up insects and worms that surface when you turn the soil."

Put the cottage's roof base to the side for now. Make sure that it keeps the same orientation.

Group 33 – Cottage (continued)

142. Let's build the roof's structure. Place 1 reddish brown 2x6 plate horizontally in front of you. Locate 2 black 1x2 plates with clips on long edge. Place the first one vertically on the leftmost column of the ppp, so that its clips face to the left. Take the second one and repeat symmetrically on the right.

143. Place 1 white 1x2 plate on top of each of the 2 ppps.

Group 34 – Cottage (continued)

144. Place 1 black 1x2 plate on top of each of the 2 ppps.

145. Find 2 yellow 1x1 bricks with side stud and bottom lip. Place the first one on the 2nd column from the left on the back row, so that its side stud faces to the front. Take the second one and repeat symmetrically on the right.

146. Place 1 white 2x6 brick horizontally on top of the build.

147. Place 1 yellow 1x4 brick horizontally on the back row of the ppp, so that it is centered horizontally. Grab 2 black 1x1 bricks with side stud. Place the first one on the back left corner of the build, so that its side stud faces to the left. Take the second one and repeat symmetrically on the right.

148. Place 1 black 1x6 plate horizontally on the front row of the build.

149. Flip the build 90 degrees from front to back, so that its antistuds face to the front and its clips face left and right. Attach 1 transparent clear 2x2 jumper plate upright to the front-facing antistuds, so that it is centered horizontally. Rotate 1 transparent clear 1x2x2 brick with side studs on two opposite sides horizontally. Attach its back-facing side studs to the ppp. Next, attach 1 transparent clear 2x2 jumper plate upright to the front-facing side studs. Lastly, rotate the build 90 degrees counterclockwise, so that the ppp faces to the right and its clips face front and back.

Place the roof's structure build to the side for now. Make sure that it keeps the same orientation.

Group 35 – Cottage (continued)

150.1 Let's make a sub-build for the roof's structure right half. Place 1 reddish brown 2x6 plate horizontally in front of you. Locate 2 black 1x2 plates with clips on long edge. Place the first one vertically on the leftmost column of the ppp, so that its clips face to the left. Take the second one and repeat symmetrically on the right.

150.2 Place 1 white 1x2 plate on top of each of the 2 ppps.

Group 36 – Cottage (continued)

150.3 Place 1 black 1x2 plate on top of each of the 2 ppps.

150.4 Find 2 blue 1x1 bricks with side stud and bottom lip. Place the first one on the 2nd column from the left on the back row, so that its side stud faces to the front. Take the second one and repeat symmetrically on the right.

150.5 Place 1 white 2x6 brick horizontally on top of the build.

150.6 Place 1 blue 1x4 brick horizontally on the back row of the ppp, so that it is centered horizontally. Grab 2 black 1x1 bricks with side stud. Place the first one on the back left corner of the build, so that its side stud faces to the left. Take the second one and repeat symmetrically on the right.

150.7 Place 1 black 1x6 plate horizontally on the front row of the build.

150.8 The sub-build is complete. Flip it 90 degrees from front to back. Then, rotate it 90 degrees clockwise, so that its antistuds face to the left and its clips face to the front and back.

Bring back the first half of the roof's structure. Attach the right half sub-build to the right facing side studs. This should make the roof's structure symmetrical.

151. Bring back the roof's base. Place the roof's structure on top of it. It should be aligned and only its clips should overhang back and front. The dark tan bird should be in front of the 1x2x2 brick with side studs on opposite sides.

Put the roof's base to the side for now. Make sure that it keeps the same orientation.

Group 37 – Cottage (continued)

152. Let's build the roof's ridge. Stack 2 black 1x6 plates and place them vertically in front of you.

153. Locate 2 white 1x1 bricks. Place the first one on the back row. Take the second one and place it symmetrically on the front. Find 2 red 1x2 bricks with side studs on opposite sides. Place the first one vertically behind the ppp. Take the second one and place it symmetrically on the back.

Group 38 – Cottage (continued)

154. Place 1 white 1x6 plate vertically. Then, place 1 light bluish gray 1x4 plate vertically on top of the ppp, so that it is centered vertically.

155. Locate 2 white 1x1 bricks. Place the first one on the back row. Take the second one and place it symmetrically on the front. Find 2 red 1x2 bricks with side studs on opposite sides. Place the first one vertically behind the ppp. Take the second one and place it symmetrically on the back.

156. Place 1 light bluish gray 1x4 plate vertically, so that it is centered vertically. Grab 2 white 1x1 short bricks with side stud and curved side. Place the first one on the back row, so that its side stud faces to the back. Take the second one and repeat symmetrically on the front.

157. Place 1 black 1x6 plate vertically, on top.

158. Place 3 black 1x2 double curved bricks vertically, one in front of the other, on top.

Put the roof's ridge to the side for now.

Group 39 – Cottage (continued)

159. We need to build 2 identical builds for the slanted sides of the roof. Let's begin with the first one.

Place 1 black 4x6 plate horizontally in front of you. Then, place 1 black 1x6x2 arch horizontally on the back row of the ppp.

160. Place 1 white 1x6 brick horizontally in front of the ppp. Then, place 1 black 1x6 plate horizontally on top of the ppp.

161. Stack 2 reddish brown 1x4 tiles with studs horizontally and place them horizontally in front of the ppp, so that they are centered horizontally. Find 2 white 1x1 short bricks with side stud and curved edge. Place the first one to the left of the 2 ppps, so that its side stud faces to the left. Take the second one and repeat symmetrically on the right.

162. Place 3 dark brown 1x2 plates with claws horizontally on the front row, one to the right of the other, so that together they are centered horizontally and their claws overhang to the front.

163. Place 3 dark brown 1x2 plates with claws horizontally on the 2nd row from the front, one to the right of the other, so that together they are centered horizontally and their claws overhang to the front.

164. Place 3 dark brown 1x2 plates with claws horizontally on the 2nd row from the back, one to the right of the other, so that together they are centered horizontally and their claws overhang to the front.

165. Place 3 dark brown 1x2 plates with claws horizontally on the back row, one to the right of the other, so that together they are centered horizontally and their claws overhang to the front.

166. The first slanted side of the roof is complete. Rotate it so that its antistuds face to the left and its claws point up. Bring back the roof's ridge. Attach the slanted side to the right-facing side studs.

Build the second half by repeating steps 159 to 165. Attach it symmetrically to the left of the roof's ridge.

Group 40 – Cottage (continued)

167. Bring back the roof's base. Place the slanted sides horizontally on top of the roof's base, so that it is centered horizontally.

168. Find 2 dark brown 1x2 plates with claws. Attach the 1x2 plate of the first to the 2 leftmost columns of the second row from the top of right-facing side studs, so that its claws face up. Take the second one and repeat symmetrically on the back.

169. Grab 2 dark brown 1x2 plates with claws. Attach the 1x2 plate of the first to the 2 leftmost columns of the bottom row of right-facing side studs, so that its claws face up. Take the second one and repeat symmetrically on the back. Attach 1 black 1x2 plate horizontally upright to the bottom row of right-facing side studs, so that it is centered horizontally.

170.1 Let's make a sub-build for the cottage's chimney. Place 1 light bluish gray 2x4 plate vertically in front of you. Place 1 light bluish gray 1x2 brick with side stud horizontally on the back row, so that its side stud faces to the back.

170.2 Place 2 light bluish gray 1x4 masonry bricks vertically, one to the right of the other, in front of the ppp, so that their brick patterns are visible by facing outwards and so that they overhang to the front by 1 row.

170.3 Place 1 dark bluish gray 1x1 quarter round tile on the back left corner, so that its curved edge faces to the back left. Then, place 1 light bluish gray 1x1 round tile in front of the ppp. Continue by placing 1 light bluish gray 1x2 rounded tile vertically to the right of the 2 ppps. Next, place 1 dark bluish gray 1x2 ingot tile horizontally on the 3rd row from the back. Place 1 dark bluish gray 1x1 quarter round tile in front of the left column of the ppp, so that its curved edge faces to the front right. Lastly, place 1 light bluish gray 1x1 round tile to the right of the ppp.

170.4 Locate 2 light bluish gray 1x1 plates with 1x1 sloped tile. Place the first one on the leftmost column of the front row, so that it slopes to the back and it overhangs to the front by 1 row. Take the second one and repeat symmetrically on the right.

170.5 Attach 1 dark bluish gray 2x2 inverted round tile to the bottom of the 2 back rows.

170.6 The cottage's chimney sub-build is complete. Rotate the cottage's roof 90 degrees clockwise, so that its bird faces to the left. Rotate the cottage's chimney sub-build vertically upright, so that its antistuds face to the back and the ppp is on top. Attach the overhanging row on the bottom to the bottom row of front-facing side studs of the cottage's roof, so that it is centered horizontally.

171.1 Let's make a small sub-build. Place 1 light bluish gray 2x2 plate in front of you. Place 1 light bluish gray 1x2 rounded tile horizontally on the front row of the ppp.

171.2 Place 1 light bluish gray 1x1 round tile on the left back corner. Then, place 1 dark bluish gray 1x1 quarter round tile to the right of the ppp, so that its curved edge faces to the back left.

171.3 Place 1 black 1x6 plate horizontally under the front row, so that it is centered horizontally. Find 2 dark brown 1x2 plates with claws. Place the first one horizontally on the 2 leftmost columns of the front row, so that its claws overhang to the back. Take the second one and repeat symmetrically on the right.

171.4 The sub-build is complete. Attach its back row to the front-facing row of side studs located at the bottom.

Group 41 – Cottage (continued)

172. Rotate the cottage roof 180 degrees on the horizontal plane, so that the chimney is to the back. Find 3 dark brown 1x2 plates with claws. Attach the 1x2 plate of the first one to the 2 leftmost columns of the second row from the top of front-facing side studs, so that its claws face up. Take the remaining 2 and place them to the right of the ppp, one to the side of the other, in the same orientation.

173. Grab 3 dark brown 1x2 plates with claws. Attach the 1x2 plate of the first one to the 2 leftmost columns of the bottom row of right-facing side studs, so that its claws face up. Take the remaining 2 and place them to the right of the ppp, one to the side of the other, in the same orientation.

174.1 Let's make a small sub-build. Place 1 black 1x6 plate horizontally in front of you.

174.2 Locate 3 dark brown 1x2 plates with claws. Attach the 1x2 plate of the first one to the 2 leftmost columns of the ppp, so that its claws overhang to the back. Take the remaining 2 and place them to the right of the ppp, one to the side of the other, in the same orientation.

174.3 The sub-build is complete. Attach its back row to the front-facing row of side studs located at the bottom.

175. Rotate the cottage's roof 90 degrees counterclockwise, so that its chimney is to the left. Attach 1 black diamond tile to the top front-facing side stud, so that it points up. Find 2 black 1x8 tiles. Attach the first one to the 2 front-facing side studs located on the left side, so that it is as close as possible to the bottom-left facing side of the ppp. Take the second one and repeat symmetrically on the right.

176. Grab 2 reddish brown 1x2 plates with handle on long edge. Attach the first one vertically upright to the left front-facing clips, so that the 1x2 plate is to the right of the clips (covering half of the hole) and its studs face to the front. Take the second one and repeat symmetrically on the right. Lastly, attach 1 reddish brown 1x2 ingot tile vertically upright to each of the 2 ppps.

This page has an insert with the following text: "The LEGO ingot element, a popular piece for adding detail, is used here as shutter on the cottage."

177. Rotate the cottage roof 180 degrees on the horizontal plane, so that its chimney is to the right. Attach 1 black diamond tile to the top front-facing side stud, so that it points up. Find 2 black 1x8 tiles. Attach the first one to the 2 front-facing side studs located on the left side, so that it is as close as possible to the bottom-left facing side of the ppp. Take the second one and repeat symmetrically on the right.

178. Grab 2 reddish brown 1x2 plates with handle on long edge. Attach the first one vertically upright to the left front-facing clips, so that the 1x2 plate is to the left of the clips (leaving the bird's hole open) and its studs face to the front. Take the second one and repeat symmetrically on the right. Lastly, attach 1 reddish brown 1x2 ingot tile vertically upright to each of the 2 ppps.

179. Attach 1 black 2x2 round tile with stud to the top of the chimney. Then, attach the bar of 1 white cloud element to the ppp.

180. The cottage's roof is complete. Bring back the cottage's build. Place the cottage's roof on top of the cottage's build, so that it is centered horizontally. The cottage is complete.

181. Bring back the main build. Rotate the cottage approximately 30 degrees clockwise, so that its door faces slightly to the left, but mostly to the front. Place the cottage on top of the 4 dark bluish gray 2x2 jumper plates located on the right back corner of the main base.

Book 1, bag 8:

Group 42 – Trees

182. Let's build the first tree. Place 1 olive green 2x2 plate in front of you. Then, place 1 olive green 1x2 brick with side studs horizontally on the back row of the ppp, so that its side studs face to the back.

183. Place 1 medium nougat 1x1 plate on the front left corner. Then, place 1 reddish brown 1x1 round tile with bar and pin hole on top of the ppp. This represents a nut that a squirrel buried.

184. Place 1 dark brown 1x1 brick on the front right corner.

185. Place 1 dark tan 2x2 tile on top.

186. Flip the build 90 degrees front back to front, so that its side studs face up and its 2x2 tile faces to the front. Attach 2 dark reddish brown candle pieces, one on top of the other, on the right column of up-facing side studs.

187. Slide 1 reddish brown 6L bar with ring vertically upright into the ppp, so that its ring is to the bottom. Insert 1 sand green 1x1 round plate with curved leaf upside down into the ppp as low as possible, so that its leaf points to the right.

188. Slide 1 sand green 1x1 round plate with curved leaf upside down into the 6L bar as low as possible, so that its leaf points to the left.

189. Locate 2 sand green 1x1 round plates with curved leaf. Slide the first one upside down into the 6L bar as low as possible, so that its leaf points to the back. Then, slide the second one, so that its leaf points to the front.

190. Find 2 sand green 1x1 round plates with curved leaf. Slide the first one upside down into the 6L bar as low as possible, so that its leaf points to the right. Then, slide the second one as low as possible, so that its leaf points to the left.

191. Grab 2 sand green 1x1 round plates with curved leaf. Slide the first one upside down into the 6L bar as low as possible, so that its leaf points to the front. Then, slide the second one as low as possible, so that its leaf points to the back.

192. Attach 1 sand green 1x1 cone brick on top.

193. Place 1 dark orange squirrel to the left of the tree.

194. The tree is complete. Slide it into the hole in the ground located on the back left corner of the main build.

On this page, there is an insert with the following text: "A single squirrel can bury up to 3,000 nuts in a season and they are surprisingly effective at recovering them later on."

195. On the main build, place 1 orange 1x1 round plate with leaves on the 5th row from the front on the 2nd column from the right, so that its leaves point to the back left.

Group 43 – Trees (continued)

195 (continued). Locate 2 reddish orange 1x1 round plates with leaves. Place the first one to the right of the ppp, so that its leaves point to the back right. Place the second one on the 5th column from the right on the front row, so that its leaves point to the front.

196. Let's build a second tree. Place 1 olive green 2x2 plate in front of you. Then, place 1 dark tan 1x2 brick with axle hole horizontally on the back row, so that its axle hole faces to the front and back.

197. Place 1 dark tan 1x2 brick with axle hole horizontally in front of the ppp, so that its axle hole faces to the front.

198. Place 1 dark tan 2x2 tile on top.

199. Flip the build 90 degrees from front to back, so that its axle hole faces up and its 2x2 tile faces to the front. Insert 1 red 2L axle into the hole, so that it protrudes up by 1L. Then, attach 1 reddish brown 1x1 cone brick to it. Continue by attaching 2 reddish brown candle pieces, one on top of the other, to the ppp. Lastly, insert 1 reddish brown 6L bar with ring on top of the ppp, so that its ring is to the bottom.

200. Slide 1 black 1x1 round plate with 3 diagonal bars into the ppp, so that its bars face to the front, back left, and back right.

Group 44 – Trees (continued)

201.1 If you wish, ask help from a sighted friend for this step. (S)he can help you locate the correct color of the 1x1 round plates with leaves. However, using pieces from this group of a different color is also fine, as this will add variety and a natural look to the tree's leaves.

We need to build 3 identical sub-builds. Let's begin with the first one. Place 1 green 3x4 plant leaves vertically in front of you, so that it points to the back. This means that there should be 1 vertical stem at the center with studs on the front and back of it. On the latter stud, there should be 1 stud connected from the row in front of it from the left and 1 stud from the right. Place 1 dark green 1x1 round plate with leaves on the back row, so that its leaves point to the front.

201.2 Place 1 lime green 1x1 round plate with leaves on the stud located to the left and 2 rows in front of the ppp, so that its leaves point to the front. Then, place 1 bright green 1x1 round plate with leaves symmetrically on the right, so that its leaves point to the front.

201.3 The sub-build is complete. Attach its back row to the front-facing diagonal bar.

201.4 Build 2 more builds by repeating steps 201.1 and 201.2. Attach them similarly to the remaining diagonal bars.

202. Slide 1 black 1x1 round plate with 3 diagonal bars into the protruding 6L bar as low as possible, so that its bars face to the back, front left, and front right.

Group 45 – Trees (continued)

203.1 If you wish, ask help from a sighted friend for this step. (S)he can help you locate the correct color of the 1x1 round plates with leaves. However, using pieces from this group of a different color is also fine, as this will add variety and a natural look to the tree's leaves.

We need to build 3 identical sub-builds. Let's begin with the first one. Place 1 yellow 3x4 plant leaves vertically in front of you, so that it points to the back. This means that there should be 1 vertical stem at the center with studs on the front and back of it. On the latter stud, there should be 1 stud connected from the row in front of it from the left and 1 stud from the right. Place 1 orange 1x1 round plate with leaves on the back row, so that its leaves point to the front.

203.2 Place 1 bright light orange 1x1 round plate with leaves on the stud located to the left and 2 rows in front of the ppp, so that its leaves point to the front. Then, place 1 yellow 1x1 round plate with leaves symmetrically on the right, so that its leaves point to the front.

203.3 The sub-build is complete. Attach its back row to the back-facing diagonal bar.

203.4 Build 2 more builds by repeating steps 203.1 and 203.2. Attach them similarly to the remaining diagonal bars.

204. Slide 1 black 1x1 round plate with 3 diagonal bars into the protruding 6L bar as low as possible, so that its bars face to the front, back left, and back right.

Group 46 – Trees (continued)

205.1 If you wish, ask help from a sighted friend for this step. (S)he can help you locate the correct color of the 1x1 round plates with leaves. However, using pieces from this group of a different color is also fine, as this will add variety and a natural look to the tree's leaves.

We need to build 3 identical sub-builds. Let's begin with the first one. Place 1 dark orange 3x4 plant leaves vertically in front of you, so that it points to the back. This means that there should be 1 vertical stem at the center with studs on the front and back of it. On the latter stud, there should be 1 stud connected from the row in front of it from the left and 1 stud from the right. Place 1 reddish orange 1x1 round plate with leaves on the back row, so that its leaves point to the front.

205.2 Place 1 reddish orange 1x1 round plate with leaves on the stud located to the left and 2 rows in front of the ppp, so that its leaves point to the front. Then, place 1 orange 1x1 round plate with leaves symmetrically on the right, so that its leaves point to the front.

205.3 The sub-build is complete. Attach its back row to the front-facing diagonal bar.

205.4 Build 2 more builds by repeating steps 205.1 and 205.2. Attach them similarly to the remaining diagonal bars.

206. The tree is complete. Slide it into the hole in the ground located on the front right corner of the main build.

Group 47 – Trees (continued)

207. Let's build a third tree. Place 1 olive green 2x2 plate in front of you. Then, place 1 black 1x2 brick horizontally on the back row.

208. Place 1 dark tan 1x2 brick with axle hole horizontally in front of the ppp, so that its axle hole faces to the front.

209. Place 1 dark tan 2x2 tile on top.

210. Insert 1 blue 2L axle with pin into the front-facing axle hole, so that the pin protrudes to the front.

211. Flip the build 90 degrees from front to back, so that the pin faces up. Insert 1 white 2L pin round connector vertically upright to the pin. Then, insert 1 black 2L pin vertically upright to the ppp.

212.1 Let's make a small sub-build. Hold 1 dark bluish gray 3L pin with axle vertically upright, so that its axle is to the top. Insert 1 white axle and pin connector vertically upright to the top of the ppp.

212.2 Slide 1 black 1x1 liftarm (round spacer) into the bottom of the 3L pin.

212.3 Slide 1 white 2L pin round connector vertically upright into the bottom of the 3L pin.

212.4 Insert 1 dark bluish gray ½ pin into the front-facing hole, so that its stud faces to the front. Then, insert 1 light bluish gray 3L axle vertically upright to the top.

212.5 Slide 1 light bluish gray 3 blade propeller into the ppp, so that one of the propellers faces to the back. Slide 1 light bluish gray bushing onto the top of the ppp.

212.6 Find 3 reddish orange 1x2 plates with layered leaves. Attach the first one vertically to the back-facing propeller, so that its leaves overhang to the back. Attach the remaining ones similarly to the rest of the propellers.

213. Insert 1 white flower stem with 3 stems to the front open stud of the front right facing leaf. Attach 1 bright yellow 1x1 round plate with petals to each of the 3 stems of the ppp. Then, attach 1 orange 1x1 round plate with leaves to one of the 3 ppps. Lastly, attach 2 reddish orange 1x1 round plates with leaves to the remaining 2.

Group 48 – Trees (continued)

214.1 Let's make a small sub-build. Hold 1 white 2L axle connector vertically upright. Insert 1 red 4L axle vertically upright into the up-facing hole of the ppp, so that it protrudes up.

214.2 Slide 1 black 1x1 liftarm (round spacer) into the top of the 4L axle.

214.3 Slide 1 light bluish gray 3 blade propeller into the ppp, so that one of the propellers faces to the front. Slide 1 light bluish gray bushing onto the top of the ppp.

214.4 Find 3 reddish orange 1x2 plates with layered leaves. Attach the first one vertically to the front-facing propeller, so that its leaves overhang to the front. Attach the remaining ones similarly to the rest of the propellers.

214.5 Attach 1 sand blue bird to the back open stud of the back right facing leaf.

214.6 The sub-build is complete. Attach it to the protruding axle of the tree build.

This page as an insert with the following text: "During autumn and winter months, the Eurasian nuthatch supplements its diet with nuts and seeds, including those of the birch tree."

215.1 Let's make a small sub-build. Hold 1 white 2L axle connector vertically upright. Insert 1 light bluish gray 3L axle vertically upright into the up-facing hole of the ppp, so that it protrudes up.

215.2 Slide 1 light bluish gray 3 blade propeller into the ppp, so that one of the propellers faces to the front.

215.3 Find 3 reddish orange 1x2 plates with layered leaves. Attach the first one vertically to the back-facing propeller, so that its leaves overhang to the back. Attach the remaining ones similarly to the rest of the propellers.

215.4 The sub-build is complete. Attach it to the protruding axle of the tree build.

216. Slide 1 light bluish gray bushing onto the protruding axle of the tree. Then, attach 1 white 1x1 cone brick on top of the ppp, to the protruding axle.

217. Attach 1 reddish orange 1x2 plate with layered leaves to the ppp, so that its leaves overhang to the back right.

218. Insert 1 white flower stem with 3 stems to the back open stud of the ppp. Attach 1 bright yellow 1x1 round plate with petals to each of the 3 stems of the ppp. Then, attach 1 orange 1x1 round plate with leaves to one of the 3 ppps. Lastly, attach 2 reddish orange 1x1 round plates with leaves to the remaining 2.

219. The tree is complete. Slide it into the hole in the ground located on the left of the cottage, to the right of the back part of the stream.

Book 1, bag 9:

Group 49 – Sundial

220. Let's build a sundial. Place 1 olive green 2x2 plate in front of you. Then, place 1 dark tan 1x2 brick with axle hole horizontally on the back row of the ppp, so that its axle hole faces to the front and back.

221. Place 1 dark tan 1x2 brick with axle hole horizontally in front of the ppp.

222. Place 1 dark tan 2x2 tile on top. Flip the build 90 degrees from front to back, so that its axle hole faces up.

223.1 Let's make a small sub-build for the sundial's base. Place 1 dark brown 4x4 round plate in front of you.

223.2 Place 8 dark green 1x1 round tiles with bar and pin hole on the front row, back row, leftmost column, and rightmost column of the ppp.

223.3 Attach 1 dark purple antenna to each of the 8 ppps.

223.4 Hold 1 light bluish gray 1x1 cone brick. Attach 1 light bluish gray 1x1 tile with bar and pin hole on top of the ppp. Insert 1 light bluish gray 3L axle to the bottom of the cone brick, so that it protrudes to the bottom. Insert it into the up-facing hole in the center of the 4x4 round plate, so that the axle protrudes to the bottom.

223.5 The sub-build is complete. Attach its bottom-protruding axle to the axle hole of the sundial's build.

224. Place 1 light bluish gray 3x3 radar dish upside down on top of the sundial, so that it is centered. Then, attach 1 pearl gold 1x1 round plate with clip on bottom upside down to the ppp, so that its clip faces up.

225. Attach 1 light bluish gray 2x2 triangular tile to the clip of the ppp from any side of its right angle.

226. The sundial is complete. Slide it into the hole in the ground located on the front and to the center of the main build, to the right of the front part of the stream.

Group 50 – Tree

227. Let's build the last tree, a weeping willow. Place 1 olive green 2x2 plate in front of you. Then, place 1 dark tan 1x2 brick with axle hole on the back row of the ppp, so that its axle hole faces to the front and back.

228. Place 1 dark tan 1x2 brick with axle hole in front of the ppp, so that its axle hole faces to the front.

229. Place 1 dark tan 2x2 tile on top.

230. Flip the build 90 degrees from front to back, so that its axle hole faces up. Insert 1 red 4L axle vertically upright into the axle hole, so that it protrudes up. Slide 1 reddish brown 2x2 round brick with 4 roots into the ppp. Then, place 1 reddish brown 2x2 tile with hole on top of the ppp. Slide 1 reddish brown 2x2 45 degrees elbow into the up-protruding axle, so that it points up and to the right. Lastly, insert 1 black 2L axle vertically upright into the ppp, so that it points up and to the right.

231. Attach 1 reddish brown dragon tail to the ppp, so that its axle hole points up. Then, insert 1 black 8L axle vertically upright to the ppp, so that it protrudes up.

232.1 Let's make a small sub-build. Place 1 dark brown 3 blade propeller in front of you, so that one of its blades faces to the right. This is going to be the center propeller.

232.2 Rotate 1 dark brown 3 blade propeller so that one of its blades faces to the left. Place its 2 leftmost columns on top of the 2 rightmost columns of the center propeller.

232.3 Rotate 1 dark brown 3 blade propeller so that one of its blades faces to the front right. Place this blade on top of the back left blade of the center propeller. Rotate 1 dark brown 3 blade propeller so that one of its blades faces to the back right. Place this blade on top of the front left blade of the center propeller.

232.4 Rotate 1 dark brown 3 blade propeller so that one of its blades faces to the right. Place it on top of the center propeller.

232.5 Rotate the sub-build 90 degrees clockwise, so that there is one propeller to the front. Find 2 dark brown 1x1 round plates. Place the first 2 on the leftmost column of the 2nd row from the front. Take the second one and repeat symmetrically on the right. Grab 4 bright light orange 1x1 round plates with drooping layered leaves. Place the first one on the leftmost column on the front row, so that its leaves face to the front left. Place the second one on top of the ppp, so that its leaves face to the front right. Take the remaining 2 and repeat symmetrically on the right. Locate 2 bright light orange 1x2 curved slope tiles. Rotate the first one so that it slopes to the back left. Place its front row on top of the 2 ppps. Take the second one and repeat symmetrically on the left.

232.6 Rotate the sub-build 120 degrees clockwise, so that there is another blade to the front. Then, place the same elements in the same orientation as in step 232.5.

232.7 Rotate the sub-build 120 degrees clockwise once again, so that there is a blade propeller to the front. Then, place the same elements in the same orientation as in step 232.5.

232.8 The sub-build is complete. Slide the center axle hole of the center propeller into the protruding axle of the tree.

233. Slide 2 reddish brown 1x1 liftarm (round spacer), one on top of the other, into the protruding axle.

234.1 Let's make a small sub-build. Place 1 dark brown 3 blade propeller in front of you, so that one of its blades faces to the front.

234.2 Locate 3 reddish brown 1x3 rounded plates. Place the first one vertically on top of the front blade, so that it overhangs to the front by 1 row. Place the remaining one similarly on the rest of the blades.

234.3 Rotate 1 dark brown 3 blade propeller so that one of its blades faces to the front. Place it centered on top.

234.4 Find 2 bright light orange 1x1 round plates with drooping layered leaves. Place the first one on the front row, so that its leaves face to the front left. Place the second one on top of the ppp, so that its leaves face to the front right. Grab 1 bright light orange 1x2 curved slope tile. Rotate it so that it slopes to the back. Place its front row on top the ppp.

234.5 Rotate the sub-build 120 degrees clockwise, so that there is another blade to the front. Then, place the same elements in the same orientation as in step 234.4.

234.5 Rotate the sub-build 120 degrees clockwise once again, so that there is another blade to the front. Then, place the same elements in the same orientation as in step 234.4.

234.6 The sub-build is complete. Slide its center axle hole into the protruding axle of the tree, so that its hanging leaves fall into the spaces between the hanging leaves of the level below.

235. Slide 1 reddish brown 1x1 liftarm (round spacer) into the protruding axle. Then, slide 1 yellow bushing into the protruding axle.

236.1 Let's make a small sub-build. Place 1 dark brown 3 blade propeller in front of you, so that one of its blades faces to the front.

236.2 Place 1 dark brown 1x1 round plate on the 2nd row from the front. Find 2 bright light orange 1x1 round plates with drooping layered leaves. Place the first one on the front row, so that its leaves face to the front left. Place the second one on top of the ppp, so that its leaves face to the front right. Grab 1 bright light orange 1x2 curved slope tile. Rotate it so that it slopes to the back. Place its front row on top of the ppp.

236.3 Rotate the sub-build 120 degrees clockwise, so that there is another blade to the front. Then, place the same elements in the same orientation as in step 236.2.

236.4 Rotate the sub-build 120 degrees clockwise once again, so that there is another blade to the front. Then, place the same elements in the same orientation as in step 236.2.

236.5 The sub-build is complete. Slide its center axle hole into the protruding axle of the tree, so that its hanging leaves fall into the spaces between the hanging leaves of the level below.

This page has an insert with the following text: "The drooping leaves of the weeping willow become vibrant yellow in the fall."

237. Attach 1 yellow bushing to the protruding axle.

238. The weeping willow is complete. Slide it into the hole in the ground located on the middle and to the left of the main build, behind the left arm of the stream.

Group 51 – Wheelbarrow

239. Let's build a wheelbarrow. Place 1 black 2x2 inverted curved slope tile in front of you, so that it slopes to the back. Place 1 black 1x2 plate with handles on short edges on the back row of the ppp, so that its handles face to the back.

240. Place 1 black 2x4 plate with pin hole beneath vertically in front of the ppp, so that it overhangs to the front by 3 rows.

241. Locate 2 reddish brown 1x1 plates with 1x1 upright side studs sticking up. Place the first one on the front left corner, so that its side stud faces to the left. Take the second one and repeat symmetrically on the right. Place 1 tan 2x2 plate behind the 2 ppps. Find 2 reddish brown 1x1 plates with 1x1 upright side studs sticking up. Place the first one behind the leftmost column of the ppp, so that its side studs face to the left. Take the second one and repeat symmetrically on the right.

242. Place 1 reddish brown 2x2 round jumper plate on the 2 back rows. Place 1 dark brown 1x1 round plate in front of the leftmost column of the ppp. Place 1 medium nougat 1x1 plate with 1x1 tile with upright clip horizontally on the 2nd row from the front, so that its clip is to the left and its clip hands face to the left and right.

243. Grab 2 medium nougat 1x4 tiles with wood grain and nails pattern. Attach the first one horizontally upright to the left-facing side studs. Take the second one and repeat symmetrically on the right.

244. Insert 1 light bluish gray 3L axle horizontally into the pin hole at the bottom, so that it is centered horizontally. Then, attach 1 black wheel cover to each of the ends of the ppp.

245. Place 1 dark green 1x1 round plate with leaves on the rightmost column on the 2nd row from the front. Place 1 dark red ball on top of the ppp.

246. Place 1 lime green pear on the leftmost column on the 3rd row from the front. Attach 1 white carrot vertically to the clip on the leftmost column on the 2nd row from the front, so that its hole faces to the front. Then, insert 1 bright green stem with 3 short stems into the front-facing hole of the ppp.

247. Place 1 dark orange pumpkin on top of the 2x2 round jumper plate on the back. Then, place 1 dark green 1x1 round plate with leaves on top of the ppp, so that its leaves face to the back right.

This page has an insert with the following text: "What a harvest! Pears, beets, pumpkins, and parsnips fill a garden cart. Note the LEGO hubcap elements repurposed as wheels".

248. The wheelbarrow is complete. Rotate it 90 degrees counterclockwise, so that its pumpkin is to the left. You can attach it in the main build by inserting its wheels into the grooves located on the 7th and 8th columns from the right on the 2nd and 6th rows from the front.

We are done with the construction! Notice that you can change the position and orientation of the trees and the sundial as you wish, since you can just easily slide them in and out. Feel free to decorate any cozy space with this set.

At the end of the instruction booklet, you will find the set inventory. On the last page you will find an invitation to share feedback.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!