

## 43020 FIFA World Cup – Official Trophy

Adapted by Jordi Isus and blind builder Laia Isus. Tested by Peter Durieux.

Become a creative champion with the LEGO® Editions FIFA World Cup™ Official Trophy (43020) building set for soccer fans ages 12 and up. Sports stars ages 12 and up will have lots of fun building this World Cup™ Trophy replica from LEGO bricks and discovering its authentic details. It features 2 human figures in a swirling movement holding up the Earth, the iconic globe, and a plaque at the bottom naming past World Cup™ winners. The top globe of the LEGO trophy opens to reveal a FIFA World Cup 2026™ branded minifigure holding a mini trophy toy and a backdrop that shows the 2026 World Cup™ logo. The small scene can be kept inside the trophy or taken out to be displayed next to it. Once complete, the trophy makes impressive soccer decor and is a great birthday or anytime gift idea for boys and girls, and sports fans of all ages. It's also available digitally in the LEGO Builder app, where kids can track their progress and rotate their builds. Set has 2,842 pieces.

- **SOCCER DECOR BUILDING SET** – Every kid is a winner with the LEGO® Editions FIFA World Cup™ Official Trophy (43020) building set for soccer fans ages 12 and up.
- **AUTHENTIC TROPHY DETAILS** – The collectible soccer model is a detailed replica of the 2026 FIFA World Cup™ trophy, with 2 human figures holding up the Earth, plus the iconic globe and a plaque.
- **SOCCER SCENE** – There's a hidden compartment in the upper globe section that reveals an exclusive FIFA World Cup 2026™ branded minifigure holding a mini FIFA World Cup 2026™ trophy.
- **SPORTS DECOR** – The mini scene can be removed and displayed next to the LEGO® trophy model, and fans can show their creations off proudly as soccer decor.
- **SPORTS FAN GIFT** – This building set makes a great sports gift idea for boys, girls and soccer lovers on birthdays and other special occasions.
- **LEGO® EDITIONS** – Discover other sports-inspired and collectible building sets (sold separately) in the LEGO Editions collection.
- **LEGO® BUILDER APP** – The set is available digitally in the LEGO Builder app, where fans can track their progress and rotate their builds.
- **DIMENSIONS** – The 2,842-piece trophy model measures over 14.5 in. (36 cm) high.

The front of the box for the LEGO FIFA World Cup Official Trophy 43020 set has a clean, modern design with a white background. At the center, there is a large image of the FIFA World Cup Trophy built in LEGO, shown in golden and green tones and featuring 2 human figures in a swirling movement holding up the Earth, the iconic globe. Behind the trophy, a big green number 26 can be seen, referencing the 2026 World Cup. In the top-left corner is the classic red LEGO logo. In the top-right corner, there is a small black box featuring the FIFA emblem along with an image of the real trophy. Along the bottom section, the box displays the recommended age (12+), the set number (43020), the official name of the model, and the piece count, which is 2842 pieces. The Editions logo appears in the bottom-right corner.

The back of the box keeps the same light background and shows the trophy from another angle. Its main feature is demonstrating how the top of the trophy can open to reveal a hidden interior scene, which includes a 2026 World Cup-themed minifigure and a small trophy. Additional images show removable panels, internal details, photos of the real trophy, and close-up views of

the LEGO construction. At the bottom, the box includes the LEGO website [Lego.com/editions](http://Lego.com/editions) in white letters inside a black square.

This set has 2842 pieces, and it is for ages 12+.

Bag 1: contains the pieces to build a Fifa minifigure, a mini soccer stadium, and a plaque with the 2026 Fifa logo.

Bags 2-20 contain the pieces to build the Fifa world cup official trophy.

- Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:
  - - In Front of/Front: towards you.
  - - Behind/Back: away from you.
  - - Up: towards the ceiling.
  - - Down: towards the floor.
  - - Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
  - - Vertically: with the longest side going from front to back
  - - Horizontally: with the longest side going from left to right.
  - - Upright: pointing up towards the ceiling.
  - - Standing upright: The piece is perpendicular to the ground, like a wall.
  - - Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
  - - That one/ppp: previously placed piece.
  - - Plate: piece with studs.
  - - Tile: smooth piece without studs (unless otherwise specified)
  - - A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
  - - Anti-stud is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
  - - Left/ right wedge parts: these are parts that when placed in front of you and are pointing to the back, their wedge is on the left/ right side of the part.
  - - Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
  - - Centered-vertically: even amount of space in front of and behind piece
  - - Centered-horizontally: even amount of space left and right of piece.
  - - Row: studs lined up horizontally (left to right/side to side).
  - - Column: studs lined up upright or vertically (top to bottom/back to front).
- A note on LEGO Technic™ part names. These parts are different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.
  - - Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.
  - - Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pinhole. Pins come with and without friction ridges, which are small bumps on the pin

which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard-length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop; however, it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

- - Technic brick - a brick which contains one or more holes which accept technic pins.
- - Lift-arms - A lift-arm is a basic structural element, like a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells, and triangles.
- - Gears - A gear is a functional element. They are typically discs with teeth on the outside; there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!
- - Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pinholes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.
- - Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts or can form useful elements such as bars. Bushes are typically light gray, cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make it easier to pull on and off.
- For builders with low vision, or a sighted building partner who may want to follow along with the printed visual instructions that come with each kit, PDF versions are always online at LEGO.com: (<https://www.lego.com/en-us/service/building-instructions/43020>)

) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

#### Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a sighted friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted into groups according to the building steps in the set. Doing this in advance makes locating the pieces easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, Numbers, or meaningful names. The parts will be collected into a small Number from steps in the instructions. Example: Steps 1-3 means collecting all the parts used in steps 1, 2 and 3, and putting them in one container.

This set comes with 20 labelled paper bags, and 1 instruction set.

Sort the pieces into groups as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split across two groups to make telling the difference easier for the builder!

LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

## Bag 1

Group 1: FIFA World Cup 2026™ branded minifigure holding a mini trophy, page 5.

### Mini stadium scene

Group 2: contains the pieces for steps 1-5.

Group 3: contains the pieces for step 6.

Plaque with the 2026 Fifa world cup logo

Group 4: contains the pieces for steps 7-11.1.

Group 5: contains the pieces for step 11.2.

Group 6: contains the pieces for step 11.3.

Group 7: contains the pieces for step 11.4-14.

### Fifa World cup trophy

## Bag 2

Group 8: contains the pieces for steps 1-4.

Group 9: contains the pieces for steps 5-8.

Group 10: contains the pieces for steps 9-17.

## Bag 3

Group 11: contains the pieces for steps 18-28.1.

Group 12: contains the pieces for step 28.2.

Group 13: contains the pieces for steps 28.3-29.

## Bag 4

Group 14: contains the pieces for steps 30-32.

Group 15: contains the pieces for steps 33-34.1.

Group 16: contains the pieces for steps 34.1-36.1.

Group 17: contains the pieces for step 36.2.

Group 18: contains the pieces for steps 36.3-45.

Group 19: contains the pieces for steps 46-50.1.

Group 20: contains the pieces for step 50.2.

Group 21: contains the pieces for steps 50.3-52.1.

Group 22: contains the pieces for step 52.2.

Group 23: contains the pieces for steps 52.3-55.

## Bag 5

Group 24: contains the pieces for steps 56-59.1.

Group 25: contains the pieces for steps 59.2-59.3.

Group 26: contains the pieces for step 59.4.

Group 27: contains the pieces for step 59.5.

Group 28: contains the pieces for step 60.1.

Group 29: contains the pieces for steps 60.2-60.3.

Group 30: contains the pieces for step 60.4.

Group 31: contains the pieces for steps 60.5-65.1.

Group 32: contains the pieces for steps 65.2-73.

Group 33: contains the pieces for steps 74-81.

Group 34: contains the pieces for steps 82-83.

Group 35: contains the pieces for steps 84-85.

Group 36: contains the pieces for steps 86-87.1.

Group 37: contains the pieces for steps 87.2-93.1.

Group 38: contains the pieces for steps 93.2-94.

Bag 6

Group 39: contains the pieces for step 95.

Group 40: contains the pieces for steps 96-99.1.

Group 41: contains the pieces for steps 99.2-104.1.

Group 42: contains the pieces for steps 104.2-106.

Group 43: contains the pieces for steps 107-108.1.

Group 44: contains the pieces for step 108.2.

Group 45: contains the pieces for steps 108.3-110.1.

Group 46: contains the pieces for steps 110.2-112.1.

Group 47: contains the pieces for step 112.2.

Group 48: contains the pieces for steps 112.3-120.1.

Group 49: contains the pieces for step 120.2.

Group 50: contains the pieces for step 120.3.

Group 51: contains the pieces for steps 121-124.

Group 52: contains the pieces for step 125.1.

Group 53: contains the pieces for steps 125.2-130.

Bag 7

Group 54: contains the pieces for steps 131-140.

Group 55: contains the pieces for steps 141-144.

Group 56: contains the pieces for steps 145-154.

#### Bag 8

Group 57: contains the pieces for steps 155-159.1.

Group 58: contains the pieces for steps 159.2-160.1.

Group 59: contains the pieces for steps 160.2-164.

Group 60: contains the pieces for step 165.

Group 61: contains the pieces for steps 166-168.1.

Group 62: contains the pieces for steps 168.2-169.1.

Group 63: contains the pieces for steps 169.2-170.1.

Group 64: contains the pieces for steps 170.2-172.1.

Group 65: contains the pieces for steps 172.2-174.

#### Bag 9

Group 66: contains the pieces for steps 175-178.

Group 67: contains the pieces for steps 179-186.

Group 68: contains the pieces for steps 187-190.

Group 69: contains the pieces for steps 191-195.

#### Bag 10

Group 70: contains the pieces for steps 196-208.

Group 71: contains the pieces for steps 209-212.

Group 72: contains the pieces for steps 213-226.

#### Bag 11

Group 73: contains the pieces for steps 227-239.

Group 74: contains the pieces for steps 240-243.

Group 75: contains the pieces for steps 244-257.

#### Bag 12

Group 76: contains the pieces for steps 258-263.

Group 77: contains the pieces for steps 264-268.

Group 78: contains the pieces for steps 269-274.

Group 79: contains the pieces for steps 275-280.

#### Bag 13

Group 80: contains the pieces for steps 281-285.1.

Group 81: contains the pieces for step 285.2.

Group 82: contains the pieces for steps 285.3-291.

Group 83: contains the pieces for steps 292-304.

#### Bag 14

Group 84: contains the pieces for steps 305-311.

Group 85: contains the pieces for step 312.1.

Group 86: contains the pieces for steps 312.2-313.

Group 87: contains the pieces for steps 314-318.1.

Group 88: contains the pieces for steps 318.2-319.

Group 89: contains the pieces for steps 320-321.

Group 90: contains the pieces for step 322.

Group 91: contains the pieces for steps 323-329.

#### Bag 15

Group 92: contains the pieces for steps 330-336.

Group 93: contains the pieces for step 337.1.

Group 94: contains the pieces for steps 337.2-338.

Group 95: contains the pieces for steps 339-346.1.

Group 96: contains the pieces for step 346.2.

Group 97: contains the pieces for step 346.3.

Group 98: contains the pieces for steps 347-352.1.

Group 99: contains the pieces for steps 352.2-355.

Group 100: contains the pieces for steps 356-364.

#### Bag 16

Group 101: contains the pieces for steps 365-370.1.

Group 102: contains the pieces for steps 370.2-371.

Group 103: contains the pieces for step 372.1.

Group 104: contains the pieces for steps 372.2-373.

Group 105: contains the pieces for steps 374-378.

Group 106: contains the pieces step 379.1.

Group 107: contains the pieces for step 379.2.

Group 108: contains the pieces for steps 380-382.

Group 109: contains the pieces for steps 383-384.

Group 110: contains the pieces for steps 385-386.

Group 111: contains the pieces for steps 387-388.

Group 112: contains the pieces for steps 389-397.

#### Bag 17

Group 113: contains the pieces for steps 398-402.1.

Group 114: contains the pieces for steps 402.2-411.

Group 115: contains the pieces for steps 412-414.1.

Group 116: contains the pieces for steps 414.2-418.

Group 117: contains the pieces for steps 419-421.

Group 118: contains the pieces for steps 422-425.

Group 119: contains the pieces for step 426.

Group 120: contains the pieces for steps 427-438.

#### Bag 18

Group 121: contains the pieces for steps 439-443.1.

Group 122: contains the pieces for steps 443.2-452.

Group 123: contains the pieces for steps 453-455.1.

Group 124: contains the pieces for steps 455.2-459.

Group 125: contains the pieces for steps 460-462.

Group 126: contains the pieces for steps 463-466.

Group 127: contains the pieces for step 467.

Group 128: contains the pieces for steps 468-479.

#### Bag 19

Group 129: contains the pieces for steps 480-485.1.

Group 130: contains the pieces for steps 485.2-487.1.

Group 131: contains the pieces for step 487.2.

Group 132: contains the pieces for steps 487.3-488.

Group 133: contains the pieces for steps 489-490.

Group 134: contains the pieces for steps 491-494.1.

Group 135: contains the pieces for steps 494.2- 497.

Group 136: contains the pieces for steps 498-500.1.

Group 137: contains the pieces for steps 500.2-503.1.

Group 138: contains the pieces for steps 503.2.-511.

#### Bag 20

Group 139: contains the pieces for steps 512-515.1.

Group 140: contains the pieces for steps 515.2-517.

Group 141: contains the pieces for steps 518-526.1.

## Description:

Here's a description to help you, blind builder, imagine what the finished model looks like before or while you're building it. The LEGO® FIFA World Cup™ Official Trophy 43020 is a tall and elegant sculpture built mainly in gold, standing on a round green base. When you hold it, the whole model feels like it rises in a gentle twist, full of movement, until it reaches the globe at the top. Its shape follows the real FIFA World Cup Trophy, created in 1974 by Italian sculptor Silvio Gazzaniga, who imagined two human figures lifting the world in a moment of pure victory. The real trophy is made of 18-karat gold, which is why the LEGO version uses gold-colored pieces throughout the build.

The base of the model is inspired by the real trophy's two rings of green malachite, a gemstone with a deep, rich color. LEGO recreates this with two smooth green rings separated by a thin gold band, just like the original. The green doesn't only echo the malachite stone — it also represents the soccer field itself, the place where every World Cup match begins. On one side of the base, you'll find a printed name tile with the official name of the trophy, set on a dark background with light lettering. The opposite side is left plain and smooth, so by touch you can easily tell which side carries the name. And if you explore the underside of the base, you'll find a round printed plaque listing the countries that have won the trophy since 1974 — a small historical detail hidden where only curious hands will discover it.

Above the base, the structure becomes golden and begins to twist upward. This part represents the two stylized human figures from the real trophy, stretching their arms toward the sky to lift the world. In LEGO form, this section feels like a tall, curved column with flowing shapes and gentle ridges. It narrows slightly as it rises, then widens again to support the globe.

At the very top sits a golden Earth, smooth and round, slightly tilted forward just like the real trophy. The continents are arranged so you can orient the model by touch: the American continent is on the front and top, Europe and Africa are on the right side, Asia is on the back, and the Pacific with Oceania is on the left. This layout mirrors the real trophy and helps you know exactly which side is the front.

Every part of the model carries the meaning of the original design: the rising figures express the energy of victory, the globe represents the worldwide reach of soccer, the gold symbolizes excellence and unity, and the green rings connect the trophy both to the earth and to the soccer pitch where champions are made. The LEGO version keeps these ideas alive through its colors, shapes, and textures, from the twisting golden structure to the green rings, the name tile, and the winners' plaque hidden underneath.

Inside the upper part of the model, LEGO has hidden a special surprise. To reach it, you gently remove the left side of the globe, the section showing the Pacific and Oceania. Inside, you'll find a tiny soccer stadium, a minifigure celebrating the 2026 World Cup, and a miniature display of the official FIFA World Cup 2026 logo. You can keep this secret scene hidden inside the trophy or display it separately as its own little model.

When the build is complete, the trophy feels tall and smooth, solid at the base and lighter toward the top, full of upward movement and crowned by a globe that represents the entire world of soccer. It becomes both a beautiful display piece and a storytelling object, celebrating the history of the World Cup while hiding a playful surprise inside.

## General placement guidelines

### 1. Rows and Columns Across the Whole Build:

Unless we say otherwise, rows are counted from front to back or back to front, and columns are counted from left to right or from right to left across the entire build.

Example: Vertically place a tan 1x2 plate on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front on the 3<sup>rd</sup> column from the left. or place a white 2x2 tile with stud on the 2 back rows on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the right.

This uses the full build's row and column Layout.

## 2. Why We Sometimes Count Columns from a Specific Row:

Each row can have a different number of columns. This happens when the build becomes narrower or wider toward the sides, or when certain rows have cutouts, curves, or irregular shapes.

So, if a row is shorter or wider than the rows above or below it, counting columns across the whole build becomes misleading. To avoid confusion, we count columns within that specific row.

Example: Instead of: Place the 1x2 plate on the front row on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right. We say: Place the 1x2 plate on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right of the front row.

This makes it clear that the row itself is the reference, not the whole build.

## 3. Why We Sometimes Count Rows from a Specific Column:

Each column can have a different number of rows. This happens when one column extends further back than the next, another extends forward, some columns are tall, others short, or the shape is staggered or irregular. When columns vary in height or depth, counting rows across the entire build becomes confusing. To avoid this, we count rows within that specific column.

Example: Place a tan 1x1 round plate on the 3<sup>rd</sup> row from the back of the 2<sup>nd</sup> column from the right.

This avoids the problem of columns with different lengths.

## 4. Using Landmarks for Tactile Orientation:

When rows and columns alone aren't enough, we add landmarks—nearby pieces that help the builder feel where the new piece belongs.

Example: Vertically place a green 2x4 plate on the 2<sup>nd</sup> through 5<sup>th</sup> rows from the back on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the left, so the back row sits on the front row of the back left 2x2 corner plate, and the front row sits on the back row of the front left 2x2 corner plate.

These tactile cues confirm the correct placement.

## General technic guidelines

1. In this set, you will use Technic elements such as liftarms, pins, axles, and connectors. Liftarms may appear in different shapes (for example, straight, L-shaped, bent, or T-shaped), and they may include both pin holes (round) and axle holes (cross-shaped). Liftarms also come in two thicknesses, which affects how far pins and axles extend when inserted.

Liftarm Thickness: Thick vs. Thin:

- A thick liftarm is the standard type and is 1L thick.
- A thin liftarm is 0.5L thick (half the thickness of a regular liftarm).

When a step uses a thin liftarm, the instruction will always say so. If the instruction does not mention thickness, you should assume the liftarm is the standard 1L thick type.

This is important because they are half as thick, and a pin or axle inserted through a thin liftarm will extend 0.5L farther on 1 side compared to the same pin inserted through a thick liftarm.

#### Example

- In a 3L thick liftarm, inserting a 2L pin from front to back leaves 1L extending toward the front.
- In a 3L thin liftarm, inserting the same 2L pin from front to back leaves 1.5L extending toward the front.

#### 2. Counting the Holes

- When a liftarm has both pin holes and axle holes, we count all holes in order, from one end of the liftarm to the other.
- Unless the instruction specifically says, in the axle hole or in the pin hole, you should assume the counting includes both types of holes together.
- The instruction will always tell you which direction to count from: from the right or from the left.

#### Examples

- Insert a tan 2L pin into the 2nd back-facing hole from the right.

Count all holes (pin and axle) starting at the right end. Place the pin in the second hole.

- Insert a black 2L axle into the 3rd hole from the left.

Count all holes from the left end until the third one, regardless of type.

- Insert a blue pin into the axle hole in the 4th position from the right.

Here, the instruction specifies axle hole, so place the pin in the cross-shaped hole at that position.

#### 3. Directional Guidance for Inserting or Attaching Pieces

To make Technic building smoother for blind builders, we always specify the exact direction a pin, axle, or connector moves when it is inserted or attached.

We use the following terms:

- front to back — the piece moves away from you
- back to front — the piece moves toward you
- top to bottom — the piece moves downward
- bottom to top — the piece moves upward

#### Examples

- Insert a black 2L pin from front to back into the second front-facing hole from the right of your 5L liftarm.

- Insert a 3L pin from back to front into the 3<sup>rd</sup> back facing pin hole from the left, so 2L of the pin extends to the back. Attach the leftmost front facing hole of your 7L liftarm from back to front onto the 2L back extending pin.

#### 4. Specifying How Far a Pin or Axle Extends

After inserting or attaching a piece, we always tell you how much of the pin or axle extends in each direction, using Technic length units (L).

This measurement automatically accounts for whether the liftarm is thick or thin.

##### Examples

- Insert a black 2L pin from front to back into the second front-facing hole from the right of the 5L liftarm, so 1L of the pin extends toward the front.
- Attach the leftmost back-facing hole of a 7L liftarm from front to back onto the 1L pin extending at the front.

These technic guidelines help to make Technic-set building easier for blind builders.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 – FIFA World Cup 2026™ branded minifigure holding a mini trophy.

Sub build 1. Locate a pair of white legs, a blue torso printed with a blue jumper featuring the FIFA World Cup 2026 logo on the front, a dual-sided yellow head printed with red lips and black eyes with two expressions — one smiling and one serious — a white-and-blue LEGO element that forms the cap and the hood — the blue hood covers the cap, leaving only the white visor visible — and a gold Mini trophy.

Assemble your minifigure. Choose which facial expression you want to display, either the cheerful smile or the serious face. Ask a sighted helper to help you identify the face. Attach the gold mini trophy to his right hand. Set your Fifa minifigure aside while you start building the mini stadium build.

Mini stadium build

Group 2:

1. Horizontally place a black 6x8 plate in front of you. Vertically place a dark grey 1x2 plate with rail on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the rightmost column of the ppp, so the rail faces the right. Vertically place another behind the ppp, so the rail faces the right. Then, repeat both parts symmetrically to the left.

2. Place a green 1x1 plate on the back right corner of your build. Vertically place the back row of a tan 1x2 plate with dual hinge fingers on 1 short side to the left of the ppp, so the dual hinge fingers face the back. Vertically place a white 1x2 plate with a stud and an upright clip to the left of the ppp, so the upright clip is at the back. Then, repeat the 3 parts symmetrically to the left., horizontally place a grey 1x2 rounded plate on the back row of your build, so it is centered horizontally.

3. Vertically place a tan 2x4 plate in front of the ppp. Place a medium blue 2x2 round plate with axle hole to the right of the 2<sup>nd</sup> and 3<sup>rd</sup> back rows of the ppp. Horizontally place a grey 1x2 rounded plate in front of the ppp. Then, repeat both parts symmetrically to the left.

4. Horizontally place a green 1x4 plate on top of your build on the front row, so it is centered horizontally. Place a green 1x2 plate with upright bar on 1 long side to the right of the ppp, so the bar faces the front. Then, repeat symmetrically to the left.

5. Place the left column of a green 2x2 corner tile behind the right column of the ppp, so it looks like a braille letter J. Then, repeat symmetrically to the back, so it looks like a braille letter D., repeat both placements symmetrically to the right. Vertically place a white 1x2 tile on top of your build on the 2<sup>nd</sup> column from the right, so it is centered vertically. Then, repeat symmetrically to the left. Now, place another horizontally on the back row of your build, so it is centered horizontally. Place a green 2x2 tile with 2 studs on edge in front of the ppp, so the studs face the front. Then, repeat symmetrically to the front, so the studs face the back.

Group 3:

6. Horizontally place a white 1x4 tile on top of your build, on the front row, so it is centered horizontally. Place a white 2x2 corner tile on the front right corner, so it looks like a braille letter J. Then, repeat symmetrically to the left. Now, repeat both placements symmetrically to the back. Vertically place a white 1x2 half cylinder tile on top of your build on the leftmost column, so it slopes to the left and it is centered vertically. Then, repeat symmetrically to the right.

2026 logo plaque

Group 4:

7. Let's build the plaque! Place a black 6x6 plate in front of you. Horizontally place a medium blue 2x6 plate on top of the ppp, so it is centered vertically.

8. Horizontally place a medium blue 2x6 half round plate in front of the ppp, so the rounded edge faces the front. Then, repeat symmetrically to the back.

9. You'll now be placing parts to form the number 2 on the 3 back rows of the plaque. Horizontally place a white 1x2 tile on top of your part on the back row, so it is centered horizontally. Place a white 1x1 quarter round tile to the left of the ppp, so the right angle faces the front right and the rounded edge faces the back left. Then, repeat symmetrically to the right. Place another in front of the ppp, so the right angle faces the back left and the rounded edge faces the front right. Horizontally place a white 1x2 tile to the left of the ppp., place a white 1x1 quarter round tile to the left of the ppp, so the right angle faces the front right and the rounded edge faces the back left. Horizontally place the left column of a white 1x2 tile in front of the ppp. Then, repeat symmetrically to the right.

10. You'll be next placing parts on the 3 front rows of the plaque to form the number 6. Place a white 1x1 quarter round tile in front of the right column of the ppp, so the right angle faces the front left, and the rounded edge faces the back right. Horizontally place a white 1x2 tile to the left of the ppp. Place a white 1x1 quarter round tile to the left of the ppp, so the right angle faces the front right and the rounded edge faces the back left. Place a white 1x1 tile in front of the ppp. Horizontally place a white 1x2 tile to the right of the ppp. Place a quarter round tile to the right of the ppp, so the right angle faces the front left, and the rounded edge faces the back right. Place another in front of the ppp, so the rounded edge faces the front right and the right angle faces the back left. Horizontally place a white 1x2 tile to the left of the ppp. Place a white 1x1 quarter round tile to the left of the ppp, so the right angle faces the back right and the rounded edge faces the front left.

11.1 Place a yellow 1x1 quarter round tile on the 2<sup>nd</sup> row from the front on the rightmost column, so the right angle faces the back left and the rounded edge faces the front right. Place another behind the ppp, so the right angle faces the front right and the rounded edge faces the back left.

Group 5:

11.2 Place a pink 1x1 quarter round tile behind the ppp, so the right angle faces the back right and the rounded edge faces the front left. Place another behind the ppp, so the right angle faces the front left, and the rounded edge faces the back right.

Group 6:

11.3 Place a turquoise 1x1 quarter round tile on the 2<sup>nd</sup> row from the back on the leftmost column, so the rounded edge faces the back left and the right angle faces the front right. Place another in front of the ppp, so the right angle faces the back left and the rounded edge faces the front right.

Group 7:

11.4 Place a red 1x1 quarter round plate in front of the ppp, so the right angle faces the front left, and the rounded edge faces the back right. Place another in front of the ppp, so the right angle faces the back right and the rounded edge faces the front left.

12. Turn your plaque build upside down, so the number 6 faces down on the front. Vertically place a black 1x2 plate with bar handle on 1 short side on top of your upside down plaque on the 2 front rows on the 2<sup>nd</sup> column of antistuds from the left, so the bar handle faces the front. Then, repeat symmetrically to the right.

13. Place the right column of a grey 2x2 curved slope tile on the ppp, so it slopes to the left. Then, repeat symmetrically to the left.

14. Turn your plaque build right side up, so the bar handles faces the front. Bring back your mini stadium scene, so the 2 dual hinge fingers face the back. Locate the 2 back upright clips of your mini stadium scene build. Now, hold your plaque upright, so the bar handles are at the bottom and the antistuds face the back. Attach the bottom bar handles of your plaque to the upright clips of your mini stadium scene build. Place your FIFA minifigure at the center of your build, on the front row of studs, so it is facing the front.

You've wrapped up Bag 1 like a champion., so far, you've built a FIFA World Cup 2026™ minifigure proudly holding a tiny trophy, a mini soccer stadium full of energy and detail, and a sleek 2026 World Cup plaque featuring the official logo and the bold number 26. It's already a display-worthy lineup. Now comes the exciting part. Bag 2 is waiting, and it's where the real magic begins: building the FIFA World Cup Trophy itself. You've set the stage beautifully—time to dive into the next bag and bring the star of the set to life.

Building Instructions (Bag 2, Book 1):

Group 8:

1. Vertically place an upside down red 2x14 plate in front of you. Place a black 2x2 round plate with axle hole upside down on top of the ppp, so it is centered vertically.

2. Horizontally place a black 2x4 plate behind the ppp, so it is centered horizontally. Then, repeat symmetrically to the front.

3. Turn your build right side up and place it vertically in front of you. grab a white 4x4 quarter round plate and orient it, so the right angle faces the front left, and the rounded edge faces the back right. Place its front left corner on the rightmost column of the horizontal back 2x4 plate, so 2 rows overhang to the back and 3 columns overhang to the right. Then, repeat symmetrically to the left., repeat both placements symmetrically to the front.

4. Let's make 2 identical parts! Vertically place a medium blue 1x6 plate in front of you. Horizontally place the leftmost column of a dark green 2x6 plate on top of the ppp, so it is centered vertically and 5 columns overhang to the right. You should now have 2 identical parts! Turn them upside down. Bring back your build and turn it upside down, so it is vertically in front of you. Take your first upside down part and place it on the 3 right columns of your build, so it is

centered vertically, 3 columns extend to the right, and the left vertical 1x6 plate sits to the right of the 2 horizontal 2x4 plates. Place the 2<sup>nd</sup> part symmetrically to the left.

#### GROUP 9:

5. Let's make 4 identical sub builds! Horizontally place a grey 1x6 plate in front of you. Now, place a lime 1x4 plate horizontally on the 4 right columns of the ppp.

6. Horizontally place a black 1x2 plate with clip on 1 short side to the left of the ppp, so the clip faces the left.

7. Horizontally place a tan 1x4 brick with 4 side studs on 1 long side on top of your part, so the side studs face the front and it is centered horizontally. Place a black 1x1 brick with 1 side stud to the right of the ppp, so the side stud faces the front. Then, repeat symmetrically to the left.

8. Horizontally place 3 white 1x2x1 2/3 bricks with 2x2 side studs on top of your part on e to the right of the other, so their side studs face the front.

#### Group 10:

9. Horizontally place a medium blue 1x6 plate on top of your part, so there is no overhang., horizontally place a black 1x4 plate on top of your part, so it is centered horizontally.

10. Horizontally place 2 gold 1x2 tiles one right to the other on the ppp. Horizontally place a gold 1x3 curved slope tile to the right of the ppps, so it slopes to the right and 2 columns overhang to the right. Then, repeat symmetrically to the left.

11. Let's make 4 identical parts 1 for each sub build! Stack 3 gold 1x2 plates and place the stack horizontally in front of you. Place a gold 1x1 plate on top of the stack on the left column. Horizontally place a white 1x2 plate with bar handle on 1 short side to the right of the ppp, so the bar handle faces the right and 1 column overhangs to the right. Stack 2 gold 1x2 plates, place the stacked plates horizontally<sup>2</sup> on the 2 leftmost columns of your sub build. Horizontally place a gold 1x2 tile on top of your part. Bring back your sub build, so it is horizontally in front of you and the side studs face the front. Attach the right facing bar handle of your part to the left facing clip of your sub build.

12. Push your attached part forward, until it reaches the top left overhanging 1x3 curved slope tile. You should now have 4 identical sub builds!

13. Bring back your upside down main build, so it is vertically in front of you. Flip your sub builds, so the side studs face down and the antistuds face the front. Place your first sub build on top of your main build on the 4 back rows, so it is centered horizontally and it sits behind 2 vertical medium blue 1x6 plates and the back horizontal black 2x4 plate, 1 row overhangs to the back, and the moving section of your sub build overhangs to the back right. Then, repeat symmetrically to the front. Grab a third sub build and orient it vertically, so the side studs face down and the antistuds of the 1x6 plate face the right. Place it vertically on top of your main build on the 5 left columns, so it is centered vertically and it sits to the left of the left vertical 1x6 plate, and the moving section of your sub build overhangs to the back left. Then, repeat symmetrically to the right.

14. Turn your build right side up and make sure the center slots are vertically in front of you. Place a black 2x2 round plate with axle hole on top of your build, so it is centered horizontally and vertically. Place the left column of a dark grey 2x2 corner plate in front of the right column of the ppp, so it looks like a braille letter H. Then, repeat symmetrically to the left, so it looks like a braille letter J. Now, repeat both placements symmetrically to the back.

15. Vertically place a medium blue 1x6 plate on top of your build on the 6<sup>th</sup> column from the left, so it is centered vertically and it sits to the left of the vertical left slot. Vertically place a tan 2x6 half round plate to the left of the ppp, so the rounded edge faces the left. Then, repeat both parts symmetrically to the right. Horizontally place a tan 2x6 half round plate on top of your build on the 4<sup>th</sup> and 5<sup>th</sup> rows from the back, so the rounded edge faces the back, and it is centered horizontally. Then, repeat symmetrically to the front. Place a lime 1x1 round plate to the right of the back row of the ppp, so it sits in front of the left column of the right vertical 2x6 half round plate. Next, repeat symmetrically to the left. Now, repeat both parts symmetrically to the back. You should have 4 lime 1x1 round plates in total sitting between 2 2x6 half round plates.

16. Let's make 2 identical parts! Horizontally place a medium blue 1x2 rounded brick with hollow studs and open center with bars in front of you. Horizontally place a yellow 1x2 rounded plate on top of the ppp. Turn it upside down, so the antistuds face up. Rotate it 90 degrees clockwise, so it is vertically in front of you. Attach a clip of a white 1x1 plate with clip to the front facing bar, so the stud faces up. Then, repeat symmetrically to the back. You should now have 2 identical parts. Bring back your base build and place it in front of you, so the center slots are vertically in front of you. Place each part vertically on each slot. 17. Turn your base build upside down.

17. Place a gold 6x6 round tile printed with the previous soccer Fifa world cup winners on top of your upside-down build, centered both horizontally and vertically. The surface of the printed tile shows a two-ring circular design in very dark brown. In the middle, the words WORLD CHAMPIONS appear in tight, capital letters, forming a perfect inner circle. Around this, the wider outer ring lists the World Cup-winning nations in chronological order starting from 1974, each separated by a small dot: West Germany · Argentina · Italy · Argentina · West Germany · Brazil · France · Brazil · Italy · Spain · Germany · France · Argentina. The print fills the entire top surface, giving the piece the appearance of a gold commemorative plaque celebrating decades of champions.

You've now built the rounded lower base of the trophy and attached the underside plaque featuring all World Cup winners since 1974, so you're perfectly set to open Bag 3 and continue shaping the iconic FIFA World Cup Trophy.

Building Instructions (Bag 3, Book 1):

Group 11:

18. Turn your base right side up. Let's make 2 identical parts! Stack 2 red 1x6 plates, place the stack vertically in front of you. Vertically place a grey 1x2 rounded plate underneath the 2 front rows of your stack. Then, repeat symmetrically to the back. You should now have 2 identical parts! Bring back your build, so the center antistuds form 2 columns. Place one of your parts vertically on the 7<sup>th</sup> column from the left, so it is centered vertically, and sits on the left column of antistuds of the left vertical medium blue 1x2 rounded brick with open center and bars, on 2 2x2 corner plates, and 2 white 1x1 plates with clip. Then, repeat symmetrically to the right.

19.1 Let's make a part! Hold a yellow 15L liftarm vertically upright with its pin holes facing the front and the back. Insert a black 2L pin from front to back into the 6<sup>th</sup> front facing pin hole starting from the top, so 1L of the pin extends to the front. Insert another from front to back into the 2<sup>nd</sup> front facing pin hole starting from the bottom, so 1L of the pin extends to the front.

19.2 Grab a lime 11L liftarm and hold it vertically upright with its pin holes facing the front and the back. Attach the 2<sup>nd</sup> back facing pin hole starting from the bottom from front to back onto the 1L front protruding end of the ppp. Next, attach the 2<sup>nd</sup> back facing hole starting from the top of the short liftarm from front to back onto the front top protruding 1L pin.

19.3, Insert a blue 3L pin from front to back into the front bottommost facing pin hole, so 2L of the pin extends to the front. Then, repeat symmetrically to the back.

19.4 Take 2 white 1x2 bricks with pin hole and place them horizontally in front of you one in front of the other, so the pin holes are even, and they face the front and the back. Attach the back facing hole of the back one from front to back into the bottommost front protruding 2L pin, so both 1x2 bricks with pin hole connect to your part. Then, repeat both parts symmetrically to the back. Bring back your main build and place it in front of you, so the stacked vertical red 1x6 plates from step 18 form 2 columns in the center of your main build. Place your part on top of your build, so it is centered horizontally and vertically, and sits between the 2 vertical stacked 1x6 plates.

20. Slide the open center of a grey 4x4 plate with open center from top to bottom through the top end of the 2 liftarms all the way through, press it down, so it attaches to the base. Vertically place a grey 2x4 brick to the left of the ppp. Then, repeat symmetrically to the right.

21. Vertically place a black 2x3 stair plate on the 3<sup>rd</sup> through 5<sup>th</sup> rows from the front counting only the rows with visible studs, so it is centered vertically and the stairs lead down to the front. Then, stack 2 grey 1x2 rounded plates and horizontally place your stack on the front row of the ppp. Now, repeat the 3 parts symmetrically to the back.

22. Vertically place a dark grey 1x2 log brick on the 3<sup>rd</sup> and 4<sup>th</sup> rows from the front, counting the rows with visible studs, on the 7<sup>th</sup> column from the right counting the entire build, so it sits to the right of the front stair plate. Then, repeat symmetrically to the left. Now, repeat both parts symmetrically to the back.

23. Vertically place the front row of a grey 1x2 rounded plate on the 7<sup>th</sup> column from the right on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front, so it sits on the back row of the vertical front right 1x2 log brick and on the front row of the right vertical 1x6 plate from step 18. Then, repeat symmetrically to the right. Now, repeat both parts symmetrically to the back.

24. Place a white 2x2 round brick with axle hole on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front, counting the rows of visible studs, on the 5<sup>th</sup> and 6<sup>th</sup> columns from the right counting the entire build, so it sits to the right of the front right ppp. Place a medium blue 2x2 round plate with axle hole on the ppp. Then, repeat both parts symmetrically to the left. Now, repeat both parts symmetrically to the back.

25. Horizontally place a dark green 1x3 plate on top of your part on the 3 left columns of the 6<sup>th</sup> row from the front of visible studs. Then, repeat symmetrically to the back. Now, repeat both parts symmetrically to the right.

26. Vertically place a white 1x4 brick on the 3<sup>rd</sup> column from the left of your base, so it is centered vertically. Horizontally place a dark green 1x3x1 2/3 curved half arch brick on the leftmost column on the 6<sup>th</sup> row from the back of visible studs, so the right column sits on the back row of the ppp. Horizontally place 3 more one in front of the other in front of the ppp. Then, repeat the 5 parts symmetrically to the right.

27. Let's make 2 identical parts! Horizontally place a white 1x4 brick in front of you. Vertically place the back row of a dark green 1x3 plate underneath the rightmost column of the ppp, so 2 rows extend to the front. Then, repeat symmetrically to the left. Next, place a dark green 1x3x1 2/3 curved half arch brick on the front row of the ppp, so the back row attaches to the white horizontal 1x4 brick. Then, repeat symmetrically to the right. Vertically place 2 more between the ppps, so they are only attached by the back antistud, and 2 columns overhang to the front. Now, horizontally place a dark green 1x2 plate underneath the front overhang. You should now have 2 identical parts! Bring back your main build, so the curved half arch bricks face the left and the right. Place one of your parts on the 3 front rows, so it is centered horizontally and the arches curve to the front. Then, repeat symmetrically to the back.

28.1 Horizontally place the back row of a yellow 2x4 plate on the front row of the ppp, so it is centered horizontally.

Group 12:

28.2 Place a lime 2x4 plate symmetrically to the front, so it is centered horizontally.

Group 13:

28.3 Rotate your main build 90 degrees clockwise. Vertically place the front row of 2 black 2x4 plates one right to the other on the studs of the front facing 1x3x1 2/3 curved half arch bricks from step 26. Then, repeat both parts symmetrically to the back.

29. Place a dark green 6x6x2 round corner brick on each corner following the shape of the base. Turn your main build right side up. So, the pin holes face the front and the back and the short liftarm is vertically upright facing the front.

Great job! In this bag you've built the lower green ring, just like the real malachite ring of the trophy, and you've made the base much thicker and stronger by adding lots of pieces. You also began shaping the internal structure that will rise into the trophy's stem. The trophy is waking up piece by piece — open Bag 4 when you're ready and keep the adventure going.

Building Instructions (Bag 4, Book 1):

Group 14:

30. Place a medium blue 2x2 round plate with axle hole on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front, so it is centered horizontally and it sits in front of the upright liftarms. Then, repeat symmetrically to the back. Vertically place the 2 back rows of a dark tan 2x6 plate to the right of the ppp. Now, repeat symmetrically to the left.

31. Let's make 4 identical stacks. Stack a medium blue 2x2 round plate with axle hole on a white 2x2 round brick with axle hole. You should have 4 identical stacks. Place one of your stacks on top of the ppp, so it is centered vertically. Then, repeat symmetrically to the right. Place another on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front of visible studs, so it is centered horizontally and sits on the medium blue 2x2 round plate with axle hole from the previous step. Now, repeat symmetrically to the back.

32. Let's make a part! horizontally place a black 1x6 plate in front of you. Horizontally place a white 1x2 log brick on top of the ppp, so it is centered horizontally. Place a yellow 1x2 brick with 2 side studs on 1 long side to the right of the ppp, so the side studs face the back. Then, repeat symmetrically to the left, so the side studs face the back. Next, place a black 1x6 plate on top of your part, so there is no overhang. then, place 4 dark grey 1x1 tiles with upright clip upright on the back facing side studs, so the hands of their clips face up and down. Now, bring back your main build, so the pin holes of the liftarms face the front and the back and the short liftarm is facing the front. Place your part Horizontally on the 3<sup>rd</sup> row from the back, so it is centered horizontally.

Group 15:

33. Horizontally place a black 1x6 plate on the 3<sup>rd</sup> row from the front, so it is centered horizontally. Horizontally place a lime 1x2 brick with 2 side studs on 1 long side on the ppp, so it is centered horizontally and the side studs face the front. horizontally place a white 1x2 log brick to the right of the ppp. Then, repeat symmetrically to the left. Horizontally place a black 1x6 plate on top of your part, so there is no overhang. Next, place 2 dark grey 1x1 tiles with upright clip on the front facing side studs, so the hands of their clips face up and down.

34.1 Vertically place a white 1x8 plate on top of your main build on the 3<sup>rd</sup> column from the right, so it is centered vertically. Place a lime 1x1 round plate on the front and on the back rows of the ppp, so you have 2 1x1 round plates in total. Place a grey 1x1 round brick on top of the 2 ppps. Then, repeat the 5 parts symmetrically to the left.

Group 16:

34.2 Vertically place a white 1x2 log brick on the 3<sup>rd</sup> column from the right, so it is centered vertically. Place a tan 1x2 brick with 2 side studs on 1 long side in front of the ppp, so the side studs face the right. Then, repeat symmetrically to the back. Vertically place a black 1x6 plate vertically on the 3 ppps, so it is centered vertically on your build. Next, place 4 dark grey 1x1 tiles with upright clip on the right facing side studs, so the hands of their clips face up and down. Now, repeat the 8 parts symmetrically to the left.

35. Place a grey 2x2 corner plate on the 3<sup>rd</sup> and 4<sup>th</sup> rows from the front on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the right, so it looks like a braille letter J, and it sits on the front right 1x1 round brick on the front row of the right vertical plate and on the front horizontal plate. Repeat symmetrically to the left. Now, repeat both parts symmetrically to the back. Place a tan 1x4 plate vertically on top of your build on the 3<sup>rd</sup> column from the right, so it is centered vertically and sits between the back right and front right corner plates. Then, repeat symmetrically to the left. Place another horizontally on the 3<sup>rd</sup> row from the front, so it is centered horizontally and sits between the front right and front left 2x2 corner plates. Then, repeat symmetrically to the back.

36.1 Place a yellow 2x2 brick in front of the ppp, so it is centered horizontally and sits on top of the medium blue 2x2 round plate with axle hole.

Group 17:

36.2 Place a lime 2x2 brick symmetrically to the front.

Group 18:

36.3 Place a tan 2x2 brick on the 4<sup>th</sup> and 5<sup>th</sup> columns from the right, so it is centered vertically, and sits on the top right medium blue 2x2 round plate. Then, repeat symmetrically to the left.

37. Vertically place a white 1x8 plate on the 3<sup>rd</sup> column from the left, so it is centered vertically. Then, repeat symmetrically to the right. Next, place a black 1x6 plate to the left of the front row of the ppp. Now, Repeat symmetrically to the back.

38. Let's make a part! Horizontally place a dark tan 2x6 plate in front of you. Place a gold 1x2 tile on the back row on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right. Then, repeat symmetrically to the left.

39. Place a gold 1x2 curved slope tile to the left of the ppp, so it slopes to the left and 1 column extends to the left. Repeat symmetrically to the right.

40. Turn your part 180 degrees. Take a black 1x6 plate and place it horizontally behind your part, so it aligns with the back row of your part. Horizontally place the back row of a gold 2x6 tile with printing pattern on the ppp, so the ppp connects to your part. The gold 2x6 tile is gold and has the words FIFA WORLD CUP in dark brown. Ask a sighted friend to help you orient the tile.

41. Place a gold 1x1 plate with 1x1 upright facing side stud underneath the back left corner of your part, so the side stud faces the left. Place another in front of the ppp, so the side stud faces the left. Then, repeat both parts symmetrically to the right. Turn your part upside down, so it is horizontally in front of you and the longer row of antistuds is at the back. Place a grey 2x2 curved inverted slope tile on top of your upside down part on the front left corner, so it slopes to the right. Then, repeat symmetrically to the right, so it slopes to the left.

42. Place a black 2x2 plate with bottom bar handle on the edge of 1 long side on top of your part on the 2 front rows, so it is centered horizontally and the bar handle faces the back.

43. Turn your part right side up and position it horizontally in front of you, so the printed 2x6 tile is at the back. Rotate it 90 degrees clockwise, so the side studs face the front and the back. Horizontally place a gold 1x2 plate upright on the front facing side studs. Then, repeat symmetrically to the back.

44. Place the back row of a gold 2x2 round tile upright on the ppp, so 1 row overhangs to the bottom. Then, repeat symmetrically to the front.

45. Rotate your part 90 degrees counterclockwise, so the pin holes of the upright attached liftarms face the front and the back and the sort liftarm faces the front. Locate the front facing clips. Attach the bottom bar handle of your part to the front facing clips. The part should slope to the front.

Group 19:

46.1 Let's make 3 identical parts! Horizontally place a dark tan 2x6 plate in front of you. Place the front row of a gold 2x2 tile with studs on edge on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right, so the studs face the back and 1 row overhangs to the back. Then, repeat symmetrically to the left. Horizontally place a black 1x6 plate behind the horizontal 2x6 plate, so the corners align, and it attaches under the back overhang.

46.2 Place the left column of a gold 2x2 curved slope tile on top of your part on the back right corner, so it slopes to the right and 1 column extends to the right. Then, repeat symmetrically to the left. Horizontally place a gold 1x2 curved slope tile in front of the ppp, so it slopes to the left, and 1 column extends to the left. Then, repeat symmetrically to the right. Horizontally place 2 gold 1x2 tiles 1 to the left of the other between the 2 ppps.

46.3 Turn your part upside down, so the row with studs is facing down at the back. Place a black 2x2 plate with bottom bar handle on the edge on 1 long side on the 2 back rows on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right of antistuds, so the bar handle points up at the front. Then, repeat symmetrically to the left. Turn your part right side up. So, the row of studs is at the back. You should now have 3 identical parts!

46.4 Bring back your main build, so the pin holes of the upright attached liftarms face the left and the right, and the sort liftarm is facing the left. Grab 1 of your parts and attach the bottom back bar handle to the front facing clips, so your part slopes to the front. Then, repeat symmetrically to the back. Now rotate your main build 90 degrees clockwise, so the pin holes of the attached liftarms face the front and the back with the long liftarm facing the front. Attach the bottom back bar handle of your part to the front facing clips, so your 3<sup>rd</sup> part slopes to the front.

47. Horizontally place the back row of a dark tan 2x6 plate on the row of studs behind your 3<sup>rd</sup> attached part, so it is centered horizontally and sits on a horizontal black 1x6 plate, and 1 row overhangs to the front covering the space between the horizontal 1x6 plate and the attached part. Then, repeat symmetrically to the back. Now, vertically place the right column of a tan 2x6 plate on the vertical left white 1x8 plate, so it is centered vertically and 1 column overhangs to the left. Then, repeat symmetrically to the right.

48. Rotate your build 180 degrees, so the printing is at the front. On each round corner of your base there is a free stud. Place a gold 2x2 plate with cut corner on the front right corner, so the right angle faces the back left. Place a gold 2x2x3 corner slope brick on the ppp, so the right angle faces the back left. Place the front row and the right column of a gold 2x2 round tile on the ppp. Then, repeat the 3 parts symmetrically to the left.

49. Now, repeat the 6 parts symmetrically to the back.

50.1 Place the front row of a white 4x4 curved corner plate on the 4 left columns of the front row of visible studs, so it looks like a braille letter H. Then, repeat symmetrically to the right. Now, repeat both parts symmetrically to the back. Vertically place a yellow 2x3 plate on top of your build, on the 2<sup>nd</sup> through 4<sup>th</sup> rows from the back counting the visible studs, so it is centered horizontally.

Group 20:

50.2 Place a lime 2x3 plate symmetrically to the front.

Group 21:

50.3 Horizontally place a medium blue 2x3 plate on top of your build on the 2<sup>nd</sup> through 4<sup>th</sup> columns from the right, so it is centered horizontally. Then, repeat symmetrically to the left.

51. Horizontally place a white 2x2 plate on top of your build on the 2 front rows, so it is centered horizontally. Place a black 2x2 round plate with axle hole behind the ppp. Then, repeat both parts symmetrically to the back. Place a white 2x2 plate on top of your build on the 2 right columns, so it is centered vertically. Place a black 2x2 round plate with axle hole to the left of the ppp. Then, repeat both parts symmetrically to the left.

52.1 Horizontally place a medium blue 2x3 plate on top of your build on the 2<sup>nd</sup> through 4<sup>th</sup> columns from the left, so it is centered vertically. Then, repeat symmetrically to the right.

Group 22:

52.2 Vertically place a lime 2x3 plate on top of your build on the 2<sup>nd</sup> through 4<sup>th</sup> rows from the front, so it is centered horizontally.

Group 23:

52.3 Place a yellow 2x3 plate symmetrically to the back.

53. Vertically place 2 dark green 1x2x1 2/3 curved half arch bricks one right to the other behind the ppp, so they attach by the top antistud, and the back row slightly overhangs to the back. Horizontally place a 1x2 plate underneath the ppps. Then, repeat the 3 parts symmetrically to the front. Horizontally place 2 dark green 1x2x1 2/3 curved half arch bricks on top of your build on the rightmost column, so they attach by the top antistud, and their right column slightly overhangs to the right. Vertically place a 1x2 plate underneath the ppps. Then, repeat the 3 parts symmetrically to the left.

54. Let's place 4 pentagonal tiles. Horizontally place a dark green 2x3 pentagonal tile on top of the 3 ppps, so the triangular tip faces the right, and it is centered vertically on your build. Then, repeat symmetrically to the right. Vertically place another on top of the 2 front vertical 1x2x1 2/3 bricks, so the triangular tip faces the back, and it is centered horizontally on your build. Then, repeat symmetrically to the back.

55. Let's make 4 identical parts! Place a dark green 4x4 curved corner plate and place it in front of you, so the rounded edge faces the front left. Place a dark green 4x4x2 round corner tile on top of the ppp, so 1 row overhangs to the back and 1 column overhangs to the right as it is wider than the ppp. The front left corner of the 5x5 plate should extend to the left. You should now have 4 identical parts. Bring back your main build, so the trophy's name tile is facing the front. Take one of your parts and place it on top of your build on the front left corner between the front vertical and the left horizontal 2x3 pentagonal tiles, so the rounded edge faces the front left. Then, repeat symmetrically to the back. Now, repeat both placements symmetrically to the right.

What a fantastic play! With Bag 4 you've pushed the build forward like a perfect midfield attack. You added a bright gold section right above the lower green ring, and then you built the second and top malachite-green ring — together they form the two green circles that represent the soccer field at the base of the real trophy. You also placed the trophy's name on one side of the base: a gold tile with the words WORLD CUP printed in dark brown, shining like a champion's badge. When you're ready, open Bag 5 and keep the match going — the next goal is waiting!

Building Instructions (Bag 5, Book 1):

Group 24:

56. Let's make a sub build! Place a black 4x4 plate with open center in front of you. Vertically place a grey 1x2 plate with 2x2 upright side studs on top of the ppp on the rightmost column, so it is centered vertically and the side studs face the right. Then, repeat symmetrically to the left.

57. Horizontally place 2 grey 1x2 plates with 2x2 upright side studs one right to the other on the front row of your part, so the side studs face the front. Then, repeat both parts symmetrically to the back.

58. Let's make a part! Place a black 4x4 plate with open center in front of you. Place a medium blue 1x1 round plate on each corner of the ppp, so there are 4 in total. Vertically place a grey 1x2 rounded plate on top of your part on the rightmost column, so it is centered vertically. Then, repeat symmetrically to the left. Bring back your sub build from step 57 and position is in front of you, so 2x2 side studs face the front and the back, and the 2x4 side studs face the left and the right. Place your part inside the sub build.

59.1 Horizontally place a grey 1x2 rounded plate on the back row of your sub build, so it is centered horizontally.

Group 25:

59.2 Horizontally stack a yellow 1x2 rounded plate on the ppp.

59.3 Horizontally place a white 1x2 brick with axle hole on top of the ppp.

Group 26:

59.4 Horizontally place a grey 1x2 rounded plate on the ppp.

Group 27:

59.5 Stack a yellow 1x2 rounded plate on the ppp.

Group 28:

60.1 Horizontally place a grey 1x2 rounded plate on the front row of your sub build, so it is centered horizontally.

Group 29:

60.2 Horizontally stack a lime 1x2 rounded plate on the ppp.

60.3 Horizontally place a white 1x2 brick with axle hole on top of the ppp.

Group 30:

60.4 Horizontally place a grey 1x2 rounded plate on the ppp.

Group 31:

60.5 Stack a lime 1x2 rounded plate on the ppp.

61. Vertically place the front row of a black 1x2x2 window frame to the left of the ppp, so the ridges face the right. Place another vertically behind the ppp, so the ridges face the right. Then, repeat both parts symmetrically to the right.

62. Vertically place a white 1x2 plate with 2x4 side studs hanging down on top of the 2 ppps, so it is centered vertically on your sub build. Place a red 1x1 round plate in front of the ppp. Then, repeat symmetrically to the back. Now, repeat the 3 parts symmetrically to the left.

63. Bring back your main build, so the trophy's name tile faces the front and the pin holes of the upright attached liftarms face the front and the back. Take your sub build and slide it through the top facing liftarms all the way down. Press it down, so it attaches to the main build. 5L of the long liftarm should extend upward after sliding.

64. Locate the front facing axle hole of your attached sub build. Grab a red 4L axle and insert it from front to back into the front facing axle you have just found.

65.1 Horizontally place a yellow 1x2 plate with 2x2 side studs hanging down on top of your build on the back row, so the side studs face the back matching with the 2x2 side studs below.

Group 32:

65.2 Place a lime 1x2 plate with 2x2 side studs hanging down symmetrically to the front.

66. Let's make a part! Vertically place a lime 2x3 plate in front of you. Horizontally place a grey 2x4 plate on the 2 back rows of the ppp, so it is centered horizontally.

67. Place a white 2x2 plate underneath the left overhang, so 1 column is exposed to the left. Then, repeat symmetrically to the right.

68. Place a gold 1x1 plate on the back right corner of your part. Then, repeat symmetrically to the left.

69. Horizontally place a gold 1x2 plate on the back left corner, so the left column sits on the ppp. Then, repeat symmetrically to the right. Now, place a dark tan 1x2 brick horizontally between the ppps.

70. Horizontally place a grey 1x2 rounded plate in front of the ppp. Next, place a gold 1x2 plate horizontally on the back right corner of your part. Now, repeat symmetrically to the left.

71. Horizontally place a gold 1x2 curved slope tile in front of the ppp, so it slopes to the left. Then, repeat symmetrically to the right. Horizontally place a gold 1x2 slope tile between the 2 ppps, so it slopes to the front and it is centered horizontally on your part.

72. Horizontally place a gold 1x3 curved slope tile on the back right corner of your part, so it slopes to the right. Then, repeat symmetrically to the left.

73. Rotate your part 180 degrees, once rotated flip it, so it sits on the front side and the antistuds face the back. Bring back your main build, so the trophy's name tile faces the front and the pin holes of the attached liftarms face the front and the back. Horizontally attach your part upright to the 3 bottom rows of front facing side studs. After attaching, the top row of front facing side studs should remain free.

Group 33:

74. Let's make a part! Vertically place a yellow 2x3 plate in front of you. Horizontally place a grey 2x4 plate on the 2 back rows of the ppp, so it is centered horizontally.

75. Place a white 2x2 plate underneath the left overhang, so 1 column is exposed to the left. Then, repeat symmetrically to the right.

76. Place a gold 1x1 plate on the back right corner of your part. Then, repeat symmetrically to the left.

77. Horizontally place a gold 1x2 plate on the back left corner, so the left column sits on the ppp. Then, repeat symmetrically to the right. Now, place a dark tan 1x2 brick horizontally between the ppps.

78. Horizontally place a grey 1x2 rounded plate in front of the ppp. Next, place a gold 1x2 plate horizontally on the back right corner of your part. Now, repeat symmetrically to the left.

79. Place a gold 1x2 curved slope tile in front of the ppp, so it slopes to the left. Then, repeat symmetrically to the right. Horizontally place a gold 1x2 slope tile between the 2 ppps, so it slopes to the front and it is centered horizontally on your part.

80. Horizontally place a gold 1x3 curved slope tile on the back right corner of your part, so it slopes to the right. Then, repeat symmetrically to the left.

81. Rotate your part 180 degrees, flip it, so it sits on the front side and the antistuds face the back. Bring back your main build, so the trophy's name tile faces the back and the pin holes of the attached liftarms face the front and the back. Horizontally attach your part upright to the 3 bottom rows of front facing side studs. After attaching, the top row of front facing side studs of your main build should remain free.

Group 34:

82.1 Let's make 2 identical parts! Vertically place 2 black 2x3 bricks in front of you one right to the other. Place a tan 1x4 plate horizontally on top of the ppps, so it is centered vertically and there is no overhang.

82.2 Horizontally place a dark tan 1x6 plate on top of your part on the front row, so it is centered horizontally. Horizontally place a gold 1x2 ingot tile on the back row, so it is centered horizontally.

82.3 Horizontally place a gold 1x2 slope tile in front of the ppp, so it slopes to the back. Horizontally place a grey 1x2 rounded plate in front of the ppp.

82.4 Place the left column of a golden 1x3 curved slope brick horizontally on the right column of the ppp, so it slopes to the right. Take a gold 2x2 corner plate and orient it, so it looks like a braille letter H. Place the right angle underneath the right overhang of the 1x6 plate, so 1 column overhangs to the right and 1 row overhangs to the back. Then, repeat both parts symmetrically to the left. You should now have 2 identical parts!

82.5 Bring back your main build, so the trophy's name tile faces the left and the pin holes of the attached liftarms face the left and the right. Flip one of your parts, so it sits on its front side and the antistuds face the back. Attach your part horizontally to the front facing side studs of your main build. Now, repeat symmetrically to the back.

83. Place a gold 1x1 slope tile upright on the rightmost column of your back attached part, so it slopes to the right and sits on the right 2x2 corner plate and to the right of a horizontal upright right sloping gold 1x3 curved slope tile. Then, repeat symmetrically to the left. Horizontally place a gold 1x2 curved slope tile upright to the left of the gold upward sloping 1x2 slope tile of your back attached part, so it slopes to the left and sits on a tan 1x2 plate and on a gold 2x2 corner plate. Now, repeat symmetrically to the right. Horizontally place a gold 1x2 curved slope tile upright above the ppp, so it slopes to the right and 1 column overhangs to the right. Then, repeat symmetrically to the left. Now, repeat the 6 parts symmetrically to the front.

Group 35:

84. Let's make a part! Horizontally place a blue 11L liftarm in front of you with its holes facing up and down. Insert a black 2L pin from top to bottom into the top rightmost pin hole. So 1L of the pin extends upward. Then, repeat symmetrically to the left. Insert another from top to bottom into the 4<sup>th</sup> top facing pin hole starting from the left, so 1L of the pin extends upward. Insert another from top to bottom into the top facing pin hole to the right of the ppp. Take a white 13L liftarm and orient it horizontally with its pin holes facing up and down. Attach the bottom leftmost pin hole from top to bottom onto the ppp. Then, attach the 7<sup>th</sup> bottom facing pin hole starting from the right from top to bottom into the rightmost 1L top facing pin. 6L of the second liftarm should overhang to the right. Gring back your main build, so the trophy's name tile is at the front. Take your part and hold it vertically upright, so the pin holes face the front and the back with its pins protruding to the back and, 6L of the 2<sup>nd</sup> liftarm overhanging to the top. Insert the pins into the top front facing pin hole and into the 4<sup>th</sup> front facing pin hole starting from the top. Now the part is rigidly attached.

85. Let's make a part! Place a grey 4x4 plate with center hole in front of you. Vertically place a black 1x2 log brick on top of the ppp on the rightmost column, so it is centered vertically. Then, repeat symmetrically to the left.

Group 36:

86. Horizontally place 2 tan 1x2 log bricks 1 to the right of the other on the front row of your part. Then, repeat both parts symmetrically to the back.

87.1 Horizontally place a yellow 1x2 plate with 2x2 side studs hanging down on top of your part on the back row, so it is centered horizontally and the side studs face the back.

Group 37:

87.2 Place a lime 1x2 plate with 2x2 side studs hanging down symmetrically to the front.

88. Horizontally place a grey 1x2 rounded plate on the ppp. Then, repeat symmetrically to the back. Vertically place a medium blue 1x4 plate on top of your part on the rightmost column. Then, repeat symmetrically to the left.

89. Vertically place 2 grey 1x2 plates with 2x2 upright facing side studs one in front of the other on the ppp.

90. Place 1x2x2 window frame one to the front of the other on the leftmost column, so their ridges face the right. Then, repeat symmetrically to the right.

91. Stack 2 tan 1x2 log bricks, horizontally place your stack on the back row of your part, so it is centered horizontally. Then, repeat both parts symmetrically to the front.

92. Stack 2 grey 4x4 plates with center hole, place your stack on top of your part, so there is no overhang. Place a red 1x1 round plate on each corner, so there are 4 in total.

93.1 Vertically place a white 1x2 plate with 2x4 side studs hanging down on top of your part on the rightmost column, so it is centered vertically and the side studs face the right. Then, repeat symmetrically to the left. Horizontally place a yellow 1x2 plate with 2x2 side studs hanging down on top of your part on the back row, so it is centered horizontally and the side studs face the back.

Group 38:

93.2 Place a lime 1x2 plate with 2x2 side studs hanging down symmetrically to the front.

94. Bring back your main build, so the trophy's name tile is facing the front and the pin holes of the top facing attached liftarms face the front and the back. Slide your part through the top end of the attached liftarms all the way through, so 11.5L of the long liftarm extend upward after sliding.

Another brilliant play on the field! In Bag 5 you added new pieces right above the top malachite-green ring, building up the section where the wide base starts to narrow into the trophy's stem. You kept shaping this transition area with careful layers, making the curve feel smooth and strong under your fingers. And in the center, you've raised the stem even higher by adding more liftarms to strengthen the internal structure. The trophy is growing taller, stronger, and more exciting with every move. When you're ready, open Bag 6 and keep the match alive. The next big goal is waiting for you!

Building Instructions (Bag 6, Book 1):

GROUP 39:

95. Let's make a part! Place a grey 4x4 plate with center hole in front of you. Vertically place a black 1x2 log brick on top of the ppp on the rightmost column, so it is centered vertically. Then, repeat symmetrically to the left.

Group 40:

96. Horizontally place 2 tan 1x2 log bricks 1 to the right of the other on the front row of your part. Then, repeat both parts symmetrically to the back.

97. Vertically place a white 1x2 plate with 2x2 side studs hanging down on top of your part on the rightmost column, so it is centered vertically and the side studs face the right. Then, repeat symmetrically to the left. Place a medium blue 1x1 round plate on top of your part on each corner, so there are 4 in total.

98. Horizontally place a white 1x2 brick with axle hole on top of your part on the front row, so it is centered horizontally and the axle holes face the front and the back. Then, repeat symmetrically to the back.

99.1 Horizontally place a yellow 1x2 rounded plate on top of the ppp.

Group 41:

99.2 Place a lime 1x2 rounded plate symmetrically to the front, place 2 black 1x2 log bricks one in front of the other on top of your part on the leftmost column. Then, repeat both placements symmetrically to the right.

100. Place a grey 4x4 plate with open center on top of your part, so there is no overhang.

101. Vertically place a white 1x2 plate with 2x4 side studs hanging down on top of your part, so it is centered vertically on your sub build. Place a red 1x1 round plate in front of the ppp. Then, repeat symmetrically to the back. Now, repeat the 3 parts symmetrically to the left.

102. Bring back your main build, so the printed tile faces the front and the pin holes of the upright attached liftarms face the front and the back. Take your sub build and slide it through the top facing liftarms all the way down. Press it down, so it attaches to the main build and 8L of the long liftarm and 2L of the short liftarm extend upward, after sliding.

103. Locate the front facing axle hole of your attached sub build. Grab a red 4L axle and insert it from front to back into the front facing axle hole you have just found all the way in, so it does not protrude either to the front or to the back.

104.1 Horizontally place a yellow 1x2 plate with 2x2 side studs hanging down on top of your build on the back row, so the side studs face the back matching with the 2x2 side studs below.

Group 42:

104.2 Place a lime 1x2 plate with 2x2 side studs hanging down symmetrically to the front.

105. Next, you'll insert 4 black 2L pins into the long top facing liftarm. Take one of the pins and insert it from front to back into the front top facing pin hole, so 1L of the pin extends to the front. Insert a second from front to back into the 3<sup>rd</sup> front facing pin hole starting from the top, so 1L of the pin extends to the front. Insert a 3<sup>rd</sup> into the 4<sup>th</sup> front facing pin hole starting from the top, so 1L of the pin extends to the front. Insert the last one from front to back into the 6<sup>th</sup> front facing pin hole starting from the top, so 1L of the pin extends to the front. Grab a grey 3L liftarm and orient it vertically upright, so the pin holes face the front and the back. Attach the back bottom facing pin hole and the back top facing pin hole from front to back onto the 2 ppps. Then, repeat symmetrically to the top.

106. Let's make a part! Place a grey 4x4 plate with center hole in front of you. Vertically place a black 1x2 log brick on top of the ppp on the rightmost column, so it is centered vertically. Then, repeat symmetrically to the left.

Group 43:

107. Horizontally place 2 tan 1x2 log bricks 1 to the right of the other on the front row of your part. Then, repeat both parts symmetrically to the back.

108.1 Vertically place a white 1x2 plate with 2x2 side studs hanging down on top of your part on the rightmost column, so it is centered vertically and the side studs face the right. Then, repeat symmetrically to the left.

Group 44:

108.2 Horizontally place a Yellow 1x2 plate with 2x2 side studs hanging down on top of your part on the back row, so it is centered horizontally and the side studs face the back.

Group 45:

108.3 Place a lime 1x2 plate with 2x2 side studs hanging down symmetrically to the front.

109. Place a medium blue 1x1 round plate on top of your part on each corner, so there are 4 in total.

110.1 Place a black 1x2 log brick on top of your part on the rightmost column, so it is centered vertically. Then, repeat symmetrically to the left.

Group 46:

110.2 Horizontally place 2 tan 1x2 log bricks 1 to the right of the other on the front row of your part. Then, repeat both parts symmetrically to the back.

111. Place a grey 4x4 plate with open center on top of your part, so there is no overhang.

112.1 Vertically place a white 1x2 plate with 2x2 side studs hanging down on top of your part on the rightmost column, so it is centered vertically and the side studs face the right. Then, repeat symmetrically to the left.

Group 47:

112.2 Horizontally place a Yellow 1x2 plate with 2x2 side studs hanging down on top of your part on the back row, so it is centered horizontally and the side studs face the back.

Group 48:

112.3 Place a lime 1x2 plate with 2x2 side studs hanging down symmetrically to the front.

113. Place an orange 1x1x2/3 short brick on top of your part on each corner, so there are 4 in total.

114. Vertically place a grey 1x2 plate with 2x2 upright side studs on top of your part on the leftmost column, so it is centered vertically and the side studs face the left. Then, repeat symmetrically to the right. Place another horizontally on top of your part on the front row, so it is centered horizontally and the side studs face to the front. Now, repeat symmetrically to the back.

115. Vertically place 2 black 1x2x2 window frames 1 in front of the other on top of your part on the leftmost column, so their ridges face the left. Then, repeat both placements symmetrically to the right, so the ridges face the left.

116. Place a tan 1x2 log brick on top of your part on the front row. Stack a white 1x2 brick with axle hole on the ppp, so the axle holes face the front and the back. Then, repeat both parts symmetrically to the back.

117. Bring back your main build, so the trophy's name tile faces the front and the pin holes of the upright attached liftarms face the front and the back. Take your sub build and slide it through the top facing liftarms all the way down. Press it down, so it attaches to the main build and 1L of the liftarms extends upward, after sliding.

118. Locate the front facing axle hole of your attached sub build. Grab a red 4L axle and insert it from front to back into the front facing axle hole you have just located all the way in, so it doesn't protrude either to the front or to the back.

119. Stack 2 grey 4x4 plates with center hole, place your stack on top of your build. Place a red 1x1 round plate on each corner of the stack, so there are 4 in total.

120.1 Place a lime 1x2 plate with 2x2 side studs hanging down on top of your build on the front row, so it is centered horizontally and the side studs face the front.

Group 49:

120.2 Place a yellow 1x2 plate with 2x2 side studs hanging down symmetrically to the back.

Group 50:

120.3 Vertically place a white 1x2 plate with 2x2 side studs hanging down on top of your part on the rightmost column, so it is centered vertically and the side studs face the right. Then, repeat symmetrically to the left.

Group 51:

121. Let's make a part! Place an upside down white 8x8 plate in front of you. Horizontally place a black 1x8 brick on the back row of antistuds of the ppp, so there is no overhang.

122. Horizontally place a tan 1x2 log brick in front of the ppp, so it is centered horizontally. Then, repeat symmetrically to the front. place another vertically on top of your part on the 2<sup>nd</sup> column from the right of antistuds, so it is centered vertically. Then, repeat symmetrically to the left. Horizontally place the back row of a black 2x4 brick to the right of the front row of the ppp. Then, repeat symmetrically to the back.

123. Vertically place a dark grey 1x6 brick on top of your part on the leftmost column of antistuds, so it is centered vertically. Then, repeat symmetrically to the right. Now, place a black 1x8 brick in front of the 2 ppps on the front row of antistuds.

124. Turn your part right side up, so the black 1x8 bricks are at the front and at the back. Vertically place 4 white 1x2 plates with 2x2 side studs hanging down 1 in front of the other on top of your part on the rightmost column, so their side studs face the right. Then, repeat the 4 placements symmetrically to the left.

Group 52:

125.1 Horizontally Place 3 yellow 1x2 plates with 2x2 side studs hanging down 1 to the right of the other on top of your part on the back row, so their side studs face the back, and they sit between the back right and back left vertical white 1x2 plates with 2x2 side studs hanging down.

Group 53:

125.2 Place 3 lime 1x2 plates with 2x2 side studs hanging down symmetrically to the front.

126. Rotate your part 90 degrees clockwise. Horizontally place a grey 2x6 plate upright on the front facing side studs, so it is centered horizontally. Then, repeat symmetrically to the back.

127. Horizontally place a medium blue 1x2 tile on top of your part on the 3<sup>rd</sup> row from the back, so it is centered horizontally. Then, repeat symmetrically to the front. Place another symmetrically on the 3<sup>rd</sup> column from the right, so it is centered vertically. Then, repeat symmetrically to the left.

128. Bring back your main build, so the trophy's name tile is at the front. Place your part on top of your build, making sure the lime plates are facing the front, so it is centered horizontally and vertically.

129. Rotate your build 90 degrees clockwise, so the trophy's name tile faces the left. Vertically place a red 2x5 stair plate upright on the 5 rows of front facing side studs, so it is centered horizontally and the stairs form a downward pattern on the wall. Vertically place a black 2x4 plate upright below the ppp. Then, repeat both parts symmetrically to the back.

130. Place a blue 4x6 plate vertically on top of the ppps, so it is centered horizontally. Then, repeat symmetrically to the front.

What a powerful play! In Bag 6 you've strengthened the internal structure of the stem even more, adding solid pieces inside that will later be completely covered by tiles. These hidden pieces won't be visible in the final trophy, but they give the stem its strong shape and help the whole build stand tall. Now the form is unmistakable under your hands: the wide base with its two malachite-green rings rises smoothly into the narrow stem, just like the real World Cup trophy. And at the very top of that stem, you've built a firm squared platform — the stage where the next section of the trophy will begin to grow. You're building with precision and confidence, and every step brings the trophy closer to its final glory. When you're ready, open Bag 7 and keep the match going — the next big moment is waiting for you!

Building Instructions (Bag 7, Book 1):

Group 54:

131. Let's make 2 identical parts! Vertically place a black 2x8 plate in front of you. Vertically place the 2 lower front rows of a white 2x5 stair plate underneath the 2 back rows of the ppp, so 6 rows overhang to the front.

132. Horizontally place a white 4x6 plate in front of the ppp and **underneath the 2x8 plate**, so it is centered horizontally and the vertical 2x8 plate overhangs 2 rows to the front.

133. Vertically place a grey 1x2 rounded plate on the front left corner of the ppp. Place the left column of a tan 2x2 round plate with axle hole behind the ppp. Then, repeat both parts symmetrically to the right.

134. Vertically place a grey 1x2 rounded plate on the rightmost column of the 3<sup>rd</sup> and 4<sup>th</sup> rows from the front, so it sits on top of the right vertical 1x2 rounded plate. Then, repeat symmetrically to the right. Then, horizontally place the leftmost column and the rightmost column of a white 4x6 plate behind the 2 ppps.

135. Vertically place the 4 back rows of a medium blue 1x6 plate on the leftmost column of the ppp. Then, repeat symmetrically to the right. Horizontally place 2 tan 1x2 log bricks one right to the other to the left of the back row of the ppp.

136. Place a dark tan 6x6 plate in front of the horizontal 4x6 plate, so the 2 back rows attach under the front overhang of your part.

137. Horizontally place a grey 1x2 rounded plate on the 3<sup>rd</sup> row from the back of the ppp, so it is centered horizontally and sits in front of the vertical 2x8 plate. Place 2 vertical blue 1x2 plates with a stud and upright clip 1 to the right of the other behind the ppp, so both clips face the front. Then, place 2 more vertically on the 5<sup>th</sup> and 6<sup>th</sup> rows from the back, so they are centered vertically, their clips face the front and they sit in front of the log bricks.

138. Stack 2 grey 1x2 rounded plates, horizontally place your stack on the back row of the 2 ppps, so the stack is centered horizontally on your part. Now, horizontally place a black 1x4 plate behind the ppp on top of the 2 horizontal 1x2 log bricks on the 4<sup>th</sup> row from the back, so it is centered horizontally.

139. Place a grey 2x2 curved slope tile on the 6<sup>th</sup> and 7<sup>th</sup> rows from the front, so it slopes to the back, and it is centered horizontally. Place another behind the ppp, so it slopes to the front.

140. Vertically place 3 tan 1x2 log bricks one in front of the other on top of your part on the 6 front rows on the rightmost column. Vertically place a grey 1x2 slope brick on top of your part on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the leftmost column, so it slopes to the front. Vertically place a lime 1x3 brick behind the ppp.

Group 55:

141. Vertically place another lime 1x3 brick, on top of your part, on the 3 front rows on the 2<sup>nd</sup> column from the right. Stack 2 yellow 1x2 rounded plates. Now, place your stack vertically on top of the ppp on the 2 front rows.

142. Place a dark tan 1x1 plate with 1x2 upright side studs behind the stack, so the side studs face the back, place a lime 1x1 round plate upright on the back bottom side stud of the ppp. Now, place a gold 1x2 curved slope tile upright on the back facing side studs, so it slopes upward.

143. Vertically place a reddish brown 1x3 plate on top of your part on the front right corner, so it sits on 2 vertical log bricks. Place a gold 1x1 plate on the front row of the ppp. Place the right column of a dark grey 2x2 corner plate behind the ppp, so it looks like a braille letter D.

144. Place a grey 2x2 plate on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the 2 right columns, so it sits on the ppp and on a vertical yellow 1x2 rounded plate. Vertically place a black 1x4 brick behind the right column of the ppp. Vertically place a dark grey 1x6 brick behind the ppp, so 1 row overhangs to the back.

Group 56:

145. Place a lime 1x1 round plate on top of your part, on the 3<sup>rd</sup> row from the front on the 2<sup>nd</sup> column from the right. Vertically place a dark grey 1x6 brick on top of your part on the 3<sup>rd</sup> through 8<sup>th</sup> rows from the front on the leftmost column. Place a white 1x1 brick behind the ppp. Now, vertically place a tan 1x4 brick behind the ppp, so 1 row overhangs to the back.

146. Place a lime 1x1 round plate on top of the back row of the ppp. Vertically place a medium blue 1x6 plate in front of the ppp. Then, repeat both parts symmetrically to the right. Next, place 2 gold 1x2 plates, one in front of the other in front of the right medium blue 1x6 plate.

147. Horizontally place a grey 2x6 plate underneath the 2 back overhanging rows of the vertical 2x5 stair plate, so it is centered horizontally. Place a tan 2x2 round plate with axle hole on the 2 left columns of the ppp. Then, repeat symmetrically to the right.

148. Horizontally place a medium blue 1x6 plate on top of your part on the 2<sup>nd</sup> row from the back, so it sits on the front row of the 2 ppps.

149. Place the back row of a gold 2x2 curved slope tile on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right of the ppp, so it slopes to the front. Place another in front of the ppp, so it slopes to the front. Then, repeat both placements symmetrically to the left.

150. Vertically place a grey 1x4 plate to the left of the 2 left ppps. Place a gold 1x1 plate on the back row of the ppp. Now, vertically place a gold 1x2 curved slope tile on the ppp, so it slopes to the front. Then, repeat the 3 parts symmetrically to the right.

151 Place a gold 1x1 quarter round tile on top of your part on the 3<sup>rd</sup> row from the back on the rightmost column, so the right angle faces the back right and the rounded edge the front left, and it sits in front of the right vertical 1x2 curved slope tile from the previous step. Place a gold 1x2 curved slope tile vertically in front of the ppp, so it slopes to the front. Then, repeat both parts symmetrically to the left.

152. Place a gold 2x2 curved slope tile on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the 2 right columns, so it slopes to the front. Vertically place 3 gold 1x2 tiles one behind the other behind the right column of the ppp.

153. Place a gold 1x1 plate on the 2<sup>nd</sup> row from the front on the leftmost column. Vertically place the back row of a gold 1x2 curved slope tile on top of the ppp, so it slopes to the front. Vertically place a red 1x2 rounded plate behind the ppp. Place a gold 1x1 plate behind the ppp. Vertically place a gold 1x2 tile behind the ppp.

You should now have 2 identical sub builds!

154. Bring back your main build, so the trophy's name tile faces the front. Vertically place one of your sub build upright on the 13 front top rows of front facing side studs. Press firmly, so it is securely attached. Then, repeat symmetrically to the back.

Another fantastic move on the pitch! In Bag 7 you built two strong sub-builds and attached them upright onto the top front wall and the top back wall of the stem, giving the structure new height and shape. With each piece you've added, the stem has become thicker, sturdier, and more secure — even these parts will later be hidden under tiles, they're doing the hard work inside. Your trophy is gaining power and presence under your hands, and you're guiding it like a true champion. When you're ready, open Bag 8 and keep the match alive — the next play is waiting for you.

Building Instructions (Bag 8, Book 1):

Group 57:

155. Let's make 2 identical sub builds. Vertically place a white 4x6 plate in front of you. Vertically place the 3 front rows of a grey 2x6 plate on top of the ppp on the 3 back rows, so it is centered horizontally and 3 rows overhang to the back.

156. Place a red 2x2 corner tile in front of the ppp, so it looks like a flat braille letter F. Vertically place the back left corner of a dark grey 2x3 plate in front of the right column of the ppp, so 1 row overhangs to the front. Vertically place a black 1x4 plate behind the right column of the ppp.

157. Place the back row of a grey 2x2 plate on top of your sub build on the front left corner, so 1 row overhangs to the front and it sits to the left of the the left column of the vertical 2x3 plate. Horizontally place the 2 left columns of a dark grey 2x3 plate on top of the ppp.

158. Place a dark tan 1x1 plate with 1x2 upright facing side studs behind the right column of the ppp, so the side studs face the back. Place a gold 1x1 plate upright on the back bottom facing side stud. Vertically place a gold 1x2 curved slope tile upright on the back facing side studs, so it slopes upward.

159.1 Place a grey 2x2 plate on the 3<sup>rd</sup> and 4<sup>th</sup> rows from the front on the rightmost column of your sub build, so 1 column overhangs to the right. Horizontally place a gold 2x2 corner plate in front of the ppp, so it looks like a braille letter F, and 1 column overhangs to the right.

Group 58:

159.2 Place a yellow 2x2 plate behind the ppp, so it sits on top of the grey 2x2 plate.

160.1 Vertically place the back row of a tan 1x2 plate to the left of the front row of the ppp.

Group 59:

160.2 Vertically place a gold 1x2 plate on top of the ppp.

161. Vertically place a gold 1x4 slope tile on the 4 front rows on the 2<sup>nd</sup> column from the right, counting the entire build, so it slopes to the front

162. Place a gold 1x1 plate to the right of the back row of the ppp. Vertically place the back row of a gold 1x2 curved slope tile on the ppp, so it slopes to the front. Place a gold 1x1 plate on the 3<sup>rd</sup> row from the front on the 3<sup>rd</sup> column from the right, so it sits on the vertical gold 1x2 plate. Place the back row of a gold 1x2 curved slope tile on the ppp, so it slopes to the front.

163. Horizontally place a gold 1x2 curved slope tile on top of your build on the front left corner, so it slopes to the left and 1 column overhangs to the left. Horizontally place a gold 1x2 tile to the right of the ppp. Vertically place the back row of a gold 1x2 curved slope tile on the front row of the rightmost column (here, we are counting only the rows within this mentioned column), so it slopes to the front and 1 row overhangs to the front.

164. You should now have 2 identical sub builds! Next, bring back your main build, so the trophy's name tile is facing the front. Place 1 of your sub builds vertically upright to the bottom rows of front facing side studs, so the base of your sub build sits on the sloping tiles of step 81. Press firmly, so it is securely attached. Then, repeat symmetrically to the back.

Group 60:

165.1 Let's make 2 identical parts! Horizontally place a dark tan 1x2 brick in front of you. Place a dark tan 2x2 brick in front of the ppp. Place the front row of a gold 2x2 plate on the back row of the ppp, connecting both ppps.

165.2 Place a grey 1x1 plate on top of the ppp on its front left corner. Place another in front of the ppp. Vertically place a gold 1x2 curved slope tile on the 2 ppps, so it slopes to the front.

165.3 Vertically place a grey 1x2 rounded plate behind the ppp, so 1 row overhangs to the back place a gold 1x2 tile on top of the ppp. Vertically place another to the right of the ppp, so 1 row overhangs to the back. Vertically place a gold 1x2 curved slope tile in front of the ppp, so it slopes to the front.

You should now have 2 identical sub builds.

165.4 Brin back your main build, so the trophy's name tile faces the front. Place 1 of your parts upright on the front facing side studs of the front attached sub build from step 164, so the bottom left corner of your part sits above the downward sloping vertical gold 1x4 slope tile from the previous attached sub build. Press firmly to secure. Now, repeat symmetrically to the back.

Group 61:

166. Let's make 2 identical parts! Place a grey 6x6 plate in front of you. Place a black 1x6 plate vertically on top of the ppp on the rightmost column, so there is no overhang.

167. Vertically place a medium blue 1x3 plate to the left of the 3 front rows of the ppp. Vertically place a tan 1x3 brick behind the ppp. Vertically place a medium blue 1x3 plate to the right of the ppp.

168.1 Vertically place a medium blue 2x4 brick on the back row, so it is horizontally centered and there is no overhang. Vertically place a white 2x4 plate to the left of the ppp.

Group 62:

168.2 Horizontally place a black 2x4 plate in front of the 2 ppps.

169.1 Vertically place a black 2x4 plate behind the 2 left columns of the ppp, so it sits on the vertical white 2x4 plate.

Group 63:

169.2 Horizontally place a white 2x4 plate on top of your part on the front left corner.

170.1 Horizontally place the left column of a gold 1x2 plate on top of your part on its back right corner, so 1 column overhangs to the right. Vertically place a medium blue 1x3 plate on top of your part on the 3 front rows on the 2<sup>nd</sup> column from the right. Place a white 1x1 round plate to the right of the back row of the ppp.

Group 64:

170.2 Place a dark tan 1x1 round plate in front of the ppp.

171. Vertically place a dark tan 1x3 plate on the 3 back rows on the 2<sup>nd</sup> column from the left of your part. Place a gold 2x2 curved slope tile to the left of the ppp, so it slopes to the left and 1 column overhangs to the left. Horizontally place a gold 1x2 curved slope tile in front of the ppp, so it slopes to the left and 1 column overhangs to the left. Place a gold 2x2 curved slope tile in front of the ppp, so it slopes to the left and 1 column overhangs to the left. Horizontally place a gold 1x2 curved left slope wedge tile in front of the ppp, so it slopes to the left and 1 column overhangs to the left.

172.1 Vertically place the front row of a gold 1x2 tile to the right of the ppp. Vertically place a gold 1x2 curved slope tile behind the ppp, so it slopes to the front. Place a gold 1x1 plate behind the ppp. Place a white 1x1 round plate on the back row on the 4<sup>th</sup> column from the right.

Group 65:

172.2 Vertically place the back row of a gold 1x2 tile to the left of the ppp. On the 2<sup>nd</sup> row of the same column place a dark tan 1x1 round plate.

173. Vertically place a gold 1x2 tile behind the ppp. Vertically place another horizontally to the right of the ppp. Then, vertically place a gold 1x2 curved slope tile behind the ppp, so it slopes to the front. Next, place a gold 1x2 tile to the right of the back row of the ppp. Now, place a gold 1x1 plate in front of the left column of the ppp.

You should now have 2 identical parts.

174. Bring back your main build, so the trophy's name plate faces the right. Place 1 of your parts upright on the bottom 5 rows of front facing side studs. above the part you attached in step 83. Then, repeat symmetrically to the back.

Another smart play on the field! In Bag 8 you created two new sub-builds and attached them upright to the left and right sides of the stem, locking them onto the bottom rows of front-facing side studs on the narrow section. These additions wrap the stem with even more structure, making it thicker, stronger, and ready to support the layers that will come later. Even though these parts will eventually be covered by tiles, they're doing the essential work inside — giving the trophy its powerful shape. You're building with skill and confidence, and the trophy is rising beautifully under your hands. When you're ready, open Bag 9 and keep the match alive — the next big play is waiting for you.

Building Instructions (Bag 9, Book 1):

Group 66:

175. Let's make 2 identical parts! Vertically place a medium blue 4x6 plate in front of you. Horizontally place a grey 1x2 rounded plate on top of the ppp on the back row, so it is centered horizontally. Then, repeat symmetrically to the front. Place a white 4x4 round plate with axle hole on top of your part, so it is centered horizontally and vertically. You should now have 2 identical parts. Bring back your main build, so the trophy's name tile faces the right. Place 1 of your parts vertically upright on the 6 bottom rows of front facing side studs of your main build, just above the part you attached in step 174. Then, repeat symmetrically to the back.

176. Let's make 2 identical sub builds! Horizontally place a white 2x8 plate in front of you. Vertically place the 2 back rows of a medium blue 1x4 plate on the leftmost column of the ppp, so 2 rows overhang to the front.

177. Horizontally place a white 2x8 plate in front of the other white 2x8 plate, so the leftmost column attaches under the front left overhang.

178. Vertically place the 4 back rows of a black 2x6 plate on top of your sub build on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the left, so 2 rows overhang to the front. Vertically place a tan 1x6 plate to the right of the ppp, so 2 rows overhang to the front.

Group 67:

179. Horizontally place a grey 2x6 plate in front of the 6 left columns of the front horizontal white 2x8 plate, so the 2<sup>nd</sup>, 3<sup>rd</sup>, and 4<sup>th</sup> columns from the left attach under the front overhanging plates.

180. Horizontally place the 2 left columns of a medium blue 1x4 plate behind the 2 right columns of the ppp. Then, vertically place a black 2x3 brick behind the 2 left columns of the ppp. Place a dark, tan 2x2 brick on top of your sub build on its back right corner, so it sits to the right of the 2 back rows of the ppp.

181. Horizontally place a grey 1x2 rounded plate in front of the ppp. Place the back row of a dark tan 2x2 corner plate on the ppp, so it looks like a braille letter F.

182. Horizontally place the 2 left columns of a lime 2x4 plate on the 2 right columns of the 2 front rows of your sub build (here, we are counting only the columns within the 2 mentioned rows), so 2 columns overhang to the right. Vertically place a grey 1x2 rounded plate underneath the 2<sup>nd</sup> column from the right of the ppp, so the horizontal lime 2x4 plate only overhangs by 1 column to the right.

183. Place a gold 1x1 plate on top of your sub build on the 2<sup>nd</sup> row from the front on the leftmost column. Horizontally place a dark tan 2x3 plate on the 2 back rows on the 2<sup>nd</sup> through 4<sup>th</sup> columns from the left. Place a yellow 2x2 corner plate in front of the 2 right columns of the ppp, so it looks like a braille letter D.

184. Place the front row of a white 3x3 corner plate on top of the back right corner of the ppp, so the right angle faces the back right and it sits on the 2 ppps. Vertically place a dark tan 2x3 plate on top of your sub build on the 3 front rows on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the right.

185. Vertically place an upside down 2x4 curved slope brick on top of your sub build on the back left corner, so it slopes to the left and 1 column overhangs to the left. Vertically place a gold 1x2 plate under the 2 back rows of the left overhang. Then, place a gold 1x1 plate in front of the ppp. Now, place a gold 1x2 plate vertically in front of the ppp, so 1 row is exposed to the front.

186. Place a red 1x1 round plate on top of your sub build on the back left corner, so it sits on the back row of the 2x4 curved slope brick. Place another to the right of the ppp. Place another on the 3<sup>rd</sup> row from the back, so it is centered horizontally on your sub build. Stack 2 red 1x1 round plates and place the stack on the 2<sup>nd</sup> row from the back on the 4<sup>th</sup> column from the left counting the entire build.

Group 68:

187. Let's make a part! Vertically place 2 gold 1x2 plates 1 in front of the other in front of you. connect them by placing another 1x2 plate centered vertically on top of them. Place a red 1x1 round plate behind the back row of the ppp. Vertically place a gold 1x2 plate on top of your part on the 2 back rows. Now, place the right column of a gold 2x2 curved slope tile on the ppp, so it slopes to the right and 1 column overhangs to the left. Bring back your sub build and position it horizontally in front of you, so the vertical 2x4 curved slope brick is on the back left corner. Place the left overhang of your part vertically on the back right corner of your part.

188, Place a gold 2x2 curved slope tile on the front right corner of your sub build, so it slopes to the right and 1 column overhangs to the right . Horizontally place 2 gold 1x2 curved slope tiles 1 in front of the other behind the ppp, so they slope to the right.

189. Place a gold 1x1 plate on the back row on the rightmost column counting the visible studs, so it sits to the left of the back row of the back right 2x2 curved slope tile. Horizontally place a gold 1x2 tile to the left of the ppp. Then, place the left column of another horizontally in front of the right column of the ppp. Place a gold 1x1 slope in front of the right column of the ppp, so it slopes to the right. Next, place a gold 2x2 curved slope tile on the 2 front rows on the 2 right columns counting the visible studs, so it slopes to the right and sits to the left of the front right 2x2 curved slope tile. Place a gold 1x1 plate to the left of the front row of the ppp. Now, vertically place a gold 1x2 plate behind the ppp.

190. Horizontally place the left column of a gold 1x3 inverted arch brick on the back row of the ppp, so it slopes to the right, and the stud is on the left. Horizontally place the 2 right columns of another behind the 2 left columns of the ppp, so it slopes to the right, and the stud is on the left. Horizontally place the 2 right columns of another behind the 2 left columns of the ppp, so it slopes to the right, and the stud is on the left. Horizontally place 2 right columns of another behind the 2 left columns of the ppp, so it slope to the right. Vertically place the back row of

another to the left of the ppp, so it slopes to the front, and the stud is on the back. Vertically place the 2 back rows of another to the right of the 2 front rows of the ppp, so it slopes to the front, and the stud is on the back. Vertically place the 2 back rows of another to the right of the 2 front rows of the ppp, so it slopes to the front, and the stud is on the back. Vertically place the 2 back rows of another to the right of the 2 front rows of the ppp, so it slopes to the front.

Group 69:

191. Place a gold 1x1 slope tile on the 2<sup>nd</sup> row from the front on the leftmost column, so it slopes to the left. Vertically place the front row of a gold 1x2 curved slope tile on the right of the ppp, so it slopes to the front. Horizontally place the right column of a gold 1x2 curved left slope wedge tile in front of the ppp, on the leftmost column of the front row, so it slopes to the left. Vertically place the front row of a gold 1x2 tile to the right of the ppp. Place the back row of a gold 1x2 tile to the right of the front row of the ppp, so 1 row overhangs to the front.

192. Place a gold 1x1 plate on the leftmost column of visible studs of the 2<sup>nd</sup> row from the back, so it sits on a vertical 1x3 inverted arch brick. Place another to the leftmost column of visible studs of the 3<sup>rd</sup> row from the back, so it sits on another vertical 1x3 inverted arch brick. Place a gold 1x1 slope on the 2<sup>nd</sup> row from the front of visible studs, so it slopes to the front.

193. Horizontally place 4 gold 1x2 curved slope tile 1 behind the left column of the other staggered creating a stair form on the 4 back rows of your sub build, so the right column of the frontmost one sits in behind the ppp, and they all slope to the left.

You should now have 2 identical sub builds.

194. Bring back your main build, so the trophy's name plate faces the right. Place your part horizontally upright on the 6 rows of front facing side studs of the part you attach in step 75, Repeat symmetrically to the back.

195. Locate a vertical upright down sloping 1x2 curved slope tile and 3 upright right facing side studs to the right of the front attached sub build. Place the right column of a gold 2x2 curved slope tile on the right facing side studs at the same position as the top front right sloping 2x2 curved slope tile, so it slopes to the left covering a gap. Then, repeat symmetrically to the back.

You've made another winning move! In Bag 9 you placed new pieces on the same areas you worked on before, adding layers to the left and right sides of the stem close to the base. These pieces cover and strengthen the sections you built earlier, wrapping the narrow part of the stem with even more stability and shape. Even though these parts will later be hidden under tiles, they're doing the quiet, important work that keeps the whole trophy strong. Your build is becoming more solid, more elegant, and more like the real World Cup trophy with every step. When you're ready, open Bag 10 and keep the match alive — the next play is waiting for you.

Building Instructions (Bag 10, Book 1):

Group 70:

196. Let's make a sub build! Place a grey 6x6 plate in front of you. Horizontally place a yellow 1x8 brick on top of the ppp, on the front row, so it is centered horizontally.

197. Vertically place a black 2x6 brick behind the 2 left columns of the ppp, so 1 column overhangs to the left. And 1 row overhangs to the back. Then, repeat symmetrically to the right. Place a white 4x4 round brick with axle hole on top of your sub build, so it is centered horizontally and vertically. Place a white 2x2 corner brick behind the 2 right columns of the ppp, so it looks like a braille letter J, and 1 row overhangs to the back. Then, repeat symmetrically to the left.

198. Place the left column of a dark grey 2x2 plate with 1x2 side studs underneath the front right overhanging corner of your build, so the side studs face the right. Place 2 more, one behind the other behind the ppp, so their side studs face the right, repeat the 3 placements symmetrically to the left.

199. Place the 2 left columns of a grey 1x4 plate behind the back left ppp, so its 3 right columns attach under the back left overhang of your sub build. Place a red 1x1 round plate on the leftmost column of the ppp. Then, repeat both parts symmetrically to the right.

200. Place a gold 1x1 plate on top of your sub build on the front right corner. Place a gold 1x2 plate vertically behind the ppp, repeat both parts symmetrically to the left.

201. Vertically place a gold 1x2 plate on the front left corner of your sub build on top of the 2 ppps. Place a red 1x1 round plate behind the ppp. Then, repeat both parts symmetrically to the right.

202. Vertically place a gold 1x2 plate on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the rightmost column, so it sits on the 2 ppps. Vertically place 2 grey 1x2 bricks with 2 side studs on the long side one in front of the other behind the ppp, so their side studs face the right. Then, repeat the 3 placements symmetrically to the left.

203. Vertically place 2 gold 1x2 plates 1 in front of the other on top of your sub build on the back left corner. Vertically place a gold 1x2 plate on top of your sub build on the back right corner. Place a gold 1x1 plate in front of the ppp, place a gold 1x2 tile in front of the ppp.

204. Place a red 1x1 round plate on top of your sub build in the back right corner. Horizontally place the back row of a white 2x3 brick to the left of the ppp. Then, repeat both parts symmetrically to the left. Horizontally place a black 1x2 rounded plate on top of your sub build on the 2<sup>nd</sup> row from the back, so it is centered horizontally.

205. Horizontally place a medium blue 1x8 plate on top of your sub build on the 3<sup>rd</sup> row from the back, so it is centered horizontally. Horizontally place a white 2x8 plate in front of the ppp. Horizontally place a black 1x5 plate in front of the 5 left columns of the ppp. Place a red 1x1 round plate on the same row, 2<sup>nd</sup> row from the front of your sub build, on the 2<sup>nd</sup> column from the right.

206. Vertically place a tan 1x3 plate behind the ppp. Place a red 1x1 round plate on top of the ppp on the back row.

207. Place a gold 2x2 curved slope tile on top of your sub build on its front right corner, so it slopes to the front. Vertically place a gold 1x2 tile behind the left column of the ppp. Place the left column of a gold 2x2 curved slope tile behind the ppp, so it slopes to the right. Place a gold 1x1 plate behind the left column of the ppp.

208. Place the backrow of a grey 2x2 plate to the left of the ppp. Place a dark tan 2x2 brick in front of the ppp. Vertically place 2 1x3 inverted half arch bricks one to the right of the other in front of the ppp, so they slope to the front, and their stud is on the back.

Group 71:

209. Horizontally place a gold 1x2 curved slope tile on top of your sub build on the back right corner, so it slopes to the right. Horizontally place a gold 1x2 tile to the left of the ppp. Vertically place 2 gold 1x2 tiles one to the right of the other in front of the ppp. Next, place a gold 2x2 curved slope tile in front of the 2 ppps, so it slopes to the front.

210. Place the front row of a medium blue 2x2 plate on top of your build on the 2<sup>nd</sup> row from the back, so it is centered horizontally and 1 row overhangs to the back. Place a dark tan 2x2 brick on top of the ppp.

211. Place a grey 1x1 brick in front of the right column of the ppp. Place a red 1x1 round plate in front of the ppp. Horizontally place a black 2x4 plate to the left of the 2 ppps. Horizontally place a dark tan 2x3 plate in front of the 3 left columns of the ppp. Now place a red 1x1 round plate to the right of the back row of the ppp. Horizontally place a gold 1x2 plate on the front row, on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the left.

212. Horizontally place a dark tan 2x3 plate on top of your sub build on the 2<sup>nd</sup> through 4<sup>th</sup> columns from the left on the 3<sup>rd</sup> and 4<sup>th</sup> rows from the front. Horizontally place the 3 left columns of a yellow 1x4 plate behind the ppp.

Group 72:

213. Place a gold 1x1 plate on the 2<sup>nd</sup> row from the front on the 3<sup>rd</sup> column from the left. Vertically place a tan 1x3 plate behind the ppp. place the left column of a gray 2x2 plate behind the ppp. Horizontally place a black 1x2 rounded plate on top of the ppp on the back row.

214. Place the left column and the back row of a tan 2x2 corner plate on the right column of the ppp, so it looks like a braille letter D. Vertically place a gold 1x3 inverted half arch brick in front of the ppp, so it slopes to the front, and the stud is on the back. Vertically place a gold 1x2 curved slope tile in front of the ppp, so it slopes to the front. Place a gold 1x1 slope tile to the right of the front row of the ppp, so it slopes to the front. Vertically place a gold 1x3 inverted half arch brick behind the ppp, so it slopes to the front and the stud is on the back. Vertically place the 2 back rows of another to the right of the 2 front rows of the ppp, so it slopes to the front, and the stud is on the back. Place a gold 1x1 slope tile in front of the ppp, so it slopes to the front. Horizontally place a gold 1x3 inverted half arch brick to the left of the ppp, so it slopes to the right, and the stud is on the left. Place a gold 1x1 plate to the left of the ppp.

215. Place 4 red 1x1 round plates on the back row of your sub build on the 2<sup>nd</sup> 3<sup>rd</sup> and 4<sup>th</sup> columns from the left one to the right of the other. Place another on the 3<sup>rd</sup> row from the back on the 6<sup>th</sup> column from the left.

216. Place a gold 1x1 plate on the 2<sup>nd</sup> row from the back on the 3<sup>rd</sup> column from the left. Vertically place a gold 1x2 plate in front of the ppp. Skip 1 row to the front and vertically place another.

217. Vertically place a gold 1x2 curved slope tile on the 2 back rows on the 4<sup>th</sup> column from the left, so it slopes to the front. Horizontally place another to the right of the back row of the ppp, so it slopes to the right. Place another vertically in front of the left column of the ppp, so it slopes to the front. Vertically place another to the right of the front row of the ppp, so it slopes to the front.

218. Vertically place 3 gold 1x3 inverted half arch bricks on the 3 back rows on the 3 left columns one right to the other, so they slope to the front and their studs are on the back. Vertically place a gold 1x2 plate on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the 3<sup>rd</sup> column from the left.

219. Horizontally place a gold 1x2 curved slope tile on top of your part on the back left corner, so it slopes to the left. Place another on the front left corner, so it slopes to the front. Vertically place another behind the ppp, so it slopes to the front. Place a gold 1x1 plate to the right of the back row of the ppp. Vertically place a gold 1x2 curved slope tile in front of the ppp, so it slopes to the front. Place a gold 1x1 plate in front of the ppp. Vertically place the front row of a gold 1x2

curved slope tile to the right of the ppp, so it slopes to the front. Vertically place a gold 1x2 tile behind the ppp.

220. Rotate your sub build 90 degrees counterclockwise, so t side studs face the front and the back. Place a gold 1x1 slope tile upright on the rightmost column of front facing side studs, so it slopes upward. Horizontally place a grey 1x4 plate upright to the left of the ppp. Horizontally place the front row of a dark tan 2x3 plate upright to the left of the ppp on the 2 front rows of front facing side studs, so 1 column overhangs to the left.

221. Place a gold 1x1 slope tile upright to the right of the top row of the ppp, so it slopes upward place the back row of a gold 2x2 curved slope tile to the right of the ppp, so it slopes upward and it attaches only by 3 studs. Now, vertically place a gold 1x2 curved right slope wedge tile upright to the right of the ppp, so it slopes upward and it only attaches by the bottom row.

222. Horizontally place a gold 1x2 tile upright on the bottom row of front facing side studs on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the left. Horizontally place another upright to the left of the ppp. Place a gold 2x2 curved slope tile in the row of front facing side studs above the ppp, so it slopes upward. Vertically place a gold 1x2 curved right slope wedge tile to the right of the ppp, so it slopes upward.

223. Rotate your sub build 180 degrees. Place a gold 1x1 slope tile upright on the leftmost column of front facing side studs, so it slopes upward. Horizontally place a grey 1x4 plate upright to the right of the ppp. Horizontally place the front row of a dark tan 2x3 plate upright to the right of the ppp on the 2 front rows of front facing side studs, so 1 column overhangs to the right.

224. Place a gold 1x1 slope tile upright to the left of the top row of the ppp, so it slopes upward place the back row of a gold 2x2 curved slope tile to the left of the ppp, so it slopes upward and it attaches only by 3 studs. Now, vertically place a gold 1x2 curved left slope wedge tile upright to the left of the ppp, so it slopes upward and it only attaches by the bottom row.

225. Horizontally place a gold 1x2 tile upright on the bottom row of front facing side studs on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the right. Horizontally place another upright to the right of the ppp. Place a gold 2x2 curved slope tile in the row of front facing side studs above the ppp, so it slopes upward and 1 column overhangs to the left. Vertically place a gold 1x2 curved left slope wedge tile to the left of the ppp, so it slopes upward.

226. Rotate your sub build 90 degrees counterclockwise. Bring back your main build, so the trophy's name tile faces the left. Locate the 6 rows of front facing side studs above the sub build you attached in step 194 at the end of bag 9. Horizontally place your sub build upright on the 6 rows of front facing side studs you have just found. Press firmly to secure the attachment. Rotate your main build 90 degrees counterclockwise so the trophy's name tile is facing the front and the sub build you have just attached faces the right.

Bag 10 brings a new burst of progress. You built a sturdy sub-build and fixed it onto the right side of the trophy. This new section adds strength and shape to the narrow part of the stem, helping the whole structure feel more balanced and solid in your hands. Piece by piece, the trophy is gaining its iconic form, and your careful building is what makes it all come together. When you're ready, open Bag 11 and keep the momentum going — the next section is ready for you.

Building Instructions (Bag 11, Book 1):

Group 73:

227. Let's make a sub build! Place a grey 6x6 plate in front of you. Horizontally place a yellow 1x8 brick on top of the ppp, on the front row, so it is centered horizontally.
228. Vertically place a black 2x6 brick behind the 2 left columns of the ppp, so 1 column overhangs to the left. And 1 row overhangs to the back. Then, repeat symmetrically to the right. Place a white 4x4 round brick with axle hole on top of your sub build, so it is centered horizontally and vertically. Place a white 2x2 corner brick behind the 2 right columns of the ppp, so it looks like a braille letter J, and 1 row overhangs to the back. Then, repeat symmetrically to the left.
229. Place the left column of a dark grey 2x2 plate with 1x2 side studs underneath the front right overhanging corner of your build, so the side studs face the right. Place 2 more, one behind the other behind the ppp, so their side studs face the right, repeat the 3 placements symmetrically to the left.
230. Place the 2 left columns of a grey 1x4 plate behind the back left ppp, so its 3 right columns attach under the back left overhang of your sub build. Place a red 1x1 round plate on the leftmost column of the ppp. Then, repeat both parts symmetrically to the right.
231. Place a gold 1x1 plate on top of your sub build on the front right corner. Place a gold 1x2 plate vertically behind the ppp, repeat both parts symmetrically to the left.
232. Vertically place a gold 1x2 plate on the front left corner of your sub build on top of the 2 ppps. Place a red 1x1 round plate behind the ppp. Then, repeat both parts symmetrically to the right.
233. Vertically place a gold 1x2 plate on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the rightmost column, so it sits on the 2 ppps. Vertically place 2 grey 1x2 bricks with 2 side studs on the long side one in front of the other behind the ppp, so their side studs face the right. Then, repeat the 3 placements symmetrically to the left.
234. Vertically place 2 gold 1x2 plates 1 in front of the other on top of your sub build on the back left corner. Vertically place a gold 1x2 plate on top of your sub build on the back right corner. Place a gold 1x1 plate in front of the ppp, place a gold 1x2 tile in front of the ppp.
235. Place a red 1x1 round plate on top of your sub build in the back right corner. Horizontally place the back row of a white 2x3 brick to the left of the ppp. Then, repeat both parts symmetrically to the left. Horizontally place a black 1x2 rounded plate on top of your sub build on the 2<sup>nd</sup> row from the back, so it is centered horizontally.
236. Horizontally place a medium blue 1x8 plate on top of your sub build on the 3<sup>rd</sup> row from the back, so it is centered horizontally. Horizontally place a white 2x8 plate in front of the ppp. Horizontally place a black 1x5 plate in front of the 5 left columns of the ppp. Place a red 1x1 round plate on the same row, 2<sup>nd</sup> row from the front of your sub build, on the 2<sup>nd</sup> column from the right.
237. Vertically place a tan 1x3 plate behind the ppp. Place a red 1x1 round plate on top of the ppp on the back row.
238. Place a gold 2x2 curved slope tile on top of your sub build on its front right corner, so it slopes to the front. Vertically place a gold 1x2 tile behind the left column of the ppp. Place the left column of a gold 2x2 curved slope tile behind the ppp, so it slopes to the right. Place a gold 1x1 plate behind the left column of the ppp.
239. Place the back row of a grey 2x2 plate to the left of the ppp. Place a dark tan 2x2 brick in front of the ppp. Vertically place 2 1x3 inverted half arch bricks one to the right of the other in front of the ppp, so they slope to the front, and their stud is on the back.

Group 74:

240. Horizontally place a gold 1x2 curved slope tile on top of your sub build on the back right corner, so it slopes to the right. Horizontally place a gold 1x2 tile to the left of the ppp. Vertically place 2 gold 1x2 tiles one to the right of the other in front of the ppp. Next, place a gold 2x2 curved slope tile in front of the 2 ppps, so it slopes to the front.

241. Place the front row of a medium blue 2x2 plate on top of your build on the 2<sup>nd</sup> row from the back, so it is centered horizontally and 1 row overhangs to the back. Place a dark tan 2x2 brick on top of the ppp.

242. Place a grey 1x1 brick in front of the right column of the ppp. Place a red 1x1 round plate in front of the ppp. Horizontally place a black 2x4 plate to the left of the 2 ppps. Horizontally place a dark tan 2x3 plate in front of the 3 left columns of the ppp. Now place a red 1x1 round plate to the right of the back row of the ppp. Horizontally place a gold 1x2 plate on the front row, on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the left.

243. Horizontally place a dark tan 2x3 plate on top of your sub build on the 2<sup>nd</sup> through 4<sup>th</sup> columns from the left on the 3<sup>rd</sup> and 4<sup>th</sup> rows from the front. Horizontally place the 3 left column of a yellow 1x4 plate behind the ppp.

Group 75:

244. Place a gold 1x1 plate on the 2<sup>nd</sup> row from the front on the 3<sup>rd</sup> column from the left. Vertically place a tan 1x3 plate behind the ppp. Vertically place the left column of a grey 2x2 plate behind the ppp. Horizontally place a black 1x2 rounded plate on the back row of the ppp.

245. Place the left column and the back row of a tan 2x2 corner plate on the right column of the ppp, so it looks like a braille letter D. Vertically place a gold 1x3 inverted half arch brick in front of the left column of the ppp, so it slopes to the front, and the stud is on the back. Vertically place a gold 1x2 curved slope tile in front of the ppp, so it slopes to the front. Place a gold 1x1 slope tile to the right of the front row of the ppp, so it slopes to the front. Vertically place a gold 1x3 inverted half arch brick behind the ppp, so it slopes to the front and the stud is on the back. Vertically place the 2 back rows of another to the right of the 2 front rows of the ppp, so it slopes to the front, and the stud is on the back. Place a gold 1x1 slope tile in front of the ppp, so it slopes to the front. Horizontally place a gold 1x3 inverted half arch brick to the left of the ppp, so it slopes to the right, and the stud is on the left. Place a gold 1x1 plate to the left of the ppp.

246. Place 4 red 1x1 round plates on the back row of your sub build on the 2<sup>nd</sup> 3<sup>rd</sup> and 4<sup>th</sup> columns from the left one to the right of the other. Place another on the 3<sup>rd</sup> row from the back on the 6<sup>th</sup> column from the left.

247. Place a gold 1x1 plate on the 2<sup>nd</sup> row from the back on the 3<sup>rd</sup> column from the left. Vertically place a gold 1x2 plate in front of the ppp. Skip 1 row to the front and vertically place another.

248. Vertically place a gold 1x2 curved slope tile on the 2 back rows on the 4<sup>th</sup> column from the left, so it slopes to the front. Horizontally place another to the right of the back row of the ppp, so it slopes to the right. Place another vertically in front of the left column of the ppp, so it slopes to the front. Vertically place another to the right of the front row of the ppp, so it slopes to the front.

249. Vertically place 3 gold 1x3 inverted half arch bricks on the 3 back rows on the 3 left columns one right to the other, so they slope to the front and their studs are on the back. Vertically place a gold 1x2 plate on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the 3<sup>rd</sup> column from the left.

250. Horizontally place a 1x2 curved slope tile on top of your part on the back left corner, so it slopes to the left. Place another on the front left corner, so it slopes to the front. Vertically place another behind the ppp, so it slopes to the front. Place a gold 1x1 plate to the right of the back row of the ppp. Vertically place a gold 1x2 curved slope tile in front of the ppp, so it slopes to the front. Place a gold 1x1 plate in front of the ppp. Vertically place the front row of a gold 1x2 curved slope tile to the right of the ppp, so it slopes to the front. Vertically place a gold 1x2 tile behind the ppp.

251. Rotate your sub build 90 degrees counterclockwise, so the side studs face the front and the back. Place a gold 1x1 slope tile upright on the rightmost column of front facing side studs, so it slopes upward. Horizontally place a grey 1x4 plate upright to the left of the ppp. Horizontally place the front row of a dark tan 2x3 plate upright to the left of the ppp on the 2 front rows of front facing side studs, so 1 column overhangs to the left.

252. Place a gold 1x1 slope tile upright to the right of the top row of the ppp, so it slopes upward. Place the back row of a gold 2x2 curved slope tile to the right of the ppp, so it slopes upward and it attaches only by the 3 studs. Now, vertically place a gold 1x2 curved right slope wedge tile upright to the right of the ppp, so it slopes upward and it only attaches by the bottom row.

253. Horizontally place a gold 1x2 tile upright on the bottom row of front facing side studs on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the left. Horizontally place another upright to the left of the ppp. Place a gold 2x2 curved slope tile in the row of front facing side studs above the ppp, so it slopes upward. Vertically place a gold 1x2 curved right slope wedge tile to the right of the ppp, so it slopes upward.

254. Rotate your sub build 180 degrees. Place a gold 1x1 slope tile upright on the leftmost column of front facing side studs, so it slopes upward. Horizontally place a grey 1x4 plate upright to the right of the ppp. Horizontally place the front row of a dark tan 2x3 plate upright to the right of the ppp on the 2 front rows of front facing side studs, so 1 column overhangs to the right.

255. Place a gold 1x1 slope tile upright to the left of the top row of the ppp, so it slopes upward. Place the back row of a gold 2x2 curved slope tile to the left of the ppp, so it slopes upward and it attaches only by 3 studs. Now, vertically place a gold 1x2 curved left slope wedge tile upright to the left of the ppp, so it slopes upward and it only attaches by the bottom row.

256. Horizontally place a gold 1x2 tile upright on the bottom row of front facing side studs on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the right. Horizontally place another upright to the right of the ppp. Place a gold 2x2 curved slope tile in the row of front facing side studs above the ppp, so it slopes upward and 1 column overhangs to the left. Vertically place a gold 1x2 curved left slope wedge tile to the left of the ppp, so it slopes upward.

257. Rotate your sub build 90 degrees counterclockwise. Bring back your main build, so the trophy's name tile faces the right. Locate the 6 rows of front facing side studs above the sub build you attached in step 194 at the end of bag 9. Horizontally place your sub build upright on the 6 rows of front facing side studs you have just found symmetrical to the back attached sub build from bag 10. Press firmly to secure the attachment. Rotate your main build 90 degrees clockwise, so the trophy's name faces the front and the sub build you have just attached faces the left.

Bag 11 brings another solid advance in your build. You created a new sub-build and attached it to the left side of the trophy, balancing the work you completed on the right in the previous bag. This new section strengthens the upper part of the stem and helps the whole structure feel steady and well-shaped under your hands. With every layer you add, the trophy's form becomes

clearer and more confident. When you're ready, open Bag 12 and keep the momentum going — the next stage is waiting for you.

Building Instructions (Bag 12, Book 1):

Group 76:

258. Let's make 2 identical sub builds! Horizontally place a tan 2x4 plate in front of you. Vertically place a grey 1x2 rounded plate on top of the ppp on the rightmost column.

259. Place another grey 1x2 rounded plate vertically on top of the ppp. Vertically place a gold 1x2 plate on top of the ppp.

260. Horizontally place a black 2x6 brick to the left of the ppp, so 3 columns overhang to the left.

261. Let's make a part! Horizontally place a tan 2x4 plate in front of you. Stack 2 white 1x1 round plates, place your stack on top of the ppp on the back left corner. Horizontally place a dark tan 1x2 log brick to the right of the stack. Horizontally place a grey 1x2 rounded plate in front of the ppp. Horizontally place a gold 1x2 plate on top of the ppp. Next, place a gold 1x1 plate on top of the ppp on the right column, place a gold 1x1 plate on top of your part on the front left corner. Vertically place a gold 1x2 curved slope tile on the front left corner of your part. Bring back your sub build and place it horizontally in front of you, so the overhang is on the left. Place the right column of your part underneath the leftmost column of your sub build.

262. Place a gold 1x1 plate on top of your sub build on its back right corner. Horizontally place a medium blue 1x3 plate to the left of the ppp.

263. Horizontally place a grey 1x2 rounded plate on top of the 2 right columns of the ppp. Horizontally place a gold 1x3 inverted half arch brick to the left of the ppp, so it slopes to the left, and the stud is on the right. Horizontally place a gold 1x2 tile to the left of the ppp. Vertically place the back row of a gold 1x2 curved left slope wedge tile to the left of the ppp, so it slopes to the front.

Group 77:

264. Horizontally place a gold 1x2 curved slope tile on top of your sub build on its back right corner, so it slopes to the right. Place a grey 1x1 plate to the left of the ppp. Horizontally place the left column of a gold 1x2 plate in front of the ppp. Place a white 1x1 round plate to the left of the ppp. Horizontally place a red 1x2 rounded plate to the left of the ppp. Place a gold 1x1 plate to the left of the ppp.

265. Horizontally place the left column of a gold 1x2 plate on top of the ppp. Horizontally place another to the right of the ppp, place a gold 1x1 plate to the right of the ppp. Horizontally place a gold 1x2 curved slope tile to the right of the ppp, so it slopes to the right.

266. Vertically place the front row of a gold 1x2 curved right slope wedge tile to the left of the ppp, so it slopes to the front and it sits on a grey 1x1 plate on the back and on a gold 1x1 plate on the front. place a gold 1x1 quarter round tile to the left of the back row of the ppp, so the right angle faces the back right and the rounded edge faces the front left.

267. Place a white 2x2 plate underneath the 2 right columns of your sub build. Then, repeat symmetrically to the left.

You should now have 2 identical sub builds.

268. Rotate your sub builds 180 degrees. Bring back your main build, so the trophy's name tile faces the right. Place one of your sub builds horizontally upright on the 2 rows of front facing

side studs above the attached sub build from bag 11, so it is centered horizontally. Then, repeat symmetrically to the back.

Group 78:

269. Let's make a part! Horizontally place a lime 2x6 plate in front of you. Horizontally place a tan 1x8 plate on top of the ppp on the back row, so it is centered horizontally.

270. Horizontally place a dark tan 1x6 plate on top of the ppp, so it is centered horizontally.

271. Horizontally place the left column of a gold 1x2 plate underneath the right overhang, horizontally place the left column of a gold 1x2 curved slope tile on the right column of the ppp, so it slopes to the right and 1 column extends to the right. Then, repeat both parts symmetrically to the left.

272. Horizontally place a dark tan 1x4 plate on top of your part on the back row, so it is centered horizontally. Horizontally place a gold 1x2 curved slope tile to the left of the ppp, so it slopes to the left. Then, repeat symmetrically to the right.

273. Horizontally place 2 gold 1x2 plates one to the right of the other between the 2 ppps. Horizontally place a gold 1x2 plate on top of the 2 ppps, so it is centered horizontally. Rotate your part 180 degrees.

274. Bring back your main build, so the trophy's name tile faces the front. Horizontally place your part that you have just rotated upright on the top row of front facing side studs, so it is centered horizontally and 1 row overhangs to the top.

Group 79:

275. Let's make a part! Horizontally place a yellow 2x6 plate in front of you. Horizontally place a tan 1x8 plate on top of the ppp on the back row, so it is centered horizontally.

276. Horizontally place a dark tan 1x6 plate on top of the ppp, so it is centered horizontally.

277. Horizontally place the left column of a gold 1x2 plate underneath the right overhang, horizontally place the left column of a gold 1x2 curved slope tile on the right column of the ppp, so it slopes to the right and 1 column extends to the right. Then, repeat both parts symmetrically to the left.

278. Horizontally place a dark tan 1x4 plate on top of your part on the back row, so it is centered horizontally. Horizontally place a gold 1x2 curved slope tile to the left of the ppp, so it slopes to the left. Then, repeat symmetrically to the right.

279. Horizontally place 2 gold 1x2 plates one to the right of the other between the 2 ppps. Horizontally place a gold 1x2 plate on top of the 2 ppps, so it is centered horizontally. Rotate your part 180 degrees.

280. Bring back your main build, so the trophy's name tile is facing the back. Horizontally place your part that you have just rotated upright on the top row of front facing side studs, so it is centered horizontally and 1 row overhangs to the top.

Bag 12 lifts the build to a new level. You assembled two new sub-builds and attached them upright on the left and right sides of the stem, placing them just above the sections you completed in Bags 10 and 11. These additions continue to build up the trophy's shape, giving the stem more height and strength. Then you crafted another sub-build and fixed it onto the back, locking it onto the back-facing side studs to complete this layer all around. The structure is tightening, rising, and becoming more defined with every move. When you're ready, open Bag 13 and keep the build moving forward — the next chapter is waiting for you.

Building Instructions (Bag 13, Book 1):

Group 80:

281. Let's make a sub build! Horizontally place a dark grey 4x10 plate in front of you. Horizontally place a tan 1x10 plate on top of the ppp on the back row.

282. Vertically place a tan 2x8 plate in front of the 2 right columns of the ppp, so 5 rows overhang to the front.

283. Horizontally place a dark grey 2x10 plate in front of the horizontal 4x10 plate making sure the corners align, so the back right corner attaches under the front right overhang of your sub build and now the vertical 2x8 plate overhangs 3 rows to the front. Place a 4x10 plate in front of the ppp, so its back right corner attaches under the front right overhang, and 1 row exposes to the front.

284. Horizontally place a tan 1x10 plate on top of your sub build on the front row, so there is no overhang. Horizontally place a white 1x8 tile behind the 8 left columns of the ppp. Then, repeat Symmetrically to the back. Vertically place a white 2x6 tile on top of your sub build on the 2 left columns, so it is centered vertically. Skip 2 columns to the right and place another vertically.

285.1 Vertically place a yellow 1x4 brick on top of your sub build on the front right corner. Vertically place a red 1x2 brick behind the ppp.

Group 81:

285.2 Vertically place a lime 1x4 brick behind the ppp.

Group 82:

285.3 Vertically place a white 1x4 brick on top of your sub build on the 2<sup>nd</sup> column from the right, so it is centered vertically. Place a white 1x1 brick with clip on 1 side in front of the ppp, so the clip faces the left. Then, repeat symmetrically to the back.

286. Vertically place a tan 1x2 log brick behind the ppp. Horizontally place 2 grey 1x4 bricks with grove to the left of the back row of the ppp one right to the other, so both groves face the front. Then, repeat the 3 placements symmetrically to the front.

287. Horizontally place a tan 1x10 plate on top of your sub build on the front row. Then, repeat symmetrically to the back. Now, place a tan 2x8 plate on top of your sub build on the 2 right columns, so it is centered vertically.

288. Vertically place a blue 2x10 plate on top of your sub build on the 2 right columns, so there's no overhang. Horizontally place a blue 1x8 plate to the left of the front row of the ppp. Then, repeat symmetrically to the back.

289. Vertically place a tan 1x4 brick with 4 side studs on one long side on top of your sub build on the rightmost column, so it is centered vertically and the side studs face the right. Next, place the right column of a white 2x2 corner brick in front of the ppp, so it looks like a braille letter H, repeat symmetrically to the back. Now, place a tan 1x2 log brick on top of your sub build on the 2<sup>nd</sup> column from the right, so it is centered vertically and it sits between the 2 ppps.

290. Place a white 2x2 corner brick on top of your sub build on the front right corner, so it looks like a braille letter D and there's no overhang. Horizontally place 2 tan 1x4 bricks with 4 side studs on the long side one to the right of the other to the left of the right column of the ppp, so their side studs face the front. Place a tan 1x1 slope tile to the left of the ppps, so it slopes to the left. Then, repeat the 4 placements symmetrically to the back.

291. Vertically place a blue 2x10 plate on top of your part on the 2 right columns. Place a blue 1x1 plate to the left of the front row of the ppp. Horizontally place a blue 1x6 plate to the left of the ppp. Then, repeat both parts symmetrically to the back.

Group 83:

292. Horizontally place a tan 1x6 plate on the top of your sub build in the front right corner. Then, repeat symmetrically to the back. Now, vertically place a tan 2x8 plate in front of the 2 right columns of the ppp, so it is centered vertically.

293. Horizontally place a tan 1x2 plate with clip on one short side on the front row of your sub build on the 2 left columns of visible studs, so the clip faces to the left. Place a tan 1x1 plate to the right of the ppp. Then, repeat both parts symmetrically to the back.

294. Vertically place a tan 1x4 brick with 4 side studs on one long side on top of your sub build on the rightmost column, so it is centered vertically and the side studs face the right. Next, place the right column of a white 2x2 corner brick in front of the ppp, so it looks like a braille letter H. Repeat symmetrically to the back. Now, place a tan 1x2 log brick on top of your sub build on the 2<sup>nd</sup> column from the right, so it is centered vertically and it sits between the 2 ppps.

295. Place a white 2x2 corner brick on top of your sub build on the front right corner, so it looks like a braille letter D and there's no overhang. Horizontally place 2 tan 1x4 bricks with 4 side studs on the long side one to the right of the other to the left of the right column of the ppp, so their side studs face the front. Then, repeat the 3 placements symmetrically to the back.

296. Stack 2 tan 1x10 plates, vertically place your stack on top of your sub build on the rightmost column. Vertically place a black 1x3 brick on the 4 front rows of your stack. Then, repeat symmetrically to the back. Now, place a tan 1x4 brick with 4 side studs on one long side on top of your build on the rightmost column, so it is centered vertically and sits between the 2 ppps, and the side studs face the right.

297. Place a black 5x5 corner brick with pin holes and cut corner on top of your sub build on the 5 front rows on the 2<sup>nd</sup> through 6<sup>th</sup> columns from the right, so the cut corner faces the front right. Then, repeat symmetrically to the back.

298. Stack 2 tan 1x10 plates, vertically place your stack on top of your sub build on the 2<sup>nd</sup> column from the right. Vertically place the left column of a blue 2x10 plate on the ppp. 299. Horizontally place a tan 1x2 inverted slope brick on top of your sub build on the front row on the leftmost column of visible studs, so it slopes upright to the left and 1 column overhangs to the left. Horizontally place a tan 1x2 log brick to the right of the ppp. Then, repeat both parts symmetrically to the back.

300. Horizontally place the 2 left columns of a white 1x4 brick on the ppp. Vertically place 2 white 1x3x2 half arch bricks one to the right of the other to the left of the ppp, so 2 rows overhang to the back. Then, repeat both placements symmetrically to the right. Now, repeat the 5 placements symmetrically to the back.

301. Vertically place a black 2x8 brick on top of your sub build on the 2 right columns, so it is centered vertically. Horizontally place the 2 right columns of a grey 1x10 brick in front of the ppp. Repeat symmetrically to the back.

302. Vertically place a tan 1x10 plate on top of your sub build on the leftmost column. Horizontally place a tan 1x4 tile to the right of the front row of the ppp. Then, place another horizontally to the right of the ppp. Vertically place another on top of your sub build on the front right corner. Then, repeat the 3 placements symmetrically to the back. Now, vertically place a red 1x2 tile on top of your sub build on the rightmost column, so it is centered vertically.

303. Horizontally place a dark tan 8x8 plate with grille and hole in center on top of your sub build, so it is centered horizontally and vertically.

304. Bring back your main build, so the trophy's name tile faces the back. Place your sub build on top of the trophy, so it is centered horizontally and vertically, and its open side faces the left.

Bag 13 marks a special moment in your build. You've assembled the compartment that will hold the hidden mini stadium, complete with the FIFA minifigure and the 2026 logo. Once finished, you placed this whole section on top of the trophy, giving the model a new layer of height and purpose. This is the heart of the Easter egg — a secret celebration tucked inside the trophy itself. With this piece in place, the build feels more alive and more complete under your hands. When you're ready, open Bag 14 and keep the journey going — the next steps will bring even more magic to the top of the trophy.

Building Instructions (Bag 14, Book 1):

Group 84:

305. Let's make a sub build. Horizontally place a grey 4x10 plate in front of you. Place a black 2x2 corner brick on the 2 front rows on the 4<sup>th</sup> and 5<sup>th</sup> columns from the right, so it looks like a braille letter F. Then, repeat symmetrically to the left. Now, repeat both placements symmetrically to the back.

306. Vertically place a dark grey 1x2 log brick on top of your sub build on the 3<sup>rd</sup> column from the right, so it is centered vertically. Then, repeat symmetrically to the left.

307. Make 4 identical stacks. Stack 2 yellow 1x2 rounded plates. You should now have 2 identical stacks. Horizontally place the left column of the first stack in front of the ppp. Then, repeat symmetrically to the right. Now, repeat both placements symmetrically to the back.

308. Vertically place the back row of a white 2x3 stair plate on the front row on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the left, so the stairs lead down to the front and the back row sits on the horizontal front left stack. Now, repeat symmetrically to the right. Now, repeat both placements symmetrically to the back.

309. Vertically place the 2 front rows of a black 2x5 stair plate on top of your sub build on the 2 back rows, so it is centered horizontally, the stairs lead down to the back, and it sits between the 2 ppps. Then, repeat symmetrically to the front. Horizontally place the 4 left columns of a black 2x5 stair plate on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front counting the entire build on the 4 right columns, so the stairs lead down to the right, and 1 column overhangs to the right. Then, repeat symmetrically to the back. Now, repeat both placements symmetrically to the left.

310. Horizontally place a lime 1x6 plate underneath the back overhang, so it is centered horizontally. Turn your part upside down, so the ppp is horizontally on the back. Place a medium blue 2x2 round plate with axle hole on top of your sub build on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back of antistuds, so it is centered horizontally. Then, repeat symmetrically to the front.

311. Turn your sub build right side up, so the horizontal lime 1x6 plate is on the back. Place the left column of a gold 2x2 plate underneath the 2 front rows of the right overhang, so 1 column extends to the right. Vertically place a gold 1x2 plate on the right column of the ppp. Then, repeat both parts symmetrically to the back. Now, repeat 4 placements symmetrically to the left.

Group 85:

312.1 Place a lime 2x2 plate on top of your sub build on its back right corner, so it sits on the back 1x6 plate and on the back right white 2x3 stair plate. Then, repeat symmetrically to the left.

Group 86:

312.2 Place the back row of a yellow 2x2 plate on top of your sub build on the front left corner, so it sits on the front left vertical white stair plate and 1 row overhangs to the front. Then, repeat symmetrically to the right.

313. Let's make 2 identical stacks. Stack 2 grey 2x4 plates. Horizontally place one of your stacks on top of your sub build on the 2 front rows, so it is centered horizontally. Then, repeat symmetrically to the back.

Group 87:

314.1 Let's make 4 identical parts! Place a gold 2x2 plate in front of you. Place a gold 2x2 corner plate on the ppp, so it looks like a braille letter D and there's no overhang.

314.2 Place the back right corner of a gold 2x2 plate on top of your part on its front left corner, so 1 row overhangs to the front and 1 column overhangs to the left.

314.3 Place a gold 2x2 corner plate underneath the front overhanging row and the left overhanging column of the ppp, so it looks like a braille letter H.

314.4 Place the front row of a gold 2x2 plate on top of your sub build on the back row, so it sits on the back right 2x2 corner plate that looks like a braille D, and 1 row overhangs to the back. Place the right column of another on top of your build on the leftmost column, so it sits on the front left 2x2 plate and 1 column overhangs to the left. Place a gold 1x1 plate to the right of the back row of the ppp. You should now have 4 identical parts!

314.5 Bring back your sub build and position it horizontally in front of you, so the overhang is on the front. Place the left overhanging column of 1 of your parts on top of your sub build on the front right corner, and the back overhanging row on the row from the front on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right counting the entire build. Then, repeat symmetrically to the back. Now, repeat both placements symmetrically to the left.

315. Place a gold 2x2 plate on top of your sub build on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right, so it is centered vertically. Then, repeat symmetrically to the left.

316. Vertically place the back row of a gold 1x2 plate on the front left corner of the ppp. Then, repeat symmetrically to the back. Vertically place a medium blue 1x4 plate to the right of the 2 ppps. Then, repeat the 3 parts symmetrically to the right.

317. Place a gold 2x2 plate on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the right counting the entire build, so the right column sits in front of the right vertical medium blue 1x4 plate from the previous step. Place the back row of a gold 1x2 plate to the left of the front row of the ppp, on the 2 front rows on the 5<sup>th</sup> column counting the entire build. Then, repeat both parts symmetrically to the left.

318.1 Place a gold 2x2 plate on the 2 back rows on the 5<sup>th</sup> and 6<sup>th</sup> columns from the left counting the entire build. Then place another to the right of the ppp. Horizontally place a gold 1x2 plate to the right of the front row of the ppp. Horizontally place the right column of a lime 1x2 rounded plate in front of the ppp. Then, repeat symmetrically to the left.

Group 88:

318.2 Place a yellow 2x2 plate on top of your sub build on the 2 front rows, so it is centered horizontally. Horizontally place a yellow 1x2 rounded plate on the 3<sup>rd</sup> row from the front on the 5<sup>th</sup> and 6<sup>th</sup> columns from the right. Then, repeat symmetrically to the left.

319. Place the back row of a gold 2x2 corner plate to the left of the ppp, so it looks like a braille letter D. Place the back row of another to the right of the front row of the ppp, so it looks like a braille letter D. Vertically place a gold 1x2 plate on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front on the 3<sup>rd</sup>

column from the left, counting the entire build. Place another vertically behind the ppp. Place the left column of a gold 2x2 corner plate behind the ppp, so it looks like a braille letter J. Then, repeat the 5 placements symmetrically to the right.

Group 89:

320. Vertically place a dark grey 2x6 plate on top of your sub build, so it is centered horizontally and vertically. Vertically place a medium blue 1x4 plate to the left of the 4 back rows of the ppp. Place the left column of a gold 2x2 plate behind the ppp. Then, repeat symmetrically to the front. Vertically place a gold 1x2 plate behind the left column on the ppp. Then, repeat symmetrically to the right. Vertically place a medium blue 1x4 plate behind the ppp. Now, place the right column of a gold 2x2 corner plate behind the ppp, so it looks like a braille letter H. Now, place a gold 2x2 plate on the 2 front rows on the 6<sup>th</sup> and 7<sup>th</sup> columns from the right, so it sits to the right of another 2x2 plate you have placed at the beginning of this step.

321. Place a gold 1x1 plate with 1x1 upright facing side stud on the 2<sup>nd</sup> row from the front on the 4<sup>th</sup> column from the right counting the entire build, so the side stud faces the front. Horizontally place the right column of a gold 1x2 plate behind the ppp. Place 2 gold 2x2 plates, one behind the other behind the ppp. Place a gold 2x2 corner plate behind the ppps, so it looks like a braille letter H. Now, repeat the 5 placements symmetrically to the left.

Group 90:

322. Horizontally place a gold 1x2 plate on the 3<sup>rd</sup> row from the back on the 6<sup>th</sup> and 7<sup>th</sup> columns from the right, counting the entire build. Place a gold 2x2 plate in front of the ppp. Vertically place a gold 1x2 plate in front of the right column of the ppp. Place a grey 2x2 corner plate to the left of the ppp, so it looks like a braille letter J. Horizontally place a gold 1x2 plate in front of the ppp. Place a gold 1x2 plate to the left of the 2 ppps. Vertically place the left column of a lime 2x4 plate behind the ppp. Vertically place 2 gold 1x2 plates one in front of the other to the left of the ppp.

Group 91:

323. Place a grey 2x2 corner plate on top of your sub build, so it is centered horizontally and vertically, and it looks like a braille letter J. Place a gold 1x1 plate to the left of the front row of the ppp. Place the left column of a blue 2x2 plate behind the ppp.

324. Place a metallic gold 1x1 slope tile on the back row on the 6<sup>th</sup> column from the right, so it slopes to the back. Place another on the back row on the 5<sup>th</sup> column from the left, so it slopes to the back. Vertically place a metallic gold 1x2 curved slope tile in front of the ppp, so it slopes to the back. Vertically place a metallic gold 1x2 curved left slope wedge tile to the left of the ppp, so it slopes to the back.

325. Horizontally place a metallic gold 1x2 curved slope tile in front of the 2 ppps, so it slopes to the left. Place a metallic gold 1x1 quarter round tile in front of the left column of the ppp, so the right angle faces the back right, and the rounded edge faces the front left. Horizontally place a metallic gold 1x2 slope tile on the 2<sup>nd</sup> row from the back 6<sup>th</sup> and 7<sup>th</sup> columns from the left counting the entire build, so it slopes to the back. Next, place 2 metallic gold 1x2 curved slope tiles vertically one to the right of the other in front of the ppp. Place a metallic gold 1x1 slope tile to the right of the front row of the right ppp, so it slopes to the right. Vertically place a metallic gold 1x2 curved right slope wedge tile behind the ppp, so it slopes to the back.

326. Horizontally place a metallic gold 1x2 curved left slope wedge tile to the right of the front row of the ppp, so it slopes to the right. Horizontally place a metallic gold 1x2 curved slope tile in front of the ppp, so it slopes to the right. Place a metallic gold 1x1 slope tile in front of the right column of the ppp, so it slopes to the right. Horizontally place a metallic gold 1x2 curved slope

tile to the left of the front row of the ppp, so it slopes to the right. Place a metallic gold 1x1 tile to the left of the ppp. Place a metallic gold 1x2 curved slope tile to the left of the ppp, so it slopes to the left.

327. Vertically place a metallic gold 1x2 curved right slope wedge tile in front of the left column of the ppp, so it slopes to the front. Vertically place 3 metallic gold 1x2 curved slope tiles one to the right of the other to the right of the ppp, so they slope to the front. Place a metallic gold 1x1 quarter round tile to the right of the front row of the rightmost ppp, so the right angle faces the back left and the rounded edge faces the front right. Horizontally place the left column of a metallic gold 1x2 curved right slope wedge tile behind the ppp, so it slopes to the right.

328. Place a metallic gold 1x2 curved left slope wedge tile on the 2<sup>nd</sup> row from the front on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the left, so it slopes to the left. Horizontally place a metallic gold 1x2 curved right slope wedge tile behind the ppp. Then, repeat both parts symmetrically to the right. Place a metallic gold 1x1 quarter round tile on the front row on the 6<sup>th</sup> column from the left, so the right angle faces the back right and the rounded edge faces the front left. Place another to the right of the ppp, so the right angle faces the front left, and the rounded edge faces the back right. Vertically place a metallic gold 1x2 curved left slope wedge tile behind the ppp, so it slopes to the front. Vertically place a metallic gold 1x2 curved slope tile to the left of the ppp.

329. Bring back your main build, so the trophy's name tile faces the back. Horizontally place your part upright on the front facing side of the sub build you attached in bag 13, so it attaches to the 3 rows of front facing side studs, and it is centered horizontally.

You've added a new external spherical layer to one side of the globe, and this curved golden panel represents the Asian continent. When you explore it with your hands, you'll feel how the smooth surface wraps gently around the trophy, building up the round shape of the Earth while still leaving the hidden compartment safely tucked inside — the special place where the mini stadium with the FIFA 2026 logo waits. This whole face belongs to Asia, stretching wide across the globe. And since this is the continent you've just added, it's fun to imagine which Asian country might lift the World Cup one day. Maybe China, Japan, South Korea, Saudi Arabia, Rusia or Qatar, will be the ones celebrating with the trophy raised high.

Beautiful work shaping this side of the world. With every new layer, the trophy becomes more complete, more round, and more exciting to hold. Keep going — you're building a piece of soccer history.

Building Instructions (Bag 15, Book 1):

Group 92:

330. Let's make a sub build. Horizontally place a grey 4x10 plate in front of you. Place a black 2x2 corner brick on the 2 front rows on the 4<sup>th</sup> and 5<sup>th</sup> columns from the right, so it looks like a braille letter F. Then, repeat symmetrically to the left, repeat both placements symmetrically to the back.

331. Vertically place a dark grey 1x2 log brick on top of your sub build on the 3<sup>rd</sup> column from the right, so it is centered vertically. Then, repeat symmetrically to the left.

332. Make 4 identical stacks. Stack 2 yellow 1x2 rounded plates. You should now have 2 identical stacks. Horizontally place the left column of the first stack in front of the ppp. Then, repeat symmetrically to the right, repeat both placements symmetrically to the back.

333. Vertically place the back row of a white 2x3 stair plate on the front row on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the left, so the stairs lead down to the front and the back row sits on the horizontal front left stack, repeat symmetrically to the right. Now, repeat both placements symmetrically to the back.

334. Vertically place the 2 front rows of a black 2x5 stair plate on top of your sub build on the 2 back rows, so it is centered horizontally, the stairs lead down to the back, and it sits between the 2 ppps. Then, repeat symmetrically to the front. Horizontally place the 4 left columns of a black 2x5 stair plate on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front counting the entire build on the 4 right columns, so they lead down to the right, and 1 column overhangs to the right. Then, repeat symmetrically to the back. Now, repeat both placements symmetrically to the left.

335. Horizontally place a yellow 1x6 plate underneath the back overhang, so it is centered horizontally. Turn your part upside down, so the ppp is horizontally on the back. Place a medium blue 2x2 round plate with axle hole on top of your sub build on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back of antistuds, so it is centered horizontally. Then, repeat symmetrically to the front.

336. Turn your sub build right side up, so the horizontal yellow 1x6 plate is on the back. Place the left column of a gold 2x2 plate underneath the 2 front rows of the right overhang, so 1 column extends to the right. Vertically place a gold 1x2 plate on the rightmost column of the ppp. Then, repeat both placements symmetrically to the back.

Group 93:

337.1 Place a yellow 2x2 plate on top of your sub build on its back right corner, so it sits on the yellow back horizontal 1x6 plate and on the back right white 2x3 stair plate. Then, repeat symmetrically to the left.

Group 94

337.2 Place the back row of a lime 2x2 plate on top of your sub build on the front left corner, so it sits on the front left vertical white stair plate and 1 row overhangs to the front. Then, repeat symmetrically to the right.

338. Let's make 2 identical stacks. Stack 2 grey 2x4 plates. Horizontally place one of your stacks on top of your sub build on the 2 front rows, so it is centered horizontally. Then, repeat symmetrically to the back.

Group 95:

339. Let's make a part! Place a gold 2x2 plate in front of you. Horizontally place a gold 1x2 plate in front of the ppp. Vertically place the front row of a gold 1x2 plate on the left column of the ppp connecting both parts. Bring back your sub build and position it horizontally, so the yellow 1x6 plate faces horizontally the back. Vertically place the right column of your part underneath the 3 front rows of the left overhang, so 1 column extends to the left.

340. Let's make a part! Place a gold 2x2 plate in front of you. Place a gold 2x2 corner plate on top of the ppp, so it looks like a braille letter F and there's no overhang. Place the back left corner of a gold 2x2 plate on top of your part on its front right corner, so 1 row overhangs to the front and 1 column overhangs to the right. Place a gold 2x2 corner plate underneath the front overhanging row and the right overhanging column of the ppp, so it looks like a braille letter J. Place the front row of a gold 2x2 plate on top of your sub build on the back row on the **back row of the back left corner plate**, so it sits on the back right 2x2 corner plate that looks like a braille Letter F, and 1 row overhangs to the back. Place a gold 1x1 plate in front of the right column of the ppp. Now, place a grey 1x2 rounded plate horizontally to the right of the ppp, so 1 column overhangs to the right. Rotate your part 90 degrees clockwise, so the 1x2 rounded plate now overhangs 1 row to the front. Bring back your main build and position it horizontally, so the horizontal 1x6 plate is facing the back. Place your part on the back left corner of your sub build, so the front overhang attaches to the 2<sup>nd</sup> column from the left of the 4<sup>th</sup> row from the back of your sub build (here, we are counting only the columns within this mentioned row), and the right overhang attaches to the leftmost column of the 2 back rows of

the sub build (here, we are counting only the columns within the 2 mentioned rows), so it sits on the back left yellow 2x2 plate and on the horizontal back left 2x5 stair plate.

341. Let's make 3 identical parts! Place a gold 2x2 plate in front of you. Place a gold 2x2 corner plate on the ppp, so it looks like a braille letter F and there's no overhang. Place the back left corner of a gold 2x2 plate on top of your part on its front right corner, so 1 row overhangs to the front and 1 column overhangs to the right. Place a gold 2x2 corner plate underneath the front overhanging row and the right overhanging column of the ppp, so it looks like a braille letter J. Place the front row of a gold 2x2 plate on top of your sub build on the back row of your part, so it sits on the back row of the back right 2x2 corner plate that looks like a braille Letter F, and 1 row overhangs to the back. Place a gold 1x1 plate in front of the right column of the ppp. Next, place the back row of a gold 2x2 plate to the right of the ppp, so 1 column overhangs to the right. Bring back your sub build and position it horizontally in front of you, so the part you attached in the previous step faces the back left. Place your part on the front left corner, so the right overhang attaches to the leftmost column of the 2 front rows of your sub build (here, we are counting only the columns of the mentioned 2 rows), and the back overhang attaches to the 4<sup>th</sup> row from the front on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the left. Then, repeat symmetrically to the right. Now, repeat symmetrically to the back.

342. Place a gold 2x2 plate on top of your sub build on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right, so it is centered vertically. Then, repeat symmetrically to the left.

343. Place a gold 2x2 corner plate on the 2 back rows on the 4<sup>th</sup> and 5<sup>th</sup> columns from the right counting the entire build, so it looks like a braille letter F. Place a gold 2x2 plate on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the right, so the left column sits in front of the right column of the ppp. Then, repeat both parts symmetrically to the left.

344. Vertically place a dark tan 1x3 plate in front of the left column of the left 2x2 ppp. Place a gold 1x1 plate in front of the ppp. Place a gold 2x2 plate on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right. Then, repeat symmetrically to the back.

345. Place a gold 2x2 corner plate on the 2 front rows on the 4<sup>th</sup> and 5<sup>th</sup> columns from the right counting the entire build, so it looks like a braille letter H. Place a gold 2x2 plate on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the right, so the left column sits behind the right column of the ppp. Then, repeat both parts symmetrically to the left.

346.1 Vertically place a grey 1x2 rounded plate on the 3<sup>rd</sup> and 4<sup>th</sup> rows from the back on the 3<sup>rd</sup> column from the left. Place a red 1x1 round plate to the right of the back row of the ppp.

Group 96:

346.2 Horizontally place a yellow 1x2 rounded plate to the right of the ppp. Then, repeat symmetrically to the right.

Group 97:

346.3 Horizontally place 2 lime 1x2 rounded plates symmetrically to the front. Place a lime 2x2 plate on top of your sub build on the 2 front rows, so it is centered horizontally.

Group 98:

347. Horizontally place a gold 1x2 plate on the 2<sup>nd</sup> row from the back on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the left counting the entire build. Place the front row of a gold 2x2 plate to the right of the ppp. Place 2 more one to the right of the other to the right of the ppp. Vertically place the back row of a gold 1x2 plate to the right of the front row of the rightmost ppp, on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back on the 4<sup>th</sup> column from the right. Vertically place the back row of a gold 1x2 plate to the right of the front row of the ppp. Vertically place another in front of the ppp.

348. Vertically place another gold 1x2 plate in front of the ppp. Next, place the back row of a gold 1x2 plate to the left of the front row of the ppp. Place the back row of a gold 2x2 corner plate on the left of the ppp, so it looks like a braille letter F. Then, repeat the 3 placements symmetrically to the left.

349. Vertically place a white 4x6 plate on top of your sub build, so it is centered horizontally and vertically.

350. Horizontally place a gold 1x2 plate on the 4<sup>th</sup> row from the front on the 4<sup>th</sup> and 5<sup>th</sup> columns from the left, so it sits to the left of the 2<sup>nd</sup> row from the front of the with 4x6 plate you have just placed. Vertically place a grey 2x4 plate behind the ppp. Horizontally place a gold 1x2 plate behind the ppp. Place the front row of a gold 2x2 corner plate to the right of the ppp, so it looks like a braille letter J. Place a gold 2x2 plate to the right of the ppp. Place a gold 2x2 corner plate to the right of the front row of the ppp, so it looks like a braille letter H. Place 2 gold 2x2 plates one in front of the other in front of the ppp.

351. Horizontally place a black 1x2 rounded plate in front of the ppps. Place a gold 1x1 plate with 1x1 upright facing side stud in front of the right column of the ppp, so the side stud faces the front. Place a gold 1x1 plate to the left of the ppp. Place the back row of a gold 2x2 plate to the left of the ppp. Then, repeat the 4 placements symmetrically to the left.

352.1 Vertically place a grey 1x4 plate on the 3<sup>rd</sup> through 6<sup>th</sup> rows from the back on the 5<sup>th</sup> column from the left counting the entire build. Place a tan 3x3 plate to the right of the 3 front rows of ppp. Horizontally place a dark tan 2x3 plate behind the ppp. Horizontally place a gold 1x2 plate to the right of the front row of the ppp. Vertically place a gold 1x2 plate in front of the right column of the ppp.

Group 99:

352.2 Place the 2 back rows of a medium blue 1x4 plate to the left of the ppp.

353. Place a gold 2x2 plate to the right of the 2 front rows of the ppp. Place the right column of a gold 2x2 corner plate in front of the left column of the ppp, so it looks like a braille letter F. Horizontally place a gold 1x2 plate to the left of the ppp. Place a gold 2x2 plate behind the ppp. Place a gold 1x1 plate to the left of the back row of the ppp. Place the right column of a gold 2x2 plate in front of the ppp.

354. Horizontally place a dark tan 1x3 plate on the 3<sup>rd</sup> row from the back on the 6<sup>th</sup> through 8<sup>th</sup> columns from the left. Place a dark tan 2x3 plate vertically in front of the 2 left columns of the ppp. Place another vertically to the right of the ppp. Vertically place a gold 1x2 plate to the right of the 2 front rows of the ppp.

355. Place a gold 2x2 plate to the left of the ppp. Place another in front of the ppp. Horizontally place a gold 1x2 plate on the back row of the ppp, so it sits in front of the back 2x2 plate.

Group 100:

356. Place a metallic gold 1x1 quarter round tile on the 4<sup>th</sup> row from the back on the 2<sup>nd</sup> column from the right, so, the right angle faces the front right and the rounded edge faces the back left. Place another in front of the ppp, so the right angle faces the back left and the rounded edge faces the front right. Place another on the 4<sup>th</sup> row from the back on the 4<sup>th</sup> column from the right, so the right angle faces the back right and the rounded edge faces the front left. Vertically place a metallic gold 1x2 curved right slope wedge tile behind the ppp. Place a metallic gold 1x1 quarter round tile on the back row on the 5<sup>th</sup> column from the right counting the entire build, so the right angle faces the front left, and the rounded edge faces the back right.

357. Vertically place a metallic gold 1x2 curved slope tile in front of the ppp, so it slopes to the back. Vertically place a metallic gold 1x2 curved right slope wedge tile in front of the ppp, so it slopes to the back. Place a metallic gold 1x2 curved left slope wedge tile symmetrically to the front. Vertically place the front row of a metallic gold 1x2 curved slope tile on the 4<sup>th</sup> column from the right of the back row (here, we are counting only the columns within this mentioned row), so it slopes to the back and 1 row overhangs to the back. Place another vertically in front of the ppp, so it slopes to the back. Place a metallic gold 1x1 slope tile on the 4<sup>th</sup> column from the left of the back row (here, we are counting only the columns within the mentioned row), so it slopes to the back. Horizontally place a metallic gold 1x2 slope tile to the right of the ppp, so it slopes to the back.

358. Vertically place a metallic gold 1x2 curved slope tile in front of the right column of the ppp, so it slopes to the back. Vertically place another in front of the ppp, so it slopes to the back. Vertically place another to the right of the ppp, so it slopes to the back. Horizontally place a metallic gold 1x2 tile in front of the 2 ppps. Vertically place a metallic gold 1x2 curved right slope wedge tile in front of the left column of the ppp, so it slopes to the front. Vertically place a metallic gold 1x2 curved slope tile to the right of the ppp, so it slopes to the front. Place a metallic gold 1x1 quarter round tile in front of the ppp, so the right angle faces the back right and the rounded edge faces the front left.

359. Vertically place a metallic gold 1x2 curved slope tile on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back on the 6<sup>th</sup> column from the left counting the entire build, so it slopes to the back, and sits in front of the back left metallic gold 1x1 slope tile. Vertically place another to the right of the ppp, so it slopes to the back. Vertically place 2 metallic gold 1x2 tiles 1 to the right of the other in front of the 2 ppps. Vertically place a metallic gold 1x2 curved right slope wedge tile in front of the right ppp, so it slopes to the front. Now, place a metallic gold 1x2 curved left slope wedge tile to the left of the ppp, so it slopes to the front.

360. Vertically place a metallic gold 1x2 curved right wedge slope tile to the left of the ppp, so it slopes to the front. Place a metallic gold 1x1 slope tile to the left of the back row of the ppp, so it slopes to the left. Horizontally place 3 metallic gold 1x2 curved slope tiles one in front of the other behind the 2 ppps, so they slope to the left. Place a metallic gold 1x1 slope tile behind the right column of the backmost ppp, so it slopes to the left. Horizontally place a metallic gold 1x2 curved right slope wedge tile to the left of the ppp, so it slopes to the left.

361. Horizontally place the right column of a metallic gold 1x2 slope tile with cutout on the leftmost column of the 3<sup>rd</sup> row from the back (here, we are counting only the columns within this mentioned row), so it slopes to the left and 1 column extends to the left. Place 2 more horizontally 1 in front of the other in front of the ppp, so they all slope to the left.

362. Horizontally place a metallic gold 1x2 curved left slope wedge tile in front of the frontmost ppp, so it slopes to the left. Vertically place the front row of a metallic gold 1x2 slope tile to the right of the ppp. Horizontally place the right column of a metallic gold 1x2 slope tile with cutout behind the ppp, so it slopes to the left. Place another horizontally behind the ppp, so it slopes to the left.

363. Horizontally place a metallic gold 1x2 curved left slope wedge tile on the 2<sup>nd</sup> row from the front on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the left, counting the entire build, so it slopes to the left. Horizontally place a metallic gold 1x2 curved right slope wedge tile behind the ppp, so it slopes to the left. Then, repeat both parts symmetrically to the right. Now, place a metallic gold 1x1 quarter round tile to the left of the front right ppp, on the 2<sup>nd</sup> row from the front on the 5<sup>th</sup> column from the right counting the entire build, so the right angle faces the front left, and the rounded edge faces the back right.

364. Bring back your main build, so the Trophy's name tile faces the front. Place your sub build horizontally upright on the top 10 front top facing rows, so it attaches to the 3 rows of front facing side studs, it is centered horizontally and 1 row overhangs to the top.

You've now added another external spherical layer to the globe — this time on the front side, directly opposite the Asian panel you built before. As your hands explore this new curved surface, you'll feel how the trophy becomes even rounder and more complete, like the Earth slowly forming between your fingertips.

This new panel shows South America and Central America, stretching proudly across the front of the globe. The smooth golden curves rise and dip gently, marking the shape of the continent where soccer is played with heart, rhythm, and passion. And since this is the side you've just built, it's fun to imagine which American team might lift the World Cup next. Maybe Argentina, Brazil, Uruguay, Mexico, or Costa Rica will be the ones celebrating with the trophy held high.

Wonderful work shaping the front of the Earth. With each new layer you add, the trophy becomes richer, rounder, and more alive in your hands. Keep going — you're building the world of soccer piece by piece.

Building Instructions (Bag 16, Book 1):

Group 101:

365. Let's make a sub build. Horizontally place a grey 4x10 plate in front of you. Place a black 2x2 corner brick on the 2 front rows on the 4<sup>th</sup> and 5<sup>th</sup> columns from the right, so it looks like a braille letter F. Then, repeat symmetrically to the left. Now, repeat both placements symmetrically to the back.

366. Vertically place a dark grey 1x2 log brick on top of your sub build on the 3<sup>rd</sup> column from the right, so it is centered vertically. Then, repeat symmetrically to the left.

367. Make 4 identical stacks. Stack 2 yellow 1x2 rounded plates. You should now have 2 identical stacks. Horizontally place the left column of the first stack in front of the ppp. Then, repeat symmetrically to the right, repeat both placements symmetrically to the back.

368. Vertically place the back row of a white 2x3 stair plate on the front row on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the left, so it leads down to the front and the back row sits on the horizontal front left stack. Then, repeat symmetrically to the right. Now, repeat both placements symmetrically to the back.

369. Vertically place the 2 front rows of a black 2x5 stair plate on top of your sub build on the 2 back rows, so it is centered horizontally, the stairs lead down to the back, and it sits between the 2 ppps. Then, repeat symmetrically to the front. Horizontally place the 4 left columns of a black 2x5 stair plate on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front counting the entire build on the 4 right columns, so the stairs lead down to the right and 1 column overhangs to the right. Then, repeat symmetrically to the back. Now, repeat both placements symmetrically to the left.

370.1 Horizontally place a green 1x6 plate underneath the back overhang, so it is centered horizontally. Turn your part upside down, so the ppp is horizontally on the back. Place a medium blue 2x2 round plate with axle hole on top of your sub build on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back of antistuds, so it is centered horizontally. Then, repeat symmetrically to the front.

Group 102:

370.2, Horizontally place a red 1x6 plate on the front row of antistuds, so it is centered horizontally. Add a marker—such as a tile or a piece of tape—on one edge of the piece as an orientation mark to help you position the sub-build correctly later.

371. Turn your sub build right side up, so the marked side faces the front. Place the left column of a gold 2x2 plate underneath the 2 front rows of the right overhang, so 1 column extends to the right. Vertically place a gold 1x2 plate on top of the ppp on the right column. Then, repeat both parts symmetrically to the back. Now, repeat the 4 placements symmetrically to the left.

Group 103:

372.1 Place a green 2x2 plate on top of your sub build on its back right corner, so it sits on the back 1x6 plate and on the back right white 2x3 stair plate. Then, repeat symmetrically to the left.

Group 104:

372.2 Place the back row of a red 2x2 plate on top of your sub build on the front left corner, so it sits on the front left vertical white stair plate. Then, repeat symmetrically to the right.

373. Let's make 2 identical stacks. Stack 2 grey 2x4 plates. Horizontally place one of your stacks on top of your sub build on the 2 front rows, so it is centered horizontally. Then, repeat symmetrically to the back.

Group 105:

374.1 Let's make a part! Place a gold 2x2 plate in front of you. Place a gold 2x2 corner plate on the ppp, so it looks like a braille letter D and there's no overhang.

374.2 Place the back right corner of a gold 2x2 plate on top of your part on its front left corner, so 1 row overhangs to the front and 1 column overhangs to the left.

374.3 Place a gold 2x2 corner plate underneath the front overhanging row and the left overhanging column of the ppp, so it looks like a braille letter H.

374.4 Place the right column of a gold 2x2 plate on top of your sub build on the leftmost column, so it sits on the front left 2x2 plate, and 1 column overhangs to the left. Place a gold 1x1 plate on top of your part on the 2<sup>nd</sup> row from the back on the 2<sup>nd</sup> column from the right. Place the left column of a gold 2x2 corner plate behind the ppp, so it looks like a braille letter F and 1 row overhangs to the back.

374.5 Bring back your sub build and position it horizontally in front of you, so the overhang is on the front. Rotate your part 90 degrees counterclockwise, so the overhang of the ppp is now on the left. Place the left overhanging column on top of your sub build on the back right corner, and the front overhanging row 4<sup>th</sup> row from the back on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right counting the entire build.

375.1 Let's make 3 identical parts! Place a gold 2x2 plate in front of you. Place a gold 2x2 corner plate on the ppp, so it looks like a braille letter D and there's no overhang.

375.2 Place the back right corner of a gold 2x2 plate on top of your part on its front left corner, so 1 row overhangs to the front and 1 column overhangs to the left.

375.3 Place a gold 2x2 corner plate underneath the front overhanging row and the left overhanging column of the ppp, so it looks like a braille letter H.

375.4 Place the front row of a gold 2x2 plate on top of your sub build on the back row, so it sits on the back right 2x2 corner plate that looks like a braille D, and 1 row overhangs to the back. Place the right column of another on top of your build on the leftmost column, so it sits on the front left 2x2 plate and 1 column overhangs to the left. You should now have 3 identical parts!

375.5 Bring back your sub build and position it horizontally in front of you, so the overhang is on the front, and your previous attached part is on the back right. Place the left overhanging column of 1 of your parts on top of your sub build on the front right corner, and the back overhanging row on the 4<sup>th</sup> row from the front on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right counting the entire build. Then, repeat symmetrically to the left. Now, repeat symmetrically to the back.

376. Place a gold 2x2 plate on top of your sub build on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the left, so it is centered vertically. Then, repeat symmetrically to the right.

377. Vertically place the back row of a gold 1x2 plate on the front right corner of the ppp. Then, repeat symmetrically to the back. Now, vertically place a medium blue 1x4 plate to the left of the 2 ppps. Vertically place a gold 1x2 plate on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front on the 3<sup>rd</sup> column from the left. Vertically place a grey 1x2 rounded plate behind the ppp. Place a gold 1x2 plate to the left of the ppp.

378. Place a gold 2x2 corner plate on the 2 back rows on the 4<sup>th</sup> and 5<sup>th</sup> columns from the right counting the entire build, so it looks like a braille letter F. Place a gold 2x2 plate on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the right, so the left column sits in front of the right column of the ppp. Then, repeat both parts symmetrically to the left. Now, repeat the 4 parts symmetrically to the front.

GROUP 106:

379.1 Horizontally place the right column of a lime 1x2 rounded plate on the 3<sup>rd</sup> row from the front on the 5<sup>th</sup> and 6<sup>th</sup> columns from the right. Then, repeat symmetrically to the left. When placing these pieces make sure that the red marked 1x6 plate is on the front.

Group 107:

379.2 Horizontally place a yellow 1x2 rounded plate on the 3<sup>rd</sup> row from the back on the 5<sup>th</sup> and 6<sup>th</sup> columns from the right. Then, repeat symmetrically to the left. When placing the 2 ppps, make sure the green 1x6 plate is facing the back.

Group 108:

380. Vertically place the front row of a grey 1x2 rounded plate to the left of the ppp. Horizontally place the left column of a gold 1x2 plate behind the ppp. Place the right column of a gold 2x2 corner plate to the right of the ppp, so the front row sits in front of the right column of the ppp, and it looks like a braille letter J. Place 2 gold 2x2 plates one to the right of the other to the right of the ppp. Place a gold 2x2 corner plate to the right of the front row of the right ppp, so it looks like a braille letter H.

381. Vertically place 2 gold 1x2 plates one in front of the other in front of the right column of the ppp. Place the right column of a gold 2x2 corner plate in front of the ppp, so it looks like a braille letter F. Then, repeat the 3 placements symmetrically to the left. Place 3 gold 2x2 plates on the 2 front rows on the 5<sup>th</sup> through 10<sup>th</sup> columns from the right one to the right of the other.

382. Vertically place a white 4x6 plate on top of your sub build, so it is centered horizontally and vertically. Horizontally place a blue 1x4 plate in front of the ppp. Then, repeat symmetrically to the back. Horizontally place 2 gold 1x2 plates one to the right of the other behind the back ppp.

Group 109:

383. Place the back row of a 2x2 corner plate to the left of the ppps, so it looks like a braille letter J. Horizontally place a blue 1x2 rounded plate in front of the ppp. Vertically place 2 gold 1x2 plates, one in front of the other in front of the left column of the ppp. Vertically place a medium blue 1x4 plate to the right of the ppps. Vertically place a gold 1x2 plate on the 2<sup>nd</sup> and

3<sup>rd</sup> rows from the back on the 5<sup>th</sup> column from the right counting the entire build. Place a gold 2x2 corner plate to the right of the ppp, so it looks like a braille letter H. Vertically place 2 gold 1x2 plates one in front of the other in front of the right column of the ppp. Vertically place a grey 2x4 plate to the left of the 2 ppps.

384. Vertically place a gold 1x2 plate in front of the left column of the ppp. Horizontally place the right column of another in front of the ppp. Horizontally place 2 more one to the right of the other to the left of the ppp. Place the right column of a gold 2x2 corner plate behind the left column of the ppp, so it looks like a braille letter D.

Group 110:

385. Vertically place a black 2x6 plate on top of your sub build, so it is centered horizontally and vertically. Horizontally place a gold 1x2 plate behind the ppp. Horizontally place another to the left of the ppp. Then, repeat symmetrically to the right. Horizontally place a yellow 1x2 rounded plate in front of the 2 right columns of the ppp. Vertically place a medium blue 2x4 plate in front of the ppp. Then, repeat the 2 parts symmetrically to the left.

386. Place a gold 2x2 corner plate in front of the left medium blue 2x4 plate from the previous step, on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the 5<sup>th</sup> and 6<sup>th</sup> columns from the left, so it looks like a braille letter D. Horizontally place a gold 1x2 plate to the right of the front row of the ppp. Place the front row of a gold 2x2 corner plate to the right of the ppp, so it looks like a braille letter F. Vertically place a gold 1x2 plate on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front on the 4<sup>th</sup> column from the left, so it sits to the left of the 2 front rows of the left vertical medium blue 2x4 plate. Then, repeat symmetrically to the right. Place a lime 1x1 round plate behind the ppp. Place a gold 1x2 plate behind the ppp.

Group 111:

387. Horizontally place a grey 2x4 plate to the left of the ppp. Horizontally place a black 2x3 plate in front of the 3 right columns of the ppp. Place a gold 2x2 corner plate in front of the two left columns of the ppp, so it looks like a braille letter F. Vertically place a gold 1x2 plate to the left of the ppp. Vertically place the 2 front rows of a white 1x4 plate to the left of the ppp. Place a lime 1x1 round plate to the left of the front row of the ppp. Place the right column of a gold 2x2 plate behind the ppp. Place another behind the ppp.

388. Horizontally place a black 2x3 plate to the right of the ppp. Place the left column of a gold 2x2 corner plate in front of the leftmost column of the ppp, so it looks like a braille letter H. Horizontally place the left column of a gold 1x2 plate to the right of the left column of the ppp and of the right column of the ppp.

Group 112:

389. Place a metallic gold 1x1 quarter round tile on the 5<sup>th</sup> row from the back on the rightmost column, counting the entire build, so the right angle faces the back right and the rounded edge faces the front left. Place a metallic gold 1x1 slope tile behind the ppp, so it slopes to the right. Horizontally place a metallic gold 1x2 slope tile with cutout to the left of the ppp, so it slopes to the right. Place another horizontally on the 2<sup>nd</sup> row from the back on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the right counting the entire build, so it slopes to the right. Place a metallic 1x1 slope tile to the left of the ppp, so it slopes to the back.

390. Horizontally place a metallic gold 1x2 slope tile to the left of the ppp, so it slopes to the back. Vertically place 2 metallic gold 1x2 curved slope tiles one right to the other in front of the ppp, so they slope to the back. Horizontally place the left column of a metallic gold 1x2 curved slope tile in front of the right ppp, so it slopes to the right. Place a metallic gold 1x1 tile to the left of the ppp. Place a gold 1x1 quarter round tile in front of the ppp, so the right angle faces the

front left, and the rounded edge faces the back right. Place another to the right of the ppp, so the rounded edge faces the front left, and the right angle faces the back right. Place a metallic gold 1x1 slope to the right of the ppp, so it slopes to the right.

391. Horizontally place a metallic gold 1x2 curved right slope wedge tile to the right of the ppp, so it slopes to the right. Place a metallic gold 1x2 curved slope tile behind the ppp, so it slopes to the right. Horizontally place the right column of a metallic gold 1x2 curved slope tile behind the ppp, so it slopes to the right. Horizontally place a metallic gold 1x2 curved right slope wedge tile behind the ppp, so it slopes to the right. Vertically place a metallic gold 1x2 curved left slope wedge tile on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the 5<sup>th</sup> columns from the right, so it slopes to the front. Place a metallic gold 1x1 slope tile to the right of the back row of the ppp, so it slopes to the right.

392. Horizontally place the right column of a metallic gold 1x2 slope tile with cutout on the leftmost column of the 3<sup>rd</sup> row from the back (here, we are counting only the columns within this mentioned row), so it slopes to the left and 1 column extends to the left. Vertically place a metallic gold 1x2 curved slope tile on the 2 back rows on the 5<sup>th</sup> column from the left, counting the entire build, so it slopes to the back. Vertically place another to the right of the ppp, so it slopes to the back. Vertically place a metallic gold 1x2 curved right slope wedge tile to the right of the ppp, so it slopes to the back. Place a metallic gold 1x1 slope tile in front of the ppp, so it slopes to the back. Horizontally place a metallic gold 1x2 slope tile to the left of the ppp, so it slopes to the back.

393. Horizontally place the right column of a metallic gold 1x2 curved slope tile on the 3<sup>rd</sup> row from the back on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the left, so it slopes to the right and it only attaches to the sub build by the right column. Place a metallic gold 1x1 quarter round tile behind the back row of the ppp, so the right angle faces the front right and the rounded edge faces the back left. Horizontally place a metallic gold 1x2 curved slope tile on the 5<sup>th</sup> row from the front on the 2 left columns, so it slopes to the left.

394. Horizontally place the right column of a metallic gold 1x2 curved slope tile to the right of the ppp, so it slopes to the left and the left column sits on the right column of the ppp. Horizontally place the left column of a metallic gold 1x2 curved right slope wedge tile behind the right column of the ppp, so it slopes to the left. Horizontally place a metallic gold 1x2 curved left slope wedge tile behind the ppp, so it slopes to the left. Horizontally place a metallic gold 1x2 curved slope tile behind the ppp, so it slopes to the left. Vertically place a metallic gold 1x2 curved left slope wedge tile behind the ppp, so it slopes to the back.

395. Horizontally place a metallic gold 1x2 curved slope tile on the 5<sup>th</sup> row from the front on the 4<sup>th</sup> and 5<sup>th</sup> columns from the left, so it slopes to the left. Horizontally place 2 more one in front of the other behind the ppp, so they slope to the left. Horizontally place 3 more one in front of the other to the right of the 3 ppps, so they slope to the left.

396. Horizontally place a metallic gold 1x2 curved slope tile in front of the pppps, so it slopes to the left. Place a metallic gold 1x1 tile to the right of the ppp. Vertically place a metallic gold 1x2 curved left slope wedge tile in front of the ppp, so it slopes to the front. Place 2 metallic gold 1x2 curved slope tiles 1 to the right of the other to the left of the ppp, so they slope to the front. Place a metallic gold 1x1 quarter round tile to the left of the back row of the ppp, so the rounded edge faces the front left, and the right angle faces the back right. Place another behind the ppp, so the right angle faces the back right and the rounded edge faces the front left.

397. Bring back your main build, so the trophy's name tile faces the right. Horizontally place your sub build on top of your main build so it is centered horizontally and vertically. Press firmly to secure the attachment.

At the end of Bag 16, the spherical layer you've built is placed carefully on the very top of the trophy, continuing the golden globe as it rises. This new upper layer connects smoothly with the one below it: South America still faces the front of the trophy, while North America now appears on the top-facing surface, joining South America in the next section of the world.

And look at that — North America has climbed right to the top, just in time for the USA–Mexico–Canada World Cup. It's almost as if the trophy itself is whispering, Hmm... maybe the next champions are hiding somewhere up here... Time to open bag 17!

Building Instructions (Bag 17, Book 1):

Group 113:

398. With the trophy's name tile facing the right, locate the rows with front-facing side studs near the base. There is one row with four front-facing side studs positioned between the top ring and the bottom ring of the base. Above the top ring, you will now place pieces on the rows of front-facing side studs located there. Place a metallic gold 1x1 tile upright on the leftmost column of the bottom row of front-facing antistuds above the top ring (here, we are only counting the visible studs and the columns within this mentioned row). Vertically place the front row of a metallic gold 1x2 tile upright to the right of the ppp. Vertically place the front row of another to the right of the back row of the ppp. Horizontally place the left column of a metallic gold 1x2 curved slope tile in front of the ppp, so it slopes to the right. Horizontally place another upright to the right of the ppp, so it attaches to the right frontmost facing side stud and it slopes to the front covering the front right corner. Place a metallic gold 1x1 tile upright behind the ppp, on the right facing side studs.

399. Let's make a sub build! Let's make a human build. Horizontally place a white 2x4 plate in front of you. Stack 2 tan 1x2 plates, vertically place your stack on top of the ppp on the rightmost column.

400. Vertically place a grey 1x2 plate with socket on 1 long side on top of the ppp, so the socket faces the right. Place a blue 2x2 brick to the left of the ppps.

401.1 Let's make a part! Horizontally place a white 1x10 brick with 9 pin holes in front of you, so the pin holes face the front and the back. Insert a black 2L pin from front to back into the rightmost front facing pin hole, so 1L of the pin extends forward. Take another and insert it from back to front into the 5<sup>th</sup> back facing pin hole starting from the left, so 1L extends backward. Insert a blue 3L pin from back to front into the 3<sup>rd</sup> back facing pin hole starting from the right, so 1L extends to the front and 1L extends to the back.

401.2 Grab a black 1x4 brick with 3 pin holes and place it horizontally in front of you with the pin holes facing the front and the back. Attach the leftmost back facing and the rightmost back facing pin holes from front to back onto the 2 front protruding pins. Take another and place it horizontally in front of you with the pin holes facing the front and the back. Attach the leftmost and rightmost front facing pin holes from back to front onto the 2 back protruding pins.

401.3 Bring back your sub build and place it horizontally in front of you, so the socket faces the right. Horizontally place the rightmost column of your part on the leftmost columns of your sub build, so 9 columns overhang to the left.

402.1 Horizontally place a dark tan 1x2 plate with 2x2 side studs hanging down on top of your sub build on the front right corner, so the side studs face the front. Then, repeat symmetrically to the back.

Group 114:

402.2 Horizontally place a black 1x2 plate with 2x2 side studs hanging down to the left of the ppp, so the side studs face the back. Place a black 1x1 plate with 1x2 side studs hanging down to the left of the ppp, so the side studs face the back. Then, repeat both parts symmetrically to the front.

403. Vertically place a lime 1x2 plate upright on the rightmost column of front facing side studs, so it attaches to the dark tan 1x2 plate with 2x2 front side studs hanging down. Horizontally place a white 2x4 plate upright to the left of the ppp. Then, repeat both parts symmetrically to the back.

404. Horizontally place a grey 1x4 tile upright on the bottom row of front facing side studs on the 4 right columns. Horizontally place the right column of a metallic gold 1x2 tile upright above the leftmost column of the ppp. Place a metallic gold 1x1 tile upright to the right of the ppp. Then, repeat the 3 parts symmetrically to the back.

405. Place a grey 2x2 plate with 1x2 side studs on top of your sub build on the 2 right columns, so the side studs face the right. Horizontally place a medium blue 2x3 plate to the left of the ppp.

406. Place the left column of a tan 2x2 plate on the rightmost column of the ppp. Horizontally place a metallic gold 1x2 slope tile upright on the right facing side studs, so it slopes upward.

407. Vertically place the back row of 3 metallic gold 1x2 slope tiles with cutout on top of your sub build 1 to the right of the other on the front right corner, so they slope to the front and their front row overhang to the front. Then, repeat the 3 placements symmetrically to the back. You should have placed 6 1x2 slope tiles with cutout in total.

408. Place a tan 1x1 plate with 1x1 side stud hanging down on top of your sub build on the front row to the left of a blue 2x3 plate, so the side stud faces the front. Place a gold 1x1 plate behind the ppp. Place a metallic gold 1x1 slope tile behind the ppp, so it slopes to the right.

409. Vertically place a gold 1x2 plate in front of the ppp. Stack a metallic 1x1 tile on a gold 1x1 plate, place your stack upright on the leftmost front facing side stud.

410. Vertically place the front row of 2 metallic gold 1x2 curved slope tiles 1 to the right of the other on the back row on the 2 right columns, so they slope to the back. Then, repeat both placements symmetrically to the front. Vertically place a metallic gold 1x2 curved right slope wedge tile to the left of the 2 front ppps, so it slopes to the front. Place a metallic gold 1x1 slope tile behind the ppp, so it slopes to the right.

411. Let's make 2 identical parts! Place a grey 2x2 plate with 1x2 side studs in front of you, so the side studs face the back. Place a white 1x2 brick with pin hole and 1x2 plate on top of the ppp, so the plate faces horizontally the back, and the pin hole faces the front and the back. Insert a black 2L pin from front to back into the front facing pin hole, so 1L extends to the front. You should now have 2 identical parts. Bring back your sub build and position it horizontally in front of you, so the socket faces the right. Insert the front protruding pin of 1 of your parts from back to front into the leftmost back facing pin hole of your sub build. Insert the front protruding pin of the other from back to front into the 3<sup>rd</sup> back facing pin hole starting from the left of your sub build. The side studs of both attached parts should face the back.

Group 115:

412. Place a lime 1x1 plate with 1x1 side stud hanging down on top of your sub build on the front row on the 2<sup>nd</sup> column from the left, so the side stud faces the front. Horizontally place 2 yellow 1x2 plates with 1x2 side studs hanging down, 1 to the right of the other to the right of the ppp, so the side studs face the front. Place the right column of a gold 2x2 corner plate to the

right of the ppp, so it looks like a braille letter D. Place a metallic gold 1x1 tile in front of the right column of the ppp.

413. Horizontally place a lime 1x4 plate on top of your sub build on the back row on the 3 left columns, so 1 column overhangs to the left. Horizontally place a gold 1x2 plate to the right of the ppp, so 1 column overhangs to the right. Place a gold 1x1 plate underneath the right column of the ppp.

414.1 Place a gold 2x2 plate on the 2 back rows on the 5<sup>th</sup> and 6<sup>th</sup> columns from the left.

Group 116:

414.2 Place a tan 2x2 plate to the left of the ppp. Vertically place the 2 back rows of a dark tan 2x3 plate to the left of the ppp, so 1 column overhangs to the left.

415. Place the right column of a grey 2x2 plate with 1x2 side studs underneath the front left corner of the ppp, so the side studs face the left. Place a metallic gold 1x1 half cylinder tile upright on each left facing side stud, so there are 2 in total, so the flat sides face the front and the back.

416. Let's make a part! Horizontally place a dark tan 1x4 plate in front of you. Horizontally place a gold 1x2 plate on top of the ppp, on the 2 left columns. Horizontally place a metallic gold 1x4 slope tile on top of your part, so it slopes to the right. Place 4 gold 1x1 plates with 1x1 upright facing side stud 1 right to the other underneath your part, so the side studs face the front. Bring back your sub build and position it horizontally in front of you, so the socket faces the right. Place your part horizontally on the front row of visible studs on the 4 right columns of visible studs, so the slope slopes to the right.

417. Place the front row of a grey 2x2 plate with 1x2 side studs to the left of the ppp, so the side studs face the front. Horizontally place a gold 1x2 plate on the front row of the ppp, place a gold 1x1 plate on the right column of the ppp.

418. Place a metallic gold 1x1 tile on the ppp. Horizontally place a metallic gold 1x4 curved slope tile with cutout to the left of the ppp, so it slopes to the left.

Group 117:

419. Horizontally place a white 1x5 plate upright on the bottom row of front facing side studs horizontally place a tan 1x2 plate upright on the 2 columns of front facing side studs above the 2 left columns of the ppp.

420. Vertically place the back row of 3 metallic gold 1x2 curved slope tiles one to the right of the other upright to the right of the ppp, so they slope upward. Place a metallic gold 1x1 slope tile upright to the right of the top row of the rightmost ppp, so it slopes upward.

421. Horizontally place the 2 right columns of a dark tan 1x3 tile upright on the 2 bottom leftmost front facing side studs. Place a metallic gold 1x2 curved right slope wedge tile on the front facing side stud above the rightmost column of the ppp, so it slopes upward. Place a metallic gold 2x2 curved left slope wedge tile to the left of the ppp, so 1 column overhangs to the left.

Group 118:

422. Rotate your sub build 180 degrees. Horizontally place a gold 1x2 plate on top of your sub build on the 2<sup>nd</sup> row from the front on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right. Place a lime 1x1 round plate on the same row on the 6<sup>th</sup> column from the right. Horizontally place a gold 1x2 plate to the left of the ppp.

423. Horizontally place a metallic gold 1x2 curved slope tile on the 2<sup>nd</sup> row from the front on the 2 right columns, so it slopes to the right. Horizontally place a metallic gold 1x2 slope tile to the left of the ppp, so it slopes to the front. Horizontally place another to the left of the ppp, so it slopes to the front. Place a metallic gold 1x1 slope tile to the left of the ppp, so it slopes to the front. Next, place a metallic gold 1x2 curved slope tile horizontally to the left of the ppp, so it slopes to the left.

424. Horizontally place the left column of a metallic gold 1x2 curved slope tile on the rightmost column of the front row (here, we are counting only the columns within this mentioned row), so it slopes to the right, and 1 column overhangs to the right. Place a gold 1x1 plate underneath the right column of the ppp. Horizontally place a metallic gold 1x4 tile on top of your sub build on the front row on the 4 right columns of visible Studt, so it sits to the left of the front right horizontal 1x2 curved slope tile. Place a metallic gold 1x2 curved left slope wedge tile to the left of the ppp, so it slopes to the left and 1 column overhangs to the left.

425. Grab a metallic gold 2x3 pentagonal tile and orient it horizontally so the triangular shape faces the right. Place the front left corner upright on the rightmost front facing side stud, so it only attaches by 1 antistud. And 2 columns overhang to the right. Vertically place a metallic gold 1x2 tile upright to the left of the ppp. Horizontally place a metallic gold 2x3 pentagonal tile to the left of the ppp, so the triangular tip faces the left.

Group 119:

426.1 Let's make a part! Place a dark tan 2x2 inverted slope tile in front of you so it slopes upward to the left. Vertically place a dark grey 1x2 plate with tow ball on the right column of the ppp, so the tow ball faces the right.

426.2 Place a tan 2x2 plate with 1x2 side studs on top of your part, so the side studs face the left. Stack 3 gold 1x2 plates, vertically place the stack on top of your part on the right column.

426.3 Place a gold 1x1 plate with 1x2 side studs hanging down on the front row of the stack, so the side studs face the right. Then, repeat symmetrically to the back. Place 2 metallic gold 1x1 half cylinder tiles on top of the ppp on the left column of your head build on the 2 ppps, so the flat sides of the front one face the left and the right, and the flat sides of the back one face the front and the back.

426.4 Place 2 metallic gold 1x1 slope tiles on the top row of right facing side studs, so the 1 closest to the front right corner slopes to the front and the other slopes to the back. Place a tan 1x1 brick with 2 side studs on top of your part on the leftmost column, so the side studs face the front and the left. Then, repeat symmetrically to the back.

426.5 Rotate your part 90 degrees counterclockwise, so the tow ball faces the back. Place a metallic gold 1x1 half cylinder tile on the top row of front facing side studs on the leftmost column, so the flat sides face the left and the right. Place another upright to the right of the ppp with the flat sides facing up and down. Place a metallic gold 1x1 slope tile below the ppp, so it slopes downward. Place a metallic gold 1x1 half cylinder tile upright to the left of the ppp with the flat sides facing up and down.

426.6 Vertically place a gold 1x2 tile upright on the right facing side studs. Then, repeat symmetrically to the left. Rotate your part 180 degrees so the tow ball faces the front. Bring back your sub build and place it vertically in front of you, so the socket faces the back. Attach the tow ball of your part to the back facing socket of the sub build.

Group 120:

427. Let's make 2 identical sub builds. Let's build 2 arms. Horizontally place a gold 1x2 plate in front of you. Place a gold 1x1 plate on the left column of the ppp.

428. Horizontally place a metallic gold 1x2 curved slope tile on top of your part, so it slopes to the right.

429. Let's make a part. Horizontally place a metallic gold 1x2 curved inverted slope tile in front of you, so it slopes upward to the left. Place the left column of a gold 1x2 plate on the ppp, so 1 column overhangs to the right. Bring back your sub build and place it horizontally on top of the 2 left columns of your part, so the top slope slopes to the right.

430. Horizontally place a gold 1x2 plate in front of you. Place a gold 1x1 plate on the left column of the ppp. Horizontally place the right column of a metallic gold 1x2 curved inverted slope tile underneath the left column of the ppp, so it slopes upward to the left. Bring back your sub build and position it horizontally in front of you, so the overhang faces the right. Place the left column of your part underneath the right overhang of your sub build.

431. Horizontally place a metallic gold 1x4 slope tile on top of your sub build on the 3 right columns, so it slopes to the right and 1 column overhangs to the right. Place a gold 1x1 plate underneath the right overhang.

432. Let's make a part! Horizontally place a gold 1x2 plate in front of you. Horizontally place the left column of a metallic gold 1x2 curved slope tile on the right column of the ppp, so it slopes to the right and 1 column overhangs to the right. Horizontally place the right column of a metallic gold 1x2 inverted curved slope tile underneath the left column of your part, so it slopes upward to the left. Bring back your sub build so it is horizontally in front of you, so the overhang is on the right. Horizontally place the 2 left columns of your part underneath the right overhang of your sub build. You should now have 2 identical arms.

433. Bring back the body sub build and place it horizontally in front of you, so the head is on the left. flip 1 of the arms so the antistuds face the back and the 1x4 slope faces the front on the right. attach it horizontally upright to the front left facing side studs of the buildable human figure. Then, repeat symmetrically to the left.

434. Turn your human build upside down, so the head is on the left. Place a black 2x2 plate with bottom bar handle and 1x2 antistuds on the 2 leftmost columns of antistuds to the right of the head, so the bottom bar handle is facing the left. Skip 2 columns of antistuds to the right and place another symmetrically.

435. Place the right column of a red 2x2 inverted round tile on the left column of the pp. Place a dark tan 2x2 curved inverted slope tile to the left of the ppp, so it slopes to the right.

436. Turn your human build right side up. Rotate the human build 90 degrees clockwise so it is vertically in front of you and the head is on the back. Bring back your main build, so the trophy's name tile faces the front. Using the bar handles vertically attach the human build upright to the front side facing clips of the trophy above the top ring of the base, so the head is on the top and the feet are on the bottom.

437. Locate the feet of the human build you have just attached, on its left there's a column of 4 left facing side studs. Place the left column of two metallic-gold 2x2 tiles upright on the left-facing side studs, one on the top two rows and one on the bottom two rows of the same column.

438. Place the right column of the back row of a metallic gold 2x2 corner tile with cutout on the left facing side stud above the ppp, so it looks like a smooth braille letter I. Take a metallic gold 2x2 triangle tile so the right angle faces the back left. In the same position attach its back left corner to the stud underneath the left column of the ppp. Place another below the ppp in the same orientation.

At the end of Bag 17, the builder has completed the front-facing human figure, the iconic shape that rises proudly from the globe. They've also added the first decorative tiles at the bottom of the trophy's stem, giving it extra strength and that elegant, flowing look the real trophy has. You're shaping the heart of the trophy now — keep going, champion, Bag 18 is waiting and the victory pose is getting closer!

Building Instructions (Bag 18, Book 1):

439. With the trophy's name tile facing the left, locate the rows with front-facing side studs near the base. There is one row with four front-facing side studs positioned between the top ring and the bottom ring of the base. Above the top ring, you will now place pieces on the rows of front-facing side studs located there. Place a metallic gold 1x1 tile upright on the leftmost column of the bottom row of front-facing antistuds above the top ring (here, we are only counting the visible studs and the columns within this mentioned row). Vertically place the front row of a metallic gold 1x2 tile upright to the right of the ppp. Vertically place the front row of another to the right of the back row of the ppp. Horizontally place the left column of a metallic gold 1x2 curved slope tile in front of the ppp, so it slopes to the right. Horizontally place another upright to the right of the ppp, so it attaches to the right frontmost facing side stud and it slopes to the front covering the front right corner. Place a metallic gold 1x1 tile upright behind the ppp, on the right facing side studs.

440. Let's make a human build! Horizontally place a white 2x4 plate in front of you. Stack 2 tan 1x2 plates, vertically place your stack on top of the ppp on the rightmost column.

441. Vertically place a grey 1x2 plate with socket on 1 long side on top of the ppp, so the socket faces the right. Place a blue 2x2 brick to the left of the ppps.

442.1 Let's make a part! Horizontally place a white 1x10 brick with 9 pin holes in front of you, so the pin holes face the front and the back. Insert a black 2L pin from front to back into the rightmost front facing pin hole, so 1L of the pin extends forward. Take another and insert it from back to front into the 5<sup>th</sup> back facing pin hole starting from the left, so 1L extends backward. Insert a blue 3L pin from back to front into the 3<sup>rd</sup> back facing pin hole starting from the right, so 1L extends to the front and 1L extends to the back.

442.2 Grab a black 1x4 brick with 3 pin holes and place it horizontally in front of you with the pin holes facing the front and the back. Attach the leftmost back facing and the rightmost back facing pin holes from front to back onto the 2 front protruding pins. Take another and place it horizontally in front of you with the pin holes facing the front and the back. Attach the leftmost and rightmost front facing pin holes from back to front onto the 2 back protruding pins.

442.3 Bring back your sub build and place it horizontally in front of you, so the socket faces the right. Horizontally place the rightmost column of your part on the leftmost columns of your sub build, so 9 columns overhang to the left.

443.1 Horizontally place a dark tan 1x2 plate with 2x2 side studs hanging down on top of your sub build on the front right corner, so the side studs face the front. Then, repeat symmetrically to the back.

Group 122:

443.2 Horizontally place a black 1x2 plate with 2x2 side studs hanging down to the left of the ppp, so the side studs face the back. Place a black 1x1 plate with 1x2 side studs hanging down to the left of the ppp, so the side studs face the back. Then, repeat both parts symmetrically to the front.

444. Vertically place a lime 1x2 plate upright on the rightmost column of front facing side studs, so it attaches to the dark tan 1x2 plate with 2x2 front side studs hanging down. Horizontally place a white 2x4 plate upright to the left of the ppp. Then, repeat both parts symmetrically to the back.

445. Horizontally place a grey 1x4 tile upright on the bottom row of front facing side studs on the 4 right columns. Horizontally place the right column of a metallic gold 1x2 tile upright above the leftmost column of the ppp. Place a metallic gold 1x1 tile upright to the right of the ppp. Then, repeat the 3 parts symmetrically to the back.

446. Place a grey 2x2 plate with 1x2 side studs on top of your sub build on the 2 right columns, so the side studs face the right. Horizontally place a medium blue 2x3 plate to the left of the ppp.

447. Place the left column of a tan 2x2 plate on the rightmost column of the ppp. Horizontally place a metallic gold 1x2 slope tile upright on the right facing side studs, so it slopes upward.

448. Vertically place the back row of 3 metallic gold 1x2 slope tiles with cutout on top of your sub build 1 to the left of the other on the front right corner, so they slope to the front and their front row overhang to the front. Then, repeat the 3 placements symmetrically to the back.

449. Place a tan 1x1 plate with 1x1 side stud hanging down on top of your sub build on the front row, to the left of a blue 2x3 plate so the side stud faces the front. Place a gold 1x1 plate behind the ppp. Place a metallic gold 1x1 slope tile behind the ppp, so it slopes to the right.

450. Vertically place a gold 1x2 plate in front of the ppp. Stack a metallic 1x1 tile on a gold 1x1 plate, place your stack upright on the leftmost front facing side stud.

451. Vertically place the front row of 2 metallic gold 1x2 curved slope tiles 1 to the right of the other on the back row on the 2 right columns, so they slope to the back. Then, repeat both placements symmetrically to the front. Vertically place a metallic gold 1x2 curved right slope wedge tile to the left of the 2 front ppss, so it slopes to the front. Place a metallic gold 1x1 slope tile behind the ppp, so it slopes to the right.

452. Let's make 2 identical parts! Place a grey 2x2 plate with 1x2 side studs in front of you, so the side studs face the back. Place a white 1x2 brick with pin hole and 1x2 plate on top of the ppp, so the plate faces horizontally the back, and the pin hole faces the front and the back. Insert a black 2L pin from front to back into the front facing pin hole, so 1L extends to the front. You should now have 2 identical parts. Bring back your sub build and position it horizontally in front of you, so the socket faces the right. Insert the front protruding pin of 1 of your parts from back to front into the leftmost back facing pin hole of your sub build. Insert the front protruding pin of the other from back to front into the 3<sup>rd</sup> back facing pin hole starting from the left of your sub build. The side studs of both attached parts should face the back.

Group 123:

453. Place a lime 1x1 plate with 1x1 side stud hanging down on top of your sub build on the front row on the 2<sup>nd</sup> column from the left, so the side stud faces the front. Horizontally place 2 yellow 1x2 plates with 1x2 side studs hanging down, 1 to the right of the other to the right of the ppp, so the side studs face the front. Place the right column of a gold 2x2 corner plate to the right of the ppp, so it looks like a braille letter D. Place a metallic gold 1x1 tile in front of the right column of the ppp.

454. Horizontally place a lime 1x4 plate on top of your sub build on the back row on the 3 left columns, so 1 column overhangs to the left. Horizontally place a gold 1x2 plate to the right of the ppp, so 1 column overhangs to the right. Place a gold 1x1 plate underneath the right column of the ppp.

455.1 Place a gold 2x2 plate on the 2 back rows on the 5<sup>th</sup> and 6<sup>th</sup> columns from the left.

Group 124:

455.2 Place a tan 2x2 plate to the left of the ppp. Vertically place the 2 back rows of a dark tan 2x3 plate to the left of the ppp, so 1 column overhangs to the left.

456. Place the right column of a grey 2x2 plate with 1x2 side studs underneath the front left corner of the ppp, so the side studs face the left. Place a metallic gold 1x1 half cylinder tile upright on each left facing side stud, so there are 2 in total, so the flat sides face the front and the back.

457. Let's make a part! Horizontally place a dark tan 1x4 plate in front of you. Horizontally place a gold 1x2 plate on top of the ppp, on the 2 left columns. Horizontally place a metallic gold 1x4 slope tile on top of your part, so it slopes to the right. Place 4 gold 1x1 plates with 1x1 upright facing side stud 1 right to the other underneath your part, so the side studs face the front. Bring back your sub build and position it horizontally in front of you, so the socket faces the right. Place your part horizontally on the front row of visible studs on the 4 right columns of visible studs, so the slope slopes to the right.

458. Place the front row of a grey 2x2 plate with 1x2 side studs to the left of the ppp, so the side studs face the front. Horizontally place a gold 1x2 plate on the front row of the ppp, place a gold 1x1 plate on the right column of the ppp.

459. Place a metallic gold 1x1 tile on the ppp. Horizontally place a metallic gold 1x4 curved slope tile with cutout to the left of the ppp, so it slopes to the left.

Group 125:

460. Horizontally place a white 1x5 plate upright on the bottom row of front facing side studs horizontally place a tan 1x2 plate upright on the 2 columns of front facing side studs above the 2 left columns of the ppp.

461. Vertically place the back row of 3 metallic gold 1x2 curved slope tiles one to the right of the other upright to the right of the ppp, so they slope upward. Place a metallic gold 1x1 slope tile upright to the right of the top row of the rightmost ppp, so it slopes upward.

462. Horizontally place a dark tan 1x3 tile upright on the 3 left columns of the bottom row of front facing side studs. Then, place a metallic gold 1x2 curved right slope wedge tile on the front facing side stud above the rightmost column of the ppp, so it slopes upward. Now, place a metallic gold 2x2 curved left slope wedge tile to the left of the ppp, so 1 column overhangs to the left.

Group 126:

463. Rotate your sub build 180 degrees. Horizontally place a gold 1x2 plate on top of your sub build on the 2<sup>nd</sup> row from the front on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right. Place a lime 1x1 round plate on the same row on the 6<sup>th</sup> column from the right. Horizontally place a gold 1x2 plate to the left of the ppp.

464. Horizontally place a metallic gold 1x2 curved slope tile on the 2<sup>nd</sup> row from the front on the 2 right columns, so it slopes to the right. Horizontally place a metallic gold 1x2 slope tile to the left of the ppp, so it slopes to the front. Horizontally place another to the left of the ppp, so it slopes to the front. Then, place a metallic gold 1x1 slope tile to the left of the ppp, so it slopes to the front. Now, place a metallic gold 1x2 curved slope tile horizontally to the left of the ppp, so it slopes to the left.

465. Horizontally place the left column of a metallic gold 1x2 curved slope tile on the rightmost column of the front row (here, we are counting only the columns within this mentioned row), so it slopes to the right, and 1 column overhangs to the right. Place a gold 1x1 plate underneath the right column of the ppp. Horizontally place a metallic gold 1x4 tile on top of your sub build on the front row on the 4 right columns of visible Studt, so it sits to the left of the front right horizontal 1x2 curved slope tile. Place a metallic gold 1x2 curved left slope wedge tile to the left of the ppp, so it slopes to the left and 1 column overhangs to the left.

466. Grab a metallic gold 2x3 pentagonal tile and orient it horizontally so the triangular shape faces the right. Place the front left corner upright on the rightmost front facing side stud, so it only attaches by 1 antistud, and 2 columns overhang to the right. Vertically place a metallic gold 1x2 tile upright to the left of the ppp. Horizontally place a metallic gold 2x3 pentagonal tile to the left of the ppp, so the triangular tip faces the left.

Group 127:

467.1 Let's make a part! Let's build the head of the human build. Place a dark tan 2x2 inverted slope tile in front of you so it slopes upward to the left. Vertically place a dark grey 1x2 plate with tow ball on the right column of the ppp, so the tow ball faces the right.

467.2 Place a tan 2x2 plate with 1x2 side studs on top of your part, so the side studs face the left. Stack 3 gold 1x2 plates, vertically place the stack on top of your part on the right column.

467.3 Place a gold 1x1 plate with 1x2 side studs hanging down on the front row of the stack, so the side studs face the right. Then, repeat symmetrically to the back.

467.4 Place 2 metallic gold 1x1 slope tiles on the top row of right facing side studs, so the 1 closest to the front right corner slopes to the front and the other slopes to the back. Place a tan 1x1 brick with 2 side studs on top of your part on the leftmost column, so the side studs face the front and the left. Then, repeat symmetrically to the back. Place 2 metallic gold 1x1 half cylinder tile on top of the head on the left column on the ppps, so the flat sides of the front one face the left and the right, and the flat sides of the back one face the front and the back.

467.5 Rotate your part 90 degrees counterclockwise, so the tow ball faces the back. Place a metallic gold 1x1 half cylinder tile on the top row of front facing side studs on the leftmost column, so the flat sides face the left and the right. Place another upright to the right of the ppp with the flat sides facing up and down. Place a metallic gold 1x1 slope tile below the ppp, so it slopes downward. Place a metallic gold 1x1 half cylinder tile upright to the left of the ppp with the flat sides facing up and down.

467.6 Vertically place a gold 1x2 tile upright on the right facing side studs. Then, repeat symmetrically to the left. Rotate your part 180 degrees so the tow ball faces the front. Bring back your sub build and place it vertically in front of you, so the socket faces the back. Attach the tow ball of your part to the back facing socket of the sub build.

Group 128:

468. Let's make 2 identical sub builds. Let's build 2 arms. Horizontally place a gold 1x2 plate in front of you. Place a gold 1x1 plate on the left column of the ppp.

469. Horizontally place a metallic gold 1x2 curved slope tile on top of your part, so it slopes to the right.

470. Let's make a part. Horizontally place a metallic gold 1x2 curved inverted slope tile in front of you, so it slopes upward to the left. Place the left column of a gold 1x2 plate on the ppp, so 1 column overhangs to the right. Bring back your sub build and place it horizontally on top of the 2 left columns of your part, so the top slope slopes to the right.

471. Horizontally place a gold 1x2 plate in front of you. Place a gold 1x1 plate on the left column of the ppp. Horizontally place the right column of a metallic gold 1x2 curved inverted slope tile underneath the left column of the ppp, so it slopes upward to the left. Bring back your sub build and position it horizontally in front of you, so the overhang faces the right. Place the left column of your part underneath the right overhang of your sub build.

472. Horizontally place a metallic gold 1x4 slope tile on top of your sub build on the 3 right columns, so it slopes to the right and 1 column overhangs to the right. Place a gold 1x1 plate underneath the right overhang.

473. Let's make a part! Horizontally place a gold 1x2 plate in front of you. Horizontally place the left column of a metallic gold 1x2 curved slope tile on the right column of the ppp, so it slopes to the right and 1 column overhangs to the right. Horizontally place the right column of a metallic gold 1x2 inverted curved slope tile underneath the left column of your part, so it slopes upward to the left. Bring back your sub build so it is horizontally in front of you, so the overhang is on the right. Horizontally place the 2 left columns of your part underneath the right overhang of your sub build. You should now have 2 identical arms.

474. Bring back the human build and place it horizontally in front of you, so the head is on the left. flip 1 of the arms so the antistuds face the back and the 1x4 slope faces the front on the right. attach it horizontally upright to the front left facing side studs of the buildable human build. Then, repeat symmetrically to the left.

475. Turn your human build upside down, so the head is on the left. Place a black 2x2 plate with bottom bar handle and 1x2 antistuds on the 2 leftmost columns of antistuds to the right of the head, so the bottom bar handle is facing the left. Skip 2 columns of antistuds to the right and place another symmetrically.

476. Place the right column of a red 2x2 inverted round tile on the left column of the pp. Of. Place a dark tan 2x2 curved inverted slope tile to the left of the ppp, so it slopes to the right.

477. Turn your human build right side up. Rotate the human build 90 degrees clockwise so it is vertically in front of you and the head is on the back. Bring back your main build, so the trophy's name tile and the attached human build face the back. Using the bar handles vertically attach the human build upright to the front facing side clips of the trophy above the top ring of the base, so the head is on the top and the feet are on the bottom.

478. Locate the feet of the human build you have just attached, on its left there's a column of 4 left facing side studs. Place the left column of two metallic-gold 2x2 tiles upright on the left-facing side studs, one on the top two rows and one on the bottom two rows of the same column.

479. Place the right column of the back row of a metallic gold 2x2 corner tile with cutout on the left facing side stud above the ppp, so it looks like a smooth braille letter I. Take a metallic gold 2x2 triangle tile so the right angle faces the back left. In the same position attach its back left corner to the stud underneath the left column of the ppp. Place another below the ppp in the same orientation.

Rotate your build 180 degrees, so the trophy's name tile faces the front.

Great job! You've now placed the human figure on the back, standing upright with the feet on the base and the head at the top. You also added the tiles onto the stem, making everything feel steady and complete. When you're ready, open the next bag and keep building!

Building Instructions (Bag 19, Book 1):

Group 129:

480. Let's make a sub build. Horizontally place a grey 4x10 plate in front of you. Place a black 2x2 corner brick on the 2 front rows on the 4<sup>th</sup> and 5<sup>th</sup> columns from the right, so it looks like a braille letter F. Then, repeat symmetrically to the left. Now, repeat both placements symmetrically to the back.

481. Vertically place a dark grey 1x2 log brick on top of your sub build on the 3<sup>rd</sup> column from the right, so it is centered vertically. Then, repeat symmetrically to the left.

482. Make 4 identical stacks. Stack 2 yellow 1x2 rounded plates. You should now have 2 identical stacks. Horizontally place the left column of the first stack in front of the ppp. Then, repeat symmetrically to the right. Now, repeat both placements symmetrically to the back.

483. Vertically place the back row of a white 2x3 stair plate on the front row on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the left, so the stairs lead down to the front and the back row sits on the horizontal front left stack, repeat symmetrically to the right. Now, repeat both placements symmetrically to the back.

484. Vertically place the 2 front rows of a black 2x5 stair plate on top of your sub build on the 2 back rows, so it is centered horizontally, it leads down to the back, and it sits between the 2 ppps. Then, repeat symmetrically to the front. Horizontally place the 4 left columns of a black 2x5 stair plate on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front counting the entire build on the 4 right columns, so the stairs lead down to the right, and 1 column overhangs to the right. Then, repeat symmetrically to the back.

485.1 Horizontally place a yellow 1x6 plate underneath the back overhang, so it is centered horizontally. Turn your part upside down, so the ppp is horizontally on the back. Place a medium blue 2x2 round plate with axle hole on top of your sub build on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back of antistuds, so it is centered horizontally. Then, repeat symmetrically to the front.

Group 130:

485.2 Horizontally place a lime 1x6 plate on the front row of antistuds, so it is centered horizontally. Add a marker—such as a tile or a piece of tape—on one edge of the piece as an orientation mark to help you position the sub-build correctly later.

486. Turn your sub build right side up, so the marked lime 1x6 side faces the front. Place the left column of a gold 2x2 plate underneath the 2 front rows of the right overhang, so 1 column extends to the right. Vertically place a gold 1x2 plate on the right column of the ppp. Then, repeat both parts symmetrically to the back.

487.1 Place a gold 2x2 plate on top of your sub build on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right, so it is centered vertically.

Group 131:

487.2 Place a lime 2x2 plate on top of your sub build on the front right corner of the 2 front rows. Then, repeat symmetrically to the left.

Group 132:

487.3 Place 2 yellow 2x2 plates symmetrically to the back.

488. Let's make 2 identical stacks. Stack 2 grey 2x4 plates. Horizontally place one of your stacks on top of your sub build on the 2 front rows, so it is centered horizontally. Then, repeat symmetrically to the back.

Group 133:

489. Let's make 2 identical parts! Place a gold 2x2 plate in front of you. Place a gold 2x2 corner plate on the ppp, so it looks like a braille letter F and there's no overhang. Place the back left corner of a gold 2x2 plate on top of your part on its front right corner, so 1 row overhangs to the front and 1 column overhangs to the right. Place a gold 2x2 corner plate underneath the front overhanging row and the right overhanging column of the ppp, so it looks like a braille letter J. Place the front row of a gold 2x2 plate on top of your sub build on the back row, so it sits on the back back left 2x2 corner plate that looks like a braille Letter F, and 1 row overhangs to the back. Place a gold 1x1 plate in front of the right column of the ppp. Next, place the back row of a gold 2x2 plate to the right of the ppp, so 1 column overhangs to the right. You should now have 2 identical parts. rotate them 180 degrees. Bring back your sub build and position it horizontally in front of you, so the mark is on the back. Place 1 o four parts on the front right corner, so the left overhang attaches to the rightmost column of the 2 front rows of your sub build (here, we are counting only the columns of the 2 mentioned rows), and the back overhang attaches to the 4<sup>th</sup> row from the front on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right. Then, repeat symmetrically to the back.

490. Let's make 2 identical parts!! Place a gold 2x2 plate in front of you. Horizontally place the right column of another underneath the left column of the ppp, so 1 column extends to the left. Vertically place a gold 1x2 plate to the right of the ppp. You should now have 2 identical parts! Horizontally place the 4 right column of a white 2x6 plate on the leftmost column of one of your parts. Then, repeat symmetrically to the left. Rotate your part 90 degrees clockwise, so it is vertically in front of you. Bring back your sub build, so the mark is on the back. Pace your part vertically on the 2 left columns of your sub build, so it is centered vertically.

Group 134:

491. Vertically place a medium blue 2x6 plate on top of your sub build on the 2 left columns, so it is centered vertically. Place a gold 1x1 plate in front of the left column of the ppp. Place the back row of a gold 2x2 plate to the right of the ppp. Then, repeat both parts symmetrically to the back.

492. Place a gold 2x2 corner plate on the 2 front rows on the 4<sup>th</sup> and 5<sup>th</sup> columns from the right, so it looks like a braille letter H. Place the left column of a gold 2x2 plate behind the right column of the ppp. Place a gold 1x1 plate to the right of the back row of the ppp. Place the right column of a gold 2x2 plate behind the ppp. Place another behind the ppp. Place the right column of another behind the left column of the ppp. Place a gold 2x2 corner plate to the left and to the back of the ppp, so it looks like a braille letter F.

493. Place a gold 2x2 corner plate on the 2 front rows on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the left, so it looks like a braille letter D. Place the right column of a gold 2x2 plate behind the left column of the ppp. Then, repeat both parts symmetrically to the back. Now, place a gold 2x2 plate on top of your sub build on the 2 left columns, so it is centered vertically and sits between 2 2x2 plates.

494.1 Horizontally place a lime 1x2 rounded plate on the 3<sup>rd</sup> row from the front on the 5<sup>th</sup> and 6<sup>th</sup> columns from the right. Horizontally place another on the same row on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the left of your build. Horizontally place the 2 right columns of a blue 2x3 plate behind the ppp. Horizontally place another behind the ppp.

Group 135:

494.2 Horizontally place a yellow 1x2 rounded plate behind the 2 right columns of the ppp. Skip 2 columns to the right and place another horizontally.

495. Place a gold 2x2 plate behind the ppp. Place 2 more one to the left of the other to the left of the ppp. Repeat the 3 placements symmetrically to the front.

496. Place a gold 2x2 corner plate on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the 2 left columns, so it looks like a braille letter D. Vertically place a gold 1x2 plate behind the left column of the ppp. Repeat both parts symmetrically to the back. Place a gold 2x2 corner plate on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the right, so it looks like a braille letter F. Vertically place a gold 1x2 plate behind the right column of the ppp. Repeat both parts symmetrically to the back.

497. Vertically place a medium blue 1x4 plate on top of your sub build on the 5<sup>th</sup> column from the right, so it is centered vertically. Vertically place a white 4x6 plate to the left of the ppp, so it is centered vertically. Vertically place a medium blue 1x4 plate to the left of the ppp, so it is centered vertically.

Group 136:

498. Horizontally place a gold 1x2 plate on the 2<sup>nd</sup> row from the front on the 4<sup>th</sup> and 5<sup>th</sup> columns from the left counting the entire build. Horizontally place a dark tan 1x3 plate to the right of the ppp. Place a gold 1x1 plate to the right of the ppp. Vertically place a dark tan 1x3 plate behind the ppp. Place a gold 1x1 plate behind the ppp. Place a gold 1x2 plate behind the ppp. Horizontally place a gold 1x2 plate on the 2<sup>nd</sup> row from the back on the 5<sup>th</sup> and 6<sup>th</sup> columns from the right, so it sits on a gold 2x2 plate. Place a gold 1x1 plate to the left of the ppp. Horizontally place a gold 1x2 plate to the left of the ppp.

499. Place a gold 1x1 plate on the 3<sup>rd</sup> row from the back on the 3<sup>rd</sup> column from the left. Place a gold 2x2 plate on the 4<sup>th</sup> and 5<sup>th</sup> rows from the back on the 2 left columns. Place another in front of the ppp. Horizontally place the left column of a gold 1x2 plate in front of the right column of the ppp. Place a gold 1x1 plate in front of the right column of the ppp.

500.1 Horizontally place a gold 1x2 plate on the 2<sup>nd</sup> row from the front on the 5<sup>th</sup> and 6<sup>th</sup> columns from the right. Vertically place a yellow 2x4 plate behind the ppp. Vertically place a gold 1x2 plate to the right of the 2 front rows of the ppp. Place a gold 1x1 plate behind the ppp. Vertically place a gold 1x2 plate behind the ppp. Horizontally place a grey 1x2 rounded plate to the left of the back row of the ppp. Place a gold 2x2 plate behind the ppp. Horizontally place a gold 1x2 plate to the left of the ppp.

Group 137:

500.2 Vertically place a black 2x4 plate in front of the ppp. Horizontally place a grey 1x2 rounded plate in front of the ppp.

501. Place a gold 2x2 corner plate on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the left, so it looks like a braille letter J. Vertically place a medium blue 1x4 plate in front of the right column of the ppp. Place 2 gold 2x2 plates one in front of the other to the left of the ppp. Place the left column of a gold 2x2 corner plate in front of the right column of the front ppp, so it looks like a braille letter D. Place the left column of another in front of the right column of the ppp, so it looks like a braille letter D.

502. Place a gold 1x1 plate on the 3<sup>rd</sup> row from the back on the 4<sup>th</sup> column from the left, so it sits on a gold 2x2 corner plate. Horizontally place a gold 1x2 plate to the left of the ppp. Horizontally place a white 2x3 plate in front of the 2 ppps. Place a gold 2x2 plate to the right of the ppp.

503.1 Place a gold 2x2 plate in front of the ppp. Horizontally place a gold 1x2 plate in front of the ppp. Skip 1 column to the left and horizontally place another, on the 3<sup>rd</sup> row from the front on the 4<sup>th</sup> and 5<sup>th</sup> columns from the left.

Group 138:

503.2 Place a grey 2x2 plate behind the ppp. Vertically place a gold 1x2 plate to the right of the ppp. Then, vertically place a grey 1x4 plate on top of your sub build on the 3<sup>rd</sup> column from the left, so it is centered vertically.

504. Vertically place a dark tan 2x3 plate to the right of the 3 front rows of the ppp. Place a gold 1x1 plate behind the right column of the ppp. vertically place a gold 1x2 plate on the 5<sup>th</sup> and 6<sup>th</sup> rows from the back on the 6<sup>th</sup> column from the left, so it sits to the right of the 2 back rows of the vertical dark tan 2x3 plate.

505. Place a metallic gold 1x1 quarter round tile on the front row on the 6<sup>th</sup> column from the right counting the entire build, so the right angle faces the front left, and the rounded edge faces the back right. Place a metallic gold plate to the right of the ppp. Place a metallic gold 1x1 slope tile to the right of the ppp, so it slopes to the right. Place another on the 2<sup>nd</sup> column from the right of the 2<sup>nd</sup> row from the front (here, we are only counting columns within this mentioned row), so it slopes to the right and sits to the back right of the ppp. Horizontally place the left column of a metallic gold 1x2 curved right slope wedge tile behind the ppp, so it slopes to the right. horizontally place a metallic gold 1x2 curved slope tile behind the ppp. Place a metallic gold 1x1 quarter round tile behind the left column of the ppp, so the right angle faces the back left and the rounded edge faces the front right. Skip 1 row to the back and place another on the same column so the right angle faces the front right and the rounded edge the back left.

506. Horizontally place a metallic gold 1x2 slope tile on the front row on the 5<sup>th</sup> and 6<sup>th</sup> columns from the left, so it slopes to the front and sits to the left of the front 1x1 quarter round tile from the previous step. Horizontally place a metallic gold 1x2 curved right slope wedge tile behind the ppp, so it slopes to the left. Place a metallic gold 1x1 tile to the right of the ppp horizontally place a metallic gold 1x2 curved slope tile to the right of the ppp, so it slopes to the right. Horizontally place another behind the ppp, so it slopes to the right. Place a metallic gold 1x1 quarter round tile to the left of the ppp, so the right angle faces the front right and the rounded edge faces the back left. Place another on the 4<sup>th</sup> row from the front on the 5<sup>th</sup> column from the right, so the right angle faces the front right and the rounded edge faces the back left., and it sits behind the left column of the back 1x2 curved slope you have placed on the same step. Place another behind the ppp, so the right angle faces the front right and the rounded edge faces the back left. Vertically place a metallic gold 1x2 slope tile to the right of the 2 ppps, so it slopes to the right. Place a metallic gold 1x1 tile behind the ppp.

507. Rotate your sub build 180 degrees. Vertically place a metallic gold 1x2 curved left slope wedge tile on the 3<sup>rd</sup> and 4<sup>th</sup> rows from the front on the 3<sup>rd</sup> column from the right, so it slopes to the front. Horizontally place a metallic gold 1x2 curved slope tile to the left of the back row of the ppp, so it slopes to the right. Place a metallic gold 1x1 slope tile to the left of the ppp, so it slopes to the left. Vertically place the back row of a metallic gold 1x2 curved right slope wedge tile to the left of the ppp, so it slopes to the front. Place a metallic gold 1x1 quarter round tile to the left of the back row of the ppp, so the right angle faces the back left and the rounded edge faces the front right. Vertically place a metallic gold 1x2 curved left slope wedge tile on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the 4<sup>th</sup> column from the right, so it slopes to the front. Vertically place a metallic gold 1x2 curved slope tile to the left of the ppp, so it slopes to the front. Vertically place a metallic gold 1x2 curved right slope wedge tile to the left of the ppp, so it slopes to the front.

508. Rotate your sub build 180 degrees. Vertically place a metallic gold 1x2 curved left slope wedge tile on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the 4<sup>th</sup> column from the left, so it slopes to the front. Horizontally place a metallic gold 1x2 curved right slope wedge tile to the right of the back row of the ppp, so it slopes to the right. Place a metallic gold 1x1 slope tile behind the right column of the ppp, so it slopes to the right. Horizontally place the left column of a metallic gold 1x2 curved right slope wedge tile behind the ppp, so it slopes to the right. Place a metallic gold

1xw curved slope tile behind the ppp. Place a metallic gold 1x1 tile to the left of the ppp. Vertically place a metallic gold 1x2 tile in front of the ppp. Horizontally place 3 metallic gold 1x2 curved slope tiles one in front of the other to the left of the 2 ppps, so they slope to the left.

509. Horizontally place the right column of a metallic gold 1x2 curved left slope wedge tile in front of the left column of the frontmost ppp, so it slopes to the left. Place the right column of a metallic gold 1x2 curved slope tile behind the left column of the ppp. Place 2 more horizontally one behind the other behind the ppp, so they slope to the left. Horizontally place a metallic gold 1x2 curved right slope wedge tile behind the ppp, so it slopes to the left.

510. Rotate your part 90 degrees counterclockwise, so it is vertically in front of you and the irregular side faces the back. Bring back your main build so the human builds face the right and the left, and the trophy's name tile faces the right. Place your sub build vertically upright on the front top side on the 3 rows of front facing side studs, so it is centered horizontally.

511. Locate a row with 3 columns of front facing side studs below the ppps. Place a metallic gold 1x1 quarter round tile upright on the leftmost column of the row of front facing studs you just found, so the right angle faces the top right, and the rounded edge faces the bottom left. Place a metallic gold 1x1 tile upright to the right of the ppp. Place a metallic gold 1x1 quarter round tile to the right of the ppp, so the right angle faces the top left, and the rounded edge faces the bottom right.

Amazing work! You've just built the whole right side of the globe — the beautiful spherical panel showing Africa and Europe, curving smoothly like the real trophy. With those continents in place, the trophy is starting to look seriously official. And who knows... maybe the next World Cup champion will come from one of these countries you've just clicked into place — will it be Spain, France, Morocco, Portugal, or maybe a surprise team ready to shock the world? When you're ready, open the next bag and let the excitement keep growing.

Building Instructions (Bag 20, Book 1):

Group 139:

512. Let's make a sub build! Horizontally place an upside down grey 4x8 plate horizontally in front of you. Horizontally place a tan 1x8 plate on top of the ppp, on the front row of antistuds, so there is no overhang. Repeat symmetrically to the back.

513. Horizontally place a black 1x6 plate on top of the ppp, so it is centered horizontally. Repeat symmetrically to the front.

514. Let's make 2 identical parts! Horizontally place a grey 1x2 plate with bar handle on 1 long side in front of you, so the bar handle faces the front. Horizontally place a white 1x2 plate on top of the ppp. Grab a tan 2x3 stair plate and place it vertically in front of you so it leads down to the front. horizontally place your part on the front row of the ppp, so the bar handle faces the front. You should now have 2 identical parts! Bring back your sub build and turn it right side up. Position it vertically in front of you. Rotate one of your parts 90 degrees counterclockwise, so the stairs lead down to the right. place the 2 left columns of your part on top of your sub build on the 2 right columns, so it is centered vertically. Repeat symmetrically to the left.

515.1 Vertically place the left column of a yellow 2x6 plate on the rightmost column of your sub build, so it is centered vertically, 1 row overhangs to the right, and it sits on the vertical right white 1x2 plate. Add a marker—such as a tile or a piece of tape—on one edge of the piece as an orientation mark to help you position the sub-build correctly later.

Group 140:

515.2 Place a lime 2x6 plate symmetrically to the left. Horizontally place a grey 2x4 plate on top of your sub build on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front, so it is centered horizontally. Repeat symmetrically to the back.

516. Horizontally place a white 2x10 plate on top of your sub build on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front, so there is no overhang. Place another horizontally behind the ppp.

517. Let's make a part! Horizontally place a black 2x8 plate in front of you. Horizontally place a white 1x6 plate on top of the ppp, on the front row, so it is centered horizontally. Horizontally place a gold 1x2 plate to the right of the ppp, so 1 column overhangs to the right. Vertically place the front row of another underneath the right overhang. Repeat both placements symmetrically to the left.

Rotate your part 180 degrees. Place the back row of a gold 2x2 plate on the front right corner, so 1 row overhangs to the front. Repeat symmetrically to the left. Bring back your sub build and position it vertically in front of you, so the yellow 2x6 plate with a mark is on the right. place the front row of your part on top of your sub build on the back row so the corners are even.

Group 141:

518. Horizontally place a medium blue 2x6 plate on top of your sub build on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back, so it is centered horizontally. Horizontally place a dark grey 1x10 plate on top of your sub build on the 2<sup>nd</sup> row from the front so there's no overhang.

519. Horizontally place a medium blue 2x6 plate on the 2 back rows on the 2<sup>nd</sup> through 7<sup>th</sup> columns from the right. Place a gold 2x2 plate to the left of the ppp. Place a gold 2x2 corner plate to the left and in front of the left column of the ppp, so it looks like a braille letter H. Repeat symmetrically to the right.

520. Place the back row of a reddish brown 2x2 round plate with axle hole to the left of the front row of the ppp. Repeat symmetrically to the left. Vertically place the 2 back rows of a medium blue 2x6 plate between the 2 ppps. Vertically place a grey 2x4 plate to the right of the 4 front rows of the ppp. Repeat symmetrically to the left.

521. Let's make 2 identical stacks! Stack 2 grey 2x4 plates. You should now have 2 identical stacks. Vertically place the 2 front rows of one of your stacks to the left of the 3 back rows of the ppp. Repeat symmetrically to the right.

522. Vertically place the 3 back rows of a black 2x5 stair plate on the 3 front rows of your sub build on the 4<sup>th</sup> and 5<sup>th</sup> columns from the right, so the stairs lead down to the front, and 2 rows overhang to the front. Repeat symmetrically to the left.

523. Place a red 1x1 round plate on the 2<sup>nd</sup> row from the front on the leftmost column of the ppp. Vertically place the back row of a dark tan 1x2 plate with bar handle on 1 short side to the right of the ppp, so the bar handle faces the front. Repeat both parts symmetrically to the right.

524. Vertically place the back row of a gold 1x2 plate on the front right corner, so 1 row overhangs to the front and it sits in front of the right red 1x1 round plate. Place a gold 1x1 plate underneath the front row of the ppp. Repeat both parts symmetrically to the left.

525.1 Let's make 2 identical parts! Place a gold 2x2 plate in front of you. place a gold 2x2 corner plate on the ppp, so it looks like a braille letter D. Place the back right corner of a gold 2x2 plate on top of your sub build on its front left corner, so 1 row overhangs to the front and 1 column overhangs to the left. Place a gold 2x2 corner plate underneath the front overhanging row and the left overhanging column of the ppp, so it looks like a braille letter H.

525.2 Place the front row of a gold 2x2 plate on top of your sub build on the back row, so it sits on the back right 2x2 corner plate that looks like a braille D, and 1 row overhangs to the back. Place the right column of another on top of your build on the leftmost column, so it sits on the front left 2x2 plate and 1 column overhangs to the left. Place a gold 1x1 plate to the right of the back row of the ppp. You should now have 2 identical parts! Bring back your sub build so the bar handles face the front. place the left overhang of 1 of your parts on the rightmost column of the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front (here, we are counting only the columns within the 2 mentioned rows), and the back overhang on the 2 right columns of the 5<sup>th</sup> row from the front. Repeat symmetrically to the left.

526.1 Vertically place a yellow 1x2 rounded plate on the 5<sup>th</sup> and 6<sup>th</sup> rows from the front on the 3<sup>rd</sup> column from the right. Horizontally place a medium blue 2x6 plate on top of your sub build on the 5<sup>th</sup> and 6<sup>th</sup> rows from the back, so it is centered horizontally.

Group 142:

526.2 Vertically place a lime 1x2 rounded plate in front of the leftmost column of the ppp. Place a gold 2x2 plate on top of your sub build on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front , so it is centered horizontally.

527. Place a gold 2x2 plate on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front on the 2 right columns. Repeat symmetrically to the left. Place another on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the 4<sup>th</sup> and 5<sup>th</sup> columns from the right counting the entire build. Repeat symmetrically to the left. Horizontally place a gold 1x2 plate to the left of the back row of the ppp. Repeat symmetrically to the right.

528.1 Vertically place a white 2x4 plate on the 4 back rows on the 4<sup>th</sup> and 5<sup>th</sup> columns from the right. Repeat symmetrically to the left. Vertically place a lime 1x2 rounded plate to the left of the 2 front rows of the ppp.

Group 143:

528.2 Place a yellow 1x2 rounded plate vertically symmetrically to the right. Vertically place a gold 1x2 plate behind the ppp. Repeat symmetrically to the left. Place the back row of a gold 2x2 corner plate to the left of the back row of the ppp, so it looks like a braille letter J. Repeat symmetrically to the right.

529.1 Place the right column of a gold 2x2 corner plate on the back row of the ppp, so it looks like a braille letter H. Repeat symmetrically to the left. Place a gold 2x2 plate to the right of the ppp.T

Group 144:

529.2 Place a grey 2x2 plate to the right of the ppp.

530. Vertically place a dark tan 2x8 plate in front of the ppp. Repeat symmetrically to the left. Vertically place a white 1x6 plate to the left of the 6 back rows of the ppp. Repeat symmetrically to the right.

Group 145:

531. Place 3 gold 2x2 plates one in front of the other to the right of the ppp. Place a gold 2x2 corner plate in front of the left column of the ppp, so it looks like a braille letter F. Repeat the 4 placements symmetrically to the left.

532. Place a gold 2x2 plate on the 3<sup>rd</sup> and 4<sup>th</sup> rows from the front on the 4<sup>th</sup> and 5<sup>th</sup> columns from the right. Place the front row of a gold 2x2 corner plate to the right of the back row of the ppp on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right, so it looks like a

braille letter F. Place the left column of a gold 2x2 plate behind the right column of the ppp. Place another behind the ppp. Repeat the 4 placements symmetrically to the left.

533. Horizontally place a white 4x6 plate on top of your sub build on the 4<sup>th</sup> through 7<sup>th</sup> rows from the back, so it is centered horizontally. Horizontally place a black 1x2 rounded plate behind the ppp, so it is centered horizontally. Horizontally place another on top of your sub build on the 5<sup>th</sup> row from the front, so it is centered horizontally. Place a red 1x1 round plate on the 3<sup>rd</sup> row from the back to the right of the back horizontal black 1x2 rounded plate. Repeat symmetrically to the left.

534. Place the front row of a gold 2x2 corner plate to the left of the ppp, so it looks like a braille letter J. Repeat symmetrically to the right. Place a gold 2x2 plate to the left of the front row of the ppp. Horizontally place a gold 1x2 plate to the right of the back row of the ppp.

Group 146:

535. Rotate your sub build 180 degrees. Horizontally place a medium blue 2x6 plate on top of your sub build on the 5<sup>th</sup> and 6<sup>th</sup> rows from the front, so it is centered horizontally. Horizontally place a yellow 1x2 rounded plate behind the ppp, so it is centered horizontally place another on the 4<sup>th</sup> row from the front, so it is centered horizontally.

536. Vertically place a gold 1x2 plate on the 5<sup>th</sup> and 6<sup>th</sup> rows from the front on the 2<sup>nd</sup> column from the right, so it sits to the right of the horizontal medium blue 2x6 plate from the previous step. Place the right column of a gold 2x2 corner plate behind the ppp, so it looks like a braille letter H. Place the front row of a gold 2x2 plate to the left of the back row of the ppp. Repeat the 3 parts symmetrically to the left.

537. Place a gold 2x2 corner plate on the 3<sup>rd</sup> and 4<sup>th</sup> rows from the front on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right, so it looks like a braille letter F. Horizontally place a gold 1x2 plate to the left of the front row of the ppp. Repeat both parts symmetrically to the left. Place a gold 1x1 plate on the 2<sup>nd</sup> row from the front on the 4<sup>th</sup> column from the left.

538. Place a dark grey 4x4 round plate with axle hole on top of your sub build on the 4<sup>th</sup> through 7<sup>th</sup> rows from the front, so it is centered horizontally. Horizontally place 2 hold 1x2 plates 1 to the right of the other in front of the ppp. Repeat symmetrically to the back. Then, vertically place a gold 1x2 plate on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front on the 3<sup>rd</sup> column from the right. Place another vertically behind the ppp. Now, repeat both placements symmetrically to the left. You should have surrounded the 4x4 round plate with axle hole.

539. Place 2 gold 2x2 plates one in front of the other to the right of the ppp. Repeat symmetrically to the right.

540. Place a gold 2x2 plate on top of your sub build on the 5<sup>th</sup> and 6<sup>th</sup> rows from the front, so it is centered horizontally.

541. Place a metallic gold 1x1 slope tile on top of your sub build on the front right corner, so it slopes to the front. Place a metallic gold 1x1 tile on the 2<sup>nd</sup> row from the front on the 2<sup>nd</sup> column from the right. Place a metallic gold 1x1 quarter round tile on the 3<sup>rd</sup> row from the front on the 3<sup>rd</sup> column from the right, so the right angle faces the front left, and the rounded edge faces the back right. Place a metallic gold 1x2 curved right slope wedge tile on top of your sub build on the front left corner, so it slopes to the left. Place a metallic gold 1x1 quarter round tile behind the right column of the ppp, so the right angle faces the front right and the rounded edge faces the back left. Vertically place the back row of a metallic gold 1x2 curved slope tile to the right of the ppp, so it slopes to the front. Place a metallic gold 1x1 tile to the right of the front row of the ppp. Horizontally place the left column of a metallic gold 1x2 curved left slope wedge tile behind the ppp, so it slopes to the right. Horizontally place the left column of another in front of the right

column of the ppp, so it slopes to the right. Place a metallic gold 1x1 quarter round tile on the 4<sup>th</sup> row from the front on the leftmost column so the right angle faces the back right and the rounded edge faces the front left. Place another to the right of the ppp, so the right angle faces the front left, and the rounded edge faces the backright.

542. Bring back your main build, so the top open side faces the front and the trophy's name tile is on the left. Place the mini stadium with the minifigure and the 2026 logo plaque on the back inside the open side. Horizontally attach your sub build you've been working in this bag upright to the front top facing side clips covering the opening.

543. Locate a row of front facing side studs with 3 columns below the sub build you have just attached. Place a metallic gold 1x1 quarter round tile upright on the leftmost front facing side stud of the row you've just found, so the right angle faces the top right, and the rounded edge faces the bottom left. Place a metallic gold 1x1 tile upright to the right of the ppp. Place a metallic gold 1x1 quarter round tile upright to the right of the ppp, so the right angle faces the bottom left and the rounded edge faces the top right.

Fantastic work! You've just completed the final panel of the globe — the smooth, curved side showing Oceania, with Australia, New Zealand, and the wide Pacific stretching around the sphere. This piece also hides the secret opening where you can place the mini stadium, the cheering minifigure, and the tiny 2026 logo. With this panel in place, the globe is officially complete. And now that Australia is proudly sitting on the side you just built... who knows? Could they be the next team to lift the real World Cup? Only time will tell!

You did it! You've built the entire World Cup trophy, piece by piece, curve by curve, until the globe and the base stand proudly in your hands. Every continent, every ring, every hidden detail is exactly where it belongs — all thanks to your patience, your touch, and your determination. And now comes the best part: lift it up like a true champion... but careful! The real trophy weighs a bit over 3 kilograms, and this LEGO version isn't exactly light either. If you raise it too fast, someone might think you've actually won the World Cup! Congratulations — you've finished the build, and you've earned your victory celebration.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at [info@bricksfortheblind.org](mailto:info@bricksfortheblind.org) and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available

At the end of the instructions set is an advertisement for the Lego Editions 43019 Soccer Ball.