

## 43032 FIFA World Cup 2026™ Official Emblem

Adapted by Maria Goldoriole. Tested by Peter Durieux.

Bring a piece of the world's most popular sporting event to your home with the LEGO® Editions FIFA World Cup 2026™ Official Emblem (43032) building set for boys, girls, and sports fans ages 10 and up. Kids become creative champions as they create the display model of the official FIFA World Cup 2026™ logo. The base is formed of colorful “26” digits and it includes a semi-3D version of the FIFA World Cup 2026™ trophy and a FIFA tile, plus printed graphic elements. Once fans have finished creating the soccer emblem, it becomes FIFA World Cup™ merch and collectible sports decor. The recognizable soccer emblem comes with a stand and a picture hanger so they can display it on a desk or hang it on a wall. The kit makes a great birthday or holiday gift for boys, girls, and soccer lovers. This immersive project, with instructions available in the LEGO Builder app, lets kids track progress and rotate their creations in 3D. Set contains 298 pieces.

- **SPORTS BUILDING SET** – Kids show their love for soccer with the LEGO® Editions FIFA World Cup 2026™ Official Emblem (43032) for boys, girls, and fans ages 10 and up.
- **AN IMMERSIVE PROJECT** – Fans can immerse themselves in the excitement of the FIFA World Cup 2026™ as they assemble this display model that makes a unique piece of soccer wall decor.
- **PACKED WITH DETAILS** – The base is formed of colorful “26” digits, and the scene includes a semi-3D version of the FIFA World Cup 2026™ trophy and a FIFA tile.
- **COLLECTIBLE SOCCER DECOR** – The kit comes with a stand and a picture hanger so fans can display it freestanding or hang it as sports wall decor.
- **GIFT IDEA FOR KIDS** – Give the creative kit as a soccer gift for boys, girls and sports lovers on birthdays and other special occasions.
- **LEGO® EDITIONS** – Explore the LEGO Editions collection to discover more sports-inspired sets (sold separately) to thrill soccer fans.
- **A HELPING HAND** – Instructions for this set are available digitally in the LEGO® Builder app, where kids can rotate their creations and track progress in 3D.
- **DIMENSIONS** – The 298-piece model measures over 5.5 in. (14 cm) high, 5.5 in. (14 cm) wide and 3 in. (7 cm) Deep.

The front of the box features a white background with the official FIFA World Cup 2026 emblem, built from LEGO bricks, displayed at the center. The emblem is a vertical composition that includes a large white “26” made from LEGO plates, a golden silhouette of the FIFA World Cup Trophy positioned in front of the number, and a tall mosaic of brightly colored rectangular bricks (red, blue, green, yellow, and more) forming the background. The LEGO logo appears in its red square in the top-left corner. In the bottom-left corner, you’ll find the recommended age 10+, the set number 43032, the piece count 298, and the text FIFA World Cup 2026 Official Emblem – Editions. On the right side, the official FIFA World Cup 2026 logo is displayed.

The back of the box shows the emblem from different angles, along with small photos highlighting the rear side of the build and the display options—either standing upright like a framed piece or mounted on a wall.

This set has 298 pieces, contains 4 bags, and it is for ages 10+. The pieces of the 4 bags are used to build the emblem.

- Welcome to text-based instructions from Bricks for the Blind. Before you start building,
- here are some terms we'll be using:
  - - In Front of/Front: towards you.
  - - Behind/Back: away from you.
  - - Up: towards the ceiling.
  - - Down: towards the floor.
  - - Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
  - - Vertically: with the longest side going from front to back
  - - Horizontally: with the longest side going from left to right.
  - - Upright: pointing up towards the ceiling.
  - - Standing upright: The piece is perpendicular to the ground, like a wall.
  - - Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
  - - That one/ppp: previously placed piece.
  - - Plate: piece with studs.
  - - Tile: smooth piece without studs (unless otherwise specified)
  - - A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
  - - Anti-stud is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
  - - Left/ right wedge parts: these are parts that when placed in front of you and are pointing
    - to the back, their wedge is on the left/ right side of the part.
  - - Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
  - - Centered-vertically: even amount of space in front of and behind piece
  - - Centered-horizontally: even amount of space left and right of piece.
  - - Row: studs lined up horizontally (left to right/side to side).
  - - Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner who may want to follow along with the printed visual instructions that come with each kit, PDF versions are always online at LEGO.com: (<https://www.lego.com/en-us/service/building-instructions/43032>)  
As low vision users may benefit from viewing the instructions on a personal device.

#### Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a sighted friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted into groups according to the building steps in the set. Doing this in advance makes locating the pieces easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, Numbers, or meaningful names. The parts will be collected into a small Number from steps in the instructions. Example: Steps 1-3 means collecting all the parts used in steps 1, 2 and 3, and putting them in one container.

This set comes with 4 labelled paper bags, and 1 instruction booklet.

Sort the pieces into groups as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split across two groups to make telling the difference easier for the builder!

#### Bag 1

- Group 1: contains the pieces for steps 1-3.
- Group 2: contains the pieces for steps 4-5.
- Group 3: contains the pieces for steps 6-7.
- Group 4: contains the pieces for steps 8-9.
- Group 5: contains the pieces for steps 10-15.
- Group 6: contains the pieces for steps 16-18.1.
- Group 7: contains the pieces for step 18.2.
- Group 8: contains the pieces for steps 18.3-20.1.
- Group 9: contains the pieces for step 20.2.
- Group 10: contains the pieces for step 20.3.

#### Bag 2

- Group 11: contains the pieces for steps 21-25.
- Group 12: contains the pieces for steps 26-32.
- Group 13: contains the pieces for steps 33-41.1.
- Group 14: contains the pieces for step 41.2.
- Group 15: contains the pieces for step 42.1.
- Group 16: contains the pieces for steps 42.2-43.1.
- Group 17: contains the pieces for step 43.2.

#### Bag 3

- Group 18: contains the pieces for steps 44-54.
- Group 19: contains the pieces for steps 55-58.1.
- Group 20: contains the pieces for steps 58.2-59.1.
- Group 21: contains the pieces for steps 59.2-60.1.
- Group 22: contains the pieces for steps 60.2-61.
- Group 23: contains the pieces for step 62.1.
- Group 24: contains the pieces for step 62.2.
- Group 25: contains the pieces for steps 63-69.
- Group 26: contains the pieces for steps 70-76.

#### Bag 4

- Group 27: contains the pieces for steps 77-84.
- Group 28: contains the pieces for steps 85-90.
- Group 29: contains the pieces for steps 91-99.

#### Description:

When the model is fully built, it has the overall shape of a vertical photo frame. It stands upright on its own thanks to a kickstand on the back, similar to the support you find on a picture frame. This lets you display it on a table or shelf without it falling over. The frame is taller than it is wide, and the top corners are smoothly rounded, giving it a clean, modern outline.

The front surface is organized into three main tactile areas: At the top, you can feel the large LEGO-built number "2", made in white using flat plates; at the bottom, you'll find the matching "6", also built in white; and in the center, overlapping both numbers, there is a golden silhouette of the FIFA World Cup Trophy. It is slightly raised, smooth, and curved, so you can easily trace its shape with your fingers. The trophy covers a small part of the inner edge of the "2" and the "6," creating a single unified emblem.

Behind the numbers and the trophy, the background is built from vertical columns of brightly colored rectangular bricks. These include red, blue, green, yellow, and other vivid tones arranged like a tall mosaic. The colors appear in stacked rectangular sections, giving the emblem a lively, energetic feel.

The whole model feels like a flat framed artwork, with the numbers and the trophy standing out in front of the colorful background. The back is smooth, and the kickstand allows you to display it upright. You can also hang it on a wall if you prefer.

#### General placement guidelines

##### 1. Rows and Columns Across the Whole Build:

Unless we say otherwise, rows are counted from front to back or back to front, and columns are counted from left to right or from right to left across the entire build.

Example: Vertically place a tan 1x2 plate on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front on the 3<sup>rd</sup> column from the left. or place a white 2x2 tile with stud on the 2 back rows on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the right.

This uses the full build's row and column Layout.

##### 2. Why We Sometimes Count Columns from a Specific Row:

Each row can have a different number of columns. This happens when the build becomes narrower or wider toward the sides, or when certain rows have cutouts, curves, or irregular shapes.

So, if a row is shorter or wider than the rows above or below it, counting columns across the whole build becomes misleading. To avoid confusion, we count columns within that specific row.

Example: Instead of: Place the 1x2 plate on the front row on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right. We say: Place the 1x2 plate on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right of the front row.

This makes it clear that the row itself is the reference, not the whole build.

##### 3. Why We Sometimes Count Rows from a Specific Column:

Each column can have a different number of rows. This happens when one column extends further back than the next, another extends forward, some columns are tall, others short, or the shape is staggered or irregular. When columns vary in height or depth, counting rows across the entire build becomes confusing. To avoid this, we count rows within that specific column.

Example: Place a tan 1x1 round plate on the 3<sup>rd</sup> row from the back of the 2<sup>nd</sup> column from the right.

This avoids the problem of columns with different lengths.

##### 4. Using Landmarks for Tactile Orientation:

When rows and columns alone aren't enough, we add landmarks—nearby pieces that help the builder feel where the new piece belongs.

Example: Vertically place a green 2x4 plate on the 2<sup>nd</sup> through 5<sup>th</sup> rows from the back on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the left, so the back row sits on the front row of the back left 2x2 corner plate, and the front row sits on the back row of the front left 2x2 corner plate.

These tactile cues confirm the correct placement.

Let's get to building!

Building Instructions (Bag 1, Book 1):

#### Group 1:

1. Vertically place a black 4x12 plate in front of you.

2. Vertically place the right column of a red 2x10 plate underneath the left column of the ppp, so it is centered vertically and 1 column extends to the left.

3. Vertically place the right column of a black 4x12 plate on the left column of the ppp, so it is centered vertically and 3 columns overhang to the left.

Group 2:

4. Vertically place the right column of a blue 2x10 plate underneath the leftmost overhanging column of the ppp, so it is centered vertically and 1 column extends to the left.

5. Vertically place the right column of a black 4x12 plate on the left column of the ppp, so it is centered vertically and 3 columns overhang to the left.

Group 3:

6. Vertically place the right column of a green 2x10 plate underneath the leftmost overhanging column of the ppp, so it is centered vertically and 1 column extends to the left.

7. Vertically place the right column of a black 4x12 plate on the left column of the ppp, so it is centered vertically and 3 columns overhang to the left.

Group 4:

8. Vertically place the right column of a blue 2x10 plate underneath the leftmost overhanging column of the ppp, so it is centered vertically and 1 column extends to the left.

9. Vertically place the right column of a black 4x12 plate on the left column of the ppp, so it is centered vertically and 3 columns overhang to the left.

Group 5:

10. Vertically place the right column of a red 2x10 plate underneath the leftmost column of the ppp, so it is centered vertically and 1 column extends to the left.

11. Vertically place the right column of a black 4x12 plate on the left column of the ppp, so it is centered vertically and 3 columns overhang to the left.

12. Turn your build upside down. Vertically place a medium blue 1x10 plate on top of your upside down build on the rightmost column of antistuds, so it is centered vertically. Horizontally place the rightmost column of a tan 1x6 plate in front of the ppp. Repeat symmetrically to the back. Then, repeat the 3 placements symmetrically to the left. Next, place a dark grey 1x12 plate on top of your upside down build on the front row of antistuds, so it is centered horizontally. Repeat symmetrically to the back.

13. Place a lime 2x2 round plate with axle hole on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right of antistuds. Repeat symmetrically to the left. Now, repeat both parts symmetrically to the back.

14. Turn your part right side up, so it is horizontally in front of you. Vertically place a white 1x2 plate with 1x4 side studs hanging down on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back on the rightmost column, so the side studs face the right. Repeat symmetrically to the front. Then place another vertically on top of your build on the rightmost column, so it is centered vertically and the side studs face the right.

15. Place a white 1x1 plate on top of your build in the front right corner. Repeat symmetrically to the back. Then, place a white 1x2 tile vertically on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front on the rightmost column. Now, place a lime 2x2 round plate with axle hole on the 4<sup>th</sup> and 5<sup>th</sup> rows from the back on the 2 right columns.

#### Group 6:

16.1 Horizontally place a white 1x2 plate with 1x4 side studs on the back row on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the left, so the side studs face the back. Horizontally place another on the same row on the 6<sup>th</sup> and 7<sup>th</sup> columns from the left, so the side studs face the back. Place another horizontally on the 10<sup>th</sup> and 11<sup>th</sup> columns from the left, so the side studs face the back. Repeat the 3 placements symmetrically to the right. Repeat the 6 placements symmetrically to the front.

16.2 Horizontally place a white 1x2 tile on the front row on the 4<sup>th</sup> and 5<sup>th</sup> columns from the left. Horizontally place another on the 8<sup>th</sup> and 9<sup>th</sup> columns from the left. Repeat both placements symmetrically to the right. Then place another horizontally on the same row, so it is centered horizontally. Repeat the 5 placements symmetrically to the back.

17.1 Vertically place a white 1x2 plate with 1x4 side studs hanging down on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back on the leftmost column, so the side studs face the left. Repeat symmetrically to the front. Then place another vertically on top of your build on the leftmost column, so it is centered vertically and the side studs face the left.

17.2 Place a white 1x1 plate on top of your build in the front left corner. Repeat symmetrically to the back. Then, place a white 1x2 tile vertically on the 4<sup>th</sup> and 5<sup>th</sup> rows from the front on the leftmost column. Now, repeat symmetrically to the back.

18.1 Horizontally place a red 2x10 plate on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back on the 2<sup>nd</sup> through 11<sup>th</sup> columns from the right.

#### Group 7:

18.2 Horizontally place a blue 2x10 plate on top of your build on the 2<sup>nd</sup> through 11<sup>th</sup> columns from the right, so it is centered vertically.

#### Group 8:

18.3 Horizontally place a green 2x10 plate on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the 2<sup>nd</sup> through 11<sup>th</sup> columns from the right.

19. Place a white 2x2 tile with studs on edge to the left of the ppp, so the studs face the left. Place another behind the ppp, so the studs face the left. Repeat both placements symmetrically to the back. Place a lime 2x2 round plate with axle hole on top of your build, so it is centered horizontally and vertically and sits in front and behind 2x2 tiles with studs on edge.

20.1 Horizontally place a green 2x10 plate on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front on the 2<sup>nd</sup> through 11<sup>th</sup> columns from the left.

#### Group 9:

20.2 Horizontally place a blue 2x10 plate on top of your build on the 2<sup>nd</sup> through 11<sup>th</sup> columns from the left, so it is centered vertically.

#### Group 10:

20.3 Horizontally place a red 2x10 plate on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back on the 2<sup>nd</sup> through 11<sup>th</sup> columns from the left.

Great start! You began shaping the base of the emblem, laying down the first layers that will hold everything together. You can already feel the outline forming under your fingers, steady and ready for what comes next. When you're ready, open Bag 2 and keep building — the emblem is just starting to come to life.

Building Instructions (Bag 2, Book 1):

Group 11:

21. Horizontally place a white 1x2 plate upright on the 2 right columns of front facing side studs. Repeat symmetrically to the back.
22. Place a white 1x1 plate with 1x1 side stud hanging down upright on the right column of the ppp, so the side stud faces the right. Place a white 1x1 plate upright to the left of the ppp. Repeat both parts symmetrically to the back.
23. Rotate your build 90 degrees clockwise. Horizontally place a white 1x2 plate upright on the 2 left columns of front facing side studs. Repeat symmetrically to the right.
24. Horizontally place a white 1x10 plate upright to the left of the ppp on the front facing side studs, so it is centered horizontally. Horizontally place 2 white 1x4 bricks 1 to the right of the other upright on the ppp, so together they are centered horizontally. Horizontally place a white 1x8 tile upright on the 2 ppps.
25. Horizontally place a white 1x3 plate upright to the right of the ppp. Place a white 1x1 plate upright on the leftmost column of the ppp. Horizontally place a white 1x3 curved slope tile upright on the 2 ppps, so it slopes to the right. Repeat the 3 parts symmetrically to the left.

Group 12:

26. Let's make a part! Horizontally place a white 1x10 plate in front of you. Horizontally place a white 1x4 brick on the 4 left columns of the ppp.
27. Horizontally place a white 1x6 brick to the right of the ppp.
28. Horizontally place a white 1x6 plate on top of your part on the 6 left columns.
29. Horizontally place a white 1x3 plate on top of the ppp, on the 3 left columns. Horizontally place a white 1x2 plate to the right of the ppp.
30. Horizontally place a white 1x4 tile on top of your part on the 4 left columns. Place a white 1x1 plate to the right of the ppp. Horizontally place a white 1x3 curved slope tile to the right of the ppp, so it slopes to the right. Place a white 1x1 brick to the right of the ppp. Then, place a white 1x1 plate to the right of the ppp.
31. Bring back your main build and position it horizontally in front of you, so the sort side covered by tiles faces the right. Flip your part so the antistuds face the front. Horizontally place your part upright on the 3<sup>rd</sup> through 12<sup>th</sup> columns from the right of back facing side studs.
32. Horizontally place the 3 left columns of a white 1x4 curved slope tile upright on the 3 right columns of back facing side studs.

Group 13:

33. Let's make a part! Horizontally place a white 1x10 plate in front of you. Horizontally place a white 1x4 brick on the 4 left columns of the ppp.
34. Horizontally place a white 1x6 brick to the right of the ppp.
35. Horizontally place a white 1x6 plate on top of your part on the 6 left columns. Horizontally place a white 1x2 plate on top of your part on the 2 right columns.
36. Horizontally place a white 1x6 plate on top of your part on the 6 left columns. Horizontally place a white 1x3 curved slope brick to the right of the ppp, so it slopes to the left.
37. Horizontally place a white 1x2 plate on top of your part on the 2 left columns. Horizontally place a white 1x4 tile to the right of the ppp.

38. Bring back your main build and position it horizontally in front of you, so the short side covered by tiles faces the right. Flip your part so the antistuds face the back. Horizontally place your part upright on the 3<sup>rd</sup> through 12<sup>th</sup> columns from the right of front facing side studs.

39. Horizontally place the 3 left columns of a white 1x4 curved slope tile on the 3 right front facing side studs, so it slopes to the right.

40. Place a blue 2x2 tile on the 4<sup>th</sup> and 5<sup>th</sup> rows from the back on the 2 right columns, so it sits on a lime 2x2 round plate with axle hole.

41.1 Place a blue 4x4 plate with open center around the ppp, so the ppp is on the center. Place a blue 4x4 quarter round plate behind the ppp, so the right angle faces the front left, and the rounded edge faces the back right. Vertically place the left column of a dark green 2x4 tile on the 3<sup>rd</sup> through 6<sup>th</sup> rows from the front on the rightmost column, so it only attaches by 1 column. Then, vertically place another to the left of the ppp.

Group 14:

41.2 Place a turquoise 4x4 quarter round plate in front of the 2 ppps, so the right angle faces the back left and the rounded edge faces the front right.

Group 15:

42.1 Place a purple 4x4 quarter round plate to the left of the ppp, so the right angle faces the back right and the rounded edge faces the front left. Vertically place 2 yellowish green 2x4 tiles one to the right of the other behind the ppp. Then, place a red 4x4 tile behind the 2 ppps.

Group 16:

42.2 Place a red 4x4 quarter round plate behind the ppp, so the right angle faces the front left, and the rounded edge faces the back right.

43.1 Vertically place 2 lavender 2x4 tiles one to the left of the other to the left of the ppp. Place 2 more vertically in front of the ppps.

Group 17:

43.2 Vertically place 2 yellowish green 2x4 tiles in front of the ppps. Vertically place 2 coral 2x4 plates in front of the 2 ppps.

Well done finishing Bag 2. You've now built the number 2 and started rounding the corners along one edge of the base, giving the emblem its first smooth curves. The shape is beginning to feel more defined under your hands, and the top of the design is starting to take form. When you're ready, open Bag 3 and keep bringing the emblem to life!

Building Instructions (Bag 3, Book 1):

Group 18:

44. Rotate your build 180 degrees, so it is horizontally in front of you. Horizontally place a white 1x2 plate upright on the 2 right columns of front facing side studs. Repeat symmetrically to the back.

45. Place a white 1x1 plate with 1x1 side stud hanging down upright on the right column of the ppp, so the side stud faces the right. Place a white 1x1 plate upright to the left of the ppp. Repeat both parts symmetrically to the back.

46. Rotate your build 90 degrees clockwise. Horizontally place a white 1x10 plate upright on the front facing side studs, so it is centered horizontally.

47. Horizontally place a white 1x3 curved slope tile upright on the 3 right columns of front facing side studs, so it slopes to the right. Repeat symmetrically to the left.

48. Let's make a part! Horizontally place a white 1x10 plate in front of you. Horizontally place a white 1x2 slope brick on the ppp on the 2 right columns, so it slopes to the right.

49. Horizontally place a white 1x6 brick to the left of the ppp. Then, place a pink 1x1 brick to the left of the ppp. Place a white 1x1 plate to the left of the ppp.

50. Horizontally place a white 1x4 plate to the right of the ppp. Horizontally place a white 1x2 plate to the right of the ppp.

51. Horizontally place the leftmost column of a white 1x3 curved slope tile on the right column of the ppp, so it slopes to the right. Horizontally place a white 1x4 plate to the left of the ppp.

52. Horizontally place a white 1x4 tile on top of the ppp.

53. Bring back your main build, so it is horizontally in front of you and the short side with all the tiles needs to be on the right. Flip your part so it sits on its back side and the antistuds face the front. place your part upright on the 3<sup>rd</sup> through 12<sup>th</sup> columns from the left of back facing antistuds.

54. Horizontally place the 3 right columns of a white 1x4 curved slope tile upright on the 3 left columns of back facing side studs, so it slopes to the left.

Group 19:

55. Stack 2 white 1x10 plates. Horizontally place your stack upright on the 3<sup>rd</sup> through 12<sup>th</sup> columns from the left of front facing side studs.

56. Horizontally place a white 1x6 brick upright on the 4<sup>th</sup> through 9<sup>th</sup> columns from the left of front facing side studs. Horizontally place a white 1x4 plate upright on the ppp, so it is centered horizontally on the ppp. Now, place a white 1x4 tile horizontally upright on the ppp.

57. Horizontally place a white 1x4 curved slope tile upright to the left of the ppp, so it slopes to the left. Horizontally place another on the 4 left columns of front facing side studs, so it slopes to the right.

58.1 Vertically place a purple 1x4 tile with 2 studs on the 3<sup>rd</sup> through 6<sup>th</sup> rows from the back on the leftmost column.

Group 20:

58.2 Place a lime 1x4 tile with 2 studs in front of the ppp.

59.1 Place the left column of a lime 4x4 quarter round plate in front of the ppp, so the rounded edge faces the front left, and the right angle faces the back right.

Group 21:

59.2 Place a turquoise 4x4 quarter round plate symmetrically to the back.

60.1 Vertically place a purple 1x4 tile with 2 studs in front of the right column of the ppp. Vertically place a purple 2x4 tile to the left of the ppp.

Group 22:

60.2 Vertically place a lime 2x4 plate in front of the ppp. Vertically place a lime 1x4 tile with 2 studs to the right of the ppp.

61. Place a dark red 4x4 tile with studs on edge to the right of the ppp, so the studs face the back. Vertically place 2 orange 2x4 tiles one to the right of the other behind the ppp. Place a dark blue 4x4 tile behind the 2 ppps. Place the 2 back rows of a dark red 4x4 quarter round plate on the 2 front rows of your build on the 5<sup>th</sup> through 8<sup>th</sup> columns from the left, so the right angle faces the back left and the rounded edge faces the front right.

Group 23:

62.1 Place a medium blue 4x4 quarter round plate to the right of the ppp, so the right angle faces the back left and the rounded edge faces the front right. Vertically place 2 medium blue 2x4 tiles 1 right to the other behind the ppp.

Group 24:

62.2 Place 2 orange 2x4 tiles one to the right of the other behind the ppps. Then, place a light blue 4x4 quarter round plate behind the ppps, so the right angle faces the front left, and the rounded edge faces the back right.

Group 25:

63. Let's make a part! Horizontally place a white 1x4 plate in front of you. Horizontally place a white 1x8 tile on the ppp, so it is centered horizontally. Next, place a white 1x2 plate with 2 clips on 1 large side underneath the 2 right columns of the ppp, so the clips face the back. Repeat symmetrically to the left. Bring back your main build and place it vertically in front of you, so the short side with side studs faces the front. Turn your main build upside down, so the short side with side studs is in front of you. Horizontally place your part upright on the front facing side studs, so the clips face the top.

64. Place a grey 2x2 plate with 1L pin on bottom on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back on the 4<sup>th</sup> and 5<sup>th</sup> columns of antistuds, so it sits to the left of a lime 2x2 round plate with axle hole. Repeat symmetrically to the left.

65. Orient a black 1x3x5 lift-arm with cutout horizontally so the 4 pin holes face the front and the back, the cutout faces the front, and 2 pin holes face up and down. Attach the bottom facing pin holes from top to bottom onto the top facing pins of the 2 ppps. This is the hang that allows you to hang it to the wall.

66. Let's make a sub build! Let's start building the kickstand! Place a grey 8x8 half round plate in front of you, so the rounded edge faces the front. Horizontally place a dark grey 1x2 plate with bar handle on the back row on the 2 right columns of the ppp, so the bar handle faces the back.

67. Repeat symmetrically to the left. Then, place a medium blue 1x1 round plate to the right of the ppp. Repeat symmetrically to the right. Now, vertically place the back row of a dark grey 2x6 plate to the left of the ppp, so it is centered horizontally on your sub build. Vertically place 2 black 1x2 plates with stud and upright clip 1 to the right of the other with the clips facing the front on the 2 front rows, so together they are centered horizontally.

68. Vertically place a black 2x6 tile on top of your sub build on the 2<sup>nd</sup> through 7<sup>th</sup> rows from the front, so it is centered horizontally. Horizontally place a black 1x8 plate on top of your sub build on the back row, so there's no overhang.

69. Vertically place 3 black 1x2 slope tiles with cutout on the 2 back rows on the 3 left columns, so they slope to the front. Repeat the 3 placements symmetrically to the right. Horizontally place a black 1x2 tile with grille on top of your sub build on the back row, so it is centered horizontally.

Group 26:

70. Let's make a part! Vertically place a black 2x14 plate in front of you. Horizontally place a dark grey 1x2 plate with bar handle on a large side on top of your part on the back row, so the bar handle faces the back.

71. Vertically place a dark grey 2x12 plate in front of the ppp. Horizontally place a dark grey 1x2 plate with bar handle on a large side in front of the ppp, so the bar handle faces the front.

72. Vertically place a black 2x6 tile on top of your part on the 6 front rows, so it is centered horizontally. Then, horizontally place a black 1x2 tile with grille behind the ppp. Now, repeat both parts symmetrically to the back.

73. Grab a white 1x2 plate with 2 clips on a large side and turn it upside down, so it is horizontally in front of you with the clips facing the back. Clip it to the front facing bar handle of your part. Then, place the back row of a blue 2x2 curved inverted slope tile on the ppp, so it slopes to the front.

74. Hold your part vertically upright so the antistuds face the back and the 2x2 curved inverted slope tile is on the top. Bring back your sub build from step 69 and position it, so the rounded edge faces the front. Attach the bottom bar handles of your part to the front upright clips of your sub build.

75. Flip your sub build, so it sits on its back side with the bar handles facing down and the antistuds of the sub build base facing the front. Bring back your upside down main build and position it vertically in front of you so 2 clips are on the front. Attach the bottom facing bar handles of your sub build to the clips you have just found.

76. Push the movable part of your kickstand down and attach the studs of the 2x2 curved inverted slope and the 1x2 plate with 2 clips to the 8<sup>th</sup> and 9<sup>th</sup> rows from the back of antistuds, so they are centered horizontally on your main build.

Great work finishing Bag 3. You've now built the number 6, completing the pair of numbers that form the emblem's '26'. You also added more rounded edges to the base, giving the frame a smoother, more polished outline. Finally, you built the back kickstand — the support piece that lets the emblem stand upright like a photo frame. With these elements in place, the structure feels steadier and more defined. When you're ready, open Bag 4 and finish bringing the emblem to life.

#### Building Instructions (Bag 4, Book 1):

##### Group 27:

77. Let's make a sub build! Let's build the cup! Horizontally place a dark orange 2x10 plate in front of you. Horizontally place the back row of a tan 2x3 plate on the front left corner of the ppp, so 1 row overhangs to the front. Repeat symmetrically to the back.

78. Vertically place a lime 1x4 plate on top of your sub build on the leftmost column, so there's no overhang. Vertically place a medium blue 2x4 plate to the right of the ppp.

79. Vertically place a medium nougat 1x2 plate with 1x4 side studs hanging down on top of your sub build on the leftmost column, so it is centered vertically and the side studs face the left. Place a tan 1x1 plate with 1x1 side stud hanging down in front of the ppp, so the side stud faces the front. Repeat symmetrically to the back.

80. Horizontally place a yellow 1x2 plate with 1x2 side studs hanging down to the right of the ppp, so the side studs face the back. Repeat symmetrically to the front. Then, place a lime 2x2 round plate with axle hole between the 2 ppps, so it is centered vertically on your sub build.

81. Place a grey 1x4 brick with 4 side studs on 1 large side horizontally to the right of the front row of the ppp, so the side studs face the front. Place another horizontally to the right of the ppp, so the side studs face the front and 1 column overhangs to the right. Repeat both placements symmetrically to the back.

82. Place a yellow 1x1 plate upright on the 4<sup>th</sup> column from the left of front facing side studs. Horizontally place the left column of a gold 1x3 inverted half arch brick upright on the ppp, so it slopes to the right. Repeat both parts symmetrically to the back.

83. Horizontally place a gold 1x4 tile upright to the right of the 2 ppps on the back facing side studs. Repeat symmetrically to the front.

84. Horizontally place a gold 1x2 plate upright on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the left of front facing side studs. Horizontally place the left column of a gold 1x2 curved slope tile upright on the right column of the ppp so it slopes to the right. Horizontally place another upright to the left of the ppp, so it slopes to the left. Repeat the 3 parts symmetrically to the back. Rotate your part 90 degrees counterclockwise, so the side studs face the front. Horizontally place a gold 1x2 plate upright on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the left of front facing side studs. Horizontally place the right column of a gold 1x2 curved slope tile upright on the left column of the ppp, so it slopes to the left. Repeat symmetrically to the right.

Group 28:

85. Rotate your part 90 degrees clockwise so it is horizontally in front of you. Horizontally place the leftmost column of a black 2x6 plate underneath the right overhang, so 5 columns are exposed to the right. Horizontally place a grey 1x4 brick with 4 side studs on 1 large side on top of the ppp on the 2<sup>nd</sup> through 5<sup>th</sup> columns from the left of the ppp, so the side studs face the front. Place a dark green 1x1 brick with 1 stud on 2 sides to the right of the ppp, so the side studs face the front and the right. Repeat both parts symmetrically to the back.

86. Horizontally place a reddish brown 1x6 plate upright on the front facing side studs. Horizontally place a lime 1x4 plate upright on the 4 right columns of front facing side studs. Place a dark green 1x1 brick with 2 side studs upright on the rightmost column of the ppp, so the side studs face the right and the top. Place a yellow 1x1 plate upright to the left of the ppp. Place a gold 1x1 slope tile upright on the ppp, so it slopes to the left. Place another upright to the left of the ppp, so it slopes to the left. Place a dark green 1x1 tile upright to the left of the ppp. Horizontally place a gold 1x2 curved slope tile upright to the left of the ppp.

87. Repeat the 8 placements symmetrically to the back.

88. Horizontally place a medium blue 2x4 plate on top of your sub build on the 4 right columns. Horizontally place a gold 2x4 left wedge plate to the left of the front row of the ppp. Horizontally place a gold 1x2 plate to the left of the front row of the ppp. Repeat the 2 last parts symmetrically to the front.

89. Place the back row of a gold 2x2 left wedge plate to the left of the ppp, so the studs face the back, and the cut corner faces the front left. Place a gold 2x2 right wedge plate symmetrically to the back. Place a gold 1x2 plate vertically to the left of the 2 ppps. Then, place a dark tan 2x2 plate to the left of the pp. Next, horizontally place the left column of a gold 2x2 left wedge plate in front of the ppp. Place a gold 2x2 right wedge plate symmetrically to the back.

90. Place a gold 3x3 curved round slope corner to the left of the ppp. Repeat symmetrically to the front.

91. Place a gold 1x2 plate vertically on top of your sub build on the leftmost column of visible studs, so it is centered vertically. Horizontally place a gold 1x2 plate to the right of the back row of the ppp. Place a gold 1x1 quarter round tile behind the left column of the ppp, so the right

angle faces the front left, and the rounded edge faces the back right. Repeat symmetrically to the front. Then, place a yellow 1x1 plate behind the front ppp.

92. Vertically place the back row of a gold 1x2 curved slope tile to the left of the ppp, so it slopes to the front. Repeat symmetrically to the back. Horizontally place the left column of a gold 1x2 right wedge tile to the right of the front row of the ppp, so the long straight edge faces the front and the cut corner faces the back left. Place a gold 1x1 slope tile to the right of the ppp, so it slopes to the right.

93. Horizontally place a gold 1x3 inverted half arch brick in front of the 2 ppps, so it slopes to the right. Horizontally place the right column of a gold 1x2 curved slope tile on the leftmost column of the ppp, so it slopes to the left. Place a gold 1x2 left wedge tile on top of your cup build on the front row of visible studs on the 5<sup>th</sup> and 6<sup>th</sup> columns from the right, so the long straight edge faces the front and the cut corner faces the back right. Horizontally place a gold 2x4 left wedge plate to the left of the ppp, so the studs face the front and the cut corner faces the back right.

94. Vertically place a dark green 1x4 double curved slope tile on top of your cup build on the 4<sup>th</sup> column from the right. Place a dark tan 2x2 plate to the right of the 2<sup>nd</sup> and 3<sup>rd</sup> rows of the ppp.

95. Place the back row of a gold 2x3 curved right slope wedge tile printed with the letters FI and below WORL in brown on the front row of the ppp, so it slopes to the front. Place a gold 2x3 curved left slope wedge tile printed with the words FA and below D CUP in brown letters symmetrically to the back. Vertically place a dark green 1x3 curved slope tile to the right of the ppp, so it slopes to the back. Repeat symmetrically to the front.

96. Rotate your cup build 90 degrees clockwise. Horizontally place a dark tan 2x6 half round plate upright on the front facing side studs so the rounded edge faces the top. Place a gold 2x2 curved corner tile upright on the front top left corner. Repeat symmetrically to the right. Horizontally place a gold 1x2 tile with grille upright to the left of the top row of the ppp.

97. Turn your cup build upside down, so the ppps face the front. Horizontally place a white 1x2 rounded plate on top of your cup build on the 7<sup>th</sup> row from the front.

98. Bring back your main build and position it standing like a picture frame. Locate 2 columns of studs on the row between the number 2 and the number 6. Turn your cup build right side up. Then, hold it vertically upright so the ppp attaches to the front facing side studs you have just found.

99. Horizontally place a white 2x6 tile with the word FIFA on the 3<sup>rd</sup> and 4<sup>th</sup> rows from the bottom of front facing side studs, so it is centered horizontally.

Amazing work finishing Bag 4 — and with it, the entire set. In this last step you built the golden World Cup trophy and attached it to the center of the emblem, letting it shine proudly between the two numbers. You also placed the printed FIFA tile, giving the model its official final change. Now the whole emblem stands completely under your hands, solid, smooth, and full of color. Take a moment to enjoy what you've built — your World Cup emblem is ready to display!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at [info@bricksfortheblind.org](mailto:info@bricksfortheblind.org) and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available.

There are no ads at the end of this set.