

76336 Spider-Man Car vs Venomized Wolverine

Adapted by Arturo and tested by Peter Durieux.

Race into Super Hero battle action with this Spider-Man Car vs. Venomized Wolverine building toy for boys and girls ages 7 years old and up. This a battle-ready vehicle building toy with Spider-Man and Venomized Wolverine minifigures puts dynamic LEGO® I Marvel role play into kids' hands This is the first LEGO I Marvel merchandise to include a Venomized Wolverine minifigure. The Super Hero building toy's battle action takes place in and around Spider-Man's car, which features a trigger at the back to launch 2 spring shooters from the front. This set makes a great gift idea for the birthdays of young Super Heroes, Marvel movie fans and collectors of Spider-Man merch.

The packaging captures the action of a chase! The front of the box shows Venomized Wolverine jumping from the left towards Spider-Man, who is driving his car and shooting its projectiles. The background consists of an urban scene, with a street and buildings fading into the back with dark blue and light orange. The top left corner is decorated with the classic LEGO and Marvel logos. In the opposite corner, we have Spider-Man from his chest up in his classic red and blue suit. Above him, you will find the Spider-Man logo. At the bottom and all the way to the right corner, we have the minifigures in the set. These are, from left to right, Spider-Man and Venomized Wolverine. The left of the box repeats the LEGO logo on top of black and white depictions of several Marvel superheroes in their minifigure form. The back of the box shows a similar background to that in the front. However, in this case Spider-Man's car is in the background. In the foreground, Venomized Wolverine is receiving a flying kick from Spider-Man. On the bottom right we have a small inset that shows how to shoot the projectiles of Spider-Man's car. On the top left corner, we have the classic logos of LEGO and Marvel. On the bottom left corner, we have Spidey's logo as well. The right side of the box has a warning in several different languages that states that the set contains small parts and it is therefore not recommended for children younger than 3 years old. The top of the box has the classic LEGO logo, the name of the set in several other languages, and an image of Venomized Wolverine minifigure on a 1:1 scale. The bottom of the box is a tidy strip that contains the barcode as well as a few technical bits: the LEGO and Marvel logos, the set number, the recycling instructions for the paper/cardboard elements of the set, copyright, and trademark notices.

The build consists of 134 pieces in total, 2 minifigures, and is recommended for ages 7+. Once finished, you will have Spider-Man's car. The set consists of 2 numbered bags and 1 instruction booklet.

Welcome to text-based instructions from Bricks for the Blind! Before you start building, here are some terms we may be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)

- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- Hollow stud: a bump on a LEGO brick with a hole, which allows attaching bars.
- “Anti-stud” is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Left/right wedge parts: these are parts that when placed in front of you and are pointing to the back, their wedge is on the left/right side of the part.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

Additionally, it is worth mentioning that besides the printed visual instructions that come with each kit, a PDF version for the set's instructions is always available online at [\[https://www.lego.com/en-us/service/building-instructions/76336\]](https://www.lego.com/en-us/service/building-instructions/76336). This might help a sighted building partner that may want to follow along or low vision users that may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2, and 3 and put them in one container.

This LEGO set comes with 2 numbered bags and 1 instruction booklet. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder!

LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Book 1, bag 1 – Spider-Man, Spider-Man's car

Group 1: page 5

Group 2: steps 1-7

Group 3: steps 8-13

Group 4: steps 14-20

Group 5: steps 21-24

Group 6: steps 25-30

Book 1, bag 2 – Venomized Wolverine, Spider-Man's car

Group 7: page 38
Group 8: steps 31-38
Group 9: steps 39-45
Group 10: steps 46-49

Alright, we are done with sorting. Let's get building!

Building Instructions

Book 1, bag 1:

Group 1 – Spider-Man

Page 5. Locate 1 blue pair of legs, 1 red torso with black webbing, blue arms with red patch with black webbing, and red hands, and 1 red minifigure head with black webbing and large white eyes with black borders. Assemble the minifigure. Ask a sighted friend to make sure that the face print is facing the right way. Spidey is ready!

Group 2 – Spider-Man's car

1. Place 1 dark bluish gray 2x4 plate with 1x2 bricks with technic axle holes on short edges horizontally in front of you, so that its technic axle holes face to the left and right. Then, locate 2 tan 1L technic axles with 1L pins. Insert the first one into the left-facing axle hole of the ppp, so that its pin protrudes to the left. Take the second one and repeat symmetrically on the right.
2. Find 2 black 1x4 plates. Place the first one vertically on the 2nd column from the left, so that it overhangs to the front by 2 rows. Take the second one and repeat symmetrically on the right.
3. Rotate 1 dark bluish gray 2x4 plate with 1x2 inverted slope bricks on short edges horizontally. Place its 2nd column from the left and its 2nd column from the right under the overhang from the 2 ppps.
4. Grab 2 dark blue 1x2 plates. Place the first one vertically on top of the leftmost column of the ppp. Take the second one and repeat symmetrically on the right.
5. Locate 2 light bluish gray 1x4 projectile launchers. Rotate the first one vertically. Place its 2 front rows to the left of the ppp. Take the second one and repeat symmetrically on the left. Then, place 1 light bluish gray 1x2 log brick horizontally to the right of the front row of the ppp.
6. Place 1 black 1x2 plate with 2x2 side studs hanging down horizontally on top of the ppp, so that its side studs face to the front. Find 2 red 1x1 plates with 1x1 side stud hanging down. Place the first one on the leftmost column of the front row, so that its side stud faces to the left. Take the second one and repeat symmetrically on the right.
7. Grab 2 red 1x1 slope tiles. Attach the first one upright to the right-facing side stud of the ppp, so that it slopes to the front. Take the second one and repeat symmetrically on the left. Locate 2 pearl gold 1x1 plates with vertical tooth hanging down. Place the first one on the leftmost column on the front row, so that its tooth faces to the front. Take the second one and repeat symmetrically on the right.

Group 3 – Spider-Man's car (continued)

8. Rotate 1 black 6x12 vehicle base vertically. Place its 3 front rows on top of the 3 back rows of the car build, so that it is centered horizontally and it overhangs to the back by 9 rows.

9. Place 1 dark bluish gray 2x3 brick vertically on the 2nd to 4th rows from the front, so that it is centered horizontally.

10. Locate 2 white 2x2 corner plates. Rotate the first one so that it resembles a D in Braille. Place its back row on the 4th row from the front, on the 2nd and 3rd columns from the left. Take the second one and repeat symmetrically to the right.

11. Place 1 yellow 2x2 plate on the 7th and 8th rows from the back, so that it is centered horizontally and it goes into the recessed center of the vehicle base. Then, place 1 light bluish gray 2x2 tile with stud on top of the ppp, so that its studs face to the front.

12. Place 2 tan 2x2 bricks, one on top of the other, behind the ppp.

13.1 Let's make a small sub-build. Place 1 light bluish gray 4x4 plate in front of you. Find 2 white 1x3 tiles. Place the first one vertically on the front of the rightmost column. Take the second one and repeat symmetrically on the left.

13.2 Place 1 black 1x4 plate horizontally on the back row.

13.3 The sub-build is complete. Place its studded 2x3 surface under the 3 back rows of the car build.

Group 4 – Spider-Man's car (continued)

14. Place 1 yellow 2x2 plate on the 4th and 5th rows from the back (behind the 2 stacked tan 2x2 bricks), so that it is centered horizontally.

15. Place 2 light bluish gray 1x1 bricks with technic axle hole, one to the right of the other, on top of the front row of the ppp, so that their axle holes face to the left and right. Grab 2 dark bluish gray 1L axles with pin connector. Attach the first one to the left-facing axle hole of the 2 ppps, so that its pin connector faces to the front and back. Take the second one and repeat symmetrically on the right.

16. Place 1 transparent blue 1x2 brick horizontally on the 4th row from the back, so that it is centered horizontally.

17.1 We need to make a small sub-build. Place 1 yellow axle connector with axle hole vertically in front of you, so that its axle hole faces to the front, with the hole at the left and right. Then, insert 1 black 4L technic axle horizontally into the left-facing axle hole, so that it is flush with the right edge and it doesn't protrude.

17.2 Slide 1 white 2L round connector into the ppp, so that the axle protrudes to the left by 1L. Then, attach 1 yellow axle connector with axle hole to the protruding axle, so that it is symmetrical with the one on the right.

18. The sub-build is complete. Align its front-facing axle holes with the back-facing pin holes located on the 5th row from the back. Then, insert 1 dark tan 3L axle with stud into each of the 2 front-facing pin holes, so that they go as far as possible and their studs face to the front. The sub-build should be able to move back and forth.

19. Attach 1 transparent blue 1x1 round plate with open stud upright to each of the front-facing studs of the 2 ppps. Then, attach 1 light bluish gray 1x1 pyramid tile to each of the 2 ppps.

20. Locate 2 light bluish gray 1x6 bricks. Place the first one vertically starting on the 5th row from the front of the leftmost column and to the back. Take the second one and repeat symmetrically on the right.

Group 5 – Spider-Man's car (continued)

21.1 Let's make a small sub-build. Place 1 red 1x4 brick with technic holes horizontally in front of you. Find 2 technic 2L pins. Attach the first one to the back of the leftmost hole, so that it protrudes to the back by 1L. Take the second one and repeat symmetrically on the right.

21.2 Insert 1 dark tan 3L technic axle with stud into the front of the middle hole, so that its stud faces to the front. Then, attach 1 transparent blue 1x1 round plate with open stud to the stud of the ppp.

21.3 The sub-build is complete. Place it horizontally on the back row of the car build. Notice how pushing the middle axle from back to front also pushes the sub-build in front of it.

22. Grab 2 red 2x4 mudguards. Rotate the first one vertically, so that its mudguard faces to the left. Place its rightmost column behind the 1x1 plate with tooth hanging down located on the front left corner. The mudguard should be above a protruding pin. Take the second one and repeat symmetrically on the right.

23. Locate 4 black 1x2 plates with 2x2 side studs hanging down. Place the first 2 vertically behind the left column of the ppp, one behind the other, so that its side studs face to the right. Take the remaining 2 and repeat symmetrically on the left. Find 2 light bluish gray 1x1 plates with 1x2 side studs hanging down. Place the first one behind the 2 ppps, so that its side studs face to the left. Take the second one and repeat symmetrically on the right.

24. Place 1 light bluish gray 1x2 tile with steering wheel horizontally on the 5th row from the front, so that it is centered horizontally and its steering wheel faces to the back.

Group 6 – Spider-Man's car (continued)

25. Place 1 red 1x6 double inverted slope horizontally under the back row, so that it slopes to the left and right.

26. Place 1 dark bluish gray 2x4 plate with 1x2 bricks with technic axle holes on short edges horizontally in front of the ppp, under the car chassis, so that its technic axle holes face to the left and right.

27. Grab 2 tan 1L technic axles with 1L pins. Insert the first one into the left-facing axle hole of the ppp, so that its pin protrudes to the left. Take the second one and repeat symmetrically on the right.

28. Locate 2 pearl gold 1x1 plates with tooth hanging down. Place the first one on the back left corner, so that its tooth faces to the back. Take the second one and repeat symmetrically on the right.

29. Find 2 red 2x4 mudguards. Rotate the first one vertically, so that its mudguard faces to the right. Place its back left corner on top of the ppp. Take the second one and repeat symmetrically on the right.

30. Rotate 1 black 4x6 triple curved wedge plate. Place it horizontally on top of the 4 back rows, so that it is centered horizontally and it slopes to the back. This is the car's trunk.

Book 1, bag 2:

When starting this bag, the car should be vertically in front of you, with 2 pins and 1 technic axle protruding to the back.

Group 7 – Venomized Wolverine

Page 38. Locate 1 black pair of legs, 1 black torso with yellow shirt, black symbiote covering, light nougat left arm, black right arm, and dark blue hands, and 1 black minifigure head with light nougat head with stubble surrounded by symbiote covering. Assemble the minifigure. Ask a sighted friend to make sure that the face print is facing the right way. Then, place 1 black Wolverine mask on top of the minifigure's head, so that its eye openings face to the front. Lastly, put 1 flat silver claw piece into each of Venomized Wolverine's hands. Venomized Wolverine is ready!

Group 8 – Spider-Man's car (continued)

31. Rotate 1 light bluish gray technic wheel so that its largest diameter is to the back and its pin holes face to the front. Then, slide its middle hole into the back-facing protruding axle, while at the same time the holes to the left and right attach to the protruding pins.

32.1 Let's build a small sub-build. Place 1 white 2x2 round plate with technic axle hole in front of you. Then, place 1 medium azure 2x2 tile with stud on top of the ppp.

32.2 Place 1 transparent light blue 3x3 inverted radar dish on top of the ppp.

32.3 The sub-build is ready. Rotate it so that its stud faces to the back and its technic axle hole faces to the front. Attach the sub-build to the back-facing protruding axle. Push it as far as it can go, but don't force it.

33. Find 2 pearl gold 2x2 round corners. Rotate the first one so that its curved edge faces to the front left. Place it to the front left of the car's trunk. Take the second one and repeat symmetrically on the right. Grab 2 red 1x4 plates. Place the first one vertically in front of the leftmost column of the ppp. Take the second one and repeat symmetrically on the left.

34. Locate 2 red 2x2 curved slope bricks. Attach the first one upright to the 2 back columns of left-facing side studs, so that it slopes to the front. Take the second one and repeat symmetrically on the right.

35. Find 2 pearl gold 2x3 curved slope bricks. Attach the first one horizontally upright in front of the ppp, so that it slopes to the back. Take the second one and repeat symmetrically on the left.

36. Rotate 2 red 1x1 plates with 1x1 curved slope tile vertically, so that they slope to the back. Place the back row of the first one on the back left corner of the car. Take the second one and repeat symmetrically on the right.

37. Place 1 red 1x8 tile horizontally on top of the 2 ppps.

38. Grab 2 red 1x2 sloped grille tiles. Place the first one vertically in front of the left column of the ppp, so that it slopes to the front. Take the second one and repeat symmetrically on the right.

Group 9 – Spider-Man's car (continued)

39. Locate 2 light bluish gray 1x1 plates with 1x1 side stud hanging down. Place the first one on the 2nd column from the left on the 5th row from the front, so that its side stud faces to the right. Take the second one and repeat symmetrically on the right.

40. Find 2 light bluish gray 2x2 curved slope tiles with studs. Place the first one behind the ppp, so that it slopes and overhangs to the left by 1 column. Take the second one and repeat symmetrically on the left. Then, grab 2 light bluish gray 1x2 plates. Place the first one vertically behind the left column of the ppp. Take the second one and repeat symmetrically on the right.

41. Locate 2 red 3x3 corner plates. Rotate the first one so that its right angle faces back left. Place its back left corner on the 2nd column from the left on the 4th row from the front. Take the second one and repeat symmetrically to the right.

42. Place 1 light bluish gray 1x2 plate horizontally upright on the top row of front-facing side studs. Then, rotate 1 red 2x2 pointed wedge tile upright, so that its antistuds face to the back and it points down. Attach its back row to the ppp.

43. Rotate 1 red 4x4 triple curved wedge plate with gold spider and dark blue stripes pattern so that it slopes to the front and its studs are on the back. Place its back row on the 3rd row from the front, so that it is centered horizontally.

44. Rotate 1 red 1x2 right wedge tile vertically, so that it points to the front. Place its back row on the leftmost column on the 2nd row from the front. Then, take 1 red 1x2 left wedge tile and repeat symmetrically on the right.

Rotate 1 red 1x2 left wedge tile vertically, so that it points to the back. Place its front row on the leftmost column on the 5th row from the front. Then, take 1 red 1x2 right wedge tile and repeat symmetrically on the right.

45. Rotate 1 dark blue 1x2 curved slope tile vertically, so that it slopes to the front. Place its back row on the 2nd column from the left on the 2nd row from the front. Then, place 1 dark blue 1x6 tile vertically behind the ppp. Continue by placing 1 dark blue 1x2 curved slope tile vertically behind the ppp, so that it slopes to the back.

Then, locate 2 additional dark blue 1x2 curved slope tiles and 1 more dark blue 1x6 tile and repeat symmetrically on the right.

Group 10 – Spider-Man's car (continued)

46.1 We need to make a small sub-build. Place 1 light bluish gray 2x2 plate with vents on opposite side horizontally in front of you. Find 2 tan 1x1 plates with 1x1 curved slope tiles. Place the first one on the front left corner of the studded surface of the ppp, so that it slopes to the front. Take the second one and repeat symmetrically on the right.

46.2 Rotate 1 light bluish gray 2x3 curved slope tile vertically, so that it slopes to the back. Place its front row on top of the back row of the 2 ppps.

46.3 The sub-build is complete. Place its back row on top of the 4th row from the back (which is the 1st row with studs from the back), so that it is centered horizontally.

47. Rotate 1 transparent clear 2x4 curved windscreen horizontally, so that it slopes to the front. Place its front row on top of the 4th row from the front (which is the 2nd row with studs from the front), so that it is centered horizontally.

48. Locate 4 flat silver wheels and 4 black tires. Place each of the wheels inside the tires. Then, attach each of the tires to the left- and right-facing pins under the mudguards.

49. You can insert any of the 3 transparent light blue projectiles into the front-facing shooters. You can fire them by pressing the back of the car from back to front. Be careful not to point or shoot at anyone's face!

We are done with the construction! Enjoy the adventures of Spider-Man trying to catch Venomized Wolverine in his car!

At the end of the instruction booklet, you will find a page advertising 5 other Spider-man sets. On the left side, we have set 76342 (Spider-Man vs Mysterio: The Daily Bugle), 76338 (Mech Battle: Spider-Man vs. Doc Ock), and 76337 (Miles Morales Mech vs. Spider-Man 2099). On the right side, we have set 76336 (Spider-Man Car vs. Venomized Wolverine, this set) and set 76335 (Spider-Man vs Ghost Rider). The background of this page is dark blue with some shadows resembling skyscrapers. On the left corner, we have the classic LEGO and Marvel logos. Afterwards, you will find the set inventory and on the last page you will find an invitation to share feedback.

Congratulations on finishing building "Spider-Man Car vs. Venomized Wolverine"! Thank you so much for building this set.

Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available! We also love seeing your completed builds, so please tag our Facebook and Instagram accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

We hope you enjoyed building your LEGO set! Bricks for the Blind are able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.