

76463 Hogwarts Castle Hospital Wing

Adapted by Arturo and tested by Natalie Charbonneau.

Play out enchanting Harry Potter™ scenes with this Hogwarts™ Castle: Hospital Wing building toy (76463) for kids. Visit patients in the hospital, recreate Defense Against the Dark Arts (DADA) classes and join Penelope Clearwater and The Grey Lady in the Ravenclaw™ Common Room. A fun Harry Potter gift toy for girls, boys and any fans ages 9 and up, this Hogwarts Castle playset has 7 LEGO Harry Potter minifigures, including Harry Potter's Dementor™. It also features Ron Weasley's spider and Remus Lupin's Wolf Patronus™, one in a series of 25th anniversary collectible Patronuses (sold separately). Remove the DADA room in the rocky foundations for easy play and look out for 2 of 14 collectible Hogwarts portraits. This set is part of a collection of modular building toys (all sold separately) that together create the most detailed LEGO brick-built Hogwarts Castle scene to date.

The packaging gives a feeling of excitement. The front of the box shows the façade of Hogwarts Castle's hospital wing, in tones of tan and medium nougat with a dark bluish gray roof with sand green accents, which rests on top of a light and dark bluish gray rock formation. At the base, we see Harry, Ron, and Hermione putting spells on a spider with roller blades. To their right, Prof. Lupin looks surprised at them. In the castle's balcony, we see Penelope Clearwater. She is looking at the Gray Lady, who is flying to the left of the castle. On the right corner, we see a dementor lurking around. The background consists of a green meadow and some deep forest on the background under a dark blue sky with a full moon covered by clouds. On the top left corner, we have the classic red LEGO logo, as well as the Harry Potter logo to its right. On the bottom right, there is a golden stripe featuring all the characters contained in the set. These are, from left to right: Harry Potter, Ron Weasley, Hermione Granger, Remus Lupin, Penelope Clearwater, The Gray Lady, and a Dementor. In the middle and to the left, the box displays the set's suggested age group (9+), set number (76463), name, and number of pieces (907), all in white letters. The left side of the box shows a similar view of the castle that is trimmed due to space constraints. The back of the box shows the castle from the back. At the bottom, we see Prof. Lupin's classroom pulled out of the castle's dungeon. In front of it, Prof. Lupin is helping Ron put a charm on a large spider, which is slipping while trying to walk on skates. On the first floor, we can see the hospital wing, where Hermione and Harry are getting ready for their adventure. In the attic, we can see Ravenclaw's common room, where Penelope is having a cup of tea and The Gray Lady is flying around. On the right, we have 4 insets. The first one, shows how the current set can be combined with set 76454 (Hogwarts Castle: The Main Tower). The second one shows Prof. Lupin conjuring his patronus, which takes the form of a wolf in a satin trans-light blue color. The third one shows Prof. Lupin helping Harry in dealing with a dementor, which is coming out from the classroom's cabinet. The last one shows how Prof. Lupin's classroom can be slid in and out of the castle's build. All of this is on top of a dark purple background. On the top left corner, we have the logos of LEGO and Harry Potter. On the bottom left corner, there is an inset that says "Collectible portraits: 2 random tiles included", promoting the portraits of random wizards and witches that can be found in different sets, which come in the shape of a 5-sided tile. The right side of the box has a warning in different languages that states that the set contains small parts, and it is therefore not recommended for children younger than 3 years old. The top of the box has the LEGO and Harry Potter logos, as well as pictures of Ron, The Gray Lady, Penelope, Hermione, Harry, and Prof. Lupin with his patronus. Additionally, there is an inset with a picture of Prof. Lupin's minifigure on a 1:1 scale. The bottom side of the box is a tidy strip that contains the barcode as well as a few technical bits, such as the place of manufacture, copyright and trademark notices.

The build consists of 907 pieces in total and is recommended for ages 9+. Once finished, you will have Hogwarts's Hospital Wing, Prof. Lupin's classroom, a large spider, and 7 minifigures. The set consists of 8 numbered bags.

Welcome to text-based instructions from Bricks for the Blind! Before you start building, here are some terms we may be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- Open/hollow stud: a bump on a LEGO brick with a hole, which allows attaching bars. In the case of open studs, the hole goes all the way through. In the case of hollow studs, it does not.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Left/right wedge parts: these are parts that when placed in front of you and are pointing to the back, their wedge is on the left/right side of the part.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

Additionally, it is worth mentioning that besides the printed visual instructions that come with each kit, a PDF version for the set's instructions is always available online at [\[https://www.lego.com/en-us/service/building-instructions/76463\]](https://www.lego.com/en-us/service/building-instructions/76463). This might help a sighted building partner that may want to follow along or low vision users that may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set.

Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2, and 3 and put them in one container.

This LEGO set comes with 8 numbered bags, 2 instruction booklet, and 7 minifigures. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder!

LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Book 1, bag 1 – Prof. Lupin, Prof. Lupin's classroom

Group 1: page 5

Group 2: steps 1 – 5

Group 3: steps 6 – 16

Group 4: steps 17 – 28

Group 5: steps 29 – 33

Book 1, bag 2 – Ron, Dementor, Prof. Lupin's classroom (continued), giant spider

Group 6: page 24

Group 7: page 25

Group 8: steps 34 – 43

Group 9: steps 44 – 49

Group 10: steps 50 – 53

Group 11: steps 54 – 61

Book 1, bag 3 – Rock base

Group 12: steps 62 – 73

Group 13: steps 74 – 83

Group 14: steps 84 – 95

Group 15: steps 96 – 102

Group 16: steps 103 – 105

Book 1, bag 4 – Rock base (continued)

Group 17: steps 106 – 116

Group 18: steps 117 – 126

Group 19: steps 127 – 133

Group 20: steps 134 – 141

Book 2, bag 5 – Hermione, hospital wing

Group 21: page 3

Group 22: steps 1 – 8

Group 23: steps 9 – 18

Group 24: steps 19 – 23

Group 25: steps 24 – 28

Group 26: steps 29 – 35

Group 27: steps 36 – 40

Book 2, bag 6 – Harry, hospital wing (continued)

Group 28: page 42

Group 29: steps 41 – 45

Group 30: steps 46 – 51

Group 31: steps 52 – 56

Group 32: steps 57 – 69

Book 3, bag 7 – Penelope, Ravenclaw common room

Group 33: page 3

Group 34: steps 1 – 6

Group 35: steps 7 – 11

Group 36: steps 12 – 22

Group 37: steps 23 – 33

Group 38: steps 34 – 40

Group 39: steps 41 – 50

Group 40: steps 51 – 55

Book 3, bag 8 – The Gray Lady, Ravenclaw common room (continued)

Group 41: page 51

Group 42: steps 56 – 63

Group 43: steps 64 – 71

Group 44: steps 72 – 80

Group 45: steps 81 – 92

Group 46: steps 93 – 102

Group 47: steps 103 – 107

Group 48: steps 108 - 118

Building Instructions

Book 1, bag 1:

Group 1 – Professor Remus Lupin

Page 5. Locate 1 olive green pair of legs, 1 olive green torso with suit jacket, scratches, shirt, tie, and light nougat hands, and 1 light nougat head with reddish brown eyebrows, moustache, and slash scars. Assemble the minifigure. Ask a sighted friend to make sure that the face print is facing the right way. Then, put Lupin's reddish brown wavy hair on. Take 1 reddish brown wand from the sprue and put it in Lupin's right hand. Lastly, give Lupin is patronus in the shape of a satin trans-light blue wolf. Professor Lupin is ready!

Group 2 – Prof. Lupin's classroom

1. Let's begin with the classroom floor. Place 1 light bluish gray 4x8 plate horizontally in front of you. Then, place 1 tan 2x2 round brick on the 2 back rows, centered horizontally.
2. Place 1 sand green 1x4 tile horizontally in front of the ppp, so that it is centered horizontally. Then, place 1 dark orange 2x4 tile with 2 studs horizontally in front of the ppp, so that it is centered horizontally and it overhangs to the front by 1 row.
3. Rotate 1 light bluish gray 6x8 plate horizontally. Place its back row under the overhang of the ppp, so that it is centered.
4. Locate 4 sand green 1x4 tiles. Place the first one horizontally on the 5th row from the front, so that it is centered horizontally. Place the second one vertically on the 2nd column from the left on the 3rd to 6th rows from the back. Place the last one symmetrically on the right.
5. Find 2 tan 2x2 corner bricks. Rotate the first one so that it resembles an F in Braille. Place its front row on the 3rd column from the left of the back row, so that it overhangs to the back by 1 row. Take the second one and repeat symmetrically on the right. Lastly, place 1 light bluish gray 1x4 plate horizontally under the overhang of the 2 ppps.

Put this floor build to the side for now. Make sure it keeps the same orientation.

Group 3 – Prof. Lupin's classroom (continued)

6. Place 1 light bluish gray 4x12 plate horizontally in front of you. Then, place 1 tan 1x8 brick horizontally on the left of the back row, so that their left edges are even.
7. Place 1 tan 1x1 cone brick on the front left corner. Then, place 1 black 1x2 brick with technic pin hole vertically behind the ppp, so that its hole faces to the left and right.
8. Rotate 1 tan 2x2 corner brick so that it resembles an F in Braille. Place it to the right of the ppp.

9. Place 1 tan 1x2 brick with swivel hole vertically in front of the rightmost column of the ppp, so that its swivel hole overhangs to the front left. Then, attach 1 tan 1x2 brick with swivel pin to the ppp. Angle it so that it points and it overhangs to the front left.

Place 1 dark bluish gray 1x2 plate vertically on the 2nd and 3rd rows from the front on the 4th column from the left. Then, place 1 dark tan 1x2 tile vertically on top of the ppp. This will become a step to the balcony later on.

10. Place 1 tan 1x4 plate horizontally on the 4 right columns of the back row. Then, place 2 reddish brown 1x2 plates with door rails horizontally, one to the side of the other, on top of the ppp, so that their door rails face to the back. Lastly, place 1 tan 1x4 plate horizontally on top of the 2 ppps.

11. Place 1 tan 1x1 brick in front of the leftmost column of the ppp. Then, place 1 dark brown 1x2 log brick horizontally to the left of the ppp. Continue by placing 1 dark bluish gray 2x2 jumper plate on the 2nd and 3rd rows from the front of the 2 rightmost columns. Lastly, place 1 tan 1x1 cone brick on the 4th column from the left of the front row.

12. Find 2 tan 1x1 round plates with open stud. Place the first one on top of the ppp. Take the second one and repeat symmetrically to the back. Then, place 1 tan 1x1 tile to the right of the ppp.

Grab 2 dark tan 2x3 plates. Place the first one horizontally on the 2 back rows of the 3 leftmost columns. Then, place the second one horizontally in front of the ppp.

13. Place 1 tan 1x1x3 brick on top of the 6th column from the left on the back row. Then, place 1 tan 1x1 brick to the right of the ppp. Rotate 1 tan 2x2 corner brick so that it resembles a D in Braille. Place its back row to the right of the ppp. Lastly, place 1 tan 1x3 tile horizontally to the right of the back row of the ppp.

14. Place 1 tan 1x2 inverted half arch vertically on the 4th column from the right on the 2 back rows, so that it slopes to the front. Then, place 1 tan 1x1 brick on top of the back row of the ppp. Continue by attaching 1 black 1x2x2 2/3 window lattice to 1 reddish brown 1x2x2 2/3 window with rounded top. Then, place this window horizontally to the left of the ppp, so that its lattice is to the back.

15. Place 1 tan 1x4 arch horizontally on the 4th to 7th columns from the right of the back row, on top of the window from the previous step. Then, place 1 tan 1x4 tile horizontally on top of the ppp. Place 1 pearl gold goblet on the 3rd row from the front on the 6th column from the right.

16. Bring back the first floor build. Its round brick should be at the back. Rotate it approximately 45 degrees counterclockwise. Place the 2 rightmost columns of the 2nd row from the back under the overhanging 1x2 brick with swivel pin.

Bring together both floors. Rotate the main build so that its window faces to the right. Then, put the main build to the side for now. Make sure that it keeps the same orientation.

Group 4 – Prof. Lupin's classroom (continued)

17. Place 1 light bluish gray 4x12 plate horizontally in front of you. Then, place 1 tan 1x8 brick horizontally on the right of the back row.

18. Place 1 tan 1x1 cone brick on the front right corner. Then, place 1 black 1x2 brick with technic pin hole vertically behind the ppp, so that its hole faces to the left and right.

19. Rotate 1 tan 2x2 corner brick so that it resembles a D in Braille. Place it to the left of the ppp.

20. Place 1 tan 1x2 brick with swivel hole vertically in front of the leftmost column of the ppp, so that its swivel hole overhangs to the front right. Then, attach 1 tan 1x2 brick with swivel pin to the ppp. Angle it so that it points and it overhangs to the front right.

Place 1 dark bluish gray 1x2 plate vertically on the 2nd and 3rd rows from the front on the 4th column from the right. Then, place 1 dark tan 1x2 tile vertically on top of the ppp. This will become a step to the balcony later on.

21. Place 1 tan 1x4 plate horizontally on the 4 left columns of the back row. Then, place 2 reddish brown 1x2 plates with door rails horizontally, one to the side of the other, on top of the ppp, so that their door rails face to the back. Lastly, place 1 tan 1x4 plate horizontally on top of the 2 ppps.

22. Place 1 tan 1x1 brick in front of the rightmost column of the ppp. Then, place 1 dark brown 1x2 log brick horizontally to the right of the ppp. Continue by placing 1 dark bluish gray 2x2 jumper plate on the 2nd and 3rd rows from the front of the 2 leftmost columns. Lastly, place 1 tan 1x1 cone brick on the 4th column from the right of the front row.

23. Find 2 tan 1x1 round plates with open stud. Place the first one on top of the ppp. Take the second one and repeat symmetrically to the back. Then, place 1 tan 1x1 tile to the left of the ppp.

Grab 2 dark tan 2x3 plates. Place the first one horizontally on the 2 back rows of the 3 rightmost columns. Then, place the second one horizontally in front of the ppp.

24. Place 1 tan 1x1x3 brick on top of the 6th column from the right on the back row. Then, place 1 tan 1x1 brick to the left of the ppp. Rotate 1 tan 2x2 corner brick so that it resembles an F in Braille. Place its back row to the left of the ppp. Lastly, place 1 tan 1x3 tile horizontally to the left of the back row of the ppp.

25. Place 1 tan 1x2 inverted half arch vertically on the 4th column from the left on the 2 back rows, so that it slopes to the front. Then, place 1 tan 1x1 brick on top of the back row of the ppp. Continue by placing 1 reddish brown 1x2x2 2/3 window with rounded top horizontally to the right of the ppp. Lastly, attach 1 black 1x2x2 2/3 window lattice pane to the back of the ppp.

26. Place 1 tan 1x4 arch horizontally on the 4th to 7th columns from the left on the back row. Then, place 1 tan 1x4 tile horizontally on top of the ppp.

27. Place 1 transparent dark blue 1x1 round brick on the 3rd row from the front on the 6th column from the left, on top of the right column of the dark brown 1x2 log brick. Then, place 1 pearl gold 1x1 round tile with bar upside down on top of the ppp, completing a small jar. Continue by placing 1 black 1x1 round plate with open stud to the left of the ppp. Finally, insert 1 red long horn on the ppp, representing a red plant.

28. Bring back the main build. Place the 2 leftmost columns of the 2nd row from the back under the overhanging 1x2 brick with swivel pin. Bring all the floor segments together, so that the windows face to the left and right.

Group 5 – Prof. Lupin's classroom (continued)

29. Place 2 dark tan 1x1 round plates with open stud, one next to the other, on the 3rd row from the back (on the front row of the 2x2 round brick), so that together they are centered horizontally.

30. Place 1 dark tan 2x3 plate vertically behind the 2 ppps, so that it overhangs to the back by 1 row. Locate 2 dark tan 3x3 corner plates with cut corner. Place the first one to the right of the ppp, so that its right angle is to the front left and it overhangs to the back by 1 row. Take the second one and repeat symmetrically on the left.

31. Grab 4 tan 1x2 inverted half arches. Place the first two vertically on the 3rd and 4th rows from the back of the 1st and 4th columns from the left, so that they slope to the front. Take the remaining 2 and repeat symmetrically on the right.

Locate 2 tan 1x1 cone bricks. Place the first one on the 3rd row from the back on the 6th column from the left. Take the second one and repeat symmetrically on the right.

Lastly, place 1 tan 2x2 round brick on the 3rd and 4th rows from the back, so that it is centered horizontally and its front row is on top of the 2 dark tan 1x1 round plates with open studs.

32. Place 1 tan 1x2 half circle tile on the front row of the ppp, so that its curve side faces to the front. Then, place 2 dark tan 1x4 tiles horizontally, one to the right of the other, behind the ppp, so that together they are centered horizontally and attach to the top of the 1x1 cone bricks.

Find 4 dark tan 1x1 round plates with open stud. Take the first 2 and place them on the 3rd row from the back on the 1st and 4th columns from the left, on top of the inverted half arches. Take the remaining 2 and repeat symmetrically on the right.

33. Grab 2 pearl gold 1x1 round tiles with upright pin. Place the first one upside down on the 3rd row from the back on the 4th column from the left (on top of one of the inner 1x1 round plates with open stud from the previous step). Take the second one and repeat symmetrically on the right. Lastly, attach 1 transparent orange candle flame to each of the 2 ppps.

Book 1, bag 2:

Group 6 – Ron Weasley

Page 24. Locate 1 black pair of medium legs, 1 black torso with Gryffindor Crest, sweater, shirt, tie, and light nougat hands, and 1 light nougat head with dark orange eyebrows and chin dimple. Assemble the minifigure. Ask a sighted friend to make sure that the face print is facing the right way. Then, put Ron's dark orange tousled hair on. Take 1 reddish brown wand from the sprue and put it in Ron's right hand. Ron is ready!

Group 7 – Dementor

1. Place 1 transparent clear lower ghost body in front of you, so that it slopes to the back. Then, place 1 black torso with sores, spine, tattered cloth, and light bluish gray arms on top of the ppp.
2. Attach 1 black cape with holes and tattered edges to the minifigure's neck.
3. Attach 1 black head with dark bluish gray check lines and eye holes to the minifigure's neck, affixing the cape. Ask a sighted friend to make sure that the face print is facing the right way.
4. Lastly, place 1 black hood on top of the ppp, so that it is open to the front.

The Dementor is complete!

Group 8 – Cabinet

34. Place 1 reddish brown 2x4 plate horizontally in front of you.
35. Find 2 reddish brown 2x2 plates with 1x2 upright side studs. Place the first one on the 2 leftmost columns of the ppp, so that its side studs face to the left. Take the second one and repeat symmetrically on the right.
36. Place 1 dark orange 2x3 plate vertically so that it is centered horizontally and it overhangs to the back by 1 row. Then, place 1 black 1x2 tile horizontally on the ppp, so that it is centered vertically.
37. Grab 2 reddish brown 2x2x5 corner wall panels. Rotate the first one so that its cut corner faces to the back left. Place its front row on the 2nd row from the front on the leftmost column. Take the second one and repeat symmetrically on the right. Lastly, place 1 reddish brown 1x2 sloped tile horizontally on the back row, so that it is centered horizontally and it slopes to the back.
38. Place 1 reddish brown 1x4 arch horizontally in front of the ppp.
- 39.1 Let's make a sub-build for the cabinet's door. Hold 1 reddish brown 1x4x6 door with stud handle vertically upright, so that its stud handle is to the right.
- 39.2 We need to apply sticker 1 (a reddish brown rectangle with black and light bluish gray markings) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.
- 39.3 Attach the pin of 1 pearl gold 1x1 round tile with upright pin to the door handle, so that its antistud faces to the front.
- 39.4 Attach the door to the front of 1 reddish brown 1x4x6 door frame.
- 39.5 The door sub-build is complete. Place it horizontally on the front row of the cabinet build, so that its door handle is to the front.
- 40.1 Let's make a small sub-build for the cabinet's top part. Stack 2 reddish brown 2x2 plates on top of each other.

40.2 Locate 2 reddish brown 2x2 plates with 1x2 upright side studs. Rotate the first one so that its side studs face to the left. Place its rightmost column under the leftmost column of the ppps. Take the second one and repeat symmetrically on the right.

40.3 Find 2 reddish brown 2x2 curved sloped tiles. Place the first one on the 2 leftmost columns, so that it slopes to the left. Take the second one and repeat symmetrically on the right.

40.4 Grab 2 reddish brown 1x2 sloped tiles. Place the first one horizontally upright on the left-facing side studs, so that it slopes down. Take the second one and repeat symmetrically on the right.

40.5 The cabinet's top part is complete. Place it horizontally on top of the cabinet build, so that it is centered horizontally.

41. Place 1 black 1x3 plate horizontally under the base of the cabinet, so that it is centered horizontally and vertically.

42.1 We need to make two identical sub-builds for the cabinet's sides. Let's begin with the first one. Place 1 reddish brown 2x2 plate in front of you. Then, place 1 reddish brown 2x2 plate on top of the ppp, so that it overhangs to the left by 1 column.

42.2 Locate 2 reddish brown 1x2 plates with handle on short edge. Rotate the first one horizontally, so that its handle is to the left. Place its rightmost column under the back row of the overhang of the ppp. Take the second one and repeat symmetrically to the front.

42.3 Place 1 reddish brown 2x2 curved slope tile on top of the 2 leftmost columns, so that it slopes to the left. Then, place 1 reddish brown 2x3 curved slope tile horizontally to the right of the ppp, so that it slopes to the right.

42.4 The sub-build is complete. Flip it vertically upright from right to left, so that its antistuds face to the right and the handles face down. Attach its bottom row to the left-facing side studs.

42.5 Repeat steps 42.1 to 42.3 to build a second cabinet's side. Place it symmetrically on the right.

43. The cabinet is complete. Bring back the main build. Place the cabinet horizontally on the dark orange 2x4 double jumper located in the middle of the 6th and 7th rows from the front.

Put the main build to the side for now. Make sure that it keeps the same orientation.

Group 9 – Record player

44. Let's make a build for a record player. Place 1 reddish brown 2x2 plate with 1x2 upright side studs in front of you, so that its side studs face to the right. Then, place 1 reddish brown 1x2 plate with door rail vertically on the leftmost column of the ppp, so that its door rail is to the left.

45. Place 1 black 2x2 round tile with hole on top of the record player build. Then, place 1 light bluish gray 1x2 plate with clip on long edge horizontally upright on the right-facing side studs, so that the clip faces up.

46. Attach 1 light bluish gray skeleton arm to the clip of the ppp, so that one clip faces to the front and the other clip faces back up.

47. Place 1 reddish brown 2x2 round tile with stud in front of you. Then, attach 1 dark orange inverted cone with bar to the ppp. Place the record player build on top of the ppp.

48. Let's make a small sub-build for the record player's needle. Place 1 dark bluish gray 1x1 round plate with bar in front of you, so that its bar is to the right. Place 1 yellow 1x1 round tile on top of the ppp. The sub-build is complete. Attach its bar to the front-facing clip of the skeleton arm, so that its yellow 1x1 round tile is on the left and faces to the front.

Let's make a small sub-build for the record player's loudspeaker. Place 1 yellow 2x2 inverted radar dish in front of you. Then, place 1 yellow 1x1 cone brick on top of the ppp. Place 1 pearl gold 1x1 round tile with upright pin on top of the ppp. The sub-build is complete. Attach its pin to the back- and top-facing clip, so that the 2x2 inverted radar dish faces to the left.

49. The record player is complete. Bring back the main build. Place the record player on top of the dark bluish gray 2x2 jumper plate located on the left of the 2 front rows. Rotate it so that the loudspeaker faces to the front right.

Put the main build to the side for now. Make sure it keeps the same orientation.

Group 10 – Skull decoration

50. Let's make a sub-build for a skull decoration. Place 1 reddish brown 2x2 round tile with stud in front of you. Attach 1 dark orange inverted cone to the ppp. Then, place 1 dark brown 2x2 round plate on top of the ppp.

51. Place 1 dark tan 1x1 round plate with open stud on the middle of the ppp. Then, place 1 white minifigure head with skull pattern on top of the ppp.

52. Lastly, place 1 transparent clear 2x2x1 2/3 dome on top of the ppp.

53. The skull decoration is complete. Bring back the main build. Place the skull decoration on top of the dark bluish gray 2x2 jumper plate located on the right of the 2 front rows. Ask a sighted friend to make sure that the skull faces to the front left.

The classroom floor is complete! Place it to the side for now. Make sure it keeps the same orientation.

Group 11 – Giant spider

54. Let's make a build for a spider with skates. Place 1 black 1x1 brick with side studs on all 4 sides in front of you. Find 2 reddish brown 1x1 round plates with open stud. Place the first one underneath the ppp. Take the second one and place it on top of the spider build.

55. Grab 3 black 1x1 half circle tiles. Attach the first one upright to the back-facing side stud, so that its curved side faces up. Attach the second one upright to the left-facing side stud, so that its curved side faces to the back. Take the last one and repeat symmetrically to the right.

56. Flip the build 90 degrees from back to front, so that the reddish brown 1x1 round plate with open stud faces to the front. Then, place 1 black 2x2 plate with octagonal bar frame upside down. Place the build on top of the ppp, so that the front-facing reddish brown 1x1 round plate with open stud lies between two of the bars of the octagonal frame.

57. Place 1 transparent clear 2x2 inverted radar dish in front of you. Then, place 1 transparent clear 1x1 round plate with open stud on top of the ppp. Lastly, insert 1 black 2L bar with stop ring vertically upright into the ppp, so that it protrudes up by 1L. Attach the spider build to the protrusion of the ppp.

58. Insert the bar of 1 dark red 1x1 round plate with angled bar into the back-facing antistud, so that its 1x1 round plate faces up and to the back. Then, attach 1 black 2x2 sphere with stud to the ppp.

59. Insert 1 black inverted cone into the front-facing reddish brown 1x1 round plate with open stud. Then, attach 1 black binoculars to the ppp, so that its holes face down. Lastly, insert 1 dark tan fang into each of the holes of the ppp, so that they curve down back.

60.1 We need to make 8 identical sub-builds for the spider's legs. Let's begin with the first one. Place 1 red roller skate in front of you, so that its flat end faces to the front. Then, place 1 dark bluish gray 1x1 round tile with upright pin on top of the ppp.

60.2 Attach 1 black bar holder with mechanical arm to the ppp, so that the mechanical arm faces to the back.

60.3 The spider leg is complete. Attach the mechanical arm to any of the bars of the octagonal frame.

60.4 Build the remaining 7 legs by repeating steps 60.1 and 60.2. Attach the legs to the remaining bars of the octagonal frame.

61. The giant spider is complete!

Book 1, bag 3:

Group 12 – Rock base

62. Let's build the base of the hospital wing. Place 2 dark blue 4x8 plates horizontally in front of you, one to the right of the other.

63. Place 1 dark bluish gray 2x8 brick horizontally on the 2nd and 3rd rows from the front, so that it is centered horizontally.

64. Locate 2 dark bluish gray 1x3 bricks. Place the first one horizontally to the left of the back row of the ppp. Take the second one and repeat symmetrically to the right.

65. Find 2 black 1x2 bricks with pin hole. Place the first one horizontally behind the 2 rightmost columns of the ppp, so that its hole faces to the back. Take the second one and repeat symmetrically to the left. Then, insert 1 tan 1L axle with pin into the hole of each of the 2 ppps, so that the axles overhang to the back.

66. Place 1 dark bluish gray 2x3 sloped brick vertically on the 3rd and 4th columns from the right on the 2 front rows, so that it slopes and overhangs to the front by 1 row. Rotate 1 light bluish gray 1x3 sloped brick vertically, so that it slopes to the front. Place its 2 back rows on top of the 4th column from the left on the 2 front rows, so that it overhangs to the front by 1 row. Lastly, place 1 light bluish gray 1x2 log brick horizontally to the left of the back row of the ppp.

Put this base build to the side for now. Make sure it keeps the same orientation.

67. Place 1 dark blue 2x8 plate vertically in front of you. Then, place 1 dark bluish gray 1x1 brick on the back right corner.

68. Place 1 dark tan 1x2 slope brick vertically in front of the ppp, so that it slopes to the front. Rotate 1 dark tan 2x2 corner brick, so that it resembles a J in Braille. Place its rightmost column in front of the ppp. Place 1 black 1x4 brick with channel vertically behind the leftmost column of the ppp, so that its channel faces to the left.

69. Place 1 light bluish gray 1x2 log brick horizontally on the 3rd row from the front.

70. Place 1 light bluish gray 2x6 brick vertically in front of the ppp, so that it overhangs to the front by 4 rows.

71. Place 1 dark blue 2x8 plate vertically under the overhang of the ppp, so that it has 4 exposed rows to the front.

72. Place 1 sand green 1x2 sloped brick vertically on the rightmost column of the 2 front rows, so that it slopes to the front. Then, place 1 light bluish gray 1x2 log brick vertically behind the ppp. Lastly, place 1 dark tan 2x2 brick to the left of the ppp, so that it overhangs to the left by 1 column.

73. Bring back the base build, which should be horizontal with 2 axles protruding to the back. Place the overhanging column of the ppp on top of the 2 back rows of the rightmost column of the base build.

Put the base build to the side for now. Make sure it keeps the same orientation.

Group 13 – Rock base (continued)

74. Place 1 dark blue 2x8 plate vertically in front of you. Place 1 light bluish gray 1x1 brick with clip on the back left corner of the ppp, so that its clip faces to the left.

75. Place 1 dark bluish gray 1x3 brick vertically in front of the ppp. Place 1 black 1x4 brick with channel on the 4 back rows of the rightmost column, so that its channel faces to the right.

76. Place 1 light bluish gray 2x6 brick vertically on top of the 4 front rows, so that it overhangs to the front by 2 rows.

77. Place 1 dark blue 2x8 plate vertically under the overhang of the ppp, so that it has 6 exposed rows to the front.

78. Rotate 1 dark tan 2x2 corner brick so that it resembles a J in Braille. Place it in front of the 2x6 brick. Then, place 1 light bluish gray 1x1 brick with clip to the left of the back row of the ppp, so that its clip faces to the left.

79. Place 1 sand green 1x2 slope brick vertically on the 2 front rows of the leftmost column, so that it slopes to the front. Then, place 1 light bluish gray 1x2 log brick vertically behind the ppp. Lastly, place 1 dark tan 2x2 brick to the right of the ppp, so that it overhangs to the right by 1 column.

80. Bring back the base build, which should have 2 axles protruding to the back. Place the overhanging column of the ppp on top of the 2 back rows of the leftmost column of the base build.

81. Find 2 dark blue 2x6 half oval plates. Rotate the first one horizontally, so that its curved edge faces to the front. Place its back right corner under the front overhanging row of the 1x3 slope brick located on the 6th column from the left. Take the second and repeat symmetrically on the right.

82. Grab 2 dark bluish gray 2x3 sloped bricks. Place the first one vertically on the 2nd and 3rd columns from the left on the 2nd to 4th rows from the front, so that it slopes to the front. Take the second one and repeat symmetrically on the right.

83. Place 1 sand green 1x2 rounded plate with open studs horizontally on the 3rd row from the front, so that it is centered horizontally. Then, place 1 dark green 1x1 plate on top of the leftmost column of the ppp. Continue by placing 1 reddish brown 1x1 round plate with handle to the right of the ppp, so that its handle faces to the front right. We will attach a small tree to the ppp later in the build. Lastly, place 1 sand green 1x2 rounded plate with open studs horizontally on top of the 2 ppps.

Group 14 – Rock base (continued)

84. Locate 2 light bluish gray 1x2 log bricks. Place the first one vertically on the 4th and 5th rows from the front on the 3rd column from the right. Rotate the second one horizontally. Place it to the right of the front row of the ppp.

85. Place 1 dark bluish gray 2x4x6 rock panel vertically behind the ppp, so that its rock pattern faces to the right. Then, place 1 dark bluish gray 1x1 brick on the front left corner of the ppp. Continue by placing 1 dark tan 2x2 jumper plate on the 4th and 5th columns from the right on the 5th and 6th rows from the front, so that its back row is on top of the 1x2 brick with pin hole and protruding axle to the back.

86. Place 1 dark bluish gray 1x1 brick on the 3rd column from the right on the 5th row from the front. Rotate 1 light bluish gray 1x3 slope brick horizontally, so that it slopes to the right. Place its leftmost column in front of the ppp.

87. Rotate 1 dark bluish gray 1x2x3 slope brick vertically, so that it slopes to the front. Place its back row to the left of the ppp. Then, place 1 dark bluish gray 1x1 brick to the left of the back row of the ppp, on top of the right column of 1 dark bluish gray 2x3 sloped brick. Place 1 light bluish gray 1x3 slope brick horizontally to the left of the ppp, so that it slopes to the left. Lastly, place 1 light bluish gray 1x2 log brick horizontally behind the 2 rightmost columns of the ppp.

88. Place 1 dark bluish gray 1x1 brick on the 5th column from the right on the 4th row from the front, to the left of the back row of 1 dark bluish gray 1x2x3 slope brick. Rotate 1 light bluish gray 1x2 log brick vertically. Place its front row to the left of the ppp.

89. Place 1 light bluish gray 1x1x3 brick to the left of the back row of the ppp. Then, place 1 dark bluish gray 1x1 brick on top of the ppp.

90. Find 1 light bluish gray 1x5x6 panel. We need to apply sticker 5 (a light bluish gray background with brick texture on the back, one reddish brown table at the bottom with a small treasure chest and two tanks filled with liquid and floating creatures) to the inner side of the panel. Ask a sighted friend to make sure that the sticker is applied and oriented correctly. Then, place it horizontally to the left of the ppp, so that its flat side faces to the front.

91. Grab 2 sand green 1x1 sloped tiles. Place the first one on the 7th column from the right on the 3rd row from the front, so that it slopes to the left and is to the left of the slope of 1 dark bluish gray 2x3 slope brick. Place the second one on the 10th column from the right on the 3rd row from the front, so that it slopes to the front. Rotate 1 light bluish gray 1x2x2 slope brick horizontally so that it slopes to the right. Place its leftmost column behind the ppp.

92. Place 1 dark bluish gray 1x1 brick on top of the ppp. Locate 2 dark bluish gray 1x2x3 slope bricks. Rotate the first one vertically, so that it slopes to the front. Place its back row to the left of the ppp. Place the second one horizontally to the left of the back row of the ppp, so that it slopes to the left. Its left edge should be even with the left edge of the panel behind it.

93. Rotate 1 light bluish gray 1x3 slope brick horizontally, so that it slopes to the right. Place its leftmost column on top of the ppp. Then, place 1 sand green 1x1 sloped tile on top of the ppp, so that it slopes to the front.

Place 1 light bluish gray 1x2 log brick vertically on the 7th column from the left on the 4th and 5th rows from the front, so that it is to the left of 1 dark bluish gray 1x2x3 slope brick and 1 light bluish gray 1x6x5 panel. Rotate 1 dark bluish gray 1x2x3 sloped brick vertically, so that it slopes to the front. Place it on top of the ppp. Lastly, place 1 dark bluish gray 1x1 brick on top of the ppp.

94. Rotate 1 light bluish gray 1x2x2 slope brick vertically, so that it slopes to the front. Place its back row to the left of the ppp, so that its front row is on top of 1 light bluish gray 1x3 slope brick. Then, place 1 light bluish gray 1x1x3 brick on top of the ppp. Continue by rotating 1 dark bluish gray 2x4x6 rock panel horizontally. Place its back row to the left of the ppp, so that its rock pattern faces to the front.

95. Place 1 dark bluish gray 1x1 brick on the back left corner of the ppp. Rotate 1 dark bluish gray 1x10 brick horizontally. Place its leftmost column on top of the back right corner of the rock panel, so that it attaches to the top of the light bluish gray 1x6x5 panel.

Group 15 – Rock base (continued)

96. Rotate 1 dark bluish gray 2x4x6 rock panel horizontally. Place its back row to the right of the ppp, so that its rock pattern faces to the front.

97. Place 1 light bluish gray 1x3 slope brick vertically on the 3rd to 5th rows from the front on the leftmost column, so that it slopes to the front and its front row is on top of the back row of 1 sand green 1x2 slope brick. Then, place 1 light bluish gray 1x2 log brick vertically behind the ppp. Place 1 sand green 1x2 slope brick vertically behind the ppp, so that it slopes to the back. Rotate 1 dark bluish gray 1x6 brick vertically. Place its 2nd and 3rd rows from the back to the right of the ppp.

98. Rotate 1 dark bluish gray 2x4x6 rock panel vertically, so that its rock pattern faces to the left. Place it on the 6th to 9th rows from the front on the 2 leftmost columns.

99. Place 1 light bluish gray 1x2 inverted slope brick horizontally on the front right corner of the ppp, so that it slopes to the left. Rotate 1 light bluish gray 1x8 brick horizontally. Place its leftmost column in front of the rightmost column of the ppp. Continue by placing 1 light bluish gray 1x2 inverted slope brick vertically to the right of the ppp, so that it slopes to the front. Lastly, place 2 light bluish gray 1x2 log bricks horizontally, one to the right of the other, to the right of the ppp. The last one should be to the left of 1 dark bluish gray 2x4x6 rock panel.

100. Rotate 1 dark bluish gray 1x10 brick horizontally. Place its 2nd to 5th columns from the right on top of the 2 ppps. Then, place 1 light bluish gray 1x2 log brick horizontally to the left of the ppp. Continue by placing 1 dark bluish gray 2x2 inverted slope brick to the left of the ppp, so that it slopes to the front. Place 1 light bluish gray 1x2 log brick vertically behind the leftmost column of the ppp. Lastly, place 1 dark bluish gray 1x1 brick to the left of the front row of the ppp, on top of the exposed stud of the light bluish gray 1x2 inverted slope brick.

101. Rotate 1 dark tan 2x2 corner brick so that it resembles a D in Braille. Place its leftmost column on top of the ppp. Then, place 1 light bluish gray 1x2 log brick horizontally to the right of the front row of the ppp.

102. Place 1 dark bluish gray 1x10 brick horizontally to the right of the ppp. Then, place 1 light bluish gray 1x2 log brick horizontally on top of the exposed row of the 2x2 inverted slope brick, on the 2nd and 3rd columns from the left.

Group 16 – Rock base (continued)

103.1 Let's make a small sub-build for a tree. Place 1 reddish brown 4L antenna in front of you. Locate 2 green 1x1 round plates with curved upright leaves. Slide the first one into the ppp, so that its leaf faces to the right. Then, slide the second one, so that its leaf faces to the back.

103.2 Attach 1 reddish brown bar holder with clip to the top of the antenna, so that its clip hands face to the left and right.

103.3 Lastly, attach 1 bright green inverted cone to the bottom of the sub-build.

103.4 The tree sub-build is complete. Flip it upside down, so that its clip faces down. Attach it to the handle located on the 10th column from the right on the 3rd row from the front. Angle it slightly forward.

104. Rotate the build 180 degrees on the horizontal plane, so that the rock pattern of the rock panels face to the left, back, and right.

Place 1 dark tan 2x2 jumper plate on the 12th and 13th rows from the front on the 3rd and 4th columns from the right, so that its front left corner is on top of the right column of the black 1x2 brick with pin hole and front-protruding axle. Find 2 light bluish gray 1x1x3 bricks. Place the first one on the 9th row from the front on the 2nd column from the right. Place the second one on the 10th row from the front on the 2nd column from the left.

105. Rotate 1 light bluish gray 1x2x2 slope brick horizontally, so that it slopes to the left. Place its rightmost column in front of the ppp. Then, place 1 dark bluish gray 1x1 brick on top of the ppp.

Book 1, bag 4:

Group 17 – Rock base (continued)

106. Place 1 light bluish gray 1x3 sloped brick vertically in front of the ppp, so that it slopes to the front. Then, place 1 sand green 1x2 slope brick vertically to the left of the 2 back rows of the ppp, so that it slopes to the front. Place 1 dark bluish gray 1x2x3 sloped brick horizontally on top of the 2 ppps, so that it slopes to the left. Then, place 1 light bluish gray 1x2 log brick vertically behind the right column of the ppp, so that it is in front of the right column of 1 dark bluish gray 2x4x6 rock panel.

107. Rotate 1 dark bluish gray 2x3 sloped brick vertically, so that it slopes to the back. Place it on the 2 leftmost columns on the 3rd to 5th rows from the front, so that its right column is in front of the 1x3 slope brick from the previous step.

Continue by placing 1 light bluish gray 1x2x2 sloped brick horizontally on top of the ppp, so that it slopes to the left. Place 1 light bluish gray 1x1x3 brick in front of the right column of the ppp. Lastly, rotate 1 light bluish gray 1x2x2 sloped brick horizontally, so that it slopes to the left. Place its right column in front of the ppp.

108. Place 1 dark bluish gray 1x1 brick on top of the ppp. Rotate 1 dark bluish gray 1x3 brick vertically. Place its front row on top of the ppp.

109. Place 1 light bluish gray 1x2 log brick vertically on the 2 front rows of the ppp. Then, place 1 dark bluish gray 1x3 inverted slope brick vertically behind the ppp, so that it slopes to the back.

Place 1 light bluish gray 1x2 inverted slope brick vertically on the first exposed stud behind the ppp (on the same column), so that it slopes to the front. Then, place 1 light bluish gray 1x2 log brick vertically behind the ppp.

110. Rotate 1 dark bluish gray 1x10 brick vertically. Place its 2nd and 3rd rows from the back on top of the ppp, so that it also attaches to the vertical 1x2 and 1x3 inverted slope bricks. Then, place 1 dark bluish gray 1x1 brick in front of the ppp.

111. Rotate 1 dark bluish gray 2x2 inverted slope brick so that it slopes to the left. Place its front row on top of the ppp. Then, place 1 light bluish gray 1x2 log brick vertically behind the right column of the ppp. Place 1 dark bluish gray 1x1 brick behind the ppp. Continue by placing 1 light bluish gray 1x2 inverted slope brick horizontally behind the ppp, so that it slopes to the left. Lastly, place 1 light bluish gray 1x8 brick vertically behind the right column of the ppp.

112. Place 1 light bluish gray 1x8 brick vertically on the 2nd column from the left, so that its front edge is even. Then, place 1 dark bluish gray 2x2 inverted slope brick behind the ppp, so that it slopes to the left. Continue by placing 1 light bluish gray 1x2 log brick vertically behind the right column of the ppp. Place 1 dark bluish gray 1x1 brick behind the ppp. Rotate 1 light bluish gray 1x2 log brick horizontally. Place its left column behind the ppp.

113. Place 1 light bluish gray 1x1 brick on the front row on the leftmost column (on top of the front left corner of the 2x2 inverted slope brick). Then, place 1 light bluish gray 1x2 inverted slope brick vertically behind the ppp, so that it slopes to the back. Lastly, place 1 dark bluish gray 1x3 inverted slope brick on the 6th row from the front on the leftmost column (4 rows behind the ppp, on top of the exposed stud of a 1x2 inverted slope brick), so that it slopes to the back.

114. Place 1 dark bluish gray 2x2 round brick on the 13th and 14th rows from the front on the 2 leftmost columns (on the back left corner of the rock formation).

115. Place 1 dark bluish gray 1x1 brick in front of the left column of the ppp. Rotate 1 light bluish gray 4x4 modified facet brick, so that its long edge faces to the front right. Place its front row in front of the ppp. Then, grab 2 dark bluish gray 1x1 bricks and place them to the left and right of the back row of the ppp.

116. Place 1 dark green 1x2 ingot tile horizontally on the 2nd row from the front on the 2 leftmost columns. Then, place 1 dark bluish gray 2x8 brick vertically behind the ppp.

Group 18 – Rock base (continued)

117. Place 1 sand green 1x2 slope brick horizontally on the 2nd row from the front on the 2 rightmost columns, so that it slopes to the right. Then, place 1 dark bluish gray 2x3 slope brick vertically behind the ppp, so that it slopes to the back. Place 1 light bluish gray 1x3 slope brick vertically behind the right column of the ppp, so that it slopes to the front.

118. Rotate 1 light bluish gray 1x2x2 slope brick horizontally, so that it slopes to the right. Place its right column on top of the back row of the ppp. Then, place 1 dark bluish gray 1x3 inverted slope brick vertically on top of the ppp, so that it slopes to the front.

Place 1 dark bluish gray 1x2x3 slope brick horizontally on the front row on the 2 rightmost columns, so that it slopes to the right. Then, place 1 light bluish gray 1x1x3 brick behind the left column of the ppp. Lastly, rotate 1 dark bluish gray 1x2x3 slope brick horizontally, so that it slopes to the right. Place its left column behind the ppp, on top of the 2x3 slope brick.

119. Place 1 dark bluish gray 1x1 brick on top of the 2nd column from the right on the front row, on top of the dark bluish gray 1x2x3 slope brick.

120. Rotate 1 light bluish gray 1x2 log brick vertically. Place its front row on top of the ppp. Then, place 1 light bluish gray 1x2 inverted slope brick vertically behind the ppp, so that it slopes to the back.

Continue by placing 1 light bluish gray 1x2 inverted slope brick vertically behind the ppp, so that it slopes to the front. Then, place 1 dark bluish gray 1x3 brick vertically behind the ppp.

121. Place 1 dark bluish gray 1x1 brick on the back row of the ppp, so that it is in front of the 2x4x6 rock panel. Then, place 1 light bluish gray 1x8 brick vertically in front of the ppp.

122. Place 1 dark bluish gray 2x2 inverted slope brick on the 2 front rows of the ppp, so that it slopes to the right. Place 1 dark bluish gray 1x1 brick behind the left column of the ppp. Then, place 1 dark bluish gray 1x3 brick vertically behind the ppp. Place 1 light bluish gray 1x2 inverted slope brick horizontally behind the ppp, so that it slopes to the right. Lastly, place 1 light bluish gray 1x3 brick vertically behind the left column of the ppp.

123. Rotate 1 dark bluish gray 2x2 inverted slope brick so that it slopes to the right. Place its front left corner on top of the back row of the ppp. Then, place 1 dark bluish gray 1x1 brick in front of the left column of the ppp. Lastly, place 1 light bluish gray 1x8 brick vertically in front of the ppp.

124. Find 2 dark bluish gray 1x1 bricks. Place them to the right of the 2nd row from the back and frontmost row from the front of the ppp. Then, place 1 light bluish gray 1x2 inverted slope brick vertically behind the ppp, so that it slopes to the back.

125. Place 1 dark green 1x2 ingot tile horizontally on the 2nd row from the front on the 2 rightmost columns. Then, place 1 dark bluish gray 2x8 brick vertically behind the ppp. Place 1 light bluish gray 1x2 log brick vertically behind the left column of the ppp, so that it is in front of the left column of the dark tan 2x2 corner brick.

126. Place 1 light bluish gray 1x2 inverted slope brick vertically to the right of the ppp, so that it slopes to the back, so that it is in front of the right column of the dark tan 2x2 corner brick.

Group 19 – Rock base (continued)

127. Rotate the build 180 degrees on the horizontal plane, so that the tree at the base is facing to the front.

Place 1 light bluish gray 1x2 inverted slope brick horizontally on the only protruding and exposed stud (located on the 10th column from the left), so that it slopes to the left. Then, place 1 dark bluish gray 1x1 brick on top of the left column of the ppp. Place 1 light bluish gray 1x2 inverted slope brick horizontally to the right of the ppp, so that it slopes to the right.

128. Grab 2 black 1x2 plates with 1x2 side studs hanging down. Place the first one horizontally on the 3rd row from the back on the 2 rightmost columns, so that its side studs face to the back. Take the second one and repeat symmetrically on the left.

129. Place 1 tan 2x4 tile vertically in front of the ppp. Then, place 1 medium nougat 1x1 tile in front of the left column of the ppp. Continue by placing 1 tan 1x3 tile vertically in front of the ppp. Then, place 1 tan 1x4 tile with 2 studs to the right of the 2 ppps. Lastly, place 1 tan 2x4 tile vertically in front of the 2 ppps.

130. Place 1 medium nougat 1x1 tile to the right of the front row of the ppp. Rotate 1 tan 1x4 tile with 2 studs horizontally. Place its leftmost column behind the ppp. Then, place 1 medium nougat 1x1 tile to the right of the ppp. Rotate 1 tan 2x4 tile horizontally. Place its back row to the right of the ppp. Note how its front row attaches to the exposed row of 3 studs. Continue by placing 1 tan 1x4 tile with 2 studs horizontally to the right of the back row of the ppp. Lastly, place 1 tan 1x2 plate with 1x4 side studs hanging down horizontally to the right of the ppp, so that its side studs face to the front.

131. Place 1 tan 1x2 right wedge tile horizontally behind the ppp, so that it points to the left. Rotate 1 sand green 1x2 rounded plate with open studs vertically. Place its back row to the right of the ppp. Rotate 1 dark tan 2x2 triangular tile so that its right angle faces to the front right. Place it behind the 2 ppps. Place 1 tan 1x1 quarter round tile to the right of the front row of the 1x2 rounded plate, so that its rounded edge faces front right. Lastly, place 1 dark tan 1x2 plate with 1x2 side studs hanging down vertically behind the ppp.

132. Place 1 tan 1x4 tile with 2 studs vertically behind the ppp. Then, place 1 tan 1x3 tile vertically to the right of the 3 back rows of the ppp. Lastly, place 1 tan 2x4 tile vertically behind the 2 ppps.

133. Attach 1 sand green 1x2 rounded plate with open studs horizontally upright to the front-facing side studs, so that it is centered horizontally. Then, attach 1 tan 1x4 double curved slope tile horizontally upright to the ppp.

Attach 1 sand green 1x2 rounded plate with open studs horizontally upright to the back right-facing side stud, so that its back stud is not attached to anything. Rotate 1 tan 1x2 curved slope tile horizontally upright, so that its antistuds face to the left and it slopes to the front. Attach its back row to the front row of the ppp. Lastly, attach 1 medium nougat 1x1 tile upright behind the ppp.

Group 20 – Rock base (continued)

134. Let's make a small sub-build for a beam. Place 1 dark bluish gray 1x10 plate horizontally in front of you. Then, place 1 light bluish gray 1x2 tile horizontally on the 2 rightmost columns of the ppp.

135. Place 1 dark tan 1x12 plate horizontally to the left of the ppp, so that it overhangs to the left by 4 columns.

136. Place 1 dark bluish gray 1x10 plate horizontally under the overhang of the ppp, so that it has 6 exposed columns to the left.

137. Place 1 light bluish gray 1x2 tile horizontally on the 2 leftmost columns of the sub-build. Then, place 1 dark tan 1x4 plate horizontally to the right of the ppp.

138. Place 2 light bluish gray 1x8 tiles horizontally, one to the right of the other, on top of the sub-build, so that together they are centered horizontally.

139. Rotate the main build 180 degrees on the horizontal plane, so that the tree at the base faces to the back. Flip the beam sub-build 90 degrees from back to front, so that its antistuds face to the back. Attach its 2 leftmost columns and its 2 rightmost columns to the 2 front-facing side studs on the left and to the 2 front-facing side studs on the right, respectively, located on the 3rd row from the front.

140. Place 1 dark bluish gray 1x2 plate with bar arm up horizontally on the front row on the 2 leftmost columns. Then, place 1 light bluish gray 1x2 log brick horizontally on top of the ppp.

Place 1 dark bluish gray 1x1 brick on the front row on the 2nd column from the right. Then, place 1 light bluish gray 1x1 brick with clip to the right of the ppp, so that its clip faces to the right. Lastly, place 1 sand green 1x2 rounded plate with open studs horizontally on top of the 2 ppps.

141. The rock base is complete. Bring back the classroom floor build, so that the cabinet is in the back. Slide the classroom into the base by making sure that the classroom floor build's door rails on the left and right go into the base's channels.

Put the main build to the side for now. Make sure that it keeps the same orientation.

Book 2, bag 5:

Group 21 – Hermione Granger

Page 3. Locate 1 blue pair of medium legs, 1 bright pink torso with hoodie, yellow time turner necklace, and light nougat hands, and 1 light nougat head with reddish brown eyebrows and freckles. Assemble the minifigure. Ask a sighted friend to make sure that the face print is facing the right way. Then, put Hermione's reddish brown hair with ponytail on, so that its ponytail is to the back. Take 1 dark tan wand from the sprue and put it in Hermione's right hand. Hermione is ready!

Group 22 – Hospital wing

1. Let's build the castle's hospital wing. Place 1 tan 16x16 plate in front of you.

2. Locate 7 tan 1x1 cone bricks. Place them on columns 1, 3, 5, 7, 9, 11, and 13 from the left on the front row of the ppp. Then, place 1 tan 1x2 half cylinder horizontally on the right of the front row, so that its curved edge faces to the front.

3. Rotate 1 tan 4x8 half round plate horizontally, so that its round edge faces to the front. Place its 3rd and 4th columns from the left behind the ppp, so that it overhangs to the right by 4 columns. Lastly, rotate 1 tan 4x4 round corner brick so that its long curve faces to the front left. Place it on top of the left half of the ppp, so that it is aligned with its curved edge.

4. Rotate 1 dark tan 4x12 plate vertically. Place its front row under the back row of the overhang of the ppp.

5. Place 1 dark tan 4x4 round corner plate in front of the ppp (and under the tan 4x8 half round plate), so that its curved edge faces front right.

6. Rotate 1 tan 4x4 round corner brick so that its long curve faces to the front right. Place it on top of the right half of the 4x8 half round plate, so that it is aligned with its curved edge.

7. Locate 4 dark tan 1x1 plates with horizontal tooth. Place the first one on the leftmost column of the ppp, so that its tooth faces to the right. Place the second one on the rightmost column of the same 4x4 round corner brick, so that its tooth faces to the front. Take the remaining 2 and repeat symmetrically on the left.

8. Find 2 dark tan 1x2 jumper plates. Hold the first one horizontally and rotate it 45 degrees clockwise. Then, place it on the stud located between the 2 ppps. Take the second one and repeat symmetrically on the right.

Place 1 dark tan 1x6 tile horizontally on the left of the front row, on top of the 3 leftmost tan 1x1 cone bricks. Then, place 1 dark tan 1x3 tile horizontally to the right of the ppp, on top of the next 2 tan 1x1 cone bricks. Continue by placing 1 dark tan 1x6 tile horizontally to the right of the ppp, on top of the remaining 2 tan 1x1 cone bricks and on top of the left column of the tan 1x2 half cylinder. Lastly, place 1 dark tan 1x1 quarter round tile to the right of the ppp (on top of the right column of the tan 1x2 half cylinder), so that its curved edge faces to the front right.

Group 23 – Hospital wing (continued)

9. Rotate the hospital wing's build 180 degrees on the horizontal plane, so that its curved corner faces to the back left.

Grab 2 tan 1x1 bricks. Place the first one on the 6th row from the back on the leftmost column, in front of the left column of the half circle formed by the 4x4 round bricks. Then, place the second one on the 6th row from the back, on the 8th column from the left, in front of the right column of the half circle formed by the 4x4 bricks.

10. Locate 4 tan 1x1 bricks and 4 tan 1x2x2 panels. Place them alternating on the 1st to 12th columns from the right on the 6th row from the back, starting with a 1x1 brick. Make sure that the panels are placed horizontally, and that their flat side faces to the front. The last panel should be to the right of the 1x1 tan brick placed at the end of the previous step.

11. Find 5 tan 1x1 bricks. Place them on top of the 1x1 tan bricks that are on either side of the panels from the previous step (on columns 1, 4, 7, 10, and 13 from the right on the 6th row from the back).

12. Let's make a sub-build for a shelf with some potions and flasks. Place 1 dark brown 1x4 plate horizontally in front of you.

13. Grab 2 reddish brown 1x1 round bricks. Place the first one under the leftmost column of the ppp. Take the second one and repeat symmetrically on the right.

14. Place 1 satin transparent dark pink 1x1 round brick on the 2nd column from the left. Then, insert the pin of 1 pearl gold 1x1 round tile with upright pin into the top of the ppp.

Place 1 transparent bright green 1x1 cone brick to the right of the ppp. Place 1 light bluish gray 1x1 round tile on top of the ppp.

15. Locate 2 reddish brown telescopes. Place the first one on top of the leftmost column. Take the second one and repeat symmetrically on the right. Then, place 1 dark brown 1x4 plate horizontally on the shelf sub-build.

16. Find 2 reddish brown telescopes. Place the first one on top of the rightmost column. Take the second one and repeat symmetrically on the left. Then, place 1 flat silver goblet to the right of the ppp.

17. Place 1 reddish brown 1x4 double curved slope tile horizontally on top of the shelf sub-build.

18. The shelf is complete. Place it on the 3rd to 6th columns from the left on the 5th row from the back (centered on the front row of the 4x8 half round plate).

Group 24 – Hospital wing (continued)

19. Place 1 tan 1x1x5 brick on the leftmost column on the 6th row from the back, on top of a 1x1 brick.

20. Place 1 tan 1x6x7 door frame with rounded pillars horizontally to the right of the ppp, so that its rounded pillars face to the front.

Place 1 tan 1x4 sloped brick vertically on the 4 front rows of the leftmost column, so that it slopes to the front. Then, place 1 tan 1x6x7 door frame with rounded pillars vertically behind the ppp, so that its rounded pillars face to the left.

21. Place 1 tan 1x1x5 brick in front of the ppp.

22. Rotate 1 tan 1x2 log brick vertically. Place its front row on top of the ppp. Rotate 1 tan 2x2 corner brick so that it resembles an F in Braille. Place its front row on the back row of the vertical door frame. Lastly, place 1 tan 1x1 brick on the 6th row from the back on the 7th column from the left, on top of the right column of the horizontal door frame.

23. Let's make a small rug. Place 1 dark turquoise 2x2 half circle tile on the 4th and 5th columns from the left on the 9th and 10th rows from the front, centered in front of the horizontal door frame, so that its curved edge faces to the back. Then, place 1 dark turquoise 2x2 jumper plate in front of the ppp. Lastly, place 1 dark turquoise 2x2 half circle tile in front of the ppp, so that its curved edge faces to the front.

Group 25 – Hospital wing (continued)

24. Let's build up the wall with the panels, which we will be building for the next few steps. Place 1 tan 1x2 brick with side stud horizontally on the 6th row from the back on the 2 rightmost columns, so that its side stud faces to the back. Then, place 1 tan 1x6 brick horizontally to the left of the ppp. Continue by placing 1 medium nougat 1x3 brick horizontally to the left of the ppp. Lastly, place 1 tan 1x2 log brick horizontally to the left of the ppp, which should be to the right of the horizontal door frame.

25. Locate 8 reddish brown 1x2x2 window frames. Place the first 4 horizontally on columns 2 and 3, 5 and 6, 8 and 9, 11 and 12 from the right on the 6th row from the back. Then, place the remaining 4 on top of the 4 ppps. Make sure that the ridges of all of them face to the back. Attach 1 black 2x2 window lattice to the back of each of the 8 windows.

26. Find 4 tan 1x1 bricks. Place the first one to the left of the leftmost windows from the previous step. Place the second one between the 2nd and 3rd window from the left. Place 1 of each of the remaining bricks on top of the 2 ppps. Then, grab 2 tan 1x3x3 half arches. Place 1 of each of them on top of the 2 ppps, so that they overhang to the front by 2 rows.

27. Locate 2 tan 1x1 bricks. Place the first one to the right of the leftmost window. Then, place the second one to the left of the rightmost window. Find 2 medium nougat 1x1 bricks with clip. Place 1 of each of them on top of the 2 ppps, so that their clips face to the front. Then, grab 2 tan 1x3x3 half arches. Place 1 of each of them on top of the 2 ppps, so that they overhang to the front by 2 rows.

28. Place 1 tan 1x1x3 brick on the rightmost column on the wall. The wall is complete.

Group 26 – Hospital wing (continued)

29. Place 1 tan 1x4 sloped brick vertically on the front 4 rows of the rightmost column, so that it slopes to the front. Then, place 1 tan 1x6x7 door frame with rounded pillars vertically behind the ppp, so that its rounded pillars face to the right.

30. Place 1 tan 1x1x5 brick in front of the ppp.

31. Rotate 2 tan 1x2 log bricks vertically. Place the front row of the first one on top of the ppp. Place the front row of the second one on the back row of the vertical door frame.

32. Rotate 1 tan 1x2 log brick horizontally. Place its right column on top of the back row of the ppp. Then, place 1 medium nougat 1x3 brick horizontally to the left of the ppp. Continue by placing 1 tan 1x6 brick horizontally to the left of the ppp. Lastly, place 1 tan 1x4 brick horizontally to the left of the ppp.

33. Place 1 reddish brown 1x2 plate with 1x2 inverted curved slope to the left of the ppp, so that it slopes and overhangs to the back by 1 row. Place 1 dark tan 1x2 jumper plate horizontally on top of the front row of the ppp. Lastly, place 1 tan 1x2 plate with door rail on top of the ppp, so that its door rail faces to the front.

34. Find 2 tan 1x6 tiles. Rotate the first one horizontally. Place its left column on top of the right column of the ppp. Place the second one horizontally to the right of the ppp. Lastly, place 1 tan 1x4 tile with 2 studs horizontally to the right of the ppp.

35. Flip 2 dark bluish gray 1x1 round tiles with upright pin upside down. Attach them to the front-facing clips located on the wall with the windows. Then, insert 1 transparent orange flame into each of the 2 ppps.

Group 27 – Hospital wing (continued)

36. Rotate the hospital wing build 180 degrees on the horizontal plane, so that its curved corner faces to the front right. Grab 1 tan 4x4x6 quarter cylinder panel. We need to apply sticker 7 (a pattern made of tan bricks marked by some reddish brown lines) to it. Ask a sighted friend to make sure that the sticker is applied and oriented correctly. Then, rotate the quarter cylinder panel it so that its long curved edge faces to the front right. Place it on top of the curve that spans from the 4th column from the right on the 2nd row from the front to the rightmost column on the 5th row from the front.

37. Grab 1 tan 4x4x6 quarter cylinder panel. We need to apply sticker 4 (a reddish brown branch growing on top of a tan brick pattern with some green leaves) to it. Ask a sighted friend to make sure that the sticker is applied and oriented correctly. Then, rotate the quarter cylinder panel it so that its long curved edge faces to the front left. Place it to the left of the ppp.

38. Place 1 tan 4x8 half round plate horizontally on top of the 2 ppps, so that its round edge faces to the front.

39.1 Let's make a small build for some foliage. Locate 2 green 3x4 plant leaves. Place the first horizontally in front of you, so that their long branch is to the left. Rotate the second one horizontally so that their long branch is to the right and place their leftmost stud on top of the rightmost stud of the ppp.

39.2 Flip them 90 degrees from back to front, so that the sub-build antistuds face to the back. Attach its leftmost column to the front-facing side stud located between the 2 leftmost columns on the 6th row from the front. Affix the foliage by inserting 1 bright green bar with stem into its leftmost stud and into the front-facing side stud.

40.1 Let's make a small sub-build for a pot with a plant. Place 1 white 2x2 round tile with stud in front of you. Then, place 1 white 2x2 inverted dome on top of the ppp.

40.2 Stack 2 reddish brown 1x1 round plates and place them on top of the ppp.

40.3 Place 1 green 1x1 round plate with leaves on top of the ppp, so that its leaves face to the front left. Then, place 1 bright green 1x1 round plate with leaves on top of the ppp, so that its leaves face to the front.

40.4 Lastly, insert 1 bright pink tulip into the ppp.

40.5 The pot is ready. Place it on top of the 4th and 5th rows from the front on the 11th and 12th columns from the right, to the left of the curved wall.

Book 2, bag 6:

Group 28 – Harry Potter

Page 42. Locate 1 black pair of medium legs, 1 black torso with Gryffindor Crest, sweater, shirt, tie, and light nougat hands, and 1 light nougat head with round glasses, lightning scar, and chin dimple. Assemble the minifigure. Ask a sighted friend to make sure that the face print is facing the right way. Then, put Harry's black thick and messy hair on. Take 1 dark brown wand from the sprue and put it in Harry's right hand. Harry is ready!

Group 29 – Hospital wing (continued)

41. Rotate the hospital wing's build 180 degrees on the horizontal plane, so that the plant faces to the back. Place 1 tan 1x1 plate on the 4th row from the front on the rightmost column. Then, place 1 medium nougat 1x1 tile behind the ppp. Continue by placing 1 tan 2x2 inverted slope brick behind the ppp, so that it slopes and overhangs to the left by 1 column. Lastly, place 1 medium nougat 1x3 brick vertically behind the right column of the ppp.

42. Place 1 tan 1x1 plate on the 4th row from the front on the leftmost column. Then, place 1 medium nougat 1x1 tile behind the ppp. Continue by placing 1 tan 2x2 inverted slope brick behind the ppp, so that it slopes and overhangs to the right by 1 column. Place 1 tan 1x4 brick vertically behind the ppp. Lastly, place 1 tan 1x2 log brick horizontally to the right of the back row of the ppp.

43. Place 1 tan 1x4 tile with 2 studs horizontally on top of the ppp, so that it is centered horizontally. Locate 2 tan 4x4 round corner tiles. Rotate the first one so that its long curved edge faces to the back left. Place its front row behind the left column of the ppp. Place the second one symmetrically to the right.

44. Place 1 reddish brown 2x4 double jumper plate to the left of the 2 front rows of the ppp. Find 4 reddish brown 1x2 tiles. Place them on top of the overhang of the arches located on 9th and 10th rows from the front on columns 4, 7, 10, and 13 from the right.

Grab 2 tan 2x4 tiles. Place the first one vertically on the 7th to 10th rows from the front on the 2 leftmost columns, so that its front row is on top of the back row of the 2x2 inverted slope brick. Take the second one and repeat symmetrically on the right.

45. Place 1 dark tan 1x2 plate with 1x2 side studs hanging down horizontally in front of each of the 2 ppps, so that their side studs face to the front.

Group 30 – Hospital wing (continued)

46. Place 1 white 2x2 brick on the 9th and 10th rows from the front on the 3rd and 4th columns from the right. Then, place 1 white 2x2 jumper plate on top of the ppp. Continue by placing 1 white 1x1 brick with Bertie Bott's Beans print (made of jelly beans of different colors on top of a background made of yellow and red stripes) on top of the ppp. Ask a sighted friend to make sure that the print is facing the right way. Lastly, place 1 red 1x1 pyramid on top of the ppp.

47. Let's build a small bench, which will be to the side of one of the beds. Place 1 black 2x2 round tile with stud on the 6th and 7th rows from the front on the 3rd and 4th columns from the right. Then, place 1 pearl gold 1x1 round plate on top of the ppp. Lastly, place 1 light bluish gray 2x2 round tile on top of the ppp. The bench is complete.

48. Find 2 white 1x2 plates with 1x4 upright oval bar. Place the first one horizontally on the 10th row from the front on the 6th and 7th columns from the right, to the left of the nightstand with Bertie Bott's Beans. Then, place the second one horizontally on the 10th row from the front on the 8th and 9th columns from the left, so that its base is 3 columns to the right of the back row of the rug. These will be the beds' headboards.

Place 1 light bluish gray 2x2 round tile on the 9th and 10th rows from the front on the 9th and 10th columns from the right, between both of the beds' headboards. Continue by placing 2 light bluish gray 1x2 jumper plates horizontally, one in front of the other, in front of the ppp.

49. Place 1 light bluish gray 1x1 tile with upright clip on top of each of the 2 ppps, so that their clip hands face to the left and right.

50. We need to make two identical sub-builds for the beds. Let's begin with the first one. Place 1 bright light blue 2x4 brick vertically in front of you.

51. Grab 2 white 1x1 plates with 1x1 curved slope tile. Place the first one horizontally on the back left corner of the ppp, so that it slopes and overhangs to the left by 1 column. Take the second one and repeat symmetrically to the right.

Group 31 – Hospital wing (continued)

52. Locate 6 bright light blue 1x1 plates with 1x1 curved slope tiles. Place the first 3 horizontally in front of the ppp, so that they slope and overhang to the right by 1 column. Take the remaining 3 and repeat symmetrically to the left. Find 2 bright light blue 1x3 plates. Place the first one vertically under the left columns of the 3 ppps. Take the second one and repeat symmetrically on the right.

53. Place 1 bright light blue 1x2 plate horizontally on the front row, so that it is centered horizontally. Continue by placing 1 bright light blue 2x2 tile behind the ppp. Then, place 1 bright light blue 1x2 plate horizontally behind the ppp. Lastly, place 1 white 1x2 ingot tile horizontally on top of the ppp.

54. The bed sub-build is complete. Place it in front of the left headboard located on the 10th row from the front on the 6th and 7th columns from the right.

Build a second bed by repeating steps 50 to 53. Place it in front of the headboard located on the 10th row from the front on the 8th and 9th columns from the left.

55. Place 1 white 1x2 plate with 1x4 upright oval bar horizontally in front of each of the 2 beds.

56.1 Let's make a small sub-build for a room divider. Place 1 flat silver 1x4x6 rectangular bar with 4 studs horizontally in front of you.

56.2 Place 2 dark azure 2x3 tiles vertically, one to the right of the other, on top of the ppp, so that together they are centered horizontally and vertically.

56.3 The room divider is complete. Flip it 90 degrees from right to left, so that its antistuds face to the right. Attach the bottom bar to the clips located on top of the jumper plates located on the 7th and 8th rows from the front on the 9th and 10th columns from the right.

Group 32 – Hospital wing (continued)

57. Let's make a small sub-build for a table with some objects on top. Place 1 reddish brown 2x3 plate vertically in front of you.

58. Attach 1 reddish brown telescope underneath each of the ppp's corners.

59. Place 1 reddish brown 1x1 tile with upright clip on the table's front left corner, so that its clip hands face to the left and right. Then, attach 1 white minifigure cast to the ppp. Continue by placing 1 transparent red 1x1 round brick behind the ppp. Lastly, insert the pin of 1 dark bluish gray 1x1 round tile with pin into the ppp.

60. We will proceed by adding a bottle of Skele-Gro. Stack 2 white 1x1 round plates on top of each other and place them on the table's back right corner. Then, place 1 pearl gold 1x1 round plate on top of the ppps. Lastly, place 1 white minifigure head with skull pattern on top of the ppp.

61. The table is complete. Place it vertically on the 2nd to 4th rows from the front on the 2nd and 3rd columns from the left.

62. Let's make a sub-build for a beam. Place 1 tan 1x10 plate horizontally in front of you. Then, place 1 medium nougat 1x1 tile on the rightmost column of the ppp.

63. Place 1 reddish brown 1x3 plate horizontally to the left of the ppp. Then, place 1 reddish brown 1x12 plate horizontally to the left of the ppp, so that it overhangs to the left by 6 columns.

64. Place 1 tan 1x10 plate horizontally under the overhang of the ppp, so that it leaves 4 columns exposed.

65. Place 1 medium nougat 1x1 tile on top of the leftmost column of the beam. Then, place 1 reddish brown 1x3 plate horizontally to the right of the ppp.

66. Place 3 tan 1x6 tiles horizontally, one to the right of the other, on top of the beam, so that together they are centered horizontally.

67. The beam is complete. Flip it 90 degrees from back to front, so that its antistuds face to the back. Attach its 2 leftmost columns and its 2 rightmost columns to the 2 front-facing side studs on the left and to the 2 front-facing side studs on the right, respectively, located on the 6th row from the front.

68. Locate 2 tan 1x1 bricks. Place the first one on the 4th row from the front on the leftmost column. Take the second one and repeat symmetrically on the right.

69. Bring back the main build, which should be horizontal and with its opening to the front. Place the hospital wing build horizontally on top of it. Make sure that the 2 leftmost columns and the 2 rightmost columns of the front row attach to the 2 leftmost columns and the 2 rightmost columns of the front row of the base.

Book 3, bag 7:

Group 33 – Penelope Clearwater

Page 3. Locate 1 black pair of legs, 1 black torso with Ravenclaw robe, sweater, shirt, tie pattern, and light nougat hands, and 1 light nougat head with bright pink lips and grin pattern. Assemble the minifigure. Ask a sighted friend to make sure that the face print is facing the right way. Then, put Penelope's bright light yellow hair on. Lastly, put 1 white cup in Penelope's right hand. Penelope is ready!

Group 34 – Ravenclaw common room

1. Let's build Ravenclaw's common room. Place 1 dark tan 4x8 plate vertically in front of you. Then, rotate 1 tan 2x2 corner brick so that it resembles an F in Braille. Place it on the back left corner of the ppp.

2. Place 1 tan 1x6 brick vertically in front of the left column of the ppp.

3. Rotate 1 reddish brown 2x4 double jumper plate horizontally. Place its front row 2 leftmost columns on the back row 2 rightmost columns of the common room build, so that it overhangs to the back by 1 row and to the right by 2 columns.

Locate 2 dark tan 4x4 round corner plates. Rotate the first one so that its curved edge faces to the back left. Place it behind the 4x8 plate, so that the 2 rightmost columns of the front row go underneath the 2 overhanging left columns of the ppp. Take the second one and place it symmetrically to the right.

4. Place 1 dark tan 8x16 plate horizontally to the right of the 4x8 plate, so that the 2 leftmost columns of the back row go underneath the overhang of the 2x4 double jumper plate.

5. Place 2 tan 1x6 bricks horizontally, one to the right of the other, to the right of the front row of the 2x4 double jumper plate.

6. Rotate 1 tan 2x2 corner brick so that it resembles a D in Braille. Place its back row to the right of the ppp. Then, place 1 tan 1x6 brick vertically in front of the right column of the ppp.

Group 35 – Ravenclaw common room (continued)

7. Place 4 dark brown 1x2 jumper plates vertically, one to the left of the other, on the 6th and 7th rows from the front on the 2nd to 5th columns from the right, against the wall that we just started. Place 1 tan 1x1 brick on the 7th row from the front on the 8th column from the left, in front of the 2nd column from the left of a tan 1x6 brick.

8. Place 1 dark blue 2x2 jumper plate on the 5th and 6th columns from the right on the 2nd and 3rd rows from the front. Find 2 dark blue 2x2 half circle tiles. Place the first one to the right of the ppp, so that its curved edge faces to the right. Take the second one and repeat symmetrically to the left.

9. Grab 2 blue 1x4 tiles. Place the first one horizontally on the 4th to 7th columns from the right on the front row. Take the second one and repeat symmetrically behind the dark blue tiles. Grab 4 blue 2x2 round corner tiles. Rotate the first one so that its long curved edge faces back right. Place its back row to the right of the ppp. Take the second one and repeat symmetrically on the left. Lastly, take the remaining 2 and repeat symmetrically on the front.

10. Place 1 dark blue 2x2 round tile with stud on the 4th and 5th columns from the left on the 4th and 5th rows from the front.

11. Locate 4 blue 2x2 round corner tiles. Rotate the first one so that its long curved edge faces front left. Place it front left of the ppp. Take the second one and repeat symmetrically to the right. Lastly, take the remaining 2 and repeat symmetrically on the back. The round corner tiles are a circle around the 2x2 round tile with stud.

Group 36 – Ravenclaw common room (continued)

12. Rotate the common room build 180 degrees on the horizontal plane, so that its curved corner faces to the front right. Grab 1 tan 4x4x6 quarter cylinder panel. We need to apply sticker 6 (a pattern made of tan bricks marked by some reddish brown lines) to it. Ask a sighted friend to make sure that the sticker is applied and oriented correctly. Then, rotate the quarter cylinder panel so that its long curved edge faces to the front right. Place it on top of the curve that spans from the 4th column from the right on the front row to the rightmost column on the 4th row from the front.

Rotate 1 tan 4x4x6 quarter cylinder so that its long curved edge faces to the front left. Place it to the left of the ppp.

13. Rotate the common room build 180 degrees on the horizontal plane, so that its curved corner faces back left. Let's make a small sub-build for a bookshelf.

Place 1 reddish brown 1x4 brick with side studs horizontally in front of you, so that its side studs face to the front. Then, place 1 dark brown 1x4 plate horizontally on top of the ppp.

14. Place 1 dark turquoise 1x2x1 2/3 brick with side studs horizontally on top of the ppp, so that it is centered horizontally and its side studs face to the front. Then, place 1 reddish brown telescope to the left and 1 to the right of the ppp.

15. Place 1 dark brown 1x4 plate horizontally on top of the ppp.

16. Place 1 dark blue 1x2x1 2/3 brick with side studs horizontally on top of the ppp, so that it is centered horizontally and its side studs face to the front. Then, place 1 reddish brown telescope to the left and 1 to the right of the ppp.

17. Place 1 dark brown 1x4 plate horizontally on top of the ppp.

18. Place 2 dark brown 1x2 jumper plates horizontally, one to the right of the other, on top of the ppp.

19. Place 1 blue 1x2 tile vertically upright on the 2 top rows of the left column of front-facing side studs. Then, place 2 dark red 1x1 short half cylinder bricks upright, one below the other, to the right of the ppp, so that they slope to the left and right.

20. Place 1 dark turquoise 1x2 half cylinder short brick vertically upright on the 3rd and 4th rows from the top of the left column of front-facing side studs. Then, place 1 sand blue 1x2 ingot tile vertically upright to the right of the ppp.

21. Place 2 dark brown 1x2 jumper plates horizontally upright, one to the right of the other, on the bottom row of front-facing side studs.

22. The bookshelf is complete. Place it on the 2x4 double jumper located on the 3rd to 6th columns from the left on the 8th and 9th rows from the front.

Group 37 – Ravenclaw common room (continued)

23. Place 1 tan 1x2x5 brick horizontally to the left of the bookshelf.

24. Place 1 tan 1x2 slope brick vertically on the 2 front rows of the leftmost column, so that it slopes to the front. Find 2 tan 1x1 cone bricks. Place them on the 4th and 6th rows from the front on the leftmost column.

25. Place 1 dark tan 1x6 tile vertically on the 2nd to 7th rows from the front on the leftmost column.

26. Rotate 1 tan 2x2 corner brick so that it resembles a D in Braille. Place its back row to the right of the book shelf, on the 8th row from the front. Then, place 1 tan 1x2 brick with side stud horizontally to the right of the back row of the ppp, so that its side stud faces to the front. Lastly, attach 1 dark brown 1x2 jumper plate horizontally upright to the side stud of the ppp.

27. Locate 3 dark tan 1x2 inverted slope bricks and 3 tan 1x2 log bricks. Place them alternating to the right of the horizontal tan 1x2 brick from the previous step, starting with 1 dark tan 1x2 inverted slope brick. Make sure that the 1x2 inverted slope bricks are placed vertically and that they slope to the back, and that the 1x2 log bricks are placed horizontally.

28. Place 1 tan 2x2 inverted corner slope brick on the back right corner, so that it slopes to the back and to the right.

29. Place 2 tan 1x1 bricks with side stud and bottom lip, one in front of the other, in front of the left column of the ppp, so that their side studs face to the right. Then, attach 1 tan 1x2 tile horizontally upright to the side studs of the 2 ppps.

30. Place 2 dark tan 1x2 inverted slope bricks, one in front of the other, horizontally on the 4th and 5th rows from the front on the rightmost column, so that they slope to the right.

31. Place 2 tan 1x1 bricks with side stud and bottom lip, one in front of the other, in front of the left column of the 2 ppps, so that their side studs face to the right. Then, attach 1 tan 1x2 tile horizontally upright to the side studs of the 2 ppps.

32. Place 1 dark tan 1x2 inverted slope brick horizontally on the front right corner of the build, so that it slopes to the right.

33. Rotate 2 tan 2x6 plates horizontally. Place the 2 leftmost columns of the front row of the first one on the 9th and 10th columns from the left, on the 8th row from the front, on top of the tan 1x2 brick with 1 reddish brown 1x2 jumper plate attached to its front side. Take the second one and place it to the right of the ppp. We will call these the middle base of the back wall.

Group 38 – Ravenclaw common room (continued)

34. Find 2 tan 1x2x2 bricks. Place the first one vertically on the 2 front rows on the 8th column from the left. Place the second one horizontally on the 7th and 8th columns from the left on the 8th row from the front, so that its right column is in front of the right column of the right quarter cylinder of the curved wall on the back.

35. Grab 2 tan 1x3x3 half arches. Place the first one vertically in front of the right column of the ppp, so that its curve faces to the front. Place the second one vertically on the 2nd row from the front on the 8th column from the left, on top of the back row of one of the 1x2x2 bricks from the previous step, so that its curve faces to the back. Both arches should be touching each other, creating an archway.

36. Place 1 medium nougat 1x1 plate behind the ppp. Then, place 1 tan 1x1x2 2/3 brick with side studs on top of the ppp, so that its side studs face to the right.

37. Rotate 1 tan 1x2 slope brick vertically, so that it slopes to the front. Place its front row on top of the ppp. Rotate 1 tan 2x2 corner brick so that it resembles a D in Braille. Place its right column on the 8th column from the right on the 7th and 8th rows from the front.

38. Place 3 dark bluish gray 1x1x4 panels horizontally, one to the right of the other, on the 9th row from the front on the 9th to 20th columns from the left, on the back row of the middle base of the back wall (made of 2 tan 2x6 plates) so that their flat edges face to the back.

39. Locate 2 dark bluish gray 1x1 tiles with upright clips. Place them in front of the leftmost column and the rightmost column of all 3 dark bluish gray 1x1x4 panels together from the previous step, so that their clip hands face front and back.

40. Find 2 mystery portrait tiles in the shape of pearl gold 2x3 pentagonal tiles. Attach the first one vertically upright to the right-facing side studs on the 2 front rows on the 8th column from the left, so that it points up. Attach the second one vertically upright to the front-facing side stud of the jumper plate located on the 8th row from the front on the 9th and 10th columns from the left, so that it points up.

Group 39 – Ravenclaw common room (continued)

41. Grab 2 tan 1x2 slope bricks. Place the first one vertically on the 2 back rows of the rightmost column, so that it slopes to the back. Rotate the second one horizontally, so that it slopes to the left. Place its right column in front of the ppp, so that it overhangs to the right by 1 column.

42. Place 1 dark tan 1x6 tile vertically in front of the left column of the ppp.

43. Place 1 tan 1x2 log brick vertically to the right of the 2 front rows of the ppp, so that it overhangs to the back by 1 row. Then, place 1 tan 1x4 tile with studs vertically behind the ppp.

44. Place 2 tan 1x1x2 2/3 bricks with side studs on top of the studs of the ppp, so that their side studs face to the left.

45. Place 1 tan 1x4 arch vertically on top of the 2 ppps. Locate 2 tan 1x2x2 slope bricks. Place the first one vertically behind the ppp, so that it slopes to the back. Take the second one and repeat symmetrically on the front.

46. Place 1 tan 1x2 log brick vertically on the 4th and 5th rows from the front on the rightmost column. Then, place 2 dark tan 1x2 inverted slope bricks horizontally, one in front of the other, on top of the ppp, so that they slope to the left. Continue by placing 1 dark brown 1x2 jumper plate vertically on the left columns of the 2 ppps. Lastly, place 1 medium nougat 1x1 plate on top of the ppp.

47. Find 4 tan 1x2x2 slope bricks. Place the first one vertically on the 2nd and 3rd rows from the front on the rightmost column, so that it slopes to the front. Take the second one and repeat symmetrically on the back. Rotate the third one vertically so that it slopes to the back. Place its back row on top of the back row of the ppp. Take the last one and place it symmetrically to the front.

48. Grab 2 dark blue 1x1 half circle tiles. Attach the first one to the front bottom left-facing side stud on the rightmost column, so that its round edge faces down. Attach the second one similarly to the back bottom left-facing side stud on the rightmost column.

49. Rotate 1 blue 2x3 left wedge plate vertically upright, so that its side studs face to the right and it points down. Attach its back column on top of the ppp. Place 1 blue 2x3 right wedge symmetrically to the front.

50. Attach 1 blue 1x4 tile horizontally upright to the top row of the 2 ppps.

Group 40 – Ravenclaw common room (continued)

51. Locate 2 tan 1x2 log bricks. Place the first one vertically on the 6th and 7th rows from the front on the 8th column from the left, on top of the archway. Rotate the second one horizontally. Place its right column behind the ppp.

52. Rotate 1 dark bluish gray 2x8 plate horizontally. Place the 2 rightmost columns of its front row on top of the ppp.

53. Place 1 tan 1x2 slope brick vertically in front of the right column of the ppp, so that it slopes to the back.

Find 2 dark bluish gray 1x3 tiles. Hold the first one horizontally. Then, rotate it approximately 45 degrees counterclockwise. Attach it to the stud located between the 2nd and 3rd columns from the left of the back left facing curved panel. Take the second one and repeat symmetrically on the right.

54. Place 1 tan 1x2 brick with side stud vertically on the 4th and 5th rows from the front on the 8th column from the left, so that its side stud faces to the left. Insert 1 transparent clear 1x1 round plate with angled bar to the side stud of the ppp, so that its 1x1 round plate faces diagonally up and to the left (if you wish, when the build is complete, you can attach The Gray Lady to this piece, to make her float around the common room). Then, place 2 dark tan 1x2 inverted slope bricks horizontally, one in front of the other, on top of the 1x2 brick with side stud, so that they slope to the right. Continue by placing 1 dark brown 1x2 jumper plate vertically on the right columns of the 2 ppps. Lastly, place 1 medium nougat 1x1 plate on top of the ppp.

55. Grab 3 tan 1x2x2 slope bricks. Place the first one vertically on the 2nd and 3rd rows from the front on the 8th column from the left, so that it slopes to the front and is on top of the archway. Rotate the second one vertically so that it slopes to the front. Place its front row on top of the back row of the ppp. Place the last one vertically behind the ppp, so that it slopes to the back.

Book 3, bag 8:

Group 41 – The Gray Lady

Page 51. Locate 1 light bluish gray skirt, 1 light bluish gray torso with dress with silver patterns, and white hands, and 1 white head with dark bluish eyebrows, eyelashes and silver lips. Assemble the minifigure. Make sure that the dress piece slopes to the back. Ask a sighted friend to make sure that the face print is facing the right way. Then, put The Gray Lady's dark bluish gray hair on. The Gray Ghost is ready!

Group 42 – Ravenclaw common room (continued)

56. Let's make a small sub-build for a bookshelf. Place 1 dark brown 1x4 plate horizontally in front of you.

57. Place 1 dark blue 1x2x1 2/3 brick with 2x2 side studs horizontally on top of the ppp, so that it is centered horizontally and its side studs face to the front. Then, place 1 reddish brown telescope to the left and 1 to the right of the ppp.

58. Place 1 dark brown 1x4 plate horizontally on top of the 3 ppps.

59. Attach 1 blue 1x2 tile vertically upright to the left column of front-facing side studs. Then, place 1 dark green 1x2 ingot tile vertically to the right of the ppp.

60. Place 1 bright light orange 1x2 jumper plate on top of the bookshelf sub-build, so that it is centered horizontally. Then, place 1 reddish brown telescope to the left and 1 to the right of the ppp.

61. Place 1 dark red 1x2 jumper plate on top of the bright light orange 1x2 jumper plate from the previous step. Rotate it slightly clockwise. Lastly, place 1 dark blue 1x1 round tile with a printed chocolate frog card on top of the ppp.

62. Place 1 dark brown 1x4 plate horizontally on top of the bookshelf sub-build.

63. The bookshelf sub-build is complete. Place it horizontally on top of the 4 dark brown 1x2 jumper plates located on the 6th and 7th rows from the front on the 2nd to 5th columns from the right, so that its upright tiles face to the front.

Group 43 – Ravenclaw common room (continued)

64. Let's make a small sub-build for a fireplace. Place 1 dark bluish gray 1x4 tile with 2 studs horizontally in front of you.

65. Place 1 light bluish gray 1x1 brick with side stud on the rightmost column of the ppp, so that its side stud faces to the left. Then, insert 1 transparent orange flame into the side stud of the ppp, so that the flame points up.

66. Place 1 light bluish gray 1x1 brick with side stud on the leftmost column, so that its side stud faces to the right. Then, attach 1 transparent red 1x1 slope tile to the side stud of the ppp, so that it slopes up.

67. Place 1 light bluish gray 1x4 arch horizontally on top of the fireplace sub-build.

68. Find 2 dark blue 2x2 corner slopes. Rotate the first one so that it slopes to the left and to the front. Place its back row on top of the 2 left columns of the ppp, so that it overhangs to the front by 1 row. Take the second one and repeat symmetrically to the right.

69. Place 1 dark blue 1x2 sloped tile horizontally on top of the 2 ppps, so that it slopes to the front.

70. The fireplace is complete. Place it horizontally on the 7th row from the front on the 7th to 10th columns from the right, in front of the back wall and 2 columns to the left of the bookshelf from before.

71. Place 1 pearl gold 1x1x4 panel with lattice horizontally in front of the fireplace, so that its lattice is to the back.

Group 44 – Ravenclaw common room (continued)

72. Let's make a small sub-build for a chair. Place 1 dark brown 2x2 round plate in front of you. Then, place 1 dark tan 1x2 plate with 2x2 upright side studs horizontally on the back row of the ppp, so that its side studs face to the back.

73. Place 1 reddish brown 1x2 rounded plate with open studs horizontally in front of the ppp.

74. Place 1 dark tan 2x2 tile with studs on top of the chair sub-build, so that its studs are to the front.

75. Rotate the chair sub-build 180 degrees on the horizontal plane, so that its side studs face to the front. Then, attach 1 reddish brown 1x2 plate with 2x2 side studs hanging down vertically upright to the right column of front-facing side studs, so that its side studs face to the right.

76. Locate another reddish brown 1x2 plate with 2x2 side studs hanging down and place it symmetrically on the left.

77. Attach 1 reddish brown 2x2 tile upright to the front-facing side studs.

78. Find 2 reddish brown 1x2 ingot tiles. Attach the first one horizontally upright to the bottom row of left-facing side studs. Take the second one and repeat symmetrically to the right.

79. Grab 2 reddish brown 1x2 short half cylinders. Attach the first one horizontally upright above the ppp. Take the second one and repeat symmetrically to the left.

80. The chair sub-build is complete. Attach it to the 2x2 jumper plate located on the 5th and 6th columns from the right on the 2nd and 3rd rows from the front, so that its seat faces front left.

Group 45 – Ravenclaw common room (continued)

81. Place 1 sand green 1x2 tile horizontally on the 4th and 5th columns from the left on the 9th row from the front, so that it is centered horizontally on the back row of the dark bluish gray 2x8 plate.

82. Place 1 black 1x1 plate with 1x1 upright side studs to the left and 1 to the right of the ppp, so that their side studs face to the back. Then, place 1 light bluish gray 1x1 half round tile on top of each of the 2 ppps, so that their curved edges face to the front.

83. Attach 1 dark tan 1x4 double curved sloped tile horizontally upright to the back-facing side studs from the previous step.

84. Let's make a sub-build for a window. Place 1 dark tan 1x2 plate horizontally in front of you. Then, place 1 reddish brown 1x2x2 window horizontally on top of the ppp, so that its flat side faces to the back.

85. Attach 1 black 2x2 window lattice to the front of the ppp.

86. Place 1 tan 2x3 plate vertically on top of the window sub-build, so that it overhangs to the front by 2 rows. Then, place 1 white 1x2 half circle tile horizontally on top of the front row of the ppp, so that its curved edge faces to the back.

87. Locate 2 tan 1x1 plates with 1x2 upright side studs. Place the first one under the back left corner, so that its side studs face to the left. Take the second one and repeat symmetrically to the right. Find 2 tan 1x1 plates with 1x2 side studs hanging down. Place the first one on top of the back left corner, so that its side studs face to the left. Take the second one and repeat symmetrically to the right.

88. Grab 2 tan 1x3 tiles. Attach the first one vertically upright to the top 3 rows of left-facing side studs. Take the second one and repeat symmetrically on the right.

89. Attach 1 tan 1x2 left wedge tile vertically upright under the ppp, so that it points down. Take 1 tan 1x2 right wedge tile and repeat symmetrically on the left.

90. Place 1 dark bluish gray 1x3 double jumper plate horizontally on the back row. Then, place 1 sand green 1x2 double sloped tile horizontally on top of the ppp, so that it slopes to the left and right.

91. The window sub-build is complete. Place its 2nd row from the front on top of the 2 studs located on the back row of the curved cylinders located on the back left of the common room build.

92. Locate 2 reddish brown 1x3 inverted slope bricks. Place the first one horizontally on the protrusion located on the 2nd column from the right between the 4th and 5th rows from the front, so that it slopes to the left. Place the second one horizontally on the protrusion located on the 9th column from the left between the 4th and 5th rows from the front, so that it slopes to the right.

Group 46 – Ravenclaw common room (continued)

93. Let's make a sub-build for the common room's slanted roof. Place 1 dark bluish gray 6x8 plate vertically in front of you. Then, place 1 dark bluish gray 2x6 plate vertically under the 6 front rows of the rightmost column of the ppp, so that it has 1 exposed column to the right.

94. Place 1 dark bluish gray 6x8 plate vertically to the right of the 6x8 plate from the previous step.

95. Flip the roof upside down from right to left. Attach 1 dark bluish gray 2x2 plate with hinge bar underneath on the 2 back rows, so that it is centered horizontally and its bar is on the back.

96. Attach 1 light bluish gray 2x2 inverted round tile with rounded bottom in front of the bar of the ppp, so that its front row sits on the plate in front of it. Find 2 light bluish gray 2x2 corner tiles. Rotate the first one so that it resembles a J in Braille. Then, flip it upside down from left to right. Attach it to the 2nd and 3rd rows from the front of the 2 leftmost columns. Take the second one and repeat symmetrically on the right.

97. Grab 2 dark bluish gray 1x2 plates with bar on short edge. Attach the first one vertically to the right column of the ppp, so that its bar faces to the front. Take the second one and repeat symmetrically on the left.

98. Locate 2 dark bluish gray 1x2 inverted curved slope tiles. Rotate the first one horizontally, so that it slopes to the right. Place its left column on top of the front row of the ppp. Take the second one and repeat symmetrically on the right.

99. Attach 1 black 2x3 triangular flag to the bar located on the back row, so that it points up. We need to apply sticker 3 (a triangle with dark bluish gray and blue checkered pattern with the Ravenclaw coat of arms on top) to the ppp. Ask a sighted friend to make sure the sticker is applied and oriented correctly.

100. Find 2 black lightsaber hilts. Attach the first one horizontally to the right of the bar on which the flag is attached to. Take the second one and repeat symmetrically on the left.

101. Let's make a sub-build for the ceiling stars on the left. Place 1 dark bluish gray 1x3 rounded plate horizontally in front of you. Place 1 light bluish gray 1x1 plate with clip on the right column of the ppp, so that its clip faces to the back right. Lastly, place 1 white 1x1 round plate with star on the left and 1 on the right columns. Attach the clip to the left lightsaber hilt from the previous step.

Now, let's make a sub-build for the ceiling stars on the right. Place 1 dark bluish gray 1x3 rounded plate horizontally in front of you. Place 1 light bluish gray 1x1 plate with clip on the left column of the ppp, so that its clip faces to the back left. Lastly, place 1 white 1x1 round plate with star on the left and 1 on the right columns. Attach the clip to the right lightsaber hilt from the previous step.

102. Flip the ceiling build upright from back to front, so that its bars face down and its stars are on top. Attach the bars to the clips located on the 8th row from the front. Then, angle it forward as much as possible.

Group 47 – Ravenclaw common room (continued)

103. Place 1 dark bluish gray 1x8 plate horizontally on top of the inner facing studs of the 1x3 inverted slope bricks located on the 4th and 5th rows from the front on the 2nd column from the right and the 9th column from the left.

104. Grab 2 dark bluish gray 1x1 plates with 1x1 tile with upright clip. Place the first one horizontally to the left of the ppp, so that its clip is to the left. Take the second one and repeat symmetrically on the right.

105. Place 1 sand green 1x10 plate horizontally on top of the 3 ppps.

106. Locate 2 dark bluish gray 1x2 plates with bar on long edge. Place the first one vertically on the 4th and 5th rows from the front on the rightmost column, so that its bar is to the left and it attaches to the clip. Take the second one and repeat symmetrically on the left side of the slanted roof.

Lastly, place 1 sand green 1x2 double sloped tile vertically on top of each of the 2 ppps.

107. Rotate the common room build 180 degrees on the horizontal plane, so that the studs of the slanted roof face to the front. Find 2 tan 1x1 sloped tiles. Attach them to the 4th and 9th columns from the left on the 6th row from the top of the slanted roof, so that they slope down. Then, place 1 sand green 1x1 sloped tile behind each of the 2 ppps, so that they slope up.

Group 48 – Ravenclaw common room (continued)

108. Place 1 dark bluish gray 4x6x8 half cone horizontally behind the sand green 1x2 double sloped tile located on the front row on the 4th and 5th columns from the right on top of the window, so that it slopes to the front and its open side faces to the back. Note that it will be attached only by its back left and back right corners.

109. Rotate the common room build 180 degrees on the horizontal plane, so that the studs of the slanted roof face to the back. Grab 2 dark bluish gray 1x2x3 sloped bricks. Place the first one horizontally in front of the 2 leftmost columns of the ppp, so that it slopes to the left. Take the second one and repeat symmetrically on the right.

110. Place 1 dark bluish gray 1x3x4 window frame horizontally to the left of the ppp, so that its ridge is to the front. Then, attach 2 dark tan 1x2x3 doors to the left and right of the window frame, so that their handles are to the center of the window frame and face to the front when closed.

111. Let's make a small sub-build for Rowena Ravenclaw's tiara. Place 1 dark blue 2x2 round tile with stud in front of you. Then, place 1 pearl gold 1x1 round tile with upright pin on top of the ppp. Lastly, insert 1 flat silver tiara crown into the ppp.

The sub-build is complete. Open the doors from the previous step, insert the tiara sub-build, and close them again.

112. Locate 2 dark bluish gray 1x2x3 sloped bricks. Rotate the first one horizontally, so that it slopes to the left. Place its right column on top of the leftmost column of the window frame. Take the second one and repeat symmetrically to the right.

113. Place 1 light bluish gray 1x2x3 panel horizontally to the left of the ppp, so that its flat edge faces to the front. We need to apply sticker 2 (consisting of Ravenclaw's coat of arms on top of a light bluish gray background) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented properly.

114. Rotate 1 dark bluish gray 2x3x4 half cone horizontally, so that its curve faces to the back. Place it horizontally behind the ppp.

115. Locate 2 dark bluish gray 1x2x3 sloped bricks. Rotate the first one horizontally, so that it slopes to the left. Place it in front of the 2 leftmost columns of the ppp. Take the second one and repeat symmetrically to the right.

116. Place the front row of 1 dark bluish gray 2x2x2 cone brick on top of the 2 ppps. Then, place 1 sand green 1x1 cone brick on top of the ppp. Lastly, insert the handle of 1 dark bluish gray ski pole into the ppp.

117. The common room is complete!

118. Bring back the main build, which should be horizontal and with its opening to the front. Place the common room build horizontally on top of it. Make sure that the top part of the tower aligns with its bottom part.

We are done with the construction! Place the characters anyway you wish, so that you can reenact your favorite scenes!

At the end of the instruction booklet, you will find one page advertising other sets from the theme. On the left, you will find sets 76435 (Hogwarts Castle: The Great Hall), 76445 (Hogwarts Castle: Herbology Class), and 76454 (Hogwarts Castle: The Main Tower). On the right, you will find sets 76447 (Hogwarts Castle: Flying Lessons) and 76463 (Hogwarts Castle: Hospital Wing, this set). In the middle of these, we have all sets combined, forming a huge Hogwarts Castle. On the top right corner, you can find the text that says "Build the most detailed HOGWARTS CASTLE" in gold letters. On the right, there is a text in white font that states, in different languages, that each set is sold separately and is available for different periods of time. All of this is on top of a dark purple background, with golden stripes on the top and bottom. The next page has the same page setup, but it shows the combined Hogwarts Castle from the back. To the right, sets 76460 (Hogwarts Castle: Sorting Hat Ceremony) and 76442 (Hogwarts Castle: Charms Class) are advertised. Lastly, you will find more advertisements for sets 76467 (Luna Lovegood's House), 76464 (Cauldron Secret Potions Classroom), 76463 (Hogwarts Castle: Hospital Wing, this set), and 76460 (Hogwarts Castle: Sorting Hat Ceremony). At the center, 4 collectible patronuses are shown in their satin trans-light blue form: a cat, a hare, an otter, and a wolf.

Afterwards, you will find the set inventory. On the last page you will find an invitation to share feedback.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!