

11211 Loki vs. Team Iron Man

Adapted by John Le and tested by Radar.

Fuel the imaginations of young Super Heroes with the Loki vs. Team Iron Man (11211) building toy, a great gift idea for boys and girls ages 4 years old and up. Featuring 4 minifigures from the Iron Man and His Awesome Friends TV show, this set provides a fun way to develop creative skills. The LEGO® I Marvel playset involves Iron Man, Iron Hulk and Ironheart working together at Iron Man's headquarters to prepare a jet plane, car and a jointed mech for battle against Loki. Fun features include Iron Man's spinning hologram, Hulk's elevator arm and tools for the vehicles.

SUPER HERO HQ BUILDING TOY – Zoom into endless imaginative adventures with LEGO® I Marvel Iron Man and His Awesome Friends Loki vs. Team Iron Man (11211) for ages 4 and up.

4 MINIFIGURES – Prepare for Super Hero action with Iron Man and his powerful jet, Iron Hulk and his big mech, Ironheart and her speedy car and the mischievous Loki.

IMAGINATIVE ROLE PLAY – Kids can recreate action from the popular TV show and play out endless adventures of their own with the included LEGO® I Marvel minifigures and vehicles.

PREPARE FOR AN EPIC MISSION – Iron Man uses his spinning hologram to get ready for battle, Hulk is lifted into the mech's cockpit by an elevator arm, Ironheart uses tools and oil to tune the vehicles.

DIMENSIONS – Put epic adventures right into the hands of young Iron Man fans with this 204-piece building set featuring an Iron Hulk mech suit standing over 4 in. (11 cm) tall.

The front of the box shows Ironheart driving a car on the side of a cliff, Iron Man in his jet flying around the mountain, and Hulk in his mech jumping over rocks to fight Loki!

The back of the box shows all the accessories that the set comes with! It comes with 4 minifigures, a Iron Man hologram, a jet, car, and mech!

The top of the box shows a real size image of Iron Man.

The build is 204 pieces in total and is for ages 4+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.

- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have

a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/11211>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 4 bags labeled 1 to 4, 4 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Iron Man and Plane

Group 1 - Pages 6-7.

Group 2 - Pages 8-29.

Group 3 - Pages 30-53.

Bag 2 - Ironheart and Car

Group 4 - Pages 4-5.

Group 5 - Pages 6-19.

Group 6 - Pages 20-49.

Group 7 - Pages 50-53.

Bag 3 - Iron Hulk and Mech

Group 8 - Pages 4-5.

Group 9 - Pages 6-27.

Group 10 - Pages 28-51.

Group 11 - Pages 52-77.

Bag 4 - Loki, Tools, and Iron Man Hologram

Group 12 - Pages 4-11.

Group 13 - Pages 12-41.

Group 14 - Pages 42-57.

Group 15 - Pages 58-69.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Iron Man

6-7. Locate 1 short red pair of legs, 1 red torso printed with dark blue armor, a light blue core, and dark red arms, 1 light tan head printed with eyes and lips, and 1 red helmet printed with a gold face and light blue eyes. Assemble your minifigure, make sure the gold part of the helmet faces the front, then put him away while we make his plane!

Group 2 - Plane

8-9. Horizontally place a black 6x6 angled plate with inverted sloped sides in front of you so the angled side faces the left.

10-11. Horizontally place a red 2x3 inverted slope brick on the leftmost column so it is centered vertically and slopes and overhangs 2 columns to the left.

12-13. Vertically place a gold 1x2 ingot tile to the right of the ppp so it is centered vertically.

14-15. Vertically place a light blue 1x2 panel with a middle wall to the right of the ppp so it is centered vertically and the long wall faces the left. Now place a light blue 2x2 tile to the right of the ppp.

16-17. Horizontally place a tan 1x6 plate on the 2nd row from the front so 2 columns overhang to the right. Then repeat symmetrically to the back.

18-19. Place a red 1x2 plate on the 2 leftmost columns of the ppp. Then repeat symmetrically to the front.

20-21. Horizontally place the 2 rightmost columns of a black 1x4 tile with 2 studs on top of the ppp. Then repeat symmetrically to the back.

22-23. Horizontally place a light blue 1x3 plate on the 3 rightmost columns of the front row. Then repeat symmetrically to the back.

24-25. Vertically place a red 4x6 plate with inverted sloped sides underneath the 2 rightmost columns so it is centered vertically.

26-27. Horizontally place a tan 2x3 slope brick on the 3rd to 5th columns from the right so it is centered vertically and slopes to the left.

28-29. Place the back row of a black 4x4 plate with a cutoff corner on the front right corner so 3 rows overhang to the front and the cutoff corner faces the front left. Then repeat symmetrically to the back.

Group 3 - Plane

30-31. Horizontally place a red 4x6 angled slope brick with a 2x3 gap on the 6 leftmost columns so it is centered vertically and slopes to the left.

32-33. Place a gold 1x1 round brick on the front row, in front of the rightmost column of the ppp. Then repeat symmetrically to the back. Now vertically place a light blue 1x2 slope tile on the 2nd column of studs from the left so it is centered vertically and slopes to the right.

34-35. Horizontally place a red 1x6 brick to the right of the previous 1x1 round brick you placed in the front. Then repeat symmetrically to the back.

36-37. Place a red 4x4 corner slope brick on the front right corner so 1 row overhangs to the front and it slopes to the front left. Then repeat symmetrically to the back.

38-39. Place 2 black 2x2x3 slope bricks, 1 in front of the other, on the 2 rightmost columns so together they are centered vertically and slope outwards to the front and back.

40-41. Place a red 2x2 plate on top of the 2 ppp. Now place a transparent aqua 2x2 brick in front of the ppp. Then repeat symmetrically to the back.

42-43. Vertically place a red 1x2x2 brick on the 3rd column from the right so it is centered vertically.

44-45. Vertically place the 1x1 plate of a 1x3x2 sloped curved bricks with a 1x1 plate on the front row of the ppp so it slopes to the front. Then repeat symmetrically to the back.

46-47. Horizontally place a red 2x4 sloped curved brick with 2x2 studs and a wing on the front right corner so the wing overhangs 2 columns to the right. Then repeat symmetrically to the back.

48-49. Place a light blue 2x2 round tile printed with a white triangle on the 2nd and 3rd columns of studs from the right so it is centered vertically on a 2x2 plate and 2 sloped curved bricks.

50-51. Horizontally place a transparent orange windshield printed with a data table to the left of the ppp so it is centered vertically and slopes to the left.

52-53. Remove the windshield then insert your Iron Man figure so he faces the left. Now close it back up and put it away while we make the next part!

Building Instructions (Bag 2, Book 2):

Group 4 - Ironheart

4-5. Locate 1 short purple pair of legs, 1 pink torso printed with purple armor, a light blue core, and purple arms, 1 light brown head printed with eyes, eyelashes, and lips, and 1 magenta helmet printed with a gold face and light blue eyes. Assemble your minifigure, make sure the gold part of the helmet faces the front, then put her away while we make her car!

Group 5 - Car

6-7. Horizontally place a magenta 4x10 car base with 4 pins in front of you.

8-9. Let's make 4 identical parts! Insert a gold wheel into a black tire.

10-11. Now you should have 4 identical parts! Attach 1 part to the leftmost front-facing pin so the hollow side faces the front. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.

12-13. Place 2 purple 2x2 slope bricks, 1 in front of the other, on the 2 rightmost columns so together they slope outwards to the front and back.

14-15. Vertically place a gold 2x3 pentagonal tile upright on the right-facing side studs so it is centered horizontally and the angled side faces the top.

16-17. Horizontally place a magenta 1x4 double sloped curved tile upright on the bottom row of right-facing side studs so it is centered horizontally.

18-19. Place 2 transparent pink 1x1 round tiles upright on the 2 right-facing side studs.

Group 6 - Car

20-21. Place a light blue 2x2 slope brick on the 3rd and 4th columns from the right so it is centered vertically and slopes to the left. Then place a light grey 2x2 brick on the 3rd and 4th columns from the left so it is centered vertically.

22-23. Vertically place 2 purple 1x2 ingot tiles, 1 in front of the other, on the 3rd column from the right.

24-25. Horizontally place a purple 1x2 ingot tile on the front row, to the left of the 2 ppp. Then repeat symmetrically to the back.

26-27. Vertically place a gold 1x2 jumper plate on the rightmost column so it is centered vertically.

28-29. Place a gold 1x1 plate with a clip to the left of the front row of the ppp so the clip faces the front. Then repeat symmetrically to the back.

30-31. Vertically place a transparent aqua 1x2 plate on top of the 2 ppp.

32-33. Place a purple 2x2 sloped curved tile on the 2 rightmost columns so it slopes to the right.

34-35. Horizontally attach a gold goblet to the rightmost front-facing clip so the anti-stud faces the left. Then repeat symmetrically to the back.

36-37. Place a purple 2x2 corner plate with a curved corner on the front 2 rows of the 4th and 5th columns from the left so the curve faces the front left. Then repeat symmetrically to the back.

38-39. Vertically place a magenta 3x4 sloped curved tile with 2 studs on the 3 leftmost columns so the studs are on the right.

40-41. Vertically place a gold 1x2 jumper plate on top of the ppp.

42-43. Vertically place a transparent 2x4 windshield to the right of the ppp so it is centered vertically and slopes to the left.

44-45. Place a pink 1x1 heart tile to the left of the ppp so the pointy end faces the left.

46-47. Horizontally place a purple 1x2 ingot tile upright on the bottom row of left-facing side studs so it is centered horizontally. Then horizontally place a gold 1x2 plate with an open ended bar upright above the ppp so it is centered horizontally and the bar faces up.

48-49. Horizontally place a magenta 1x4 double sloped curved tile upright on the bottom row of left-facing side studs so it is centered horizontally.

Group 7 - Car

50-51. Horizontally place a purple 1x4 double sloped curved tile printed with a gold bumper and light blue headlights upright on the left-facing side studs, above the ppp.

52-53. Now bring back your Ironheart minifigure and place her inside so she faces the left. Then put your car away while we make the next part!

Building Instructions (Bag 3, Book 3):

Group 8 - Iron Hulk

4-5. Locate 1 green pair of legs, 1 green torso printed with black armor, a light blue core, and light green arms, 1 light tan head printed with eyes, and lips, and 1 dark green helmet printed with a lime green face and light blue eyes. Assemble your minifigure, make sure the vertical part of the helmet is in the front, then put him away while we make his mech!

Group 9 - Mech

6-7. Place a black 2x2 brick with 2 large cylinders with pinholes in front of you so the cylinders face the left and right and the studs face the front. Then horizontally place 2 purple 1x2 ingot tiles, 1 above the other, upright on the front-facing side studs.

8-9. Insert the pin of a green mech leg into the left-facing pinhole so the leg bends towards the front. Then repeat symmetrically to the right.

10-11. Insert a black 2L pin into the top-facing pinhole.

12-13. Let's make 2 identical parts! Let's make the feet! Vertically place a light grey 2x4 plate in front of you.

14-15. Place the back right corner of a gold 2x2 curved corner brick with plate on the front left corner so it slopes to the front left. Then repeat symmetrically to the right.

16-17. Vertically place a gold 1x4 plate with a 1x4 sloped curved brick on the left column so it overhangs 1 row to the back, and slopes and overhangs 1 column to the left. Then repeat symmetrically to the right.

18-19. Horizontally place a purple 1x2 ingot tile on the back row.

20-21. Place a white 2x2 plate in front of the ppp.

22-23. Vertically place 2 yellow 1x2 plates with a stud and an upright clip, 1 to the right of the other, in front of the ppp so the clips are in the front.

24-25. Now you should have 2 identical parts! Vertically place 1 part underneath the left mech leg so the clips are in the front. Then repeat symmetrically to the right.

26-27. Attach the bar of a green rounded shoulder armor to the 2 leftmost top-facing clips so it is vertically upright and the rounded side faces the front. Then repeat symmetrically to the right. These will cover the knees of the mech!

Group 10 - Mech

28-29. Let's make a part! Let's make the upper body! Horizontally place a light green mech body in front of you so the side studs face the back.

30-31. Horizontally place a light blue 1x2 plate with 2 clips on the front row so the clips face the front.

32-33. Place a gold 2x2 plate on top.

34-35. Rotate your part 180 degrees. Horizontally place a dark grey 1x2 plate with a ball upright on the top left front-facing side studs so the ball faces the left. Then repeat symmetrically to the right.

36-37. Horizontally place a dark green 3x6 plate with a round side and 1x2 gap upright on the top 3 rows of front-facing side studs so it is centered horizontally and the round side faces down.

38-39. Horizontally place a transparent aqua 1x2 plate upright on the top row of front-facing side studs so it is centered horizontally. Then horizontally place another 1 upright on the bottom row of front-facing side studs.

40-41. Horizontally place a light grey 2x4 plate upright on the top 2 rows of front-facing side studs so it is centered horizontally. Then place a gold 2x2 sloped curved brick with 2 studs upright below the ppp so it is centered horizontally, the studs are on top, and it slopes down.

42-43. Vertically place a yellow 2x3 tile with 2 clips upright on the top 2 rows of front-facing side studs so it is centered horizontally, 1 row overhangs to the top, and the clips face up.

44-45. Horizontally place 2 green 1x4 double sloped curved tiles, 1 above the other, upright on the top 2 rows of front-facing side studs so together they are centered horizontally.

46-47. Rotate your part 180 degrees. Attach the bar of a green mech chestplate with 2x2 side studs to the front-facing clips so it is upright and the studs face the front. Now place a light blue 2x2 round tile printed with a white letter h upright on the front-facing side studs of the ppp.

48-49. Attach a bar of a green 4x4 windshield dome printed with a lime green face and light blue eyes to the 2 top-facing clips so the dome is in the front. This is the mech's head!

50-51. Place your part on top of the top-facing pin of the previous leg assembly so it is centered horizontally.

Group 11 - Mech

52-53. Let's make a part! Let's make a mech arm! Horizontally place a light green 2x2 round tile with a pinhole and 2 angled 2x2 plates in front of you so the studs face the front left and front right. Now vertically place a light grey 1x2 plate with a socket on the rightmost column so the socket faces the right.

54-55. Horizontally place a purple 2x3 plate on the 3 rightmost columns. Then vertically place a gold 1x2 ingot tile on the rightmost column.

56-57. Vertically place a green 3x4 sloped curved brick on the 3 rightmost columns, on top of the ppp so it is centered vertically and slopes to the left.

58-59. Place a light grey 1x2 brick with a pinhole and 1x2 plate on the leftmost column so the brick with a pinhole overhangs to the left. Then horizontally place 2 yellow 1x2 plates with a stud and an upright clip, 1 in front of the other, on the 2nd and 3rd columns from the left so the clips are on the right.

60-61. Attach the bar of a green rounded shoulder armor to the 2 top-facing clips so it is on the left and the round side faces up. Now insert a gold fist with a pin into the left-facing pinhole so the palm faces down and the thumb faces the front.

62-63. Bring back your main build and place it in front of you so the shoulder armor faces the front. Then attach the right-facing socket of your arm to the left-facing ball of the main build. Now orient the arm so it rests against the body and the fist faces the front.

64-65. Let's make a part! Let's make a mech arm! Horizontally place a light green 2x2 round tile with a pinhole and 2 angled 2x2 plates in front of you so the studs face the front left and front right. Now vertically place a light grey 1x2 plate with a socket on the leftmost column so the socket faces the left.

66-67. Horizontally place a purple 2x3 plate on the 3 leftmost columns. Then vertically place a gold 1x2 ingot tile on the leftmost column.

68-69. Vertically place a green 3x4 sloped curved brick on the 3 leftmost columns, on top of the ppp so it is centered vertically and slopes to the right.

70-71. Place a light grey 1x2 brick with a pinhole and 1x2 plate on the rightmost column so the brick with a pinhole overhangs to the right. Then horizontally place 2 yellow 1x2 plates with a stud and an upright clip, 1 in front of the other, on the 2nd and 3rd columns from the right so the clips are on the left.

72-73. Attach the bar of a green rounded shoulder armor to the 2 top-facing clips so it is on the right and the round side faces up. Now insert a gold fist with a pin into the right-facing pinhole so the palm faces down and the thumb faces the front.

74-75. Make sure the main build is oriented in front of you so the previous arm is on the left. Then attach the left-facing socket of your arm to the right-facing ball of the main build. Now orient the arm so it rests against the body and the fist faces the front.

76-77. Open up the chestplate and helmet of your mech and place your Hulk minifigure inside, then close it back up. Now put your mech away while we make the next part!

Building Instructions (Bag 4, Book 4):

Group 12 - Loki and Tools

4-5. Locate 1 gold pair of legs, 1 gold torso printed with green armor, 1 green cape, 1 light tan head printed with eyes and a smirk, 1 gold helmet, and 1 transparent light green lightning bolt. Assemble your minifigure, make sure the horns of the helmet curve to the back, then attach the lightning bolt to his hand!

6-7. Let's make a part! Horizontally place a black 1x4 oval fence in front of you.

8-9. Insert a silver wrench into the left stud so it goes all the way down and the claw faces up.

10-11. Let's make another part! Place a pink 1x1 round brick in front of you. Then place a light grey 1x1 nozzle on top. This is spray paint! Now put everything away while we make the Iron Man hologram.

Group 13 - Iron Man Hologram

12-13. Place a light blue 8x8 plate with a round side in front of you so the round side faces the front.

14-15. Place a red 1x1 brick with a clip on the back left corner so the clip faces the left.

16-17. Place a light grey 1x1 brick on the back right corner. Then horizontally place a red 1x6 brick to the left of the ppp.

18-19. Horizontally place a dark red 1x8 plate on the back row.

20-21. Place a red 2x2 plate on the 2 rightmost columns, in front of the ppp. Then repeat symmetrically to the left.

22-23. Horizontally place a dark red 2x4 tile in between the 2 ppp.

24-25. Place a light grey 2x2 tile with a top-facing pin in front of the ppp so it is centered horizontally.

26-27. Horizontally place a gold 1x2 ingot tile to the right of the back row of the ppp. Then repeat symmetrically to the left. Now horizontally place a gold 1x2 ingot tile on the 3rd row from the front so it is centered horizontally.

28-29. Place a gold 1x2 curved tile to the left of the ppp so the curve faces the front left. Then repeat symmetrically to the right.

30-31. Horizontally place a red 1x6x5 panel on the back left corner so the wall faces the front.

32-33. Horizontally place a dark grey 1x2x2 brick to the right of the ppp.

34-35. Place a red 2x2x3 slope brick in front of the ppp so it slopes to the front. Then repeat symmetrically to the left.

36-37. Horizontally place a dark grey 1x2x2 brick on the back right corner.

38-39. Horizontally place a black 1x2 brick with a hinge on top of the ppp so the hinge faces the right.

40-41. Horizontally place a dark red 1x8 plate on the back row.

Group 14 - Iron Man Hologram

42-43. Horizontally place a dark red 1x2x1 2/3 brick with 2x2 side studs on the 2 rightmost columns of the 2nd row from the back so the side studs face the front. Then repeat symmetrically to the left.

44-45. Horizontally place a dark red 1x2 brick with a side stud on top of the ppp so the side stud faces the front. Then repeat symmetrically to the right.

46-47. Vertically place 2 gold 1x1 tiles with a 1x1 slope tile, 1 to the right of the other, on the back left corner so they slope to the front. Then repeat symmetrically to the right.

48-49. Place a light blue 2x2 round tile upright on the bottom 2 rows of front-facing side studs on the 2 leftmost columns. Then repeat symmetrically to the right.

50-51. Place a light blue 1x1 round tile upright on the leftmost front-facing side stud. Then repeat symmetrically to the right.

52-53. Place a red 4x4 round brick with a pinhole on the top-facing pin so it is centered on it.

54-55. Horizontally place a transparent aqua 2x4x5 half cylinder panel printed with a gold outline of Iron Man on the front 2 rows of the ppp so the round side faces the front.

56-57. Place a gold 1x2 curved tile on the 2 leftmost columns of the ppp so the curve faces the front left. Then repeat symmetrically to the right.

Group 15 - Iron Man Hologram

58-59. Let's make a part! Horizontally place a red 1x2 plate in front of you. Then horizontally place a light blue 1x2 plate with 2 clips on top of the ppp so the clips face the front.

60-61. Horizontally place a gold 1x1 tile with a 1x1 slope tile on the left column so it slopes and overhangs to the left. Then repeat symmetrically to the right. Now attach a bar of a red 4x4 windshield dome printed with a gold face and light blue eyes to the 2 front-facing clips so the dome is in the front.

62-63. Horizontally place the back row of your part on the back row of the main build so it is centered horizontally and the dome is in the front.

64-65. Let's make a part! Horizontally place a dark grey 1x2 brick with a hinge and 2 hinge fingers in front of you so the hinge faces the right. Then horizontally attach the hinge of another 1 to the left-facing connector.

66-67. Vertically attach a black 2x3 box with 2 studs and 2 hinge fingers to the right-facing hinge.

68-69. Horizontally attach the left-facing connector of your part to the right-facing hinge that is on the back right corner of the main build. Now bend it down so it slopes down to the right.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

At the end of the instruction booklets are advertisements for the following 4 LEGO Marvel Theme kits:

11211 Loki vs. Team Iron Man

11209 Ultron vs. Iron Man

11206 Spidey on his Motorcycle vs. Rhino

11208 Team Spidey Pirate Ship