

40923 Shrek, Donkey & Gingy Figures

Adapted by John Le and tested by Natalie Charbonneau.

Let kids be transported to Far Far Away with this LEGO® BrickHeadz™ Shrek, Donkey & Gingy Figures (40923) building set for boys and girls ages 10 and up. All 3 characters are instantly recognizable, and Shrek holds his classic “Beware Ogre” sign. Bring the magic of Shrek home by displaying the figures as movie decor. The set makes a great gift idea for boys, girls, Shrek fans and collectors ages 10 and up. Set contains 260 pieces.

SHREK TOYS – Invite kids to step into the world of their favorite ogre with the LEGO® BrickHeadz™ Shrek, Donkey & Gingy Figures (40923) building set designed for ages 10 and up.

BELOVED MOVIE CHARACTERS – Fans can build Shrek, Donkey and Gingy and discover the details; all 3 figures have printed elements and Shrek holds a “Beware Ogre” sign.

CREATIVE PLAY – Kids and Shrek fans can build these collectible figures and recreate iconic moments, bringing their favorite movie scenes to life.

MOVIE DECOR – The buildable Shrek figures can be displayed and shown off in a bedroom, office or even a swamp.

DIMENSIONS – The 260-piece set includes Shrek standing over 3 in. (8 cm) tall, Donkey standing over 3 in. (7 cm) tall and Gingy standing over 2 in. (5 cm) tall.

The front of the box shows Shrek, Donkey, and Gingy next to each other! Shrek is holding a sign that says beware ogre!

The back of the box shows the 3 figures each standing on a platform!

The top of the box shows a real size image of a tan 2x3 tile printed with a green ogre and says beware ogre!

The build is 259 pieces in total and is for ages 10+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)

- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, els and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/40923>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 5 bags labeled 1 to 5, 3 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Shrek

Group 1 - Steps 1-10.

Group 2 - Steps 11-14.

Bag 2 - Shrek

Group 3 - Steps 15-24.

Group 4 - Steps 25-40.

Group 5 - Steps 41-43.

Bag 3 - Donkey

Group 6 - Steps 1-3.

Group 7 - Steps 4-14.

Group 8 - Steps 15-19.

Bag 4 - Donkey

Group 9 - Steps 20-23.

Group 10 - Steps 24-28.

Group 11 - Step 29.

Group 12 - Step 30.

Group 13 - Steps 31-33.

Bag 5 - Gingly

Group 14 - 1 light brown 2x3 plate and 2 white 1x2 plates from Steps 1-2.

Group 15 - Rest of Steps 1-2 and Steps 3-4.

Group 16 - Steps 5-9.

Group 17 - Steps 10-21.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Shrek

1. Let's make Shrek! He is a green ogre wearing tan and brown clothes, and holding a sign that says beware of ogre! Vertically place a tan 2x3 plate in front of you. Then vertically place a black 1x3 plate on the left column.
2. Place a black 2x2 plate on the back right corner so 1 column overhangs to the right.
3. Vertically place a tan 2x3 plate underneath the rightmost column so 1 row is exposed to the front.
4. Vertically place a black 1x3 plate on the rightmost column.
5. Horizontally stack 2 tan 2x4 plates on the back 2 rows.
6. Horizontally place a black 1x2 brick with 2 side studs on the front row so it is centered horizontally and the side studs face the front. Then place a short tan 1x1 brick on the front left corner. Then repeat symmetrically to the right.
7. Place a brown 2x2 corner brick on the back left corner so it looks like the braille letter f. Then horizontally place a brown 1x2 brick on the back row, to the right of the ppp.
8. Horizontally stack 2 brown 1x4 plates on the back row.
9. Horizontally place a black 1x2 rounded plate on the 2nd row from the front so it is centered horizontally. Then horizontally place a red 1x2 half cylinder brick on top of the ppp so the round side faces the back. This red brick represents Shrek's heart! Now horizontally place a black 1x2 rounded plate on top of the ppp.
10. Vertically place a white 1x2x2 brick with 2x2 side studs on the front right corner so the side studs face the right. Then horizontally place 1 on the front row, to the left of the ppp so the side studs face the front.

Group 2 - Shrek

11. Place a light grey 1x1x2 brick with 2 side studs on the front left corner so the side studs face the left. Then place a short brown 1x1 brick behind the ppp.
- 12.1. Let's make a part! Horizontally place a tan 1x4 tile upside down in front of you. Then horizontally place the side studs of 2 black 1x2 plates with 2 upright side studs, 1 to the right of the other, on top so the anti-studs face the back.

12.2. Horizontally place 2 tan 1x2 sloped curved bricks, 1 to the right of the other, upright on the front-facing side studs so they slope down.

12.3. Horizontally attach the back-facing anti-studs of your part to the bottom row of front-facing side studs so it is centered horizontally. This is the bottom of Shrek's stomach!

13.1. Let's make a part! Horizontally stack 2 brown 2x4 plates in front of you. Then horizontally place a brown 1x4 plate on the front row. Now place a tan 2x2 sloped curved tile on top so it is centered horizontally and slopes to the back. Then vertically place a brown 1x2 sloped curved tile to the left of the ppp so it slopes to the back. Then repeat symmetrically to the right.

13.2. Horizontally place your part upright on the front-facing side studs so it is centered horizontally and slopes up. This is his chest!

14.1. Let's make 2 identical parts! Place a tan 2x2 plate in front of you. Then horizontally place a tan 1x2 tile on the back row. Now horizontally place a lime green 1x2 plate with a clip on the front row so the clip faces the front.

14.2. Now you should have 2 identical parts! Place 1 part upright on the left-facing side studs so 1 column overhangs to the front and the clip faces the front. Then place the other 1 upright on the right-facing side studs so the clip faces down. These are Shrek's hands!

Building Instructions (Bag 2, Book 1):

Group 3 - Shrek

15. Place a brown 4x4 plate on top so it is centered.

16. Rotate your build 180 degrees so the rounded side faces the back. Then horizontally place a white 1x2x2 brick with 2x2 side studs on the front row so it is centered horizontally and the side studs face the front. Then place a light grey 1x1x2 brick with 2 side studs to the left of the ppp so the side studs face the left. Then repeat symmetrically to the right.

17. Rotate your build 180 degrees so the rounded side faces the front. Now place a red 2x2 plate on the 2nd and 3rd rows from the front so it is centered horizontally. Then place a lime green 1x1 tile to the left of the back row of the ppp. Then repeat symmetrically to the right.

18. Place a blue 1x1 brick with a side stud and bottom lip on the 2nd column from the right of the 2nd row from the back so the side stud faces the right. Then place a light grey 1x1 slope tile upright on the right-facing side stud of the ppp so it slopes up. Now repeat both parts symmetrically to the left.

19. Horizontally place a white 1x2 brick on the 2nd row from the front so it is centered horizontally. Then place a short white 1x1 round brick with a side stud to the right of the ppp so the side stud faces the right. Then repeat symmetrically to the left.

20. Place a short tan 1x1 brick on top of the ppp. Then repeat symmetrically to the right.

21. Place a short white 1x1 round brick with a side stud on the front right corner so the side stud faces the right. Then repeat symmetrically to the left.

22.1. Let's make a part! Horizontally place a light grey 1x2 plate with a stud and pinhole in front of you so the pinhole is on the left. Then place a lime green 1x1 round plate on top. Now insert a light grey 2L pin into the front-facing pinhole. Then attach a black 1x1 brick with a pinhole to the front-facing pin.

22.2. Place the front row of your part on the rightmost column of the 2nd row from the front so the 1x2 plate with a stud and pinhole is in the back and slopes to the right. The back row should sit on the 1x2 slope tile and connect to any studs.

23.1. Let's make a part! Horizontally place a light grey 1x2 plate with a stud and pinhole in front of you so the pinhole is on the right. Then place a lime green 1x1 round plate on top. Now insert a light grey 2L pin into the front-facing pinhole. Then attach a black 1x1 brick with a pinhole to the front-facing pin.

23.2. Place the front row of your part on the leftmost column of the 2nd row from the front so the 1x2 plate with a stud and pinhole is in the back and slopes to the left. The back row should sit on the 1x2 slope tile and connect to any studs.

24. Horizontally place a white 1x2 brick on the 2nd row from the front so it is centered horizontally.

Group 4 - Shrek

25. Horizontally place a white 1x2x2 brick with 2x2 side studs on the front row so it is centered horizontally and the side studs face the front. Then place a yellow 1x1 brick with a side stud to the left of the ppp so the side stud faces the left. Then repeat symmetrically to the right.

26. Rotate your build 180 degrees so the rounded side faces the back. Now horizontally place 2 white 1x2x2 bricks with 2x2 side studs, 1 to the right of the other, on the front row so the side studs face the front.

27. Rotate your build 180 degrees so the rounded side faces the front. Then place a pink 2x2 brick on the 2nd and 3rd rows from the front so it is centered horizontally and sits on 2 studs. Now vertically place a black 1x2 brick with 2 side studs to the right of the ppp so the side studs face the right. Then repeat symmetrically to the left.

28. Horizontally place a white 1x2x2 brick with 2x2 side studs on the front row so it is centered horizontally and the side studs face the front. Then place a light grey 1x1x2 brick with 2 side studs to the right of the ppp so the side studs face the right. Then repeat symmetrically to the left.

29. Let's make a part! Let's make the face! Place a lime green 4x4 plate in front of you. Then horizontally place a lime green 2x4 tile on the back 2 rows.

30. Horizontally place a lime green 1x4 tile with 2 studs in front of the ppp. Now horizontally place a lime green 1x4 tile in front of the ppp

31. Place 2 black 1x1 round tiles printed with an eye on top.

32. Place your part upright on the front-facing side studs so it is centered horizontally and the 2x4 tile is on top.

33. Rotate your build 90 degrees counterclockwise so the face faces the right. Now horizontally place a lime green 1x4 tile upright on the 4th row of front-facing side studs from the top so it is centered horizontally. Then place a lime green 1x1 tile upright above the leftmost column of the ppp.

34. Place a lime green 1x1 wine glass upright to the right of the ppp so it sits on the diagonal front-facing 1x1 round plate. This is an ear! Now horizontally place a lime green 1x2 tile upright to the right of the ppp so it sits above the 1x4 tile and there is no overhang.

35. Horizontally place a lime green 2x4 tile upright on the top 2 rows of front-facing side studs so it is centered horizontally.

36. Rotate your build 180 degrees. Then horizontally place a lime green 1x4 tile upright on the 4th row of front-facing side studs from the top so it is centered horizontally. Then place a lime green 1x1 tile upright above the rightmost column of the ppp.

37. Place a lime green 1x1 wine glass upright to the left of the ppp so it sits on the diagonal front-facing 1x1 round plate. This is an ear! Now horizontally place a lime green 1x2 tile upright to the left of the ppp so it sits above the 1x4 tile and there is no overhang.

38. Horizontally place a lime green 2x4 tile upright on the top 2 rows of front-facing side studs so it is centered horizontally.

39. Rotate your build 90 degrees clockwise so the face faces the back. Let's make a part! Place a lime green 4x4 plate in front of you. Then horizontally place a lime green 2x4 tile on the back 2 rows. Then repeat symmetrically to the front. Now place your part upright on the front-facing side studs so it is centered horizontally on them.

40. Horizontally place a lime green 2x4 sloped curved tile on the front 2 rows so it is centered horizontally and slopes to the front. Then repeat symmetrically to the back.

Group 5 - Shrek

41. Flip your build upside down so the face faces the back. Now vertically place a light brown 1x2 brick on the 2nd and 3rd rows from the front of the leftmost column. Then vertically place a brown 1x2 plate on top of the ppp. Now repeat both parts symmetrically to the right. These are Shrek's feet!

42.1. Flip Shrek over so he is right side up and his face faces the front. Now let's make a part! Place a short white 1x1 round brick with a side stud in front of you so the side stud faces the front. Then insert a brown 4L bar into the front-facing stud. Now vertically place the front anti-stud of a tan 2x3 tile printed with a green ogre and words that say "Beware Ogre" on top so it is centered horizontally and overhangs to the back.

42.2. Attach the bar of your part to the leftmost front-facing clip so the 2x3 tile is on top and faces the front.

43.1. Let's make a part! Let's make the platform! Place a black 6x6 plate in front of you. Then horizontally place a black 1x4 tile on the 2nd row from the front so it is centered horizontally. Then horizontally place a black 1x4 tile with 2 studs behind the ppp. Now horizontally place a black 2x4 tile behind the ppp.

43.2. Place your Shrek figure on top so it is centered horizontally and vertically. Now put him away while we make Donkey!

Building Instructions (Bag 3, Book 2):

Group 6 - Donkey

1. Place a light grey 3x3 plate upside down in front of you. Then vertically place a white 1x3 plate on top so it is centered horizontally and vertically.

2. Place a short light grey 1x1 brick on the front left corner. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.

3. Place a dark grey 1x1 plate on the front left corner. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back. These are the feet!

Group 7 - Donkey

4. Flip your build over so the 1x3 plate is still vertical. Now horizontally place a light grey 1x3 plate on top so it is centered vertically and horizontally.

5. Vertically place a light grey 1x1 plate with a 1x1 sloped curved brick on the back left corner so it slopes to the back. Then repeat symmetrically to the right.

6. Place a light grey 1x1 round plate with a handle on the 2nd row from the back so it is centered horizontally and the handle faces the back. This handle will hold the tail later!

7. Horizontally place a light grey 1x3 plate on the 2nd row from the front so it is centered horizontally.

8. Place a light grey 1x1 brick with a side stud on the front left corner so the side stud faces the front. Then horizontally place a light grey 1x2 brick with 2 side studs to the right of the ppp so the side studs face the front.

9. Horizontally place a light grey 1x3 plate upright on the front-facing side studs so it is centered horizontally.

10. Vertically place a white 1x2 sloped curved tile upright on the front-facing side studs so it is centered horizontally and slopes and overhangs to the bottom. Then vertically place a light grey 1x2 angled sloped curved tile upright to the right of the ppp so it slopes and overhangs to the bottom and the angled part faces the bottom right. Then repeat symmetrically to the left.

11. Place a light grey 3x3 plate on top so 1 row overhangs to the front, onto the upright parts.

12. Rotate your build 90 degrees clockwise so the handle faces the right. Now attach a light grey claw to the handle so the bar faces the top right. Then attach a black 1x1 cone brick to the bar so the anti stud faces the top right. This is the tail!

13. Vertically stack 2 light grey 1x3 plates on the 3rd column from the left.

14. Rotate your build 180 degrees so the tail faces the left. Then place a white 1x1 brick on the 2nd column from the right so it is centered vertically. Then place a lime green 1x1 round plate on top of the ppp.

Group 8 - Donkey

15. Place a tan 1x1x2 brick with 2 side studs on the front row of the 2nd column from the right so the side studs face the front. Then place a black 1x1 brick with 2 side studs to the left of the ppp so the side studs face the front and left. Then repeat both parts symmetrically to the back. Now place a red 1x1 brick with a side stud on the 3rd column from the right so it is centered vertically and the side stud faces the left.

16. Rotate your build 90 degrees clockwise so the tail faces the back. Then place a tan 1x1x2 brick with 2 side studs on the front right corner so the side studs face the front. Now horizontally place a white 1x2x2 brick with 2x2 side studs to the left of the ppp so the side studs face the front.

17. Place a short light grey 1x1 brick on the front row so it is centered horizontally. Then place a pink 1x1 brick behind the ppp. Now place another short light grey 1x1 brick behind the ppp. Now place a lime green 1x1 tile on the 2nd row from the front of the leftmost column. Then repeat symmetrically to the right.

18. Place a short white 1x1 round brick with a side stud on the front left corner so the side stud faces the left. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.

19. Horizontally place a light grey 1x3 plate on the front row so it is centered horizontally. Then repeat symmetrically to the back. Now horizontally place a light grey 1x1 plate with 2 handles in between the 2 ppp so it is centered horizontally.

Building Instructions (Bag 4, Book 2):

Group 9 - Donkey

20. Let's make a part! Horizontally place a light grey 1x3 jumper plate in front of you.

21. Place a light grey 1x1 plate with an upright side stud on the left stud so the side stud faces the left. Then repeat symmetrically to the right.

22. Place a light grey 2x2 round plate on top so it overhangs 1 row to the front. Then horizontally place a pink 1x2 rounded plate underneath the front row. Now horizontally place a light grey 1x2 plate underneath the ppp.

23. Horizontally place a light grey 1x2 plate on the back row. Then place 2 white 1x1 tiles with a round side, 1 to the right of the other, on the front row so the round sides face the front.

Group 10 - Donkey

24. Place a light grey 1x1 tile with a round side upright on the right-facing side stud so the round side faces up. Then repeat symmetrically to the left.

25. Horizontally place a light grey 1x2 rounded tile printed with nostrils on the back row.

26. Horizontally place your part upright on the bottom row of front-facing side studs so the upright 1x2 rounded tile is on top. These is the snout and teeth!

27.1. Let's make a part! Let's make the eyes! Horizontally place a light grey 2x3 plate in front of you. Then horizontally place a light grey 1x3 tile on the back row. Now horizontally place a light grey 1x3 plate on the front row.

27.2. Place a light grey 1x1 slope tile on the front row so it is centered horizontally and slopes to the back. Then place a black 1x1 round tile printed with an eye to the left of the ppp. Then repeat symmetrically to the right.

27.3. Horizontally place your part upright on the front-facing side studs so it is centered horizontally and the 1x3 tile is on top. This is the face!

28. Rotate your build 90 degrees clockwise so the face faces the left. Now horizontally place a light grey 1x3 tile upright on the top row of front-facing side studs so it is centered horizontally. Then horizontally place a light grey 1x3 plate upright below the ppp. Now horizontally place a light grey 1x3 tile upright below the ppp.

Group 11 - Donkey

29.1. Let's make a part! Place a light grey 3x3 plate in front of you. Then horizontally place a light grey 1x3 tile on the back row. Then repeat symmetrically to the front. Now place a black 1x3 plate in between them.

29.2. Place a black 1x1 plate on top so it is centered horizontally. Then place 3 black 1x1 double slope tiles, 1 to the right of the other, on top so they slope to the left and right.

29.3. Place your part upright on the right-facing side studs so it is centered on them and the 1x1 double slope tiles are vertical.

Group 12 - Donkey

30. Rotate your build 180 degrees. Horizontally place a light grey 1x3 tile upright on the top row of front-facing side studs so it is centered horizontally. Then horizontally place a light grey 1x3 plate upright below the ppp. Now horizontally place a light grey 1x3 tile upright below the ppp.

Group 13 - Donkey

31.1. Let's make a part! Horizontally place a black 1x3 plate in front of you. Then place a black 1x1 plate on top so it is centered horizontally. Now place 3 black 1x1 double slope tiles, 1 to the right of the other, on top so they slope to the left and right.

31.2. Horizontally place your part on top so it is centered horizontally and vertically. This is the donkey's hair!

32.1. Let's make 2 identical parts! Horizontally place a light grey 1x3 rounded plate in front of you. Then horizontally place a light grey 1x2 plate with a clip on the 2 leftmost columns so the clip faces the left. Now place a light grey 1x1 tile with a round side to the right of the ppp so the round side faces the right.

32.2. Now you should have 2 identical parts! Rotate your main build 90 degrees counterclockwise so the face faces the front. Then attach the clip of 1 part to the leftmost top-facing handle so it faces the left, and the studs face the front. Then repeat symmetrically to the right. These are the ears!

33.1. Let's make a part! Let's make a platform! Place a black 6x6 plate in front of you. Then place 2 black 2x2 tiles with a stud, 1 to the right of the other, on the 2nd and 3rd rows from the front so together they are centered horizontally. Then repeat symmetrically to the back.

33.2. Place your donkey on the platform so it is centered, then put it away while we make Gingy!

Building Instructions (Bag 5, Book 3):

Group 14 - Gingy

1. Horizontally place a light brown 2x3 plate in front of you. Then vertically place a white 1x2 plate underneath the leftmost column. Then repeat symmetrically to the right.

Group 15 - Gingy

2. Horizontally place a white 2x3 plate on top. Then vertically place a light brown 1x2 plate underneath the leftmost column. Then repeat symmetrically to the right.

3. Place a light brown 1x1 brick on the back row so it is centered horizontally. Then place a light brown 1x1 brick with a side stud in front of the ppp so the side stud faces the front. Now place a purple 1x1 round tile upright on the front-facing side stud.

4. Vertically place a light brown 1x2 brick with a side stud on the rightmost column so the side stud faces the right. Then place a white 1x1 plate upright on the right-facing side stud. Now place a light brown 1x1 half cylinder brick upright on the ppp so it slopes up and down. Now repeat everything symmetrically to the left.

Group 16 - Gingy

5. Horizontally place a light brown 2x3 plate on top.

6. Place 2 light brown 1x1 bricks, 1 in front of the other, on top so together they are centered horizontally. Then vertically place a light brown 1x2 brick with 2 side studs on the rightmost column so the side studs face the right. Then repeat symmetrically to the left.

7. Place a light grey 1x1x2 brick with 2 side studs on the back row so it is centered horizontally and the side studs face the back. Then repeat symmetrically to the front. Now vertically place a red brown 1x2x2

brick with 2x2 side studs on the rightmost column so the side studs face the right. Then repeat symmetrically to the left.

8. Vertically place a light brown 1x2 plate on top so it is centered horizontally.

9. Vertically place a light brown 1x2 tile on top of the ppp. Then vertically place a light brown 1x2 slope tile to the right of the ppp so it slopes to the right. Now repeat symmetrically to the left.

Group 17 - Gingy

10. Let's make a part! Horizontally place a light brown 1x3 plate in front of you. Then vertically place a light brown 1x2 plate on the leftmost column so it overhangs to the front. Then repeat symmetrically to the right.

11. Horizontally place a light brown 2x3 plate underneath the front row so 1 row is exposed to the front.

12. Vertically place a light brown 1x2 tile on the back 2 rows so it is centered horizontally.

13. Horizontally place a light brown 1x3 tile printed with a red mouth on the front row.

14. Place a light blue 1x1 tile with a round side on the back left corner so the round side faces the back. Then place a white 1x1 round plate in front of the ppp. Now repeat both parts symmetrically to the right.

15. This is the face! Place your part upright on the front-facing side studs of the main build so the 1x1 tiles with round sides are on top!

16. Horizontally place a light brown 1x2 plate upright on the 2nd row of right-facing side studs from the top. Then horizontally place a light brown 1x2 tile upright on the ppp.

17. Horizontally place a light brown 1x2 slope tile upright on the top row of right-facing side studs so it slopes up. Then repeat symmetrically to the bottom.

18.1. Let's make a part! Horizontally place a light brown 2x3 plate in front of you. Then vertically place a light brown 1x3 tile on the leftmost column so it overhangs to the front. Now repeat symmetrically to the right.

18.2. Vertically place a light brown 1x3 tile in between the 2 ppp so it overhangs 1 row to the front. Now horizontally place a light brown 1x3 plate underneath the front row.

18.3. Rotate your main build 180 degrees. Now place your part upright on the front-facing side studs so it is centered on them and the 1x3 plate is horizontal.

19. Horizontally place a light brown 1x2 plate upright on the 2nd row of right-facing side studs from the top. Then horizontally place a light brown 1x2 tile upright on the ppp.

20. Horizontally place a light brown 1x2 slope tile upright on the top row of right-facing side studs so it slopes up. Then repeat symmetrically to the bottom.

21.1. Let's make a part! Let's make the platform! Place a black 6x6 plate in front of you. Then horizontally place a black 1x4 tile on the 2nd row from the back so it is centered horizontally. Then repeat symmetrically to the front. Now place 2 black 2x2 tiles with a stud, 1 to the right of the other, in between the 2 ppp so together they are centered horizontally.

21.2. Rotate your main build 180 degrees. Then place it on top of your platform so it is centered.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

At the end of the instruction booklets, there are no ads.