

76349 Spider-Man Prison Transport Chase

Adapted by Arturo and tested by Peter Durieux.

Fuel kids' Super Hero role-play adventures with the Spider-Man Prison Transport Chase (76349). This dynamic gift idea for boys and girls ages 8 years old and up features Spider-Man, Tombstone, Tarantula and a DODC Guard in action in and around the iconic vehicle from Spider-Man: Brand New Day. Inspire imaginative play with minifigure accessories: Spider-Man has hand-held spider webs, Tombstone has 2 stud shooters, Tarantula has spiked hands and feet, and the DODC Guard has handcuffs and a non-functioning shooter. The rugged, 6-wheel vehicle has 2 stud shooters, an opening roof hatch to access the cockpit, an opening rear to access the on-board prison, plus suspension for rough terrain. Spider-Man Prison Transport Chase makes a great birthday, holiday or any day gift idea for young Super Heroes.

The packaging captures the action of Spider-Man chasing down the prison transport! The front of the box shows Spider-Man swinging into action as the rugged dark blue, black, and gray 6-wheel prison transport speeds through a city street. Spider-Man is flying above the vehicle with a white web, while Tarantula, Tombstone, and the DODC Guard are arranged around the transport as if the chase has just erupted around them. The transport dominates the center of the scene, with chunky tires, armored dark blue side panels, gray mechanical details, and stud shooters visible near the top. The background consists of a dramatic urban scene with buildings fading into the back, while a large image of Spider-Man's masked face decorates the right side of the box. The top left corner is decorated with the classic LEGO and Marvel logos. On the bottom left corner, the box shows the set's age rating, number, name, and piece count. On the bottom right corner, we have the minifigures included in the set. These are, from left to right, Spider-Man, Tarantula, Tombstone, and the DODC Guard. The left side of the box repeats the LEGO and Marvel branding on a dark Marvel-themed strip. The back of the box shows the prison transport from another angle, this time focusing more on its play features and interior access. The vehicle is shown with opening sections, including the roof hatch for the cockpit and the rear prison area, while smaller feature images highlight the stud shooters, the opening back compartment, and the suspension built for rough terrain. The right side of the box has the LEGO logo, as well as a warning that states that the set contains small parts and it is therefore not recommended for children younger than 3 years old in other languages. The top of the box has the classic LEGO logo and a 1:1 image of Spider-Man's minifigure. The bottom of the box is a tidy strip that contains the barcode, the LEGO and Marvel logos, the set number, recycling information, and copyright and trademark notices.

The build consists of 367 pieces in total, 4 minifigures, 1 sticker sheet, and is recommended for ages 8+. Once finished, you will have 1 prison transport. The set consists of 4 numbered bags and 1 instruction booklet.

Welcome to text-based instructions from Bricks for the Blind! Before you start building, here are some terms we may be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.

- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/previous: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- Hollow stud: a bump on a LEGO brick with a hole, which allows attaching bars.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Left/right wedge parts: these are parts that when placed in front of you and are pointing to the back, their wedge is on the left/right side of the part.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ell and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

Additionally, it is worth mentioning that besides the printed visual instructions that come with each kit, a PDF version for the set's instructions is always available online at [\[https://www.lego.com/en-us/service/building-instructions/76349\]](https://www.lego.com/en-us/service/building-instructions/76349). This might help a sighted building partner that may want to follow along or low vision users that may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2, and 3 and put them in one container.

This LEGO set comes with 4 bags labeled 1 through 4 and 1 instruction booklet. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder!

LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Book 1, bag 1 - Spider-Man; prison transport

Group 1: pages 5-7

Group 2: steps 1-7

Group 3: steps 8-19

Book 1, bag 2 - Tombstone; prison transport

Group 4: pages 26-27

Group 5: steps 20-27

Group 6: steps 28-37

Book 1, bag 3 - Tarantula; prison transport

Group 7: pages 47-48

Group 8: steps 38-41

Group 9: steps 42-47

Group 10: steps 48-53

Group 11: steps 54-61

Book 1, bag 4 - Prison DODC Guard; prison transport

Group 12: page 74

Group 13: steps 62-67

Group 14: steps 68-74.6

Group 15: steps 75-78.5

Group 16: steps 79-85

Alright, we are done with sorting. Let's get building!

Building Instructions

Book 1, bag 1:

Group 1 – Spider-Man

Pages 5-7. Locate 1 pair of dark blue hips with molded red boots, 1 red torso with dark blue side panels, black webbing, black spider logo, dark blue arms, and red hands, and 1 red minifigure head with black webbing and large white eyes. Assemble the minifigure. Ask a sighted friend to make sure that the head is oriented properly.

Let's give Spider-Man some shooting web. Put the bar of 1 white 1x1 round plate with open stud and bar underneath into Spider-Man's left hand. Then, attach 1 white 1x1 round plate with open stud to the ppp. Continue by inserting the bar on the narrow side of 1 short web to the ppp. Next, attach 1 white 1x1 cone brick to the ppp, so that its antistud faces to the front. Attach the stud of 1 white 1x1 round plate with open stud to the antistud of the ppp. Lastly, insert the center bar of 1 white hexagonal web into the ppp.

Group 2 – Prison transport

1. Place 1 dark bluish gray 2x16 plate vertically in front of you.

2. Place 1 black 1x2 plate with 1x2 upright side studs horizontally on the back row of the ppp, so that its side studs face to the back. Then, attach 1 pearl dark gray 1x2 ingot tile horizontally upright to the side studs of the ppp.

3. Place 1 black 2x4 plate vertically in front of the 1x2 plate with 1x2 upright side studs.

4. Place 1 light bluish gray 2x4 plate with pins on opposite sides horizontally in front of the ppp, so that it is centered horizontally and it overhangs to the left and right by 1 column. Then, place 1 light bluish gray 2x6 plate vertically in front of the ppp. Lastly, place 1 light bluish gray 2x4 plate with pins on opposite sides horizontally in front of the ppp, so that it is centered horizontally and it overhangs to the left and right by 1 column.

5. Place 1 light bluish gray 2x4 plate with pins on opposite sides horizontally in front of the ppp, so that it is centered horizontally and it overhangs to the left and right by 1 column and to the front by 1 row. Then, place the back row of 1 dark bluish gray 2x2 plate under the overhang of the ppp, so that its front row is exposed. Lastly, place 1 light bluish gray 1x2 rounded plate with open studs horizontally on the front row of the ppp.

6. Place 1 black 2x4 plate horizontally on the 2 back rows, so that it overhangs to the left and right by 1 column. Then, place 4 light bluish gray 4x4 plates with 2x2 open center in front of the ppp, one in front of the other, so that they overhang to the left and right by 1 column.

7. Locate 2 black 1x3 technic liftarms. Rotate the first one vertically, so that its pin holes face to the left and right. Slide its back and front holes onto the 2 front left-facing pins. Take the second one and repeat symmetrically on the right. Find 2 black 1x7 technic liftarms. Rotate the first one vertically, so that its pin holes face to the left and right. Slide its 4th hole from the front onto the back left-facing pin. Take the second one and repeat symmetrically on the right.

Group 3 - Prison transport (continued)

8. Place 1 dark bluish gray 1x6 double inverted slope brick with 1x4 cutout horizontally on the front row, so that it slopes and it overhangs to the left and right by 1 column. Then, stack 2 white 1x4 plates and place them horizontally on top of the ppp, so that they are centered horizontally.

9. Place 4 dark bluish gray 4x6 double inverted slope bricks with 4x4 cutout horizontally, one behind the other, behind the ppps, so that they slope and overhang to the left and right by 1 column. Lastly, place 1 dark bluish gray 1x6 double inverted slope brick with 1x4 cutout horizontally on the back row, so that it slopes and overhangs to the left and right by 1 column.

10. Place 1 lime 2x4 tile vertically on the 2nd to 5th rows from the front, so that it is centered horizontally. Find 4 light bluish gray 1x2 log bricks. Rotate the first one horizontally. Place its rightmost column behind the leftmost column of the ppp. Place the second one on top of the ppp. Take the remaining 2 and repeat symmetrically on the right.

11. Place 1 light bluish gray 1x2 tile with steering wheel horizontally behind the 1x2 log bricks, so that it is centered horizontally and its steering wheel faces to the back. Then, place 1 black seat behind the ppp, so that its seat faces to the front.

12. Place 2 black 1x2 plates with handle horizontally, one to the right of the other, on the back row, so that together they are centered horizontally and their handles face to the back.

13. Grab 2 light bluish gray 1x2 curved slope tiles. Rotate the first one vertically, so that it slopes to the front. Place its back row on the 2nd column from the left on the back row. Take the second one and repeat symmetrically on the right. Then, place 1 pearl dark gray 1x2 ingot tile horizontally to the left of the back row of the ppp.

14. Place 1 black seat in front of the ppp, so that it faces to the back. Then, place 1 pearl dark gray 1x2 ingot tile horizontally in front of the ppp.

15. Place 1 light bluish gray 2x4 slope brick horizontally in front of the ppp, so that it slopes to the back. Then, place 2 light bluish gray 1x2 log bricks horizontally, one to the right of the other, on top of the ppp.

16. Locate 14 black 2x2 inverted slope bricks. Place the first one on the 2 back rows of the leftmost column, so that it slopes to the left. Place the next 6 in front of the ppp, one in front of the other, so that they slope to the left. Take the remaining 7 and repeat symmetrically on the right.

17. Find 2 black 1x2 inverted slope bricks. Place the first one horizontally on the 4th row from the front on the leftmost column, so that it slopes to the left. Take the second one and repeat symmetrically on the right.

18. Grab 2 light bluish gray 2x6 plates. Rotate the first one vertically and place its front row on top of the ppp. Then, place the second one vertically behind the ppp. Continue by placing 1 light bluish gray 2x3 plate vertically behind the ppp. Locate 2 light bluish gray 2x6 plates and 1 light bluish gray 2x3 plate and repeat symmetrically on the left.

19. Place 1 light bluish gray 1x6 brick horizontally on the 6th row from the back, on top of the 2 light bluish gray 1x2 log bricks, so that it is centered horizontally.

Book 1, bag 2

Group 4 – Tombstone

Pages 26-27. Locate 1 reddish brown pair of legs, 1 reddish brown torso with pinstripe suit, dark purple tie, tan arms, and light bluish gray arms, and 1 light bluish gray head with bushy white eyebrows, moustache, stubble, and forehead creases. Assemble the minifigure. Then, place 1 white left tousled hair piece on top of the minifigure's head. Put 1 pearl dark gray stud shooter in each of Tombstone's hands, so that their open ends face to the front. Then, insert 1 dark bluish gray trigger vertically into the slot on top of each of the 2 ppps, so that their thicker tab is to the back. Lastly, you can use any of the 4 transparent orange 1x1 round tiles as ammunition for the shooters. Be sure not to aim or shoot at anyone's face!

Group 5 – Prison transport (continued)

20. Place 1 black 2x6 plate horizontally on the 2nd and 3rd rows from the front. Then, place 1 lime 1x2 plate horizontally on the front row, so that it is centered horizontally. Find 2 black 1x2 plates with 2x4 side studs hanging down. Place the first one horizontally to the left of the ppp, so that its side studs face to the front. Take the second one and repeat symmetrically on the right.

21. Place 4 dark bluish gray 2x2 tiles with 2 studs on the 2 front rows, one to the right of the other, so that their studs face to the back. Then, place 1 dark bluish gray 1x8 brick horizontally behind the 4 ppps, on the 3rd row from the front.

22. Grab 2 black 4x4 plates. Place the front row of the first one on the 4 leftmost columns of the ppp. Take the second one and repeat symmetrically on the right.

23. Place 1 black 1x4 brick with side studs horizontally in front of each of the 2 ppps, so that their side studs face to the front.

24. Attach 1 dark blue 1x6 plate horizontally upright to the front-facing side studs of the 2 ppps, so that it is centered horizontally. Then, attach 1 dark blue 1x6 plate horizontally upright to the ppp. Continue by attaching 1 dark blue 1x4 tile with 2 studs horizontally upright to the ppp, so that it is centered horizontally. Locate 2 dark blue 1x2 tiles with sloped tile. Rotate the first one horizontally upright, so that its antistuds face to the back and it slopes to the left. Place its rightmost column to the left of the ppp. Take the second one and repeat symmetrically on the right.

25. Attach 1 pearl dark gray 1x2 ingot tile horizontally upright on the 2nd row from the bottom of front-facing side studs, so that it is centered horizontally. Then, attach 1 black 1x2 plate with handle on long edge horizontally upright below the ppp, so that its handle faces down.

26. Locate 4 black 1x2 plates with stud and upright clip. Attach the first 2 vertically upright, one to the left of the other, to the left of the 2 ppps, so that their clips face to the top. Take the remaining 2 and repeat symmetrically on the right. Find 2 black 1x1 tiles. Attach the first one to the bottom left corner of front-facing side studs. Take the second one and repeat symmetrically on the right. Then, attach 1 transparent clear 1x1 tile above each of the 2 ppps.

27. Attach 1 dark blue 1x6 plate horizontally upright to the bottom row of front-facing side studs, so that it is centered horizontally. Then, attach 1 pearl dark gray 1x2 ingot tile horizontally upright to the ppp, so that it is centered horizontally. Grab 2 dark blue 1x2 tiles. Attach the first one horizontally upright to the left of the ppp. Take the second one and repeat symmetrically on the right.

Group 6 - Prison transport (continued)

28. Locate 2 red 1x1 round plates. Place the first one on the 2nd row from the back on the leftmost column. Take the second one and repeat symmetrically on the right. Then, place 1 medium azure 1x10 plate vertically in front of each of the 2 ppps.

29. Place 1 black 1x1 brick on the 7th row from the back on the 2nd column from the left, in front of the leftmost column of the 1x6 brick. Then, place 1 light bluish gray 1x1 plate with clip in front of the ppp, so that its clip faces to the right. Place 1 light bluish gray 1x1 short brick on top of the ppp.

30. Find 5 light bluish gray 1x2 log bricks. Place the first 2 vertically, one in front of the other, in front of the ppp. Take the next 2 and repeat symmetrically on the right. Place the last one vertically behind the 2 ppps.

31. Rotate the build 180 degrees on the horizontal plane, so that its handles face to the front. Grab 2 black 1x1 bricks. Place the first one on the 5th row from the front on the 2nd column from the left, in front of the leftmost column of the 1x6 brick. Take the second one and repeat symmetrically on the right. Locate 2 light bluish gray 1x2 log bricks. Place the first one vertically in front of the ppp. Take the second one and repeat symmetrically on the left. Lastly, grab 2 light bluish gray 1x1 short bricks. Place the first one in front of the ppp. Take the second one and repeat symmetrically on the right.

32. Locate 2 light bluish gray 1x1 plates with 1x2 side studs hanging down. Place the first one in front of the ppp, so that its side studs face to the front. Take the second one and repeat symmetrically on the left. Find 2 black 1x1 plates with 1x1 upright side stud. Place the first one to the left of the ppp, so that its side stud faces to the front. Take the second one and repeat symmetrically on the right.

33. Grab 2 light bluish gray 1x2 plates with 1x2 side studs hanging down. Rotate the first one vertically, so that its side studs face to the right. Place its front row on top of the ppp. Take the second one and repeat symmetrically on the left. Locate 2 tan 1x1 plates with 1x1 side stud hanging down. Place the first one behind the ppp, so that its side stud faces to the left. Take the second one and repeat symmetrically on the right.

34. Find 2 dark bluish gray 1x1 plates with 1x2 upright side studs. Place the first one on the 2nd column from the left on the front row, so that its side studs face to the front. Take the second one and repeat symmetrically on the right.

35. Grab 2 dark bluish gray 2x2 tiles with 2 studs. Rotate the first one so that its studs face to the left. Place its front left corner on top of the ppp. Take the second one and repeat symmetrically on the left.

36. Locate 2 dark blue 1x3 tiles. Attach the first one horizontally upright to the left-facing side studs. Take the second one and repeat symmetrically on the right.

37. Find 2 transparent red 1x1 tiles. Attach the first one to the leftmost column of front-facing side studs. Take the second one and repeat symmetrically on the right. Grab 4 dark blue 1x2 slope tiles. Attach the first 2 vertically upright, one on above the other, on the leftmost column of front-facing side studs, so that they slope to the right. Take the remaining 2 and repeat symmetrically on the right.

Book 1, bag 3

Group 7 – Tarantula

Pages 47-48. Locate 1 dark red pair of legs with silver belt buckle, knee pads and black boots and 1 dark red torso with straps with silver buckles, dark red arms, and black hands. Assemble the minifigure. Then, attach 1 black bandana to the minifigure's neck, so that it faces to the front. Continue by attaching 1 black head with mask, dark bluish gray eye holes, and knot on the back to the minifigure's neck. Ask a sighted friend to make sure that the head is oriented properly. Then, put 1 black claw into each of the minifigure's hands. Optionally, you can attach 1 black 1x1 round plate with open stud to each of the minifigure's feet as well as 1 black claw to each of the 2 ppps, so that the claws face to the front. Note that if you do so, you will not be able to stand the minifigure.

Group 8 - Prison transport (continued)

38. Bring back the prison transport, so that it is vertically in front of you and its clips face to the front. Locate 10 white 1x2 plates with 2x2 side studs hanging down. Place the first one vertically on the 5th and 6th rows from the front on the leftmost column. Continue by placing 4 more behind the ppp, one behind the other, so that their side studs face to the left. Take the remaining 5 and repeat symmetrically on the right.

39. Find 2 red 1x1 round plates. Place the first one on the 4th row from the front on the leftmost column. Take the second one and repeat symmetrically on the right. Rotate 1 light bluish gray 2x6 plate horizontally. Place its front row between the 2 ppps. Then, place 1 white 1x6 plate horizontally in front of the ppp.

40. Grab 2 light bluish gray 2x2 corner plates. Rotate the first one so that it resembles a J in Braille. Place its rightmost column in front of the leftmost column of the ppp. Take the second one and repeat symmetrically on the right. Locate 2 black 1x2 plates with 2x4 side studs hanging down. Place the first one vertically behind the rightmost column of the ppp, so that its side studs face to the right. Take the second one and repeat symmetrically on the left.

41. Find 2 black 1x2 plates with stud and upright clip. Place the first one vertically on the 3rd column from the left on the 2 front rows, so that its clip faces to the front. Take the second one and repeat symmetrically on the right. Then, place 1 medium azure 2x2 plate between the 2 ppps.

Group 9 - Prison transport (continued)

42. Rotate the build 90 degrees clockwise on the horizontal plane, so that the ppp is to the left. Attach 1 transparent clear 1x2 plate horizontally upright to the 2 leftmost columns on the top row of front-facing side studs. Then, attach 1 pearl dark gray 1x2 ingot tile horizontally upright below the ppp. Continue by attaching 2 light bluish gray 2x6 plates horizontally upright, one to the right of the other, to the right of the 2 ppps.

43. Rotate 1 dark blue 2x2 left wedge plate, so that its antistuds face to the back and it points to the left. Attach its top row to the 2 leftmost columns on the top row of front-facing side studs.

44. Attach 1 dark blue 2x4 tile horizontally upright to the right of the ppp. We need to apply sticker 2 (a rectangular dark blue armor plate with some rust damage) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

45. Attach 1 dark blue 2x6 tile horizontally upright to the right of the ppp. We need to apply sticker 1 (a rectangular dark blue armor plate with some rust damage with the text "TAS-134" in white font, which is a reference to the "The Amazing Spider-Man" comic #134, where Tarantula was featured for the first time) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

46. Attach 1 dark blue 1x2 plate vertically upright to the right of the ppp. Rotate 1 dark blue 2x2 left wedge plate so that its antistuds face to the back and it points down. Attach it to the right of the ppp.

47. Attach 1 pearl dark gray 1x2 ingot tile horizontally upright to the 2 rightmost columns on the top row of front-facing side studs.

Group 10 - Prison transport (continued)

48. Rotate the build 180 degrees on the horizontal plane, so that the build's clips face to the right. Attach 1 transparent clear 1x2 plate horizontally upright to the 2 rightmost columns on the top row of front-facing side studs. Then, attach 1 pearl dark gray 1x2 ingot tile horizontally upright below the ppp. Continue by attaching 2 light bluish gray 2x6 plates horizontally upright, one to the left of the other, to the left of the 2 ppps.

49. Rotate 1 dark blue 2x2 right wedge plate, so that its antistuds face to the back and it points to the right. Attach its top row to the 2 rightmost columns on the top row of front-facing side studs.

50. Attach 1 dark blue 2x4 tile horizontally upright to the left of the ppp. We need to apply sticker 2 (a rectangular dark blue armor plate with some rust damage) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

51. Attach 1 dark blue 2x6 tile horizontally upright to the left of the ppp. We need to apply sticker 1 (a rectangular dark blue armor plate with some rust damage with the text "TAS-134" in white font, which is the same reference as the previous one) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

52. Attach 1 dark blue 1x2 plate vertically upright to the left of the ppp. Rotate 1 dark blue 2x2 right wedge plate so that its antistuds face to the back and it points down. Attach it to the left of the ppp.

53. Attach 1 pearl dark gray 1x2 ingot tile horizontally upright to the 2 leftmost columns on the top row of front-facing side studs.

Group 11 - Prison transport (continued)

54. Rotate the build 90 degrees clockwise on the horizontal plane, so that the transport clips are to the front. Grab 12 dark bluish gray 2x2 tiles with 2 studs. Rotate the first one so that its 2 studs face to the right. Place its right column on top of the 2 back rows of the leftmost column. Place the next 5 in front of the ppp, one in front of the other, so that their studs face to the right. Take the remaining 6 and repeat symmetrically on the right.

Place 1 light bluish gray 2x6 plate horizontally on the 4th and 5th rows from the front, so that it is centered horizontally. Locate 2 dark bluish gray 1x1 tiles. Place the first one on the leftmost column on the 3rd row from the front. Take the second one and repeat symmetrically on the right.

55. Find 2 dark bluish gray 2x2 corner tiles with cut corner. Rotate the first one so that its cut corner faces to the front right. Place it to the front right of the ppp. Take the second one and repeat symmetrically on the left. Then, place 3 dark bluish gray 2x2 tiles with 2 studs on the 2nd and 3rd rows from the front, one to the right of the other, so that together they are centered horizontally and their studs face to the back.

56. Rotate 1 dark blue 2x2 curved slope tile so that it slopes to the front. Place its back row on the front row, so that it is centered horizontally, between the 2 upright clips. Grab 2 dark blue 1x2 curved slope tiles. Rotate the first one so that it slopes to the front. Place the back row of the first one on the 2nd column from the left on the front row, to the left of the upright clip. Take the second one and repeat symmetrically on the right.

57. Rotate 1 dark blue 1x2 curved right wedge tile vertically so that it slopes to the front. Place its back row on the front left corner of the build. Take 1 dark blue 1x2 curved right left wedge tile and repeat symmetrically on the right.

58.1 We need to assemble two identical sub-builds. You can choose to build them simultaneously or one at a time. Let's begin with the first one. Place 1 black 1x1 brick with side stud and lip in front of you, so that its side stud faces to the front. Rotate 1 dark bluish gray 1x2 plate horizontally upright, so that its antistuds face to the back. Attach its leftmost front-facing side stud to the back of the ppp.

58.2 Attach 1 black 1x1 brick with side stud and lip to the right of the ppp, so that its side stud faces to the front.

58.3 Attach 1 flat silver 1x2 grille tile horizontally upright to the 2 front-facing side studs.

58.4 The sub-build is complete. Rotate it so that the ppp faces to the right. Place it vertically on the 2 back rows of the 2nd column from the right.

If you chose to assemble the sub-builds one at a time, build a second one by repeating steps 58.1 to 58.3. Place it symmetrically on the left.

59. Locate 2 dark blue 1x2 bricks. Place the first one horizontally on the 2 leftmost columns on the 3rd row from the back. Take the second one and repeat symmetrically on the right.

60. Rotate 1 dark blue 2x4 corner slope right wedge vertically, so that it slopes to the back and to the right. Place its front row on top of the ppp. Take 1 dark blue 2x4 corner slope left wedge and repeat symmetrically on the left. Note that from this step onwards, the studs of the 2 ppps will be the back row of the build.

61. Place 1 black 1x2 plate with clip on long edge horizontally on the 4th row from the back, so that it is centered horizontally and its clip faces to the front. Next, place 1 light bluish gray 1x2 plate horizontally on top of the ppp. Find 2 light bluish gray 1x1 short bricks. Place the first one to the left of the ppp. Take the second one and repeat symmetrically on the right. Lastly, place 1 light bluish gray 1x4 tile horizontally on top of the 3 ppps.

Book 1, bag 4

Group 12 – Prison DODC Guard.

Page 74. Locate 1 dark blue pair of legs, 1 dark blue torso with DODC uniform, black belt, pouches, dark blue arms, and dark bluish hands, and 1 sienna female head with thin eyebrows and reddish brown lips. Assemble the minifigure. Ask a sighted friend to make sure that the head is oriented properly. Lastly, put 1 dark blue cap on the minifigure's head, so that its visor faces to the front.

62. Make sure that the build is vertically in front of you, so that its upright clips face to the front. Grab 2 dark bluish gray 1x6 arches. Place the first one horizontally on the 2nd row from the back, so that it is centered horizontally. Place the second one horizontally in front of the ppp.

63. Grab 2 dark blue 1x2 slope bricks. Rotate the first one so that it slopes to the left. Place its rightmost column in front of the leftmost column of the ppp. Take the second one and repeat symmetrically on the right. Locate 2 dark blue 1x2 slope tiles. Place the first one vertically in front of the rightmost column of the ppp, so that it slopes to the right. Take the second one and repeat symmetrically on the left.

64. Find 2 black 1x2 plates with 1x4 upright spoiler. Place the first one vertically on the 2nd and 3rd row from the back on the leftmost column, so that its spoiler faces to the left. Take the second one and repeat symmetrically on the right. Then, place 1 light bluish gray 1x2 plate vertically on top of each of the 2 ppps. Next, place 1 dark blue 1x2 plate vertically on top of each of the 2 ppps.

65. Attach 1 black pair of handcuffs to the front-facing clip located in front of the 4th row from the back, in the middle. Then, attach the handle of 1 dark bluish gray pistol to the clip located to the left and behind the transport's seat, so that the pistol faces to the front.

66. Grab 4 light bluish gray 1x2 plates. Stack the first 2 and place them vertically on the 2nd column from the left on the 5th and 6th rows from the back, to the right of the 1x2 slope tile. Take the remaining 2 and place them symmetrically on the right. Locate 2 dark bluish gray 1x2 plates with door rail. Place the first one vertically on top of the 2 ppps, so that its door rail faces to the right. Take the second one and repeat symmetrically on the left.

67. Find 2 dark blue 2x2 slope bricks. Rotate the first one so that it slopes to the left. Place its rightmost column in front of the ppp. Take the second one and repeat symmetrically to the right. We need to apply sticker 5 (a dark blue rectangular plate with the logo of the DODC in white) to each of the 2 ppps. Ask a sighted friend to make sure that the stickers are applied and oriented properly.

Locate 2 dark blue 1x2 slope tiles. Place the first one vertically in front of the right column of the ppp, so that it slopes to the right. Take the second one and repeat symmetrically on the left.

Group 13 – Prison transport (continued)

68. Find 4 light bluish gray 1x2 plates. Stack the first 2 and place them vertically to the right of the ppp. Take the remaining 2 and repeat symmetrically on the right. Grab 2 black 1x2 plates with handle on long edge. Place the first one vertically on top of the 2 ppps, so that its handle faces to the right. Take the second one and repeat symmetrically on the left.

69. We need to apply stickers 3 (1 dark blue rectangular armor plate with dark bluish gray scratches) and 4 (1 dark bluish gray computer screen with lime graphics) to 1 dark blue 2x4 slope brick. Ask a sighted friend to make sure that the stickers are applied and oriented correctly. Rotate it so that it slopes to the front. Place its back row on the 3rd row from the front, so that it is centered horizontally. Then, place 1 pearl gold gray 1x2 ingot tile horizontally on top of the ppp.

70. Locate 2 black 1x1 bricks with side stud and lip. Place the first one to the left of the ppp, so that its side stud faces to the back. Take the second one and repeat symmetrically on the right. Next, attach 1 transparent clear 1x1 tile to each of the back-facing side studs of the 2 ppps.

71. Find 2 pearl dark gray 1x2 ingot tiles. Place the first one vertically on the 2nd column from the left on the 2 front rows. Take the second one and repeat symmetrically on the right.

72. Rotate 1 dark blue 2x4 corner slope left wedge vertically, so that it slopes to the front and to the right. Place its 2nd and 3rd row from the front to the right of the ppp. Take 1 dark blue 2x4 corner slope right wedge and repeat symmetrically on the left.

73. Locate 2 transparent orange 1x1 round tiles. Place the first one on top of the ppp. Take the second one and repeat symmetrically on the right. Find 2 dark bluish gray 2x2 corner tiles with cut corner. Rotate the first one so that its cut corner faces to the back left. Place it to the back left of the ppp. Take the second one and repeat symmetrically on the left. Grab 2 dark bluish gray 1x6 tiles. Place the first one vertically behind the leftmost column of the ppp. Take the second one and repeat symmetrically on the right.

74.1 We need to assemble a sub-build. Place 1 light bluish gray 2x6 plate horizontally in front of you. Locate 2 dark blue 1x2 plates. Place the first one vertically on the leftmost column of the ppp. Take the second one and repeat symmetrically on the right.

74.2 Find 4 black 1x2 plates with handle on long edge. Place the first 2 horizontally, one to the right of the other, on the front row, so that together they are centered horizontally and their handles face to the front. Take the remaining 2 and repeat symmetrically on the back.

74.3 Grab 2 light bluish gray 2x2 plates. Place the first one on the 2 leftmost columns of the sub-build. Take the second one and repeat symmetrically on the right. Then, place 1 black 2x2 jumper plate between the 2 ppps.

74.4 Place 1 light bluish gray 1x1 round plate on top of the ppp. Locate 2 pearl gold gray 1x2 ingot tiles. Place the first one vertically on the 2nd column from the left. Take the second one and repeat symmetrically on the right.

74.5 Attach 1 light bluish gray pair of binoculars to the 1x1 round plate from the previous step, so that they face to the front.

74.6 The sub-build is complete. Place it horizontally on the 2nd and 3rd rows from the back, so that it is centered horizontally.

Group 14 - Prison transport (continued)

75. Find 2 pearl gold gray 1x2 plates with stud shooters. Place the first one vertically to the left of the sub-build from the previous step, so that its open side faces to the front. Take the second one and repeat symmetrically on the right. Then, insert 1 dark bluish gray trigger vertically into the slot on top of each of the 2 ppps, so that their thicker tab is to the back.

76. Grab 2 transparent orange 1x1 round tiles. Place the first one on the leftmost column on the back row. Take the second one and repeat symmetrically on the right. Locate 2 dark blue 1x2 tiles with tile and slope. Rotate the first one horizontally, so that it slopes to the right. Place its leftmost column in front of the ppp. Take the second one and repeat symmetrically on the left.

77. Find 2 dark blue 1x2 tiles with tile and slope. Rotate the first one vertically, so that it slopes to the front. Place its back row in front of the ppp. Take the second one and repeat symmetrically on the right.

78.1 We need to assemble a sub-build for the transport's top cover. Place 1 light bluish gray 2x4 plate vertically in front of you.

78.2 Rotate 1 black 2x4 plate horizontally. Place its back row on top of the front row of the ppp, so that it is centered horizontally, it overhangs to the front by 1 row, and it overhangs to the left and right by 1 column.

78.3 Place 1 black 4x4 tile with 4 studs on 3 edges and clips behind the ppp, so that its clips face to the back.

78.4 Place 1 transparent clear 1x2 plate horizontally on the 2nd row from the front, so that it is centered horizontally. Rotate 1 dark blue 2x2 curved slope tile so that it slopes to the back. Place its front row on top of the ppp.

78.5 The sub-build is complete. Attach its clips to the front-facing handles located between the transport's stud shooters. Close the transport's lid by bringing it down and to the front.

Group 15 – Prison transport (continued)

79. We need to assemble a small sub-build for the transport's back cover. Place 1 black 4x4 tile with 4 studs on 3 edges and clips in front of you, so that its clips face to the front. We need to apply sticker 6 (a black license plate with number 76349 in white, which is a reference to this set's number) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented properly. Then, place 1 pearl dark gray 1x2 ingot tile horizontally on the back row of the ppp, so that it is centered horizontally.

Flip the sub-build upside down, so that its clips face to the back. Bring back the main build, so that its opening faces to the back. Attach the sub-build to the front-facing handles located at the front and at the bottom. Close it by flipping the sub-build vertically upright from front to back.

80. Attach 2 black 2x3 tiles with clips vertically to the front-facing handles located at the front and at the top of the transport.

81. Rotate the build 180 degrees on the horizontal plane, so that the 2 ppps face to the back. Rotate 1 pearl dark gray 4x6 grille door horizontally. Attach its back bar to the 4 front-facing clips, so that it is centered horizontally.

82. Attach the handle of 1 black bar holder with handle vertically to each of the 2 upright clips located on the front of the transport. Then, insert 1 black mechanical claw to the front-facing hole of each of the 2 ppps, so that their claw arms face up and down.

83. Flip the 4x6 grille door vertically upright, so that its front bar attaches to the 2 ppps.

Group 16 – Prison transport (continued)

84. Insert 1 dark bluish gray wheel into each of the 6 black tires. Then, insert 1 light bluish gray 2L pin into the flat side of each of the 6 wheels.

Insert the first wheel into the 2nd right-facing hole from the front of the 1x3 technic liftarm at the front of the base of the transport. Insert the second one into the front right-facing hole of the 1x7 technic liftarm at the back of the base transport. Insert the third one into the back right-facing hole of the 1x7 technic liftarm. Take the remaining 3 and repeat symmetrically on the left.

85. You can use the 4 transparent round 1x1 round tiles as ammunition for the transport's stud shooters. Do not point or shoot them at anyone's face!

We are done with the set! If you wish, you can attach the remaining white 1x1 round plates with open stud to any free studs of the transport. Then, you insert the bar of 1 of the remaining white hexagonal webs as decoration. This is optional. Enjoy the adventures of Spidey fighting the villains while chasing the prison transport!

At the end of the instruction booklet, you will find a page advertising 3 Spider-man sets. From left to right, these are sets 76350 (Spider-Man vs Hulk Epic Clash), 76346 (Spider-Man Hero Figure), and 76349 (Spider-Man Prison Transport Chase, this set). The background is mostly dark purple with a few dark blue tones around the sets' boxes. Afterwards, you will find the set inventory and on the last page you will find an invitation to share feedback.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!