

10232 Palace Cinema

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

Front: towards you.

Back: away from you.

Up: towards the ceiling.

Down: towards the floor.

Stud: the bump on a Lego brick. Example: A 2x1 brick has two studs on it.

Vertically: going from front to back.

Horizontally: going from left to right.

Upright: pointing up towards the ceiling, and down towards the floor.

Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.

There are also abbreviations defined at the end of this file.

Illuminate the night sky with the spotlights as the child star arrives in a fancy black limousine! Gather the crowd on the star-studded sidewalk, then head into the detailed lobby with a concession stand and ticket area! Take the grand staircase into the theater with a large screen, movie projector and reclining chairs for 6 minifigures. Introducing the latest addition to the LEGO® Modular Buildings series, the highly detailed, 2-story Palace Cinema corner building. This collectible model features a sidewalk of the stars, brick-built entrance doors, posters, sign frontage, a tower with spires and rooftop decorations. Includes 6 minifigures.

Book 1

Limo bags (1-3)

Limo Bag 1

Number 1

Start Building

Step 1

Put a F 16x2 hor on the table.

Step 2

Put a F 6x1 ver on the left end, in the middle.

Number 2

Step 1

Repeat step 2 on the right.

Step 2

Put a F 3x2 hor to the left.

Step 3

Put a F 4x1 with two buttons ver to the left, in the middle.

Step 4

Put a F 6x6 to the left, in the middle.

Step 5

Put a F 4x1 ver to the left, in the middle.

Step 6

Put a F 3x2 hor to the left.

Number 3

Step 1

Flip over, without changing left and right.

Step 2

Put a F 6x1 hor on the front edge in the middle.

Step 3

Repeat at the back.

Step 4

Put two F 2x1 pieces ver on the left edge, one on the front and one at the back.

Step 5

Repeat on the right.

Number 4

Step 1

Flip over, without changing right and left.

Step 2

Put a 6x1 arch hor at the back, on the left, bridging the gap.

Step 3

Put a 1x1 to the right.

Step 4

Put a 1x1 door to the right, hor, the button on the left, the door on the back.

Step 5

Put a 6x1 arch hor to the right.

Step 6

Put a 4x1 with the side buttons ver to the front, side buttons to the right.

Number 5

Step 1

Put two 3x1 pieces hor, side by side, to the left.

Step 2

Put two 1x1 slide pieces to the left, one to the back and one to the front, slides to the left.

Step 3

Skip one column to the left and put a 4x1 bench piece ver, seat to the right, skipping the first row.

Step 4

Skipping three columns to the left, put two 4x1 pieces hor, side by side, in the middle.

Step 5

Put two 1x1 pieces next to the rightmost buttons of the two PPs, one to the front and one to the back.

Bag 2

Number 6

Step 1

Put a F 2x1 ver on top of the front 1x1 and on the rightmost button of the front 4x1.

Step 2

Make a part. put a grate piece upright, hor, on the two side buttons of a 2x1 corner piece with two side buttons. Put this part to the back of the PP, ver, grate to the right.

Step 3

Put a 4x1 with the side buttons ver on the left edge, side buttons to the left, skipping the front button.

Step 4

Put a 6x1 arch piece hor to the front and to the right.

Step 5

Put a 1x1 to the right.

Step 6

Put a door to the right, symm to the back door.

Step 7

Put a 6x1 arch hor to the right.

Number 7

Step 1

Make a part. put a F 6x2 hor on the table.

Step 2

Put a FS 1x1 disk on the leftmost back button.

Step 3

Put a 2x1 stair piece hor to the right, top to the right.

Step 4

Repeat steps 2-3 symm on the right.

Step 5

Put a 1x1 clasp on the leftmost front button, ver.

Step 6

Repeat on the right.

Step 7

Put a FS 4x1 hor in between.

Step 8

Put a stick into the clasps.

Step 9

Install this part upright, hor, on the left wall of your structure, stick on the bottom, to the left.

Number 8

Step 1

Make a part. put a F 6x2 hor on the table.

Step 2

Put a 1x1 button on the leftmost back button.

Step 3

Put a 1x1 button to the right.

Step 4

Repeat steps 2-3 on the right.

Step 5

Put a FS 2x1 hor in between.

Step 6

Repeat steps 5-8 of number 7. (the 1x1 clasps, the flat smooth 4x1 piece and the stick)

Step 7

Install upright, hor, on the right wall, to the right, stick on the bottom.

Number 9

Step 1

Put a FS 4x2 hor on the left end of the front edge and on the second row.

Step 2

Put a FS 4x1 hor to the right, on the front edge.

Step 3

Repeat steps 1-2 symm on the back.

Step 4

Put a F 2x2 washboard piece hor on the left end, in the middle, curve overhanging on the left.

Step 5

Put a F 2x2 to the right.

Step 6

Put a F 2x1 ver in the middle of the right end, skipping the rightmost column.

Step 7

Put a F 6x2 ver to the left.

Step 8

Put a F 4x1 ver on top of the PP, in the middle of the right column.

Bag 3

Number 10

Step 1

Put a FS 2x1 ver to the left, in the middle.

Step 2

Put a FS 1x1 on the front end of the right edge.

Step 3

Put a 4x1 phone receiver piece hor to the left.

Step 4

Put a FS 1x1 to the left.

Step 5

Repeat steps 2-4 on the back.

Step 6

Put a F 4x1 ver on the right edge, in the middle.

Step 7

Put a steering wheel piece ver, wheel to the right, to the front of the grate piece.

Number 11

Step 1

Put a S 4x2 ramp piece ver on the right edge, slide to the right, in the middle.

Step 2

Put a FS 4x1 ver to the left.

Step 3

Put two S 1x1 wedges to the left, one at the back and one at the front, slides to the left. 9these should be in a sep bag, they are beige.)

Step 4

Put a 2x2 stepped piece with side buttons on the left edge, side buttons to the front.

Step 5

Put another such piece to the right, side buttons to the back.

Number 12

Step 1

Put two F 2x1 pieces from a sep bag ver on tops of the two PPs, on their lower steps.

Step 2

Make a part. put a F 4x1 hor on the table. Put a F 2x1 hor on top, in the middle.

Step 3

Put a F 1x1 with the roll to the left, roll to the left.

Step 4

Put a F S 1x1 disk upright on the front butt of the roll.

Step 5

Repeat steps 3-4 symm on the right.

Step 6

Put two 2x1 bench pieces hor side by side in the middle, walls to the back.

Step 7

Install this part, ver, bench walls to the left, to the right of the stepped pieces.

Number 13

Step 1

Put a FS 4x2 hor to the left, on top of the stepped pieces.

Step 2

Put a 1x1 long slide to the front, on its side, button to the front, slide to the left.

Step 3

Repeat symm on the back.

Step 4

Make a part. put a 1x1 piece with two side buttons on the table, upside down, side buttons to the sides. Insert a 1x1 button, upside down, on top. Put a 1x1 wedge piece on the left side button, slide to the front and wide end to the back. repeat symm on the right.

Step 5

Install this part in the middle of the left wall, on top of the curved end of the washboard piece, longest side to the right.

Number 14

Step 1

Put the tires on the wheels, put them on the axels and put the axels underneath the car.

Large bag 1 - first floor

Bag 1 - all flat smooth

Number 1

Step 1

Put a f32x32 on the table.

Step 2

Put a 1x1 on the front right corner.

Step 3

Put a 1x1 on the front left corner.

Step 4

Put a 1x1 on the back left corner.

Step 5

Put five 6x1 pieces hor on the front edge, side by side.

Step 6

Put five 6x1 pieces ver on the left edge, side by side.

Number 2

Step 1

Put a 2x2 from a sep bag in the left front corner, to the back and to the right of the PPs.

Step 2

Put a 2x1 ver to the right.

Step 3

Put a 2x2 from a sep bag to the right.

Step 4

Repeat.

Step 5

Put a 4x1 hor to the backs of the two PPs.

Step 6

Put a 4x1 ver to the left and to the back.

Step 7

Put a 2x1 hor to the left of the front end of the PP.

Step 8

Put a 2x2 from a sep bag to the back.

Step 9

Repeat.

Step 10

Put a 4x1 hor to the right of the back end of the PP.

Step 11

Put a 4x1 ver to the right and to the front.

Step 12

Put a 2x1 from a sep bag hor to the left of the front end of the PP.

Step 13

Put a 2x1 from a sep bag hor to the left and to the back.

Step 14

Put a 2x1 from a sep bag ver to the back and to the right.

Step 15

Put a 1x1 in the middle.

Number 3

Step 1

Put a 2x2 from a sep bag to the right of the right edge of your flooring, in the front.

Step 2

Put a 2x2 from a sep bag to the back.

Step 3

Repeat.

Step 4

Put a 2x2 from a sep bag to the right.

Step 5

Repeat.

Step 6

Put a 2x2 from a sep bag to the front.

Step 7

Repeat.

Step 8

Put a grate piece hor to the left, at front.

Step 9

Put a 2x1 from a sep bag hor to the back.

Step 10

Put a starred 2x2 to the back.

Step 11

Put a 6x1 hor at the backs of the three 2x2 pieces.

Step 12

Put a 2x1 hor to the right.

Step 13

Put a 2x2 to the front.

Step 14

Repeat.

Step 15

Repeat.

Step 16

Go to the left end of the back edge of the smooth flooring. Put a 2x2 from a sep bag there.

Step 17

Put a 2x2 from a sep bag to the right.

Step 18

Repeat.

Step 19

Put a 2x2 from a sep bag to the back.

Step 20

Repeat.

Step 21

Put a 2x2 from a sep bag to the left.

Step 22

Repeat.

Step 23

Put a grate ver to the front, at the left.

Step 24

Put a 2x1 from a sep bag ver to the right.

Step 25

Put a starred 2x2 to the right.

Step 26

Put a 6x1 ver to the right of the three 2x2 pieces (on the 8th column).

Step 27

Put a 2x1 ver to the back.

Step 28

Put a 2x2 to the left.

Step 29

Repeat.

Step 30

Repeat.

Number 4

Step 1

Put a 2x2 from a sep bag to the back.

Step 2

Repeat.

Step 3

Repeat.

Step 4

Repeat.

Step 5

Put a grate ver to the back, at the left.

Step 6

Put a 2x1 ver to the right.

Step 7

Put a 2x2 from a sep bag to the back.

Step 8

Repeat.

Step 9

Put a 2x2 to the back.

Step 10

Put a 2x2 to the right.

Step 11

Repeat.

Step 12

Put a 2x1 ver to the right.

Step 13

Put a 6x1 ver to the front.

Step 14

Put a 2x1 ver to the front.

Step 15

Put a 6x1 ver to the front.

Step 16

Put six 2x2 pieces from a sep bag to the left of the three PPs.

Step 17

Put a 2x2 from a sep bag in the free space between the back two 2x2 pieces, aligning with the

left back 2x2.

Step 18

Put a starred 2x2 to the front.

Step 19

Put a 2x2 from a sep bag to the front.

Step 20

Repeat steps 18-19 twice.

Number 5

Step 1

Go to the front edge, to the right of the right edge of the smooth flooring. Put a 2x2 from a sep bag there.

Step 2

Put a 2x2 from a sep bag to the right.

Step 3

Skip two columns to the right and put a 2x2 from a sep bag there.

Step 4

Put a grate hor to the right, at the front row.

Step 5

Put a 2x1 from a sep bag. hor to the back.

Step 6

Put a 2x2 from a sep bag to the right.

Step 7

Repeat.

Step 8

Put a 2x2 to the right.

Step 9

Put a 2x2 to the back.

Step 10

Put a 2x2 from a sep bag to the left.

Step 11

Put a starred 2x2 to the left.

Step 12

Put a 2x2 from a sep bag to the left.

Step 13

Repeat steps 11-12 twice.

Step 14

Put a 2x2 to the back of the rightmost 2x2.

Step 15

Put seven 2x2 pieces from sep bag to the left.

Step 16

Put a 2x1 hor to the back of the rightmost 2x2.

Step 17

Put a 6x1 hor to the left.

Step 18

Put a 2x1 hor to the left.

Step 19
Put a 6x1 hor to the left.

Bag 2 (all flat, but not all smooth!)
Number 6

Step 1
Go to the right side of the back edge of the smooth flooring.

Step 2
Put a 2x1 hor there.

Step 3
Put a S 2x2 to the left (and to the back, of course).

Step 4
Put a S 2x2 to the left.

Step 5
Repeat.

Step 6
Put a 2x2 to the left.

Step 7
Put a S 2x2 to the left.

Step 8
Repeat.

Step 9
Repeat.

Step 10
Put a 2x1 hor to the left, at the front.

Step 11
Put a S 2x2 to the left.

Step 12
repeat.

Step 13
Repeat.

Step 14
Put a S 2x2 to the back.

Step 15
Repeat.

Step 16
Put a 2x1 ver to the back, at the left.

Step 17
Put a S 3x1 ver to the back.

Step 18
Put a S 8x1 ver to the back.

Step 19
Put a S 3x1 ver to the back.

Step 20
Put a 2x1 ver to the back.

Step 21

Go to the other vertical 2x1. Put a S 1x1 to the right of its front button.

Step 22

Put a S 4x1 ver to the right and to the front.

Step 23

Put a S 1x1 to the front.

Step 24

Put a S 4x1 hor to the right.

Step 25

Put a S 1x1 to the front of its right end.

Step 26

Put a 1x1 to the back of the left end of the same S 4x1.

Bag 3

Number 7

Step 1

Go to the back edge of the platform, to the right of the right edge of the flooring. Put a 2x1 with the hole hor to the right.

Step 2

Put a three-button corner piece to the right, letter D.

Step 3

Put a three-button corner piece to the right, letter F.

Step 4

Put a 6x1 hor to the right, to the right of the dot 4.

Step 5

Put a 2x1 with the hole hor to the right.

Step 6

Put a 1x1 to the right.

Step 7

Put a 4x1 ver to the right and to the front.

Step 8

Put a 2x1 hor to the right of the back button of the PP.

Step 9

Put a 2x2 to the right.

Step 10

Put a 2x1 hor to the right.

Step 11

Put two 1x1 buttons to the front of the PP, side by side, hor.

Step 12

Put a F 2x1 hor to the front and to the left of the left 1x1 button (in the 3rd and 4th columns from the right).

Step 13

Put a FS 3x1 ver to the right and to the front of the PP.

Step 14

Put a F 1x1 to the front.

Step 15

Put a F 4x1 hor to the left (actually, it is in number 8, but easier to do now).

Step 16

Put a 10x1 ver to the front of the 2x1 holed piece on the left side.

Step 17

Put a three-button stepped piece to the right and to the back of the front button of the PP, steps to the right and to the back.

Step 18

Put a 4x1 hor to the right of the back button of the PP.

Step 19

Put a three-button stepped piece to the right and to the back of the rightmost button of the PP, oriented as the first one.

Step 20

Put a 1x1 to the back of the rearmost button of the PP.

Number 8

Step 1

Put a 6x1 ver to the front of the 10x1 piece.

Step 2

Put a 1x1 to the right of the front button of the PP.

Step 3

Go to the right back corner. Put a 3x1 ver on the right edge, starting at the back.

Step 4

Put a 6x1 ver to the front.

Step 5

Insert a connector into a 2x1 holed piece and put it ver to the front.

Step 6

Put a 10x1 ver to the front.

Step 7

Repeat step 5.

Step 8

Put a 2x1 ver to the left.

Step 9

Put a 6x1 hor to the left of the back button of the PP.

Step 10

Put a 2x1 hor to the left.

Step 11

Put a 6x1 hor to the left.

Step 12

Put a 2x1 ver to the left and to the front.

Step 13

Put a 2x1 ver to the back of the second button from the left of the 6x1 piece from step 11.

Step 14

Put a three-button stepped piece to the back and to the right of the PP, steps to the right and to the back.

Step 15

Put a 1x1 to the right of the back button of the PP.

Step 16

Put a 6x1 hor to the right.

Bag 4

Number 9

Step 1

Make a part. Put a 2x2/2x1 corner piece ver upright on the table, 2x2 upright to the left. Put a F 2x1 ver on top of the 2x1 side. Put a F 2x1 upright, buttons to the left, on the two bottom buttons of the 2x2 side. Put a FS 2x1 on top of the PP. Put a S 2x1 slide above the two PPs, slide to the top.

Step 2

Repeat to make two.

Step 3

Install the one, the way it is, starting on the back edge of the platform, on top of the vertical F 2x1, to the left of the back end of the left wall.

Step 4

Install the other, turning it hor, slide to the front (and still to the top), starting on the right edge of the platform, on top of the horizontal F 2x1, to the front of the front end of the right wall.

Step 5

Make a part. Put a 2x2/2x1 corner piece ver upright on the table, 2x2 upright to the left. Put a F 1x1 on the back button of the 2x1 side. Put a F 1x1 clasp to the front, clasp to the front.. Put a F 2x1 upright, buttons to the left, on the two bottom buttons of the 2x2 side. Put a FS 2x1 on top of the PP. Put a S 2x1 slide above the two PPs, slide to the top.

Step 6

Install this part, the way it is, to the left of the front end of the left wall, on top of the vertical F 2x1.

Step 7

Make another part, almost identical to the previous one, except the F 1x1 is in the front and the clasp is in the back, facing back.

Step 8

Install it hor, clasp to the left, to the front of the left end of the front wall, on top of the horizontal F 2x1.

Bag 5

Number 10

Step 1

Start the second level of the wall. go to the back right corner. Put a three-button corner piece on it, letter D there. Put a 2x1 ver to the front, on the right wall.

Step 2

Put 10x1 ver to the front.

Step 3

Repeat.

Step 4

Put a 2x1 ver to the left of the two front buttons of the PP.

Step 5

Put a 2x1 hor to the back and to the left.

Step 6

Put a 1x1 with the side button to the left, side button to the front.

Step 7

Put a S 2x1 slide to the left, hor, slide to the back.

Step 8

Put a 1x1 with the side button to the left, side button to the front.

Step 9

Put a 4x1 hor to the left.

Step 10

Repeat steps 6-8.

Step 11

Put a 2x1 hor to the left.

Step 12

Put a three-button corner piece to the front and to the left, letter J.

Step 13

Put a 2x1 ver to the back of the leftmost 1x1 with the side button piece.

Step 14

Put a three-button stepped piece to the back, on top of the other one.

Step 15

Put a 6x1 hor to the right, on top of the front/horizontal partition.

Step 16

Put a 1x1 to the right.

Put a 2x2 on the 22 buttons on the tile floor. Bag 6

Number 11

Step 1

Continue the second level of the wall. Go to the right end of the back wall. Put a 2x1 hor to the left of the D piece.

Step 2

Put a 10x1 hor to the left.

Step 3

Put a 3x1 ver to the front of the 4th button from the right of the PP (on top of the first level piece).

Step 4

Put a 10x1 hor to the left of the previous 10x1 piece.

Step 5

Put a three-button corner piece to the front and to the left of the leftmost button of the PP, letter D.

Step 6

Put a 2x1 with side buttons ver to the front, side buttons to the left.

Step 7

Put a 3x1 ver to the front.

Step 8

Repeat step 6-7.

Step 9

Repeat step 6.

Step 10

Put a 1x1 to the front.

Step 11

Put a 3x1 hor to the front, to the right and to the left.

Step 12

Put a 1x1 to the front of the leftmost button of the PP. Put a f1x1 on the leftmost button of the f4x1 on the right back side of the floor. Put a fs4x1 to the right and to the back hor. Put the steps on the back steps as before, (steps to the right and to the back, 4x1, hor, 4x1 stepped piece to the right, steps to the right and to the back, and 1x1 to the back of the rear button of the pp.)

Bag 7

Number 12

Step 1

Build the third (flat) level of the wall. Go to the back end of the left wall. Put a F 2x1 hor on the dots 1 and 4 of the D o n the second row from the back.

Step 2

Put a F 6x1 hor to the back and to the right.

Step 3

Put a F 6x1 hor to the right.

Step 4

Put a F 4x1 hor to the right.

Step 5

Put a F 4x1 ver to the right and to the front.

Step 6

Put a F 2x1 hor to the right of the back button of the PP.

Step 7

Put a 2x1 bench piece hor to the right, wall to the back.

Step 8

Put another bench piece hor to the front, wall to the back (on the lower level).

Step 9

Put another bench piece to the front and to the right, hor, wall to the back (on the lower level).

Step 10

Put a F 2x1 hor to the right of the first bench (on the back wall).

Step 11

Put a F 6x1 ver to the right and to the front.

Step 12

Put a F 6x1 ver to the front.

Step 13

Repeat.

Step 14

Repeat.

Step 15

Put a F 1x1 to the left of the front button of the PP.

Step 16

Put a F 2x1 ver to the back.

Step 17

Put a F 2x1 hor to the left of the back button of the PP.

Step 18

Go to the left end of the front wall. Put a F 2x1 ver on top of the upright-slide piece.

Step 19

Put a F 2x1 hor to the right of the back button of the pp.

Step 20

Put a F 4x1 from a sep bag ver to the back, on the wall.

Step 24

Put a F 1x1 to the back.

Step 25

Repeat steps 23-24.

Step 26

Repeat step 23. Go to the left front upright-slide part. Put a f2x1 hor on it. Put a f2x1 ver to the back. Put another f2x1 hor to the back and to the right.

Bag 8

Number 13

Step 1

Go to the front partition. Go to its vertical side. Put a F 1x1 on top of it, in front.

Step 2

Put a FS 2x1 ver to the back.

Step 3

Put a F 1x1 to the right and to the back, so that they touch corners.

Step 4

Put a FS 4x1 hor to the right and to the back, so that they touch corners.

Step 5

Put a FS 4x1 hor to the right.

Step 6

Go to the back partition. Go to the leftmost button of it. Put a F 1x1 on top.

Step 7

Put a F 1x1 to the right and to the back, so that they touch corners.

Step 8

Put a FS 2x1 hor to the right and to the back, so that they touch corners.

Step 9

Put a FS 4x1 hor to the right.

Step 10

Put a F 1x1 to the right and to the back, so that they touch corners.

Step 11

Put a F 2x1 ver to the right and to the back so that they touch corners.

Step 12

Make a part. put a F 6x1 hor on the table. Put a F 6x1 hor to the back.

Step 13

Connect by putting one F 2x1 ver on the right edge, and one on the left.

Step 14

Put a 1x1 wedge to the left of the right 2x1, on the front row, slide to the right.

Step 15

Put a 1x1 wedge to the left, slide to the right.

Step 16

Stack two 1x1 buttons and put to the left.

Step 17

Stack two 1x1 buttons from a sep bag and put to the left.

Step 18

Put two F 2x1 pieces on top of the first two.

Step 19

Put two F 6x1 pieces on top, hor, one at front and one at back.

Step 20

Put a 2x2 lip piece underneath, on the left edge, lip to the front.

Step 21

Repeat on the right.

Step 22

Install this part hor inside the left back corner, the way it is. Mount 3 fs4x1s upright onto the side buttons of the 2x1s with side buttons on the left wall. Take a 4x1 bench piece and hold it upright, hor, wall to the top and to the front. Mount it on the two side buttons on the front wall. Do the same with the other 4x1 bench piece.

Number 14

Step 1

Go to the front end of the right wall. put a 2x2 on it.

Step 2

Put a 2x1 hor to the back.

Step 3

Put a 2x1 ver to the back, on the right.

Step 4

Put an 8x1 ver to the abck.

Step 5

Repeat.

Step 6

Put a 2x1 ver to the back.

Step 7

Put a 2x1 hor to the back and to the left.

Step 8

Stack two F 1x1 from a sep bag and put to the left.

Step 9

Put a F 1x1 to the left, skipping the bench. On the front wall, put a 2x2 ontop of the other 2x2 between the bench pieces.

Bag 9

Number 15

Step 1

Go to the left end of the front wall (which is connected to the front partition). Put a 1x1 on its left end.

Step 2

Put a 2x1 ver to the right and to the back.

Step 3

Put a 1x1 to the back.

Step 4

Go to the front end of the left wall. put a 1x1 on it.

Step 5

Put a 2x1 hor to the back and to the right.

Step 6

Put a 1x1 to the right.

Step 7

Go to the left end of the back wall. Put a 2x2 on it.

Step 8

Put an 8x1 hor to the right.

Step 9

Put a 2x1 from a sep bag hor in front of the PP, of its 2nd and 3rd buttons from the left.

Step 10

Put an 8x1 hor to the right of the previous 8x1 piece.

Step 11

Make a part - a moving circular ladder.

Step 12

Put a F oblong 4x1 piece hor on the table. Put a 1x1 button on its leftmost button. Put a FS 4x2 hor to the right overhanging to the back.

Step 13

Repeat to make three.

Step 14

Stack them and put the way they are in the back right corner, on the 5th row from the back, to the left of the right wall. Fan the ladder out to the back and to the left.

Number 16

Step 1

Put a F 6x1 ver on top of the ladder's button and on the back wall.

Step 2

Put a FS 1x1 button on a cone. Repeat to make three. Put on the right end of the back partition.

Step 3

Put a leaf piece on a cylinder and put on the left end of the front partition, on the F 1x1 piece.

Bag 10

Number 17

Step 1

Make a part - put a 1x1 clasp on top of a F 1x1 and put this part hor on top of the ladder's axis.

Step 2

Put a FS 4x2 ver to the back, overhanging to the left.

Step 3

Put a F 4x1 hor to the back, on the gap in the back wall.

Step 4

Make a part. Put three buttons into the half-sphere, close with the F 2x2 disk and put this part, disk side down, on the leftmost end of the back partition.

Number 18

Step 1

Go to the left end of the front wall. Put a 2x1 hor on it.

Step 2

Put a 2x1 ver to the back and to the right.

Step 3

Go to the front end of the right wall. Put a 1x1 on its left button.

Step 4

Put a 2x1 ver to the back.

Step 5

Put an 8x1 ver to the right, on the front end of the right wall.

Step 6

Put an 8x1 ver to the back.

Step 7

Repeat.

Step 8

Put a 6x1 hor to the left.

Step 9

Put an 8x1 hor to the left.

Step 10

Repeat.

Step 11

Put a 2x1 ver to the front.

Step 12

Put a 1x1 to the right.

Step 13

Skip one button to the right and put a 2x1 with the side buttons hor to the right, on top of the 2x1 piece, side buttons to the front.

Step 14

Put a 2x1 bench to the front (on level down), hor, seat to the front. Go to the front of the left wall. Put a 2x1 ver on top of the upright slide piece, and a 2x1 hor to the back and to the right.

Bag 11

Number 19

Step 1

Make a part. stack two F 3x1 and put hor on the table.

Step 2

Put a 2x2 lip piece on the left, lip overhanging to the back.

Step 3

Put a 1x1 from a sep bag to the right.

Step 4

Put a F 4x1 hor on top of the first row, overhanging to the left.

Step 5

Put a FS 4x1 hor on top.

Step 6

Put another 2x2 lip piece on top of the lip of the first one, its lip, too, overhanging to the back.

Step 7

Install this part ver, lip to the left, to the left of the ladder, on top of the 3x1 piece.

Step 8

Make a part. stack three cylinders, put the leaf piece on top and install inside the right back corner of the structure.

Number 20

Step 1

Go to the left end of the front wall. Put a 1x1 on it.

Step 2

Put a 2x1 ver to the right and to the back.

Step 3

Put a 1x1 to the back.

Step 4

Go to the front end of the right wall. Put a 2x2 on it.

Step 5

Put a 2x1 hor to the back.

Step 6

Put a 2x1 ver to the back.

Step 7

Put an 8x1 ver to the back.

Step 8

Repeat.

Step 9

Put a 2x1 ver to the back.

Step 10

Put an 8x1 hor to the back and to the left.

Step 11

Put a 1x1 to the left.

Step 12

Stack two F 1x1 pieces and put them to the left.

Step 13

Put a 2x1 hor to the left.

Step 14

Repeat.

Step 15

Put an 8x1 hor to the left.

Step 16

Put a 2x2 to the left and to the front.

Step 18

Go to the front end of the left wall. put a 1x1 on it.

Step 19

Put a 2x1 hor to the back and to the right.

Step 20

Put a 1x1 to the right.

Bag 12

Number 21

Step 1

Make a part. Insert the door into the box, put two grates hor on top, put four 1x1 buttons inside and install on the shelf at the left side of the back wall, on the two rightmost buttons.

Step 2

Put two faucets to the left, on the side buttons, facing downwards.

Step 3

Put a bench piece from a sep bag hor on top, to the back.

Step 4

Make a part. put a F 6x2 hor on the table.

Step 5

Put a FS 2x1 hor in the middle of the first row.

Step 6

Put a 2x1 slide hor to the left, (it's printed with a cash-register) on the first row, slide overhanging to the front.

Step 7

Repeat on the right.

Step 8

Put a bench piece on top, hor, seat to the front.

Step 9

Repeat on the left.

Step 10

Install this part, turning it 180 degrees, in the middle of the front wall, on top of the 6x1 row of buttons.

Number 22

Step 1

Make a stack of five 2x1 pieces. Install it hor to the front of the PP, in the middle.

Step 2

Go to the front end of the right wall. put a 1x1 on its left row.

Step 3

Put a 2x1 ver to the back.

Step 4

Put an 8x1 to the right, to the front and to the back.

Step 5

Put an 8x1 ver to the back.

Step 6

Repeat.

Step 7

Put a 6x1 hor to the left. Put a f4x1 in the indent of the f1x1s to the elft, overhaning to the front, put a f4x1 tothe right and to the front.

Step 8

Put an fs4x1 on top of the pp. Put an 8x1 hor on the back wall to the left of the 6x1.

Step 9

Repeat.

Step 10

Put a 1x1 to the left.

Step 11

Put a 2x1 hor to the front and to the right.

Step 12

Go to the front of the left wall. put a 2x1 ver on it.

Step 13

Put a 2x1 hor to the right of its back button.

Step 14

Go to the left column of the front wall. put a 2x1 hor on it.

Step 15

Put a 2x1 ver to the back of its right button.

Bag 13

Number 23

Step 1

Put a 2x1 ver on top, at the front.

Step 2

Put a 1x1 to the back.

Step 3

Put a 6x1 glass pane to the right.

Step 4

Stack five 2x2 cylinders. Put them to the right, on top of the 2x2 piece.

Step 5

Put a 6x1 glass pane to the right (on the level with the first one).

Step 6

Put a 2x1 hor to the right.

Step 7

Put a 2x2 to the front.

Step 8

Put a 2x1 ver to the back of the 2x1 piece from step 7.

Step 9

Put a 1x1 with the side button to the back, side button to the left.

Step 10

Put a 6x1 ver to the back.

Step 11

Repeat steps 9-10-9.

Step 12

Put a 1x1 to the back.

Step 13

Put a 2x1 ver to the back.

Step 14

Put an 8x1 hor to the back and to the left.

Step 15

Put a 6x1 hor to the left.

Step 16

Put an 8x1 hor to the left.

Step 17

Put a 2x2 to the left and to the front.

Step 18

Go to the front end of the left wall. put a 2x1 hor on its back row, at the left.

Step 19

Put a 1x1 to the right.

Two flat buttons are left for the next step. They will be at the bottom.

Number 24

Step 1

Make a part. sandwich a F 1x1 with the clasp between two F 1x1 pieces.

Step 2

Repeat to make two.

Step 3

Install one on the front button of the front end of the left wall, clasp to the front.

Step 4

Install the other on the leftmost button of the left end of the front wall, clasp to the left.

Step 5

Make a part. stack five 1x1 pieces. Put a F 1x1 from a sep bag on top.

Step 6

Repeat to make two.

Step 7

Install on the left wall, on the seventh and twelfth buttons from the back.

Bag 14

Number 25 (all flat)

Step 1

Go to the left end of the front wall. put a pizza piece on it, cut-off corner to the left and to the front, the left back end over hanging.

Step 2

Put a 6x1 hor on top of the glass, to the right.

Step 3

Put a 3x2 ver to the right and to the front, aligned at the back.

Step 4

Put a 6x1 hor to the right.

Step 5

Put a 3x1 ver to the right and to the front.

Step 6

Put a 10x1 ver to the right and to the back.

Step 7

Put a 10x1 ver to the back.

Step 8

Put a 2x1 ver to the back.

Step 9
Repeat.

Step 10
Put a 10x1 hor to the left.

Step 11
Repeat.

Step 12
Put a 3x1 hor to the left.

Step 13
Put a 2x1 hor to the front.

Step 14
Put a pizza piece on the front end of the left wall, cut-off corner to the front and to the left, right front corner overhanging.

Number 26

Step 1
Adhere two stickers with the same picture to the both sides of a glass. (The first poster is Forever Sorting, Dianne Played with Clark brickster, a male and female minifigs covered in 1x1 bricks, ththey hold a 1x1 together, with mountain and a sunset in the background. The second movie is entitled Mystery on the Monorail, featuring an oval monorail track on high support columns, with a monorail train speeding towards us. There is a gap in the track, and it seem as though the track may fall appart at any moment, and the train train will crash. The Third film is titled Lego Stickers Presents: the Brick Separator, Starring Astrid Geybrock, and Jordan Montlegone, the poster features a brick separator which has turned into a dragon, holding a piece of Lego in its paw, which it is munching, the 2x1 in it's teeth. The film directork, (a man in a white suit, with a flower in his button-hole runs away from the dragon in panic. Behind the dragon is a fence, behind which is a blazing fire, burning to the heavens.)

Step 2
Repeat to make three.

Step 3
Insert into the frames.

Step 4
Put them ver in the gaps on the left wall.

Number 27

Step 1
Make a part. put a tiny wheel on the long stick. Put five 1x1 cylinders on the stick.

Step 2
Repeat to make two.

Step 3
Put one upright on the front end of the left wall, the wheel on the bottom, so that it goes into the clasps on the bottom and on the front.

Step 4
Repeat at the left end of the front wall.

Step 5
Make a part. put a cylinder from a sep bag on the handle of the tiny gun piece. close the cylinder with a 1x1 button.

Step 6

Repeat to make three.

Step 7

Install the muzzles into the side buttons on the inside of the right wall, cylinders upward.

Bag 15

Number 28

Make the window part.

Step 1

Put a F 2x1 hor on the table. Put a F 1x1 with the clasp on its right button, clasp to the front.

Step 2

Put a F 2x1 hor to the left.

Step 3

Put a F 1x1 with the clasp underneath, clasp to the left.

Step 4

Put a F 3x1 hor on top.

Step 5

Put a F 1x1 on top, on the rightmost button.

Step 6

Stack two 1x1 and put on top.

Step 7

Put a F 1x1 with the clasp on top, clasp to the front.

Step 8

Put a F 1x1 on top.

Step 9

Put a 1x1 on top. Repeat.

Step 10

Put a tall transparent 2x1 hor to the left.

Step 11

Put a F 3x1 hor on top. repeat.

Step 12

Put a F 2x1 hor on top, on the right end.

Step 13

Put a F 1x1 with the clasp to the left, clasp to the left.

Step 14

Insert a short stick upright on the right end of front, into the two clasps. Put a fs2x1 on top on the right hor, put a fs1x1 to the left.

Step 15

Install this part ver on the front end of the left wall, the short stick to the left and on the front.

Number 29

Make the window part.

Step 1

Put a F 2x1 hor on the table. Put a F 1x1 with the clasp on the left button, clasp to the front.

Step 2

Put a F 2x1 hor to the right.

Step 3

Put a F 1x1 with the clasp underneath, clasp to the right.

Step 4

Put a F 3x1 hor on top.

Step 5

Put a F 1x1 on top, on the leftmost button.

Step 6

Stack two 1x1 and put on top.

Step 7

Put a 1x1 with the clasp on top, clasp to the front.

Step 8

Put a F 1x1 on top.

Step 9

Put a 1x1 on top. Repeat.

Step 10

Put a tall 2x1 hor to the right.

Step 11

Put a F 3x1 hor on top. Repeat

Step 12

Put a F 2x1 hor on top, on the left end.

Step 13

Put a F 1x1 with the clasp to the right, clasp to the right.

Step 14

Insert a short stick on the left end of the front wall. Put a fs2x1 hor on top on the left, put a fs1x1 to the right.

Step 15

Install hor on the left end of the front wall, the short stick to the left and to the front (at the bottom).

Bag 16

Number 30

Step 1

Make a piece. Put four 1x1 buttons upright on the side buttons of a 4x1 piece.

Step 2

Repeat to make two.

Step 3

Go to the left end of the back wall. skip one button to the right and put a 10x1 hor to the right.

Step 4

Put a 1x1 to the front of the leftmost button of the PP.

Step 5

Put a 10x1 hor to the right of the first 10x1 piece.

Step 6

Put a 3x1 hor to the right.

Step 7

Put a 2x1 ver to the front.

Step 8

Put a 10x1 ver to the front.

Step 9

Repeat.

Step 10

Put a 2x1 hor to the left of the second button (from the front) of the PP.

Step 11

Put your part hor to the left, side buttons to the front.

Step 12

Put a 4x1 hor to the left.

Step 13

Put your second part to the left the same way.

Step 14

Put a 2x1 hor to the left.

Step 15

Put a 2x1 hor on the left over-the door pizza piece, on the back row, on the right side.

Step 16

Skip four buttons to the back and put a 1x1 on the column.

Step 17

Repeat.

Number 31

Step 1

Make a part. Put a F 6x6 pizza piece on the table, cut-off side to the back and to the right. Put a 1x1 button from a sep bag on the last button of the second column from the left.

Step 2

Put a 1x1 button from a sep bag on the first button of the first column from the right.

Step 3

Put a 1x1 to the front of the left button.

Step 4

Put a 1x1 to the left of the right button and to the back.

Step 5

Put a 3x1 step piece so that its cut-off side is aligned with the cut-off side of the platform. Its ends should touch the two 1x1 pieces.

Step 6

Put a FS 2x1 ver on the last two buttons of the first column from the left.

Step 7

Put a FS 2x2 to the front and to the right.

Step 8

Put a FS 2x2 to the front.

Step 9

Put a FS 2x2 to the right.

Step 10

Put a FS 2x1 hor to the right at the front.

Step 11

Install this part, the way it is, over the doors, overhanging to the left, so that the leftmost button of the left over-the-door pizza piece remains free, and the two first buttons of the rightmost column of the right over-the-door pizza piece remain free.

Step 12

Make a part. put a F 4x2 piece ver on the table. Put a F 2x1 with one button ver on the two middle buttons of the left column.

Step 13

Put a F button on top of the PP.

Step 14

Put a 1x1 wedge to the front of the PP, slide to the back.

Step 15

Put a 1x1 wedge to the back of the same piece, slide to the front.

Step 16

Repeat steps 12-16 to make three such parts.

Step 17

Put them ver on the left wall, overhanging to the left and skipping the 1x1 pieces.

Bag 17

Number 32

Step 1

Go to the back end of the right wall. put a 10x1 ver on it.

Step 2

Put a 10x1 ver to the front.

Step 3

Put a 1x1 to the front.

Step 4

Put a 10x1 hor to the front and to the left.

Step 5

Put a 6x1 hor to the left.

Step 6

Put a 1x1 to the left.

Step 7

Put an 8x1 arch hor to the front and to the right.

Step 8

Put an 8x1 arch hor to the right.

Step 9

Put a 1x1 to the right.

Step 10

Go to the right end of the back wall.

Step 11

Put a 6x1 hor on it.

Step 12

Put a 10x1 hor to the left.

Step 13

Put a 6x1 hor to the left.

Step 14

Put a 2x1 with the etched piece ver to the front vertical etchings to the left.

Step 15

Repeat seven times.

Step 16

Put a 1x1 to the right of the front button of the frontmost etched 2x1.

Number 33

Step 1

Make a part. stack two 2x1 with the etchings.

Step 2

Repeat to make five such parts.

Step 3

Install one hor on the right end of the front wall vertical etchings to the front, - not on the top, but to the front of the rows, on the buttress.

Step 4

Install the second the same way to the left, over the round column between the two windows.

Step 5

Install the third the same way on the right front-wall buttress.

Step 6

Install the fourth ver on the front left-wall buttress.

Step 7

Install the fifth the same way on the back left-wall buttress.

Step 8

Make a part. Stack two long-arm clasps.

Step 9

Repeat to make two such parts.

Step 10

Install them on the over-the-door part, on the two 1x1 buttons at the sides of the step piece, clasps parallel to each other, to the left and to the front.

Bag 18 A

Number 34

Step 1

Put a 1x1 on the over-the-door part, in the middle of the step piece.

Step 2

Put a 2x1 ver to the right and to the front, touching corners with the PP.

Step 3

Put a 2x1 hor to the left and to the back of the same 1x1 piece, again touching corners with it.

The rest of the pieces in this bag are flat.

Step 4

Go to the right end of the back wall. put a 2x1 hor on it.

Step 5

Put a 10x1 hor to the left.

Step 6
Repeat.

Step 7
Put a 2x2 to the left and to the front.

Step 8
Put a 2x1 ver to the front of its right side.

Step 9
Put a 6x1 ver to the front.

Step 10
Repeat.

Step 11
Put a 3x2 hor to the front, left and right.

Step 12
Go to the back end of the right wall. put a 3x1 ver on it.

Step 13
Put a 10x1 ver to the front.

Step 14
Repeat.

Step 15
Put a 2x1 ver to the left of its two front buttons.

Step 16
Put a 6x1 hor to the left of its back button.

Step 17
Put a 2x2 to the left and to the front.

Step 18
Put a 6x1 hor to the left of its back row.

Step 19
Put a 3x2 ver to the left, front and back.

Step 20
Put a S 3x1 hor to the right of its back row.

Step 21
Put a S 6x1 hor to the right.

Step 22
Repeat.

Bag 18 B
Number 35

Step 1
Go to the back end of the right wall. put a 2x1 ver on it.

Step 2
Put a 6x1 ver to the front.

Step 3
Put a 10x1 ver to the front.

Step 4
Put a 6x1 ver to the front.

Step 5

Put a 1x1 with the side hole to the left of its front button, hole to the front.

Step 6

Put a 3x1 hor to the back and to the left.

Step 7

Put a 2x1 lip piece hor to the left, lip overhanging to the front.

Step 8

Put a 6x1 hor to the left.

Step 9

Put a 2x1 hor to the front of the two middle buttons of the PP.

Step 10

Put a 2x1 lip piece to the left of the same 6x1 piece, as before.

Step 11

Put a 2x1 hor to the left.

Step 12

Put a 2x1 step piece to the left and to the front, the cut-off side to the back and to the left.

Step 13

Put a 1x1 with the hole to the right, in the "step" of the PP, hole to the front.

Step 14

Go to the right end of the back wall. put a 3x1 hor on it.

Step 15

Put a 10x1 hor to the left.

Step 16

Put a 2x1 with the lip hor to the left, lip overhanging to the front.

Step 17

Put a 2x1 hor to the left.

Step 18

Put a 6x1 hor to the left.

Step 19

Put a 1x1 with the hole to the front of its leftmost button, hole to the left.

Step 20

Put a 3x1 ver to the right and to the front of the PP.

Step 21

Put a 2x1 lip piece ver to the front, lip overhanging to the left.

Step 22

Put a 2x1 ver to the front.

Step 23

Repeat steps 21-22 two times.

Step 24

Put a 2x1 step piece to the front and to the left, cut-off side to the right and to the front.

Step 25

Put a 1x1 with the hole to the left, inside the "step", the hole to the left.

Step 1

Put a 1x1 to the right of the PP, skipping one button.

Step 2

Put another 1x1 symm on the right end of the over-the-door part: find the 1x1 with the hole inside the 2x1 step piece, skip one button to the back and put the 1x1 on.

Step 3

Make a part. put a 1x1 button on the long-arm clasp piece. repeat to make two.

Step 4

Install them on top of the previous long-arm clasps, facing the same way.

Step 5

Put a 3x1 step piece the same way as the first one, on top of it.

Step 6

Put two 1x1 pieces at the sides, as before.

Step 7

Make a part. put five FS 4x1 pieces on all the steps of the stair piece, save the top one.

Step 8

Install it to continue the stairwell to the left, so that the back button of the top step rests of the right button of the lip on the back wall.

Bag 19

Number 37

Step 1

Put a F 6x1 ver on the 2x1 left end of the stair, aligned to the back wall, so that the two back buttons rest on the lip and on the wall buttons.
The rest of the pieces are FS.

Step 2

Go to the right end of the back wall. Put a 2x1 hor on it.

Step 3

Put a 3x1 hor to the left.

Step 4

Put a 6x1 hor to the left.

Step 5

Put a 4x1 with two buttons hor to the left.

Step 6

Skip one button (the stair) to the left and put a 6x1 hor to the left.

Step 7

Put a 2x2 to the left and to the front.

Step 8

Put a 3x1 ver to the front of its right end.

Step 9

Put a 6x1 ver to the front.

Step 10

Repeat.

Step 11

Put a 3x1 ver to the right and to the front.

Step 12

Put a 1x1 to the right of its front end.

Step 13

Put a 1x1 to the front and to the right so that they touch corners.

Step 14

Repeat.

Step 15

Put a 3x1 hor to the front and to the right.

Step 16

Put a 6x1 hor to the front of its right end and to the right,

Step 17

Put a 6x1 hor to the right.

Step 18

Put a 3x1 hor to the right.

Step 19

Put a 2x2 to the right and to the front.

Step 20

Put four 2x1 hor to the left - on the protruding parts of the front wall.

Step 21

Put four 2x1 ver on the protruding parts of the left wall. Go to the fs2x2 on the right front corner of your structure. Put a fs6x1 ver to the back on the right wall. Put a f4x1 with two buttons ver to the back. Put a fs6x1 ver to the back. Put a fs3x1 ver to the back. Put a fs2x1 ver to the back.

Bag 20

Number 38

Step 1

Put a FS 4x2 ver on the top stair, so that one front and one back button remain free.

Step 2

Make a part. put a F 6x1 hor on the table. Put a F 2x1 sled piece hor on the two rightmost buttons, handle to the right.

Step 3

Put a F 8x1 hor to the left, overhanging on the left.

Step 4

Put a F 6x1 hor underneath, protruding to the left.

Step 5

Put a F 2x1 sled piece hor on top of the protruding end, handle to the left.

Step 6

Put a FS 6x1 hor on top of your part, on the right. put momentarily aside.

Step 7

Put a 1x1 with the side button on the table. Put a FS 1x1 on top. Put a 1x1 clasp on the side button, upright (so that it has upper and lower lips). Turn it so that the clasp is to the right.

Step 8

Connect it to your part from the left, inserting the left-end handle into the clasp.

Step 9

Hold this part upright, so that the 1x1 from step 6 is on top and the FS 1x1 on it faces to the right. insert the handle on the bottom into the clasp at the bottom of the stairs, on Swivel

the upright part to the left so that the 1x1 on its top comes to rest on the free front button of the top stairs.

Bag 20

Number 39

Step 1

Make a part.

Step 2

Insert two connectors into both ends of a S tube.

Step 3

Insert the muzzle of a riffle piece into the left connector. Turn it so that the handle is upright.

Step 4

Put a 1x1 clasp on top of a F 1x1 piece and put them on the handle of the riffle piece, so that the F 1x1 piece is turned diagonally to the right and its highest side is on the left.

Step 5

Repeat steps 1-4 to make four such parts.

Step 6

Insert them in the holes - two in the front wall and two in the left, so that the F 1x1 are up and to the walls.

Number 40

1. Make a streetlight and put it on the free 2x2 spot in the front pavement.

The end of the first book!

Palace Cinema Book 2

Large bag 2

Bag 1 (all flat)

Number 1

Step 1

Put a 12x2 hor on the table.

Step 2

Put 6x1 ver to the back of its rightmost column.

Number 2

Step 1

Connect by putting a 6x4 hor on top of the second row of the 12x2 and on the first three buttons of the 6x1.

Number 3

Step 1

Put a 6x4 hor to the back of the first 6x4.

Step 2

Put a 16x16 to the front of the first 6x4, aligned in the right.

Number 4

Step 1

Flip over so that the 6x4 protrude on the back on the left.

Step 2

Go to the left end of the front edge. Put a 2x1 hor on it.

Step 3

Put a 10x1 hor to the right.

Step 4

Put a 3x1 hor to the right.

Step 5

Put a 6x2 ver to the right and to the back, overhanging on the right.

Step 6

Put a 2x1 hor to the back, also overhanging.

Step 7

Go to the front end of the left edge. Put a 6x1 ver on it.

Step 8

Put a 12x2 hor to the back and to the right.

Step 9

Put a 12x2 hor to the right, overhanging on the right.

Step 10

Go back to the left edge. Put a 6x1 ver on it.

Step 11

Repeat steps 7-9.

Step 12

Put a 2x1 hor to the back and to the right.

Step 13

Put a 10x1 hor to the right, overhanging on the right.

Step 14

Put a 6x1 ver to the front, on the right edge of the back 6x4 piece.

Number 5

Step 1

Flip over so that the 12x2 pieces protrude to the left.

Step 2

Put a 10x1 piece from a sep bag hor on the back, on top of the protruding 10x1 piece, overhanging on the left.

Step 3

Put a 16x8 ver to the left and to the front.

Step 4

Put an 8x8 pizza piece to the front, the cut-off corner to the left and to the front.

Number 6

Step 1

Flip over so that the cut-off piece is to the right and to the front.

Step 2

Go to the right end of the back edge, put a 2x1 hor on it.

Step 3

Put a 10x1 hor to the left.

Step 4

Go to the back end of the right edge. Put a 6x1 ver on it.

Step 5

Skip two buttons to the front and put a 6x1 ver on.

Step 6

Skip two buttons to the front, one button to the left and put a 3x3 pizza piece on, the cut-off corner to the right and to the front.

Step 7

Put another such piece to the left and to the front, touching corners with the first one.

Bag 2

Number 7

Step 1

Flip over so that the cut-off corner is to the left and to the front.

Step 2

Go to the back end of the right edge. Put an 8x1 ver on it.

Step 3

Put an 8x1 ver to the front.

Step 4

Repeat.

Step 5

Put a 1x1 to the left.

Step 6

Put a F 2x1 with one button hor to the left.

Step 7

Repeat six times.

Step 8

Go to the right end of the back edge. Put an 8x1 hor on it.

Step 9

Put an 8x1 hor to the left.

Step 10

put a 6x1 hor to the left.

Step 11

Put a 2x1 ver to the left and to the front.

Step 12

Put a F 2x1 with one button ver to the front.

Step 13

Repeat six times.

Number 8

Step 1

Put a 1x1 to the front of the PP.

Step 2

Put a 2x2 to the right and to the back.

Step 3

Put a 6x1 ver to the back of its left column.

Step 4

Put a 2x1 hor to the right of its 4th button from the front.

Step 5

Put a 8x1 ver to the back of the 6x1 from step 3.

Step 6

Go to the right end of the front wall. put an 8x1 hor to the back and to the left of the 1x1 piece.

Step 7

Put an 6x1 hor to the left.

Step 8

Put a 2x2 to the left and to the back.

Step 9

Put a 1x1 to the front of its left column.

Step 10

Go to the back right end, of the right edge of the gap. Put a FS 1x1 on it.

Step 11

Skip two buttons to the front and put a FS 1x1 on.

Step 12

Put a F 2x1 ver to the front.

Step 13

Put a F 4x2 hor to the front and to the left.

Step 14

Put a F 8x2 hor to the left.

Step 15

Put a F 2x1 ver to the back of its leftmost column.

Bag 3

Number 9

Step 1

Put a F 1x1 on the back button of the PP.

Step 2

Put a three-button corner piece to the front and to the right, letter H.

Step 3

Put a F 8x1 hor to the right.

Step 4

Repeat steps 1-2 symm on the right.

Step 5

Go to the left end of the front wall. Put a FS 2x1 ver to the left of the 1x1 and 2x2 pieces, so that its left front corner overhangs over the cut-off edge.

Step 6

Put a FS 2x1 hor to the back and to the left.

Step 7

Put a FS 2x1 hor to the back and to the left.

Step 8

Put a 1x1 flower piece to the back of its left button.

Step 9

Put a FS 2x1 ver to the left and to the back.

Step 10

Put a FS 2x1 ver to the left and to the back.

Step 11

Put a FS 2x1 hor to the left of its back button.

Step 12

Put six 2x2 disks in the middle of the floor, in two columns of three. Go to the left end of the front row. Skip two buttons to the right from the 2x2 piece and one button to the back from the 6x1 piece and put the first disk on.

Step 13

Skip three buttons to the right and put the second disk.

Step 14

Skip two buttons to the back and put the 3rd disk.

Step 15

Do the rest the same way.

Number 10

Step 1

Go to the right end of the front wall. Put a 2x1 hor on it.

Step 2

Put a 1x1 to the back of its left button.

Step 3

Put an 8x1 ver to the back of its right button.

Step 4

Put an 8x1 ver to the back.

Step 5

Put a 6x1 ver to the back.

Step 6

Put an 8x1 hor to the back and to the left.

Step 7

Put an 8x1 hor to the left.

Step 8

Repeat.

Step 9

Put a 2x1 hor to the front of its leftmost buttons.

Step 10

Make a part. Put a FS 4x1 on top of a F 4x1 piece. Put a 2x1 lip piece on the table, lip to the left. Put the 4x1 part you just made ver on top of the right column of the lip piece, overhanging to the front and to the back. Install this part the way it is on the right edge of the gap, in between the two FS 1x1 pieces.

Step 11

Put sixteen cone pieces on the front edge of the gap, on the front end of the left edge and on the front edge of the right edge.

Bag 4

Number 11. Make a part (two sets of seats).

Step 1

Put a F 10x2 hor on the table. Put a 1x1 slide ver on its rightmost column, slide to the front.

Step 2

Put a 2x1 handle piece hor to the left, on the back row, handle to the back.

Step 3

Put a FS 2x1 hor to the front.

Step 4

Skip one button to the left and repeat steps 2-3.

Step 5

Repeat.

Step 6

Put a 1x1 slide ver to the left, as before.

Step 7

Insert three FS two-clasp 2x2 pieces into the handles. Raise them to make the chair backs. Put 2 1x1 slide pieces in the gaps between the seats.

Step 8

Repeat steps 1-7 to make another set of seats.

Step 9

Install ver, backs to the left, on the two columns of disks.

Step 10

Put a FS 2x1 ver on the two vertical cones on the right edge of the gap, to the front of the lip piece.

Put a fs4x1 piece hor to the front and to the left. Put a fs 4x1 hor to the left. Repeat. Put a fs2x1 ver to the back of the leftmost button of the PP.

Bag 5

Number 12

Step 1

Go to the left end of the back wall. Put a 2x1 ver on it.

Step 2

Put a 1x1 to the right of its front button.

Step 3

Put a 6x1 hor to the right of its back button.

Step 4

Put an 8x1 hor to the right.

Step 5

Repeat.

Step 6

Put an 8x1 ver to the right and to the front.

Step 7

Put an 8x1 ver to the front.

Step 8

Repeat.

Step 9

Put a 2x1 ver to the left of its two front buttons.

Step 10

Put seven 1x1 clasps ver (=lips of the clasps to the back and to the front) on the front wall, on top of the F 2x1 pieces with one button, feet to the back.

Step 11

Put seven clasps hor on the left wall.

Step 12

Put a 2x1 grate piece hor on the left end of the front wall, on the back two buttons of the 2x2 piece.

Step 13

Skip four buttons to the back and two to the left from the left side of the grate and put a 1x1 cylinder on.

Step 14

Skip four buttons to the back and put another cylinder on.

Bag 6

Number 13

Step 1

Stack two 1x1 cylinders.

Step 2

Repeat to make three such stacks.

Step 3

Put two on top of the cylinders from steps 13-14.

Step 4

Put the third on the front right button of the 2x2 piece on the front end of the left wall.

Step 5

Put a 1x1 with the side button to the left, side button to the front. Put a 1x1 to the left.

Step 6

Go to the front end of the left wall. Put a 1x1 with side button to the front of the left button of the 2x1 grate piece, side button to the left. Put a 1x1 to the front.

Step 7

Make a part. put a F 2x1 with cornice hor on the table, cornice to the back.

Step 8

Put a 2x1 hor on top.

Step 9

Put a F 2x1 with the cornice hor on top, as before.

Step 10

Put a F 2x1 hor on top.

Step 11

Install the way it is on top of the horizontal 2x1 to the right of the left wall.

Step 12

Insert a stick into the two rightmost clasps on the front wall.

Step 13

Insert a stick into the two leftmost clasps on the front wall.

Step 14

Insert a stick into the two back clasps on the left wall.

Step 15

Insert a stick into the two front clasps on the left wall.

Bag 7.

Number 14

Step 1

Go to the front end of the right wall. Put a 2x1 hor on it.

Step 2

Put a 1x1 to the back of its left button.

Step 3

Put an 8x1 ver to the back of the right button of the same piece.

Step 4

Put an 8x1 ver to the back.

Step 5

Put a 6x1 ver to the back.

Step 6

Put an 8x1 hor to the back and to the left.

Step 7

Put a 2x2 to the left, overhanging to the front.

Step 8

Put a 6x1 hor to the left.

Step 9

Put an 8x1 hor to the left.

Step 10

Put a 2x1 hor to the front of its two leftmost buttons.

Step 11

Insert the rest of the sticks into the clasps.

Step 12

Put a F 6x4 ver on tops of the cylinders and the 2x1 stack.

Number 15

Step 1

Make a part (a seat for the mechanic). Put a F 2x1 with the handle on top of a F 2x2 disk. Put a FS 2x1 on the free two buttons of the disk. Insert the two clasps of a FS 2x2 with two clasps into the handle.

Step 2

Install on top of the 6x4 canopy, on the back two rows, skipping one column from the left, back to the left.

Step 3

Put a F 2x2 washer board piece, skipping one row to the front, so that the holed half-circle overhangs on the right.

Step 4

Go to the left end of the back wall. Put a 2x1 ver on it.

Step 5

Put a 1x1 to the right of its front button.

Step 6

Put a 6x1 hor to the right of its back button.

Step 7

Put an 8x1 hor to the right.

Step 8

Repeat.

Step 9

Put an 8x1 ver to the right and to the front.

Step 10

Put an 8x1 ver to the front.

Step 11

Repeat.

Step 12

Put a 2x1 ver to the left of its two front buttons.

Bag 8

Number 16

Step 1

Make a part (the stairs). Put a 2x2 lip piece on the table, lip to the left.

Step 2

Put a F 4x1 ver on the right column, overhanging on the front and to the back.

Step 3

Put a 2x2 lip piece on the left two buttons of the first lip piece, lip to the left.

Step 4

Repeat steps 2-3.

Step 5

Put a F three-button corner piece on the first row, overhanging to the front, letter D.

Step 6

Put a F three-button corner piece to the back, letter J.

Step 7

Put three FS 4x1 on tops of the two F 4x1 and on the top stair.

Step 8

Install the way it is on the right edge of the gap, on the lip, and rest on the right button of the tab on the back wall.

Step 9

Put a 1x1 on the rearmost button of the tab.

Number 17

Step 1

Make a part.

Step 2

Stack four ribbed 2x1 pieces.

Step 3

Repeat to make eight such pieces.

Step 4

Make a part.

Step 5

Stack two 2x1 frames to make a window. Insert the glass pane.

Step 6

Repeat to make six such pieces.

Step 7

Go to the right end of the front edge. Put a ribbed stack hor on it, to the left of the right wall, to the back of the railings, the upright ribs to the front.

Step 8

Put a window stack hor to the left.

Step 9

Continue to alternate the ribbed stacks and windows to the left.

Step 10

Do the same on the left wall, starting with the ribbed stacks, ribs to the left.

Bag 9

Number 18

Step 1

Make a part.

Step 2

Stack two F 2x1 and put hor on the table.

Step 3

Put a 1x1 on the left and a 1x1 with the side button on the right, side button to the front.

Step 4

Put a F 2x1 hor on top.

Step 5

Put a 2x1 on top.

Step 6

Install the way it is on the front end of the left wall, on top of the 1x1 and 1x1 with the side button.

Step 7

Make a part. Repeat the steps 1-5, except that the side button goes on the left.

Step 8

Install ver on the left end of the front wall, on top of the 1x1 and 1x1 with the side button, oriented the same way.

Number 19

Step 1

Make a part (an old-fashioned movie projector).

Step 2

Put a F 2x1/2x1 corner piece, hor on the table, side buttons to the front.

Step 3

Put a 2x1/2x1 with the end button hor on the bench back, the end button to the left, and the side buttons on the front and on the top.

Step 4

Put a 1x1 button on the end button.

Step 5

Put a F 2x1 trapeze hor on the seat buttons of the bench, wider side to the back.

Step 6

Put a grate piece hor on top of the trapeze.

Step 7

Put a F 2x1 with one button upright, hor, on the two front side button.

Step 8

Put a cone, wider end in, on the pp.

Step 9

Put two steering wheels on the wider ends of the trapeze.

Step 10

Turn the part upright, so that the cone is on the bottom, the two wheels are to the back, and the 1x1

button to the right, and insert the cone into the hole in the end of the washer board piece on the canopy.

Number 20

Step 1

Make a part. Stack two F 2x1 from a sep bag and put a F 2x1 on the bottom.

Step 2

Repeat to make four.

Step 3

Put a curved frame on top of each window and put one of your parts in between each two frames (of course, they will be hor on the front wall and ver on the left wall).

Number 21

Step 1

Make a part. Stack two F 3x1 and put a F 2x1 and a F 1x1 underneath (side by side).

Step 2

Repeat to make four.

Step 3

Put one hor on the right end of the front wall, 1x1 to the left.

Step 4

Put another hor on the left end of the front wall, 1x1 to the right.

Step 5

Put another ver on the front end of the left wall, 1x1 to the back.

Step 6

Put the other on the back end of the left wall, 1x1 to the front.

Step 7

Go to the left end of the back wall. Put an 8x1 hor on it.

Step 8

Put an 8x1 hor to the right.

Step 9

Repeat.

Step 10

Put a 6x1 ver to the front.

Step 11

Repeat.

Step 12

Put an etched 2x1 ver to the front, vertical etchings to the right.

Step 13

Put an 8x1 ver to the front.

Bag 10

Number 22

Step 1

Put three 4x1 arches ver over the frames on the left wall.

Step 2

Put three 4x1 arches hor over the frames on the front wall.

Step 3

Make a part. Put a 1x1 on a 2x1. Repeat to make four.

Step 4

Put one ver, 1x1 to the front, on the back end of the left wall.

Step 5

Put another ver, 1x1 to the back, on the front end of the left wall.

Step 6

Put another hor, 1x1 to the right, on the left end of the front wall.

Step 7

Put the other hor, 1x1 to the left, on the right end of the front wall.

Number 23

Step 1

Go to the back end of the right wall. Put an 8x1 ver on it.

Step 2

Put a 6x1 ver to the front.

Step 3

Put a 2x1 with the etchings ver to the front, as before.

Step 4

Repeat.

Step 5

put a 1x1 on the frontmost button of the right wall. Put a 6x1 ver to the back (on the pp and to the back)

Step 6

Put a 5x1 stepped half-arch hor to the left, thin end to the left.

Step 7

Put another such part symm on the left end of the front wall.

Step 8

Go to the right end of the back wall. Put an 8x1 hor on it.

Step 9

Put an 8x1 hor to the left.

Step 10

Put a 6x1 hor to the left.

Step 11

Put a 1x1 to the left.

Step 12

Put a half-arch piece ver to the front, thin end to the front.

Step 13

Put another such part symm on the front end of the left wall.

Bag 11

Number 24

Step 1

Put a 2x1 hor on the front end of the left wall, partly on top of the PP.

Step 2

Put a 2x2 on the left end of the back wall.

Step 3

Put a 6x1 hor to the right.

Step 4

Put an 8x1 hor to the right.

Step 5

Repeat.

Step 6

Put an 8x1 ver to the front.

Step 7

Put a 2x1 with the side buttons ver to the front, side buttons to the left.

Step 8

Put a 2x1 with the etchings ver to the front, as before.

Step 9

Repeat three times.

Step 10

Repeat step 7.

Step 11

Put a 1x1 to the front.

Step 12

Put a 2x2 to the front.

Step 13

Put a 2x1 ver on the left end of the front wall, partly on top of the half-arch piece.

Number 25

Step 1

Put a 3x1 stepped half-arch piece ver on top of the back button of the PP, thin end to the back.

Step 2

Put a 4x1 hor to the right.

Step 4

Make a part. Put a F 6x1 hor on the table. Put a F 6x2 hor on top, overhanging on the back. Put a F 6x1 hor on top, on the front row. Put a F 2x1 hor in the middle of the back row.

Step 5

Repeat to make two.

Step 6

Put one hor, the 2x1 piece to the front, to the right of the PP.

Step 7

Put a 1x1 from a sep bag to the right.

Step 8

Put a 4x1 hor to the right.

Step 9

Repeat steps 1-8 ver and symm on the left wall, the thin end of the arch to the right.

Bag 12

Number 26

Step 1

Put a 2x1 hor on the left end of the front wall.

Step 2

Skip one button to the right and put a F 4x1 hor on.

Step 3

Skip two buttons to the right and put a F 4x1 hor on.

Step 4

Skip one button to the right and put a 2x1 hor on.

Step 5

Put an 8x1 ver to the right and to the back.

Step 6

Put an 8x1 ver to the back.

Step 7

Repeat.

Step 8

Put an 8x1 hor to the left.

Step 9

Repeat.

Step 10

Put a 1x1 to the left.

Step 11

Put a 6x1 hor to the left.

Step 12

Put a 2x1 ver to the front.

Step 13

Skip one button to the front and put a F 4x1 ver on.

Step 14

Skip two buttons to the front and put a F 4x1 ver on.

Step 15

Skip one button to the front and put a 2x1 ver on.

Number 27

Step 1

Make a part (the screen). Put a F 12x6 half-smooth piece hor on the table, the smooth edge to the front.

Step 2

Put a F 6x1 hor on the middle of the back edge.

Step 3

Put a FS 4x1 ver on the back end of the left edge.

Step 4

Put a F 4x1 diagonal piece ver to the right, the buttons to the left. (There are two left-sided and two right-sided such pieces).

Step 5

Put another such piece to the front of the FS 4x1 piece, oriented the same way, overhanging on the front.

Step 6

Repeat steps 3-5 symm on the right.

Step 7

Make a detail. Put four 1x1 wedges on the 4x1 side of a 4x1/2x1 piece, making two cavities at the side and one mountain in the middle. Put two FS 1x1 buttons on the two top buttons. Put it hor in the middle of the back, the 2x1 side on top of the F 6x1 piece, and the wedges to the back.

Step 8

Put a F 4x1 diagonal piece hor to the left, buttons to the back.

Step 9

Repeat symm on the right.

Step 10

Attach a sticker to the screen. (The sticker shows Mini Figure, (a child starlet,) dancing with a hat, in one hand and a stick in the other, with a city-scape and music notes in the background)

Step 11

Hang the screen on the front wall.

Step 12

Put a man and a woman figures in front of the screen.

Bag 12 B

Number 29

Step 1

Make a part. put a F three-button corner piece on the table, letter D.

Step 2

Put another such piece to the right, letter F.

Step 3

Stack two F 2x1 pieces and connect the two PPs by putting it hor on the front row.

Step 4

Put a F 8x2 ver on the front end of the left wall.

Step 5

Put a F 8x2 ver to the back.

Step 6

Put a F 2x1 hor to the back.

Step 7

Put a F 3x1 hor to the right.

Step 8

Put a F 2x1 hor to the right.

Step 9

Put your part hor to the right, overhanging to the front.

Step 10

Put a F 10x1 hor to the right.

Step 11

Put a F 3x1 hor to the right.

Step 12

Put a F 3x1 ver to the front.

Step 13

Put a F 10x1 ver to the front.

Step 14

Repeat.

Step 15

Put a F 8x2 hor to the left.

Step 16

Repeat.

Number 30

Step 1

Put five FS 4x1 on the five bottom steps of the stair piece.

Step 2

Install as before.

Bag 13

Number 31

Step 1

Put a 2x1 with the side buttons hor on the front end of the left wall, side buttons to the front.

Step 2

Put a 10x1 ver to the back of its right button.

Step 3

Put a 6x1 ver to the back.

Step 4

Put a 1x1 to the right of its back button.

Step 5

Put a 10x1 hor to the right.

Step 6

Repeat.

Step 7

Put a 6x1 ver to the right and to the front.

Step 8

Put a 6x1 ver to the front.

Step 9

Put a 10x1 ver to the front.

Step 10

Put a 6x1 hor to the front and to the left.

Step 11

Put a 10x1 hor to the left.

Step 12

Put a 2x1 with the side buttons ver to the left and to the front, side buttons to the left.

Step 13

Put a F 4x1 ver on the left 2x1 end of the top stair.

Number 32.

Step 1

Make a part. put a F 8x2 hor on the table. Put a F 6x1 hor on the right end of its back edge.

Step 2

Put a F 4x2 hor to the left of the 8x2 piece.

Step 3

Connect by putting a F 6x1 hor to the left of the first 6x1.

Step 4

Put a FS 2x1 hor on its left end of the back row.

Step 5

Put a FS 8x1 hor to the right.

Step 6

Put a FS 2x1 hor to the right.

Step 7

Put six FS 2x1 wedges hor on the front row, side by side, taller end to the back.

Step 8

Repeat steps 1-7 to make another such part.

Step 9

Install one upright, thinner side to the front, on the left end of the front wall.

Step 10

Install the other upright, thinner side to the left, on the front end of the left wall.

Bag 14

Number 33

Step 1

Make a part (the large window).

Step 2

Put a 6x1 hor on the table. Put a 1x1 on its rightmost button.

Step 3

Put a 1x1 on its leftmost button.

Step 4

Insert the panes into the eight 2x1 window frames, stack into two stacks of four and put hor in the middle.

Step 5

Put two tall 1x1 pieces at the sides.

Step 6

Stack four 1x1 pieces into two stacks of two and put on tops of the tall pieces.

Step 7

Put a F 6x1 hor on top.

Step 8

Put a FS 6x1 hor on top.

Step 9

Install diagonally on the left front gap.

Bag 15

Number 34

Step 1

Put a F 6x6 pizza piece on top of the PP, overhanging to the right and to the back.

Step 2

Put a 2x1 with the etchings hor on the right end of the front wall, on its front row, the vertical etchings to the front.

Step 3

Put a 2x1 FS wedge piece hor to the left.

Step 4

Alternate the etchings and the wedges to the left end of the wall.

Step 5

Do the same, vertically, on the left wall, starting with the etchings at the back, vertical etchings to the left.

Bag 15 (all flat)

Number 35

Step 1

Go to the right end of the back wall. Put a S 8x1 hor on it.

Step 2

Put a S 8x1 hor to the left.

Step 3

Repeat.

Step 4

Put a 2x1 hor to the front.

Step 5

Put a S 2x1 ver to the front of its right button.

Step 6

Put a S 8x1 ver to the front.

Step 7

Put a S 4x1 ver to the front.

Step 8

Put a S 4x1 hor to the front, one button-space to the left and two to the right.

Step 9

Put a S 4x1 hor to the front.

Step 10

Put a F 2x1 hor to the front of its rightmost button-space and to the right.

Step 11

Put a S 1x1 to the front of its right button-space.

Step 12

Put a S 2x1 ver to the right and to the front.

Step 13

Put a S 4x1 ver to the right of its front button-space and to the front.

Step 14

Put a S 4x1 ver to the right.

Step 15

Put a S 4x1 hor to the right of its second button-space.

Step 16

Put a S 8x1 hor to the right.

Step 17

Put a S 2x1 hor to the right.

Step 18

Put a 2x1 ver to the right and to the front.

Step 19

Put a S 8x1 ver to the right and to the back.

Step 20

Put a S 8x1 ver to the back.

Step 21

Put a S 4x1 ver to the back.

Step 22

Put a S 1x1 to the back.

Step 23

Put a 2x1 ver to the back.

Step 24

Put three S 2x1 hor on the protruding 2x1 pieces on the front wall. Put the 2 fs4x1s from a sep bag, onto the stairs.

Step 25

Repeat vertically on the left wall.

Put this structure on top of the first floor.

This is the end of book 2.

On the back is an ad of 31004 (an eagle, which can be re-built into a scorpion, which can be re-built into a beaver. And an ad for 31009 (a house which can be a house without doors, one with a door, or a windmill.)

Lego Palace Cinema Book 3

Large bag 3

Bag 1 (all flat)

Number 1

Step 1

Put a 12x2 hor on the table.

Step 2

Put an 8x8 on the back row of it, on the right.

Number 2

Step 1

Put a 16x16 to the front and to the left.

Number 3

Step 1

Flip over so that the 8x8 is on the back, on left.

Step 2

Go to the left end of the back edge. Put a 6x1 hor on it.

Step 3

Put a 6x1 hor to the right, overhanging to the right,

Step 4

Go to the back end of the left edge. Put a 6x1 ver on it.

Step 5

Skip two button-spaces (the 12x2 piece) to the front and put a 1x1 on.

Step 6

Put a 6x1 ver to the front.

Step 7

Repeat.

Step 8

Put a 2x1 ver to the front.

Step 9

Put a 6x1 hor to the right.

Step 10

Repeat.

Step 11

Put a 2x1 hor to the right.

Step 12

Put a 12x2 ver to the right and to the back, overhanging on the right.

Step 13

Put a 3x2 ver to the back.

Step 14

Put a 12x2 hor to the back, to the left and to the right, starting on the left next to the first 12x2 piece and overhanging on the right.

Number 4

Step 1

Flip over so that the 8x8 piece is at the back and on the right.

Step 2

Put an 8x1 hor at the back edge, on top of the 6x1 and overhanging on the left.

Step 3

Put a 16x8 ver to the left and to the front.

Step 4

Put an 8x8 pizza piece to the front, the cut-off corner to the front and to the left.

Step 5

Put an 8x2 hor at the front edge of the gap.

Number 5

Step 1

Flip over so that the cut-off corner is at the front and to the right.

Step 2

Put two 3x3 pizza pieces on the 8x8 pizza piece, as before.

Step 3

Put a 6x2 hor to the back, starting on the right edge.

Step 4

Put a 2x1 ver to the left.

Step 5

Put a 6x1 ver to the back of the 6x2, on the right edge. Put another 6x1 ver to the back, skipping the 12x2. Put 2 6x1s hor on the back wall, starting from the right edge.

Bag 2

Number 6

Step 1

Flip over so that the cut-off corner is at the front, to the left.

Step 2

Go to the left end of the back edge. Put a 6x1 hor on it.

Step 3

Put an 8x1 hor to the right.

Step 4

Repeat.

Step 5

Put a 2x1 hor to the right.

Step 6

Put an 8x1 ver to the front.

Step 7

Put a 6x1 ver to the front.

Step 8

Put an 8x1 ver to the front.

Step 9

Put a 1x1 to the front.

Step 10

Put an 8x1 hor to the left.

Step 11

Repeat.

Step 12

Put a curved 2x1 ver to the back of its leftmost button.

Step 13

Put a F 8x2 ver to the back and to the right.

Step 14

Put a F 8x2 ver to the back (overhanging on the right back corner).

Step 15

Go to the back end of the left edge. Put an 8x1 ver on it.

Step 16

Put an 8x1 ver to the front.

Step 17

Put a curved 2x1 hor to the right of its front button.

Step 18

Go to the left back side of your structure. Put a 2x1 hor inside the corner made by the left and the back walls (=on the second row from the back, on the second and third columns from the left).

Step 19

Put a 2x1 hor to the right.

Step 20

Go to the right front side of your structure. Put a 2x1 ver inside the corner made by the front and the right walls (on the second and third rows from the front, on the second column from the right).

Step 21

Put a 2x1 ver to the back.

Number 7

Step 1

Go to the front end of the left wall. Put a FS 6x1 hor to the front and to the right, overhanging a little on the left front corner.

Step 2

Put a FS 1x1 to the right.

Step 3

Put a FS 6x1 ver to the front.

Step 4

Put a FS 1x1 to the left of its third button-space from the front.

Step 5

Put a FS 2x1 hor to the back and to the left.

Step 6

Put a F 2x2 circle-within-square piece to the back.

Step 7

Put a FS 2x1 ver to the left.

Step 8

Put a FS 1x1 to the left of its back button-space. put a f4x2 hor to the back of the circle-in-the-square, skipping the fs piece.

Step 9

Put a f 6x2 hor in the middle of the front edge of the gap overhanging to the back.

Step 10

Put a F 8x2 ver to the right and to the front.

Bag 3

Number 8

Step 1

Make a part - a door. Install the door into the frame and orient it so that it opens to the front and to the left.

Step 2

Put a 4x1 with the side buttons underneath, side buttons to the front.

Step 3

Stack two F 4x1 pieces and put on top of the door.

Step 4

Put four 1x1 pieces with the side buttons on top, side by side, so that the top buttons face to the front, and the side buttons are on top, and the cornices are to the back.

Step 5

Put a FS 4x1 hor ton top.

Step 6

Put a 1x1 button for a handle. Put the door on the side-buttons of the 4x1 wiith side buttons (at the bottom of the door, keeping the top side-buttons of the piece free.

Step 7

Lay the door on its back, hor, so that the top is to the right and install over the gap in your structure.

Number 9

Step 1

Put a FS 4x1 ver on the left side of the door (=bottom).

Step 2

Put a 4x1 slide hor to the front and to the right, slide to the front.

Step 3

Put a 2x1 slide hor to the right.

Step 4

Put a 4x1 slide to the right.

Step 5

Put a FS 4x1 ver to the back, on the right side of the door (=top).

Step 6

Go to the right end of the back wall. Put a F 1x1 on it.

Step 7

Put a FS 6x1 hor to the left.

Step 8

Repeat.

Step 9

Repeat.

Step 10

Go to the back end of the right wall. put a FS 6x1 ver on it.

Step 11

Put a FS 6x1 ver to the front.

Step 12

Repeat.

Bag 4

Number 10

Step 1

Go to the left end of the back wall. Put a 2x2 on it.

Step 2

Put a 2x1 ver to the right.

Step 3

Put a FS 2x1 ver to the front of the 2x2, on the left wall.

Step 4

Put a FS 6x1 ver to the front.

Step 5

Repeat.

Step 6

Put a 1x1 to the front.

Step 7

Put a 1x1 with the side button to the right, side button to the front.

Step 8

Put a 1x1 cylinder to the right.

Step 9

Repeat steps 1-9 symm on the front wall: put a 2x2 on the front right end; put a 2x1 hor to the back; put a FS 2x1 hor to the left, on the front wall. put two FS 6x1 hor to the left; put a 1x1 to the left; put a 1x1 with the side button to the back, side button to the left; put a cylinder to the back.

Bag 5

Number 11

Step 1

Put a F 2x1 from a sep bag ver on the two PPs.

Step 2

Put a F 1x1 to the front.

Step 3

Repeat steps 1-2 symm on the left: put a F 1x1 on the 1x1, and a F 2x1 hor to the right.

Step 4

Put a FS 4x1 hor on the left end of the front side of the door.

Step 5

Put a FS 6x1 hor to the right.

Number 12

Step 1

Put a F 2x1 hor on the left horizontal butt of the left vertical wall. (will call it left butt).

Step 2

Put a cylinder to the right.

Step 3

Repeat steps 1-2 symm on the right butt: put a F 2x1 ver on the front end and a cylinder on the back.

Step 4

Go to the back end of the left wall. Put a 2x1 ver on it.

Step 5

Put a 2x2 to the right.

Step 6

Repeat steps 4-5 symm on the right end of the front wall: put a 2x1 hor on it and a 2x2 to the back.

Number 13

Step 1

Put a 2x2 on top of the front end of the right wall.

Step 2

Put a F 2x1 hor to the back.

Step 3

Put a 2x1 tall slide to the back, slide to the back.

Step 4

Repeat steps 1-3 symm on the left end of the back wall: put a 2x2 on, a F 2x1 ver to the right, and a 2x1 tall slide to the right, slide to the right.

Step 5

Put a 1x1 on the left end of the left butt.

Step 6

Put a 1x1 with a side button to the right, as before.

Step 7

Put a cylinder to the right.

Step 8

Repeat steps 5-7 symm on the right butt.

Number 14

Step 1

Put a 2x1 hor on the left end of the left butt.

Step 2

Put a 2x1 ver on the front end of the right butt.

Step 3

Go to the front end of the right wall. put a F 2x1 hor on it.

Step 4

Put a F 2x1 hor to the back.

Step 5

Put a 1x1 to the back of its right button.

Step 6

Put a F 2x1 to the back and to the left.

Step 7

Repeat steps 3-6 symm on the left end of the back wall: put a F 2x1 ver on it, a 2x1 ver to the right, a 1x1 to the right of its back button and a F 2x1 ver to the right and to the front.

Bag 6

Number 15. Make a part - a roof.

Step 1

Put a F 10x1 hor on the table.

Step 2

Put a F 4x1 hor on its right end.

Step 3

Put a F 10x1 hor to the left, overhanging on the left.

Step 4

Put a F 4x1 hor underneath the PP, to the left of the first 10x1.

Step 5

Insert a connector into a 1x1 with the side hole.

Step 6

Repeat.

Step 7

Put these parts on the leftmost and the rightmost buttons, the connectors facing outside.

Step 8

Put twelve cylinders in between. Their order is follows: (note, red and brown cyllinders should be in separate bags: red, on 4th and 7th butttons from the right.

Step 9

Put a F 4x1 hor on top of the cylinders, on the right end.

Step 10

Put a F 10x1 hor to the left.

Step 11

Put fourteen cylinders on top. (red on 6th, 10th, and 12th buttons from the right.)

Step 12

Put a F 10x1 hor on top, on the right end.

Step 13

Put a F 4x1 hor to the left.

Step 14

Put fourteen cylinders on top. (red on the 3d, 8th, and 11th.)

Step 15

Put a F 4x1 hor on top of the cylinders, on the right end.

Step 16

Put a F 10x1 hor to the left.

Step 17

Put fourteen 1x1 buttons on top. (buttons are brown and red, should be in sep bags.) Red on 2, 5, 7, 10, 13.

Step 18

Put two 1x1 pieces with the side holes onto the two ends of the two connectors on the left and on the right.

Step 19

Repeat steps 1-18 to make two such parts.

Step 20

Install one hor, hanging in the air over the third row from the front, putting the right 1x1 into the gap on the front end of the right wall, and the left 1x1 on top of the cylinder in the back of the right butt.

Step 21

Then swing forward and down so that the fourteen buttons touch and overhang the FS edge of the front wall.

Step 22

Repeat steps 20-21 symm on the left wall.

Bag 7

Number 16

Step 1

Put a 1x1 button on the right end of the left butt.

Step 2

Repeat symm on the right butt.

Step 3

Skip three buttons to the back and put a 1x1 tall piece on.

Step 4

Put a 2x1 tall piece hor to the back and to the left.

Number 17. Make a part - a decoration.

Step 1

Put a F twelve- button trapeze hor on the table, the longest side to the front.

Step 2

Put a FS 4x1 hor in the middle of its front edge.

Step 3

Put a F 4x1 hor to the back. Put momentarily aside.

Step 4

Make a detail. Put a 4x1 hor on top of a F 4x1 on the table. Hang a 2x1/2x2 piece hor on top, side four buttons to the front, on the left end. Repeat on the right.

Step 5

Repeat step four to make two such details.

Step 6

Stack them and install hor on the second row of your part.

Step 7

Put one FS 4x1 ver upright on the left column of the side button, and the other on the right.

Step 8

Put one FS 2x1 hor upright on the top row, and the other on the bottom.

Step 9

Put a F 2x2 upright in the middle.

Step 10

Make a detail. Stack three cylinders; put one 1x1 button on the bottom, and one on the top.

Step 11

Repeat to make two.

Step 12

Install at the sides, on the one free button on the left front row, and one on the right.

Step 13

Put a FS 2x1 hor on top and to the right of the left cylindrical column, and the other on the right.

Step 14

Put a 1x1 button from a sep bag under the convex saucer piece. Mount upright in the middle of your part, in the middle of the four buttons.

Step 15

Make a detail. Put a 4x1 with the side buttons on the table, side buttons to the front. stack two F 2x1 pieces and put the hor, upright, in the middle of the side buttons. put a FS 2x1 on top. Install the way it is on top of your part, on the second row (on the four buttons), overhanging on the front row (in between the two FS pieces).

Step 16

Put a F 2x2 circle-within-square piece on top, in the middle.

Step 17

Insert two sticks into the two side buttons to the left and to the right.

Step 18

TURn the part upside down and put a F 2x2 disk, buttons down, in the middle.

Step 19

Turn the right end up and install between the two butts, the semi-circular decoration diagonally to the front and to the left.

Bag 8

Number 18

Step 1

Stack two F 4x1.

Step 2

Repeat.

Step 3

Put one hor on the left butt, and one ver on the right.

Step 4

Put a F 4x2 hor on the left end of the back wall.

Step 5

Put a F 4x2 ver on the front end of the right wall.

Number 19

Step 1

Make a part. Put a F 4x2 hor on the table.

Step 2

Put a F 1x1 on the right end of its back row.

Step 3

Put a F 4x1 from a sep bag hor to the left, overhanging on the left.

Step 4

Put a F 2x1 ver partly underneath it, and partly to the front.

Step 5

Put a FS 2x1 hor on the left end of the back row.

Step 6

Put a FS 1x1 to the right.

Step 7

Put a FS 2x1 hor to the right.

Step 8

Put a FS 2x1 wedge hor to the front, slide to the front.

Step 9

Put a FS 1x1 wedge to the left.

Step 10

Put a FS 2x1 wedge hor to the left, as before.

Step 11

Repeat steps 1-10 to make two.

Step 12

Install upright, ver, at the front ends of the butts, thin end of the left one to the left, and of the right one to the front.

Step 13

Go to the right end of the front wall. Put a 2x2 lip piece hor on the front row, lip to the front. Put a 3x2 ver to the back.

Step 14

Repeat symm on the back end of the left wall, lip to the left. Put a 4x1 on the lip, put a f2x1 ver to the right. Repeat symm on the front right wall.

Number 20.

Make a part - the roof over the semi-circular decoration.

Step 1

Put a F 8x8 pizza piece upside down on the table, the cut-off corner to the front.

Step 2

Put a F 3x3 pizza piece upside down on top of the back corner, cut-off corner to the front.

Step 3

Put a F 1x1 upside down on top of the left corner.

Step 4

Put a F 3x3 pizza piece to the right and to the back (upside down, of course), overhanging to the left, the cut-off corner on the left front.

Step 5

Repeat steps 3-4 symm on the right.

Step 6

Put a F 2x2 disk in the middle, skipping the first row and a half.

Step 7

Flip the right side up, the cut-off corner to the front and to the left.

Step 8

Put a F 2x1 hor to the right of the right edge, next to the fourth button from the front.

Step 9

Put a F 1x1 to the front of its left button.

Step 10

Repeat steps 8-9 symm on the left.

Step 11

Install over the semi-circular decoration , diagonally, the cut-off corner to the front and to the left.

Bag 9

Number 21

Step 1

Put a twelve-button disk on top of a FS holed square and put in the right back corner of the PP.

Step 2

Put a F 3x3 pizza piece to the front of the right column of the PP, the cut-off corner to the front and to the right.

Step 3

Put a FS 1x1 to the front of the left column of the PP.

Step 4

Repeat steps 2-3 symm on the left, the cut-off corner to the left and to the back.

Step 5

Go to the right end of the front wall. Put a F 2x2 with one button on the front two rows.

Step 6

Put a FS 2x1 hor to the back.

Step 7

Put a FS 2x2 to the back.

Step 8

Repeat steps 5-7 symm on the back end of the left wall.

Number 22

Step 1

Put a F 1x1 on top of the PP (the F 2x2 with one button).

Step 2

Put a cone on top.

Step 3

Put a pinnacle (short sword) on top.

Step 4

Repeat steps 1-3 on the right end of the front wall.

Step 5

Make a part - a base for the pyramidal topping of the over-the-semi-circular decoration turret. Put a F 8x4 hor on the table.

Step 6

Put a F 2x1 hor in the middle of the second row.

Step 7

Put a F 4x1 hor to the back, in the middle of the third row.

Step 8

Put a F 2x1 button/clasp piece hor to the left, clasp to the left (the clasp itself vertical).

Step 9

Put a F 2x1 button/clasp to the front, as before.

Step 10

Put a F2x1 clasp to the right and to the front, ver.

Step 11

Repeat steps 8-11 symm on the right.

Step 13

Put a FS 6x1 hor on top of the second row.

Step 14

Put a FS 6x1 hor to the back.

Step 15

Install diagonally, the 1x1 clasps to the front left, on top of the twelve-button disk, in the middle.

Bag 10 (all flat)

Number 23

Make a part - the front side of the pyramid. 1. Put a 6x4 hor on the table. Put a S 8x1 hor on the second row, aligned on the right and overhanging on the left.

Step 2

Put a S 8x1 hor to the back.

Step 3

Put a 6x2 ver to the left of the 6x4, underneath the overhanging ends of the 8x1 pieces, protruding to the front and to the back.

Step 4

Put a 4x1 left wing (a piece that, if put ver, wider end to the front, will have the wide smooth corner on the left), hor, to the back of the back S 8x1 piece, aligned on the right (the wide smooth corner to the back and to the left.).

Step 5

Put a 4x1 right wing piece to the front of the front S 8x1 piece, aligned on the right.

Step 6

Put a S 8x1 hor to the left, overhanging to the left.

Step 7

Put a S 8x1 hor to the back, to the left of the left wing.

Step 8

Put an 8x4 ver to the left of the 6x2 piece, underneath the two PPs, protruding to the front and to the back.

Step 9

Put a right wing hor to the left and to the front of the front wing.

Step 10

Put a S 4x1 hor to the left.

Step 11

Put a right wing hor to the front.

Step 12

Repeat steps 9-11 symm on the back.

Step 13

Put two S 4x1 hor in the middle of the left side, on the free buttons.

Step 14

Flip over so that the narrow end is still on the right.

Step 15

Put a 4x4 in the middle of your part, connecting all three base pieces.

Step 16

Put a 2x2 in the middle of the PP, aligned on the left edge.

Step 17

Put a 2x1 sled piece hor to the front, the handle overhanging on the left.

Step 18

Repeat on the back.

Bag 11 (all flat)

Number 7

Step 1

Put a 2x2 on top of the PP, aligned at the left and on the back.

Step 2

Put a 2x2 to the front.

Step 3

Install upright, leaning to the back, diagonally, the narrow side up, on the over-the-semicircular-decoration roof, inserting the sled handles into the clasps.

Number 24

Step 1

Put a 12x2 hor upside down on the table.

Step 2

Put a long right wing upside down hor to the back.

Step 3

Connect by putting a 3x2 hor, aligned on the left edge.

Step 4

Put a 6x2 hor to the right.

Step 5

Put a 3x2 hor on top of the PP, on its left end.

Step 6

Put a 2x1 ver on top of the PP on its right end.

Step 7

Put two sled pieces hor, long side by long side, to the left, the handles overhanging on the left.

Step 8

Put a 1x1 convex disk on top of the three PPs.

Step 9

Install to make the left side of the pyramid.

Number 25. Make the right side of the pyramid.

Step 1

Put a 12x2 hor upside down on the table.

Step 2

Put a long left wing hor to the front.

Step 3

Repeat steps 3-8 of number 24.

Step 4

Install on the right.

Bag 12

Number 26. Make a part - an upside-down arch above the semi-circular decoration.

Step 1

Put a 12x1 stepped arch piece hor on the table. Put a 1x1 with the side button on the leftmost button, side button to the front.

Step 2

Insert a claw into the side button.

Step 3

Put a 1x1 slide hor on top and to the right, slide to the left.

Step 4

Put a F 4x1 hor on top and to the right.

Step 5

Put a F 2x2 to the right, overhanging on the back.

Step 6

Repeat steps 1-4 symm on the right.

Step 7

Put a F 1x1 on the leftmost button.

Step 8

Put a F 8x1 hor to the right.

Step 9

Put a F 1x1 to the right.

Step 10

Put a F 1x1 roll on top of the right button of the overhanging middle piece, roll to the right.

Step 11

Repeat symm on the left.

Step 12

Put a FS 2x1 ver on top of the PP and to the front.

Step 13

Put a FS 2x1 hor to the front.

Step 14

Put a FS 4x1 hor to the right.

Step 15

Repeat symm on the left.

Step 16

Make a part. Insert a smaller end of a candlestick piece into the 1x1 FS wedge. Insert the shorter end of the pinnacle piece into the other end of the candlestick.

Step 17

Repeat to make two.

Step 18

Insert, the wedge end up, into the claw, diagonally, the pinnacles and the thinner ends of the wedges facing away from each other.

Step 19

Turn upside down and hang (I don't understand how!), using the two protruding sticks above the semi-circular decoration.

Step 20

Put your structure on top of the second floor.

Large bag 4. Build the upright sign and the base for it.

Bag 1

Number 1

Step 1

Put a F 10x6 hor on the table. Put a 1x1 in the back right corner.

Step 2

Put a 1x1 with the handle to the left, handle to the back.

Number 2

Step 1

Put a 2x1 hor to the left.

Step 2

Put a 2x1 button/clasp ver to the left and to the front, clasp to the back.

Step 3

Repeat.

Step 4

Put a 2x1 hor to the left.

Step 5

Put a 1x1 with the handle to the left, as before.

Step 6

Put a 1x1 to the left.

Number 3

Step 1

Put a FS 4x1 ver to the front.

Step 2

Put a F 4x1 ver to the right.

Step 3

Put a F 2x1 hor to the right of its front button.

Step 4

Put a 2x1 button/clasp ver to the right and to the back, as before.

Step 5

Repeat steps 12-9 symm on the right. (the FS 4x1 ver on the right edge, the F 4x1 ver to the left, and the f2x1 hor to the left, of the front button of the PP.)

Step 6

Put a FS 4x1 hor on the front row, skipping the leftmost button.

Step 7

Put a FS 4x1 hor to the right.

Number 4

Step 1

Put a 6x1 hor to the back, in the middle.

Step 2
Put a 4x1 ver to the right and to the back.

Step 3
Repeat on the left.

Step 4
Put a F 4x1 ver on top.

Number 5

Step 1
Put a 1x1 with the handle to the back, as before.

Step 2
Put a 1x1 to the left.

Step 3
Put a 2x1 hor to the right of the 1x1 with the handle.

Step 4
Repeat steps 4 of number 4, and steps 1-3 of number 5, (the 1x1 with handle on the right, the 1x1 to the right, the 2x1 hor to the left of the 1x1 with handle, the f4x1 ver to the front of the 1x1 with handle) symm on the right.

Step 5
Put a F 6x1 hor on top of the 6x1 in the second row.

Number 6

Step 1
Put a 2x1/2x2 hor on top, on the left end, the 2x2 side upright on the front.

Step 2
Put a 1x1 button to the right.

Step 3
Put a 2x1/2x2 to the right.

Step 4
Repeat steps 2-3.

Step 5
Put a 2x1/2x2 ver to the back, the 2x2 side upright on the right.

Step 6
Put a 1x1 button to the back.

Step 7
Repeat symm on the left.

Bag 2

Number 7-8

Step 1
Adhere the stickers (with a schedule on them, which reads: Tickets 30C, Showing 2-00, 5-30, and 8-00) on two FS 4x2 pieces and hang on the left and right sides.

Step 2
Adhere the stickers (SHowing Tonight "Three Clicks And A Snap" Starring Minnie Figure.) on the other two such pieces (note half of the text in parenthesis, is one one sticker, and half is on the other one.) and hang in front.

Step 3
Stack two 1x1 with the side buttons and put in the left front corner, side buttons to the front.

Step 4

Repeat on the right.

Number 9

Step 1

Put a F 10x2 hor on top of the front two rows.

Step 2

Put a F 4x4 to the back of its left end.

Step 3

Repeat on the right.

Number 10

Step 1

Put a F 6x1 ver on the right edge.

Step 2

Repeat on the left.

Step 3

Put a F 4x1 hor to the right of its front button.

Step 4

Put a F 4x1 hor to the right.

Number 11

Step 1

Put a 1x1 FS wedge on the left back corner, slide to the right.

Step 2

Put a wedge to the front, slide to the back.

Step 3

Put a wedge to the front, slide to the front.

Step 4

Put a wedge to the front, slide to the back.

Step 5

Put a wedge to the front, slide to the front.

Step 6

Put a wedge to the front, slide to the right.

Step 7

Put a wedge to the right, slide to the left.

Step 8

Put a F 2x1 with one button hor to the right.

Step 9

Put a grate hor on top.

Step 10

Repeat steps 1-9 symm on the right.

Number 12

Step 1

Make a part. put a 2x1/2x1 bench piece hor on the table, the back to the front. put a F 2x1 with one button hor on top. Put a wedge on top, slide to the back. put two FS buttons upright on the side buttons in front. install the way it is in the middle of the front row.

Bag 3

Number 15

Bag three has blue and white bags. Follow the instructions carefully to achieve accurate lettering (sorry it's visual). You are going to build this part by part. It is important to remember how your parts are oriented after you put them aside. It may be a good idea to find a spare rectangular baseplate and to install them on it with the distinctive orientation marks.

Step 1

Stack two white F 2x2 pieces.

Step 2

Step 1

Put two 2x1 with side buttons ver on top, long side by longside, side buttons facing away from each other.

Step 2

Put a blue F 2x2 on top. Put aside.

Step 3

Step 1

Put a blue F 2x2 on the table.

Step 2

Put a white 1x1 with the side button on the front left, side button to the left.

Step 3

Put a white F 1x1 on top.

Step 4

Put a white 1x1 with the side button on the back right, side button to the right.

Step 5

Put a white F 1x1 on top.

Step 6

Stack four F 1x1 pieces, white-blue-white-blue (from bottom up).

Step 7

Repeat.

Step 8

Install in the back left and in the front right.

Step 9

Put a white F 2x2 on top.

Step 10

Put this part on top of the one made in step 2. Put aside.

Step 4

Step 1

Stack two F 2x2, blue-white.

Step 2

Put a white 1x1 in the left front.

Step 3

Put a white 1x1 in the right back.

Step 4

Put a blue 1x1 in the left back.

Step 5

Put a blue 1x1 in the right front.

Step 6

Put a white F 2x2 on top.

Step 7

Put this part on top of the one made in step 3. Put aside.

Step 5

Step 1

Put a blue F 2x2 on the table.

Step 2

Put a white 2x1 with the hole hor at the back.

Step 3

Put a white 2x1 with the hole hor to the front.

Step 4

Put a blue F 1x1 in the left front and in the right back.

Step 5

Put a white F 1x1 in the left back and in the right front.

Step 6

Put a white F 2x2 on top.

Step 7

Put this part on top of the one made in step 4. Put aside.

Step 6

Step 1

Stack two F 2x2, blue-white.

Step 2

Put a white F 1x1 in the left front and the right back.

Step 3

Put a blue F 1x1 in the left back and the right front.

Step 4

Put a white 1x1 with the side button in the left front, side button to the left.

Step 5

Put a blue 1x1 with the side button to the back, as before.

Step 6

Put a white 1x1 with the side button to the right, button to the right.

Step 7

Put a blue 1x1 with the side button to the front, as before.

Step 8

Put this part on top of the one made in step 5. Put aside.

Step 7

Step 1

Put a blue F 2x2 on the table.

Step 2

Put a white 2x1 with the hole hor on the back.

Step 3

Repeat to the front.

Step 4

Put a blue F 1x1 on the left front and right back.

Step 5

Put a white F 1x1 on the left back and right front.

Step 6

Put a white F 2x2 on top.

Step 7

Put this part on top of the one made in step 6. Put aside.

Step 8

Step 1

Put a blue F 2x2 on the table.

Step 2

Stack two white F 1x1 pieces.

Step 3

Repeat.

Step 4

Put in the left front and in the right back.

Step 5

Stack two blue F 1x1 pieces.

Step 6

Repeat.

Step 7

Put in the left back and in the right front.

Step 8

Put a white 2x1 with the hole hor in the back.

Step 9

Repeat in the front.

Step 10

Put four blue 1x1 with the side buttons on top, two side buttons to the left and two to the front.

Step 11

Put this part on top of the one made in step 7.

Bag 4

Step 9

Step 1

Take your part off the spare baseplate and lay flat on the table, the top to the left. The front should have three holes.

Step 2

Put a blue F 16x2 hor on top.

Step 3

Put two sled pieces hor on the the right end, side by long side, handles overhanging to the right.

Step 10

Step 1

Cover the whole surface with the six FS 6x1 pieces, hor.

Step 11

Step 1

Put a F 2x2 on the left end.

Step 2

Put a F 16x2 hor to the right.

Step 12

Step 1

Put two sled on the right end, as before.

Step 2

Put sixteen F 2x1 with one button ver, side by long side, to the left.

Bag 5

Step 13

Step 1

Put two FS 2x1 ver, side by long side, on top of the sled pieces.

Step 2

Put a F 4x1 hor to the left.

Step 3

Put a F 6x1 hor to the left.

Step 4

Repeat.

Step 5

Put a F 2x1 with the handle to the left, upright, ver, handle to the top, on the top row of the left butt.

Step 6

Put a F 2x1 with the handle to the bottom, ver, handle to the bottom.

Step 14

Step 1

Put two 1x1 wedges on the PP, slides to the top.

Step 2

Put two 1x1 wedge pieces to the top, slides to the bottom.

Step 3

Put sixteen 1x1 buttons on top, side by side.

Step 15

Raise your part upright, left butt to the top and the sixteen buttons to the front, and install in the gap in the middle of the stickered structure.

Number 16

Lay your structure on its side, so that its bottom is accessible, and put twenty-four 1x1 buttons at the bottom, on all the edges save the back (the front being the wide stickered side). Put 41x1 buttons on the side buttons on the front of the stickered structure.

Number 17

Install your structure upright above the entrance.

Bag 6

Number 18

Step 1

Make a part. Put two claw clasps on the ends of a stick.

Step 2

Put two saucers on the clasps.

Step 3

Repeat steps 1-2 to make two.

Step 4

Install as barriers on the sidewalk in front of the theater, one ver on the front and one hor on the left, at the sides of the entrance.

Number 19

Step 1

Make a part. put a F 2x1 sled piece hor, handle to the left, on the table.

Step 2

Put a F 2x1 with one button on top.

Step 3

Put a large bearing part on top, rim to the top.

Step 4

Put a large saucer inside, convex to the bottom.

Step 5

Put a large saucer from a sep bag on top, as before.

Step 6

Put a small clasp underneath your part.

Step 7

Put a large saucer underneath the clasp.

Step 8

Repeat steps 1-7 to make two.

Step 9

Put these searchlights at the left back and right front corner, pointed at the center.

On the back there's an ad for the other Modular buildings, the Town Hall, Pet Shop and Palace Cinema. There's also an add for the Horizon express, (10231) and the SOp With Camel, (10236). There's another ad for the Lego Club, VIP Program, Town Hall, and Winter Village.

Enjoy!

Thank you so much for building this set!

Visit bricksfortheblind.org for more accessible instructions!

Abbreviation definitions:

F = flat (Plate.)

FS = flat smooth (tile)

Slide = slope.

Lip = inverted slope.

Ribbed stick = Technic axle.

Connector = Technic pin.

Stubby or Short connector = Technic pin with stud.

Long connector = elongated Technic pin.

Nail = technic axle with end stop.

Fat nut = Technic joiner.

Thin nut = Technic stop.

Elbow = technic joiner 90 dg.

1x1, 2x1, 3x1... means a 1x1, 2x1, 1x3... brick.

Ver = vertically.

Hor = horizontally.

Symm = symmetrically.
LMA = Lay Momentarily Aside.
PP = previous piece.
Sep bag = separate bag.
Braille letters (for placing corner pieces):
D = open corner to the front left.
F = open corner to the front right.
J = open corner to the back left.
H = open corner to the back right.

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.