

10243 Parisian Restaurant

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

Front: towards you.

Back: away from you.

Up: towards the ceiling.

Down: towards the floor.

Stud: the bump on a Lego brick. Example: A 2x1 brick has two studs on it.

Vertically: going from front to back.

Horizontally: going from left to right.

Upright: pointing up towards the ceiling, and down towards the floor.

Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.

There are also abbreviations defined at the end of this file.

It's very busy in the Parisian Restaurant! As a scooter zips by, inside the waiter rushes between the tables as the nervous young man gets ready to propose with the ring! It's just as hectic behind the scenes, with the chef busily preparing the food. This beautifully detailed building is the setting for so many stories and is a great addition to the modular building series. The Parisian Restaurant has a fully stocked, blue and white tiled kitchen with tableware as well as a cozy apartment with pull-down bed, kitchenette and fireplace. On the top floor is the artist's room with a studio that includes a cast iron heater, easel, paintbrush and two works of art by the aspiring artist. Outside, stairs lead down to the roof terrace lined with hanging lanterns and flowers where the diners eat alfresco style.

Large bag 1.

The base.

People bag.

Make three people. Make a scooter. Put a scooter base hor, shield to the left. Put a button from a sep bag on the shield from the left. Put the wheel bars on the shield from the right. Put the bracket piece ver, points to the table, underneath. Insert two buttons into the tires. Put the tires underneath.

Bag 1.

Step 1

Put a F 32x32 piece on the table. Put a FS 1x1 in the right front corner. Repeat on the left.

Step 2

Put five S 6x1 pieces hor on the front row.

Step 3

Put a FS 2x1 hor on the second row, starting from the left edge.

Step 4

Put a FS 2x1 hor to the right.

Step 5

Repeat.

Step 6

Put a grate piece hor to the right.

Step 7

Put a FS 2x1 hor to the right.

Step 8

Repeat three more times.

Step 9

Put a FS 1x1 from a sep bag to the right.

Step 10

Skip four buttons to the right and put a FS 1x1 from a sep bag.

Step 11

Put a FS 2x1 hor to the right.

Step 12

Put a grate hor to the right.

Step 13

Put a F 2x1 ver to the right and to the back.

Step 14

Put a FS 2x2 to the right.

Step 15

Put a F 2x1 ver to the right.

Step 16

Put a F 2x2 to the right.

Bag 2

Step 1

Put a FS 2x2 on the third and fourth rows, starting on the left edge.

Step 2

Put a FS 2x2 to the right.

Step 3

Repeat six times.

Step 4

Put a FS 2x1 ver to the right.

Step 5

Put a FS 3x1 ver to the right and to the front.

Step 6

Put a FS 3x1 ver to the right.

Step 7

Repeat two more times.

Step 8

Put four more such pieces the same way to the back of the first four.

Step 9

Repeat to the back of the second row of the FS 3x1 pieces.

Step 10

Put a FS 2x1 ver to the right of the first row of the FS 3x1 pieces, to the back of the FS 1x1 (on the third and fourth rows).

Step 11

Put a FS 2x2 to the right.

Step 12

Repeat.

Step 13

Put a FS 2x1 hor to the right, partly to the back of the F 2x1.

Step 14

Put a FS 2x1 hor to the right.

Step 15

Repeat.

Step 16

Put a FS 2x2 to the back.

Step 17

Put a FS 2x2 to the left.

Step 18

Repeat three more times.

Step 19

Put a F 1x1 to the left, on the fifth row.

Step 20

Put a FS 2x1 ver to the back.

Step 21

Put a FS 2x1 from a sep bag hor to the right, on the 7th row.

Step 22

Put a FS 2x1 from a sep bag hor to the right.

Step 23

Put a FS 2x1 from a sep bag ver to the right and to the back.

Step 24

Put a F 2x2 to the right.

Step 25

Put a FS 2x1 ver to the right.

Step 26

Put F 2x2 to the right.

Step 27

Put a seat piece hor to the back, seat to the front.

Step 28

Put a seat piece hor to the left, as before.

Step 29

Repeat.

Step 30

Put a FS 2x2 to the left and to the front.

Step 31

Put a F 1x1 from a sep bag to the left, on the 8th row.

Step 32

Put a FS 1x1 from a sep bag to the back.

Step 33

Put a FS 2x1 ver to the right of the two PPs.

Bag 3

Step 1

Put a F 2x2 to the back and to the right.

Step 2

Put a F 1x1 to the right, on the 10th row.

Step 3

Skip two buttons to the left and put a F 4x1 hor on the 11th row.

Step 4

Put a F 2x2 to the left and to the front.

Step 5

Put a FS 2x1 ver to the front of its right row.

Step 6

Put a FS 2x1 from a sep bag ver to the left.

Step 7

Put a FS 2x1 from a sep bag ver to the front.

Step 8

Put a FS 2x1 ver to the right.

Step 9

Put a F 1x1 to the front.

Step 10

Put a F2x1 from a bag-inside-sep bag hor to the left.

Step 11

Put a F 1x1 to the left.

Step 12

Put a 2x1 grooved piece, upright horizontal grooves to the front.

Step 13

repeat.

Step 14

Put a f1x1 to the left. Put a F2x1 hor to the left.

Step 15

Put a F 1x1 to the left.

Step 16

Repeat steps 12-14.

Step 17

Put a F1x1 to the left.

Bag 4

Step 1

Put F 2x1 hor to the back, skipping two columns from the left edge.

Step 2

Put a F 1x1 to the left and to the back, touching corners with the PP.

Step 3

Put a F 2x1 ver to the back.

Step 4

Put a F2x2 to the back and to the right.

Step 5

Put a F 1x1 to the right of the front row of the PP.

Step 6

Skip one button to the right and put a F 2x1 ver to the right and to the front.

Step 7

Put a F 2x1 hor to the front and to the right.

Step 8

Put a F 2x1 ver to the front of its left button.

Step 9

Skip one button to the right and put a F 2x1 ver to the right.

Step 10

Put a F 2x1 ver to the back.

Step 11

Put a F 2x2 to the back and to the right.

Step 12

Put a F 2x1 hor to the right of its front button.

Step 13

Put a F 1x1 to the front of its left button.

Step 14

Put a F 2x1 to the hor front and to the right.

Step 15

Put a F 1x1 to the front of its left button.

Step 16

Put a F 2x1 hor to the front and to the right.

Step 17

Skip one button to the right and put a F 2x1 ver to the right and to the back.

Step 18

Put a F 2x1 to the right of its front button.

Step 19

Skip one button to the back and put a F 1x1 to the back of its left button.

Step 20

Put a F 2x1 ver to the right and to the back, touching corners.

Step 21

Put a F 2x1 hor to the left of its back button.

Bag 5

Step 1

All pieces are F 1x1. Rows are counted from the front. Columns are counted from the left. Take bag A (dark). Put a piece on row six, column two. (R 6, c 2)

Step 2

R 6, c 12.

Step 3

R 7 c 3.

Step 4

R 7 c 5.

Step 5
R 7 c 7.

Step 6
R 7 c 9.

Step 7
R 7 c 11.

Step 8
R 7 c 15.

Step 9
R 8 c 4.

Step 10
R 8 c 12.

Step 11
R 9 c 3.

Step 12
R 9 c 5.

Step 13
R 9 c 7.

Step 14
R 9 c 9.

Step 15
R 9 c 11.

Step 16
R 9 c 13.

Step 17
R 10 c 12.

Step 18
Take bag B. R 6 c 5.

Step 19
R 6 c 7.

Step 20
R 6 c 9.

Step 21
R 7 c 4.

Step 22
R 7 c 12.

Step 23
R 7 c 14.

Step 24
R 8 c 3.

Step 25
R 8 c 5.

Step 26
R 8 c 9.

Step 27
R 8 c 13.

Step 28
R 8 c 15.

Step 29
R 9 c 4.

Step 30
R 9 c 12.

Step 31
R 9 c 14.

Step 32
R 10 c 5.

Step 33
R 10 c 7.

Bag 6. Make the outlines of the vertical and inside horizontal walls.

Step 1
Put a 2x1 grooved piece vertically on the left edge, rows 6-7, with the upright hor grooves to the left, repeat. Then put a 2x1 with a hole ver to the back.

Step 2
Put a 10x1 ver to the back.

Step 3
Put a 2x1 with a hole ver to the back.

Step 4
Put a 4x1 ver to the back.

Step 5
Put a 6x1 hor to the right of the front button of the 2x1 with a hole, on row 11, counting from the back.

Step 6
Put a 6x1 hor to the right.

Step 7
Repeat.

Step 8
Put a three-button corner piece to the right and to the back, letter J (2-4-5).

Step 9
Put a F 4x1 ver to the back of its right back button.

Step 10
Put two grate pieces ver to the left, short side by short side.

Step 11
Put a 6x1 hor to the right of the F 4x1 (from step 10).

Step 12
Put a 6x1 hor to the right.

Step 13
Put a 4x1 ver to the front.

Step 14
Insert a connector into a 2x1 piece with the hole. Put ver to the front of the PP, connector to the right.

Step 15

Put a 4x1 ver to the front.

Step 16

Repeat.

Step 17

Put a three-button corner piece to the front and to the left, letter D (1-3-4).

Step 18

Insert a connector into a 2x1 piece with the hole. Put ver to the front of the right side of the PP, connector to the right.

Step 19

Put a 6x1 hor to the left of the left button of the three-button D.

Step 20

Put a four-button stepped piece diagonally to the left and to the back, steps to the right.

Step 21

Put 2x1 from a sep bag ver to the front right-side button of the PP.

Step 22

Put a 4x2 flat piece horizontally, behind the left-most bench seat.

Bag 7.

Step 1

Put a F ten-button pizza piece to the left and to the back, cut-off corner to the right and to the back.

Step 2

Put a FS 3x1 hor to the back and to the left, to the left of the back button of the diagonal piece.

Step 3

Put a FS 1x1 to the left.

Step 4

Put a FS 3x1 ver to the front.

Step 5

Put a F 4x2 ver to the right and to the front.

Step 6

Put a FS 3x1 to the left of its front row.

Step 7

Put a FS 6x1 hor to the left.

Step 8

Repeat.

Step 9

Put a FS 3x1 ver to the left and to the back.

Step 10

Put a FS 6x1 ver to the back.

Step 11

Put a FS 3x1 hor to the back and to the right.

Step 12

Put a FS 6x1 hor to the right.

Step 13

Put a F 4x1 hor to the right.

Step 14

Put a FS 6x1 hor to the right,

Step 15

Put a FS 3x1 ver to the right and to the front.

Step 16

Go to the right of the left wall, on the 15th and 16th rows, on the third and fourth columns. Put a F 2x2 there.

Step 17

Put a F 4x2 hor to the right.

Step 18

Repeat two more times.

Step 19

Put a F 2x2 to the front of the two PPs, on rows 13 and 14, on columns 12th and 13th.

Step 20

Skip five buttons to the left and put a F 2x2 there.

Step 21

Put two curved 2x1 hor, wide side by wide side, on the 10th and 11th rows, on the 5th and 6th columns from the right edge.

Bag 8

Step 1

Put ten FS 2x1 ver, wide side by wide side, to the left of, in between, and to the right to the two F 2x2 pieces in rows 13 and 14, to pave that space.

Step 2

Go to the right of the left wall, rows 17-20, column 3, and put a FS 4x1 ver there.

Step 3

Put a FS 4x1 ver to the right.

Step 4

Put a FS 2x1 hor to the right of its front button.

Step 5

Put a F 2x2 to the back.

Step 6

Put a FS 2x1 hor to the back.

Step 7

Put a FS 4x1 ver to the right and to the front.

Step 8

Put a FS 4x1 ver to the right.

Step 9

Repeat 9 more times.

Step 10

Put a FS 2x1 ver to the right of its front buttons.

Step 11

Put a F 2x1 ver to the back.

Step 12

Put a FS 4x1 ver to the right and to the front.

Step 13

Put a FS 4x1 ver to the right.

Step 14

Go to the right of the left wall, row 11, columns 4-8. Put a 4x1 hor there.

Step 15

Skip two buttons to the right and put a 6x1 hor there.

Step 17

Put a 6x1 into the 6x1 gap horizontally in the front wall, and put a 4x1 into the 4x1 gap to the left.

Bag 9

Step 1

Make a part. Put a F 2x1 on top of a F 2x2.

Step 2

Repeat three more times.

Step 3

Put one such part, taller row to the back, to the left and to the front of the 4x1 from step 14 (rows 11-12, columns 2-3).

Step 4

Skip four buttons to the right and put another such part the same way.

Step 5

Skip six buttons to the right and put another such part the same way.

Step 6

Skip four buttons to the right and put another such part the same way.

Step 7

Go to the left of the right wall, row 14, and put a 1x1 there.

Step 8

Put a F 1x1 to the left.

Step 9

Put a F 2x1 with one button hor to the back and to the right.

Step 10

Put a F 2x1 with one button hor to the back.

Step 11

Put a 2x1 with the flue hor to the back, the flue to the front.

Step 12

Go to the right of the left wall, rows 15-16, columns 3-4, and put four 1x1 buttons there.

Step 13

Skip six buttons to the right and put four 1x1 buttons there.

Step 14

Skip two buttons to the right and put four 1x1 buttons there.

Step 15

Skip nine buttons to the left and one button to the back and put four 1x1 buttons there.

Bag 10. Make a floor in the back left room.

Step 1

Put a FS 6x1 hor to the left of the right room, row 14, columns 4-10 from the right.

Step 2

Put a FS 4x1 ver to the back of its right button.

Step 3

Put a F 2x1 hor to the back and to the left.

Step 4

Put a FS 6x1 ver to the back of its right button.

Step 5

Put a FS 6x1 hor to the left of its back button.

Step 6

Put a F 2x2 to the back and to the right (rows 6-7 from the back).

Step 7

Put a FS 6x1 ver to the front of its left row.

Step 8

Put a FS 4x1 ver to the front.

Step 9

Now make a checkered white (sep bag) and blue tile floor inside, leaving the 6x2 vertical space in the middle free. Go to the left back inside corner of the FS outline that you've just made. Put a white tile there.

Step 10

Put four white tiles to the front, skipping one button between each.

Step 11

Do the same to the left, skipping alternate buttons.

Step 12

Put two white buttons to the left, on the alternate spaces, leaving six buttons in the middle free.

Step 13

Repeat.

Step 14

Put five to the left the same way.

Step 15

Repeat.

Step 16

Fill the empty alternate spaces with the blue buttons, remembering to keep the middle free.

Bag 11

Step 1

Make the second story of the right, middle-back and left walls. Go to the front button of the raised part of the right wall (on top of the 2x1 with the connector in it). Put FS 1x1 on it.

Step 2

Put a 10x1 ver to the back.

Step 3

Put a 6x1 ver to the back.

Step 4

Put a three-button corner piece to the back and to the left.

Step 5

Put a 10x1 hor to the left.

Step 6

Skip four buttons to the front and put a 2x1 ver there.

Step 7

Put a 4x1 hor to the left of its front button.

Step 8

Put a 1x1 to the left.

Step 9

Make a part. Put a wide mouth of the faucet piece on the side button of a 1x1 with the two side buttons, so that the vertical part of the faucet faces downward. Put this part to the left of the PP, faucet to the back.

Step 10

Put a 4x1 hor to the left.

Step 11

Make a part. put a FS 1x1 upright on the side button of a 1x1 with two side buttons. put to the left, the FS piece to the back.

Step 12

Put a 1x1 to the left.

Step 13

Put a 6x1 hor to the left.

Step 14

Put a three-button corner piece to the left and to the front.

Step 15

Put a 10x1 ver to the front.

Step 16

Put a grate piece ver to the back of the corner piece from step 14.

Step 17

Put a FS 2x1 ver to the back.

Step 18

Put a FS 1x1 to the back.

Step 19

Go to the left of the right wall, row 13, and put a 1x1 from a sep bag there.

Step 20

Put a 2x1 seat piece ver to the back, seat to the right.

Step 21

Put a 2x1 with the flue hor to the back and to the left, the flue to the front.

Bag 12

Step 1

Put a 4x1 stepped piece on top of the other such piece, on the diagonal part of the partition.

Step 2

Put a 2x1 staple piece ver to the back of its back button, sheer wall to the left.

Step 3

Put a 1x1 to the front of the same stepped piece.

Step 4

Make a part. put a FS 1x1 upright on the side button of a 1x1 with the side button. Put to the front of the PP, FS piece to the front.

Step 5

Put a 1x1 to the right of the front button of the same stepped piece.

Step 6

Skip two buttons to the right and put a 4x1 hor there.

Step 7

Put two 1x1 wedge pieces to the back, fitting them inside the seat piece and pitching in the middle.

Step 8

Go to the front wall (row 11). Skipping three buttons from the left, put a F lipped 2x1 hor there.

Step 9

Put another such piece to the right.

Step 10

Skip two buttons to the right and put another such piece there.

Step 11

Put another such piece to the right.

Step 12

Repeat.

Step 13

Plant the greens (1x1 flower pieces) along the four front buttons of the raised part of the left wall.

Step 14

Repeat hor on the front wall (four and four, on the raised, ridged part on the left).

Step 15

Put a F 2x1 with one but hor on the same row, between the two flowered parts, in the middle.

Step 16

Skip six buttons to the right and put another such piece there.

Step 17

Stack two 1x1 buttons and put to the right.

Step 18

Skip four buttons to the right and repeat.

Step 19

Put a 1x1 button on the second row, third column from the right.

Step 20

Put a 1x1 button to the back.

Step 21

Skip two buttons to the left and put a 1x1 button there.

Step 22

Put a 1x1 button to the front.

Step 23

Put a f2x1 with a cornice horizontally cornice to the front, on the 13th row, from the front, columns 6 and 7 from the front Bag 13 (all flat)

Step 1

Go to the front of the left wall. skipping four (flowered) buttons to the back, put a 1x1 button there.

Step 2

Put a 3x1 ver to the back.

Step 3

Put an 8x1 ver to the back.

Step 4

Put a 3x1 hor to the back and to the right.

Step 5

Put an 8x1 hor to the right.

Step 6

Repeat.

Step 7

Put a 2x1 hor to the right.

Step 8

Put a 1x1 with a clasp to the back and to the right, clasp to the right.

Step 9

Skip five buttons to the back and put a 3x1 hor to the back and to the right.

Step 10

Put an 8x1 hor to the right.

Step 11

Put a 3x1 ver to the right and to the front.

Step 12

Put an 8x1 ver to the front.

Step 13

Put a 3x1 hor to the front and to the left.

Step 14

Put a 4x2 ver to the front and to the right.

Step 15

Put a 2x1 ver to the front.

Step 16

Put a 3x1 hor to the left of the front row of the 4x2 piece from step 14.

Step 17

Skip two buttons to the left and put a 2x1 hor there.

Step 18

Put a 2x1 ver to the front of its left button.

Step 19

Put a S 3x1 ver skipping two buttons to the left and two to the back, partly on the back button of the stepped piece and partly on the staple piece.

Step 20

Put a 4x1 ver on the fifth row from the right, columns 9-11 (on top of the two curved pieces and to the front and to the back of them).

Bag 14

Step 1

Put a 1x1 cylinder on the left wall, row 10th.

Step 2

Make a seat with two 1x1 corner pieces and put it hor to the right of the PP, seat to the back.

Step 3

Skip four buttons to the right and put another seat the same way.

Step 4

Skip six buttons to the right and repeat.

Step 5

Skip four buttons to the right and repeat.

Step 6

Make a part. Insert a candlestick into the clasp of a F 1x1 with the clasp. Put the candle stick on the left wall, row 5th, with the 1x1 clasp piece on the row six, to the back of it.

Step 7

Skip four buttons to the right of the candlestick and put another candlestick there.

Step 8

Skip two buttons to the right and put another candlestick there.

Step 9

Put four buttons to the right and put another candlestick there.

Step 10

Insert the broom upright into the clasp and the right end of the left part of the back wall.

Bag 15. Make a sink/stove/counter part.

Step 1

Put a F 8x2 hor on the table.

Step 2

Put a three-button corner piece on its right end, letter D (1-4-5).

Step 3

Put a F 2x1 with the stick hor to the left, on the back row, stick to the front.

Step 4

Stack two F 2x1 pieces and put them hor on top of the PP.

Step 5

Put a F 4x2 hor on top of all the PPs.

Step 6

Put a 3x2 box hor to the left, and insert two drawers there, so that they open to the front.

Step 7

Put a 2x1 staple piece ver to the left, sheer side to the left.

Step 8

Put a F 2x2 with one button on top of the PP and to the right.

Step 9

Put a F 2x2 to the right.

Step 10

Make a seat with two 1x1 corner pieces and put it ver to the right, seat to the right.

Step 11

Put a 2x1 seat piece hor to the right, on the back row, seat to the front.

Step 12

Put a 1x1 to the right.

Step 13

Put a 1x1 corner piece to the front, sheer sides to the right and to the front.

Step 14

Put a 2x1 seat piece hor to the left, seat to the back.

Step 15

Put a 1x1 seat piece to the left, sheer sides to the front and to the left.

Step 16

Put a faucet piece on the 1x1 piece at the right back corner.

Step 17

Put a 1x1 flower piece on top of a 1x1 button piece and put on the stove. Repeat.

Step 18

Put a pie on the counter.

Step 19

Install the part the way it is in the left inside corner between the back of the right wall and the right part of the back wall.

Bag 16. Make a shelf/counter part.

Step 1

Put a F 8x2 hor on the table. Put a 2x1 staple piece ver on the right end, sheer side to the right.

Step 2

Put a 2x1 staple piece ver to the left, sheer side to the left.

Step 3

Put a 3x2 box hor to the left, open side to the front.

Step 4

Repeat.

Step 5

Insert the two doors, handles to the middle.

Step 6

Put a FS 4x1 hor on the front row, starting on the right.

Step 7

Put a F 4x1 hor to the back.

Step 8

Put a F 2x2 to the left of the two PP.

Step 9

Put a F 2x2 to the left.

Step 10

Put a F disk on top of the PP.

Step 11

Stack four saucers and put on top.

Step 12

Put two glasses to the right.

Step 13

Install the part ver, doors to the left, to the front of the sink, to the right of the left wall.

Bag 17. Make a carving table part.

Step 1

Put a F 6x2 hor on the table. Put a 2x2 box on the right end, opening to the front. insert the door.

Step 2

Put a 3x2 box hor to the left. Insert the drawers.

Step 3

Put a 2x1 staple ver to the left, sheer side to the right.

Step 4

Put a F 2x2 with one button on top and to the right.

Step 5

Put F 2x2 to the right.

Step 6

Put four 1x1 buttons to the right.

Step 7

Stack two 1x1 buttons and put on the leftmost button.

Step 8

Put a frying pan in the drawer.

Step 9

Put the two drumsticks onto the chicken and put on the leftmost button.

Step 10

Put a FS 1x1 piece (the dial) to the right.

Step 11

Put a pot to the right.

Step 12

Install ver, chicken to the front, on the six free buttons on the floor to the left of the shelf/counter part.

Bag 18

Step 1

Make a chair part. Put a F 2x2 disk on top of a F 2x2. Put a chair piece on top.

Step 2

Repeat two more times.

Step 3

Install one, ver, its back to the left, in the inside corner between the front end of the left wall and the left end of the front wall (row 6 and 7, columns 3 and four from the left).

Step 4

Install another chair part the same way, skipping five buttons to the right and two to the back.

Step 5

Install the other chair part skipping two buttons to the right, its back to the right.

Step 6

Skip four buttons to the back and put a chair piece there the same way.

Step 7

Skip two buttons to the left and put a chair piece there, its back to the left.

Step 8

Skip five buttons to the left and put a chair piece there, its back to the left.

Step 9

Skip one button to the back and put a chair piece to the right, its back to the back.

Bag 19

Step 1

Make a flower pot part. Stack two 1x1 buttons.

Step 2

Put a three-stalk piece on top.

Step 3

Put flowers on the stalks.

Step 4

Insert in the pot.

Step 5

Repeat to make two.

Step 6

Install one on row 5, column 7,5 from the left.

Step 7

Skip 7 buttons and install the other.

Step 8

Make a flower jar part. Put a stalk on top of a 1x1 cylinder, put the flowers on and install on the front button of the diagonal partition.

Step 9

Put a chain hor on the two right-side candlesticks.

Step 10

Put a chain hor on the two left-side candlesticks.

Step 11

Put a chain ver on the two left-wall candlesticks.

Bag 20. Make a bench part.

Step 1

Put a F 2x2 sled piece ver on the table, handle to the back.

Step 2

Put another such piece the same way, skipping two buttons to the left.

Step 3

Connect by putting a FS 4x1 hor across the front button of the both pieces.

Step 4

Put a F 4x1 hor to the back.

Step 5

Insert the clasps of two F 2x1 pieces with the clasp onto the handles.

Step 6

Put a FS 4x1 hor to connect them.

Step 7

Put a FS 4x1 hor to the back. Lift the back perpendicularly to the seat.

Step 8

Install the way it is in the right front, skipping two buttons from the right edge and one button from the front edge.

Bag 21. Make two long and two small tables.

Step 1

Put a F 6x2 hor on the table. Put a F 2x2 on the right end.

Step 2

Put a FS 3x1 hor to the left, on the front row.

Step 3

Put a FS 3x1 to the back.

Step 4

Put a F 2x1 ver to the left and to the front.

Step 5

Put two 2x2 curved pieces ver underneath, on the second and fifth columns.

Step 6

Put a FS disk on top of the right end.

Step 7

Put an inverted bottle on top.

Step 8

Put an inverted pot on top, to make a lamp.

Step 9

Repeat steps 1-8 to make another long table.

Step 10

Install one ver, lamp to the front, on the 5-6 from the left, columns 11-16.

Step 11

Skip four buttons to the right and put the second table there the same way.

Step 12

Make a small table. Put a F 2x2 with one button on top of a 2x2 candelabra piece.

Step 13

Repeat two make two.

Step 14

Install one on rows 6-7, columns 5-6 from the left.

Step 15

Install the other skipping three buttons to the right and one to the back (in between the two chairs).

Step 16

Put a croissant on one of the small tables.

Bag 22

Step 1

Put a man at the long table with a ring in his hand.

Step 2

Put a girl at the same table with a glass in her hand.

Step 3

Put a girl on the motorcycle (at the end of construction she will be placed in front of the building entrance, on the table).

Large bag two.

Bag 23. Make the next level of the walls.

Step 1

Go to the front of the left wall (to the back of the vertical chain). Put a 2x1 from a sep bag ver there.

Step 2

Put an 8x1 ver to the back.

Step 3

Put a 2x1 from a sep bag ver to the back.

Step 4

Put an 8x1 hor to the right.

Step 5

Put a 1x1 to the right.

Step 6

Put a 4x1 hor to the right.

Step 7

Put a 6x1 hor to the right.

Step 8

Put a 2x1 ver to the right and to the back.

Step 9

Skip four buttons to the back and put a 6x1 hor to the right.

Step 10

Put a 6x1 hor to the right.

Step 11

Put an 8x1 ver to the front.

Step 12

Repeat.

Step 13

Put a one-button lip piece hor to the front and to the left, lip to the front.

Step 14

Put a 2x1 lip piece to the back of its left back button and to the left, lip to the front.

Step 15

Put a 2x1 hor to the left of its back row.

Step 16

Skip one button to the front and put a 2x1 lip piece ver there, lip to the right.

Step 17

Put a 1x1 from a sep bag on the second row from the right, column 14 (to the back of the horizontal 2x1 lip piece).

Step 18

Put a 1x1 with the wedge on top (a milk carton) to the back.

Step 19

Put a bottle to the back.

Step 20

Put a 2x1 with the flue hor to the back and to the left, flue to the front.

Step 21

Put a 2x1 hor to the right and to the front of the 1x1 vase touching it diagonally. Put a 2x1 from a separate bag, ver in front of the PP.

Bag 24

Step 1

Put a FS 1x1 upright on the side button of a 1x1 with the side button. Put it, the FS 1x1 to the front, on the front end of the raised left wall (row 7).

Step 2

Put a 6x1 ver to the back.

Step 3

Put a 4x1 ver to the back.

Step 4

Put a 2x1 from a sep bag hor to the back and to the right.

Step 5

Put a 1x1 to the right.

Step 6

Skip four buttons to the right and put a 3x1 hor there.

Step 7

Put a 4x1 hor to the right.

Step 8

Put a 3x1 hor to the right.

Step 9

Skip two buttons to the right and put a 2x1 hor to the right.

Step 10

Put a 1x1 to the back of its right button.

Step 11

Skip four buttons to the back and put a 1x1 there (on top of the back wall). skip four buttons to the right and put a 2x1 hor there.

Step 12

Skip four buttons to the right and put a 2x1 ver to the right and to the front.

Step 13

Skip two buttons to the front and put a 3x1 ver there.

Step 14

Make a part. Put a F 4x1 from a sep bag hor on the table. Put four 1x1 clasp pieces on top, side by side, clasps to the front. Put two F 2x1 hor, short side by short side, on top. Install ver to the front of the PP, clasps to the left.

Step 15

Put a 4x1 ver to the front.

Step 16

Put a F 4x1 hor to the front and to the left.

Step 17

Skip one button to the left and one down and put a F 4x1 ver there, on the left columns of the lip, overhanging to the front and to the back.

Step 18

Put a 2x1 lip ver to the right of the middle of the PP, lip to the right.

Step 19

Skip five buttons to the left and put a 1x1 with the side button and put a fs1x1 on it's side button. Put it (on top of the front appendix of the diagonal partition), side button to the front.

Step 20

Put a 2x1 ver to the back of the 1x1 piece.

Step 21

Put a 1x1 to the right of the back button of the PP.

Bag 25. Make the next (fifth) level.

Step 1

Put a 2x1 hor on top of the PP and to the left.

Step 2

Put a 2x1 from a sep bag ver to the front of its left button.

Step 3

Go to the front end of the left wall. Put a 2x1 from a sep bag ver there.

Step 4

Put an 8x1 ver to the back.

Step 5

Make a part. put a F 2x1 ver on the table. Put a F 1x1 on the front button. Put a F 1x1 clasp to the back, clasp to the back. put a F 2x1 ver on top. Put this part ver to the back of the PP.

Step 6

Put a 2x1 hor to the right of the back button.

Step 7

Skip four buttons to the right and put a 2x1 hor there.

Step 8

Put a 1x1 with the side button to the right, side button to the front.

Step 9

Put a 4x1 hor to the right.

Step 10

put a 1x1 with the side button to the right, side button to the front.

Step 11

put a 2x1 hor to the right.

Step 12

Skip two buttons to the right and put a 1x1 there.

Step 13

Put a 2x1 ver to the right and to the back.

Step 14

Skip four (I think) buttons to the back and put a 1x1 on the left end of the right-side back wall.

Step 15

Skip four buttons to the right and put a 2x1 hor there.

Step 16

Skip four buttons to the right and put a 2x1 ver there and to the front.

Step 17

Skip two buttons to the front and put an 8x1 ver there.

Step 18

Put a 2x1 ver to the front.

Step 19

Put a F 1x1 from a sep bag to the front.

Bag 26

Step 1

Skip one button to the front (and one level down) and put a F 4x2 ver to the front and to the left.

Step 2

Put a F 4x2 ver to the left.

Step 3

Put a 1x1 to the left of the F 1x1 (from step 19 in the previous bag).

Step 4

Put a refrigerator door piece to the left, hinge button to the right and opening to the front and to the left.

Step 5

Skip two (I think) buttons to the back and put a 2x1 with the flue hor on top of the other such piece.

Step 6

Make a rolling pin part. insert two short connectors into the ends of a tube. Insert a stick. Insert the rolling pin upright into one of the clasps to the back of the PP. Insert the knives into the other clasps.

Bag 27

Step 1

Make a part. Put a F 4x2 ver on the table. Put a FS 3x1 ver on the left, skipping front button. Put a FS 3x1 ver to the right. put this part, the way it is, to make the top of the refrigerator (the back row resting on the flue piece and the front on the door piece and the 1x1 piece).

Step 2

Stack two 1x1 pieces and put to the left of the front row of the PP.

Step 3

Put a 4x2 hor to the right and to the front.

Step 4

Put the cook (with a knife) in the kitchen and the waiter (with a bottle on the tray) in the hall.

Bag 28. Make a bottle bar part.

Step 1

Put four 1x1 pieces with the side button in a row hor on the table, side buttons to the front. Connect them by putting a F 4x1 upright hor on the side buttons. put two F 2x1 with one button upright, hor, side by side, on the 4x1.

Step 2

Repeat to make two such parts.

Step 3

Stack them.

Step 4

Put two F 2x1 with the lip hor on top, side by side.

Step 5

Repeat on the bottom.

Step 6

Put four bottles on top.

Step 7

Install this part, as it is, to the front of the back hall wall, on the four buttons in the floor.

Bag 29 does not exist.

Bag 30.

Step 1

Make the bottle-bar left-side part. a) Put a F 6x1 hor on the table. b) Put a grate hor on its left end. c) Put a 1x1 corner piece to the right, open corner to the left and to the back. d) Put a 1x1 corner piece to the right, open corner to the left and to the front. e) Repeat step "d" two more times. f) Install this part upright, ver, to the left of the bottle part, grate side to the top and to the front.

Step 2

Make the bottle-bar right-side part. a) Put a F 6x1 hor on the table. b) Put a grate hor on its left end. c) Put a 1x1 corner piece to the right, open corner to the left and to the front. d) Put a 1x1 corner piece to the right, open corner to the left and to the back. e) Repeat step "D" two more times. f) Install this part sym on the right. Mount the left one to the left of the bar, and the right one to the right of the bar, grates on top, (since they are mounted vertically).

Step 3

Make the sixth level of the walls. Put a FS 1x1 upright on the side button of a 1x1 piece with the side button and put this part on the front end of the left wall, FS piece to the front.

Step 4

Put a 4x1 ver to the back.

Step 5

Put a 2x1 with the side buttons ver to the back, side buttons to the right.

Step 6

Put a 4x1 ver to the back.

Step 7

Put a 2x1 from a sep bag hor to the back and to the right.

Step 8

Skip four buttons to the right and put a 3x1 hor there. Put a 4x1 from a sep bag hor to the right.

Step 9

Put a 3x1 hor to the right.

Step 10

Skip two buttons to the right and put a 2x1 hor there.

Step 11

Skip four buttons to the back and put a 1x1 there.

Step 12

Skip four buttons to the right and put a 2x1 with the side buttons hor there, side buttons to the front.

Step 13

Skip four buttons to the right and put a 2x1 ver to the right and to the front.

Step 14

Skip two buttons to the front and put a 3x1 ver there.

Step 15

Put a 6x1 ver to the front.

Step 16

Put a F 1x1 to the front.

Step 17

Put a 4x2 hor to the front and to the left.

Step 18

Put a 1x1 cylinder to the front of its right end, on the lower step.

Step 19

Put a 2x1 ver to the left of the 4x2 (overhanging to the back).

Step 20

Skip two buttons to the left and put a 1x1 of its front button.

Step 21

Put a 2x1 ver to the left and to the front.

Step 22

Put a FS 1x1 upright on the side button of a 1x1 piece with the side button and put this part to the front, FS piece to the front.

Bag 31. Make and install some accessories.

Step 1

Make a picture part. Put a F 2x1 with the lip ver on the table, lip to the left. Put a F 2x1 ver to the right, lip to the right. Connect by putting a FS 2x2 on top (it has a picture of a tall ship on the sea under the moon). Hang on the left wall, on the two side buttons.

Step 2

Make a clock part. Put a F disk (with the clock face) on a F 2x2 and hang this part on the right-side back wall, on the two side buttons.

Step 3

Make the top of the bottle-bar part. put a 6x1 arch piece hor on the table. Put a F 2x2 in the middle, overhanging to the back. Put a 1x1 wedge to the right, slide to the right. put a 1x1 wedge to the left, slide to the left. Put a F 2x1 with one button hor on top, in the middle. Put a 1x1 button on top. Install as is on top of the bottle bar.

Bag 32

Step 1

Put the door in the door frame and install ver in the middle of the floor, between the left-side and right-side back walls, opening to the left and to the back.

Step 2

Insert the window panes into the frames. All the window panes should be facing outside.

Step 3

Put two hor in the left gap of the left-side back wall.

Step 4

Put one hor in the right gap in the left-side back wall.

Step 5

Put two hor in the left gap in the right-side back wall.

Step 6

Put two hor in the right gap in the right-side back wall.

Step 7

Put one ver in the gap in the right wall.

Bag 33. Make the next (7th) level of the walls.

Step 1

Put a 2x1 bench piece ver on the front end of the left wall, seat to the right.

Step 2

Put an 8x1 ver to the back.

Step 3

Put a 2x1 from a sep bag ver to the back.

Step 4

Put an 8x1 hor to the right.

Step 5

Put a 2x1 hor to the right.

Step 6

Stack two F 2x1 pieces and put them hor to the right.

Step 7

Put an 8x1 hor to the right.

Step 8

Put a 6x1 ver to the back of its rightmost button.

Step 9

Put a 3x1 hor to the right.

Step 10

Put an 8x1 hor to the right.

Step 11

Put an 8x1 ver to the front of its rightmost button.

Step 12

Put a 3x1 ver to the front.

Step 13

Put a F 1x1 to the front.

Step 14

Put a 4x2 hor to the front and to the left.

Step 15

Put a 3x1 ver to the left and to the back (overhanging to the back).

Step 16

Skip two buttons to the left and put a 2x1 ver to the left of the front button of the PP (to make the 7th level of the wall appendix).

Step 17

Put a 2x1 bench piece ver to the front of its left button, seat to the left.

Bag 34

Step 1

Insert the window panes into the frames.

Step 2

Stack a short window on top of the tall one.

Step 3

Repeat to make six such parts.

Step 4

Put two hor in the front wall, skipping two buttons to the right from the left end (on top of the cornice pieces).

Step 5

Skip two buttons to the right and put three window pieces hor.

Step 6

Put one window hor to the right of the wall appendix and to the left of the horizontal stairs.

Bag 35

Step 1

Insert the door pane into the door frame; put a 1x1 button for the handle.

Step 2

Install hor in the front wall, skipping two buttons to the right from the three-piece window, opening to the front and to the right.

Bag 36

Step 1

Make the window-top part. Put a one-button slipper piece hor on the table, toe to the left.

Step 2

Put another such piece hor to the right, toe to the right.

Step 3

Connect by putting a 2x1 corner piece hor in the middle, side buttons to the front.

Step 4

Put a F 2x1 with one button hor upright on the side buttons of the PP.

Step 5

Put a 1x1 button upright on the one button of the PP.

Step 6

Install as is on top of the left-side (double) window.

Step 7

Make the window-top part. Stack two F 2x1 pieces.

Step 8

Put a two-buttons/four-side-buttons corner piece on top, four side buttons to the front.

Step 9

Put a FS 1x1 upright on the leftmost side button.

Step 10

Put a FS 1x1 upright on the rightmost side button.

Step 11

Put a F 2x1 with one button hor upright in the middle.

Step 12

Put a 1x1 button on top,

Step 13

Put as is on the right-side (single) window.

Bag 37

Step 1

Make a door-top part. put two slipper pieces on the table as in steps 1-2 of the previous bag.

Step 2

Connect by putting a F 2x2 in the middle, overhanging to the front.

Step 3

Put a two-buttons/four-side-buttons corner piece hor on top of the back row of the PP, side buttons to the back.

Step 4

Put two grate pieces hor, upright, on the side buttons at the back.

Step 5

Put as is on the door.

Bag 38. Make the window-top part.

Step 1

Put a slipper piece hor on the table, toe to the right.

Step 2

Put a F 2x1 hor to the left.

Step 3

Connect by putting a 2x1 corner piece hor on top, side buttons to the front.

Step 4

Put a slipper to the left, toe to the left.

Step 5

Connect by putting another corner piece the same way.

Step 6

Connect two corner pieces by putting a F 2x1 with one button hor, upright, on their adjacent side buttons.

Step 7

Put a 1x1 button upright on it.

Step 8

Put two 1x1 buttons from a sep bag on the leftmost and the rightmost buttons paralel to the ground.

Step 9

Put two FS 1x1 upright, on the left and right buttons respectively.

Step 10

Put this part as is on top of the triple window.

Bag 39. Make the column parts.

Step 1

Put a F 2x1 with a square clasp hor on the table.

Step 2

Put a F 2x1 hor on top.

Step 3

Stack five 2x1 fluted pieces and put them on top of the PP, flue to the front.

Step 4

Put a F 2x1 with the upright hook hor on top.

Step 5

Put a F 2x1 with two handles hor on top, handles to the front.

Step 6

Put a cone onto the hook, wide end up.

Step 7

Insert a shorter end of a stick in the bottom of a claw piece so that the clasp of the claw faces to the side.

Step 8

Repeat.

Step 9

Put these sticks upright, side by side, to the front of the column, inserting the clasps sym into the right and left handles.

Step 10

Repeat steps 1-9 to make four columns.

Step 11

Install them hor in the gaps in the front wall.

Bag 40. Make the curtain parts.

Step 1

Hold a 2x1 corner piece hor, upright, so that the side buttons face upwards. Put a F 2x1 hor on top.

Step 2

Put a phone-receiver piece hor, upright, on the two front buttons.

Step 3

Put a 1x1 with the side button on its side, the side button to the front and the top button to the right, and put it to the back of the left side of the receiver piece.

Step 4

Repeat sym on the right.

Step 5

Put another receiver piece hor on top.

Step 6

Put a two-buttons/four-side buttons piece hor to the back, side buttons to the front. lay momentarily aside.

Step 7

Make a part. put a F 6x1 hor on the table. put a F 2x1 hor to the right.

Step 8

Connect by putting a F 6x1 on top, starting from the right.

Step 9

Put a F 2x1 hor to the left.

Step 10

Put a F 2x1 hor on top, on the left, skipping the leftmost button.

Step 11

Put a FS 1x1 on top of the left button of the PP.

Step 12

Put a stepped curved piece hor on top and to the right, slide to the right.

Step 13

Put a F 1x1 to the right.

Step 14

Put a FS 2x1 hor to the right.

Step 15

Repeat steps 7-14 to make two.

Step 16

Connect them, upright, ver, symm to the ends of the part made in steps 1-6, so that this part is on top, in the middle, and the two upright parts form the curtains at the sides (F 1x1 upright buttons should face each other).

Step 17

Put a 1x1 button on the 1x1 corner piece. repeat.

Step 18

Put them symm on the upright 1x1 buttons at the sides of the curtains, so that 1x1 buttons are upright facing to the front, and the holes at the corner pieces are mounted on the inside buttons.

Step 19

Turn your part around and put a two-buttons/four-side-buttons piece hor on front, at the top, side buttons to the back and two buttons overhanging to the front.

Step 20

Repeat steps 1-20 to make two sets of curtains.

Step 21

Put them as is to the backs of the double and triple windows.

Step 22

Put a 1x1 cylinder on the rightmost button of the first step of the stairs.

Bag 41

Step 1

Put four curved pieces hor over the kitchen door to make an awning, slides overhanging to the left.

Step 2

Put a 3x1 hor to the back and to the right.

Step 3

Put an 8x1 hor to the right.

Step 4

Put an 8x1 ver to the right and to the front.

Step 5

Put a 3x1 ver to the front.

Step 6

Put a F 1x1 to the front.

Step 7

Put a 4x2 hor to the front and to the left.

Bag 42

Step 1

Put a 3x1 ver to the left of the front row of the PP and to the front (its back button overhanging to the back).

Step 2

Put a 4x1 hor to the front and to the left.

Step 3

Put a 3x1 ver to the left and to the front.

Step 4

Put an 8x1 hor to the left.

Step 5

Put a 6x1 hor to the left.

Step 6

Put an 8x1 hor to the left.

Step 7

Put an 8x1 ver to the left and to the back.

Step 8

Put a 3x1 ver to the back.

Step 9

Put a 2x1 from a sep bag hor to the back and to the right.

Step 10

Put a 6x1 hor to the right.

Step 11

Repeat.

Step 12

Make a part. stack two F 2x1 and put a F 1x1 on top.

Step 13

Repeat to make two such parts.

Step 14

Put one hor to the right of the 6x1, taller side to the left.

Step 15

Put a 2x1 hor to the right.

Step 16

Put the other part hor to the right, taller side to the right.

Step 17

Put a 2x1 ver to the right and to the back.

Step 18

Skip four buttons to the back (the awning) and put a 3x1 hor to the right.

Step 19

Put an 8x1 hor to the right.

Step 20

Put an 8x1 ver to the right and to the front.

Step 21

Put a 3x1 ver to the front.

Step 22

Put a F 1x1 from a sep bag on top of the front button of the PP.

Step 23

Put a 4x2 hor to the front and to the left.

Bag 43

Step 1

Stack two F 2x1 from a sep bag and put ver on the rightmost back button of the PP and on the F 1x1 to the back of it.

Step 2

Put a 3x1 ver to the back.

Step 3

Put a 6x1 ver to the back.

Step 4

Put a 6x1 hor to the back and to the left.

Step 5

Put a 2x1 hor to the left.

Step 6

Put a 3x1 hor to the left (leftmost button of the lower level remains free).

Step 7

Skip the four buttons to the front (the awning) and put a 2x1 hor to the left.

Step 8

Make a part. Put a F 1x1 on the lower button of a 3x1 half-arch piece.

Step 9

Repeat to make two such parts.

Step 10

Put one ver to the left of the 2x1, two buttons on the taller end overhanging to the back.

Step 11

Put a 2x1 hor to the left.

Step 12

Repeat step 10.

Step 13

Put a 6x1 hor to the left.

Step 14

Put a 2x1 hor to the left.

Step 15

Make a part. put a F 2x1 hor on the table. put a F 1x1 on the right button. Put a F 1x1 with the clasp to the left, clasp to the left. Put a F 2x1 hor on top. Install this part ver to the left and to the front of the PP, clasp to the back.

Step 16

Put a 6x1 ver to the front.

Step 17

Put a 3x1 ver to the front.

Bag 44

Step 1

Make a part. put a F 2x1 ver on the table. Put a F 2x1 ver to the back. Connect by putting a 6x1 ver on top, overhanging on both ends. Install ver over the awning.

Step 2

Make a railing part. put a FS 3x1 hor on the table, upside down. insert three candlestick pieces in it, side by side, smaller end down.

Step 3

Repeat to make two such parts.

Step 4

Install one ver , right side up, to the front of the cylinder piece on the stairs.

Step 5

Install the other, right side up, hor, to the left of the front button of the PP.

Step 6

Stack two F 4x1 pieces and put hor on the back row of the top step, to the left of the stacked F 2x1, overhanging to the left.

Bag 45

Step 1

Put a 2x1 ver to the front of the leftmost button of the PP.

Step 2

Put a 2x1 ver to the front.

Step 3

Put a 2x1 hor to the left.

Step 4

Put a three-button corner piece to the left and to the front (letter F).

Step 5

Make a part. put a 1x1 button on the side button of a 1x1 piece with the side button and put this part to the front of the PP, side button to the front.

Step 6

Make a part. put a 1x1 wedge upright on the side button of a 1x1 with the side button, slide down and put this part to the left of the PP.

Step 7

Put a 6x1 hor to the left.

Step 8

Make a part. put a 4x1 with the side buttons on the table, side buttons to the front. Put a wedge on its rightmost side button, as before. Put a 1x1 button to the left. Put a wedge to the left. Put a 1x1

button to the left.

Step 9

Repeat three times to make four such parts.

Step 10

Put one hor to the left of the 6x1.

Step 11

Put another hor to the left.

Step 12

Repeat.

Step 13

Repeat.

Bag 46

Step 1

Make a menu-stand part. Put a F 2x1 sled piece on the table. Put a F 2x1 with one button on top. Put a FS 2x2 (menu sign) on top. Put a F 1x1 clasp upright on the handle. Insert a candlestick piece in the bottom of the clasp piece, small end first. Install this part upright, the wider end of the candlestick down, on the one button in the base, to the right of the front door.

Step 2

Make two poles for the restaurant name sign. Insert the non-rounded end of a long stick into a tube. Repeat. Install upright on the two stacked buttons to the right and to the left of the front wall.

Step 3

Make a potted-plant part. Insert a ribbed short stick into the hole in the center of a 2x2 fluted piece. Put a cone on top, wider end down. insert one leaf in it and four around.

Step 4

Repeat to make two such parts. Install on the right, behind the bench and in front of the stairs.

Bag 47.

Step 1

Make a part (a start for the over-the-door awning). Put a 2x2 lip piece on the table, lips to the left and to the front.

Step 2

Put a 2x2 lop to the right, lips to the front and to the right.

Step 3

Connect by putting a F 4x1 with two buttons hor on top, on the back row.

Step 4

Install as is over the front door, on the protruding 2x1 piece, overhanging to the sides.

Step 5

Make the restaurant name sign part. put a F 4x1 hor on the table. put a F 1x1 clasp on the rightmost button, clasp to the right. repeat symm on the left.

Step 6

Put a two-buttons/four side buttons piece hor on top, side buttons to the front.

Step 7

Put two 2x1 bench pieces hor on top, seats to the back, side by side.

Step 8

Put a FS 4x2 piece (saying "Chez Albert Restaurant") upright on the side buttons.

Step 9

Hang between the two poles in front of the front door.

Bag 48. Make the over-the-door awning.

Step 1

Put a F 4x4 on the table.

Step 2

Put a 3x1 slide ver, slide to the left, on the 2x2 left back buttons, overhanging to the left and to the back.

Step 3

Repeat symm on the right.

Step 4

Put a 1x1 half-pyramid piece to the front of the PP, slides to the right and to the front.

Step 5

Repeat symm on the left.

Step 6

Put a FS 2x1 on top of the two front rows.

Step 7

Put two FS 3x1 ver to the back, side by side, overhanging to the back.

Step 8

Install as is on top of the two poles and over the door.

Bag 49 (all Flat)

Step 1

Put a 10x1 ver on the right wall, starting from the back.

Step 2

Put a 4x2 hor to the front and to the left.

Step 3

Put a 4x1 ver to the left of its front row and to the front.

Step 4

Put a 4x1 hor to the front and to the left.

Step 5

Put a 2x1 ver to the left and to the front.

Step 6

Put a 2x1 with the cornice hor to the front and to the left, cornice to the front.

Step 7

Put a 2x1 with the cornice hor to the left.

Step 8

Skip two buttons (the awning) to the left and put a 2x1 with the cornice hor to the left.

Step 9

Put a 2x1 with the cornice hor to the left.

Step 10

Put a 1x1/clasp ver to the left, clasp to the front (on the wedge).

Step 11

Put a 1x1 to the left.

Step 12

Put a 1x1/clasp ver to the left, clasp to the front (on the wedge).

Step 13

Repeat.

Step 14

Put a 1x1 to the left.

Step 15

Put a 1x1/clasp ver to the left, clasp to the front (on the wedge).

Step 16

Put a 1x1 to the left.

Step 17

Put a 4x1 hor to the left.

Step 18

Put a 2x1 with the cornice hor to the left.

Step 19

Put a 10x1 ver to the back.

Step 20

Put a 10x1 hor to the right.

Step 21

Repeat.

Step 22

Put a 4x1 ver to the right and to the back.

Step 23

Put a 2x1 ver to the back.

Step 24

Put a 10x1 hor to the back and to the right.

Step 25

Put a 1x1 to the right.

Bag 50 (all Flat)

Step 1

Put a S 6x1 hor on the back wall, starting from the right.

Step 2

Put a 4x1 with two buttons hor to the left.

Step 3

Put a S 1x1 to the left.

Step 4

Put a S 6x1 ver to the front.

Step 5

Put a S 6x1 hor to the front and to the left.

Step 6

Put a S 6x1 hor to the left.

Step 7

Repeat.

Step 8

Put a S 2x1 jor to the left.

Step 9

Put a S 6x1 ver to the front.

Step 10

Repeat.

Step 11

Put a 4x1 with two buttons hor to the right.

Step 12

Put a S 6x1 hor to the right

Step 13

Repeat.

Step 14

Repeat.

Step 15

Put a S 2x1 ver to the right and to the back.

Step 16

Put a 4x1 with two buttons hor to the back and to the right.

Step 17

Put a S 6x1 ver to the right and to the back, overhanging on the back.

Step 18

Skip three buttons to the right and put a 2x1 with one button ver on the right edge of the top stair.

Step 19

Put a 1x1 clasp hor on top.

Step 20

Put a S 1x1 to the back of the PP.

Step 21

Put a S 2x1 ver to the back.

Step 22

Put a S 6x1 ver to the back.

Bag 51

Step 1

Put a 3x1 to the left of the 1x1 clasp on the top step of the stairs.

Step 2

Make a lattice awning over the outside tables. Put a ladder piece (rungs horizontal) with its back rung inserted into the rightmost clasp over the triple window, so that it overhangs diagonally down to the front. Put the other such piece to the left the same way, but inserted into the two clasps. Put a half-gate piece the same way to the left, longest side to the back.

Step 3

Put a 1x1/clasp piece ver, clasp to the front, on the right edge of the stairs, on the cone and on the step behind it.

Bag 52. Make a diagonal railing.

Step 1

Put a F 2x1 underneath a FS 6x1, in the middle.

Step 2

Put a F 2x1 sled piece hor to the right, handle to the right.

Step 3

Repeat symm on the left.

Step 4

Put a wrench onto one of the handles.

Step 5

Install this part ver, diagonally, claw to the back, on the stair.

Bag 53. Make the lanterns.

Step 1

Put a saucer piece on top of a cylinder, curves down.

Step 2

Insert a stick of a claw piece on top.

Step 3

Repeat steps 1-2 to make three such parts.

Step 4

Hang on the lattice, on the front rung.

Bag 54

Step 1

Turn your structure 180 degrees. Put a 1x1 flower in the middle of the creeping plant. Repeat. Put upright between the windows, one to the right and to the top of the other.

Step 2

Make a part. insert a non-rounded end of a stick into a tube.

Step 3

Put a short connector on the bottom, ringed end down.

Step 4

Put a cylinder on the bottom.

Step 5

Put a cylinder on top.

Step 6

Install on the right edge of the wall.

Bag 55

Step 1

Put a small creeping plant ver on the table, buttons to the front and back. Put a 1x1 flower underneath a back button. Put a bone-like branch piece upright on top of the front button.

Step 2

Repeat to make two.

Step 3

Install upright on top of the large creeping plants.

Step 4

Put two wedge pieces inside the trash can, close the lid and put to the front of the wall, to the left of the larger window.

Step 5

Put a mouse next to it.

Bag 56. Make a garbage container.

Step 1

Put four 1x1 buttons under four corners of a F 4x4 piece.

Step 2

Put a 4x1 ver on the left edge.

Step 3

Repeat on the right.

Step 4

Put two 1x1 pieces with the side button in the middle of the front row, side buttons to the front.

Step 5

Put a 2x1 staple piece hor in the middle of the back row, smooth side to the back.

Step 6

Put a F 4x1 ver on the right edge.

Step 7

Repeat on the left.

Step 8

Put a FS 4x1 upright, hor, on the front side buttons.

Step 9

Put four F 1x1 pieces on the corners.

Step 10

Put a 2x1 bench piece ver in the middle of the right edge, side buttons to the right.

Step 11

Repeat symm on the left.

Step 12

Put a F 4x1 ver on the right edge.

Step 13

Repeat on the left.

Step 14

Put two 1x1 pieces with the side button in the middle of the front row, side buttons to the front.

Step 15

Put a FS 4x1 hor on the front row.

Step 16

Put a FS 2x1 ver in the middle of the right edge.

Step 17

Repeat on the left.

Step 18

Put a 4x1 with two clasps hor on the back.

Step 19

Put a FS 4x1 hor on the front wall.

Step 20

Put a FS 2x1 ver, on the side buttons of the right wall.

Step 21

Repeat on the left.

Step 22

Insert the lid into the clasps.

Step 23

Put bones, cherries and sausages inside.

Step 24

Install as is to the right of the trash can.

Bag 57

Make a street light. Put a cylinder on top of the street light pole. Put a saucer on top, curved down. Turn your structure 180 degrees and install the street light in the right front corner, to the right of the bench.

The end of book one!

Parisian Restaurant Book 2

Bag 1

Put a F 12x2 hor, upside down, on the table.

Put a F 10x4 hor, upside down, to the back, aligning on the right.

Put a F 8x4 hor, upside down, to the back, aligning on the right.

Connect by putting a F 10x1 ver, upside down, on the right edge.

Bag 2

Put a F 3x1 hor, upside down, to the left of the front button of the PP.

Put a F 3x1 ver, upside down, to the left and to the back.

Put a F 10x1 ver, upside down, to the back (overhanging to the back).

Put a F 16x2 ver, upside down, to the left, beginning on the front edge (overhanging to the back).

Put F 3x2 ver, upside down, to the left, beginning on the front edge.

Put a F 3x2 hor, upside down, to the left, beginning on the front edge.

Put a F 3x1 hor, upside down, on the back edge, to the left of the F 10x2 on the right edge.

Bag 3

Turn your structure right side up, so that the overhanging parts are vertical and to the front.

Put a F 4x2 ver on the right side of the overhanging pieces.

Put a F 4x1 ver to the left.

Put a F 4x2 hor to the front, overhanging on the left and on the right.

Bag 4

Turn your structure upside down so that the protruding pieces are vertical and to the back.

Put a F 3x1 ver on the right edge of the protruding piece.

Put a F 2x1 ver on the left edge.

Bag 5.

Turn your structure right side up, so that the protruding pieces are vertical and to the front.

Put a F 2x2 disk on top of a F 2x2. Repeat to make four such parts.

Put one on the third and 4th rows from the back, on the second and third columns from the right.

Skip one column to the left and one row to the back and put the second part.

Skip two columns to the left and put the third part.

Skip two rows from the first part to the front and put the fourth part there.

Bag 6

Put a 4x1 colonnade hor on the front edge.

Put a 4x1 colonnade ver to the back of the right end of the PP.

Stack two 1x1 pieces and put to the back.

Skip three buttons to the right and make a part: stack two F 1x1, put a shoe piece on top and put a 1x1 on top. Put it there (in the corner) with the slide (toe) overhanging to the front.

Put a 4x1 colonnade ver to the back.

Put a 4x1 colonnade hor to the left of the back end of the PP.

Put a 4x1 colonnade hor to the left.

Repeat.

Stack two 1x1 pieces and put to the front of the left end of the PP.

Bag 7

Make a part. Put a stump connector upright into a 2x1 F stub.

Repeat to make two.

Put one ver on the left back edge, on top of the 1x1 and a colonnade, button to the front.

Put a FS 4x1 hor to the right.

Put a FS 6x1 hor to the right.

Put the other part ver to the right, as before.

Put a FS 4x1 ver to the front.

Repeat.

Skip three buttons to the left and put a FS 4x1 ver to the front.

Put a F 1x1 to the front.

Put a FS 4x1 hor to the front and to the left.

Bag 8

Put a 2x1 chair ver on the leftmost disk, seat to the right.

Put another chair ver on the disk to the right, seat to the left.

Put another chair hor on the disk to the right, seat to the front.

Put another chair hor on the disk to the front, seat to the back.

Make a table part. Put a one-button F 2x2 piece on top of the 2x2 candlestick. Repeat to make two.

Put in between the chairs.

Make a side table part. Put a F 2x1 with the cornice on top of a curved 2x1. Put a bottle and a glass on top.

Put ver on the left edge, on the 8th and 9th rows from the front.

Bag 9

Make a lantern part. Put a cone, wide side up, on the button of a stick. Put a FS 1x1 upside down on top. Put a 1x1 button upside down on top.

Repeat to make two.

Put in the back corners.

Bag 10

Make flower pot part. Put a three-stalk button on top of a 1x1 button.

Put this part inside a pot.

Put a button/clasp stick hor on top, clasp to the side.

Put the flowers on the stalks.

Repeat steps 1-4 to make two such parts.

Hang on the lanterns below the cones, facing each other.

Bag 11. Install your structure at the right back corner of the restaurant.

Second floor.

Bag 1 (bags 1 – 3 are all flat and upside down)

Put a 12x2 ver on the table, on your left.

Put a 10x1 ver on its left edge, in the middle (leaving one front and one back button free).

Put a 10x1 hor to the back and to the right.

Repeat symm in the front.

Put a 16x2 hor to the right of the middle of the vertical 10x1.

Bag 2

Put a 12x6 ver to the right of the 12x2, underneath the horizontal pieces.

Put a 12x6 ver to the right.

Put a 16x8 ver to the right, aligning at the back.

Bag 3

Put a 10x1 hor at the back edge, to the right of the 10x1 already there.

Put a 4x2 hor to the right and to the front.

Put a 3x2 hor to the front, aligning at the right.

Put an 8x2 hor in the middle, to the right of the 16x2, overhanging to the right.

Put a 10x1 hor at the front edge, to the right of the 10x1 already there.

Put a 4x2 hor to the right and to the back overhanging to the right.

Put a 3x2 hor to the back, aligning at the right and overhanging to the right.

Put an 8x2 hor at the front edge, on the right (on the protruding piece).

Put an 8x2 hor to the back.

Bag 4 (all flat)

Turn your structure right side up, hor, protruding piece at the back on the right.

Make a part. Put a 3x1 hor on the table.

Put another 3x1 hor to the front, leaving a space of two buttons in between.

Connect by putting a 4x1 ver on the rightmost buttons of both pieces.

Put a 12x2 ver to the left, in the middle (overhanging equally to the back and to the front).

Install as is onto the right of the right edge of your structure.

Bag 5. Start the first level of the walls.

Put a 2x1 from bag B hor on the left side of the back, skipping the leftmost button.

Make a part. Put a F 2x1 ver on the table. Put a F 1x1 on its front button. Put a F 1x1 with the clasp to the back, clasp to the back. Put a F 2x1 ver on top.

Install as is to the left and the front of the PP.

Put an 8x1 from bag B ver to the front.

Put a 2x1 ver to the front.

Put a wedge from bag B to the right, on the front edge, slide to the front.

Repeat.

Put a F 2x1 from bag B hor to the right.

Repeat.

Put two more wedges as before.

Put a F 3x1 ver to the right and to the back.

Put a F 2x1 from bag B hor to the right, at the front edge.

Repeat.

Put a F 3x1 ver to the right and to the back.

Put two more wedges.

Put a F 2x1 from bag B hor to the right.

Repeat.

Put two more wedges.

Put a 2x1 ver to the right and to the back.

Put a 2x1 from bag B ver to the back.

Put a 2x1 hor to the back and to the right.

Put an etched 2x1 from bag B ver to the back of its right button.

Put a 2x1 hor to the back and to the left.

Put a 2x1 from bag B ver to the back.

Put a 2x1 ver to the back.

Put a 2x1 from bag B to the left of its back button.

Put a grate hor to the left.

Repeat.

Put a 3x1 from bag B hor to the left.

Put a 1x1 from bag B to the front of its leftmost button.

Make a part. Stack two F 2x1 pieces from bag B. Put a F 2x1 with the vertical clasp on top.

Repeat to make two.

Install one ver, clasp to the front, to the left and to the back of the PP.

Put a wedge from bag B to the left of the front button of the PP, slide to the back.

Put another wedge to the left the same way.

Install the other part to the left as before.

Put a 1x1 to the left of its front button.

Put a 3x1 from bag B hor to the back and to the left.

Put a F 8x2 hor inside the front left corner.

Skip one button to the right and put a F 4x2 hor there.

Skip one button to the right and put a F 8x2 hor there.

Skip one button to the back of its rightmost button and put a F 4x1 with two buttons ver there.

Bag 6

Put a F 4x1 ver on top.

Put a 2x1 bench piece (fire screen) ver on top, in the middle, seat to the right.

Put two cylinders ver to the right, side by side.

Put a FS 2x2 inside the front left corner (on top of the F 8x2).

Put a F 4x1 with two buttons hor to the right of its back button.

Put a FS 2x2 to the right and to the front.

Put a F 3x1 ver to the right and to the front.

Skipping two buttons to the left, put a F 4x2 hor on the front two rows, between the two pairs of wedges.

Skipping three buttons to the right, put a F 4x2 from a sep bag ver on the first three rows, overhanging to the front.

Put a F 4x2 from a sep bag ver to the right.

Repeat steps 18-8 symm on the right: put a F 3x1 ver to the right; put a FS 2x2 to the right; put a F 4x2 with two buttons hor to the right at the back; put a F 4x2 hor to the front; put a FS 2x2 to the right at the back.

Bag 7

Make the second level of the left wall. Put a 1x1 with the side button on the left front corner, side button to the front. Put a FS 1x1 upright on the side button.

Put a 4x1 ver to the back of the 1x1.

Put a 6x1 ver to the back.

Put a 2x1 hor to the back and to the right (starting the second level of the back wall).

Put a 1x1 to the right.

Skip four buttons to the right and put a 2x1 hor there.

Put a 2x1 ver to the right and to the front.

Put a 1x1 to the right of its back button.

Skip two buttons to the right and put a 1x1 there.

Put a 2x1 ver to the right and to the front.

Put a 2x1 hor to the right of its back button.

Skip four buttons to the right and put a 1x1 there.

Put a 2x1 hor there.

Put a 4x1 ver to the front (starting second level of the right wall).

Put a fire to the front.

Put an etched 2x1 ver to the right and to the back.

Put a 2x1 ver to the front.

Put a 4x1 ver to the left and to the front.

Put a 1x1 with a FS 1x1 on its side button to the front, FS to the front.

Make a part. Put a 1x1 button on top of a F 1x1. Repeat.

Put these parts on the front row, to the left and to the right of the two vertical F 4x2 in the front.

Put a FS 4x1 hor along the back edge of the same two F 4x2.

Put flowers (some on top of the others) in the front row, on the left and on the right, between the pairs of wedges.

Put two cylinders at the front and the back ends of the fire screen.

Bag 8

Stack another cylinder on top of each of the cylinders in the previous step.

Make level three of the left wall. Put a 2x1 ver, starting at the front.

Put an 8x1 ver to the back.

Put a 2x1 ver to the back.

Put a 2x1 from a sep bag hor to the right.

Skip four buttons to the right and put a 4x1 hor.

Put a 1x1 to the front of its third button from the left.

Put a 2x1 staple piece hor to the right of the 4x1, smooth side to the back.

Put a 4x1 hor to the right.

Put a 1x1 to the front of its second button from the left.

Skip four buttons to the right from the 4x1 and put a 2x1 from a sep bag hor there.

Put a 2x1 ver to the right and to the front.

Put a 2x1 from a sep bag ver to the front.

Put a 2x1 hor to the front and to the right.

Put a 2x1 ver to the front.

Put a FS 1x1 upright on the side button of a 1x1 with the side button and put to the front of the PP, FS upright piece to the right.

Put a 3x1 ver to the left and to the front.

Put a 2x1 ver to the front.

Put two cylinders on the two buttons at the side of the front entrance, in the middle of the front row.

Put two tall 2x1 ver to the backs of the two PPs.

Bag 9

Make a part. Put a cup on a F 2x2. Put a 2x2 candlestick piece underneath. Install touching the inside of the front wall, on the 6th and 7th columns from the left, on the 3rd and 4th rows from the front.

Make a part. Stack two 1x1 buttons. Put on a F 2x2 with one button. Put a FS disk on top. Install to the right of the previous part.

Make a part. Put a FS 2x1 on top of a curved 2x1. Install ver on the right, skipping two columns to the left

of the fireplace and two rows back from the inside edge of the front wall.

Bag 10. Make an armchair.

Put a F 2x2 with the holes on the table, orienting it like a diamond.

Put a F 2x2 disk inside, orienting it like a square.

Put a F 2x1 hor on the front row, its corners overhanging over the base diamond.

Put a F 2x1 with the handle hor to the back, handle to the back.

Put a F 2x1 with the side buttons ver on the left, buttons to the left.

Repeat symm on the right.

Put a FS 2x1 upright, hor, on the side buttons of the PP.

Repeat on the left.

Make a back-of-the-chair part. Put a F 2x2 on the table, buttons up. Put a F 1x1 with the clasp on the left front, clasp to the left. Put another clasp to the back, as before. Put a F stepped 2x2 on top of your part. Install it upright at the back of the chair, putting the clasps into the handle.

Install the armchair to the left of the tiny table made in step three of bag 9, the back of the chair diagonally to the front and to the left, and one corner touching the table.

Bag 11. Make an oven part.

Insert a door into the door hinges of the box.

Put a F 2x2 disk underneath the box.

Put four 1x1 buttons on top.

Put a frying pan on top.

Install next to the left wall, skipping two rows to the front of the back wall, the door to the right.

Bag 12. Make a counter part.

Insert two drawers into the box.

Put a F 3x2 underneath.

Put three FS 2x1 ver on top, side by side.

Install to the front of the stove, drawers to the right.

Bag 13.

Start the 4th level. Put a FS 1x1 upright on the side button of a 1x1 with the side button and put on the front end of the left wall, as before.

Put a 4x1 ver to the back.

Put a 2x1 hor to the back and to the right.

Put a 1x1 to the back.

Put 4x1 ver to the back.

Put a 2x1 from a sep bag hor to the back and to the right. Put a 1x1 to the right.

Skip four buttons to the right and put a 2x1 hor to the right.

Put a 2x1 ver to the right and to the front.

Put a 4x1 hor to the right.

Put a 2x1 ver to the right and to the front.

Make a lantern part. Put a F 1x1 upside down on the wide end of a cone. Put a 1x1 button upside down on top. Insert a handle of a 1x1 with the handle into the narrow end of the cone. Install to the right of the PP, cone to the back.

Put a 1x1 to the right.

Skip four buttons to the right and put a 1x1 there.

Put a 2x1 from a sep bag hor to the right.

Put a 4x1 ver to the front.

Put a 2x1 from a sep bag ver to the right and to the front.

Put an etched 2x1 ver to the front.

Put a 4x1 ver to the front.

Put a 1x1 with the FS 1x1 on its side button to the front, as before.

Make the-top-of-the-fireplace part. Put two F 2x1 with the cornice on top of a 4x1 arch. Install ver on tops of the cylinders at the fireplace, cornices to the left.

Bag 14

Start the 5th level on the left wall. Put a 2x1 from a sep bag ver on the front end of the left wall.

Put an 8x1 ver to the back.

Put a 2x1 from a sep bag ver to the back.

Make a part. Stack two F 2x1 pieces. Put a F 1x1 on the left button. Install hor to the right.

Skip four buttons to the right, stack two F 1x1 pieces and put there (it will be lower then the next piece).

Put a 3x1 hor to the right.

Put a 6x1 hor to the right.

Skip four buttons to the right and put a 2x1 hor there.

Put a 2x1 from a sep bag ver to the right and to the front.

Put a 2x1 ver to the front.

Put a carved-out 2x2 to the front and to the right, carved-out corner to the left and to the back.

Repeat symm to the front.

Put a 2x1 ver to the front.

Put a 2x1 from a sep bag ver to the front.

Put a 2x1 from a sep bag ver to the right of the two carved-out pieces, in the middle of the right-wall protrusion.

Put a FS 1x1 upright on the side button of a 1x1 with the side button and install to the back of the PP, FS side button to the right.

Make another such part and put to the front of the ver 2x1 (skipping two buttons to the front of the PP), FS side button to the front. Put two 1x1 pieces on the back wall onto the 1x1 columns to the left and right of the clasps respectively.

Bag 15. Make a floor lamp.

Put a saucer piece, rim down, on top of a F 2x2 with one button.

Put a stick upright on top, wide end up.

Put a shade piece on top, wide rim down.

Install inside the right back corner.

Bag 16

Make a part. Put a F 2x1 hor on the table. Put a F 1x1 on its left button. Put a F 2x1 ver on its right button, overhanging to the front. Put a F 2x1 hor on top of its back button and on top of the 1x1. Install ver, overhanging side to the right, on the front of the left wall, skipping the front button.

Put an 8x1 ver to the back.

Put a 2x1 from a sep bag hor to the back and to the right.

Skip six buttons to the right and put a 1x1 there.

Make a part. Put a F 2x1 hor on the table. Put a F 1x1 on its rightmost button. Put a F 2x1 hor to the left, overhanging to the left. Put a F 2x1 hor on top, skipping the leftmost button. Put ver, overhanging side to the back, to the right, back and front of the PP, overhanging to the back.

Put a 4x1 hor to the right.

Put a 2x1 ver to the right and to the front.

Put a 2x1 hor to the right.

Skip four buttons to the right and put a 1x1 there.

Put a 2x1 from a sep bag hor to the right.

Put a 4x1 ver to the front.

Put an etched 2x1 ver to the right and to the front.

Put a 2x1 from a sep bag ver to the front.

Put a 2x1 ver to the left and to the front.

Make a part. Put a F 2x1 hor on the table. Put a F 1x1 on its right button. Put a F 2x1 ver to the left overhanging to the front. Put a F 2x1 on top of its back button and the 1x1. Install ver, overhanging side to the left, to the front of the PP.

Bag 17

Make a part. Put a F 1x1 on the bottom button of a three-button half-arch. Repeat to make two.

Put one ver, taller end overhanging to the back, on the third button from the left on the back wall.

Skip four buttons to the right and repeat.

Make a part. Put a FS 1x1 upright on the side button of a 1x1 with the side button. Repeat to make two.

Put one on the front end of the left wall, as before.

Put the other on the front end of the right wall, as before.

Bag 18. Make the bed part.

Put a F 5x4 with the handles ver on the table, handles to the back.

Make a quilt on the front 4x4 space, putting four FS 2x1 pieces hor on the left side, and four on the right, alternating the pieces from the common and from the sep bags.

Put a FS 1x1 on the leftmost button of the 5th row.

Repeat symm on the right.

Put a F 2x1 with the cornice hor in the middle, on the 6th row, cornice to the back.

Turn your part upside down, the handles still to the back.

Put four F 2x2 with longish buttons of the front 4x4 space, smooth side up.

Put a F 1x1 on the leftmost button of the 5th row, upside down.

Repeat symm on the right.

Put a F 2x2 with longish buttons in the middle and to the back, smooth side up.

Turn right side up.

Put a FS stepped 2x1 ver on the second column from the left, on the 5th and 6th rows, slide to the front.

Put another such piece the same way to the right.

Install as is to the front of the back wall, inserting the handles into the clasps.

Put a tall 2x1 slide ver in the middle of the fireplace, in the gap in the right wall, slide to the left (on top of the carved-out pieces).

Bag 19

Make a microwave part. Put the box ver on the table, the opening to the right. Insert the door so that it opens to the front and to the right. Put a FS 3x1 ver on its right column. Put a FS 1x1 in the front left and in the back left corners.

Install as is inside the left wall, over the counter.

Put two tall 2x1 pieces ver to the sides of the front entrance, on tops of the other two tall 2x1 pieces.

Bag 20

Put a 1x1 on the front button of the right PP.

Put a 2x1 lip hor to the back and to the right, lip overhanging to the right.

Repeat steps 1-2 symm on the left.

Put a 2x1 ver on the front end of the left wall.

Put a 3x1 ver to the back.

Put a 2x1 hor to the back and to the right (on top of the microwave).

Put a 4x1 ver to the back.

Make a part. Put a F 2x1 hor on the table. Put a F 1x1 on its right button. Put a F 1x1 with the clasp to the left, clasp to the left. Put a F 2x1 hor on top. Install ver to the back of the PP, clasp to the back.

Put an 8x1 hor to the right.

Put a 6x1 hor to the right.

Put a 6x1 arch hor to the front.

Put an 8x1 hor to the right of the 6x1 in step 10 (on the back wall).

Put a 2x1 ver to the right and to the front.

Put a 2x1 from a sep bag ver to the front.

Put a 2x1 hor to the front and to the right.

Make two FS-upright/side button parts and put them to the front of the right button of the PP, FS pieces to the right (on the protrusion).

Put a 2x1 hor to the front and to the left.

Put a 2x1 from a sep bag ver to the front.

Put a 2x1 ver to the front.

Bag 21. Make doors.

Put a door frame hor on the table.

Insert a door so that it opens to the front and to the left.

Put a button for the handle.

Put a 4x1 hor on top.

Install in the left gap of the back wall, on the second row from the back.

Do the same in the right, except the door should open to the back and to the left.

Bag 22

Make a part. Insert a connector in a tube. Put another tube on. Put a short connector into the other end of this tube, ring end up. Put a button on top.

Repeat to make two.

Install upright, on the sides of the front entrance, on top of the two cylinders in the front row. Put two 2x1 shoe pieces to the back of each of the PPs, slides to the back.

Bag 23.

Make the front door and install it so that it opens to the back and to the right.

Bag 24

Make a part. Put a 1x1 with the side button on the table, side button to the front. Put a 1x1 with the side button and the cornice to the front, cornice to the front. Put a FS 1x1 upright on its side button.

Repeat to make two.

Put as is on tops of the pillars at the sides of the front entrance and to the back.

Put two F 2x1 with the cornices hor in the middle, on top of the door, cornices to the front.

Bag 25. Make the window parts.

Put a stepped 2x1 with side buttons on the table, side buttons to the left.

Put another such part to the right, symm.

Connect by putting a F 2x2 in the middle.

Put a FS 2x1 hor on the left end of the back row.

Repeat on the right. Lay momentarily aside.

Insert the panes into four window frames. Make two stacks of two.

Put the stacks hor on the front row of your part. Lay momentarily aside.

Make a part. Put a F 2x1 with the cornice hor on the table, cornice to the front.

Put another such piece the same way to the right.

Connect by putting a 3x1 hor on top, starting from the right.

Put a 2x1 hor to the left, overhanging to the left.

Put another F 2x1 cornice hor underneath, protruding to the left.

Put a F 1x1 to the back of the protruding end.

Connect by putting a 2x1 ver on top.

Put a FS 6x1 hor on top.

Put a FS 1x1 on the left back button.

Install upright, ver, the protruding end to the back, on the left of the window.

Make the same part, except it is for the right:

Put a F 2x1 with the cornice hor on the table, cornice to the front.

Put another such piece the same way to the right.

Connect by putting a 3x1 hor on top, starting from the left.

Put a 2x1 hor to the right, overhanging to the right.

Put a cornice piece hor underneath, protruding to the right.

Put a F 1x1 to the back.

Connect by putting a 2x1 ver on top.

Put a FS 6x1 hor on top.

Put a FS 1x1 on top of the right back.

Install symm on the right.

Repeat steps 1-6 to make two such windows.

Install in the gaps in the front wall.

Bag 26. Make the over-the-window arch parts.

Make a part. Put a F 4x2 hor on the table.

Put a F 2x1 with one button hor in the middle of the back row. Put two 1x1 at the sides.

Put a F 1x1 in the middle, on the 2x1 with one button.

Put a corner piece with the hole on top, hanging to the back.

Put a button upright in the hole at the back of it.

Put two 1x1 with the side buttons at the front corners, side buttons to the front.

Put a 2x1 with the arch on top of the middle, arch to the back.

Put a F 6x2 hor on top, overhanging equally to the sides. Lay momentarily aside.

Make a part. Put a 2x1 with the cross-hole hor on the table. Insert a ridged end of a connector into a cross-hole, protruding to the back. Put a 2x1 with a round hole on the other end of the connector.

Repeat to make two such parts.

Rotate your arch part so that the arch is to the front.

Install the two parts just made, as is, to the right and to the left, under the overhanging ends of the F 8x2.

Put a FS 8x1 upright, hor, at the back wall, smooth side to the back.

Repeat steps 1-8 to make two.

Install over the windows, as is.

Bag 27

Rotate your structure front to back.

Put a FS 3x1 hor on the right end of the front wall.

Skip four buttons to the left and put a FS 3x1 hor there.

Put a FS 4x2 to the left and to the back.

Put a FS 3x1 hor to the left, on the front wall.

Put a FS 4x2 hor to the left and to the back.

Put a FS 3x1 hor to the left, on the front wall.

Put a FS 8x1 ver to the back.

Put a FS 2x2 to the back and to the right.

Put a FS 1x1 to the back of its left row.

Put a FS 6x1 hor to the right of the back button of the FS 2x2, on the back row of the back wall.

Put a fs6x1 hor on the left of the back wall Put a FS 8x1 hor to the right.

Put a FS 6x1 hor to the right.

Put a FS 2x2 to the right and to the front.

Put a FS 1x1 to the back of its right row.

Put a FS 1x1 to the front of its right row

Put a F 4x1 with two buttons ver to the front.

Put a FS 3x1 ver to the front.

Put a F 4x1 with two buttons ver to the left of the left wall, on the protrusion.

Make a part. Put a F 4x2 hor on the table. Put a colonnade hor on its front row. Put a FS 4x1 hor on top. Install in front of the right-side door. Put the 2 fs1x1s from a sep bag over the back door.

Bag 28

Put the stair on the table, leading up to the right. Put a 2x1 curved piece ver on top of the stairs, in the middle, on the short step. Install the stair in the middle of the front wall, as is, left (bottom) step resting on the rightmost row of the F 8x4 platform in front of the left door.

Bag 29

Make a part.

Stack two F 1x1 pieces.

Put a 1x1 with the clasp on top, clasp to the right.

Put a 1x1 clasp on top.

Put a colonnade hor to the right, the clasp inserted onto the leftmost pillar.

Put this part hor on the front row of the F 8x4, placed hor on the table, skipping the leftmost button.

Stack two 1x1 pieces and put to the right of the colonnade.

Put another colonnade ver to the right and to the back.

Install as is to the right of the stair, over the right door, resting on the left on the curved 2x1.

Bag 30

Stack two 1x1 pieces and put on the front row of the F 8x4 platform in front of the left door, skipping one button from the left edge.

Put a colonnade hor to the right.

Put a 1x1 to the right.

Put a 1x1 with the upright clasp hor to the right, clasp to the left, on top of it and on top of the bottom step.

Go to the top of the front wall, on the right (to the back of the balcony). Put a FS 3x1 ver on it, skipping three buttons from the right, protruding to the back and to the front.

Put a grate piece hor to the left of its front button.

Put a FS 2x2 to the back.

Put a FS 3x1 ver to the left and to the front.

Bag 31. Make a stair-railing part.

Put a F 6x1 hor on the table.

Put a F 4x1 hor to the right.

Connect by putting a F 6x1 hor on top, in the middle (leaving two buttons free both on the left and right).

Put a F 2x1 sled piece hor to the right, handle to the right.

Repeat symm on the left.

Put a FS 4x1 hor on top of the right end.

Put a FS 6x1 hor to the left.

Insert a claw clasp from the right into the right handle.

Install as is on the stair diagonally.

Bag 32

Put a FS 4x1 hor on the bottom railing, starting on the left.

Put a F 1x1 to the right.

Put a FS 6x1 hor on the top (balcony) tailing, starting on the left.

Put a FS 4x1 ver to the right and to the back.

Bag 33. Make a pole part.

Connect two sticks with a candlestick piece. Install upright (wider end of the candlestick to the bottom) onto the clasps on the right corner of the front wall. Put a cone on top, wider end up.

Bag 35. Rotate your structure so that the front entrance is at front. Put a FS 4x1 on top of a colonnade and put hor in the middle of the front wall, in front of the door.

Put your structure on top of the first floor.

End of Book 2.

Parisian Restaurant book 3

Bag 1 (upside down)

Put a F 12x6 ver on the table.

Put another such piece the same way to the right.

Bag 2 (upside down)

Connect by putting a F 10x1 hor on the back edge, starting from the left.

Put a F 10x2 ver to the front, on the left edge.

Put a F 10x1 hor to the front and to the right.

Put a F 3x2 hor to the right of the 10x2, in the middle.

Put a F 10x2 hor to the right (overhanging on the right).

Bag 3 (upside down)

Put a F 12x6 ver to the right of the right edge of your structure (partially underneath the PP).

Put a F 12x6 ver to the right.

Bag 4 (upside down)

Connect by putting a F 10x2 hor to the right of the 10x2 in the middle (overhanging on the right).

Put a F 10x1 hor on the front edge, to the right of the 10x1.

Put a F 4x1 hor to the right.

Put a F 3x2 ver to the back, on the right edge.

Put a F 4x1 hor to the back, to the right and to the left (overhanging on the right).

Skip two buttons to the back and put a F 4x1 hor as before.

Put a F 3x2 ver to the back, on the right edge.

Put a F 4x1 from a sep bag ver underneath the overhanging four buttons on the right. Put a 4x1 behind the pp. Put a f10x1 to the left of the pp.

Bag 5

Turn your structure right side up, so that the protruding end is to the right.

Put a 2x1 ver on the right edge, skipping two buttons from the front.

Put a 2x1 from a sep bag hor to the back and to the right.

Put 2 1x1 cylinders ver to the back of its left button.

Put an etched 2x1 ver to the right, vertical etchings to the right.

Put a 2x1 from a sep bag hor to the back and to the left.

Put a 2x1 hor to the back and to the left.

Put a 1x1 to the back of its right button.

Put a 2x1 from a sep bag ver to the back.

Put a 3x1 ver to the left and to the front.

Put a 1x1 wedge to the left of its back button, slide to the back.

Put a F 2x1 with one button ver to the left and to the front.

Put a F 2x1 with one button ver to the left.

Repeat.

Repeat.

Put a wedge to the left of its back button, as before.

Put a wedge to the left.

Put four more F 2x1 one-buttoned pieces to the left, as before.

Put another wedge to the left, as before.

Bag 6

Make a part. Put a F 3x2 ver on the table. Put a F 2x1 with one button ver on the right edge, starting at the front. Put another such piece ver to the left.

Repeat to make four such parts.

Put a 1x1 on the third column from the right, on the second row from the back (to the front of the wedge).

Put one of your pieces as is to the left and to the back, overhanging to the back.

Put another the same way to the left.

Put a 2x1 hor to the left, in front of the wedges.

Put two more parts the same way to the left.

Put a 1x1 to the left, to the front of the wedge.

Put a 3x1 ver to the left, to the front and to the back.

Put a 2x1 from a sep bag ver to the left, starting at the back edge.

Put a 1x1 to the front.

Put a 3x1 hor to the front, to the right and to the left.

Put a grate piece from a sep bag hor to the left and to the back, touching corners with the PP (on the third row from the back, on the 6th and 7th columns from the left).

Put another grate from a sep bag hor to the left.

Put a 1x1 slide ver on the left back corner, overhanging to the back.

Put a 1x1 with the side hole to the front, hole to the right.

Put a 1x1 to the front.

Put a 3x1 hor to the front and to the right.

Put a 6x1 ver to the front, on the edge.

Make a part. Put a 1x1 with the side button on the table, side button the left. Put another such piece the same way to the front. Connect by putting a grate upright, hor, on the side buttons.

Repeat to make two.

Put one, as is, ver on the second column from the right, on the 5th and 6th rows from the front.

Put the other such part ver to the back.

Insert a flame to the right, into the front 1x1 cylinder, blowing to the back.

Bag 7

Put a 3x1 ver on the right wall, on top of the front 2x1.

Put an etched 2x1 ver to the right.

Skip two buttons to the back and put a 3x1 ver there.

Put a 2x1 from a sep bag ver to the right and to the front.

Put a 2x1 from a sep bag ver to the back of the same 3x1 (on the back corner of the right wall).

Put a F three-button corner piece to the left, letter J.

Put a F 10x1 hor to the left, on the back wall.

Put a F three-corner piece to the left and to the back, letter H. Put a f2x1 ver in front of the right column of the h.

Put a F 2x1 ver to the front of its left side.

Put ten flower pieces on the protruding end to the back of the back wall, some of the flowers on top of the others.

Bag 8

Put an 8x1 ver on the left wall, starting from the front (that is, on the second level, not from the front edge).

Put a 2x1 from a sep bag ver to the back.

Put a 2x1 hor to the right of its second button from the back of the same 8x1 piece.

Skip four buttons to the right and put a 1x1 there.

Put a 2x1 ver to the right and to the back.

Put a 2x1 from a sep bag ver to the back.

Put a F 2x1 with one button ver to the right.

Put a F 2x1 with one button ver to the front.

Put a F 2x1 with the cornice hor to the right and to the back, touching corners with the PP, cornice to the back.

Put five more such pieces hor to the right, cornices to the back.

Put two F 2x1 with one buttons ver to the right, as before.

Bag 9

Make a part. Put a 2x1 with the vertical clasp ver on the table, clasp to the back. Put a F 1x1 to the front. Connect by putting a F 2x1 with one button ver on top.

Repeat to make two.

Install one, as is, on top of the two PPs, and the other symm on the left.

Put three S 4x1 benches hor in between the two PPs, on the back wall, seats to the front.

Bag 10

Put a 2x1 from a sep bag ver on the right wall, starting from the front.

Put a 2x1 hor to the back and to the right.

Put a 2x1 ver to the back of its right button.

Put a FS 1x1 upright on the side button of a 1x1 with the side button and install to the back, FS piece to the back.

Put a 1x1 to the left.

Make a part. Put a F 2x1 ver on the table. Put a F 1x1 on its front button. Put a F 2x1 hor to the back, overhanging to the left. Put a F 2x1 ver on top. Install as is to the back of the PP.

Put a 2x1 ver to the back.

Skip thirteen buttons to the left and put a 2x1 ver on the partition wall, starting from the back.

Make a part. Put a F 2x1 ver on the table. Put a F 1x1 on its front button. Put a F 2x1 hr to the back, overhanging to the right. Put a F 2x1 ver on top. Install as is to the front.

Put a 1x1 to the left of its front button.

Skip four buttons to the left and put a 3x1 hor there.

Put a 6x1 ver to the front of its leftmost button.

Put a 1x1 to the back of the same leftmost button.

Put a 2x1 ver to the back.

Bag 11. Make a part.

Put a F 8x1 with wide cornice hor on the table, cornice to the front.

Put a 2x1 ver on the left edge.

Repeat on the right.

Put six 1x1 with the cornice in between, cornices to the front.

Put an 8x1 hor on top.

Put a 1x1 corner piece to the front of its left button, seat to the front and to the right.

Repeat symm on the right.

Put a 1x1 with the side button (from the sep bag on its back, cornice upright at the back. Insert it this way into the side button of the rightmost 1x1 piece with the side button.

Repeat five more times to the left.

Insert six "check mark-shaped" leaves into the six buttons on top of the six PPs, so that they overlap in the fence-like pattern (horizontally, but a little askew, each left-side leaf to the front, and right-side leaf to the back).

Put a F 8x1 with the wide cornice hor on top, cornice to the front.

Put a FS 8x1 upright, hor, on the upright buttons on the front wall.

Repeat steps 1-12 to make two more such parts.

Install as is on the front wall, side by side.

Bag 12

Put four F 6x2 hor on top of the front wall, side by side.

Bag 13. Make decoration part.

Put a F 8x2 hor on the table.

Put a F 2x1 with the upright clasp hor on the front row, skipping two buttons from the left, clasp to the left.

Put another such piece the same way to the back.

Repeat steps 2-3 symm on the right.

Put a F 2x2 on top, in the middle.

Put a 1x1 with the side clasp on the front left corner, of your part, clasp to the front.

Repeat symm on the right.

Put a 2x1 stepped piece hor on top, slide to the left.

Repeat symm on the left.

Put a F 2x1 with one button hor on the front row, in the middle.

Put a FS 2x1 hor to the back.

Put a F 1x1 in the middle of the front row.

Put a 1x1 with the side button on top, side button to the front.

Put a FS 1x1 on top. Lay momentarily aside.

Put a 2x2 with the arch on the table, arch to the front.

Put a F 2x1 with the handle ver on the left, handle to the left.

Put a 1x1 hammer piece ver on the right front button, slide to the right.

Repeat on the back.

Put a F 2x1 with the handle ver underneath the two PPs, handle to the right.

Put a FS 2x2 on top.

Install upright, ver, slides to the top and to the left, on the left side of your decoration part.

Make a symm a – g part for the right side and install.

Put one croissant piece on the left end, curving to the top and to the right.

Repeat symm on the left.

Fold the shell and install upright in the middle, flat side to the bottom.

Repeat steps 1-19 to make two.

Install on hor on the left end of front wall, skipping the leftmost button.

Repeat symm on the right.

Bag 14

Make a part. Put a F 2x1 hor on the table. Put a 2x1 hor on top. Put a 3x1 half-arch ver on top of the left button, overhanging to the front. Repeat to the right.

Repeat to make two such parts.

Rotate your structure front to back.

Put a S 4x1 bench hor to the front of the back wall, on the left end, skipping one button from the left wall, seat to the back.

Put one of your parts as is to the right and to the front.

Skip six buttons to the right and put the other part there.

Put a F 2x1 with one button hor on the third row from the back wall, in the middle (skipping two columns to the center from each half-arch).

Bag 15

Put a FS 2x2 on this part, on the lower level of the right-side half-arch (to the back of the 2x2, to the front of the slide).

Put a 2x1 ver to the left of its back row and to the back of it (to the left of the slide).

Repeat steps 1- 2 symm on the left.

Make a "picture" by putting two FS 2x1 pieces and four FS 1x1 pieces on top of a F 4x2. Install the picture upright, hor, to the left of the left-side half-arch, sliding it between the back wall and the bench piece.

Put the palette piece on top of the table and install under the left-side half-arch, skipping one button to the front from its foundation.

put a fs2x1 hor at the left corner of the back wall, to the front of the slide, repeat symm at the right.

Bag 16

Make a part. Put one F 2x1 with one button piece ver on top of another, also vertical. So that the top one overhangs to the front.

Repeat to make four such parts.

Put them ver n the middle of the back wall, side by side, so that they overhang to the front.

Put two 2x1 pieces ver at the sides, on top of the other two 2x1 pieces.

Put two 2x1 with the upright clasp ver on top of the upper level of the left-side half arch. Side by side, clasps to the back.

Repeat on the right.

Bag 17. Make an easel part.

Stack two F 2x1 and put hor on the table.

Put a F 1x1 on the left.

Put a F 1x1 with a F clasp on the right, clasp to the right.

Put a pew piece hor on top, seat to the front.

Insert the connector of a F 2x2 with the connector on the bottom to the pew.

Insert a brush into the clasp, upright.

Put a F 2x2 with feet on top, feet to the front.

Put the FS pieces on top of a F 4x2 to make a picture and put on top.

Swivel upright to look like an easel and install to the right of the palette table and to the back.

Bag 18.

Insert the lattice pieces into the two window frames.

Install side by side in the middle of the back wall.

Make a part. Put two 2x1 ver on the table, with the distance of four buttons in between. Connect by putting a 6x1 arch on the back buttons of the both PPs. Put a F 2x1 with the handle hor on top, in the middle, handle to the back. install as is on the back wall, over the windows.

Bag 19

Make a part. Stack two F 6x1 pieces. Put a F 2x1 hor on top, in the middle. Put two F 1x1 underneath the corners. Install hor to the front of the PP.

Bag 20

Put four S 2x1 stepped pieces hor on top of the window, to make it rounded.

Make a part. Insert a narrow end of a cone into the bottom of a 1x1 piece with the upright clasp. Install so it is to the back of the back wall, in the middle, over the window.

Put a 4x1 arch ver in the middle of the left wall, to bridge the gap.

Put a F 2x1 ver in the middle of the PP.

Bag 21

Put a 2x1 ver on the left wall, skipping two buttons from the front.

Skip four buttons to the back and put a 2x1 ver there.

Put an etched 2x1 ver on the front end of the left-wall protrusion.

Put a FS 1x1 upright on the side button of a 1x1 piece with the side button and put to the back, FS piece to the left.

Put a FS 1x1 upright on the side button of a 1x1 piece with the side button and put to the back, FS piece to the back.

Put an 8x1 ver on the right wall, skipping two buttons from the front.

Put a 1x1 to the left of its second button from the front.

Put a 1x1 with the handle to the left, handle to the front. Put a 2xx1 ver on the wall to the left of the grates, skipping 2 buttons to the back. Put a 1x1 to the right of the pp's back button. Put a 1x1 to the front of the pp.

Bag 22

Put a 3x1 hor on top of the 1x1 with a handle and to the right, on the 8x1 on the right wall.

Put a 1x1 to the front of its rightmost button.

Put a 6x1 ver to the back of the same button.

Put a 3x1 ver on the left wall, skipping two buttons from the front.

Skip two buttons to the back and put a 3x1 ver there.

Put a 1x1 piece with the side button on the front button of the left-wall protrusion? Side button to the left.

Put a 1x1 with the side button to the back as before.

Put a FS 2x1 upright, hor, on both side buttons.

Put a 2x1 ver to the back.

Put 2 f2x1s hor on the two front buttons of the arches with the horizontal clasps, one f2x1 per arch. GO to the wall to the left of the grates, put a 2x1 hor on the vertical 2x1 and it's 1x1 to the right, and put a 1x1 on the front button of the 2x1.

Bag 23. Make a closed fireplace part.

Put a f 4x1 hor on the table.

Put a F 1x1 on the leftmost button.

Put a F 1x1 with the F clasp on the rightmost button, clasp to the front.

Put a 1x1 with the hole on top, hole to the front.

Repeat on the left.

Put a F 1x1 on top.

Put a F 1x1 with the F clasp on top of the right end, clasp to the front.

Put a 4x1 arch hor on top.

Put two F 2x1 with the cornices hor on top, side by side, cornices to the front. Lay momentarily aside.

Put a F 2x2 washer-board piece upside down on the table, curved end to the back. put a F 2x1 with the handle ver on the right side, upside down, handle to the right. Put a F 2x1 with the hook ver, upside down,

to the left, hook to the left and to the bottom. Put a F 2x2 disk in the middle, upside down.

Insert the handle into the two clasps of your part, upright, curved side to the top, so that it opens to the right and to the back.

Install this way ver to the right of the left wall, in the middle.

Bag 24

Install a 2x1 large half-cylinder hor on top, in the middle, and to the left.

Put an etched 2x1 ver to the left.

Put a 2x1 hor to the front and to the right.

Put a 2x1 ver to the front of its right button.

Repeat steps 3-4 symm on the back.

Go to the front-wall vertical partition. Skip two buttons from the front and put a 3x1 ver to the back (and on the higher level), overhanging to the back.

Put an 8x1 ver on the right wall, skipping two buttons from the front.

Put a 2x1 hor to the left of its second button from the front.

Make a part. Put a F 1x1 upside down on top of a wider end of a cone. Put a 1x1 button upside down on top.

Install on the hook at the right side of the front wall (to the front of the PP).

Bag 25

Make a door and install hor in the front right-side gap so that it opens to the front and to the left.

Put a 1x1 to the left.

Put a 1x1 tall slide ver to the left and to the front, in front of the vertical 3x1, on the front wall, slide to the front.

Install a 1x1 tall slide on the left end of the front wall the same way.

Install another slide symm on the back.

Install another slide on the back end of the right wall.

Install another slide symm on the front.

Put a tube upright on the left button of the fireplace half-cylinder.

Bag 26

Put a F 1x1 with the roll to the front of the PP, roll to the right.

Put a F 1x1 to the front.

Repeat steps 1-2 symm on the back.

Put an etched 2x1 ver on the front end of the left-wall protrusion.

Put a 2x1 ver to the back.

Go to the front wall vertical protrusion, skip two buttons to the back and put a F 1x1 there.

Put a F 1x1 with the roll to the back, roll to the left.

Go to the back end of the right wall, skip two buttons to the front and put a F 1x1 there.

Put a F 1x1 with the roll to the front, roll to the left.

Bag 27

Make four stacks of two F 2x1 each and put ver on all four pairs of the F 1x1 and F 1x1 with the roll.

Put an 8x1 hor over the front door, starting on the right.

Put a 2x1 hor to the back of its right end, overhanging to the left.

Put a 2x1 hor to the back.

Put a 1x1 to the back of its right button.

Bag 28

Put a 1x1 tall slide ver on the front end of the left wall, slide to the front.

Put a 6x1 ver to the back.

Put a 1x1 tall slide ver to the back, slide to the back.

Put a FS 1x1 on the side button of a 1x1 with the side button and put on the front end of the left-wall protrusion, FS piece to the front.

Put a 2x1 ver to the back.

Put a FS 1x1 on the side button of a 1x1 with the side button and put to the back, FS piece to the left.

Repeat steps 1- 3 symm on the right.

Put four S 2x1 stepped pieces ver, side by side, on top of the front wall, overhanging to the front.

Put a F 2x1 hor to the left, and another to the right.

Bag 29

Put two more F 2x1 hor on tops of the two PPs.

Stack two F 8x2 and put hor to the back of the two PPs, overhanging to the back.

Put a 2x1 ver on the front end of the left-wall protrusion.

Put an etched 2x1 ver to the back.

Bag 30

Put a F 2x1 ver on to the left of the awning above the door.

Put a 1x1 tall slide to the front, ver, slide to the front of the pp.

Put a 3x1 one-button slide ver on the front end of the right wall, slide to the front.

Put a 2x1 ver to the back.

Put a 3x1 slide ver to the back, slide to the back.

Repeat steps 3-5 symm on the left.

Lay aside.

Bag 31

Start the roof part.

Put a F 4x4 on the table. Put a F 4x1 ver to the right.

Connect by putting a F 3x2 ver on the right back four buttons, overhanging to the back.

Put a F 4x2 hor to the left of its two front buttons, overhanging to the left.

Put a F 12x4 hor to the left of the F 4x4, connected by the PP.

Put a F 3x2 ver on top, to the left and to the back of the horizontal 4x2, overhanging to the back.

Put a F 6x2 hor to the left of the two front buttons of the PP.

Put a F 3x2 ver to the left and to the back.

Put a F 4x4 to the left of the left edge of your part.

Bag 31 B

Connect by putting a F 4x2 hor on top, to the left of the front two buttons of the 3x2.

Put a F 4x1 ver to the left of left edge.

Connect by putting a F 3x2 ver to the left and to the back of the 4x2, overhanging to the back.

Put a F 10x1 hor on top of the back (skipping the overhanging pieces), starting from the left.

Put a F 2x1 hor to the right.

Put a F 10x1 hor to the right.

Put a S 3x1 stepped piece ver on the front left edge, slide to the front.

Skip one button to the right and repeat.

Repeat nine more times (skipping each time a button).

Put another such piece ver on the second row from the left, starting on the third button from the front, slide to the back.

Skip five buttons to the right and repeat.

Skip seven buttons to the right and repeat.

Skip five buttons to the right and repeat.

Put seven 1x1 FS pieces on the seven free buttons in between the PPs, on the 4th row from the front.

Put eleven S 2x1 stepped pieces ver in the gaps on the front two rows, slides to the front.

Put four S 2x1 stepped pieces ver at the back, slides to the back, on the free buttons next to the four protrusions.

Flip your part upside down, so that the protrusions are still to the back.

Put two F 3x2 ver on the back edge, to the front of the two middle protrusions, upside down.

Put two F 2x1 sled pieces ver on each of the PPs, upside down, skipping the front row (of the PPs), handles to the back.

Put a FS 2x2 disk on top of each of the two PPs.

Flip right side up, handles to the back, and install by inserting the handles into the clasps on the half-arches.

Bag 32

Put a 1x1 long slide ver on top of the front-wall partition (to the left of the wall) starting from the front, slide to the front.

Put a 2x1 long slide ver to the right and to the back, slide to the front.

Put a 2x1 long slide ver to the right, as before.

Repeat.

Put a 1x1 long slide ver to the right, as before.

Bag 33

Make a part. Put a F 14x2 hor on the table. Put a F 8x2 hor on top, in the middle. Put a F 4x2 hor to the left of the 14x2. Connect by putting a F 8x2 hor on top, to the left of the 8x2 in the middle. Put a F 4x2 hor to the right of the 14x2. Connect by putting a F 8x2 on top, to the right of the 8x2 in the middle.

Install as is on top of your structure, in the middle.

Put a F 1x1 on the front button of the right wall, to the front of the rightmost row of the PP.

Repeat symm on the back.

Put a F three-button corner on the front two rows of the left wall, letter H.

Repeat symm on the back.

Bag 34

Make a small chimney part. Put two F 2x1 with one button hor on the table, short side by short side. Connect by putting a F 3x1 on top, in the middle. Put three cylinders on top, side by side.

Install ver on the right wall.

Bag 35

Make a large chimney part.

Put a 4x2 hor on the table.

Put a FS 2x2 in the middle.

Put two F 2x1 ver at the sides.

Put a F 3x3 on the right side, overhanging to the front, to the right and to the back.

Put a F 3x2 ver to the left, so that overhanging ends are equal on all sides.

Put two FS 3x1 ver at the edges.

Put two FS 3x1 hor at the edges.

Put a F 3x1 hor in the middle.

Put a F 4x2 hor on top, in the middle.

Put four F 2x1 with one button ver on top, side by side.

Put four cylinders on top, side by side.

Install ver on the left wall.

Bag 36

Put a leaf in the cylinder, put into the pot and install in the right front inside corner, on the floor to the right of the door.

Bag 37

Make the other side of the roof.

Put a F 14x2 hor on the table.

Put three F 2x1 from a sep bag hor on top of the front row, skipping two buttons from the right, and then skipping two buttons in between.

Put three F 2x1 hor to the back of the three PPs. Put momentarily aside.

Put a F 3x2 hor on the table.

Put a F 4x2 hor on top, overhanging on the right.

Put a F 2x2 on top, in the middle.

Put a 4x1 S stepped piece hor on the front row, on the two buttons on the left, slide overhanging to the left.

Put a 3x1 S stepped piece hor to the back, slide to the left, aligned on the left.

Put a FS 1x1 to the right.

Put a 3x1 S stepped piece hor to the right, slide overhanging to the right.

Put a 4x1 S stepped piece hor to the front, slide to the right, aligned on the right.

Put a FS 1x1 to the left.

Repeat steps 4- 12 three more times, to make four such parts.

Install one ver on the 2x2 leftmost space of your structure, aligned on the back and overhanging to the front.

Install three other pieces the same way, skipping two buttons in between each.

Bag 37 B

Flip your structure upside down, oriented as before.

Put a F three-buttoned corner upside down on the front left end, letter D (145), to the front of the 3x2.

Put a F 2x1 sled ver, upside down, to the front, on the left edge, handle to the front.

Repeat steps 2-3 symm on the right.

Put two F 2x2 pieces upside down on the front ends of the two middle prongs.

Put a F 12x1 hor on the front row, in the middle, upside down.

Put four FS 2x2 disks on the front row, at the corners and in the middle, on the equal distance from each other.

Flip right side up, oriented as before.

Make the skylight part.

Insert the pane into the frame. Put hor on the table, so that the window pane is to the back.

Put two 1x1 clasps side by side ver on top.

Insert a F 2x1 with the handle on top, buttons to the back.

Put a 2x1/2x1 corner piece underneath, hor, side buttons to the top and two buttons to the back.

Repeat two more times to make three.

Install flat, ver, in the gaps, the 2x1/2x1 to the back.

Put three S 2x2 stepped pieces in the front, in the gaps, slides to the front.

Repeat symm on the back.

Install your structure diagonally on the front of the third floor, inserting handles at the bottom into the clasps.

Bag 38.

Install on top of the second floor.

Bag 39

Insert two claw sticks into each of the branches. Put on the trellis.

Enjoy!

Thank you so much for building this set!

Visit bricksfortheblind.org for more accessible instructions!

Abbreviation definitions:

F = flat (Plate.)

FS = flat smooth (tile)

Slide = slope.

Lip = inverted slope.

Ribbed stick = Technic axle.

Connector = Technic pin.

Stubby or Short connector = Technic pin with stud.

Long connector = elongated Technic pin.

Nail = technic axle with end stop.

Fat nut = Technic joiner.

Thin nut = Technic stop.

Elbow = technic joiner 90 dg.

1x1, 2x1, 3x1... means a 1x1, 2x1, 1x3... brick.

Ver = vertically.
Hor = horizontally.
Symm = symmetrically.
LMA = Lay Momentarily Aside.
PP = previous piece.
Sep bag = separate bag.
Braille letters (for placing corner pieces):
D = open corner to the front left.
F = open corner to the front right.
J = open corner to the back left.
H = open corner to the back right.

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.