

31133 White Rabbit

Set adapted by Alex Charbonneau and tested by Natalie Charbonneau.

Kids aged 8 and up can play out fun stories with this fantastic LEGO® Creator 3in1 White Rabbit (31133) playset. It features a brick-built toy bunny with a posable head, legs, mouth and ears, and it comes with a choice of 2 snacks: a carrot or a flower.

Nonstop imaginative play for animal lovers

- There are 3 different build-and-play experiences for kids to enjoy with this LEGO Creator 3in1 set. They can build a toy bunny and then rebuild it into a beautiful cockatoo parrot eating seeds, or an adorable white seal with a fish snack.

Posable animals:

- The rabbit can move its head, legs, mouth and ears; the cockatoo parrot can move its wings, tail and neck and rotate its head 360 degrees; and the seal can move its mouth and flippers.

Packed with accessories:

- The toy rabbit comes with a carrot and a flower, the cockatoo parrot can 'eat' seeds, and the seal has a fish that can be attached to its mouth.

A fun build:

- This 258-piece building set lets kids aged 8 and up enjoy an exciting building experience and is the perfect reward for passionate LEGO® fans

Play on the go:

- The toy rabbit stands over 5.5 in. (15 cm) high, making it a portable size for kids to take wherever they go.

The box is yellow. On the front of the box is an image of the white rabbit, standing on all fours next to a carrot and a yellow flower. The rabbit is completely white, except for the inside of the ears which are pink. There is a small inset image of a white cockatoo with yellow head feathers, and another of a white seal sitting next to a fish.

The top of the box shows a life sized image of a green 1x1 circular plate with three leaves. There are also small images of each of the three builds included in the set. The rabbit stands next to a carrot. The cockatoo stands next to two brown plates which represent treats, and the seal playfully rolls on its back as it holds the fish over its mouth.

The back of the box shows the three builds again. The rabbit is shown posing with its ears laying flat next to the carrot and flower. The cockatoo is shown perched on a computer generated branch. The seal is shown in a swimming pose on a blue background.

The rabbit build is 258 pieces, and 102 building steps. The cockatoo build is 173 pieces and 74 building steps. The seal is 161 pieces and 59 steps.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: going from front to behind.

- Horizontally: going from left to right.
- Upright: pointing up towards the ceiling.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind the piece
- Centered-horizontally: even amount of space left and right of the piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner who may want to follow along with the printed visual instructions that come with each kit, PDF versions are always online at LEGO.com: (<https://www.lego.com/en-us/service/buildinginstructions/31133>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2 and 3, and put them in one container.

This LEGO set comes with two unlabeled bags and an instruction booklet. Sort the pieces into groups as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split across two groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 (16 groups of bricks)

Main build:

- Group 1 contains the pieces for steps 1-7.
- Group 2 contains the pieces for steps 8-13.
- Group 3 contains the pieces for steps 14-16.
- Group 4 contains the pieces for steps 17-24.
- Group 5 contains the pieces for steps 25-30.
- Group 6 contains the pieces for steps 31-42.
- Group 7 contains the pieces for steps 43-54.
- Group 8 contains the pieces for steps 55-63.
- Group 9 contains the pieces for steps 64-72.
- Group 10 contains the pieces for steps 73-78, and one tan 1x2 plate from step 79.
- Group 11 contains the pieces for steps 79-82 as well as a light pink 1x1 quarter circle tile from step 85.
- Group 12 contains the pieces for steps 83-87.
- Group 13 contains the pieces for step 88.

Sub-build 1: Yellow flower

- Group 14 contains the pieces for steps 1-7 of the flower.

Sub-build 2: Carrot

Group 15 contains the pieces for steps 1-4 of the carrot.

Group 16 contains the pieces for steps 5-7 of the carrot.

Building Instructions:

Open bag 1.

Open group 1.

Start Building

Step 1

We'll start by making the body of the rabbit. Place a white 2x6 plate, horizontally long, in front of you.

Step 2

Place a white 2x4 brick, horizontally long, on the right three columns of the previous piece so it overhangs one column to the right. Place another to the left of the first. Flip the assembly over so it is horizontally long and the studs are down.

Step 3.1

Place a tan 1x2 plate, vertically long, on the rightmost column of anti-stud. "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate.

Step 3.2

Place a white 1x2 plate with two side studs on one long side, with the side studs on the left, on the leftmost column of anti-stud. Flip the assembly over so it is horizontally long with the studs on top again and the side studs of the previous piece on the left.

Step 4.1

Place a tan 1x2 plate with two side studs hanging down on one long side, with the side studs on the left, on the leftmost column of the assembly.

Step 4.2

Place a white 2x6 plate, horizontally long, to the right of the previous piece.

Step 4.3

Place a white 1x2 plate with a 2x2 of side studs hanging down on one long side, with the side studs on the right, to the right of the previous piece.

Step 5.1

Place a white 1x2 plate with two side studs on one long side, with the side studs on the right, on the previous piece.

Step 5.2

Place a tan 2x4 plate, horizontally long, to the left of the previous piece.

Step 6.1

Place a black 1x1 circular plate to the left of the front row of the previous piece. Place another behind the first.

Step 6.2

Place a tan 1x2 plate, vertically long, to the left of the previous two pieces.

Step 6.3

Place a white 1x2 plate with two side studs on one long side, with the side studs on the left, to the left of the previous piece.

Step 7.1

Place a dark gray 2x2 brick with two large tow balls on it, vertically long, on the rightmost two columns on top of the assembly.

Step 7.2

Place a white 1x2 brick with a log pattern, horizontally long, to the left of the front row of the previous piece. Place another behind the first.

Open group 2.

Step 8.1

Place a dark gray 1x1 brick with a stud on one side, with the side stud at the front, to the left of the front piece from the previous step. Place another symmetrically behind the first.

Step 8.2

Place a white 2x2 tile with a single stud to the left of the previous two pieces.

Step 9.1

Place a dark gray 1x1 brick with a stud on one side, with the side stud at the front, on the front row to the left of the previous piece. Place another symmetrically behind the first.

Step 9.2

Place a pink 1x1 heart tile on the stud on the 2x2 tile with a single stud. The point of the heart should be on the right.

Step 10.1

Place a tan 1x2 plate with two side studs hanging down on one long side, with the side studs on the left, on the leftmost column of the assembly. Place another symmetrically on the rightmost column.

Step 10.2

Place a white 2x3 plate, horizontally long, to the left of the right piece from the previous step.

Step 10.3

Place a pink 1x2 plate with rounded ends, vertically long, to the left of the previous piece.

Step 11

Place a tan 2x2 plate on the top two rows of side studs on the right side of the assembly.

Step 12.1

Place a white 1x2 plate, horizontally long, on the top row of the previous piece.

Step 12.2

Place a white 2x2 curved slope tile, with the cutout on the top, on the previous piece, even with the top of the previous piece.

Step 13

Place a white 1x2 quarter cylinder, with the thick end on top, below the previous piece. It might look small, but this is the rabbit's tail!

Open group 3.

Step 14.1

Set the rabbit's body aside for now. Place a tan 2x4 plate, horizontally long, in front of you.

Step 14.2

Place a tan 2x2 plate on the right two columns of the previous piece.

Step 14.3

Place a white 2x2 plate with two studs on one side, with the side studs at the right, on the previous piece.

Step 14.4

Place a white 1x1 plate with a 1x1x1 curved slope on one side, with the slope on the left, on the front left stud of the previous piece so it extends one stud to the left. Place another behind the first.

Step 14.5

Place a tan 2x2 plate on the right two columns.

Step 14.6

Place a white 1x3x3 half arch, with the curve on the left, on the front left stud of the previous piece so it extends two studs to the left. Place another behind the first.

Step 14.7

Place a tan 1x2 plate, vertically long, to the right of the previous two pieces.

Step 14.8

Place a white 2x2 tile with a single stud on the right two columns. Now rotate the assembly so the anti-stud is on the right, and the side studs are now on the top. The half arches should be at the bottom.

Step 14.9

Place the body back in front of you, horizontally long with the tail at the left. Attach the assembly we just made onto the studs on the left side of the body.

Step 15

Now we'll build the rabbit's back. Set the rest of the body aside for now. Place a white 2x12 plate, horizontally long, in front of you.

Step 16.1

Place a dark gray 1x2 plate with a tow ball on one long side, with the tow ball at the front, on the left two studs on the front row of the previous piece. Place another symmetrically behind the first.

Step 16.2

Place a tan 1x2 plate, vertically long, to the right of the previous two pieces.

Open group 4.

Step 17

Place a tan 1x4 brick with four studs on one side, with the side studs at the front, to the right of the front stud of the previous piece. Place another symmetrically behind the first.

Step 18.1

Place a white 2x2 brick with a large tow ball socket on one side, with the tow ball socket on the left, to the left of the previous piece.

Step 18.2

Place a tan 2x4 plate, horizontally long, to the right of the previous piece.

Step 19.1

Place a white 1x2 brick with a log pattern, vertically long, on the right column of the previous piece.

Step 19.2

Place a brown 2x2 turntable base to the left of the previous piece. This piece looks like a 2x2 tile with a large stud in the center.

Step 19.3

Place a white 2x3 slope brick, with the slope at the left, to the left of the previous piece.

Step 20

Place a white 1x4x3 curved slope, with the slope at the right, to the right of the front stud of the log brick. Place another behind the first.

Step 21

Place a tan 2x2 plate to the left of the previous piece.

Step 22

Place a white 1x6x3 half arch, with the curve at the right, on the front right stud of the previous piece, extending to the right so it is even with the right side of the back. Place another behind the first.

Step 23.2

Place a white 1x2 plate, vertically long, on the second column from the left on the previous piece.

Step 23.2

Place a white 2x4 curved slope tile, with the cutout at the right, to the left of the previous piece. The left side of this piece should attach to a 2x3 slope brick.

Step 24

Now the back is complete! Set the body in front of you with the tail at the right. Attach the back assembly, with the tow ball socket at the left, on top of the body.

Open group 5.

Step 25

There are now six side studs on the front of the rabbit: a row of four above two singles. Place a dark gray 2x2 plate on the two center studs on the top row of side studs. Place it so it hangs down.

Step 26

Place a white 3x3 flat quarter dome, with the corner at the top left, on the bottom right stud of the previous piece. Place another, with the corner at the bottom left, above the first.

Step 27

Repeat the previous two pieces symmetrically to the left.

For steps 28-30, you can repeat steps 25-27 symmetrically on the back side of the rabbit and skip ahead to step 31. Otherwise, the instructions are below

Step 28

Rotate the rabbit 180 degrees so the previous pieces are at the back and the tail is at the left. Place a dark gray 2x2 plate on the two center studs on the top row of side studs on the front of the rabbit. Place it so it hangs down.

Step 29

Place a white 3x3x1 flat quarter dome, with the corner at the top left, on the bottom right stud of the previous piece. Place another, with the corner at the bottom left, above the first.

Step 30

Repeat the previous two pieces symmetrically to the left.

Open group 6.

Step 31

Now we'll make the rabbit's back legs. Set the body aside for now. Place a white 6x6 circular plate in front of you.

Step 32

Place a white 3x3x2 quarter dome, with the stud at the back left, on the front right quarter of the previous piece. Place another symmetrically behind the first.

Step 33.1

Place a white 1x2 brick with a log pattern, vertically long, on the back two studs to the left of the back piece from the previous step.

Step 33.2

Place a black 1x1 cone in front of the previous piece.

Step 33.3

Place a black 1x1 pyramid tile in front of the previous piece.

Step 34

Place a white 2x2 brick with a large tow ball socket on one side, with the tow ball socket on the left, on the second and third studs from the back on the leftmost two columns of the leg. There should be two exposed studs in front of the right stud of this piece, and one exposed stud in front of the left stud.

Step 35.1

Place a tan 1x3 plate, vertically long, in front of the left stud of the previous piece.

Step 35.2

Place a black 1x2 curved slope tile, with the cutout at the left, on the back stud of the previous piece so it extends one stud to the right.

Step 35.3

Place a dark gray 1x2 plate with a tow ball on one short side, with the towball at the front, in front of the previous piece on the 1x3 plate.

Step 35.4

Place a tan 1x3 plate, vertically long, on the previous piece so it extends one stud behind the previous piece.

Step 36

Place a white 1x2 brick with a stud on one side, with the stud at the back, to the right of the center stud of the previous piece.

Step 37.1

Place a light gray 1x1 double slope tile on the side stud of a tan 1x1 brick with a stud on one side. The flat sides of the double slope tile should be at the top and bottom.

Step 37.2

Place this assembly, with the slope at the left, in front of the right stud of the 1x2 brick with a stud on one side from step 36.

Step 38.1

Place a white 3x3 left sloped wedge on the front three columns of the leg, to the left of the front quarter dome. The studs of this piece should be in a row at the back, and the widest part should be at the right.

Step 38.2

Place a white 3x3 right sloped wedge symmetrically behind the previous piece.

Step 39

Place a white 2x4 tile with rounded ends, horizontally long, on the previous two pieces so that it extends one column to the right. Keeping the tow ball socket at the left, flip the leg over so the anti-stud is on top.

Step 40

Place a dark gray 2x2 circular plate with a rounded bottom, centered vertically and horizontally, onto the 6x6 circular plate on the bottom of the leg. Keeping the tow ball socket at the left, flip the leg over so the anti-stud is on the bottom again.

Step 41.1

Place a white 2x4 tile with rounded ends, horizontally long with the anti-stud on top, in front of you.

Step 41.2

Place a light gray 1x2 plate with a tow ball socket on one long side, with the tow ball socket at the left, on the left anti-stud column of the previous piece.

Step 41.3

Place a dark gray 2x2 plate on the anti-stud to the right of the previous piece.

Step 41.4

Place a white 2x2 plate with a clam shell on one side, with the clam shell on the right, onto the left two anti-stud columns. This is the rabbit's foot.

Step 41.5

Attach the tow ball socket of the foot onto the tow ball at the front left side of the leg. Rotate the foot so the clamshell is at the back on the right and is up against the rest of the leg.

Step 42

Now place the rabbit's body back in front of you, with the tail at the left and the large tow ball socket at the right. Locate the large tow ball on the front left side of the rabbit. Attach the large tow ball socket of the leg to this tow ball. The leg should be able to rotate freely. Rotate the leg so the flat side of the large portion of the leg is against the front of the body, and the flat portion of the foot is at the bottom.

Rotate it so the foot is at the bottom, and then rotate it so the flat side of the leg is against the body.

Open group 7.

For steps 43-54, you can mirror steps 31-42 to make the opposite leg. If you do this, skip ahead to step 55. Otherwise, the instructions are below

Step 43

Set the body aside again. Place a white 6x6 circular plate in front of you.

Step 44

Place a white 3x3x2 quarter dome, with the stud at the back right, on the front left quarter of the previous piece. Place another symmetrically behind the first.

Step 45.1

Place a white 1x2 brick with a log pattern, vertically long, on the back two studs to the right of the back piece from the previous step.

Step 45.2

Place a black 1x1 cone in front of the previous piece.

Step 45.3

Place a black 1x1 pyramid tile in front of the previous piece.

Step 46

Place a white 2x2 brick with a large tow ball socket on one side, with the tow ball socket on the right, on the second and third studs from the back on the rightmost two columns of the leg.

Step 47.1

Place a tan 1x3 plate, vertically long, in front of the right stud of the previous piece.

Step 47.2

Place a black 1x2 curved slope tile, with the cutout at the right, on the back stud of the previous piece so it extends one stud to the left.

Step 47.3

Place a dark gray 1x2 plate with a tow ball on one short side, with the towball at the front, in front of the previous piece on the 1x3 plate.

Step 47.4

Place a tan 1x3 plate, vertically long, on the previous piece so it extends one stud behind the previous piece.

Step 48

Place a white 1x2 brick with a stud on one side, with the stud at the back, to the left of the center stud of the previous piece.

Step 49.1

Place a light gray 1x1 double slope tile on the side stud of a tan 1x1 brick with a stud on one side. The flat sides of the double slope tile should be at the top and bottom.

Step 49.2

Place this assembly, with the slope at the right, in front of the left stud of the 1x2 brick with a stud on one side from step 36.

Step 50.1

Place a white 3x3 right sloped wedge on the front three columns of the leg, to the right of the front quarter dome. The studs of this piece should be in a row at the back, and the widest part should be at the left.

Step 50.2

Place a white 3x3 left sloped wedge symmetrically behind the previous piece.

Step 51

Place a white 2x4 tile with rounded ends, horizontally long, on the previous two pieces so that it extends one column to the left. Keeping the tow ball socket at the right, flip the leg over so the anti-stud is on top.

Step 52

Place a dark gray 2x2 circular plate with a rounded bottom, centered vertically and horizontally, onto the 6x6 circular plate on the bottom of the leg. Keeping the tow ball socket at the right, flip the leg over so the anti-stud is on the bottom again.

Step 53.1

Place a white 2x4 tile with rounded ends, horizontally long with the anti-stud on top, in front of you.

Step 53.2

Place a light gray 1x2 plate with a tow ball socket on one long side, with the tow ball socket at the right, on the right anti-stud column of the previous piece.

Step 53.3

Place a dark gray 2x2 plate on the anti-stud to the left of the previous piece.

Step 53.4

Place a white 2x2 plate with a clam shell on one side, with the clam shell on the left, onto the right two anti-stud columns. This is the rabbit's other foot.

Step 53.5

Attach the tow ball socket of the foot onto the tow ball at the front right side of the leg. Rotate the foot so the clamshell is at the back on the left and is up against the rest of the leg.

Step 54

Now place the rabbit's body back in front of you, with the tail at the right and the large tow ball socket at the right. Locate the large tow ball on the front right side of the rabbit. Attach the large tow ball socket of the leg to this tow ball. The leg should be able to rotate freely. Rotate the leg so the flat side of the large portion of the leg is against the front of the body, and the flat portion of the foot is at the bottom.

Open group 8.

Step 55.1

Now we'll start on the first front leg. Set the rest of the rabbit aside for now. Place a white 1x6 plate, horizontally long, in front of you.

Step 55.2

Place a white 1x4 plate, horizontally long, on the right four studs of the previous piece.

Step 56

Place a light gray 1x2 plate with a tow ball socket on one short side, with the socket on the left, to the left of the previous piece.

Step 57.1

Place a white 1x4 plate, horizontally long, on the previous piece so that it extends two studs to the right.

Step 57.2

Place a tan 1x2 brick with two studs on one long side, with the side studs at the front, to the right of the previous piece.

Step 58.1

Place a tan 1x1 plate on the right stud of the previous piece.

Step 58.2

Place a white 1x1 plate with a 1x1x1 curved slope on one side, with the slope on the left, to the left of the previous piece.

Step 59

Place a light gray 1x2 plate with a tow ball socket on one long side, with the socket at the back, on the previous piece so its right edge is even with the right edge of the leg.

Step 60.1

Place a tan 1x1 plate on the right stud of the previous piece.

Step 60.2

Place a white 1x3x3 half arch, with the arch on the left, to the left of the previous piece.

Step 61.1

Place a white 1x2 half circle tile, with the straight side at the back, on the previous piece so its right edge is even with the right edge of the leg.

Step 61.2

Place a white 2x2 circular tile on the two side studs on the front of the leg. Attach the two bottom studs of the circular tile so it extends upwards.

Step 62.1

Now we'll make the rabbit's paw. Place a white 2x4 tile with rounded ends, horizontally long with the anti-stud on top, in front of you.

Step 62.2

Place a dark gray 1x2 plate with a tow ball on one long side, with the tow ball at the right, on the right anti-stud column of the previous piece.

Step 62.3

Place a tan 2x2 plate on the anti-stud to the left of the previous piece.

Step 62.4

Place a white 2x2 plate with a clam shell on one side, with the clam shell on the left, onto the right two anti-stud columns. This is the rabbit's paw.

Step 62.5

Keeping the tow ball on the right side and the 2x4 tile with rounded ends facing down, attach the tow ball onto the tow ball socket at the left side of the rabbit's leg.

Step 63

Now place the rest of the rabbit in front of you, with the tail at the right. Keeping the paw at the left, attach the tow ball socket on the back side of the leg to the tow ball on the front left of the body. You can now rotate the leg down and rotate the paw so it is in line with the rear paw so the rabbit can stand up!

Open group 9.

For steps 64.1-72, you can mirror steps 55.1-63 to make the opposite leg. If you do this, skip ahead to step 73. Otherwise, the instructions are below

Step 64.1

Let's build the second front leg! Set the rest of the rabbit aside for now. Place a white 1x6 plate, horizontally long, in front of you.

Step 64.2

Place a white 1x4 plate, horizontally long, on the left four studs of the previous piece.

Step 65

Place a light gray 1x2 plate with a tow ball socket on one short side, with the socket on the right, to the right of the previous piece.

Step 66.1

Place a white 1x4 plate, horizontally long, on the previous piece so that it extends two studs to the left.

Step 66.2

Place a tan 1x2 brick with two studs on one long side, with the side studs at the front, to the left of the previous piece.

Step 67.1

Place a tan 1x1 plate on the left stud of the previous piece.

Step 67.2

Place a white 1x1 plate with a 1x1x1 curved slope on one side, with the slope on the right, to the right of the previous piece.

Step 68

Place a light gray 1x2 plate with a tow ball socket on one long side, with the socket at the back, on the previous piece so its left edge is even with the left edge of the leg.

Step 69.1

Place a tan 1x1 plate on the left stud of the previous piece.

Step 69.2

Place a white 1x3x3 half arch, with the arch on the right, to the right of the previous piece.

Step 70.1

Place a white 1x2 half circle tile, with the straight side at the back, on the previous piece so its left edge is even with the left edge of the leg.

Step 70.2

Place a white 2x2 circular tile on the two side studs on the front of the leg. Attach the two bottom studs of the circular tile so it extends upwards.

Step 71.1

Now we'll make the rabbit's paw. Place a white 2x4 tile with rounded ends, horizontally long with the anti-stud on top, in front of you.

Step 71.2

Place a dark gray 1x2 plate with a tow ball on one long side, with the tow ball at the left, on the left anti-stud column of the previous piece.

Step 71.3

Place a tan 2x2 plate on the anti-stud to the right of the previous piece.

Step 71.4

Place a white 2x2 plate with a clam shell on one side, with the clam shell on the right, onto the left two anti-stud columns. This is the rabbit's paw.

Step 71.5

Keeping the tow ball on the left side and the 2x4 tile with rounded ends facing down, attach the tow ball onto the tow ball socket at the right side of the rabbit's leg.

Step 72

Now place the rest of the rabbit in front of you, with the tail at the left. Keeping the paw at the right, attach the tow ball socket on the back side of the leg to the tow ball on the front right of the body. You can now rotate the leg down and rotate the paw so it is in line with the rear paw so the rabbit can stand up. Now it should have all four legs!

Open group 10. This group includes a tan 1x2 plate from step 79.2.

Step 73

Next up is the head. Go ahead and set the body aside for now. Place a dark gray 2x2 brick with a large tow ball, with the tow ball at the right, in front of you.

Step 74

Place a white 2x3 plate, horizontally long, on the previous piece so it overhangs one column to the left.

Step 75

Place a tan 1x2 brick with two studs on one side, with the studs on the front, on the front left anti-stud of the previous piece. Place another symmetrically behind the first.

Step 76

Place a pink 1x2 plate with rounded ends, vertically long, on the leftmost column of anti-stud.

Step 77

Place a white 1x2 plate with a 2x2 of studs hanging down from one side, with the side studs at the left, on the leftmost column of studs.

Step 78.1

Place a white 1x2 half circle tile, with the flat side at the front, on the front stud of the previous piece so that it extends one stud to the right of the previous piece. Place another symmetrically behind the first.

Step 78.2

Place a pink 1x2 plate with rounded ends, vertically long, to the right of the two pieces from the previous step.

Step 78.3

Place a white 1x2 plate with two studs extending up on one side, with the side studs at the right, to the right of the previous piece. You should have a tan 1x2 plate left over.

Open group 11.

Step 79.1

Set the rest of the head aside for now. Place a white 2x2 plate with two studs on one side in front of you with the side studs at the left.

Step 79.2

Place a tan 1x2 plate, vertically long, on the right column of the previous piece.

Step 79.3

Place a dark gray 1x2 plate with a tow ball on one long side, with the tow ball at the front, on the front row. Place another symmetrically behind the first.

Step 79.4

Place a white 1x2 plate, vertically long, on the left column.

Step 79.5

Place a tan 1x2 plate with two side studs hanging down from one side, with the side studs on the right, to the right of the previous piece.

Step 79.6

Place a white 1x2 plate with two studs extending up on one side, with the side studs on top, on the side studs on the left side of the assembly.

Step 79.7

Place a white 1x1 tile with a clip on top, with the clip oriented vertically, on the front stud on the left side of the assembly. Make sure you place this so it points to the left! It doesn't go on top of the assembly. Place another behind the first. We'll attach the rabbit's eyes to these clips.

Step 79.8

Now place the rest of the head in front of you, with the large tow ball at the right. Place the small assembly we just made, with the two clips on the left side, onto the right two columns of the head.

Step 80

Place a white 1x3x3 half arch, with the arch on the left, on the front stud of the left piece so that it overhangs two studs to the left. Place another behind the first.

Step 81.1

Attach a black 1x1 circular tile with an eye pattern onto a light gray 1x1 circular plate with an angled bar on it. Make two of these.

Step 81.2

Attach the bar of one eye onto the front clip under the arch on the left side of the head, and the other arch onto the clip on the back side. The circular tiles should be at the left side of the head.

Step 82.1

Place a white 2x3 plate, horizontally long, on the top of the head.

Step 82.2

Place a white 2x2 tile with a single stud on the right side studs of the head. You should have one pink 1x1 quarter circle tile left over when you're done with this group.

Open group 12.

Step 83.1

Set the main part of the head aside for now. Place a white 1x2 plate with a vertical clip on one long side in front of you with the clip on the left.

Step 83.2

Place a white 1x1 brick with a stud on one side, with the stud on the front, on the front anti-stud of the previous piece. Place another symmetrically behind the first.

Step 83.3

Place a white 1x2 plate with a 2x2 of side studs hanging down on one long side, with the studs on the right, on top of the assembly.

Step 83.4

Place a tan 1x2 plate, horizontally long, on the top row of side studs of the previous piece.

Step 83.5

Place a white 2x2 curved slope tile, with the cut out on top, on the previous piece, even with the top and bottom of the assembly.

Step 83.6

Attach the bar of a pink 1x1 rounded plate with a 1L bar on one side, with the stud facing down, to the clip on the left side of the assembly.

Step 83.7

Attach a white 1x1 tile with one rounded end, with the rounded end on the left, onto the previous piece. This is the rabbit's lower jaw.

Step 83.8

Now place the head back in front of you, with the large tow ball on the right and the tiles at the bottom. Rotate the assembly we just made so the studs are down and the lower jaw is on the left. Attach it to the right two columns of anti-stud on the head.

Step 84.1

Place a white 4x4 circular plate onto the front two side studs on the head so it extends one stud below and two studs to the right of the side studs. Place another on the back side of the head.

Step 84.2

Place a brown 2x2 turntable base, centered vertically and horizontally, on the front piece from the previous step. Place another symmetrically on the back side of the head.

Step 85.1

Now we'll build the rabbit's nose. Place a white 2x2 circular plate in front of you.

Step 85.2

Place a white 1x2 half circle tile, with the flat side at the front, on the back row of the previous piece.

Step 85.3

Place a white 1x1 quarter circle tile, with the corner at the back right, in front of the left stud of the previous piece.

Step 85.4

Place a white 1x2 jumper plate, horizontally long, to the right of the previous piece. A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.

Step 85.5

Place a white 2x2 circular plate on the right anti-stud of the previous piece, so it extends one row behind the previous piece.

Step 85.6

Place a white 1x2 half circle tile, with the flat side at the front, on the back column of the previous piece.

Step 85.7

Place a white 1x1 quarter circle tile, with the corner at the back left, in front of the right stud of the previous piece.

Step 85.8

Place a light pink 1x1 quarter circle tile, with the point centered and at the back, on the jumper plate on the front row. The pink piece is the rabbit's nose, and the circular tiles are the chubby cheeks on either side of it!

Step 85.9

Now rotate the nose assembly so the anti-stud is at the right, the flat side is at the bottom, and the pink nose is at the left. Attach it to the side studs on the left side of the head.

Step 86

Place a white 4x4 dome onto the 4x4 circular plate on the front side of the head. Place another on the back side of the head.

Step 87

Now place the body in front of you, with the smaller legs at the left. Keeping the large tow ball at the right, rotate the head so the tiles are back on top. Attach the large tow ball on the head to the large socket on the left side of the body.

Open group 13.

Step 88.1

Now we will build the rabbit's ears! Set the body aside for now. Place a white 4x4 curved triple wedge in front of you, with the anti-stud on top and the narrow end at the right.

Step 88.2

Place a pink 2x3 plate, horizontally long, on the leftmost anti-stud column of the previous piece.

Step 88.3

Place a pink 2x2 inverted tile on the right column of anti-stud of the previous piece so it extends one column to the right.

Step 88.4

Place a pink 2x2 inverted flat dome on the leftmost column of anti-stud so it overhangs by one column.

Step 88.5

Rotate the ear so the wedge is on the right and the studs are on top. Place a white 1x1 tile with a 1x1 slope on one end, with the slope at the front, on the front stud to the left of the triple wedge. Place another symmetrically behind the first.

Step 88.6

Place a white 4x4 curved triple wedge, with the narrow end at the left, to the left of the pieces from the previous step.

Step 88.7

Flip the ear back so it is horizontally long and the inverted dome side is at the left. Place a light gray 1x2 plate with a tow ball socket on one long side, with the tow ball socket at the right, on the right column of the ear.

Step 88.8

Place a 1x2 inverted curved slope tile, with the cut out on the right, on the front anti-stud of the previous piece. Place another behind the first.

Step 88.9

Repeat steps 88.1-88.8 to make a second ear.

Step 88.10

Now place the rabbit back in front of you with the head at the left. Attach one ear, with the smooth side at the back, to the small tow ball on the front side of the head. Place another symmetrically on the back side of the head.

Open group 14.

Sub-build 1: Yellow flower

Step 1.1

Now we'll build a yellow flower. Start by placing a light green 1x1 brick with a stud on every side in front of you.

Step 1.2

Place a brown 1x1 circular plate on the top stud of the previous piece. Place another on top.

Step 2

Place a gold 1x1 rounded plate with a 1L bar on one side, with the bar on top, on each of the four side studs of the previous piece.

Step 3

Place a yellow 1x2 curved slope tile, vertically long with the cutout at the front, on the right side stud so it extends one stud to the rear. Place another on the left side with the cutout at the back so it extends one stud to the front.

Step 4

Place a yellow 1x3x3 half arch, with the arch on the right, on the front side stud. Place another on the back, with the arch on the left.

Step 5

Place a yellow 1x1 plate with a ring on one side, with the ring on top, on the front stud on the front piece from the previous step. Place another symmetrically at the back.

Step 6

Flip the flower over so the rings from the previous pieces are at the bottom. Place a green 1x1 circular plate with three leaves, with the leaves at the front, onto the center anti-stud on the flower.

Step 7.1

Push a light green 5L bar, with the stop on top, down through the hollow stud of a 1x1 circular plate with three leaves.

Step 7.2

Push the bar from the previous step into the 1x1 circular plate with three leaves already on the flower. Now the flower is complete!

Open group 15.

Sub-build 2: Carrot.

Step 1.1

Now let's give the rabbit a tasty snack! Start by placing a dark gray 1x1 plate in front of you.

Step 1.2

Place a light green 1x1 brick with a stud on every side on the previous piece.

Step 2

Push a light green 3L bar down through the hollow top stud of the previous piece.

Step 3

Push an orange 2x2 cone, with the wide part at the bottom, down over the previous piece until it attaches to the stud of the 1x1 brick with a stud on every side.

Step 4.1

Place an orange 1x1 cone on the previous piece.

Step 4.2

Place an orange claw, with the pointy end on top, into the hollow stud of the previous piece.

Open group 16.

Step 5.1

Place a black 1x1 cone into the anti-stud at the bottom of the carrot. Place another into the anti-stud of the first.

Step 5.2

Place a light green 1x1 brick with a stud on every side into the anti-stud of the previous piece. Make sure the side studs of this piece are even with the side studs of the first one. Rotate the carrot so it is horizontally long, with the pointy end at the right.

Step 6.1

Now we'll build the sides of the carrot. We'll build four identical ones. Start by placing an orange 1x4 plate, horizontally long, in front of you.

Step 6.2

Place an orange 1x2 plate, horizontally long and centered horizontally, on the previous piece.

Step 6.3

Place an orange 1x2 curved slope tile, with the cut out at the left, on the right stud of the 1x4 plate, so it overhangs one stud to the right. Place another symmetrically at the left.

Step 6.4

Place this assembly onto the front two side studs of the carrot.

Step 6.5

Repeat steps 6.1-6.3 three more times and place them on the other three sides of the carrot.

Step 7.1

Now we'll finish the carrot by building the stem! Start by stacking two green 1x1 circular plates with three leaves together. Offset the leaves a bit so they look natural. Rotate them so the stud is at the left.

Step 7.2

Push a light green 5L bar, with the stop at the right, through the hollow studs of the previous piece from the right. Push just until the bar starts to pop out of the left side of the hollow stud.

Step 7.3

Now push the stem, with the leaves at the left, into the hollow left end of the carrot.

Congratulations! Now the White Rabbit is complete! Next up are the instructions for the Cockatoo, followed by the instructions for the Seal.

Bag 1 (9 groups of bricks)

Main build:

Group 1 contains the pieces for steps 1-6.

Group 2 contains the pieces for steps 7-17. To help the builder differentiate between colors, stack all of the orange 1x2 plates together, but leave the tan 1x2 plate loose.

Group 3 contains the pieces for steps 18-26. Stack all of the tan 1x2 plates together, but leave the white 1x2 plate loose.

Group 4 contains the pieces for steps 27-36.

Group 5 contains the pieces for steps 37-39.

Group 6 contains the pieces for steps 40-51. Stack all of the orange 1x4 plates together, but leave the white ones loose. Also stack the tan 2x2 plates together, but leave the dark gray ones loose.

Group 7 contains the pieces for steps 52-60.

Group 8 contains the pieces for steps 61-70.

Group 9 contains the pieces for steps 71-74.

Building Instructions:

Open group 1.

Step 1.1

Let's start by building the cockatoo's body. Place a white 1x2 plate vertically long in front of you.

Step 1.2

Place a tan 2x2 plate on the previous piece so it extends one column to the left.

Step 2

Place a white 2x2 plate with two studs on one side, with the side studs at the left, on the left anti-stud column of the previous piece so it extends one column to the left. "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate.

Step 3.1

Place a dark gray 2x2 brick with two large tow balls on it, with the tow balls at the front and back, on the left two columns of the body.

Step 3.2

Place a white 1x2 brick with a log pattern, vertically long, to the right of the previous piece.

Step 4

Place a tan 1x3 plate, horizontally long, on the front row of the body. Place another behind the first.

Step 5

Place a white 2x3 plate, horizontally long, on the pieces from the previous step.

Step 6.1

Place a tan 1x2 brick with two studs on one side, with the side studs at the left, on the leftmost column of the previous piece.

Step 6.2

Place a dark gray 2x2 brick with a large tow ball, with the tow ball at the right, to the right of the previous piece.

Open group 2. There are three 1x2 plates which are stuck together. These are the orange ones, the remaining 1x2 plate is tan.

Step 7

Place a pink 2x3 plate, horizontally long, on the top of the body.

Step 8.1

Place a tan 1x2 plate, vertically long, on the left column of the previous piece.

Step 8.2

Place a white 1x2 plate with a 2x2 of studs hanging down from one side, with the side studs at the front, to the right of the front stud of the previous piece. Place another symmetrically behind the first.

Step 9.1

Now take apart the stack of two 1x2 plates. Place one orange 1x2 plate, vertically long, on the right column of the two pieces from the previous step.

Step 9.2

Place a white 1x2 plate with two side studs on one long side, with the side studs at the front, to the left of the front stud of the previous piece. Place another symmetrically behind the first.

Step 10.1

Place a white 1x2 brick with a log pattern, vertically long, on the left column on the two pieces from the previous step.

Step 10.2

Place a white 2x4 brick, horizontally long, to the right of the previous piece.

Step 11.1

Place a tan 1x2 plate with two studs hanging down from one long side, with the side studs at the front, on the left two studs on the front row of the body. Place another symmetrically behind the first.

Step 11.2

Place an orange 1x2 plate, vertically long, to the right of the two pieces from the previous step.

Step 12

Place a white 1x2 plate with two side studs on one long side, with the side studs at the front, on the front stud of the previous piece so it extends one stud to the left. Place another symmetrically behind the first.

Step 13.1

Place an orange 1x2 plate, vertically long, on the left column of the two pieces from the previous step.

Step 13.2

Place a white 1x1 plate with a 1x1x1 curved slope on one side, with the curved slope on the right, to the right of the front stud of the previous piece. Place another behind the first.

Step 14.1

Place a tan 1x1 brick with a stud on one side, with the stud on the left, on the front left stud on the body. Place another behind the first.

Step 14.2

Place a tan 2x2 plate to the right of the two pieces from the previous step.

Step 15

Place a white 1x3x3 half arch, with the arch on the right, on the front row of the body, with the right end even with the right end of the body. Place another behind the first.

Step 16.1

Place a white 1x2 half circle tile, with the flat side on top, on the top two side studs on the front side of the body.

Step 16.2

Place a brown 2x2 turntable base on the middle two rows of side studs on the front side of the body.

Step 16.3

Place a white 2x2 circular tile on the bottom two rows of side studs on the front side of the body. Rotate the body 180 degrees so the large tow ball is on the left side now.

Step 17.1

Place a white 1x2 half circle tile, with the flat side on top, on the top two side studs on the front side of the body.

Step 17.2

Place a brown 2x2 turntable base on the middle two rows of side studs on the front side of the body.

Step 17.3

Place a white 2x2 circular tile on the bottom two rows of side studs on the front side of the body. Now, rotate the body 180 degrees so the large tow ball is on the left side now.

Open group 3. There are two 1x2 plates stacked together, these are tan and the loose one is white.

Step 18.1

Now we'll build the cockatoo's chest. Set the rest of the body aside for now. Place a white 2x2 plate with two studs on one side, with the side studs at the right, in front of you.

Step 18.2

Take a tan 1x2 plate from the stack and place it, horizontally long, on the back stud in the left column of the previous piece so it overhangs one stud to the left.

Step 19.1

Place a white 2x6 plate, horizontally long, on the left anti-stud of the previous piece. Its front edge should be even with the 2x2 plate with two studs on one side.

Step 19.2

Place a tan 1x1 plate in front of the right stud of the tan 1x2 plate.

Step 20.1

Place a pink 1x1 heart tile on the fifth stud from the left on the front row of the chest. The point of the heart should be at the front left.

Step 20.2

Place a tan 2x2 plate to the left of the previous piece.

Step 21

Place a tan 1x2 brick with two studs on one long side, with the side studs on the right, on the rightmost column of the chest.

Step 22.1

Place a tan 1x4 brick with four studs on one long side, with the side studs at the front, to the left of the front stud of the previous piece. Place another symmetrically behind the first.

Step 22.2

Place a white 1x2 plate, vertically long, to the left of the previous piece.

Step 23.1

Place the other tan 1x2 plate, vertically long, on the previous piece.

Step 23.2

Place a white 1x2 quarter cylinder, with the thick side at the right, to the left of the previous piece.

Step 23.3

Place a white 1x2 half circle tile, with the flat side at the right, to the left of the previous piece.

Step 24

Place a white 2x4 tile with rounded ends, horizontally long, on the four side studs on the front of the chest. The top of this piece should be even with the top of the chest. Place another symmetrically on the back side of the chest.

Step 25.1

Place a white 2x4 tile with rounded ends, horizontally long, on the right four columns on top of the chest.

Step 25.2

Place a white 2x2 curved slope tile, with the cut out on the right, to the left of the previous piece.

Step 26

Now rotate the chest so the previous piece is at the left, and the 1x2 half circle tile is at the bottom. Place the body in front of you, with the tow ball and arches on the right. Attach the chest piece to the left side studs, so that the studs on top of the chest are even with the studs on top of the body.

Open group 4.

Step 27

Place a tan 2x4 plate, horizontally long, on the left four columns.

Step 28.1

Place a white 1x2 half circle tile, with the flat side at the right, on the left column of the previous piece.

Step 28.2

Place a tan 2x4 plate, horizontally long, to the right of the previous piece.

Step 29

Place a brown 2x2 turntable base on the left two columns of the previous piece.

Step 30.1

Now we'll start the tail. Set the body aside for now. Place a white 2x12 plate, horizontally long, in front of you.

Step 30.2

Place a light gray 1x2 plate with a tow ball socket on one short end, with the socket to the right, on the right two studs on the front row. Place another behind the first.

Step 31.1

Place a white 1x6 plate, horizontally long, to the left of the previous piece. Place another behind the first.

Step 31.2

Place a white 2x2 circular plate to the left of the two pieces from the previous step.

Step 32.1

Place a white 2x2 brick with a large tow ball socket on one side, with the socket on the left, to the left of the previous piece.

Step 32.2

Place a white 2x6 plate, horizontally long, to the right of the previous piece.

Step 32.3

Place a white 2x4 tile with rounded ends, horizontally long, to the right of the previous piece.

Step 33.1

Place a tan 1x2 plate, vertically long, on the leftmost column of the tail.

Step 33.2

Place a white 2x4 curved slope tile, with the cutout at the left, on the previous piece, with the left edge even with the left edge of the previous piece.

Step 34.1

Place a white 2x2 tile with a stud on top to the right of the previous piece.

Step 34.2

Place a white 2x4 tile with rounded ends, horizontally long, to the right of the previous piece.

Step 35.1

Attach a dark gray 1x2 plate with a small tow ball on one short side to the front socket on the right side of the tail, with the studs facing down. Place another behind it on the other small socket.

Step 35.2

Place a white 1x6x3 half arch, with the arch at the right and the studs down, onto the anti-stud of the front piece from the previous step. Place another behind the first. These two arches are the feathers on the end of the tail. They should curve up to the right. Rotate the tow balls so the feathers make a sideways V when viewed from above.

Step 36

Now place the body in front of you, with the large tow ball and arches at the right. Attach the large socket on the tail to the large tow ball on the right side of the body.

Open group 5.

Step 37.1

Now we'll build a couple of legs! Set the body aside for now. Place a white 2x2 brick with a large tow ball socket on one side, with the socket on the right, in front of you.

Step 37.2

Place a dark gray 2x2 inverted flat dome on the left column of anti-stud on the previous piece, so it overhangs one column to the left on the bottom of the previous piece.

Step 37.3

Place a dark gray 1x1 brick with a stud on one side, with the stud on the front, on the front left stud of the previous piece. Place another symmetrically behind the first.

Step 37.5

Place a black 1x1 cone on the front side stud on the leg. Place another symmetrically on the back.

Step 37.5

Place a dark gray 2x2 plate on the two left columns on the leg.

Step 37.6

Repeat steps 37.1-37.5 to make another leg.

Step 38

Place the body back in front of you, with the tail at the right. Attach one leg to the front large tow ball. Rotate it so the studs are at the front and the two black 1x1 cones are at the bottom. Place another symmetrically on the back side. There should be a flat face at the bottom so the bird can stand up!

Step 39

Place a black 1x1 circular plate on the bottom left stud of the front leg. Place another symmetrically on the back leg.

Open group 6. There are four 1x4 plates stuck together and four loose. The four stuck together are orange and the loose ones are white. There are two 2x2 plates stuck together and two loose. The two stuck together are tan and the loose ones are dark gray.

Step 40.1

Now we'll build the wings! There will be two identical ones. Set the body aside for now. Place a white 6x6 circular plate in front of you.

Step 40.2

Place a tan 1x2 plate, vertically long and centered vertically, on the left column of the previous piece.

Step 41.1

Place an orange 1x4 plate, horizontally long, to the right of the front stud of the previous piece. Place another behind the first.

Step 41.2

Place a dark gray 1x2 plate with a tow ball on one long side, with the tow ball at the right, to the right of the two pieces from the previous step.

Step 42

Place a white 1x4 plate, horizontally long and centered horizontally, on the second row from the front on the wing. Place another symmetrically at the back.

Step 43

Place a white 3x3 flat quarter dome, with the corner at the back right, on the front three rows of the wing, with its left edge even with the left edge of the wing. Place another symmetrically behind the first.

Step 44.1

Place a white 3x3 right sloped wedge, with the wide end on the left, to the right of the front piece from the previous step. The front of this piece should be even with the front of the wing, and there should be a row of studs at the back of the piece.

Step 44.2

Place a white 3x3 left sloped wedge symmetrically behind the previous piece.

Step 45

Keeping the tow ball at the right, flip the wing over so the studs are down. Place a pink 1x2 plate with rounded ends, vertically long and centered vertically, on the right anti-stud column of the wing.

Step 46.1

Now we'll make the wing tip, set the main wing aside for now. Place a light gray 1x2 plate with a small tow ball socket on one long side, with the socket on the left, in front of you.

Step 46.2

Place a tan 2x2 plate on the previous piece so it overhangs one column to the right.

Step 47

Place a dark gray 2x2 plate on the right column of anti-stud of the previous piece so it extends one column to the right.

Step 48

Place a white 1x1 tile with a 1x1 slope on one end, with the slope at the front, on the front stud on the leftmost column of the wingtip. Place another symmetrically behind the first.

Step 49

Place a white 4x4 curved triple wedge, with the wide end at the left, to the right of the pieces from the previous step.

Step 50.1

Keeping the socket at the left, flip the wingtip over so the anti-stud is on top. Place a pink 2x2 inverted flat dome on the left two anti-stud columns of the wingtip.

Step 50.2

Keeping the socket at the left, flip the wingtip over so the anti-stud is on the bottom again. Place the rest of the wing, with the tow ball at the right and the studs on top, in front of you. Attach the wing tip to the tow ball on the wing.

Step 50.3

Repeat steps 40.1-50.2 to make another identical wing.

Step 51

Place the body in front of you, with the tail at the right. Attach one wing to the front of the body by attaching the center anti-stud of the 6x6 circular plate on the wing to the 2x2 turntable base on the front of the body. Rotate the wing so the studs on the front are horizontally long, and use the ball joint on the wingtip to gently angle it up and to the back over the tail. Place the other wing on the back side of the body. The wings are made to look like they're folded up over the bird's body like it is resting on its perch.

Open group 7.

Step 52

Now we'll make the cockatoo's head, complete with bright yellow plumage! Set the body aside for now. Place a white 4x4 circular plate in front of you.

Step 53

Place a tan 2x4 plate, horizontally long and centered vertically, on the previous piece.

Step 54

Place a white 1x2 half circular tile, with the flat side at the back and centered horizontally, in front of the previous piece. Place another symmetrically on the back side.

Step 55

Place a white 2x4 brick, horizontally long and centered vertically, on the head.

Step 56.1

Place a white 1x1 quarter circle tile, with the corner at the back left, on the right stud on the front row of the previous piece. Place another symmetrically behind the first.

Step 56.2

Place a white 2x3 plate, horizontally long, to the left of the two pieces from the previous step.

Step 57.1

Place a white 1x2 plate with two studs on one long side, with the side studs at the right, on the right column of the previous piece.

Step 57.2

Place an orange 1x2 plate, vertically long, on the previous piece.

Step 57.3

Place a pink 1x2 plate with round ends, vertically long, on the previous piece.

Step 58

Place a white 1x2 brick with a log pattern, vertically long, to the left of the previous piece.

Step 59

Place a tan 1x2 brick with two studs on one side, with the side studs at the front, on the previous piece so it extends one stud to the right. Place another symmetrically behind the first.

Step 60.1

Place a white 1x2 brick with a log pattern, vertically long, on the right column of the two pieces from the previous step.

Step 60.2

Place a white 1x1 brick with a stud on one side, with the side stud at the front, to the left of the front stud of the previous piece. Place another symmetrically behind the first.

Open group 8.

Step 61.1

Place a white 1x2 plate, vertically long, on the two pieces from the previous step.

Step 61.2

Place a white 1x2 plate with a 2x2 of studs hanging down from one side, with the side studs at the right, to the right of the previous piece.

Step 62

Place a white 2x2 circular plate on the top of the head.

Step 63.1

Place a white 2x3 plate, horizontally long in front of you.

Step 63.2

Place a white 2x2 curved slope tile, with the cutout at the left, on the right column of the previous piece so it overhangs one column to the right.

Step 63.3

Place a white 2x2 tile with a stud on top to the left of the previous piece.

Step 63.4

Place a white 1x1 tile with a clip on top, with the clip oriented horizontally so it looks like a U when viewed from the front, on the previous piece.

Step 63.5

Attach this assembly, with the curved slope tile at the bottom, to the side studs on the right side of the head.

Step 64

Place a black 1x1 circular tile with an eye pattern onto the top side stud on the front of the build. Place another on the back side of the head.

Step 65.1

Place a white 1x2 brick with a log pattern, vertically long, on the leftmost column of the head.

Step 65.2

Place a white 1x2 brick with a stud on one long side, with the side stud on the left, on the previous piece. Place another on top of the first.

Step 65.3

Place a black 1x1 pyramid tile onto the side stud on the bottom piece from the previous step.

Step 66.1

Place a white 1x1 plate with a 1x1x1 curved slope on one side, with the slope on the left, on the left two studs on the front row of the head. Place another behind the first.

Step 66.2

Place a white 1x2 plate with a vertical clip on one long side, with the clip on the right, to the right of the two pieces from the previous step.

Step 67

Place a white 2x2 tile with a stud top on the previous piece, extending one column to the left.

Step 68

Place a white 1x1 tile with a clip on top, with the clip oriented horizontally so it looks like a U when viewed from the front, on the previous piece.

Step 69

Place a white 4x4 curved triple wedge, with the wide end at the bottom, on the front two side studs on the head. The bottom should rest on the 4x4 plate on the bottom of the head. Place another symmetrically on the back.

Step 70.1

Place a white 1x1 plate on the side stud on the left side of the head.

Step 70.2

Make the beak by placing a black 1x2 curved slope tile, with the cutout at the bottom, on the previous piece so it extends down by one stud over the 1x1 pyramid tile.

Open group 9.

Step 71.1

Now we'll start making the three big yellow feathers on the cockatoo's head. Clip a gold 1x1 rounded plate with a 1L bar on one side, with the stud on the right and pointing up, onto the 1x1 tile with a clip on the right side of the head. This piece should be able to hinge up and down. If not, you may need to rotate the tile with a clip 90 degrees.

Step 71.2

Place a yellow 1x2 curved slope tile, with the cut out at the left, on the previous piece so it overhangs one stud to the right.

Step 72.1

Clip a gold 1x1 rounded plate with a 1L bar on one side, with the stud on the right and pointing down, onto each of the two remaining clips on the head.

Step 72.2

Place a yellow 1x3x3 half arch, with the arch at the right and curving upwards, on the anti-stud of the right piece from the previous step. Place another on the left piece from the previous step.

Step 72.3

Now we can adjust the cockatoo's feathers so he looks good! The small feather at the right should be angled slightly above the horizontal. The top feather should be angled slightly to the right of the vertical, and the remaining feather should be right in between!

Step 73

Now we'll attach the head to the body. Place the body in front of you, with the tail at the right. Attach the head by placing the center anti-stud of the 4x4 circular plate at the bottom onto the 2x2 turntable back on top of the body.

Step 74

Now if you want, you can give you cockatoo treats in the form of the brown 1x1 circular plates!

Congratulations! Now the Cockatoo is complete! Next up are the instructions for the Seal.

Bag 1 (8 groups of bricks)

Main build:

Group 1 contains the pieces for steps 1-10.

Group 2 contains the pieces for steps 11-14.

Group 3 contains the pieces for steps 15-25. Stack the two orange 1x2 plates together, but leave the tan ones loose.

Group 4 contains the pieces for steps 26-28.

Group 5 contains the pieces for steps 29-30.

Group 6 contains the pieces for steps 31-41.

Group 7 contains the pieces for steps 42-52. Stack a white 1x2 plate on top of a tan 1x2 plate.

Sub build: Fish

Group 8 contains the pieces for steps 1-7 of the fish. Stack two brown 1x1 circular plates together, but leave the black one loose.

Building Instructions:

Main Build

Open group 1.

Step 1.1

We'll start with the seal's body! Place a white 2x12 plate, horizontally long, in front of you.

Step 1.2

Place a light gray 1x2 plate with a tow ball socket on one short end, with the socket at the right, on the right two studs on the front row of the previous piece. Place another behind the first.

Step 2

Place a tan 2x4 plate, horizontally long, to the left of the previous pieces.

Step 3

Place a white 1x4 plate, horizontally long, on the front row to the left of the previous piece. Place another behind the first.

Step 4

Place a dark gray 1x2 plate with a tow ball on one long side, with the tow ball at the front, to the left of the front piece from the previous step. Place another symmetrically behind the first.

Step 5.1

Place a white 1x4 plate, horizontally long, on the left four studs on the front row of the body. Place another behind the first.

Step 5.2

Place a white 2x6 plate, horizontally long, on the right six columns of the body.

Step 6

Place a tan 2x2 plate on the right two columns of the previous piece.

Step 7

Place a white 2x4 brick, horizontally long, to the left of the previous piece.

Step 8.1

Place a tan 1x2 brick with two studs on one long side, with the side studs at the front, on the front row to the left of the previous piece. Place another symmetrically behind the first.

Step 8.2

Place a tan 2x4 plate, horizontally long, to the left of the previous piece.

Step 9.1

Place a white 1x2 plate, vertically long, on the left column of the previous piece.

Step 9.2

Place a white 2x4 tile with rounded ends, vertically long and centered vertically, to the right of the previous piece.

Step 9.3

Place a white 1x2 plate, vertically long, to the right of the previous piece.

Step 10.1

Place a pink heart, with the corner at the front right, on the front stud of the previous piece.

Step 10.2

Place a tan 2x2 plate to the right of the previous piece. Place another on the left column of the body, even with the left edge of the body.

Open group 2.

Step 11

Place a white 1x1 plate with a 1x1x1 curved slope on one side, with the slope on the right, on the second and third studs from the right on the front row of the body. Place another behind the first.

Step 12.1

Place a pink 2x3 plate, horizontally long, to the left of the previous piece.

Step 12.2

Place a white 2x6 plate, horizontally long, to the left of the previous piece.

Step 13

Place an orange 1x2 plate, vertically long, on the white 1x1 plates with a 1x1x1 curved slope on one side from step 11.

Step 14

Place a white 1x3x3 half arch, with the arch at the right, on the front stud of the previous piece so it extends two studs to the right. Place another behind the first.

Open group 3. There are two 1x2 plates stuck together and two loose. The two stuck together are orange and the loose ones are tan.

Step 15.1

Place a tan 1x2 plate, vertically long, on the two pieces from the previous step.

Step 15.2

Place a dark gray 1x1 brick with a stud on one side, with the side stud on the front, to the left of the front stud of the previous piece. Place another symmetrically behind the first.

Step 16

Place a tan 1x4 brick with four studs on one side, with the side studs on the front, to the left of the front piece from the previous step. Place another symmetrically behind the first.

Step 17

Place a tan 1x2 brick with two studs on one side, with the side studs on the front, to the left of the front piece from the previous step. Place another symmetrically behind the first.

Step 18.1

Place a dark gray 1x1 brick with a stud on one side, with the side stud on the front, to the left of the front stud of the previous piece. Place another symmetrically behind the first.

Step 18.2

Place a white 1x2 quarter cylinder, with the thick side on the right, to the left of the two pieces from the previous step.

Step 19.1

Place an orange 1x2 plate, horizontally long, on the third and fourth studs from the right on the front row. Place another behind the first.

Step 19.2

Place a tan 1x2 plate, vertically long, on the left column of the two pieces from the previous step.

Step 19.3

Place a white 2x4 curved slope tile, with the cutout at the left, on the previous three pieces, even with the left edge of the previous piece.

Step 20.1

Place a dark gray 2x2 plate in front of you.

Step 20.2

Place a pink 1x2 plate with rounded ends, vertically long, on the left column of the previous piece.

Step 20.3

Place a white 4x4 curved triple wedge, with the wide end at the left, on the previous two pieces, even with the left edge of the previous two pieces.

Step 20.4

Keeping the wide edge at the left, place this assembly on the right three side studs on the top row of side studs on the front of the body. The left side of the assembly should be even with the top of the body.

Step 20.5

Repeat steps 20.1-20.4 symmetrically on the back side of the body.

Step 21.1

Place a white 1x2 brick with a log pattern, horizontally long, on the top row of side studs to the left of the front assembly from step 20.4. Place another symmetrically on the back.

Step 21.2

Place a black 1x1 cone to the left of each of the pieces from the previous step.

Step 22.1

Place a white 3x3 right sloped wedge, with the thick side at the left and the row of studs on top, on the bottom row of side studs on the front of the body. Its right edge should touch a white 4x4 curved triple wedge.

Step 22.2

Place a white 3x3 left sloped wedge on the back side of the body, symmetrically to the previous piece.

Step 23.1

Place a tan 1x1 plate on the black 1x1 cone on the front side of the body. Place another on the back side of the body.

Step 23.2

Place a white 3x3 flat quarter dome, with the corner at the top left, on the previous piece so it extends two studs to the right and two studs down. Place another symmetrically on the back side of the body.

Step 24.1

Place a white 3x3 right sloped wedge, with the thick side at the left and the row of studs at the back, on the right three studs on the front row of the body.

Step 24.2

Place a white 3x3 left sloped wedge symmetrically behind the previous piece.

Step 25

Place a dark gray 2x2 brick with a large tow ball, with the tow ball on the left, to the left of the two previous pieces.

Open group 4.

Step 26.1

Place a white 2x3 plate, horizontally long, on the left three columns on the body.

Step 26.2

Place a tan 2x2 plate on the left two columns of the previous piece.

Step 26.3

Place a white 1x2 half circle tile, with the flat side on the right, on the left column of the previous piece.

Step 26.4

Place a white 4x4 curved triple wedge, with the wide end at the left, to the right of the previous piece.

Step 27.1

Now we will make the first back flipper. Set the body aside for now. Place a white 2x4 tile with rounded ends, horizontally long with the anti-stud on top, in front of you. "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate.

Step 27.2

Place a tan 1x3 plate, horizontally long, on the left three anti-studs on the back row of the previous piece.

Step 27.3

Place a dark gray 1x2 plate with a tow ball on one short side, with the tow ball on the left, in front of the previous piece so the tow ball extends left past the end of the previous piece.

Step 27.4

Place a white 2x2 plate with a clam shell on one side, with the clam shell on the right, on the previous two pieces, so its left edge is even with the left edge of the previous two pieces.

Step 27.5

Now place the body back in front of you with the two small tow ball sockets at the right. Keeping the clamshell on top and on the right, attach the tow ball of the flipper to the back small tow ball socket.

Step 28.1

Next we'll make the other flipper symmetrically to the first. Set the body aside for now. Place a white 2x4 tile with rounded ends, horizontally long with the anti-stud on top, in front of you.

Step 28.2

Place a tan 1x3 plate, horizontally long, on the left three anti-studs on the front row of the previous piece.

Step 28.3

Place a dark gray 1x2 plate with a tow ball on one short side, with the tow ball on the left, behind the previous piece so the tow ball extends left past the end of the previous piece.

Step 28.4

Place a white 2x2 plate with a clam shell on one side, with the clam shell on the right, on the previous two pieces, so its left edge is even with the left edge of the previous two pieces.

Step 28.5

Now place the body back in front of you with the two small tow ball sockets at the right. Keeping the clamshell on top and on the right, attach the tow ball of the flipper to the front small tow ball socket.

Open group 5.

Step 29.1

Now we'll make the two front flippers, which are identical to each other. Set the body aside. Start by placing a white 2x4 tile with rounded ends, horizontally long with the anti-stud on top, in front of you.

Step 29.2

Place a dark gray 1x2 plate with a tow ball on one long side, with the tow ball on the right, on the rightmost anti-stud column of the previous piece.

Step 29.3

Place a dark gray 2x2 plate to the left of the previous piece.

Step 29.4

Place a white 2x2 plate with a clam shell on one side, with the clam shell on the left, on the previous piece.

Step 29.5

Now we'll make the middle joint of the flipper. Place a dark gray 2x2 inverted flat dome in front of you.

Step 29.6

Place a light gray 1x2 plate with a tow ball socket on one long side, with the socket on the left, on the left column of the previous piece. Place another symmetrically to the right of the first.

Step 29.7

Place a white 2x2 tile with a single stud on the two pieces from the previous step.

Step 29.8

Attach the left tow ball socket to the tow ball on the right side of the flipper.

Step 29.9

Repeat steps 29.1-29.8 to make another flipper.

Step 29.10

Place the body in front of you, with the large tow ball at the left. Attach one flipper onto the small front tow ball. The flat side of the clamshell should be at the bottom. Rotate the flipper so it is at the left and angled about 45 degrees towards the front. Place the other flipper symmetrically on the back.

Step 30

Place a white 3x3x2 quarter dome, with the stud at the bottom right, on the front side studs so the left side is even with the left edge of the body and the top edge touches the 4x4 curved triple wedge at the top. Place another symmetrically on the back side.

Open group 6.

Step 31

Now it's time to build the head! Set the body aside for now. Place a white 2x3 plate, horizontally long, in front of you.

Step 32

Place a tan 2x4 plate, horizontally long, on the previous piece so it overhangs one stud to the left.

Step 33.1

Place a tan 1x2 plate, vertically long, on the right column of the previous piece.

Step 33.2

Place a white 1x2 plate with two studs on one long side, with the side studs on the front, to the left of the front stud of the previous piece. Place another symmetrically behind the first.

Step 33.3

Place a white 1x2 plate with a vertical clip on one long side, with the clip on the left, to the left of the two pieces from the previous step.

Step 34.1

Attach the bar of a pink 1x1 rounded plate with a 1L bar on one side, with the stud facing down, to the clip on the left side of the previous piece.

Step 34.2

Place a white 1x1 tile with one rounded end, with the rounded end on the left and the smooth side down, onto the stud of the previous piece. These two pieces are the lower jaw of the seal!

Step 35.1

Place a white 2x2 brick with a large tow ball socket on one side, with the socket at the right, on the right two columns of the head assembly.

Step 35.2

Place a white 1x2 brick with a log pattern, vertically long, to the left of the previous piece.

Open group 7. There are two 1x2 plates stuck together and one loose. The two stuck together are tan and the loose one is orange.

Step 36.1

Place an orange 1x2 plate, vertically long, on the rightmost column of the head.

Step 36.2

Place a tan 1x2 plate with two studs hanging down from one long side, with the side studs at the front, to the left of the front stud of the previous piece. Place another symmetrically behind the first.

Step 37

Place a white 1x2 brick with a stud on one long side, with the side stud on the left, to the left of the two pieces from the previous step.

Step 38

Place a tan 1x2 plate with two studs hanging down from one long side, with the side studs at the front, on the front stud of the previous piece so it overhangs one stud to the left. Place another symmetrically behind the first.

Step 39.1

Now we'll build the seal's cheeks. We'll make two identical cheeks. Place a white 1x6 plate, horizontally long, in front of you.

Step 39.2

Place a tan 1x2 plate, horizontally long and centered horizontally, on the previous piece.

Step 39.3

Place a white 3x3 flat quarter dome, with the corner at the back right, on the left three studs of the cheek. Place another symmetrically to the right of the first.

Step 39.4

Keeping the flat side of the cheek at the top, flip it over so the anti-stud is on top.

Step 39.5

Place a tan 2x2 plate, centered horizontally, on the front two anti-stud rows.

Step 39.6

Repeat steps 39.1-39.5 to create another cheek.

Step 39.7

Now place the rest of the head in front of you, with the jaw at the left. Place one cheek, with the flat side on top, onto the front side studs of the head, with the top of the cheek even with the top of the head. Place another symmetrically on the back of the head.

Step 40

Place a white 6x6 circular plate, centered vertically and horizontally, on the head.

Step 41

Place a white 3x3x2 quarter dome, with the stud at the back left, on the front three studs of the right three columns of the previous piece. Place another symmetrically behind the first.

Open group 8. There are two 1x2 plates stuck together, the bottom one is tan and the top one is white.

Step 42.1

Place a tan 1x2 plate, vertically long and centered vertically, to the left of the two pieces from the previous step.

Step 42.2

Place a yellow 1x1 plate with a ring on one side, with the ring at the front, on the front stud of the previous piece. Place another symmetrically behind the first.

Step 42.3

Place a pink 1x1 plate with rounded ends, vertically long, on the two pieces from the previous step.

Step 42.4

Place a white 1x2 plate, vertically long, on the previous piece.

Step 43.1

Place a tan 1x1 plate, to the left of the front stud of the previous piece. Place another behind the first.

Step 43.2

Place a white 1x2 plate with a 2x2 of studs hanging down from one side, with the side studs at the left, to the left of the two pieces from the previous step.

Step 44

Place a white 2x2 circular plate on the front column of side studs so it overhangs one column to the front. Place another behind the first.

Step 45.1

Place a white 1x2 half circle tile, with the flat side on top, on the bottom row of the front piece from the previous step. Place another behind the first.

Step 45.2

Place a white 1x2 jumper plate, horizontally long and centered front to back, above the two pieces from the previous step.

Step 46.1

Place a black 1x1 circular plate on the stud of the previous piece.

Step 46.2

Place a white 1x1 quarter circle tile, with the corner at the bottom back, in front of the 1x2 jumper plate. Place another symmetrically behind the jumper plate.

Step 47

Place a white 2x3 slope brick, with the slope at the left and centered vertically, on the left three columns of the head.

Step 48

Place a black 1x1 cone, with the narrow side on the left, onto the ring on the front side of the head. Place another on the back ring.

Step 49.1

Attach a black 1x1 circular tile with an eye pattern onto a light gray 1x1 circular plate with an angled bar on it. Make two of these.

Step 49.2

Push the bar of one eye assembly into the front cone from step 48. Rotate it so the eye tile points up and to the left. Place another, in the same orientation on the rear cone.

Step 50

Place a white 1x3x3 half arch, with the arch at the front, on the front stud of the 2x3 slope brick from step 47 so it extends all the way to the front of the head. Place another to the right of the first. Repeat these two pieces symmetrically on the back side of the head.

Step 51

Place a white 2x2 tile with a stud on top of the four pieces from the previous step.

Step 52

Now place the body of the seal back in front of you, with the large tow ball at the left. Attach the tow ball socket on the head to the tow ball on the body.

Sub build: fish

Open group 9. There are two 1x1 circular plates stacked together and one loose. The two stacked together are brown and the loose one is black.

Step 1.1

Now we'll build a snack for the seal! Set the seal aside for now. Place a tan 1x3 plate, horizontally long, in front of you.

Step 1.2

Place an orange 1x4 plate, horizontally long, on the previous piece so it overhangs one stud to the right.

Step 2

Place a tan 1x3 plate, horizontally long, on the left three studs of the previous piece.

Step 3.1

Place a pink 1x2 inverted curved slope tile, with the cut out at the right, on the left anti-stud of the fish so it overhangs one stud to the left.

Step 3.2

Place a black 1x1 circular plate on the left stud of the previous piece.

Step 4.1

Place an orange 1x2 curved slope tile, with the cut out at the right, on the previous piece so it extends one stud to the right.

Step 4.2

Place a brown 1x1 circular plate on the second stud from the right on the fish.

Step 5.1

Place a brown 1x1 circular plate on the second anti-stud from the right on the fish.

Step 5.2

Place a pink 1x2 inverted curved slope tile, with the cut out at the right, on the previous piece so it extends one stud to the left.

Step 6

Place an orange 1x2 curved slope tile, with the cut out on the right, on the top 1x1 circular plate so it extends one stud to the left.

Step 7.1

Place an orange 1x2 curved slope tile, with the cut out on the right, on the rightmost stud of the fish so it overhangs one stud to the right. This is the top of the fish's tail!

Step 7.2

To make the bottom, place a pink 1x2 inverted curved slope tile, with the cutout on the right, on the rightmost anti-stud of the fish so it overhangs one stud to the right.

Now, place the seal in front of you. You can pose him however you like, and let him play with the fish!

Congratulations! Now the Seal is complete!

Thank you so much for building this set!

There are no ads after the instructions end.

Visit bricksfortheblind.org for more accessible instructions and tell your friends about us!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.