

40861 Sulley, Mike and Boo Figures

Adapted by John Le and tested by Natalie Charbonneau.

Surprise kids with this LEGO® BrickHeadz™ I Disney and Pixar Sulley, Mike and Boo Figures (40861) toy building set. Fans can act out Monsters, Inc. moments with the beloved characters, making this a great small movie gift-giving idea, for girls and boys ages 10 years old and up. The brick-built Sulley, Mike and Boo characters can also be displayed alongside other collectible LEGO BrickHeadz building sets (each sold separately) using the included sturdy baseplates. Set contains 303 pieces.

MONSTERS, INC. TOY BUILDING SET – Bring a dash of movie magic home with this Sulley, Mike and Boo Figures (40861) building toy for kids, inspired by the Disney and Pixar hit.

PLAY AND DISPLAY – The creative movie collectible brings the characters from the screen and puts them into fans' hands to relive moments from the movie or put on display in their rooms.

COLLECTIBLE MOVIE CHARACTERS – This LEGO® I Disney and Pixar building set comes with 3 brick-built character figures, Sulley, Mike and Boo, plus 3 stands so they can hang out together or separately.

FUN AT FIRST SIGHT – The buildable versions of the characters from Disney and Pixar's Monsters, Inc. movie have well-known details including Sulley's horns, Mike's center eye and Boo's pigtails.

DIMENSIONS – The 303-piece LEGO® brick-built Disney and Pixar toy includes Sulley, who stands over 3.5 in. (9 cm) tall and measures over 2 in. (6 cm) wide.

The front of the box shows a blue monster named Sully, a green round monster with 1 eye named Mike, and a girl with black hair and a pink shirt named Boo!

The back of the box shows that all the figures come with a platform that they stand on!

The top of the box shows a real size image of a black 1x1 round tile printed with an eye.

The build is 303 pieces in total and is for ages 10+.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.

- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have

a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/40861>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 5 bags labeled 1 to 5, 3 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Sully

Group 1 - Steps 1-2 and 1 pink 1x2 plate from Step 3.

Group 2 - Rest of Step 3 and Steps 4-12.

Group 3 - Steps 13-16 and 1 red 2x2 brick from Step 17.

Group 4 - Rest of Step 17 and Steps 18-20.

Bag 2 - Sully

Group 5 - Steps 21-27.

Group 6 - Steps 28-31.

Group 7 - Steps 32-34 and 4 light blue 1x1 plates from Step 35.

Group 8 - Rest of Step 35 and Steps 36-37.

Bag 3 - Mike

Group 9 - Steps 1-5 and 2 white 1x1 round bricks with a side stud from Step 6.

Group 10 - Rest of Step 6 and Steps 7-19 and 4 lime green 1x1 slope tiles from Step 20.

Group 11 - Rest of Step 20 and Step 21.

Bag 4 - Boo

Group 12 - Steps 1-8.

Group 13 - Steps 9-12.
Group 14 - Steps 13-14.

Bag 5 - Boo
Group 15 - Step 15.
Group 16 - Step 16.
Group 17 - Step 17.
Group 18 - Steps 18-20.
Group 19 - Steps 21-27.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Sulley

Step 1

Let's make the Sully figure! Horizontally place a light blue 2x4 plate in front of you.

Step 2

Vertically place 2 light blue 2x3 plates, 1 to the right of the other, on top so they overhang 1 row to the back.

Step 3.1

Horizontally place a pink 1x2 plate on the 2nd row from the front so it is centered horizontally.

Group 2 - Sulley

Step 3.2

Vertically place a light blue 1x2 plate on the back left corner. Then repeat symmetrically to the right. Now horizontally place a light blue 1x2 plate with a bar on the back row so it is centered horizontally and the bar faces the back.

Step 4

Horizontally place a light blue 2x4 plate on the back 2 rows.

Step 5

Horizontally place 2 light blue 1x2 bricks with 2 side studs, 1 to the right of the other, on the front row so the side studs face the front.

Step 6

Rotate your build 180 degrees. Then horizontally place a light nougat 1x2 brick with a round side on the 2nd row from the front so it is centered horizontally and the round side faces the front. This is the inside of his body! Then place a magenta 1x1 plate to the left of the ppp. Then repeat symmetrically to the right.

Step 7

Horizontally place a light grey 1x2x2 brick with 2x2 side studs on the back row so it is centered horizontally and the side studs face the back. Now vertically place another 1 on the back left corner so the side studs face the left. Then repeat symmetrically to the right.

Step 8

Horizontally place 2 light blue 1x2 bricks with 2 side studs, 1 to the right of the other, on the front row so the side studs face the front.

Step 9

Horizontally place a light nougat 1x2 brick with a round side on the 2nd row from the front so it is centered horizontally and the round side faces the front.

Step 10

Horizontally place a light blue 1x2 brick with 2 side studs on the front row so it is centered horizontally and the side studs face the front. Then place a light blue 1x1 brick to the left of the ppp. Then repeat symmetrically to the right.

Step 11

Place a light blue 4x4 plate on top so 1 row overhangs to the back.

Step 12

Place a purple 1x1 round tile upright on the leftmost front-facing side stud. Then repeat symmetrically to the right. Then place another 1 upright on the left side stud of the top front-facing row. Now place 3 light blue 1x1 tiles with a round side upright on the 3 front-facing side studs so the round sides face down. These are the dots on his body!

Group 3 - Sulley

Step 13.1

Let's make a part! Place a light blue 4x4 plate in front of you. Then horizontally place a light blue 1x4 plate on the back row. Then horizontally place a light blue 2x4 plate in front of the ppp.

Step 13.2

Horizontally place a light blue 2x4 sloped curved tile on the back 2 rows so it slopes to the back. Then horizontally place a light blue 1x4 plate in front of the ppp. Now horizontally place a light blue 1x4 tile on top of the ppp.

Step 13.3

Horizontally place 2 light blue 1x2 sloped curved bricks, 1 to the right of the other, on the front row so they slope to the front.

Step 13.4

Rotate your main build 180 degrees. Then place your part upright on the front-facing side studs so it is centered horizontally and the 1x2 sloped curved bricks are on the bottom. This is his back!

Step 14.1

Let's make 2 identical parts! Let's make the arms! Horizontally place a light blue 2x3 plate in front of you. Then place a light blue 2x2 plate on the 2 leftmost columns. Now vertically place a light blue 1x2 plate with a clip on the rightmost column so the clip faces the right.

Step 14.2

Place a magenta 1x1 round tile on the front left corner. Then repeat symmetrically to the right. Now place another 1 on the back row so it is centered horizontally.

Step 14.3

Now you should have 2 identical parts! Vertically place 1 part upright on the 2x2 left-facing side studs so it hangs 1 row to the bottom and the clip faces down. Then repeat symmetrically to the right.

Step 15

Place a red 2x2 brick on top so it is centered.

Step 16

Vertically place 2 light grey 1x2x2 bricks with 2x2 side studs, 1 in front of the other, on the leftmost column so the side studs face the left. Then repeat symmetrically to the right. Now horizontally place 1 on the back row so it is centered horizontally and the side studs face the back. Then repeat symmetrically to the front.

Step 17.1

Place a red 2x2 brick on top so it is centered.

Group 4 - Sulley

Step 17.2

Place a tan 2x2 round plate on top so it is centered. Then place a pink 2x2 brick on top of the ppp.

Step 18

Horizontally place 2 light grey 1x2x2 bricks with 2x2 side studs, 1 to the right of the other, on the back row so the side studs face the back. Then repeat symmetrically to the front. Now vertically place 1 on the leftmost column so it is centered vertically and the side studs face the left. Then repeat symmetrically to the right.

Step 19

Place a light blue 4x4 plate on top so it is centered.

Step 20

Place a magenta 1x1 round tile on the back right corner. Then place 1 on the 2nd column from the right of the front row. Now place 1 on the leftmost column of the 2nd row from the front. Now place 1 more on the 2nd column from the left of the 2nd row from the back. These are dots on top of his head!

Building Instructions (Bag 2, Book 1):

Group 5 - Sulley

Step 21

Rotate your build 90 degrees counterclockwise so the upright 2x4 sloped curved tile faces the right. Now vertically place a light blue 1x4 plate upright on the leftmost column of front-facing side studs so 2 rows overhang to the top. Now horizontally place a light blue 2x3 plate upright to the right of the bottom 2 rows of the ppp. Then place a light blue 2x2 tile upright above the 2 rightmost columns of the ppp.

Step 22

Place a magenta 1x1 round tile upright on the top left corner of the front-facing side studs. Then place another 1 on the bottom stud of the leftmost front-facing column. Then place another 1 upright to the top right of the ppp.

Step 23

Horizontally place a light blue 1x2 slope tile upright on the front-facing side studs, to the right of the ppp so it slopes up. Then horizontally place another 1 upright below the ppp so it slopes down.

Step 24

Let's make a part! Place a light blue 4x4 plate in front of you. Then vertically place a light blue 1x3 jumper plate on the back left corner. Then repeat symmetrically to the right.

Step 25

Place a light blue 2x2 plate on the front 2 rows so it is centered horizontally. Then vertically place 2 light blue 1x2 jumper plates, 1 to the right of the other, behind the ppp.

Step 26

Place a light blue 1x1 slope tile on the front left corner so it slopes to the left. Then repeat symmetrically to the right. Now horizontally place a light blue 1x2 tile on the front row. Then horizontally place a light blue 1x2 jumper plate behind the ppp so it is centered horizontally.

Step 27

Place a blue 1x1 quarter circle tile on the back left stud so the curve faces the back left. Then place a blue 1x1 tile with a round side to the right of the ppp so the round side faces the right. Now repeat both parts symmetrically to the right.

Group 6 - Sulley

Step 28

Place a black 1x1 round tile printed with an eye on the leftmost stud. Then repeat symmetrically to the right. Now place a teal 1x1 quarter circle tile in between the 2 ppp so the curve faces the back. This is the face!

Step 29

Rotate your main build 90 degrees clockwise so the 2x4 sloped curved tile faces the front. Now place your part upright on the front-facing side studs so it is centered on them.

Step 30

Rotate your main build 90 degrees clockwise so the previous part faces the left. Now vertically place a light blue 1x4 plate upright on the rightmost column of front-facing side studs so 2 rows overhang to the top. Now horizontally place a light blue 2x3 plate upright to the left of the bottom 2 rows of the ppp. Then place a light blue 2x2 tile upright above the 2 leftmost columns of the ppp. There should be a 1x2 gap to the right of the ppp!

Step 31

Horizontally place a light blue 1x2 slope tile upright on the front-facing side studs below the ppp so it slopes up. Then horizontally place another 1 upright above the ppp so it slopes down.

Step 32

Place a magenta 1x1 round tile upright on the top right corner of the front-facing side studs. Then place another 1 on the bottom stud of the rightmost front-facing column. Then place another 1 upright to the top left of the ppp.

Step 33.1

Let's make a part! Place a light blue 4x4 plate in front of you. Then horizontally place a light blue 2x4 plate on top so it is centered vertically and horizontally.

Step 33.2

Place a light blue 1x1 tile on the back left corner. Then place a light blue 1x1 plate to the right of the ppp. Now horizontally place a light blue 1x2 tile to the right of the ppp.

Step 33.3

Place a light blue 1x1 tile on the front right corner. Then place a light blue 1x1 plate to the left of the ppp. Now horizontally place a light blue 1x2 tile to the left of the ppp.

Step 33.4

Place a magenta 1x1 round tile on the front row of the 2nd column from the right. Then place 1 on the rightmost column of the 2nd row from the front. Now place 1 on the leftmost column of the 2nd row from the front. Then place another 1 on the back row of the 2nd column from the left. Lastly, place 1 on the 2nd row from the back of the 2nd column from the right.

Step 33.5

Place a light blue 1x1 tile with a round side on the 2nd row from the back of the 2nd column from the left so the round side faces the front. Then place another 1 in front of the ppp so the round side faces the front. Now place 1 to the right of the ppp so the round side faces the front.

Step 33.6

Rotate your build 90 degrees clockwise so the face faces the back. Now place your part upright on the front-facing side studs so it is centered on them.

Step 34.1

Let's make a part! Let's make his tail! Horizontally place a light blue 1x2 plate with 2 clips in front of you so the clips face the back. Now vertically place a light blue 1x2 inverted sloped curved tile underneath the left column so it slopes and exposes 1 row to the front.

Step 34.2

Place a light blue 2x2 plate with a cutoff corner on top so the cutoff corner overhangs to the front right corner. Then place a magenta 1x1 round tile on the front left corner. Then place 1 on the back right corner.

Step 34.3

Attach the clips of your part to the front-facing bar.

You will have 4 extra light blue 1x1 plates. Save them for later!

Group 8 - Sulley

Step 35.1

Let's make 2 identical parts! Let's make the feet! Vertically place a light blue 1x2 plate in front of you. Then place a magenta 1x1 plate on the back row. Then place a light blue 1x1 plate from group 7 in front of the ppp. Then place another 1 on the back row. Now place a magenta 1x1 plate on the front row.

Step 35.2

Now you should have 2 identical parts! Vertically place 1 part underneath the leftmost column so it is centered vertically. Then repeat symmetrically to the right.

Step 36.1

Let's make 2 identical parts! Let's make the horns! Vertically place a tan 1x2 slope brick in front of you so it slopes to the back. Then place a tan 1x1 plate with a side stud hanging down on top of the ppp so the side stud faces the front. Now place a tan 1x1 slope tile upright on the front-facing side stud so it slopes up.

Step 36.2

Now you should have 2 identical parts! Rotate your main build 180 degrees. Then vertically place 1 part upright on the top 2 left-facing side studs so it sits behind a 2x2 tile and the 1x1 slope tile faces up. Then repeat symmetrically to the right.

Step 37.1

Let's make a part! Let's make a platform! Place a black 6x6 plate in front of you. Then horizontally place a black 2x4 tile on the 2nd and 3rd rows from the back so it is centered horizontally. Now horizontally place a black 1x4 tile with 2 studs in front of the ppp. Then horizontally place a black 1x4 tile in front of the ppp.

Step 37.2

Now place your figure on top of the platform so it is centered horizontally and vertically! Now put him away while we make the next figure!

Building Instructions (Bag 3, Book 2):

Group 9 - Mike

Step 1

Let's make Mike! He is a round green alien with 1 eye and 2 horns! Place a lime green 3x3 plate in front of you. Then place a magenta 1x1 round brick on top so it is centered horizontally and vertically.

Step 2

Place a light orange 1x1 round plate on top of the ppp.

Step 3

Place a dark grey 1x1x2 brick with 2 side studs on the back left corner so the side studs face the left. Then repeat symmetrically to the right. Now place another 1 on the back row in between the 2 ppp so the side studs face the back.

Step 4

Vertically place a light grey 1x2x2 brick with 2x2 side studs on the front left corner so the side studs face the left. Then repeat symmetrically to the right. Now place a dark grey 1x1x2 brick with 2 side studs on the front row in between the 2 ppp so the side studs face the front.

Step 5

Place a pink 1x1 brick on top so it is centered horizontally and vertically.

Step 6.1

Place a white 1x1 round brick with a side stud on the front row so it is centered horizontally and the side stud faces the front. Then repeat symmetrically to the back.

Group 10 - Mike

Step 6.2

Place 3 green 1x1 round bricks with a side stud, 1 in front of the other, on the leftmost column so the side studs face the left. Then repeat symmetrically to the right.

Step 7

Place a lime green 3x3 plate on top so it is centered.

Step 8

Rotate your build 90 degrees so the 3x3 side studs face the front and back. Now place a lime green 1x1 plate upright on the bottom row of front-facing side studs so it is centered horizontally. Then horizontally place a lime green 1x3 plate upright above the ppp. Now place a tan 1x1 plate with an upright side stud upright above the ppp so it is centered horizontally and the side stud faces up.

Step 9

Place a lime green 1x1 slope tile upright on the bottom left front-facing side stud so it slopes down. Then repeat symmetrically to the right. Then repeat both parts symmetrically to the top.

Step 10

Place a lime green 1x1 tile upright on the leftmost front-facing side stud. Then repeat symmetrically to the right. Now vertically place a lime green 1x2 tile upright on the top 2 front-facing side studs, in between the 2 ppp.

Step 11.1

Let's make a part! Place a lime green 3x3 plate in front of you. Then horizontally place a lime green 1x3 jumper plate on top so it is centered horizontally and vertically.

Step 11.2

Place a lime green 1x1 quarter circle tile on the back left corner so the curve faces the back left. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the front.

Step 11.3

Place a lime green 1x1 tile on the back row so it is centered horizontally. Then repeat symmetrically to the front. Now place your part upright on the right-facing side studs so it is centered and the 1x3 jumper plate is horizontal.

Step 12

Rotate your build 180 degrees. Then place a lime green 1x1 plate upright on the bottom row of front-facing side studs so it is centered horizontally. Then horizontally place a lime green 1x3 plate upright above the ppp. Now place a tan 1x1 plate with an upright side stud upright above the ppp so it is centered horizontally and the side stud faces up.

Step 13

Place a lime green 1x1 slope tile upright on the bottom left front-facing side stud so it slopes down. Then repeat symmetrically to the right. Then repeat both parts symmetrically to the top.

Step 14

Place a lime green 1x1 tile upright on the leftmost front-facing side stud. Then repeat symmetrically to the right. Now vertically place a lime green 1x2 tile upright on the top 2 front-facing side studs, in between the 2 ppp.

Step 15.1

Let's make a part! Place a lime green 3x3 plate in front of you. Then horizontally place a lime green 1x3 jumper plate on top so it is centered horizontally and vertically.

Step 15.2

Place a lime green 1x1 quarter circle tile on the back left corner so the curve faces the back left. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the front.

Step 15.3

Place a lime green 1x1 tile on the back row so it is centered horizontally. Then repeat symmetrically to the front. Now place the front row of a white 2x2 round tile with a stud on top of the 2 studs. Then place a black 1x1 round tile printed with an eye on top of the ppp.

Step 15.4

Place your part upright on the right-facing side studs so it is centered and the 2x2 round tile with a stud is on top.

Step 16

Rotate your build 90 degrees clockwise so the eye faces the front. Then flip it upside down. Now horizontally place 2 lime green 1x3 jumper plates, 1 in front of the other, on top so together they are centered horizontally and vertically.

Step 17

Vertically place a lime green 1x2 brick on the leftmost column so it is centered vertically. Then repeat symmetrically to the right.

Step 18

Vertically place a lime green 1x2 plate with a clip upright on the left-facing side stud so the clip faces up. Then repeat symmetrically to the right.

Step 19

Flip your build over so it is right side up and the bottom-facing clips are on the left and right. Now stack 2 lime green 1x1 plates on top so they are centered horizontally and vertically.

Step 20.1

Place a tan 1x1 slope tile on the leftmost column so it is centered vertically and slopes to the right. Then repeat symmetrically to the right.

Group 11 - Mike

Step 20.2

Place a lime green 1x1 slope tile to the left of the ppp so it slopes to the right. Then repeat symmetrically to the left. Then place a lime green 1x1 slope tile on the front row so it is centered horizontally and slopes to the front. Then repeat symmetrically to the back.

Step 21.1

Let's make a part! Let's make the platform! Place a black 6x6 plate in front of you. Then place 2 black 2x2 tiles with a stud, 1 to the right of the other, on top so together they are centered vertically and horizontally. Now horizontally place a black 1x4 tile on the 2nd row from the front so it is centered horizontally. Then repeat symmetrically to the back.

Step 21.2

Place your figure on top so it is centered horizontally and vertically! Now put it away while we make the next figure!

Building Instructions (Bag 4, Book 3):

Group 12 - Boo

Step 1

Stack 2 pink 3x3 plates in front of you.

Step 2

Horizontally place a pink 1x3 brick on the back row.

Step 3

Place a light blue 1x1 round brick on the 2nd row from the front so it is centered horizontally. Then place a light grey 1x1 brick with a side stud and bottom lip to the left of the ppp so the side stud faces the left. Then repeat symmetrically to the right.

Step 4

Horizontally place a pink 1x3 brick on the front row.

Step 5

Place a pink 1x1 brick with a side stud on the back row so it is centered horizontally and the side stud faces the back. Then place 1 on the back left corner so the side stud faces the left. Now repeat symmetrically to the right.

Step 6

Place a lime green 1x1 brick on the 2nd row from the front so it is centered horizontally. Then place a pink 1x1 brick with a side stud to the left of the ppp so the side stud faces the left. Then repeat symmetrically to the right.

Step 7

Place a pink 1x1 brick with a side stud on the front row so it is centered horizontally and the side stud faces the front. Then place 1 on the front left corner so the side stud faces the left. Now repeat symmetrically to the right.

Step 8

Place a dark grey 1x1x2 brick with 2 side studs on the back row so it is centered horizontally and the side studs face the back. Then place a white 1x1 round brick with a side stud on the back left corner so the side stud faces the left. Then repeat symmetrically to the right.

Group 13 - Boo

Step 9

Place a green 1x1 plate on the 2nd row from the front so it is centered horizontally. Then place a yellow 1x1 round plate on top of the ppp. Now place a light pink 1x1 brick on top of the ppp.

Step 10

Place a dark grey 1x1x2 brick with 2 side studs on the front row so it is centered horizontally and the side studs face the front. Then place a white 1x1 round brick with a side stud on the front left corner so the side stud faces the left. Then repeat symmetrically to the right. Now place a dark grey 1x1x2 brick with 2 side studs on the leftmost column so it is centered vertically and the side studs face the left. Then repeat symmetrically to the right.

Step 11

Place a black 1x1 brick with a side stud and bottom lip on the front left corner so the side stud faces the left. Then repeat symmetrically to the right. Now place an orange 1x1 brick with 2 side studs on the back left corner so the side studs face the left and back. Then repeat symmetrically to the right.

Step 12

Place a black 3x3 plate on top so it is centered. Then vertically place a black 1x3 plate on top so it is centered horizontally and vertically.

Group 14 - Boo

Step 13

Place a pink 1x1 plate upright on the bottom right-facing side stud. Then place a light nougat 1x1 plate with a clip upright on the ppp so the clip faces down. Then repeat both parts symmetrically to the left. These are her arms!

Step 14.1

Let's make a part! Place a black 3x3 plate in front of you. Then horizontally place a black 1x3 plate on the back row. Now horizontally place a black 2x3 tile on the front 2 rows.

Step 14.2

Place your part upright on the 3 front-facing side studs so it is centered horizontally and the studs are on top. This is the back of her head!

Building Instructions (Bag 5, Book 3):

Group 15 - Boo

Step 15

Rotate your build 90 degrees clockwise so the previous part faces the left. Insert the bar of a black 1x1 round plate with a bent bar underneath upright into the top left front-facing side stud so the stud faces up. Then place a black 1x1 plate upright below the ppp. Now place a black 1x1 tile upright below the ppp. Then place a black 1x1 plate upright on the top row of front-facing side studs so it is centered horizontally.

Group 16 - Boo

Step 16

Vertically place a light nougat 1x2 slope tile upright below the ppp so it slopes to the left. Then place a light nougat 1x1 tile upright, to the right of the bottom row of the ppp.

Group 17 - Boo

Step 17

Rotate your build 180 degrees. Insert the bar of a black 1x1 round plate with a bent bar underneath upright into the top right front-facing side stud so the stud faces up. Then place a black 1x1 plate upright below the ppp. Now place a black 1x1 tile upright below the ppp. Then place a black 1x1 plate upright on the top row of front-facing side studs so it is centered horizontally. This is the side of her head! Later we will put her pony tails on the 1x1 round plate with a bent bar!

Group 18 - Boo

Step 18

Vertically place a light nougat 1x2 slope tile upright below the ppp so it slopes to the right. Then place a light nougat 1x1 tile upright, to the left of the bottom row of the ppp.

Step 19

Rotate your build 90 degrees clockwise so the bottom-facing clips are on the left and right and the upright 2x3 tile faces the back. Now place a black 1x1 plate with an upright side stud, upright on the top left front-facing side stud so the side stud faces up. Then horizontally place a black 1x2 plate with 2 upright side studs, upright to the right of the ppp so the side studs face up. Now horizontally place a light nougat 2x3 plate upright below the 2 ppp so it is centered horizontally.

Step 20

Horizontally place a light nougat 1x3 plate upright on the top row of front-facing side studs. Then place a light nougat 1x1 tile upright below the ppp so it is centered horizontally. Now place a light nougat 1x1 plate upright to the left of the ppp. Then repeat symmetrically to the right. Now horizontally place a light nougat 1x3 tile upright below the 2 ppp so it is centered horizontally.

Group 19 - Boo

Step 21

Horizontally place a black 1x3 tile on the front row. Then place a black 1x1 tile upright on the top left front-facing side stud. Then repeat symmetrically to the right. Now place a black 1x1 tile with a round side upright in between the 2 ppp so the round side faces down.

Step 22

Place a black 1x1 round tile printed with an eye upright on the left front-facing side stud. Then repeat symmetrically to the right.

Step 23

Rotate your build 90 degrees clockwise so the eyes face the left. Now place a black 2x2 corner tile upright on the top left front-facing side studs so 1 column overhangs to the left and it looks like the braille letter d. Then repeat symmetrically to the back.

Step 24.1

Let's make 2 identical parts! Place a pink 1x1 round plate in front of you. Then vertically place a black 1x1 plate with a 1x1 sloped curved brick on top so it slopes and overhangs to the front. Now place a black 1x1 tile with a round side on top so the round side faces the back.

Step 24.2

Now you should have 2 identical parts! Vertically place 1 part upright on the top right bent front-facing side stud so it slopes and overhangs to the front. Then repeat symmetrically to the back. These are pony tails!

Step 25

Flip your build upside down and orient it so the eyes face the front. Now horizontally place 2 light magenta 1x3 jumper plates, 1 in front of the other, on top so together they are centered horizontally and vertically.

Step 26

Vertically place a white 1x2 plate on the leftmost column of the 2 ppp so it is centered vertically. Then repeat symmetrically to the right.

Step 27.1

Let's make a part! Let's make the platform! Place a black 6x6 plate in front of you. Then place 2 black 2x2 tiles with a stud, 1 to the right of the other, on top so together they are centered vertically and horizontally. Now horizontally place a black 1x4 tile on the 2nd row from the front so it is centered horizontally. Then repeat symmetrically to the back.

Step 27.2

Flip your figure over so it is right side up and the eyes face the front. Then place your figure on top so it is centered horizontally and vertically!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

At the end of the instruction booklets, there are no ads.