

## **42694 Pizza Truck**

Adapted by John Le and tested by Natalie Charbonneau.

Give kids an extra slice of fun with the LEGO® Friends Pizza Truck (42694) building set, a great gift idea for girls and boys ages 6 and up. Young chefs can have lots of fun role-playing stories with Olly and Aliya minidolls, as well as Aira the puppy. Place one of the characters inside the colorful van, then get creative and use the colorful toppings to create unique combinations. Expand the fun with realistic details, including a table, pizza box, menu, phone and puppy food. There's no better way to act out stories with friends than over hot, delicious pizza.

**PIZZA FOOD TRUCK TOY** – Feed kids' imaginations with this LEGO® Friends Pizza Truck (42694) building set packed with pretend play accessories.

**CUSTOMIZE THE PIZZAS** – Kids can get creative choosing different toppings before cooking the pizza in the oven and serving it from a colorful van topped with a giant decorative slice.

**2 LEGO® FRIENDS MINIDOLLS** – Inspire endless opportunities for friendship stories and creative play with Olly and Aliya, plus a puppy figure.

**ROLE-PLAY ACCESSORIES** – Girls and boys can act out realistic customer stories with lots of details, including a table, pizza box tile, toppings, menu, a phone, plus food for the puppy.

**DIMENSIONS** – This 190-piece set includes a pizza van that measures over 3.5 in. (9 cm) high, 4.5 in. (12 cm) long and 2.5 in. (7 cm) wide.

The front of the box shows a pink, red, and white pizza truck that has its own oven! It has a huge pizza logo on top of the truck! The worker is in the truck, making a pizza to give to his friend!

The back of the box shows Olly in his truck making a pizza on a pizza pan to put into the oven!

The top of the box shows a real size image of the worker! He has light blue shoes, light brown shorts, a white and red checkered shirt, light blue eyes, glasses, blonde hair, and a red hat!

The build is 190 pieces in total and is for ages 6+.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: <https://bricksfortheblind.org/help-with-screen-readers>. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.

- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

**Axles** - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

**Pins** - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

**Technic brick** - a brick which contains one or more holes which accept technic pins.

**Lift-arms** - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

**Gears** - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

**Axle and Pin Connectors** - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have

a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/42694>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 4 bags labeled 1 to 4, 2 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Aliya, Table, Sign, and Truck

Group 1 - Pages 5-7 and 1 transparent aqua 1x1 round tile from Page 9.

Group 2 - Pages 8-9.

Group 3 - Page 10.

Group 4 - Steps 1-10 and 1 lime green 2x3 plate from Step 11.

Group 5 - Rest of Step 11 and Steps 12-14.

Bag 2 - Truck

Group 6 - Steps 15-23.

Group 7 - Steps 24-30.

Group 8 - Steps 31-37.

Group 9 - Steps 38-47.

Bag 3 - Olly, Pizza Oven, and Truck

Group 10 - Page 3.

Group 11 - Steps 48-59.

Group 12 - Steps 60-68 and 2 white 1x2 sloped curved tiles from Step 69.

Group 13 - Rest of Step 69.

Bag 4 - Truck  
Group 14 - Steps 70-80.  
Group 15 - Steps 81-83.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Aliya

Sub-build 1. Locate 1 light brown pair of legs printed with sand blue shoes and a blue skirt, 1 light brown torso printed with a sand blue shirt and pink flowers, 1 light brown head printed with brown eyes, lips, and nose, and eyelashes, and 1 brown hair. Assemble your minifigure then put her away while we make a table!

You will have an extra transparent aqua 1x1 round tile. Save it for later !

Group 2 - Table

Step 1

Horizontally place a lime green 2x3 plate in front of you. Then place a white 2x2 round table on the 2 leftmost columns.

Step 2

Place a pink 2x2 plate on top of the ppp.

Step 3

Place a tan 2x2 round tile printed with a pepperoni pizza on top of the ppp.

Step 4

Vertically place a yellow 1x2 rounded plate on the rightmost column. Then place a transparent aqua 1x1 round tile from group 1 on the front row of the ppp. This is water! Then place a brown 1x1 round tile printed with dog food behind the ppp. Now put your table away while we make a sign!

Group 3 - Sign

Step 1

Place a light nougat 2x2 tile with an upright 1x2 plate in front of you so the side studs face the front.

### Step 2

Vertically place a pink 2x3 tile with a sticker upright on the front-facing side studs so 2 rows overhang to the top.

### Step 3

Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the pink 2x3 tile. This sticker has a menu on it! It has cheese pizza for 7 dollars, veggie pizza for 8 dollars, and a pepperoni pizza for 9 dollars! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

## Group 4 - Pizza Truck

### Step 1

Let's make the pizza truck! Horizontally place a black 6x12 car base with axle holes in front of you. Then insert a tan 2L pin axle into the leftmost front-facing axle hole so the pin faces the front. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.

### Step 2

Vertically place a pink 1x2 brick on the rightmost column so it is centered vertically.

### Step 3

Vertically place a light grey 1x2 grill tile on the 3rd column from the right so it is centered vertically.

### Step 4

Horizontally place a pink 2x4 brick with a mudguard on the front right corner so 1 row overhangs to the front and the mudguard faces the front. Then repeat symmetrically to the back.

### Step 5

Vertically place a white 1x2x3 brick on the 4th column from the right so it is centered vertically.

### Step 6

Horizontally place a pink 1x4 plate on the front row, to the left of the 2x4 brick with a mudguard. Then repeat symmetrically to the back.

### Step 7

Horizontally place a pink 1x4 brick on the back row, on top of the ppp.

#### Step 8

Vertically place a white 1x3 inverted slope brick on the front row of the 5th column from the right so it slopes and overhangs 2 rows to the front.

#### Step 9

Horizontally place a pink 1x2 brick on the front row, to the left of the ppp. Then vertically place a white 1x3 inverted slope brick to the left of the ppp so it slopes and overhangs 2 rows to the front.

#### Step 10

Place a yellow 2x2 brick on the 2 leftmost columns so it is centered vertically.

#### Step 11.1

Horizontally place a lime green 2x3 plate to the right of the ppp so it is centered vertically.

#### Group 5 - Pizza Truck

#### Step 11.2

Horizontally place a red 2x3 plate on top of the ppp. Then vertically place a brown 1x2 panel with a middle wall on the leftmost column of the ppp so the middle wall faces the right. Then place a brown 2x2 tile to the right of the ppp.

#### Step 12

Horizontally place a pink 2x4 brick with a mudguard on the front left corner so 1 row overhangs to the front and the mudguard faces the front. Then repeat symmetrically to the back.

#### Step 13

Horizontally place a white 2x6 plate on the back 2 rows so it is centered horizontally. Then place 1 on the 3rd and 4th rows from the front so it is centered horizontally. Make sure to count the overhang from the inverted slope bricks as the first 2 rows!

#### Step 14

Horizontally place a white 2x4 tile with 2 studs in front of the ppp so it is centered horizontally on the inverted slope bricks.

#### Building Instructions (Bag 2, Book 1):

#### Group 6 - Pizza Truck

#### Step 15

Let's make a part! Let's make the back bumper! Horizontally place a black 1x2 plate with 2x6 side studs hanging down in front of you so the side studs face the front. Then horizontally place a blue 2x4 plate upright on the front-facing side studs so it is centered horizontally.

#### Step 16

Place a transparent red 1x1 dome upright on the top left front-facing side stud. Then repeat symmetrically to the right.

#### Step 17

Horizontally place a pink 1x4 tile upright on the top row of front-facing side studs so it is centered horizontally.

#### Step 18

Horizontally place a white 1x1 plate with a 1x1 sloped curved brick upright on the bottom left front-facing side studs so it slopes to the left. Then repeat symmetrically to the right.

#### Step 19

Horizontally place a light grey 1x2 grill tile upright on the bottom row of front-facing side studs so it is centered horizontally.

#### Step 20.1

Horizontally place a white 1x4 tile with 2 studs and a sticker upright on the bottom row of front-facing side studs so it is centered horizontally.

20.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the white 1x4 tile with 2 studs. This sticker is a license plate that says Pizza! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

#### Step 21

Rotate your main build 90 degrees clockwise so the 2x4 tile with 2 studs is on the left. Then horizontally place your part on the front row so it is centered horizontally and the side studs face the front. Then rotate your build 90 degrees counterclockwise so the previous part faces the right.

#### Step 22

Vertically place the left column of a white 2x6 plate with a round side on the rightmost column of studs so it is centered vertically and the round side faces the right.

### Step 23

Horizontally place a light grey 1x2 grill tile on the 2nd row from the front, to the left of the ppp. Then repeat symmetrically to the back.

## Group 7 - Pizza Truck

### Step 24

Let's make a part! Let's make the front bumper! Horizontally place a black 1x2 plate with 2x6 side studs hanging down in front of you so the side studs face the front. Then place a transparent 1x1 dome upright on the top left front-facing side stud. Then repeat symmetrically to the right.

### Step 25

Place a light grey 2x2 plate upright on the front-facing side studs so it is centered horizontally.

### Step 26

Vertically place a light grey 1x2 grill tile upright to the left of the ppp. Then repeat symmetrically to the right.

### Step 27

Horizontally place a white 1x1 plate with a 1x1 sloped curved brick upright on the bottom left front-facing side studs so it slopes to the left. Then repeat symmetrically to the right.

### Step 28

Place a light grey 2x2 round tile upright on the front-facing side studs so it is centered horizontally.

### Step 29.1

Horizontally place a white 1x4 tile with 2 studs and a sticker upright on the bottom row of front-facing side studs so it is centered horizontally.

29.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the white 1x4 tile with 2 studs. This sticker is a license plate that says Pizza! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

### Step 30

Rotate your main build 90 degrees counter clockwise so the 2x4 tile with 2 studs is on the right. Then horizontally place your part on the front row so it is centered vertically and the side studs face the face. Then rotate your build 90 degrees clockwise so the previous part faces the left.

## Group 8 - Pizza Truck

### Step 31

Vertically place the right column of a white 2x6 plate with a round side on the leftmost column of studs so it is centered vertically and the round side faces the left.

### Step 32

Horizontally place a pink 2x3 tile on the 3 rightmost columns so it is centered vertically. Then place a pink 1x2 curved tile in front of the rightmost column of the ppp so the curve faces the front right. Then repeat symmetrically to the back.

### Step 33

Place a pink 1x1 tile on the back row, to the left of the ppp. Then repeat symmetrically to the front.

### Step 34

Horizontally place 2 pink 1x4 bricks, 1 to the left of the other, on the back row, to the left of the previous 1x1 tile.

### Step 35

Vertically place a tan 2x4 tile on the 4th and 5th columns from the right so it sits to the left of the 2x3 tile and is centered vertically.

### Step 36

Place a tan 1x1 slope tile to the left of the front row of the ppp so it slopes to the left. Then repeat symmetrically to the back.

### Step 37

Horizontally place a pink 1x2 brick on the front row, in front of the previous 2x4 tile.

## Group 9 - Pizza Truck

### Step 38

Place a light grey 1x1 tile printed with a keypad to the left of the ppp.

#### Step 39

Vertically place a pink 1x2 sloped curved brick on the leftmost column so it is centered vertically and slopes to the left.

#### Step 40

Vertically place a pink 1x4 plate to the right of the ppp so it is centered vertically.

#### Step 41

Vertically place a yellow 1x2 plate with 2 clips on top of the ppp so it is centered vertically and the clips face the right. Now attach a black T-shaped bar to the 2 right-facing clips so the single bar faces the right. Now attach a black steering wheel to the right-facing bar.

#### Step 42

Place a pink 2x2 corner sloped curved brick on the front left corner so it slopes to the front left. Then repeat symmetrically to the back.

#### Step 43

Vertically place a pink 1x4 tile on the leftmost column of studs.

#### Step 44

Place a light grey 1x1 brick with an axle hole on the front left corner, to the right of the 2x2 sloped curved brick so the axle hole faces the front and back. Now insert the bar of a light grey 1x1 round plate with a bar into the front-facing axle hole so the stud faces the left. Now place a pink 1x1 round tile upright on the left-facing side stud of the ppp.

#### Step 45

Repeat the previous step symmetrically to the back. These are mirrors!

#### Step 46

Horizontally place a pink 1x2 brick on the front row of the 2nd and 3rd columns of studs from the left so it sits to the right of a 1x1 brick with an axle hole.

#### Step 47

Place the front row of a tan 2x2 tile printed with a pizza to the right of the ppp. Now put your pizza truck away while we make the next part!

Building Instructions (Bag 3, Book 2):

## Group 10 - Olly

Sub-build 2. Locate 1 tan pair of legs printed with sand blue shoes and light brown shorts, 1 tan torso printed with a red and white checkered shirt, 1 tan head printed with light blue eyes, glasses, mouth, and nose, and 1 blonde hair with a red hat. Assemble your minifigure then put him away while we make the pizza oven!

## Group 11 - Pizza Oven

### Step 48

Let's make a part! Let's make a pizza oven! Horizontally place a brown 2x6 plate in front of you.

### Step 49

Vertically place a dark grey 1x2 plate with a hinge on the rightmost column so the hinge faces the right. Then repeat symmetrically to the left.

### Step 50

Place 2 light grey 1x1 short bricks, 1 in front of the other, on the rightmost column.

### Step 51

Vertically stack the front 2 rows of 2 light grey 1x4 hinge plates on the leftmost column so they overhang 2 rows to the back and the round hinge part faces the left.

### Step 52

Horizontally place a light grey 2x3 stair plate on the 3 rightmost columns so the higher side is on the right. Then repeat symmetrically to the left.

### Step 53

Horizontally place a dark grey 1x2 panel on the 2nd row from the front so it is centered horizontally and the wall faces the back. Then place a dark grey 2x2 tile with a round side in front of the ppp so the round side overhangs to the front.

### Step 54

Horizontally place 2 light grey 1x4 arch bricks, 1 in front of the other, on the front 2 rows so together they are centered horizontally.

#### Step 55

Vertically place a light grey 1x2 sloped curved brick on the rightmost column so it slopes to the right. Then repeat symmetrically to the left.

#### Step 56

Place a light grey 2x2 half dome brick on the front 2 rows so it is centered horizontally.

#### Step 57.1

Attach a brown axle connector with 2 hinge fingers to the right-facing hinge so the axle hole faces the right. Then insert a dark tan 3L axle with a stud into the right-facing axle hole so the stud faces the right.

57.2. Place a dark red 1x1 round plate upright on the right-facing side stud. Then place a light brown 1x1 round tile upright on the ppp.

#### Step 58

Lift your part upright so the 1x1 round tile faces up.

#### Step 59.1

Bring back your main build and make sure it is horizontal in front of you so the sloped curved side faces the left. Now orient the overhang in the back left corner of your part to the left so it is horizontal. Now horizontally place the overhang of your part on the 1x2 brick that is on the front row of the 4th and 5th columns from the right so your part overhangs to the right.

59.2. Rotate your part 90 degrees counterclockwise so it is vertical and centered vertically on the 2nd and 3rd columns from the right of the build.

#### Group 12 - Pizza Truck

#### Step 60

Place a red 1x1 brick on the back row, to the left of the previous part. Then horizontally place a red 1x2 plate to the left of the front row of the oven assembly.

#### Step 61

Vertically place a red 1x6 arch brick on top of the 2 ppp so it is centered vertically.

#### Step 62.1

Let's make 3 identical parts! Horizontally place a red 1x2x2 window frame in front of you so the ridged side faces the back. Then attach a transparent pane to the back-facing side of the window frame.

62.2. Now you should have 3 identical parts! Horizontally place them, 1 to the left of the other, on the back row, to the left of the ppp so the window panes face the back.

#### Step 63

Place a red 1x1 brick on the front row of the 3rd column of studs from the left.

#### Step 64

Horizontally place the leftmost column of a red 1x6 arch brick on top of the ppp.

#### Step 65

Vertically place a transparent 2x6x2 windshield to the left of the ppp so it is centered vertically and slopes to the left.

#### Step 66

Vertically place a light grey 1x2 grill tile on the 3rd column of studs from the right so it is centered vertically and sits to the left of the 2x2 half cone brick. Then place the right column of a white 2x2 corner tile in front of the ppp so it looks like the braille letter j. Then repeat symmetrically to the back.

#### Step 67

Horizontally place a white 1x4 tile with 2 studs on the back row, to the left of the ppp.

#### Step 68

Place the back row of a white 2x2 corner tile to the left of the ppp so it looks like the braille letter f. Then vertically place a white 1x2 plate in front of the left column of the ppp. Now place the left column of a white 2x2 corner tile in front of the ppp so it looks like the braille letter h.

#### Step 69.1

Vertically place a white 1x2 sloped curved tile to the right of the front row of the ppp so it slopes and overhangs to the front.

You will have an extra white 1x2 sloped curved tile. Save it for later!

#### Group 13 - Pizza Truck

#### Step 69.2

Vertically place a red 1x2 sloped curved tile to the right of the ppp so it slopes and overhangs to the front. Then vertically place a white 1x2 sloped curved tile from group 12 to the right of the ppp. Now vertically place another red 1x2 sloped curved tile to the right of the ppp.

## Building Instructions (Bag 4, Book 2):

### Group 14 - Pizza Truck

#### Step 70

Let's make a part! Vertically place a tan 2x4 plate in front of you. Let's make the roof!

#### Step 71

Vertically place a white 4x6 car roof on the left column so it is centered vertically and slopes and overhangs 3 columns to the left. Then repeat symmetrically to the right.

#### Step 72

Stack 2 white 2x2 plates on top so they are centered horizontally and vertically. Now place a light brown 2x2 tile with an upright 1x2 plate on top of the ppp so the studs face the front. Then place a yellow 2x2 inverted sloped curved tile upright on the back-facing anti-studs so it slopes and overhangs 1 row to the top. Now place a tan 2x2 round plate upright on the 2x2 front-facing side studs.

#### Step 73

Let's make a part! Let's make a pizza! Horizontally place a yellow 2x6 plate in front of you.

#### Step 74

Horizontally place a yellow 2x6 left wedge plate on the front row so it is centered horizontally, the angled side faces the front, and the short side faces the left. Then repeat symmetrically to the back.

#### Step 75

Vertically place a light grey 1x4 half cylinder brick on the rightmost column so it is centered vertically.

#### Step 76.1

Place a red 2x2 round tile with a sticker to the left of the back 2 rows of the ppp. Then place another 1 on the 2 leftmost columns.

76.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 1 on each of the red 2x2 round tiles. These stickers have a tomato on them! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

#### Step 77

Place a white 1x1 round tile on the rightmost stud. Then place a green 1x1 round flower plate to the left of the ppp. Now place a white 1x1 round tile on the back stud, to the left of the ppp.

#### Step 78

Place a green 1x1 round plate with 3 leaves on top of the right stud of the front row so the leaves face the back.

#### Step 79

Horizontally place your part upright on the front-facing side studs of the previous part so it is centered horizontally and the short end faces the left.

#### Step 80

Horizontally place your part on top of the main build to the left of the 2x2 half dome brick so it is centered vertically and the pizza faces the front.

#### Group 15 - Pizza Truck

##### Step 81.1

Let's make 4 identical parts! Insert a white wheel into a black tire, then place it in front of you so the stud faces up. Now place a black 1x1 round plate on top. Then place a red 2x2 round tile with a sticker on top so it is centered.

81.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 1 on each of the 4 red 2x2 round tiles. These stickers have a tomato on them! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

81.3. Now you should have 4 identical parts! Attach 1 wheel to the leftmost front-facing pin so the 2x2 round tile faces the front. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.

##### Step 82.1

Let's make a part! Horizontally place a tan 2x4 plate in front of you. Then place a yellow 1x1 slope tile on the front right corner so it slopes to the front. Now place a red 1x1 cone brick behind the ppp. Then place a light grey 1x1 round tile with an upright bar on top of the ppp.

82.2. Horizontally place your part on the front 2 rows so it is centered horizontally.

### Step 83

Let's make a part! Place a light brown 1x1 round plate with a bar in front of you so the bar faces the left. Then place a tan 2x2 round plate on top so it is centered. You have a bunch of extra 1x1 round plates, 1x1 round flower plates, and 1x1 round tiles. You can place these on top of the previous 2x2 round plate to make a custom pizza!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at [info@bricksfortheblind.org](mailto:info@bricksfortheblind.org) and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

At the end of the instruction booklets are advertisements for the following 9 LEGO Friends Theme kits:

42704 Heartlake City Grand Hotel

42700 Ferris Wheel

42676 Fun Water Park Day

42693 Creative Flower Shop

42684 Unicorn Dream Café

42687 Liann's Family House

42695 Horse & Baby Foal Trailer

42688 Horse Stable and Riding Academy

42652 Friends Friendship Tree House Hangout