

43294 Rapunzel's Mini Tower

Adapted by John Le and tested by Natalie Charbonneau.

Take play to new heights with this Rapunzel's Mini Tower (43294) LEGO® I Disney Princess building toy for Tangled fans ages 5 years old and up. This micro-world playset for girls and boys comes with 3 LEGO I Disney Princess characters: Rapunzel, Flynn and Pascal, to inspire storytelling. As they create their own stories, kids can gain confidence and stretch their imaginations. There are lots of creative accessories, including a frying pan, magic flower and much more. The compact tower can hold the characters and accessories safely inside, closed and locked with the key, making it great for on-the-go fun.

DISNEY PRINCESS BUILDING TOY FOR KIDS – This Rapunzel's Mini Tower (43294) set offers girls and boys ages 5 years old and up a simplified creative experience packed with storytelling details.

PRETEND PLAY ACCESSORIES – Kids can create the lockable mini-tower and discover a frying pan, magic flower, easel and paintbrush to inspire hours of play.

FEATURES AND FUNCTIONS – Open the lock function of the tower with the key and reveal the 2 sides and 4 small rooms; one side includes a window with opening shutters.

3 FAMILIAR MOVIE CHARACTERS – Young Disney Princess fans can play out their favorite movie scenes or imagine new stories with Rapunzel, Flynn and Pascal the chameleon.

DIMENSIONS – This 171-piece towerbuilding toy measures over 6 in. (15 cm) high and 3 in. (8 cm) wide and deep when closed.

The front of the box shows Rapunzel's mini tower! It is yellow with a light nougat base and a violet roof! Rapunzel is outside playing with her chameleon! And Flynn is coming to her holding a crown!

The back of the box shows Rapunzel's mini tower! It shows that there is a key that can be used to enclose the build and lock it!

The top of the box shows a real size image of Rapunzel!

The build is 171 pieces in total and is for ages 5+.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.

- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/43294>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 2 bags labeled 1 to 2, 2 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 – Rapunzel, Pascal, Painting, and Tower

Group 1 – Page 5.

Group 2 – Steps 1-2 and 1 green 1x1 round tile from Step 3.

Group 3 – Rest of Step 3 and Steps 4-5.

Group 4 – Steps 1-12.

Group 5 – Steps 13-23.

Group 6 – Step 24.

Group 7 – Steps 25-32.

Group 8 – Steps 33-42.

Bag 2 – Flynn, Bed, and Tower

Group 9 – Page 3.

Group 10 – Steps 1-5.

Group 11 – Steps 1-7.

Group 12 – Steps 8-19 and 1 magenta 1x1 round flower plate from Step 20.

Group 13 – Rest of Step 20, Steps 21-25, and 2 light magenta 1x1 round flower plates from Step 26.

Group 14 – Rest of Step 26 and Steps 27-33.

Group 15 – Steps 34-45.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 – Rapunzel and Pascal

Sub-build 1. Locate a light tan body printed with a pink dress and a light tan head printed with 2 light blue eyes, pink lips, nose, and eyelashes. Assemble your minifigure then put her in front of you. Now place a green chameleon printed with orange eyes next to her! Now put them both away while we make a painting!

Group 2 – Painting

Step 1

Place a magenta 2x2 plate in front of you.

Step 2

Horizontally place a tan 1x2 tile with an overhead bar on the back row so it slopes to the front.

Step 3.1

Place a green 1x1 round tile on the left column.

Group 3 – Painting

Step 3.2

Place a pink 1x1 round tile on the right column.

Step 4.1

Let's make a part! Horizontally place a yellow 1x2 plate with 2 clips in front of you so the clips face the front. Now horizontally place a lime green 1x2 plate with a clip on top so the clip faces the right. Then vertically place a white 2x3 tile printed with a green chameleon in a pink dress on top so it is centered vertically.

Step 4.2

Attach the 2 front-facing clips of your part to the bar so the 2x3 tile faces the front.

Step 5

Attach a brown paintbrush with a green tip to the right-facing clip so the tip faces up. Now put it away while we make the tower!

Group 4 – Tower

Step 1

Horizontally place a green 4x8 plate with a round side in front of you so the round side faces the back. Then horizontally place a dark grey 1x2 rounded tile on the back row so it is centered horizontally.

Step 2

Horizontally place a light brown 1x2 masonry brick in front of the ppp so it is centered horizontally and the brick grooves face the back.

Step 3

Place the back row of a light nougat 1x2 curved brick to the left of the ppp so the curve faces the back left. Then repeat symmetrically to the right.

Step 4

Horizontally place a sand blue 1x2 slope brick on the front left corner so it slopes to the left. Then vertically place a gold 1x2 jumper plate with a round side on the front 2 rows, to the right of the ppp so the round side faces the left.

Step 5

Place a white 1x1 round tile with an upright bar on top of the ppp. Now horizontally place a light blue 1x2 panel on the 2nd row from the front, to the right of the ppp so the wall faces the back.

Step 6

Horizontally place a light blue 1x2 panel in front of the ppp so the wall faces the front.

Step 7

Horizontally place a light brown 1x2 plate with a clip on the front right corner so the clip faces the right. Then horizontally place a dark grey 1x1 plate with a 1x1 slope tile on top of the ppp so it slopes to the right. Now place a brown 1x1 round plate on top of the ppp.

Step 8

Horizontally place a light grey 1x2 brick with 2 sides of side studs on the 2nd row from the back so it is centered horizontally and the side studs face the front and back.

Step 9

Place the back row of a light nougat 1x2 curved brick to the left of the ppp so the curve faces the back left. Then repeat symmetrically to the right.

Step 10

Horizontally place a light blue 1x2 tile with a round side upright on the front-facing side studs so the round side faces up.

Step 11

Place a gold crown on the 1x1 round tile with an upright bar that is on the front row of the 3rd column from the left so it faces the front right.

Step 12

Place a light brown 1x1 round brick on the 2nd column from the left of the front row. Then repeat symmetrically to the right.

Group 5 – Tower

Step 13

Vertically place a brown 2x3 inverted slope brick on the 2nd row from the back so it is centered horizontally and slopes and overhangs 2 rows to the back. Now place a brown 1x2 curved brick to the left of the front row of the ppp so the curve faces the back left. Then repeat symmetrically to the right.

Step 14

Horizontally place a brown 1x2 inverted slope brick on the 2nd column from the left of the front row so it slopes and overhangs to the left. Then repeat symmetrically to the right.

Step 15

Let's make a part! Horizontally place a light brown 4x8 plate with a round side and a 2x2 gap on top in front of you so the round side faces the front.

Step 16

Vertically place a tan 2x6 plate underneath the ppp so it is centered horizontally and 2 rows are exposed to the front.

Step 17

Place a tan 2x2 tile with 2 studs on the back right corner so the studs are on the right.

Step 18

Horizontally place a tan 2x4 tile with 2 studs on the back 2 rows, to the left of the ppp. Then horizontally place a light brown 1x2 plate with a clip on the back left corner so the clip faces the left. Now horizontally place a brown 1x2 plate in front of the ppp.

Step 19

Place a light brown 2x2 quarter circle plate on the left column of the front 2 rows so it overhangs 1 column to the left and the curve faces the front left. Then repeat symmetrically to the right.

Step 20

Place 2 gold 1x1 round flower plates, 1 to the right of the other, on the front row. Then place a gold 1x1 round flower plate on the leftmost column of the 2nd row from the front. Then repeat symmetrically to the right.

Step 21

Horizontally place a light blue 1x2 tile with a round side on the 2nd row from the front so it is centered horizontally and the round side faces the front.

Step 22

Place a gold 1x2 curved tile on the 2 leftmost columns of the front 2 rows so the curve faces the front left. Then repeat symmetrically to the right.

Step 23

Rotate your part 180 degrees so the round side faces the back. Now horizontally place your part on top of your main build so it is centered horizontally. The front row of your part should sit on the 2 1x2 inverted slope bricks!

Group 6 – Tower

Step 24

Rotate your build 180 degrees. Now place a green 1x1 round plate with 3 leaves on the left front-facing side stud so the leaves face the bottom left. Then place a magenta 1x1 round flower plate upright to the right of the ppp.

Group 7 – Tower

Step 25

Place a light magenta 1x1 round flower plate upright on the left front-facing side stud.

Step 26

Let's make a part! Horizontally place a light yellow 2x8x5 curved door frame in front of you so the side studs face the front.

Step 27

Vertically place a violet 1x4 tile upright on the left column of front-facing side studs. Then repeat symmetrically to the right.

Step 28

Horizontally place your part on the 3rd and 4th rows from the back so it is centered horizontally and the upright tiles face the front. The curved corners of the window frame should follow the curve of the plate it sits on!

Step 29.1

Let's make a part! Horizontally place a light brown 1x2 brick with a side stud in front of you so the side stud faces the front. Then place a pink 1x1 round tile upright on the front-facing side stud. Then horizontally place a brown 1x2x2 panel with a window on top of the ppp so the wall faces the back.

Step 29.2

Attach a gold lattice window pane to the ppp. Then horizontally place a light yellow 1x2 brick on top.

Step 29.3

Rotate your main build 180 degrees. Then vertically place your part on the front left corner so the upright 1x1 round tile faces the right.

Step 30.1

Let's make a part! Horizontally place a light yellow 1x2 brick in front of you. Then horizontally place a brown 1x2x2 panel with a window on top of the ppp so the wall faces the back. Now attach a gold lattice window pane to the ppp. Then horizontally place a light yellow 1x2 brick on top.

Step 30.2

Vertically place your part on the front right corner so the wall of the 1x2x2 panel with a window faces the right.

Step 31

Horizontally place a brown 1x2 plate on the 4th row from the front so it sits on the door frame and is centered horizontally.

Step 32

Place a brown 3x3 curved plate to the left of the ppp so there is no overhang. Then place a brown 1x1 round plate on the front left corner. Now repeat both parts symmetrically to the right.

Group 8 – Tower

Step 33

Let's make a part! Horizontally place a purple 4x8 trapezoid plate in front of you so the cutoff corners face the back.

Step 34

Place a violet 4x4 sloped curved brick on the 4 leftmost columns so it curves to the back left. Then repeat symmetrically to the right.

Step 35

Place a light grey 1x2 curved brick on the 2 leftmost columns of studs so the curve faces the back left. Then repeat symmetrically to the right.

Step 36

Horizontally place a gold 1x2 jumper plate with a round side on the front row so it is centered horizontally and the round side faces the back.

Step 37

Horizontally place your part on top of the main build so it is centered horizontally and it slopes to the back.

Step 38.1

Let's make a part! Place a light magenta 1x1 round flower plate in front of you. Then place a green stem with 3 tips on top so 1 of the tips face the right. Now place a yellow 1x1 flower on top of the right tip so the flower faces up and to the right.

Step 38.2

Place your part on the front row on top of the 1x2 jumper plate with a round side.

Step 39

Horizontally place a violet 2x4x4 half cone panel with a window on the front 2 rows so it is centered horizontally and slopes to the back.

Step 40

Place a transparent yellow head on top of the ppp.

Step 41

Place a gold unicorn horn on top of the ppp.

Step 42

Locate the painting you previously made and place it on the right stud of the 2x4 tile with 2 studs that is on the 2nd floor so it is centered on the stud and the 1x1 round tiles are in the front. Now put your build away while we make the next part!

Building Instructions (Bag 2, Book 2):

Group 9 – Flynn

Sub-build 2. Locate a light tan body printed with dark tan pants and a teal shirt, 1 light tan head printed with light brown eyes, nose, and a mouth, and 1 brown hair. Assemble your minifigure then put him away while we make a bed!

Group 10 – Bed

Step 1

Horizontally place a dark tan 2x4 plate in front of you.

Step 2

Horizontally place a brown 2x3 plate on the 3 leftmost columns.

Step 3

Vertically place a brown 1x2 plate with 2x2 upright side studs on the rightmost column so the side studs face the right.

Step 4

Horizontally place a magenta 2x4 tile on top.

Step 5

Vertically place a brown 2x3 pentagonal tile upright on the right-facing side studs so the angled side overhangs 1 row to the top. Now put your bed away while we make the tower!

Group 11 – Tower

Step 1

Horizontally place a green 4x8 plate with a round side in front of you so the round side faces the back. Then horizontally place a dark grey 1x2 rounded tile on the back row so it is centered horizontally.

Step 2

Horizontally place a light brown 1x2 masonry brick in front of the ppp so it is centered horizontally and the brick grooves face the back.

Step 3

Place the back row of a light nougat 1x2 curved brick to the left of the ppp so the curve faces the back left. Then repeat symmetrically to the right.

Step 4

Horizontally place a sand blue 1x2 slope brick on the front right corner so it slopes to the right.

Step 5

Horizontally place a light brown 1x2 plate with a clip on the front left corner so the clip faces the left. Then horizontally place a dark grey 1x1 plate with a 1x1 slope tile on top of the ppp so it slopes to the left. Now place a brown 1x1 round plate on top of the ppp.

Step 6

Horizontally place a light nougat 1x2 brick with 2 side studs on the 2nd row from the back so it is centered horizontally and the side studs face the back.

Step 7

Place a light nougat 1x2 curved brick to the left of the ppp so the curve faces the back left. Then repeat symmetrically to the right.

Group 12 – Tower

Step 8.1

Let's make a part! Place a red brown 2x2 brick in front of you. Then place a transparent orange 1x1 round plate on the back left corner. Then repeat symmetrically to the right. Now horizontally place a gold 1x2 jumper plate with a round side on the front row so the round side faces the front.

Step 8.2

This is a stove! Place it on the front 2 rows so it is centered horizontally and the round side of the jumper plate faces the front.

Step 9

Place a light brown 1x1 round brick on the 2nd column from the right of the front row. Then repeat symmetrically to the left.

Step 10

Place a light blue 1x1 cupcake wrapper on the front row so it sits on the 1x2 jumper plate with a round side. Then place a pink 1x1 swirl on top of the ppp.

Step 11

Horizontally place a brown 1x2 brick on the 2nd row from the back so it is centered horizontally.

Step 12

Place a brown 1x2 curved brick to the left of the ppp so the curve faces the back left. Then repeat symmetrically to the right. Now horizontally place a brown 1x2 inverted slope brick on the 2nd column from the left of the front row so it slopes and overhangs to the left. Then repeat symmetrically to the right.

Step 13

Let's make a part! Horizontally place a light brown 4x8 plate with a round side and 2x2 gap in front of you so the round side faces the back.

Step 14

Vertically place a dark tan 2x4 plate underneath the ppp so it is centered horizontally and 2 rows are exposed to the front. It should be centered vertically with the ppp.

Step 15

Place a tan 2x2 tile with 2 studs on the front right corner so the studs are on the right.

Step 16

Horizontally place a tan 2x4 tile with 2 studs to the left of the ppp.

Step 17

Horizontally place a light brown 1x2 plate with a clip on the front left corner so the clip faces the left. Then horizontally place a brown 1x2 plate behind the ppp.

Step 18

Horizontally place your part on the main build so it is centered horizontally and the round side overhangs 1 row to the back. The front row of your part should sit on 1x2 inverted slope bricks!

Step 19

Rotate your build 180 degrees. Now place a green 1x1 round plate with 3 leaves upright on the left front-facing side studs so the leaves face the bottom left. Then place 1 upright to the right of the ppp so the leaves face the top right.

Step 20.1

Place a magenta 1x1 round flower plate upright on the ppp.

Group 13 – Tower

Step 20.2

Place a light magenta 1x1 round flower plate upright to the left of the ppp.

Step 21

Let's make a part! Horizontally place a light yellow 2x8x5 curved door frame in front of you so the side studs face the front.

Step 22

Horizontally place a brown 1x4 plate upright on the top row of front-facing side studs.

Step 23

Place a brown 1x1 clip upright below the leftmost column of the ppp so the clip hands face the left and right. Then repeat symmetrically to the right.

Step 24

Horizontally place a brown 1x4 plate upright on the bottom row of front-facing side studs. Then place a brown 1x1 clip upright above the leftmost column of the ppp so the clip hands face left and right. Then repeat symmetrically to the right.

Step 25

Horizontally place a gold 1x2 grill tile upright on the bottom row of front-facing side studs so it is centered horizontally. Then horizontally place a gold 1x2 jumper plate with a round side upright on the top row of front-facing side studs so it is centered horizontally and the round side faces up.

Step 26.1

Place a light magenta 1x1 round flower plate upright on the top left front-facing side stud. Then repeat symmetrically to the right.

Group 14 – Tower

Step 26.2

Place a magenta 1x1 round flower plate upright on the front-facing 1x2 jumper plate with a round side.

Step 27.1

Let's make 2 identical parts! Vertically place a light brown 1x2 plate with a bar in front of you so the bar faces the right. Then vertically place a gold 1x2 grill tile on top.

Step 27.2

Now you should have 2 identical parts! Vertically attach the bar of 1 part to the 2 leftmost front-facing clips so the grill tile is on the right and faces the front. Then repeat symmetrically to the right. These are window shutters!

Step 28

Make sure the window is closed!

Step 29

Horizontally place a brown 1x4 double sloped curved tile upright on the bottom row of front-facing side studs so it is centered horizontally.

Step 30

Horizontally place 2 brown 1x3 rounded plates, 1 to the right of the other, on the front row so together they are centered horizontally.

Step 31

Horizontally place your part on the front 2 rows of the main build so it is centered horizontally.

Step 32

Place a green 1x1 round plate with overhanging leaves on the leftmost column of the previous part so the leaves face the front. Then repeat symmetrically to the right.

Step 33.1

Let's make a part! Horizontally place a light brown 1x2 brick with a pinhole in front of you. Then insert a light grey 2L pin with a 1L axle connector into the back-facing pinhole so the pin sticks out the front. Now horizontally place a brown 1x2x2 panel with a window on top so the wall faces the back.

Step 33.2

Attach a gold lattice window pane to the front of the ppp. Then horizontally place a light yellow 1x2 brick on top. Now horizontally place a tan 1x2 plate with a clip on top so the clip faces the back.

Step 33.3

Rotate your main build 180 degrees. Then vertically place your part on the front right corner so the clip faces the right.

Group 15 – Tower

Step 34.1

Let's make a part! Horizontally place a light yellow 1x2 brick in front of you. Now horizontally place a brown 1x2x2 panel with a window on top so the wall faces the back. Then attach a gold lattice window pane to the front of the ppp.

Step 34.2

Horizontally place a light yellow 1x2 brick on top. Then horizontally place a brown 1x2 plate on top of the ppp.

Step 34.3

Vertically place your part on the front left corner so the wall of the 1x2x2 panel with a window faces the left.

Step 35

Let's make a part! Horizontally place a purple 4x8 trapezoid plate in front of you so the cutoff corners face the back.

Step 36

Place a violet 4x4 sloped curved brick on the 4 leftmost columns so it curves to the back left. Then repeat symmetrically to the right.

Step 37

Place a light grey 1x2 curved brick on the 2 leftmost columns of studs so the curve faces the back left. Then repeat symmetrically to the right.

Step 38

Horizontally place a gold 1x2 jumper plate with a round side on the front row so it is centered horizontally and the round side faces the back.

Step 39

Horizontally place your part on top of the main build so it is centered horizontally and it slopes to the back.

Step 40

Vertically attach the back pinhole of a white 4L axle connector with 2 pinholes to the left-facing pin that is on the rightmost column so it overhangs to the front and the axle connector is on top.

Step 41

Place a black pan on top of the 1x2 jumper plate with a round side that is centered horizontally on the front row so the recessed side faces the front.

Step 42

Horizontally place a violet 2x4x4 half cone panel with a window on the front 2 rows so it is centered horizontally and slopes to the back.

Step 43

Horizontally attach a gold 1x2 rounded brick with a gap to each of the 2 left-facing clips so they overhang to the left.

Step 44

Attach a teal key with a diamond shaped handle to the top right-facing clip so the diamond shaped handle is in the front and vertical. You can insert this key into the right-facing axle hole to lift the 4L axle with 2 pinholes. This locks and unlocks the tower!

Step 45.1

Locate the previous bed you made and horizontally place it on the 2x4 tile with 2 studs that is on the 2nd floor so the 2x3 pentagonal tile is on the left.

Step 45.2

Bring back your build from the previous bag and horizontally place it in front of you so the round side faces the back and the 2 clips face the right. Now attach the 2 right-facing clips to the bars of the 1x2 rounded bricks of the current build. Now you can push the sides of the tower together to enclose it, then use your key to lock it!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

At the end of the instruction booklets are advertisements for the following 7 LEGO Disney Theme kits:

43295 Jasmine's Jewelry Box

43294 Rapunzel's Mini Tower

43299 Ariel's Royal Wedding Boat

43289 Belle & the Beast's Enchanted Castle

43292 Pua

43296 Stitch & Scrump

43297 Rapunzel's Castle