

43304 Blaze's Horse Ranch

Adapted by John Le and tested by Hannah Kinsey.

Wild West-style adventures await kids ages 4 years old and up in this LEGO® I Disney and Pixar Toy Story 5 Blaze's Horse Ranch (43304) building toy. This barn toy building set, inspired by Toy Story 5, sparks play with 6 LEGO I Disney and Pixar characters: Woody and Jessie minifigures, Bullseye the horse, Blaze's pet pig, a pony and a winged horse. There's a barn with gates, a hayloft, playhouse, veggie patch and watering trough, and a tree swing with a hidden time capsule.

TOY STORY 5 BUILDING SET – Give horse-loving kids ages 4 and up this barn toy building playset, packed with creative pretend-play choices and a fast and easy build with Starter Brick elements.

BARN, PLAYHOUSE AND TREE SWING – This Blaze's Horse Ranch (43304) building toy includes 6 LEGO® I Disney and Pixar characters, a barn with opening gates, tree swing, playhouse, horse pen and more.

BUILDING SET FUNCTIONS – The horse pen can be placed by the barn or in front of it, barn gates open, tree swing holds Jessie or Woody, plus a hidden time capsule to discover, for creative play.

CHARACTERS AND FEATURES – Featuring LEGO® I Disney and Pixar characters Woody, Jessie, Bullseye the horse, Blaze's pet pig, plus a pony and a winged horse with removable wings.

DIMENSIONS – 209-piece LEGO® I Disney and Pixar building playset includes a barn with attached playhouse that measures over 5 in. (13 cm) high, 8.5 in. (22 cm) wide and 3 in. (7 cm) deep.

The front of the box shows a red barn with a blue fence in the back! In the front, Jessie is petting a horse while Woody is getting hay with a wheelbarrow!

The back of the box shows all the accessories that the set comes with! It comes with 2 minifigures, 4 animals, a fence, a swing, a barn, tools, and crops!

The top of the box shows a real size image of Jessie!

The build is 209 pieces in total and is for ages 4+.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.

- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/43304>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 4 bags labeled 1 to 4, 4 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 – Jessie, Pony, Swing, and Fence

Group 1 – Pages 6-13.

Group 2 – Pages 14-55.

Group 3 – Pages 56-71.

Bag 2 – Winged Horse, Bullseye the Horse, and Barn

Group 4 – Pages 4-7.

Group 5 – Pages 8-43.

Group 6 – Pages 44-73.

Bag 3 – Blaze's Pet Pig, Watering Trough, and Tea Table

Group 7 – Pages 4-5.

Group 8 – Pages 6-21.

Group 9 – Pages 22-51.

Group 10 – Pages 52-63.

Bag 4 – Woody, Wheelbarrow, and Barn

Group 11 – Pages 4-9.

Group 12 – Pages 10-37.

Group 13 – Pages 38-57.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 – Jessie and Pony

Steps 6 to 7

Locate 1 blue pair of legs printed with cow print, 1 white torso printed with a brown belt, yellow collar, and a gold star, 1 light tan head printed with eyes and a smile, and 1 red hat with red hair. Assemble your minifigure then put her in front of you so the hair faces the back.

Steps 8 to 9

Horizontally attach a light orange bowtie to the little back-facing hole on the hair. Now put her away while we make a box!

Steps 10 to 13

Place a light orange 2x2 box in front of you. Then place a light grey 1x1 round tile printed with the number 5 inside. Then place a dark orange 2x2 tile on top. Now place a pink pony next to it! Now put everything away while we make the next part!

Group 2 – Swing

Steps 14 to 15

Place a green 8x8 plate in front of you.

Steps 16 to 17

Place a lime green 1x1 round flower plate on the front left corner. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.

Steps 18 to 19

Vertically place a lime green 2x6 plate on the leftmost column so it is centered vertically and 1 column overhangs to the left.

Steps 20 to 21

Vertically place a green 4x8 plate with a round side underneath the leftmost column so it is centered vertically and the round side is exposed 3 columns to the left.

Steps 22 to 23

Vertically place a light green 1x2 slope brick on the 2nd and 3rd rows from the front of the rightmost column so it slopes to the front. Then repeat symmetrically to the back.

Steps 24 to 25

Vertically place a lime green 1x2 rounded plate in between the 2 ppp so it is centered vertically.

Steps 26 to 27

Place an orange 2x2 tile with a stud on the 2nd and 3rd columns from the left so it is centered vertically. Then place a lime green 1x1 round flower plate to the left of the front row of the ppp.

Steps 28 to 29

Place a green 2x2 slope brick on the 2nd and 3rd rows from the front of the 4th and 5th columns from the left so it slopes to the front. Then repeat symmetrically to the back. They should sit on a 2x6 plate!

Steps 30 to 31

Vertically place a green 1x2 brick on the 4th column from the left so it is centered vertically.

Steps 32 to 33

Horizontally place a light green 1x2 slope brick in front of the 2x2 tile with a stud that is on the 2nd and 3rd columns from the left so it slopes to the left. Then repeat symmetrically to the back.

Steps 34 to 35

Horizontally place the left column of a green 1x2 sloped curved tile on top of the ppp so it slopes to the left. Then repeat symmetrically to the front.

Steps 36 to 37

Place 2 short brown 1x1 bricks, 1 in front of the other, in between the right column of the 2 ppp so together they are centered vertically.

Steps 38 to 39

Vertically place a lime green 1x2 rounded plate on top of the 2 ppp.

Steps 40 to 41

Horizontally place the right column of a green 1x2 rounded plate with leaves on top of the back row of the ppp so 1 column and the leaves overhang to the left.

Steps 42 to 43

Place a dark grey ball with a bar on the right column of the ppp so it goes all the way in.

Steps 44 to 45

Vertically place a brown 1x2x5 brick to the right of the ppp so it is centered vertically. Then vertically place another 1 on the rightmost column so it is centered vertically.

Steps 46 to 47

Vertically place a black 1x2 brick with a pin on top of each of the 2 ppp so the pins face inwards to the left and right.

Steps 48 to 49

Horizontally place a black swing on top of the pins of the 2 ppp so it swings back and forth.

Steps 50 to 51

Horizontally place a brown 2x8x2 curved brick with 2x2 studs and pinholes on top of the 2 1x2 bricks with pins.

Steps 52 to 53

Place a lime green 1x1 round flower plate on the front right stud of the ppp. Then place a green 1x2 rounded plate with leaves to the left of the ppp so the leaves and 1 stud overhang to the front left.

Steps 54 to 55

Place a brown 2x2 sloped curved tile on top of the 2 ppp so it slopes to the back onto the 2x8x2 curved brick. Now put your swing away while we make the fence!

Group 3 – Fence

Steps 56 to 57

Vertically place a teal ladder with 2 clips in front of you so the clips face the back. Then attach the end of another teal ladder with 2 clips to the back-facing clips so the clips face the back. Now place it upright so the 1 in the front is vertical and the clips face the back, and the 1 in the back is diagonal and the clips face the back right.

Steps 58 to 59

Attach the end of a teal ladder to the back right facing clips so it is diagonal and the clips face the front right. Then vertically attach another ladder to the front right facing clips so the clips face the front. This is the fence!

Steps 60 to 61

Let's make 2 identical parts! Place a green 2x2 brick in front of you.

Steps 62 to 63

Horizontally place a brown 1x2 plate with a clip on the back row so the clip faces the left.

Steps 64 to 65

Horizontally place a green 1x2 rounded plate with leaves on the back row so the leaves face the right.

Steps 66 to 67

Vertically place a brown 1x1 tile with a 1x1 slope tile on the left column so it slopes to the front.

Steps 68 to 71

Now you should have 2 identical parts! Attach the clip of 1 part to the 2nd rung from the front of the rightmost ladder so the leaves face the right. Then repeat symmetrically to the left. Now put everything away while we make the next part!

Building Instructions (Bag 2, Book 2):

Group 4 – Winged Horse and Bullseye the Horse

Steps 4 to 5

Place a magenta horse with pink hair in front of you so it faces the front. Now horizontally place a magenta pair of wings on top so the curves upwards to the front.

Steps 6 to 7

Place a light brown horse with brown hair, a saddle, and big eyes next to your winged horse. Now put them away while we make the barn!

Group 5 – Barn

Steps 8 to 9

Horizontally place a light brown 8x16 plate with 1x4 gaps on the sides in front of you.

Steps 10 to 11

Horizontally place a tan 1x4 plate on the front row of the 3rd to 6th columns from the left so it sits in the 1x4 gap. Then repeat symmetrically to the right.

Steps 12 to 13

Vertically place a brown 1x2 brick on the back left corner. Then repeat symmetrically to the right.

Steps 14 to 15

Vertically place a brown 1x4 brick with 3 pinholes on the rightmost column in front of the ppp so it is centered vertically. Then repeat symmetrically to the left.

Steps 16 to 17

Vertically place a tan 1x4 plate on top of each of the 2 ppp.

Steps 18 to 19

Let's make 2 identical parts! Vertically place a brown 1x2 plate with a clip in front of you so the clip faces the front. Then vertically place a teal 1x2 plate on top of the ppp. Now vertically place a brown 1x2 plate with a clip on top of the ppp so the clip faces the front. Now you should have 2 identical parts!

Steps 20 to 21

Vertically place 1 part on the front left corner so the clips face the front. Then repeat symmetrically to the right.

Steps 22 to 23

Vertically place a red 1x2x5 brick on the back left corner.

Steps 24 to 25

Vertically place a white 1x4x3 brick printed with a bunch of trophies and awards in front of the ppp so the print faces to the right.

Steps 26 to 27

Vertically place a red 1x4x2 panel on top of the ppp so the wall faces the left.

Steps 28 to 29

Vertically place a red 1x2x5 brick in front of the ppp.

Steps 30 to 31

Horizontally place a red 1x6 curved door frame on the front row to the right of the ppp so the round side of the pillars face the front.

Steps 32 to 33

Place a red 2x2 corner brick on the front left corner so it looks like the Braille letter h.

Steps 34 to 35

Horizontally place a red 1x2x5 brick on the front row to the right of the 1x6 curved door frame. Then horizontally place a red 1x6 curved door frame to the right of the ppp so the round side of the pillars face the front.

Steps 36 to 37

Vertically place a red 1x2x5 brick on the front right corner.

Steps 38 to 39

Place a red 2x2 corner brick on the front right corner so it looks like the Braille letter j.

Steps 40 to 41

Vertically place a red 1x6x5 panel on the back right corner so there is no overhang and the wall faces the right.

Steps 42 to 43

Rotate your build 180 degrees. Now vertically place a red 1x6 brick on the front left corner. Then repeat symmetrically to the right.

Group 6 – Barn

Steps 44 to 45

Place a red 1x1 brick on the 7th column from the left of the back row. Then repeat symmetrically to the right.

Steps 46 to 47

Vertically place a teal 2x4 tile on the 2nd to 5th rows from the back so it is centered horizontally.

Steps 48 to 49

Horizontally place a red 1x2x5 brick in front of the ppp.

Steps 50 to 51

Vertically place the front row of 2 1x6x2 arch bricks, 1 to the right of the other, on top of the ppp so together they are centered horizontally.

Steps 52 to 53

Horizontally place 4 white 1x4 tiles, 1 to the right of the other, on the back row so together they are centered horizontally.

Steps 54 to 55

Vertically place a yellow 1x4 tile with 2 studs on the leftmost column so it sits in front of the ppp. Then repeat symmetrically to the right.

Steps 56 to 57

Place a yellow 1x1 round tile in front of the ppp. Then repeat symmetrically to the left.

Steps 58 to 59

Vertically place a yellow 1x2 slope tile on the front left corner so it slopes to the front. Then repeat symmetrically to the right.

Steps 60 to 61

Horizontally place a teal 1x2 plate on the 2nd row from the back so it is centered horizontally. Then vertically place a teal 2x4 tile in front of the ppp.

Steps 62 to 63

Place a brown 1x1 swirl on the 2nd row from the front of the 3rd column from the right. Then place another 1 to the back left of the ppp. These are horse poops!

Steps 64 to 65

Let's make a part! Place a tan 2x2 brick in front of you. Then vertically place 2 brown 1x2 plates with a clip, 1 to the right of the other, on top so the clips face the front. Now place a light orange 2x2 box on top.

Steps 66 to 67

Place your part on the front 2 rows so it is centered horizontally and the clips face the front.

Steps 68 to 69

Attach a light blue hairbrush to the left front-facing clip so the brush faces up and the bristles face the front. Then attach a brown pitchfork to the right front-facing clip so the fork faces up.

Steps 70 to 71

Rotate your build 180 degrees. Horizontally attach the end of a teal ladder with 2 clips to the front-facing clips on the front left corner so the clips face the right. Then repeat symmetrically to the right. These are the fences!

Steps 72 to 73

Place your winged horse behind the left fence so it faces the front. Then place your other horse behind the right fence so it faces the front. Now put it away while we make the next part!

Building Instructions (Bag 3, Book 3):

Group 7 – Blaze's Pet Pig

Step 4

Place a black pig in front of you.

Step 5

Let's make 2 identical parts! Attach a green stem to an orange carrot. Now you should have 2 identical parts! Place them next to your pig! Now put everything away while we make the watering trough!

Group 8 – Watering Trough

Steps 6 to 7

Horizontally place a brown 4x8 plate in front of you.

Steps 8 to 9

Place a teal 2x2 brick on the front right corner. Then horizontally place 2 teal 1x2 log bricks, 1 to the left of the other, to the left of the back row of the ppp.

Steps 10 to 11

Horizontally place 2 dark grey 1x2 bricks with a pin, 1 to the right of the other, on the front row in front of the 2 ppp so the pins face the front. Now place 2 brown 2x2 tiles with a stud, 1 in front of the other, on the 2 leftmost columns.

Steps 12 to 13

Horizontally place a light orange 2x3 plate on the front right corner. Then horizontally place another 1 to the left of the ppp.

Steps 14 to 15

Vertically place a teal 1x2 log brick on the front right corner.

Steps 16 to 17

Vertically place a light grey 1x2 panel with 3 walls to the left of the ppp so the long wall faces the right. Then horizontally place 2 light grey 1x3 panels, 1 in front of the other, to the left of the ppp so the walls face outwards to the front and back.

Steps 18 to 19

Vertically place a light grey 1x2 panel with 3 walls to the left of the 2 ppp so the long wall faces the left.

Steps 20 to 21

Place a blue 1x1 faucet on the 2nd row from the front of the rightmost column so the handle faces the left. Now bring back your 2 previous carrots and place them on the 2x2 tiles with a stud that are on the 2 leftmost columns. Then put your trough away while we make the tea table!

Group 9 – Tea Table

Steps 22 to 23

Place a green 8x8 plate in front of you.

Steps 24 to 25

Horizontally place a white 1x2 slope brick on the back right corner so it slopes to the right.

Steps 26 to 27

Horizontally place 2 white 1x2 bricks with a pin, 1 to the left of the other, to the left of the ppp so the pins face the back.

Steps 28 to 29

Rotate your build 90 degrees counterclockwise so the pins face the left. Now place a white 1x1 brick on the 2nd row from the front of the leftmost column.

Steps 30 to 31

Place a white 2x2 inverted sloped curved brick on the front 2 rows to the right of the ppp so it curves to the front.

Steps 32 to 33

Horizontally place a white 1x2 log brick to the right of the back row of the ppp. Now horizontally place another 1 behind the ppp.

Steps 34 to 35

Vertically place a white 1x2 log brick on the 2nd and 3rd rows from the front of the rightmost column. Then place a white 2x2 inverted sloped curved brick on the front 2 rows, to the left of the ppp so it curves to the front.

Steps 36 to 37

Vertically place a white 1x4 tile on the back left corner so there is no overhang.

Steps 38 to 39

Vertically place a white 1x2x2 brick in front of the ppp.

Steps 40 to 41

Horizontally place a pink 1x2x3 curved window to the right of the front row of the ppp so the ridged side faces the front. Now horizontally place a white 1x2x2 brick to the right of the ppp.

Steps 42 to 43

Horizontally place a pink 1x2x3 curved window to the right of the ppp so the ridged side faces the front. Now vertically place a white 1x2x2 brick on the 2nd and 3rd rows from the front of the rightmost column.

Steps 44 to 45

Horizontally place 2 white 1x4 arch bricks, 1 to the right of the other, on the 2nd row from the front so together they are centered horizontally.

Steps 46 to 47

Place 2 lime green 1x1 round flower plates, 1 to the right of the other, on the 2nd and 3rd columns from the left of the front row. Then repeat symmetrically to the right.

Steps 48 to 49

Place a white 1x1 brick on the 3rd row from the front of the rightmost column. Then repeat symmetrically to the left.

Steps 50 to 51

Horizontally place 2 light purple 2x4 slope bricks, 1 to the right of the other, on the 2nd and 3rd rows from the front so together they are centered horizontally and slope outwards to the left and right.

Group 10 – Tea Table

Steps 52 to 53

Rotate your build 180 degrees so the pins face the right. Now place a light purple 2x2 round brick on the 4th and 5th rows from the front so it is centered horizontally.

Steps 54 to 55

Place a magenta 4x4 round plate on top of the ppp so it is centered on it.

Steps 56 to 57

Place a light purple 2x2 round brick on the 3rd and 4th columns from the right of the front 2 rows. Then place another 1 on the 3rd and 4th rows from the front of the 2 leftmost columns.

Steps 58 to 59

Place a yellow tea cup on the right column of the front row of the previous 4x4 round plate. Then place a white teapot behind the ppp so there is a 1 row gap in between them and the handle faces the right. Now place another yellow tea cup on the front row of the leftmost column of the 4x4 round plate.

Steps 60 to 61

Bring back your barn and horizontally place it in front of you so the ladders face the front. Now attach the pins of your current build to the right-facing pinholes so the windows face the front.

Steps 62 to 63

Attach the pins of the watering trough to the left-facing pinholes so the carrots are in the front.

Building Instructions (Bag 4, Book 4):

Group 11 – Woody and Wheelbarrow

Steps 4 to 5

Locate 1 blue pair of legs, 1 yellow torso printed with a cow print vest, 1 light tan head printed with eyes and a smile, 1 light brown cowboy hat with brown hair, and 1 lime green watering can. Assemble your minifigure then attach the watering can to his hand!

Steps 6 to 7

Let's make the wheelbarrow! Horizontally place a green wheelbarrow in front of you so the handles face the right and the bottom-facing clips are on the left. Now vertically attach a black pair of wheels to the bottom-facing clips.

Steps 8 to 9

Vertically place a yellow 1x2 ridged brick on top of the wheelbarrow so the vertical ridges face the left. This is hay! Now put everything away while we make the rest of the barn!

Group 12 – Barn

Steps 10 to 11

Horizontally place a tan 6x16 plate in front of you.

Steps 12 to 13

Horizontally place a red 1x4 tile on the front left corner. Then repeat symmetrically to the right.

Steps 14 to 15

Horizontally place a red 1x6x5 slope brick on the 2nd row from the front of the 6 rightmost columns so it slopes to the right.

Steps 16 to 17

Horizontally place 2 yellow 1x2 ridged bricks, 1 to the left of the other, to the left of the ppp so the vertical ridges face the front.

Steps 18 to 19

Horizontally place a yellow 1x2 ridged brick on top of the 2 ppp so it is centered horizontally on them and the vertical ridges face the front. Now horizontally place another 1 in front of the ppp so the vertical ridges face the front. This is a bundle of hay!

Steps 20 to 21

Horizontally place a red 1x6x5 slope brick on the 2nd row from the front of the 6 leftmost columns so it slopes to the left.

Steps 22 to 23

Place a white 1x1x5 brick on the front row of the 5th column from the left. Then repeat symmetrically to the right.

Steps 24 to 25

Place a red 1x1x3 brick on the front row of the 6th column from the left. Then repeat symmetrically to the right.

Steps 26 to 27

Horizontally place a red 1x6x2 arch brick on top of the 2 ppp so it is centered horizontally.

Steps 28 to 29

Horizontally place 2 white 2x4 plates, 1 to the right of the other, on the front 2 rows so together they are centered horizontally.

Steps 30 to 31

Vertically place a teal 1x2 plate with a bar on the rightmost column of the 2 ppp so the bar faces the right.

Steps 32 to 33

Horizontally place 2 teal 1x6 plates, 1 in front of the other, to the left of the ppp.

Steps 34 to 35

Vertically place a teal 1x2 plate with a bar to the left of the 2 ppp so the bar faces the left.

Steps 36 to 37

Horizontally place 2 teal 2x4 tiles, 1 to the right of the other, on the front 2 rows so together they are centered horizontally.

Group 13 – Barn

Steps 38 to 39

Let's make a part! Horizontally place a white 1x8 plate with a rail in front of you so the rail faces the front. Now horizontally place a teal 2x3 tile with 2 clips on the 3 rightmost columns so there is no overhang and the clips face the right.

Steps 40 to 41

Horizontally place a teal 2x4 tile on the 4 leftmost columns. Then vertically place a teal 1x2 plate to the right of the ppp.

Steps 42 to 43

Horizontally attach the clips of your part to the left-facing bar so it slopes down to the left.

Steps 44 to 45

Let's make a part! Horizontally place a white 1x8 plate with a rail in front of you so the rail faces the front. Now horizontally place a teal 2x3 tile with 2 clips on the 3 leftmost columns so there is no overhang and the clips face the left.

Steps 46 to 47

Horizontally place a teal 2x4 tile on the 4 rightmost columns. Then vertically place a teal 1x2 plate to the left of the ppp.

Steps 48 to 49

Horizontally attach the clips of your part to the right-facing bar so it slopes down to the right.

Steps 50 to 51

Rotate your build 180 degrees. Now place a light orange 2x2 box on the 3rd and 4th rows from the front of the 5th and 6th columns from the left. Then repeat symmetrically to the right.

Steps 52 to 53

Place a green apple inside of each of the 2 boxes from the previous step.

Steps 54 to 57

Rotate your build 180 degrees. Now bring back your main build and horizontally place it in front of you. Now horizontally place your current build on top so it is centered horizontally. This is the roof!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

At the end of the instruction booklets are advertisements for the following 4 LEGO Disney Theme kits:

43281 Elsa's Ice Castle & Snow Ride Adventure

43285 Ariel's Magical Mini Palace

43304 Blaze's Horse Ranch

43291 Mini Belle & Tiana with Castle