

60387 4x4 Off-Roader Adventures

Adapted by John Le and tested by Natalie Charbonneau.

Kids can head out on camping vacations every day with this LEGO® City 4x4 Off-Roader Adventures (60387) playset. The 4x4 vehicle features huge tires and high suspension for a cool off-roader look. Kids also get 2 toy mountain bikes, a LEGO tent, and cool accessories including a campfire. Just add the 2 minifigures and animal figure and let the adventures begin!

What's in the box? – Everything kids need to build a toy 4x4, 2 mountain bikes, tent, campfire, and off-road-terrain setting, plus 2 minifigures and an animal figure.

Packed with features for imaginative play – The 4x4 features large tires, high suspension, and a flatbed for transporting the toy mountain bikes.

Dimensions – The toy 4x4 off-roader measures over 3.5 in. (8 cm) high, 7.5 in. (19 cm) long, and 4.5 in. (12 cm) wide.

Minifigure accessories – The LEGO accessories in this set include a toy camera, shovel, pan, and backpack.

The front of the box shows a male minifigure riding a huge white and orange truck equipped with massive wheels. He rides over terrain like it is nothing because of the truck's suspension! He has a bike in the back of the truck to go mountain biking. In the back, there is a girl on a mountain bike looking over at his massive truck. Behind her, there is an orange tent, a fireplace, and a rabbit hiding behind the tent.

The back of the box shows the huge truck parked in the back next to the orange tent and fireplace. The 2 minifigures are both on their mountain bikes riding over the rocks and terrain! They have to be careful though because a scorpion is hiding behind one of the rocks!

The top of the box shows both the minifigures riding their mountain bikes while a rabbit follows them and a scorpion sits in the background on a hill.

The build is 252 pieces in total, 94 steps long, and is for ages 6+.

Bag 1 includes the pieces to make the minifigures, tent, and terrain. Bags 2 and 3 includes the pieces to make the truck.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: going from front to behind.
- Horizontally: going from left to right.

- Upright: pointing up towards the ceiling.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up from left to right.
- Column: studs lined up from top to bottom or front to back

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/60387>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1, 2, and 3, 2 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1

- Group 1 - Pages 5-7 (Female minifigure and Bike).
- Group 2 - Pages 8-10 (Male minifigure and Bike).
- Group 3 - Pages 11-15 (Tent).
- Group 4 - Page 16.1. This group has 1 white 2x4 tile (Tent).
- Group 5 - Page 16.2. This group has 1 white 2x4 tile (Tent).
- Group 6 - Pages 17-18 (Tent).
- Group 7 - Pages 19-27 (Terrain).
- Group 8 - Pages 28-32 (Terrain).

Bag 2

- Group 9 - Pages 2-8 (Car).

Group 10 - Pages 9-15 (Car).
Group 11 - Pages 16-32 (Car).
Group 12 - Pages 33-38 (Car).
Bag 3

Group 13 - Pages 40-42 (Car).
Group 14 - Pages 43-52 (Car).
Group 15 - Pages 53-55 and 2 clear transparent 1x1 circular tiles from step 56 (Car).
Group 16 - Pages 56-60 (Car).
Group 17 - Pages 61-69 and 4 large tires that were not in a bag (Car).

Let's get to building!

Note that building instructions will be using page numbers instead of steps.

Building Instructions (Bag 1, Book 1):

Group 1 — Female Minifigure and Bicycle

Start Building

Step 5

Assemble the female minifigure using the dark blue short legs, brown jacket over a pink sweatshirt printed torso, female head, and white cap. Then assemble her camera using the clear 1x1 circular tile and camera. Attach the circular tile to the stud on the camera. This is the camera flash! Then put it in her hand so she can take pictures!

Step 6

You are also given a white helmet so she is safe when riding her mountain bike!

Step 7

Locate 1 orange bicycle frame, 2 tires, and 2 white cylinders with small pegs. Insert the cylinders into the tires. Then attach the small pegs of the wheels to the front and back of the bicycle. Then put your minifigure on to ride the bike!

Group 2 — Male Minifigure and Bicycle

Step 8

Assemble the male minifigure using the dark tan legs, light blue and dark blue sweatshirt torso with a mountain logo in the middle, red sack bag, male head, and dark blue cap. When assembling your minifigure, make sure the sack bag sits on his back.

Step 9

You are also given a dark blue helmet so he is safe when riding!

Step 10

Locate 1 dark blue bike frame, 2 tires, and 2 orange cylinders with small pegs. Insert the cylinders into the tires. Then attach the small pegs of the wheels to the front and back of the bicycle. Then put your minifigure on to ride the bike!

Group 3 — Tent and Camp Fire

Step 11

Locate 1 black 6x10 plate and horizontally place it in front of you.

Step 12

Locate 2 black 1x6 tiles. Vertically place them on the first and last columns of this plate so that there is no overhang.

Step 13

Locate 4 black 1x2 plates with a clip. Vertically place 2 in the second column on the front and back sides so that the clips are overhanging off the plate. Then vertically place 2 more in the second to last column in the front and back so the clips overhang off the plate. Then locate 2 dark grey 2x4 tiles. Horizontally place them in the middle 2 rows so they sit between the previously placed pieces.

Step 14

Locate 2 light orange 1x2 plates. Horizontally and symmetrically place them in the middle on the front and back rows. Then locate 4 more black 1x2 plates with clips. Vertically and symmetrically place them to the left and right of the light orange plates so the clips overhang in the front and back.

Step 15

Locate 2 white 1x4 plates and 4 orange 1x2 ingot tiles. Horizontally place 2 on top of each of the white plates so they cover all the studs. Then horizontally and symmetrically place them on top of the previously placed pieces on the front and back sides. Make sure they sit on the light orange plates and black plates with clips.

Group 4 — Tent

Step 16.1

Locate 1 white 2x4 tile.

Step 16.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the white 2x4 tile. This sticker is a dark red sleeping bag that is slightly open.

Step 16.3

Horizontally place this to the left of the black 1x6 tile located on the right side so that it sits in the fourth and fifth rows. Half of the sleeping bag should be in front of the orange 1x2 tile shaped like a gold bar located at the back. Make sure the opening of the sleeping bag is on the left!

Group 5 — Tent

Step 16.4

Locate 1 white 2x4 tile.

Step 16.5

Skip this step if you have already placed your sticker! Ask a helper to place sticker 5 on the white 2x4 tile. This sticker is a dark blue sleeping bag that is slightly open.

Step 16.6

Horizontally place this to the right of the black 1x6 tile located on the left side so that it sits in the second and third rows. Half of the sleeping bag should be behind the orange 1x2 tile shaped like a gold bar located at the front. Make sure the opening of the sleeping bag is on the right!

Group 6 — Tent

Step 17

Locate 4 light orange 5x6 double-sided tiles with 2 clips on the side, and 4 black 1x4 bars. Attach each bar to the 2 clips on each double-sided tile so the clips attach to the ends of the bars. Horizontally and symmetrically attach 1 bar to the front left 2 clips and 1 to the back left 2 clips. Horizontally and symmetrically attach 1 bar to the front right 2 clips and 1 to the back right 2 clips. Flip all the double-sided tiles up to create a tent!

Step 18

Rotate your tent 90 degrees clockwise so the right side is now the front. Locate 1 brown 3x3 cross-shaped plate, 1 brown 1x1 circular plate, and 1 small candle fire. Insert the candle fire into the circular plate, then attach the plate to the middle of the cross-shaped plate to make a campfire! Place this in front of the tent. Don't get it too close or your tent will catch fire! Then locate 1 light grey shovel and 1 light grey frying pan. Place these in front of the tent!

Congratulations on finishing your tent and campfire!

Group 7 — Terrain

Step 19

Locate 1 dark tan 4x12 plate and horizontally place it in front of you. Then locate 1 dark tan 1x3 slope brick. Horizontally place this in the back right corner so the slope goes down from left to right. Make sure there is no overhang!

Step 20

Locate 1 dark grey 2x2 slope plate that has 2 studs on it. Vertically place this plate in the back right corner in front of the previously placed slope brick so that the studs of this plate are both on the left.

Step 21

Locate 1 dark tan 1x3 slope brick. Vertically place this to the left of the previously placed piece so that the slope goes down towards you. There should be a 1x2 stud area created by the two slope bricks now. Locate 1 dark tan 2x2 slope brick. Vertically place this to the left of the two 1x3 slope bricks so the slope goes down from right to left. There should now be a 2x2 stud area created by all 3 bricks. Now locate 1 more 2x2 dark grey 2x2 slope plate. Horizontally place this in front of the 2x2 slope brick so that the 2 studs of the plate are in the back.

Step 22

Locate 1 brown 1x1 circular plate and 1 dark grey 2x2 slope plate that has 2 studs on it. Place the 1x1 circular plate in the back row to the left of the 2x2 slope brick. Then to the left of this circular plate, place your 2x2 slope plate so that the 2 studs are on the left side and the slope part is on the right.

Step 23

Locate 1 dark grey plate that is shaped like an A and has 8 studs on it, 2 sets of 4 studs. Horizontally place it in the back row to the left of the 2x2 slope plate you just placed so that 1 set of studs is attached to the 4x12 plate and the other set of studs is overhanging in the back. Make sure the back set of studs of the A is going back from left to right. Now locate 1 brown 1x1 circular plate and 1 dark tan 1x3 slope brick. Place the 1x1 circular plate directly in front of the A-shaped plate in the first column of the 4x12 plate. Then to the right of this circular plate, horizontally place the 1x3 slope brick so it goes down from right to left.

Step 24.1

Locate 1 dark tan 2x2 slope brick. Vertically place it in front of the 1x3 slope brick you previously placed so it goes down left to right and the studs line up with the stud of the 1x3 slope brick.

Step 24.2

Locate 1 dark tan 1x2 slope tile and 1 dark grey 2x2 slope plate with 2 studs on it. Vertically place the slope tile to the left of the 2x2 slope brick so the slope goes down from right to left. Then to the left of this tile, vertically place your slope plate so the 2 studs are both on the right.

Step 25

Rotate your build 180 degrees so the overhanging 1x4 stud plate of the A-shaped plate is horizontal in front of you. Now locate 1 light brown 6x6 plate that has a corner missing. Orient it so the missing corner is in the front left. Then connect the back right to the bottom of the overhanging 1x4 studs. The 1x4 studs should not be overhanging anymore.

Step 26

Locate 1 dark tan 1x2 slope tile and 1 brown 1x1 circular plate. Place the 1x1 circular plate in the back left corner of the light brown 6x6 plate missing a corner. Then vertically place the slope tile in the last column of the 6x6 plate so it is touching the 1x4 studs of the A-shaped plate and ensure the slope goes down from left to right.

Step 27.1

Locate 1 reddish brown 1x2 brick. Vertically place this brick to the left of the 1x2 slope tile you just placed.

Step 27.2

Locate 1 dark tan 1x3 slope brick. Horizontally place it in front of the 1x2 brick so the slope goes down to the left and so the stud lines up with the studs of the 1x2 brick.

Group 8 — Terrain

Step 28

Locate 1 reddish brown 1x2 brick and 1 tall 2x2 dark tan slope brick. Vertically place the 1x2 brick on top of the previously placed reddish brown 1x2 brick. Then to the left of these 1x2 bricks, vertically place your tall 2x2 slope brick so the slope goes down to the left.

Step 29

Locate 1 light tan 2x2 plate. Place it on top of the tall 2x2 slope brick and the reddish brown 1x2 brick.

Step 30

Locate 1 reddish brown 2x2 brick. Place it on top of the 2x2 plate you just placed.

Step 31.1

Locate 1 bright green pointy plant and 1 dark blue scorpion. Place the plant in the 1x1 circular plate that is located in the back left of the light brown 6x6 plate missing a corner. Now in the front right of the 6x6 plate missing a corner, place your scorpion so the tail part is away from you.

Step 31.2

Locate 1 light brown rabbit. Rotate your build so the long side of the 4x12 plate is facing you. The 6x6 plate missing a corner should be in the back left now. In the 4th column, place your rabbit on top of the 2x2 slope brick and 1x3 slope brick so it is facing away from you.

Building Instructions (Bag 2, Book 2):

Group 9 — Car

Step 2

Locate 1 dark grey 2x6 plate with integrated 1x2 bricks on each side.

Step 3

Locate 2 black 2x14 plates. Horizontally place them down 1 behind the other so they are touching. Vertically place the 2x6 plate from step 2 on top of the left side of the 2x14 plates so it is centered.

Step 4

Locate 1 black 4x6 plate. Vertically place it to the right of the 2x6 plate with integrated bricks so that it is centered.

Step 5

Locate 1 light orange 2x4 plate. Vertically place it to the right of the 4x6 plate so it is centered.

Step 6

Locate 1 black 4x6 plate and vertically place it to the right of the 2x4 plate so it is centered.

Step 7

Locate 1 dark grey 2x6 plate with integrated 1x2 bricks on each side. Vertically place it to the right of the previous plate so it is centered.

Step 8

Locate 2 light blue 1x2 bricks with plus-shaped holes and 1 ridged light grey 2x2 circular brick. In between the integrated bricks of the right 2x6 plate, horizontally place 1 light blue 1x2 brick, 1 ridged 2x2 circular brick, then 1 light blue 1x2 brick.

Group 10 — Car

Step 9

Locate 2 light grey 1x2 bricks with plus-shaped holes. In between the integrated bricks of the 2x6 plate on the left, horizontally place your 1x2 bricks so there is a 2x2 stud gap in between them.

Step 10

Locate 1 black ridged short 2x2 brick. Place this in the 2x2 stud gap you created in the last step.

Step 11

Locate 1 light orange 1x2 plate and 1 black 1x2 plate with 1x4 side studs. Vertically place the light orange 1x2 plate on the right column of studs on the ridged 2x2 brick. To the left, vertically place the 1x2 plate with 4 side studs so the side studs are facing left.

Step 12

Locate 4 light grey 1x1 circular bricks. Place 2 on top of the left 4x6 plate so they sit in the front left and back left. Then repeat for the right black 4x6 plate but in the front right and back right.

Step 13

Locate 4 white 2x5 plates, this plate is a 2x2 plate connected to a raised 2x3 plate. Horizontally place 2, 1 behind the other, in between the 2 light grey 1x1 circular bricks that are on the right. The raised part should be even with the right and left ends of the build. Repeat symmetrically for the left side.

Step 14

Locate 4 white 1x3 pegs that have a circular side and a longer plus-shaped side. Insert the plus-shaped side of the pegs in the front left and right integrated 1x2 bricks of the 2x6 plates. Then symmetrically repeat for the remaining pegs in the back left and right integrated 1x2 bricks.

Step 15

Locate 1 white 4x6 plate. Vertically place it in between the 4 white 2x5 plates that have a lower and raised part. This plate should be centered.

Group 11 — Car

Step 16

Locate 2 blue 2x5 plates, these plates are like the white 2x5 plates that have a lower and raised part but it is raised more. Horizontally place them, 1 behind the other on top of the white 2x5 plates on the right side of the build. The raised part is on the left and sits on the build while the lower part is on the right and sits on your surface.

Step 17

Locate 1 dark blue 1x6 plate. Vertically place it centered on the left column of the lower part of the blue 2x5 plates you just placed. This should overhang in the front and back.

Step 18

Locate 1 black 2x6 plate. Vertically place it centered to the right of the dark blue 1x6 plate you just placed. This should overhang in the front, back, and right.

Step 19

Locate 1 light orange 2x4 plate. Vertically place it on top of the 1x6 plate and 2x6 plate you just placed so it is centered.

Step 20

Locate 1 light grey 1x4 plate with 2 hinges. Vertically place it to the right of the 2x4 plate you just placed so the hinges are facing right.

Step 21

Locate 1 dark grey 2x4 tile. Vertically place it on top of the 1x4 plate with hinges and light orange 2x4 plate.

Step 22

Locate 2 black 1x4 bricks that have a gap in the side of it. Horizontally place 1 in front and 1 behind the 2x4 tile you just placed. There should be no overhang on the right, and make sure the gap side is facing outwards of the build.

Step 23

Locate 1 dark grey 2x4 ridged tile that connects to a hinge. Attach it to the hinges on the right and orient it so it is upwards. Make sure the ridged tile side is facing right.

Step 24

Locate 1 dark grey 2x4 tile. Vertically place it on the top part of the blue 2x5 plates on the right two columns.

Step 25

Locate 2 light orange 1x2 plates. Vertically place them 1 behind the other to the left of the 2x4 tile you just placed.

Step 26

Locate 1 dark orange 1x4 plate. Vertically place it on top of the 2 light orange 1x2 plates you just placed.

Step 27

Locate 2 white 2x8 plates. Horizontally place them in the front and back on top of the white 4x6 and white 2x5 plates with a lower and raised part. They should sit in between the raised parts of the 2x5 plate and the 1x1 circular bricks.

Step 28

Locate 1 dark tan 1x4 brick and 1 light grey 2x2 circular tile. Vertically place the 1x4 brick to the left of the dark orange 1x4 plate placed in step 26. To the left of this brick, place the circular tile centered vertically.

Step 29

Locate 2 light orange 1x2 plates and 2 light orange 1x8 plates. Horizontally place 1x2 plates in front and behind the 2x2 circular tile you just placed. Then in front and behind these plates, horizontally place the 1x8 plates so they sit in between the 4 circular bricks.

Step 30

Locate 2 more light orange 1x8 plates and 4 orange 1x4 plates. Horizontally place 2 orange 1x4 plates on top of each of the 1x8 plates so there is no overhang. Now place 1 stack in the front right and back right of the build so that there is no overhang.

Step 31

Locate 2 dark tan 1x3 slope bricks. Feel for the light grey 2x2 circular tile. This tile is where the middle gap is located. Now on the left side in front and behind the gap, horizontally place the 1x3 slope bricks so they go down towards the right. They should be against the raised part of the 2x5 plate on the left.

Step 32

Locate 2 black 1x1 circular plates and 1 light grey oval-shaped 1x2 tile. Place the 1x1 circular plates to the right of each of the 1x3 slope bricks you just placed. In between these two circular plates, vertically place your oval-shaped tile.

Step 33

Locate 1 black steering wheel. Vertically place it in between the 1x3 slope bricks on the left side so the steering wheel is facing right.

Step 34

Locate 2 orange 2x2 corner bricks. Place them in front and behind the 2x2 circular tile located in the middle gap. There should be no overhang and fit perfectly.

Step 35

Locate 2 light grey 1x4 bricks with side studs and 2 black 1x2 bricks with side studs. In the front row to the left of the corner brick, horizontally place your 1x4 brick so the studs face you. Then to the left of this, horizontally place your 1x2 brick so the studs face you. Then symmetrically repeat for the back row.

Step 36

Locate 2 black 1x3 plates. Horizontally place them in the front and back row to the left of the black 1x2 bricks with side studs.

Step 37

Locate two dark blue 1x6 plates and 2 red 1x2 plates with 1 stud. Attach the 2 dark blue 1x6 plates together so there is no overhang, then vertically place them to the left of the steering wheel. There should be no overhang in the front and back. Now to the left of these 1x6 plates, horizontally place the red 1x2 plates in the front and back row.

Step 38

Locate 1 light grey ridged circular 2x2 brick and 2 red 1x1 circular plates. Place the red 1x1 circular plates on each of the studs of the red 1x2 plates previously placed. Place your ridged 2x2 circular brick in between these red 1x2 plates, centered vertically.

Building Instructions (Bag 3, Book 2):

Group 13 — Car

Step 40

Locate 2 dark blue 1x6 plates and 2 light grey 1x2 plates with hooks. Horizontally place the 1x6 plates in the front right and back right of the build so there is no overhang. Then to the left of each of these plates, horizontally place your 1x2 plates so the hooks face outwards.

Step 41

Locate 2 white 1x6 tiles, 2 white 1x10 plates and 1 white 1x4 plate. Horizontally place the white 1x6 tiles in the front right and back right of the build. To the left of each of these tiles, horizontally place the 1x10 plates. In between the 2 white 1x10 plates, to the left of the steering wheel, vertically place the 1x4 plate.

Step 42

Locate 2 light orange 1x2 plates and 2 black 1x2 oval-shaped plates. Attach each oval-shaped plate to the top of each of the 1x2 plates. Behind the eighth and ninth studs on the front white 1x10 plate, there is a lower 1x2 stud area. Horizontally place the black plate attached to the orange plate in that space. Symmetrically repeat with the other attached plates.

Group 14 — Car

Step 43

Locate 1 white 3x6 plate that has 2 missing corners and 1 transparent red 1x2 plate. Vertically place the 3x6 plate in the center of the build to the right of the black 1x2 oval-shaped plates you just placed so that the side with missing corners is facing right. On top of the 3x6 plate you just placed, vertically place the transparent red 1x2 plate on the right side.

Step 44

Locate 1 red 2x2 plate and 2 white 1x4 plates. Place the red 2x2 plate to the left of the transparent red 1x2 plate. Then in front and behind this 2x2 plate, horizontally place your 2 white 1x4 plates. They should sit on the black 1x2 oval plates as well and not overhang.

Step 45

Locate 2 black 1x1 circular plates and 2 light grey 1x2 plates with a 1 hook instead of a stud. Horizontally place the hook plates, 1 behind the other, on top of the red 2x2 plate and transparent red 1x2 plate so the hooks are on the right. Then in front and behind the stud part of the 1x2 plates you just placed, place your circular 1x1 plates. These 1x1 circular plates should be on top of the 1x4 plates previously placed.

Step 46

Locate 2 dark grey 2x2 slope tiles. Vertically place them on the red 2x2 plate and 2 white 1x4 plates so the top part of it sits on the 1x1 circular plates and the stud part of the hook plates.

Step 47

Locate 2 black 1x1 circular bricks. Place them to the left of the slope tiles you just placed so they sit on the left side of the 1x4 plates.

Step 48

Locate 1 white 1x4 plate and 2 white 1x2 slope bricks. Vertically place the 1x4 plate on top of the black 1x1 circular bricks. In front and behind the white 1x4 plate, horizontally place the slope bricks so the slope goes down to the right and the studs of the slope bricks line up with the studs of the white plate.

Step 49

Locate 1 white 1x6 tile. Vertically place it on top of the white 1x2 slope bricks and white 1x4 plate you just placed.

Step 50

Locate 2 black 1x2 plates with hinges, 2 white 1x1 slope tiles, and 2 black 1x4 tiles with 2 studs. Horizontally place the 1x4 tiles with 2 studs in the front and back row to the left of the 1x6 tile you just placed. To the left of these tiles you placed, horizontally place your 1x2 plates with hinges so the hinges face outwards of the build. To the left of these plates, place your 1x1 slope tiles so the slope goes down to the right.

Step 51

Locate 2 white 2x2 bricks with an arch attached. To the left of the slope tiles you just placed, horizontally and symmetrically place the 2x2 bricks in front and behind the 2x2 ridged circular brick so the arches face outwards.

Step 52

Locate 2 orange 1x2 plates with a 2x2 side stud area below it. Vertically place 1 behind the other on the left side of the build so they are centered. The side studs should be facing left.

Group 15 — Car

Step 53

Locate 2 black 2x3 angle plates. These plates are identical but flipped. Horizontally place them to the left of the plates with the side studs you previously placed so the 2-stud long sides of the angle plate are on the left and together they make a 2x3 stud area on top.

Step 54

Locate 4 black 1x3 tiles with 2 studs on top. Rotate your build counterclockwise 90 degrees so the left is now facing you. Now vertically place the black tiles next to one another so they all cover the 3x4 side stud area on the front.

Step 55.1

Locate 1 white 4x6 hood-shaped tile with 4 studs.

Step 55.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the white 4x6 hood-shaped tile. This sticker has a picture of a mountain surrounded by a round light orange, then orange, then dark blue circle.

Step 55.3

Place this hood-shaped tile in front of the white 1x1 slope tiles. The 1x4 stud area should be in the back and this should overhang in the front by 2 studs.

Note that this group will have 2 clear transparent 1x1 circular tiles that will be used in the following steps. Don't get them mixed up with the other 1x1 circular tiles in the next group.

Group 16 — Car

Step 56.1

Put aside your build while we make the headlights. Locate 1 white 2x6 plate that has a round side. Place it down horizontally in front of you with the round side facing you.

Step 56.2

Locate 1 dark blue 1x6 plate and 1 light grey 1x2 plate with a hook. Horizontally place the 1x6 plate on top of the 2x6 plate in the back. Now horizontally place the 1x2 plate with a hook in front of the 1x6 plate so that it is centered and the hook is facing you.

Step 56.3

Now locate 1 black 1x2 slope tile and 2 light yellow 1x1 circular tile which represent the lights. Place the 1x2 slope tile on top of the 1x6 plate in the center so the slope goes down towards you. To the left and right of the slope tile, place your light yellow 1x1 circular tiles. Ask a helper if this is oriented correctly!

Step 56.4

Now locate 2 clear 1x1 circular tiles from group 15. Place it on the dark blue 1x6 plate to the left and right of the light yellow 1x1 circular tiles. You have finished the headlights!

Step 57

Bring back your build so it is oriented in the same way. The hood of the car should be facing you. Underneath the hood, place your headlight build on the side studs so it is centered and the hook part of the build is facing down.

Step 58

Locate 1 black bar. It should feel like two bars connected by 2 shorter bars. Horizontally connect the middle part of the longer bar onto the hook of the headlights. When connecting this bar to the hook,

ensure that when it is parallel with the surface, the ends of the bar are facing upward. Also make sure that the bar is flipped upwards so it is in front of the 2 studs of the hook plate.

Step 59

Locate 1 black 1x4 tile with 2 studs. Horizontally place it behind the 4x6 hood-shaped tile so it is centered.

Step 60

Rotate your build 90 degrees clockwise so the hood is now facing left. Locate 1 orange 2x4 tile and 1 orange 2x2 angle plate with 2 studs.

Step 60.1

Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the orange 2x4 tile. It is an orange sticker with a white stripe, an orange stripe, and a dark blue stripe.

Step 60.2

There are 6 side studs on the front side of the build. Horizontally attach the top part of the 2x4 tile to the right 4 studs. To the left of this, place your 2x2 angle plate so the studs are both on the right. Make sure the sticker is oriented correctly. The wider part of the angle should be at the top.

Group 17

Step 61

Rotate your build 180 degrees so the hood is now on the right. Locate 1 orange 2x4 tile and 1 orange 2x2 angle plate with 2 studs.

Step 61.1

Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the orange 2x4 tile. It is an orange sticker with a white stripe, an orange stripe, and a dark blue stripe.

Step 61.1

There are 6 side studs on the front side of the build. Horizontally attach the top part of the 2x4 tile to the left 4 studs. To the right of this, place your 2x2 angle plate so the studs are both on the left. Make sure the sticker is oriented correctly.

Step 62

Rotate your build so the hood of the car is facing you. Locate 1 clear windshield piece and 1 white 2x6 tile. Horizontally place the 2x6 tile on top of the 4 studs of the windshield piece. Now horizontally place your windshield behind the 4x6 hood tile and 1x4 tile with 2 studs. Make sure it is centered and the front of the windshield is facing you.

Step 63.1

Locate 2 black 3x5 L-shaped technic plates and 2 red pegs with balls attached. Lay 1 L-shaped technic plate so it is oriented like the letter L in front of you. Insert each peg into the right hole of the L-shaped technic plate.

Step 63.2

Turn your build upside down so the hood of the car is facing left. Insert the corner hole of the technic plate into the front right peg of the car so the red ball is facing back. Now in the back left peg, insert the corner hole of the technic plate so the red ball is facing you.

Step 64.1

Locate 2 black 3x5 L-shaped technic plates and 2 red pegs with balls attached. Lay 1 L-shaped technic plate so the long side is facing right and the short side is facing you. It should be a flipped L shape. Insert each peg into the left hole of the L-shaped technic plate.

Step 64.2

Insert the corner hole of the technic plate into the front left peg of the build so the red ball is facing back. Then insert the corner hole of the other technic plate in the back right peg so the ball is facing you.

Step 65

Now locate your white square-shaped box and open it if it already hasn't been opened. Locate the 2 yellow rubber bands that are inside. Use 1 rubberband to connect the 2 red balls in the back. Then use the other to connect the 2 red balls in the front. These rubber bands will act as suspension for the car so it can go over rocks and terrain!

Step 66

Locate 4 big black tires and 4 black cylinders. Insert each cylinder into each tire. Make sure the cylinders are fitted correctly into the wheels. There are two sides to the cylinder, a ridged side and a side that isn't.

Step 67

Locate 4 red 1x1 technic clips and 4 white 1x3 pegs with a short circular side and a longer plus-shaped side. Insert each technic clip into each of the longer plus-shaped sides of the peg. Now insert each peg into the ridged side of each of the cylinders.

Steps 68 to 69

Now insert the circular side of the peg that is connected to the wheel into the end holes of the longer side of the 3x5 technic plates.

Congratulations you have completed the build!

There are no ads at the end of the instructions.

Visit bricksfortheblind.org for more accessible instructions and tell your friends about us!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.