

60417 Police Speedboat and Crooks' Hideout

Adapted by John Le and tested by Matthew Shifrin.

Crooks on the run with a police officer in pursuit make for great adventures in the LEGO® City Police Speedboat and Crooks' Hideout (60417) set. It features a toy police patrol boat and a crooks' hideout hidden among old cargo containers at the city docks. Kids can join the officer onboard and discover an array of functions and surprises in a fun set that also includes a toy water scooter, dockside setting, a police officer, and 2 crook minifigures, plus a bulldog figure.

What's in the box? – Everything kids need to build a toy speedboat, water scooter, dock setting with cargo containers, police officer minifigure, 2 crook minifigures, and a bulldog figure.

Features and functions – Kids can activate the bucket-of-fish trap and quick-escape function and stash the crooks' hidden loot.

Dimensions – The crooks' hideout in this 311-piece building set measures over 7.5 in. (19 cm) high, 8 in. (20cm) wide and 5 in. (12 cm) deep.

The front of the box shows Crooks' Hideout along with a storage container and dock sitting in the middle of the ocean! But they are not the only ones out here! There's a police officer in her speedboat chasing after a crook holding a large bag of money on a jet ski! Another crook is climbing the ladder to stash some gold! They won't get away with it though because the officer is there!

The back of the box shows the backside of the crook's hideout. The crooks are hiding their base. They have to be very quiet because the police officer is right below them! It also shows a cute little white bulldog drinking from a bowl of water. There are 3 smaller pictures that show the storage container opens to let out a jetski, there is a secret compartment in the dock's floor that holds their gold, and the police putting the crooks in handcuffs and dragging them to jail!

The top of the box shows 3 minifigures along with the bulldog! The police officer is chasing the 2 crooks but one of them slipped and dropped their huge bag of money!

The build is 311 pieces in total and is for ages 6+.

Bag 1 includes the pieces for the dock and speedboat.

Bag 2 includes the pieces for the crook's hideout.

Bag 3 includes the pieces for the shipping container and jetski.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.

- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/60417>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1, 2, and 3, 3 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Dock and Speed Boat

Group 1 - Page 4

Group 2 - Steps 1 - 13

Group 3 - Steps 1 - 4

Group 4 - Steps 5 - 17

Group 5 - Steps 18 - 32 and 1 transparent blue 1x2 tile from step 33.

Group 6 - 1 transparent red 1x2 tile from step 33 and steps 34 - 36.

Bag 2 - Crooks' Hideout

Group 7 - Page 3

Group 8 - Steps 1 - 16

Group 9 - Steps 17 - 24 and 1 dark grey 4x16 ladder with diagonal bars and 2 transparent red 1x1 round plates from step 25.

Group 10 - 2 transparent green 1x1 round plates and 1 black 2x2 tile with a bar underneath from step 25 and steps 26 - 33.

Group 11 - Steps 34 - 38.

Group 12 - Steps 39 - 46.

Bag 3 - Shipping Container and Jetski

Group 13 - Page 2

Group 14 - Steps 1 - 3 and 1 light green 2x2 round plate from step 4.

Group 15 - 1 yellow 2x2 round plate from step 4 and steps 5 - 13.

Group 16 - Steps 1 - 15.

Group 17 - Steps 16 - 24.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Police Officer Minifigure

Sub-build 1. Locate 1 dark blue pair of legs, 1 torso printed with a bright yellow vest and a police badge over a dark blue long-sleeve shirt, 1 yellow female head printed with makeup on her lips, 1 orange life vest, 1 dark blond hair, and a pair of handcuffs. Assemble your minifigure then put the handcuffs in her hands!

Group 2 - Dock

Step 1

Locate 1 blue 4x12 plate and 1 brown 1x1 round brick. Horizontally place the plate in front of you. Then place the round brick in the back right corner of the plate.

Step 2

Locate 1 dark brown 1x1 round brick and 1 dark grey 1x2 hinge panel. Place the round brick in the front right corner of the 4x12 plate. Then vertically place the hinge panel in between the round bricks so the wall side faces left.

Step 3

Locate 1 dark grey 1x2 grill tile. Vertically place this to the left of the previously placed hinge panel.

Step 4

Locate 2 light grey panels with 1 wall and 2 light grey panels with 3 walls. Vertically place 1 panel with 3 walls to the left of the grill tile so the long wall is facing right. Then horizontally place both your panels with 1 wall to the left so the walls face outwards. Then vertically place the panel with 3 walls to the left so the long wall is on the left. You should end up with a rectangle! This is the compartment where the crooks hide their valuables!

Step 5

Locate 2 dark brown 1x1 round bricks. Place them in front of and behind the previously placed tile.

Step 6

Locate 1 brown 1x4 brick with holes. Horizontally place it in the back left corner of the 4x12 plate so there is no overhang.

Step 7

Locate 2 brown 1x2 bricks and 1 red 1x2 brick with a clip. Vertically place the 1x2 brick in the front left corner of the 4x12 plate. Then horizontally place the brick with a clip to the right so the studs are lined up with the back stud of the previous brick, with the clip to the front. This clip is not used for anything! Then vertically place the 1x2 brick to the right so it is symmetric to the previously placed 1x2 brick.

Step 8

Locate 2 brown 1x12 plates. Horizontally place them on the front and back rows of the build.

Step 9

Locate 1 dark brown 1x4 tile. Horizontally place it on top of the 2 brown 1x2 bricks and 1 red 1x2 brick with a clip from step 7.

Step 10.1

Put your build aside while we build the trapdoor for the compartment. Locate 1 black 2x2 plate with a bar underneath. Place it on your table so the bar is in the back.

Step 10.2

Locate 1 brown 2x6 plate. Vertically place it on top so it overhangs 4 rows to the front.

Step 10.3

Locate 1 black tile with a bar on top. Horizontally place it on the front row so the bar is facing you.

Step 10.4

Bring back your build and orient it vertically so the 2x1 hinge panel is facing you. Now rotate your sub-build so the bar under the 2x2 tile is facing you then place the bar on top of the hinge panel.

Step 11

Locate 2 gold 1x2 ingots. These are gold bars! Place them inside the compartment, then push on the trapdoor to cover it!

Step 12

Rotate your build 90 degrees counterclockwise so the trap door is on the right. Locate 2 dark brown 1x1 round bricks. Place them in the front right and back right corners of the build.

Step 13

Locate 2 brown 1x4 plates and 1 dark brown 1x4 tile. Vertically place 1 plate on the leftmost column of the build. Then vertically place the tile on the 3rd column from the left. Then vertically place the plate to the right. You finished the dock! Put it aside for now while we build the speed boat!

Group 3 - Speed Boat

Step 1

Locate 1 dark grey boat base and 2 orange 2x2 round plates. The boat base is big and has an inverted sloped curved underside. Horizontally place the boat base in front of you so the curved side or front of the boat faces right. There is a vertical set of 1x6 studs on the leftmost column. To the right of the middle 2 studs of the leftmost column, place the 2x2 round plates, 1 to the right of the other.

Step 2

Locate 1 dark blue 2x4 plate. Horizontally place it on top of the 2 previously placed plates.

Step 3

Locate 2 red 1x4 inverted sloped curved bricks. Horizontally place them on the rightmost column of the previously placed plate so they curve to the right.

Step 4

Locate 1 dark grey 4x4 plate and 2 black 1x4 tiles with 2 studs. Place the 4x4 plate starting at the leftmost column so it sits on the left 3 columns of the 2x4 plate. Then horizontally place the 1x4 tiles on the front and back row of the 4x4 plate.

Group 4 - Speed Boat

Step 5

Locate 2 light grey 1x4 tiles with 2 studs. Vertically place them next to each other, to the right of the 2 previously placed tiles.

Step 6

Locate 2 orange 2x2 round plates and 1 dark blue 2x4 plate. Vertically place the 2x4 plate on top of the 2 previously placed tiles. Then place the round plates, 1 in front of the other, to the right. There should be 2x2 studs to the right of these plates.

Step 7

Locate 2 white 1x6 inverted sloped curved bricks. Horizontally place them on the front and back rows of the build starting from the left side so they curve to the right.

Step 8

Locate 1 bright yellow 1x2 plate. Vertically place it on the rightmost column.

Step 9

Locate 1 bright yellow 2x4 plate and 2 bright yellow 1x2 plates. Horizontally place the 2x4 plate to the left of the previously placed plate. Then vertically place the 1x2 plates in front of and behind the 2x4 plate's leftmost column.

Step 10

Locate 2 bright yellow 2x3 triangle plates. Horizontally place them to the right of the previously placed 1x2 plates so the angle of the plate follows the boat edges.

Step 11

Locate 2 bright yellow 1x2 plates. Horizontally place them on the front and back rows to the left of the 1x2 plates you placed in step 9.

Step 12

Locate 2 light grey 1x2 slope tiles. Vertically place them, 1 in front of the other, on top of the dark blue 2x4 plate that is to the right of the 2 black 1x4 tiles with 2 studs so they slope to the left.

Step 13

Locate 1 dark blue 2x2 plate and 2 dark blue 2x2 angled plates. These 2 plates are symmetrical. Place the 2x2 plate to the right of the previously placed pieces so it is centered in the front and back. Then place the angled plates in front of and behind it so they follow the angle of the boat.

Step 14

Locate 1 dark blue 2x4 trapezoid plate. Vertically place it to the right of the previously placed pieces so the angled side lines up with the angled sides of the previous plates.

Step 15

Locate 1 dark blue 2x2 sloped curved tile with a sticker and 1 dark blue 2x2 tile with a stud. Place the 2x2 curved sloped tile on the rightmost 2 columns so it slopes to the right. Place the 2x2 tile to the left.

Step 16

Skip this step if you have already placed your sticker! Ask a helper to place sticker 5 on the dark blue 2x2 sloped curved tile. This sticker has a print of a police badge with a star in the center. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 17

Locate 2 bright yellow 1x8 plates. Place them on the front and back rows so they overhang 5 studs to the left. Put your build aside for now while we build the rear of the boat.

Group 5 - Speed Boat

Step 18.1

Locate 1 dark grey 6x8 boat base with sloped curved sides and 2 white 1x4 bricks. Horizontally place the boat base in front of you. Then horizontally place the 1x4 bricks in the front right and back right corners so there is no overhang.

Step 18.2

Locate 2 white 1x1 bricks and 2 white 1x3 sloped bricks. Place the 1x1 bricks on the front and back rows to the left of the previously placed pieces. Then horizontally place the 1x3 sloped bricks on the front and back rows to the left of the previously placed pieces so they slope to the left.

Step 18.3

Bring back your main build so the front end of the boat faces right. This is the short end of the build. Now horizontally attach the right side of the sub-build underneath the overhang of the 1x8 plates. The slope 1x3 bricks should still be on the left!

Step 19

Locate 2 dark blue 1x6 plates. Horizontally place them on the front and back rows of the build so they sit to the left of the dark blue 2x2 angled plates that are on the right.

Step 20

Locate 2 dark blue 1x2 sloped curved tiles and 2 dark blue 1x1 tiles. Horizontally place the curved tiles on the front and back rows on top of the 1x3 slope bricks and 1x8 plates so they slope to the left. To the right of each of them, place the 1x1 tiles.

Step 21

Locate 3 light blue 2x2 round plates with a smooth underside. Flip your boat upside down so the front end is facing right. Locate 3 vertical holes on the rightmost side. Place 1 round plate upside down so it is centered on the middle hole. Now feel for the line that connects the two boat bases. Then place 2 round plates upside down, 1 behind the other, so they sit on this line and connect the 2 boat bases.

Step 22

Locate 2 light blue 2x2 round plates with a smooth underside. Place them upside down on the leftmost 2 columns. Now flip your boat so it is upright and the front end is facing right.

Step 23

Locate 1 light grey 1x2 steering wheel and 1 black 1x2 tile with a bar. Vertically place the steering wheel to the left of the 2 dark grey 1x2 slope tiles so it is centered and facing left. Then vertically place the tile with a bar to the left so there is a 2x2 stud gap between them.

Step 24

Locate 1 tall black 2x4 window frame and 1 ladder with 4 rungs. This is not a ladder, it is actually prison bars! Insert the prison bars into the window frame! Then skip 1 column to the left from the 2x1 tile with bar, and vertically place it so the bars face the left.

Step 25

Locate 2 dark blue 1x2 bricks. Horizontally place them in front of and back of the window frame.

Step 26

Locate 2 short light grey pins. Insert the longer sides of the pins into the 2 left-facing sideholes.

Step 27

Locate 1 dark grey 1x2 brick with a hole and 1 yellow 1x2 pin. Insert the pin into the brick, then vertically place it in the middle of the leftmost column so the pin faces left.

Step 28

Locate 1 dark grey 1x4 sloped curved tile. Vertically place it on top of the previously placed brick.

Step 29

Locate 1 light grey round piece with a hole in the middle. Place it on the yellow pin so the ridged side faces left. This is the rudder of the boat!

Step 30

Locate 1 transparent 3x6 windshield. Vertically place it to the left of the 2x2 tile with a stud that is on the right so it curves to the right and is centered.

Step 31

Locate 4 transparent 1x2 panels. Horizontally place 2 in the front row and 2 in the back row to the left of the windshield. Make sure the wall sides are facing outwards of the build.

Step 32

Locate 2 dark blue 2x3 sloped bricks. Vertically place them to the left of the previously placed tiles so they slope outwards.

Step 33.1

Locate 1 transparent blue 1x2 tile. Vertically place it on the back right corner of the previously placed 2 sloped bricks so it overhangs to the back.

Group 6 - Speed Boat

Step 33.2

Locate 1 transparent red 1x2 tile. Vertically place it in front of the previously placed tile so it overhangs to the front. These are the police siren lights!

Step 34

Locate 1 dark blue 2x2 sloped curved tile. Place it on top of and to the left of the 2 previously placed tiles so it is centered and slopes to the left.

Step 35

Locate 1 light grey 1x1 round plate. Place it to the right of the windshield on top of the 2x2 tile with a stud.

Step 36

Locate 1 black 1x1 round plate with a bar and 1 transparent 1x1 round tile. Place the tile on top of the 1x1 round plate. Then insert the bar into the previously placed round plate so the tile faces right. This is the light so the pilot of the boat can see in the dark! Put this aside for now while we build the hideout!

Building Instructions (Bag 2, Book 2):

Group 7 - Robber Minifigure and Bulldog

Sub-build 2. Locate 1 orange pair of legs, 1 torso printed with a black sweater over a black and white striped shirt with a red bag strap thrown over his shoulder, 1 black mask, 1 yellow male head with a smirk on his face, 1 dark grey beanie, 1 white bulldog, and 1 nougat sack. Assemble your robber minifigure and put the sack in his hand and the bulldog by his side.

Group 8 - Crook's Hideout

Step 1

Locate 1 black 2x4 plate and 1 light grey 1x16 brick. Vertically place the plate in front of you. Then horizontally place the 1x16 brick on the back row so it overhangs to the right.

Step 2

Locate 1 black 2x4 plate. Vertically place the back row of it underneath the 2 rightmost columns of the 1x16 brick.

Step 3

Locate 2 black 1x2 bricks with a bar and 2 light grey 2x3 inverted sloped bricks. Vertically place the 1x2 bricks on the leftmost and rightmost column in front of the 1x16 brick so the bars face outwards. Then horizontally place the inverted slope bricks to the left and right of the previously placed bricks so they sit next to the previously placed bricks and slope inwards.

Step 4

Locate 1 light grey 1x16 brick. Horizontally place it on the front row on top of the 2 black 2x4 plates.

Step 5

Locate 2 black 1x4 plates and 2 blue 2x2 plates. Vertically place the 1x4 plates on the leftmost and rightmost columns. Then place the 2x2 plates to the left and right so they sit on top of the inverted slope bricks and are centered.

Step 6

Locate 2 black 1x4 plates. Vertically place 1 to the right of the blue 2x2 plate that is on the left. Repeat symmetrically for the right side.

Step 7

Locate 4 light grey 1x2 plates with 8 side studs. Horizontally place them in front of and back of the blue 2x2 plates.

Step 8

Locate 2 dark grey 4x4 tiles with 4 studs. Place them on the leftmost and rightmost sides so the studs are on the leftmost and rightmost columns. Put your build aside for now while we build the walls.

For steps 9-15, do them twice to get 2 walls!

Step 9

Locate 1 blue 2x2 plate and place it in front of you.

Step 10

Locate 1 dark grey 1x4 brick and horizontally place it on top of the 2x2 plate in the middle of the back row.

Step 11

Locate 1 red 1x4 brick with holes. Horizontally place it in front of the previously placed brick so it is also centered.

Step 12

Locate 2 light grey 1x2 plates with 4 side studs. Vertically place them underneath the overhang on the leftmost and rightmost columns so the side studs face outwards.

Step 13

Locate 1 black 1x2 pin and 1 blue 1x1 pin-1x1 axle. Insert the 1x2 pin into the front-facing leftmost hole of the red brick. Then insert the blue pin into the front-facing rightmost hole of the red brick.

Step 14

Locate 1 light grey 2x8 door frame and 1 light grey 4x8 grated bar window. Insert the grated bars window into the door frame. Now horizontally place the door frame on top of the previously placed bricks so the grated bars are in the back.

Step 15

Locate 1 dark grey 2x4 brick. Horizontally place it on top of the door frame. Now you should have 2 identical sub-builds!

Step 16

Bring back your main build and orient it so it is horizontal. Now place your main build on top of your sub-builds so the sub-builds are on the 2 leftmost and 2 rightmost columns and the pins face outwards.

Group 9 - Crook's Hideout

Step 17

Locate 2 light grey 2x12 plates. Vertically place them upright on the front-facing side studs that are on the 2 leftmost and 2 rightmost columns.

Step 18

Locate 1 light grey 2x12 plate. Horizontally place it upright on the front-facing side studs that are in between the previously placed plates.

Step 19

Locate 2 dark grey 2x3 plates. Horizontally place them upright on the leftmost and rightmost side of the build so there is no overhang. They should connect the vertically upright, and horizontally upright 2x12 plates.

Steps 20 to 22

Turn your build 180 degrees so the other side is now facing you. Repeat steps 17-19 so it is symmetrical with the backside.

Step 23

Locate 1 white 2x3 tile with a print of a wanted poster of the crook you built earlier. Vertically place it upright on the front-facing side studs of the left vertically placed 2x12 plate so there is a 2x2 gap between this tile and the 2x3 plate above it.

Step 24

Locate 2 dark grey 2x2 slope bricks and 2 yellow and black diagonally striped 1x2 tiles. Place the tiles on each of the slope bricks. Now place the slope bricks upright on the front-facing side studs of the vertical 2x12 plates so the bricks touch the table and slope upwards.

Step 25.1

Put your build aside while we build an overhead bar with stop-and-go lights. Locate 1 dark grey 4x16 ladder with diagonal bars and 2 transparent red 1x1 round plates. Horizontally place the ladder in front of you. Then place the round plates in the back studs on the leftmost and rightmost columns.

Group 10 - Crooks' Hideout

Step 25.2

Locate 2 transparent green 1x1 round plates. Place them in front of the previously placed round plates.

Step 25.3

Locate 1 black 2x2 tile with a clip underneath and a sticker. Place it in the middle vertical bar of the ladder.

Step 25.4

Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the black 2x2 tile. This sticker has a yellow background with "3.5 m" printed on it. This is the maximum height you can be to make it under the bridge! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check!

Step 25.5

Bring back your main build so it is oriented the same way. Now horizontally place the sub-build upright on the 2 front-facing 2x3 plates.

Step 26

Locate 1 black ladder with 2 clips. Attach the clips to the left-facing bar so the ladder faces down. Now put your build aside while we build the rest of the hideout!

Step 27

Locate 1 dark grey 6x16 plate and horizontally place it in front of you.

Step 28

Locate 2 light brown 1x4 bricks and 2 light brown 1x1 bricks. Vertically place the 1x4 bricks in the front left and front right corners so there is no overhang. Then place the 1x1 bricks behind them.

Step 29

Locate 2 tall light brown panels with ridges. Horizontally place them in the back left and back right corners so there is no overhang and the panel sides face back.

Step 30.1

We will call this sub-build the hideout. Put your hideout aside while we build a computer. Locate 1 black 2x4 plate and place it horizontally in front of you.

Step 30.2

Locate 2 brown 1x2 log bricks. Vertically place them underneath the leftmost and rightmost column of the 2x4 plate.

Step 30.3

Locate 1 black 1x2 tile with a keyboard print and 1 black 1x2 tile with a bar. Horizontally place the tile with a bar in the middle of the back row of the 2x4 plate so the bar is in the back. Then horizontally place your keyboard tile in front. Ask a sighted person to make sure this tile is oriented correctly!

Step 30.4

Locate 1 black 2x2 tile with a clip underneath and a sticker. This is the screen of the computer! Attach the clip to the bar and turn the screen so it faces the front at an angle.

Step 30.5

Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the black 2x2 tile. This sticker is of a web browser showing a huge diamond that the crooks plan to steal! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check!

Step 30.6

Bring back your hideout build so it is horizontal and the panels are in the back. Place your computer build in the back left corner so it sits against the bricks and the panel. Make sure the screen is facing you!

Step 31

Locate 2 tall black 1x4 windows and 2 light brown 1x1 bricks. Vertically place the windows on the leftmost and rightmost columns so the stud in the front is free. Now place the 1x1 bricks in front of the windows.

Step 32

Locate 2 tall light brown 1x1 bricks. Place them on top of the previously placed bricks.

Step 33

Locate 4 brown 1x3 plates. Vertically place 2 on the leftmost columns and 2 on the rightmost columns.

Group 11 - Crook's Hideout

Step 34.1

Put your hideout build aside while we build a crate with a mechanism that lets it tip over! Locate 1 nougat 3x4 crate and place it upside down horizontally in front of you.

Step 34.2

Locate 1 red 1x2 plate with a bar and 1 black 2x2 plate with a hole underneath. Horizontally place the plate with a bar in the middle of the back row so the bar faces back. Then place the 2x2 plate in front of this so the hole faces left and right.

Step 34.3

Locate 2 yellow 1x2 pins. Insert them into the left and right holes.

Step 34.4

Locate 2 black 1x2 tiles with 2 holes on top. Insert the top hole of each of these tiles into the pins of the crate build.

Step 34.5

Bring back your hideout build so the panels are in the back. Now orient your crate build so it is upright and the bar is facing you. Using the 1x2 tiles with the 2 holes, horizontally attach the crate build on the back 2 rows in between the 2 panels.

Step 35

Locate 2 brown 1x3 plates and 1 brown 1x8 plate. Horizontally place the 1x8 plate in the middle of the back row on top of the 2 panels. Now horizontally place the 1x3 plates to the left and right.

Step 36

Locate 2 brown 1x4 tiles with 2 studs, 2 brown 1x6 tiles, and 2 brown 2x2 corner tiles. Vertically place the 1x4 tiles with 2 studs in the front left and front right corners of the build. Then place the corner tiles behind each of these tiles so there is no overhang. Then place the 1x6 tiles on the back row in between the corner tiles.

Step 37

Locate 2 orange fish. Place them inside the crate so you can drop them on the police officer when they come by!

Step 38

Locate 1 white 1x1 bowl and 1 transparent light blue 1x1 round tile. Place the tile into the bowl. This is a water bowl for the bulldog! Counting the stud columns from the right and rows from the back, place this bowl in the 2nd row and 4th column. It should be just to the right of the crate build! Now put your hideout build aside while we build the roof for it!

Group 12 - Crook's Hideout

Step 39

Locate 1 dark grey 6x16 plate and 2 dark grey 1x8 tiles. Place the plate horizontally in front of you then horizontally place the 1x8 tiles next to each other on the back row.

Step 40

Locate 1 dark grey 1x8 tile, 2 dark grey 1x3 tiles, and 1 dark grey 2x2 tile with perpendicular 1x2 plate. Horizontally place the 1x8 tile in the front right corner so there is no overhang. Then horizontally place the 1x3 tile to the left. Then horizontally place the 2x2 tile with a 1x2 perpendicular plate to the left, so the studs of the 2x1 plate are at the front. Then horizontally place the 1x3 tile to the left.

Step 41

Locate 1 long black bar that attaches to a stud. This is an antenna! Place it in the back right corner.

Step 42

Locate 1 black 1x1 clip-1x1 plate and 1 black 1x2 sloped curved tile. Vertically place the 1x1 clip-1x1 plate in the middle of the 2nd column from the right so the clip is in the front. Then vertically place the sloped curved tile on top of and behind it so it slopes back.

Step 43

Locate 1 light grey 3x3 dish, 1 black 1x1 round plate, and 1 light grey 1x2 rounded plate with a bar. Place the dish on top of the round plate, then place the rounded plate with a bar on top of the dish. Now attach the bar to the clip you previously placed on the roof so the back of the dish faces the front at an angle. This is a satellite dish!

Step 44.1

Locate 1 tan 2x6 rounded tile with a sticker. Horizontally place it upright so it is centered on the 2 front-facing side studs on the left side of the roof.

Step 44.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the tan 2x6 rounded tile. This sticker has light blue waves on the bottom and a big light blue fish. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check!

Step 45

Bring back your hideout build and orient it so the panels are facing you. Now horizontally place your roof on top of the hideout so there is no overhang.

Step 46

Bring back your main build and orient it so the overhead bar with the red and green lights is facing you. Now horizontally place your hideout on top of the main build so there is no overhang.

Building Instructions (Bag 3, Book 3):

Group 13 - Crook Minifigure

Sub-build 3. Locate 1 dark red pair of legs, 1 torso printed with a dark red jacket over a white t-shirt, 1 yellow male head printed with sunglasses, a stubble beard, and a smirk on his face, and 1 black hair. Assemble your crook and put him aside!

Group 14 - Water Scooter

Step 1

Locate 1 dark grey 4x6 boat base with inverted sloped curved sides. Horizontally place it in front of you so the curved end is facing right.

Step 2

Locate 1 teal 2x6 plate. Horizontally place it in the 2x4 gap of the boat base so it overhangs 2 columns to the left.

Step 3

Locate 1 dark grey 2x4 plate with inverted sloped sides. Vertically place the 2x2 gap of it underneath the overhang.

Step 4.1

Locate 1 light green 2x2 round plate. Place it on the 2 rightmost columns of the 2x6 plate.

Group 15 - Jet ski

Step 4.2

Locate 1 yellow 2x2 round plate. Place it on top of the previously placed round plate.

Step 5

Locate 1 black 1x2 plate with a clip. Vertically place it on top of the 2x2 round plate on the left column so the clip faces left.

Step 6

Locate 1 black 4x4 angled sloped curved tile with a sticker. Place it on the right side of the build so the angled sides line up with the boat base. There should not be any overhang.

Step 7

Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the black 4x4 angled sloped curved tile. This sticker is a teal flame inside a larger yellow and green flame. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check!

Step 8

Locate 2 black 1x3 plates. Horizontally place them on the front and back rows to the left of the previously placed tile.

Step 9

Locate 1 light grey 1x2 plate with 2 side studs. Vertically place it in the middle of the leftmost column so the side studs face left.

Step 10

Locate 1 black 1x4 tile with 2 studs. Vertically place it on the leftmost column so there is no overhang.

Step 11

Locate 1 dark grey 1x2 rounded plate. Horizontally place it upright on the 2 left-facing side studs.

Step 12

Locate 2 black 1x2 sloped grill tiles. Horizontally place them in the front left and back left corners so they slope to the right.

Step 13

Locate 1 dark grey handlebar. Attach the bottom to the clip so the ends of the handlebars go to the left. You finished the water scooter! Put it aside while we build the storage container that houses it!

Group 16 - Storage Container

Step 1

Locate 1 blue 6x6 plate and 1 tan 1x4 plate. Place the 6x6 plate on the table. Then vertically place the 1x4 plate in the middle of the rightmost column.

Step 2

Locate 1 red 2x2 tile. Place it to the left of the 1x4 plate so it is centered.

Step 3

Locate 1 light grey 1x4 brick with holes. Vertically place it on top of the 1x4 plate.

Step 4

Locate 2 yellow 1x2 slope bricks. Horizontally place them in front of and back of the 2x2 tile so they slope to the left.

Step 5

Locate 1 dark grey grill tile and 2 dark grey 1x2 sloped curved tiles. Vertically place the grill tile on top of the 1x4 brick with holes in the middle. Horizontally place the 1x2 sloped curved tiles in front of and back of the grill tile so they slope to the left. There should not be any overhang.

Step 6

Locate 1 light grey 2x6 tile. Horizontally place it to the left of the red 2x2 tile so it overhangs 3 studs to the left.

Step 7

Locate 1 blue 6x6 plate. Place it underneath this overhang so the front and back sides align with the 6x6 plate to the right.

Step 8

Locate 1 red 2x2 tile. Place it to the left of the 2x6 tile.

Step 9

Locate 2 yellow 1x2 slope tiles and 1 light grey 1x4 tile. Horizontally place the slope tiles in front and back of the previously placed tile so they slope towards each other. Then vertically place the 1x4 tile to the left so it is centered in the front and back.

Step 10

Locate 1 yellow 1x5 axle and 2 black balls with a hole. Insert the axle into the hole that is on the rightmost side so the axle is centered. Then attach the balls to each end of the axle.

Step 11

Locate 2 light grey 1x8 bricks and 2 light grey 1x4 bricks with holes. Horizontally place the 1x8 bricks on the front left corner and back left corner so there is no overhang. Then to the right, horizontally place the 1x4 brick with holes.

Step 12

Locate 4 tall teal 1x6 panels with ridges. Horizontally place 2 on the front row and 2 on the back row so the panel sides face outwards.

Step 13

Locate 1 light grey 1x6 arch brick. Vertically place it on the rightmost column.

Step 14

Locate 2 light grey 1x8 bricks and 2 light grey 1x1 bricks. Horizontally place the 1x8 bricks on the front and back rows to the left of the previously placed brick. Then place the 1x1 bricks to the left of them.

Step 15

Locate 4 light grey 2x6 tiles. Starting from the rightmost column, vertically place them, 1 to the left of the other. Put your storage container away for now while we build the door mechanism.

Group 17 - Storage Container

Step 16

Locate 1 light grey 4x8 plate and horizontally place it in front of you.

Step 17

Locate 2 light grey 1x4 tiles and 4 light grey 2x2 corner tiles. Place each corner tile on each corner of the plate. Then horizontally place the 1x4 tiles in the middle of the front and back rows. Now each edge of the 4x8 plate should be covered with a tile!

Step 18

Flip your sub-build upside down so it is horizontal. Now locate 2 blue 1x1 round plates and place them upside down in the front left and back left corners.

Step 19

Locate 2 black 1x2 plates with a hole underneath. Horizontally place them upside down in the front right and back right corners so the hole is on the right.

Step 20

Locate 2 tan 1x2 inverted sloped curved tiles. Horizontally place them upside down to the left of the holes of the previously placed plates so they slope to the left.

Step 21

Flip your build over so it is upright and the holes are on the right. Now locate 1 black 1x2 tile with a bar. Vertically place it on the leftmost stud column so the bar is on the left.

Step 22

Locate 2 light grey 1x2 bricks with pins. Insert the pins into the front and back of the holes.

Step 23

Bring back your storage container build so it is horizontal and the tiles on top are on the right. Now horizontally place the 2 light grey 1x2 bricks with pins of your sub-build onto the front left and back left corners of the storage container build so the door faces the left.

Step 24

Locate 2 light grey 1x4 tiles. Horizontally place them in the front left and back left corners of the build.

You can flip the door up using the bar and put your jet ski inside! You can also push the black ball on the right to shoot out the jet ski!

Now bring back the dock and the hideout. Place the hideout horizontally on your table so the overhead bar faces you! Rotate your storage container so the door faces the front. Attach the holes on the left side of the storage container to the pins on the right side of the hideout! Orient the dock so it is vertical and the holes are in the back right corner. Insert the holes into the pins on the left side of the dock to complete your build!

Congratulations you finished the Police Speedboat and Crooks' Hideout set!

At the end of the instruction booklets are advertisements for the following 5 LEGO CITY Theme kits:

60413 - Fire Rescue Plane

60414 - Fire Station with Fire Truck

60415 - Muscle Car Chase

60418 - Crime Lab Truck

60419 - Police Prison Island

Thank you so much for building this set!

Visit bricksfortheblind.org for more accessible instructions and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our [Facebook](#) and [Instagram](#) accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.