

60449 Off-Road Police Car Chase

Set adapted by Alex Charbonneau and tested by Natalie Charbonneau.

Foot-to-the-floor police pursuit adventures await with the LEGO® City Off-Road Police Chase (60449) vehicle set. Designed for ages 6 and up, this fun playset features a police SUV, quad bike and drone, plus a crook's muscle pickup truck and a stolen safe full of toy gold bars and diamonds. Just add the 2 police officers, 2 crooks and a rolling-boulder ambush for hours of action-packed adventures.

This police toy building set includes a printed building guide and step-by-step digital instructions in the LEGO Builder app – a digital building companion with intuitive zoom and rotate tools that enable kids to visualize models from all angles as they build.

LEGO City toys feature cool vehicles, realistic structures and fun characters that inspire limitless creativity. Kids can add this LEGO City set to others (sold separately) from the LEGO City range to expand the world of play possibilities. Contains 467 pieces.

Police chase vehicle set:

- Action-packed police pursuits await with the LEGO® City Off-Road Police Car Chase playset for ages 6 and up.

What's in the box?

- Everything kids need to build a toy police SUV, quad bike, drone and a crook's muscle pickup truck, plus a rolling-boulder ambush and 2 police officers and 2 crook minifigures.

A toy for kids who love pretend play:

- Kids can seat the police officer and crook minifigures in their vehicles and use the rolling-boulder feature to play out thrilling car-chase scenarios.

LEGO® minifigure accessories:

- This police toy playset comes with accessories including a toy bank safe, chain, crowbar, 3 gold bar elements, 2 diamond elements and 2 sets of handcuffs.

A LEGO® treat for police toy fans:

- Give this LEGO City police car playset as a holiday or birthday gift for kids aged 6 and up.

Creative play without limits:

- Kids unleash more fun and adventures when they use this set with others (sold separately) from the LEGO® City range.

Welcome to LEGO® City:

- LEGO City is a place where kids can set their limitless imaginations free, with structures, vehicles and citizens that motivate them to build, create, explore and play.

Dimensions:

- The model police SUV in this 467-piece building set measures over 3 in. (8 cm) high, 5.5 in. (14 cm) long and 3 in. (8 cm) wide.

The box is blue. The front of the box shows a wild chase scene on a mountain road! A person in an orange prison jumpsuit drives a souped up classic car with large, off-road tires that's pulling a safe attached to a chain. The door of the safe is cracked open so you can see that it is full of gold and jewels. But the police are here to stop the robbery! A police SUV is right next to the robber's car, a police drone flies overhead, and another officer driving an ATV brings up the rear! Another criminal stands on top of a cliff, trying to stop the police by dropping a boulder on them!

The top of the box shows all of the included minifigures, the drone, and the safe. There is also a life-sized image of one of the criminal minifigures.

The back of the box shows a few different images of the contents of the set. The main image shows the police car stopped and facing away with the back open. This shows that the back can be used to transport the criminals if the police catch them! There is also a small image showing the criminals next to their car with the safe in the back. Another image shows a small build that holds a boulder that can be launched towards the police by pushing on a cone piece. The small image shows a detail of the officer riding the ATV.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of the piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner who may want to follow along with the printed visual instructions that come with each kit, PDF versions are always online at LEGO.com: (<https://www.lego.com/en-us/service/building-instructions/60449>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2 and 3, and put them in one container.

This LEGO set comes with five bags labeled 1-5, and three instruction booklets. Sort the pieces into groups as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split across two groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

This build is 467 pieces, and 173 building steps.

Bag 1 (7 groups of bricks)

Minifigure Group 1 contains the pieces to build the gray-haired convict.

Minifigure Group 2 contains the pieces to build the ATV police officer.

Sub-Build 1: Police Drone

Group 1 contains the pieces for steps 1-5 of the drone.

Group 2 contains the pieces for steps 6-7.

Sub-Build 2: Booby Trapped Boulder

Group 3 contains the pieces for steps 1-12 of the booby trapped boulder.

Sub-Build 3: Police ATV

Group 4 contains the pieces for steps 1-8 of the ATV, including a transparent blue 1x2 tile from step 9.

Group 5 contains the pieces for steps 9-15.

Bag 2 (6 groups of bricks)

Minifigure Group 3 contains the pieces to build the red-haired convict.

Sub-Build 4: Convict's Off-road Hot Rod

Group 6 contains the pieces for steps 1-7 of the hot rod.

Group 7 contains the pieces for steps 8-18.

Group 8 contains the pieces for steps 19-31.

Group 9 contains the pieces for steps 32-41.

Group 10 contains the pieces for steps 42-53. Stack the two red 1x1 round plates from step 51.

Bag 3 (3 groups of bricks)

Group 11 contains the pieces for steps 54-64.

Sub-Build 5: Safe

Group 12 contains the pieces for steps 65-72.

Group 13 contains the pieces for steps 73-77.

Bag 4 (7 groups of bricks).

Minifigure Group 4 contains the pieces to build the police officer.

Sub-Build 6: Off-road Police Car

Group 14 contains the pieces for steps 1-10 of the police car.

Group 15 contains the pieces for steps 11-20.

Group 16 contains the pieces for steps 21-25, including a transparent blue 1x1 round tile from step 26.

Group 17 contains the pieces for steps 26-35.

Group 18 contains the pieces for steps 36-41.

Group 19 contains the pieces for steps 42-48.

Bag 5 (5 groups of bricks)

Group 20 contains the pieces for steps 49-52, including two dark blue 2x2 triangular tiles from step 53.

Group 21 contains the pieces for steps 53-55.

Group 22 contains the pieces for steps 56-64.

Group 23 contains the pieces for steps 65-76, including a transparent red 1x2 tile from step 79.

Group 24 contains the pieces for steps 77-81.

Building Instructions:

Bag 1.

Minifigure Group 1: Gray-haired Convict

Assemble the gray-haired convict minifigure by putting the torso on the legs, the head on the torso, and the hair on the head. This convict holds a crowbar in his right hand. He's wearing orange prison pants, a white and black striped prison shirt, and he has a gray beard.

Minifigure Group 2: ATV Police Officer

Assemble the ATV police officer minifigure by putting the torso on the legs, and the head on the torso. You can either put hair on this minifigure, or you can put on an offroading helmet! Assemble the helmet by clipping the goggles into the front of the helmet. This officer holds a white drone controller in his right hand. He is wearing a blue uniform with a bright yellow reflective vest. His helmet is blue and his goggles are white.

Sub-Build 1: Police Drone

Group 1.

Step 1.1

Now we'll build a police drone! Place a black 2x3 plate, vertically, in front of you.

Step 1.2

Place a dark gray 1x4 plate with the end studs offset, horizontally with the left and right studs offset to the back, on the back row of the previous piece.

Step 2.1

Place a white 1x4 plate with rounded ends, horizontally, in front of the previous piece.

Step 2.2

Place a white 1x2 jumper plate, horizontally and centered horizontally, on the previous piece.

Step 2.3

Place a 1x1 round tile to the left of the previous piece. Repeat symmetrically on the right side. One of these tiles is red and one is blue, it is not important which one goes where.

Step 3

Place a dark gray 1x4 plate with the end studs offset, horizontally with the left and right studs offset to the front, in front of the previous piece.

Step 4

Place a white 1x2 jumper plate, horizontally, on the front row of the drone. Repeat symmetrically on the back side.

Step 5

Place a dark gray 1x1 plate with a stud hanging down from one side, with the side stud at the front, on the front previous piece.

Group 2.

Step 6.1

Place a clear 1x1 round tile on the front side stud of the previous piece.

Step 6.2

Place a dark blue 1x3 curved slope tile, vertically with the tall side at the front, on the single column of the drone.

Step 7

Now we'll add the propellers for the drone. Place a black steering wheel, with the anti-stud at the bottom, on each of the offset studs on the four corners of the drone. Now the drone is complete!

Sub-Build 2: Booby Trapped Boulder

Group 3.

Step 1.1

Next we'll build a booby trapped boulder that the convicts can use to escape the police. We'll start with the base. Set the drone aside for now. Place an olive green 4x8 half-circle plate, vertically with the flat side on the right, in front of you.

Step 1.2

Place a light gray 2x2 inverted slope brick, with the slope on the right, centered vertically on the rightmost column of the previous piece.

Step 2.1

Place a light gray 2x2 brick to the left of the previous piece.

Step 2.2

Place a light gray 2x2 inverted slope brick, with the slope on the left, to the left of the previous piece.

Step 3

Place a dark tan 2x3 plate, horizontally and centered vertically, on the left three columns of the base. This is on top of the previous two pieces. Place another to the right of the first.

Step 4.1

Place a dark gray 1x2 plate with rounded ends, vertically, on the front two studs on the third column from the right.

Step 4.2

Place a dark orange 1x1 slope tile, with the tall side at the back, on the back stud of the previous piece.

Step 5.1

Rotate the base 180 degrees so the flat side of the 4x8 half circle plate is on the left. Place a dark gray 1x2 plate with rounded ends, vertically, on the second and third studs from the front on the leftmost column of the 4x8 plate.

Step 5.2

Place a dark orange 1x1 slope tile, with the tall side at the back, on the back stud of the previous piece.

Step 6

Push the bar of a green short bar with three small stems on top, with the stems on top, into the free hollow stud of the two 1x2 plates with rounded ends from steps 4.1 and 5.1.

Step 7.1

Place a dark gray 1x2 plate with rounded ends, vertically, on the leftmost column. This is on the raised portion of the base and above the straight side of the 4x8 half circle plate.

Step 7.2

Place a dark gray 1x2 plate with a hole, vertically with the hole at the front facing left and right, on the previous piece.

Step 8

Place the tile of a dark tan 1x1 tile with a 1x1 slope tile on one side, with the slope on the right, on the back stud of the previous piece.

Step 9.1

Slide the axle side of a brown 3L axle with stop at one end, with the stop on the right, through the hole of the 1x2 plate with hole from step 7.2.

Step 9.2

Push the hollow anti-stud of a brown 1x1 cone onto the left side of the previous piece. The anti-stud of this piece is also an axle holder. If you push on this cone, it will push the axle, which will push the boulder later on!

Step 10

Place a brown 2x2 round tile with a single stud, centered vertically, on the third and fourth columns from the right.

Step 11

Place a dark orange 1x1 slope tile, with the thick side at the back, on the front stud on the rightmost free column of the 4x8 half-circle plate.

Step 12

Assemble a boulder by placing a boulder top on a boulder bottom. Then place the boulder on the 2x2 round tile with a single stud from step 10. Try pushing the button and see if the boulder falls down!

Sub-Build 3: Police ATV

Group 4.

Step 1

Now we'll build the police ATV. Set the booby-trapped boulder aside for now. Place a black 2x2 plate with wheel pegs on two sides, with the wheel pegs at the front and back, in front of you.

Step 2

Place a light gray 1x2 plate with a vertical clip on one long side, vertically with the clip on the left, on the left column of the previous piece.

Step 3

Place a yellow 1x6 plate, horizontally, to the right of the front stud of the previous piece. Place another behind the first.

Step 4

Place a black 2x2 plate with wheel pegs on two sides, with the wheel pegs at the front and back, under the right two columns of the ATV.

Step 5.1

Place a black 1x1 plate with a 1x1 inverted slope brick on one side, with the slope on the right, on each stud of the rightmost column of the ATV. You will place a total of two pieces.

Step 5.2

Place a dark gray 2x6 plate, horizontally, to the left of the previous two pieces.

Step 6

Place a dark gray 2x4 double inverted slope brick, vertically, on the second and third columns from the right. The inverted slopes should be the only studs to the right of this piece.

Step 7

Place a tan 2x2 round plate on the previous piece.

Step 8

Place the left two columns of a black 2x3 plate, horizontally, on the previous piece.

You will have a transparent blue 1x2 tile leftover when you finish this group.

Group 5.

Step 9.1

Place the leftover transparent blue 1x2 tile, horizontally, on the back row of the 2x4 double inverted slope from step 6.

Step 9.2

Place a transparent red 1x2 tile, horizontally, on the front row of the 2x4 double inverted slope from step 6.

Step 9.3

Place a white 2x2 tile with a single stud on the rightmost two columns of the ATV.

Step 9.4

Place a silver 1x2 grille tile, vertically, to the left of the previous piece.

Step 10

Place a white 2x2 plate with two triangular mudguards, vertically with the triangular part of the mudguards on the left, on the leftmost two columns of the ATV.

Step 11.1

Place a transparent yellow 1x1 round plate on each of the studs on the left column of the previous piece. You will place a total of two pieces.

Step 11.2

Place a dark gray 1x2 plate with rounded ends, vertically, to the right of the previous two pieces.

Step 12

Place a light gray 1x2 plate with a vertical clip on one long side, vertically with the clip on the right, on the previous piece.

Step 13.1

Place the right column of a dark blue 2x2 curved slope tile with a police badge print, with the tall side on the right, on the previous piece.

Step 13.2

Clip the small bar of a black set of handlebars, with the handlebars vertically on top and curving to the left, into the clip on the leftmost side of the ATV. This piece is the bumper for the ATV.

Step 14

Clip the small bar of a black set of handlebars, with the handlebars vertically on top and curving to the left, into the clip on the right of the second column from the left. These are the handlebars the police officer uses to drive the ATV.

Step 15

Assemble four tires by pushing four small black wheel rims into four black rubber tires. Then push the small hole on one wheel onto each of the four wheel pegs on the ATV. Now the ATV is finished! Great job!

Bag 2.

Minifigure Group 3: Red-haired Convict

Assemble the red-haired convict minifigure by putting the torso on the legs, the head on the torso, and the hair on the head. This convict doesn't have any accessories. She's wearing orange prison pants and a long sleeved shirt. She has short red hair.

Sub-Build 4: Convicts' Off-road Hot Rod

Group 6.

Step 1.1

Now we'll build the convicts' car! Set the ATV aside. Place a dark gray 2x16 plate, horizontally, in front of you.

Step 1.2

Place a dark tan 1x2 plate with a vertical clip on one short side, horizontally with the clip on the right, on the rightmost two studs on the front row of the previous piece. Place another behind the first.

Step 2

Place a white 2x2 plate to the left of the previous two pieces.

Step 3.1

Place a black 4x6 plate, horizontally and centered vertically, to the left of the previous piece.

Step 3.2

Place a black 4x4 hollow plate to the left of the previous piece.

Step 4

Place a red 1x10 plate, horizontally, under the front row of the car so it's even with the left and right sides of the previous two pieces. Repeat symmetrically on the back side.

Step 5.1

Place a black 1x4 plate with a 1x1 inverted slope brick on each end, vertically and centered vertically, on the rightmost column.

Step 5.2

Place a black 2x3 plate, horizontally, to the left of the previous piece.

Step 6.1

Place a black 1x4 brick, vertically, to the left of the previous piece.

Step 6.2

Place a red 1x2 brick, vertically and centered vertically, to the left of the previous piece.

Step 7

Place a red 1x4 tile, vertically, on the rightmost column.

Group 7.

Step 8

Now we'll make the grille for the car. Set the rest of the car aside for now. Place a blue 1x4 brick with four studs on one side, vertically with the side studs on the right, in front of you.

Step 9

Place a black 1x4 grooved tile on the side studs of the previous piece.

Step 10

Place the rightmost column of a black 2x3 plate, horizontally, under the front two studs of the 1x4 brick with four side studs. Place another 2x3 plate behind the first.

Step 11

Place a white 2x2 plate, centered vertically, on the left two columns.

Step 12.1

Place the right two columns of a dark tan 2x4 plate, horizontally, on the previous piece so it overhangs two columns to the left.

Step 12.3

Place a blue 2x2 tile with two studs, with the studs on the left, on the right two columns of the previous piece.

Step 13

Place the car back in front of you, horizontally with the side with the 1x4 plate with inverted slopes on the right. Place the grill assembly on the right five columns of the car. The leftmost column of the grille assembly should attach to the 1x2 brick from step 6.2.

Step 14.1

Place a light brown 1x1x2 tall brick with two studs on one side, with the side studs at the front, in front of the leftmost column of the grille assembly. Repeat symmetrically on the back side.

Step 14.2

Place a yellow 1x2 slope brick, horizontally with the slope on the left, to the left of the previous two pieces.

Step 15.1

Place a light gray 1x1 panel with walls on two sides, with the walls at the front and right, on the front previous piece. Repeat symmetrically on the back side.

Step 15.2

Place a yellow 1x1 tile with a steering wheel, vertically with the steering wheel facing the left, between the previous two pieces.

Step 16

Place a silver 1x2 grille tile, horizontally, to the left of the front 1x2 slope brick from step 14.2. Repeat symmetrically on the back side.

Step 17

Place the right stud of a yellow 1x2 slope brick, horizontally with the slope on the right, behind the left stud of the front previous piece. Place another behind the first.

Step 18

Place a light brown 1x1x2 tall brick with two studs on one side, with the side studs at the front, in front of the left stud of the front previous piece. Repeat symmetrically on the back side.

Group 8.

Step 19

Place a red 2x2 plate to the left of the two yellow 1x2 slope bricks from step 17. There should be three columns to the left of this piece and it should go in the hollow of the 4x4 hollow plate from step 3.2.

Step 20

Place a black 1x4 brick, vertically, on the right column of the previous piece.

Step 21

Place a black 2x2 ribbed tall plate to the left of the front two studs of the previous piece. Place another behind the first.

Step 22

Place a red 2x2 plate, centered vertically, on the previous two pieces.

Step 23

Now we'll build the bumper for the car. Set the rest of the car aside for now. Place a black 1x4 brick, horizontally, in front of you.

Step 24

Place the back row of a black 2x3 plate, vertically, under the left two studs of the previous piece. Place another to the right of the first.

Step 25

Place a black 1x4 plate with a 1x1 inverted slope brick on each end, horizontally, on each of the front two rows of the bumper.

Step 26

Place a dark tan 1x4 plate, horizontally and centered horizontally, on the back piece from the previous step.

Step 27

Rotate the bumper assembly 90 degrees clockwise so the 1x4 brick is on the right column. Place a red 1x2 plate with a 2x2 of studs sticking up from one side, vertically with the side studs on the left, to the left of the front two studs of the previous piece. Place another behind the first.

Step 28

Place a dark tan 2x4 plate, vertically and centered vertically, on the left two columns of the bumper.

Step 29

Place a dark tan 2x2 tile with a snake skin pattern on the front two columns of side studs on the left side of the bumper. Repeat symmetrically on the back side. These tiles do have directionality, so you can ask a sighted friend to get the orientation correct if you want to.

Step 30

Place a silver 1x2 grille tile, vertically and centered vertically, on the leftmost column of the bumper.

Step 31

Set the rest of the car in front of you. Place the right two columns of the bumper on the left two columns of the car.

Group 9.

Step 32

Place a light gray 2x6 plate, horizontally and centered vertically, on the left side of the car to the right of the 1x2 grille tile on the bumper assembly. The right column of this piece should attach to the two 1x2 slope bricks from step 17.

Step 33

Place a light gray 1x3 tile, horizontally, on the leftmost three studs on the second row from the front. Repeat symmetrically on the back side.

Step 34.1

Place a dark gray 1x2 plate with a bar sticking up from one side, horizontally with the bar at the front, to the right of the front previous piece. Repeat symmetrically on the back side.

Step 34.2

Push the hollow stud of a light gray 1x1 round plate with a hollow stud down onto the bars of the previous two pieces.

Step 35

Find the left 1x1x2 tall brick with two side studs on the front side of the car. Place a light gray 1x1 round plate with a hollow stud to the left of this piece. Repeat symmetrically on the back side.

Step 36.1

Place a black 1x6 plate, vertically and centered vertically, on the previous two pieces.

Step 36.2

Place a yellow 1x2 plate, vertically and centered vertically, to the right of the previous piece.

Step 37

Place the back row of a black 2x2 plate with a mudguard, with the mudguard at the front, to the right of the front 1x3 tile on the left three columns of the car. Repeat symmetrically on the back side.

Step 38.1

Now we'll make the curved lower sides of the car. Place a light gray 2x6 plate, horizontally, in front of you.

Step 38.2

Place a black 1x6 plate, horizontally, on the back row of the previous piece.

Step 38.3

Place the back row of three black 2x2 curved slope tiles, with the tall sides at the back, on the previous piece.

Step 38.4

Repeat steps 38.1-38.3.

Step 38.5

Rotate one curved lower side assembly so it's horizontal with the anti-studs at the back and the tall side of the slopes at the top. Place its left and rightmost columns on the two 1x1x2 tall bricks with two side studs on the front side of the car. Repeat symmetrically on the back side.

Step 39

Find the right 1x1x2 tall brick with two side studs on the front side of the car. This is holding up the right side of the assembly we just placed. Place a light gray 1x1 round plate with a hollow stud to the right of this piece. Repeat symmetrically on the back side.

Step 40.1

Place a black 1x6 plate, vertically and centered vertically, on the previous two pieces.

Step 40.2

Place a yellow 1x2 plate, vertically and centered vertically, to the left of the previous piece.

Step 41

Place a black 2x2 plate with a mudguard, with the mudguard at the front, to the right of the front two studs of the 1x6 plate from step 40.1. Repeat symmetrically on the back side.

Group 10. There are two 1x1 round plates stacked together in this group. These are the transparent red ones. The transparent yellow ones from step 42 are loose.

Step 42

Even bank robbers have to stay safe! Let's add headlights so the convicts can see where they're going. Stack two of the loose transparent yellow 1x1 round plates and place the stack on the front right corner of the car. This is in front of the grille. Repeat symmetrically on the back side.

Step 43

Place the right stud of a dark gray 1x12 plate, horizontally, on the front stack from the previous step. Repeat symmetrically on the back side.

Step 44

Place a dark gray 2x4 plate, vertically, between the leftmost two studs of the previous two pieces. Place another between the fifth and sixth studs from the right between the 1x12 plates from the previous step. This piece should be to the right of the steering wheel.

Step 45.1

Place a dark gray 2x2 supercharger scoop, with the wide, open end on the right, centered vertically to the right of the previous piece.

Step 45.2

Place a dark tan 2x2 tile with a snake skin pattern to the right of the previous piece. This tile does have directionality, so you can ask a sighted friend to get the orientation correct if you want to.

Step 45.3

Place a black 1x4 tile, horizontally, in front of the previous piece so the right sides are even. Repeat symmetrically on the back side.

Step 46

Clip the middle bar of a black bumper, laying flat and vertically with the offset bar on the right, into the two clips on the right side of the car.

Step 47

Rotate the previous piece so it is upright and touching the right side of the car.

Step 48.1

Place a dark tan 1x6 tile, horizontally, on the front row of the car so the right sides are even. Repeat symmetrically on the back side.

Step 48.2

Place a red 1x1 quarter circle tile, with the flat sides at the back and left, to the left of the front previous piece. Repeat symmetrically on the back side.

Step 49

Place a black 1x2 inverted slope brick, horizontally with the slope on the right, on the second stud from the left on the front row of the car. Repeat symmetrically on the back side.

Step 50

Place the left stud of a dark gray 1x4 plate, horizontally, on the right stud of the front previous piece. Repeat symmetrically on the back side.

Step 51.1

Place a black 1x2 inverted slope brick, horizontally with the slope on the left, on the leftmost stud on the front row of the car. Repeat symmetrically on the back side.

Step 51.2

Take a transparent red 1x1 round plate off of the stack and place one on the left stud of each of the previous two pieces.

Step 52

Place a dark gray 1x2 plate with a bar sticking up from one side, horizontally with the bar at the front, to the right of the front previous piece. Repeat symmetrically on the back side.

Step 53.1

Place a dark tan 1x6 tile, horizontally, on the front row of the car so the left sides are even. Repeat symmetrically on the back side.

Step 53.2

Place a dark gray 1x2 curved slope tile, horizontally with the tall side on the left, to the right of each of the previous two pieces.

Bag 3.

Group 11.

Step 54

Keeping the grille on the right, flip the car upside down. Place a light gray 2x2 round plate with a rounded bottom, upside down and centered vertically, on the second and third columns from the left and the rightmost two columns on the car.

Step 55.1

Place a light gray 2x4 plate with a pin on each short side, upside down and vertically, to the right of the left piece from the previous step.

Step 55.2

Place a black 2x2 plate with a pin on each side, upside down and vertically, to the left of the right 2x2 round plate with a rounded bottom from step 54.

Step 56

Flip the car right side up so the grille is on the left. Place a transparent clear 1x4 brick, vertically and centered vertically, between the left stud of the 1x2 curved slope tiles from step 52.2.

Step 57

Place a black 1x3 slope brick, horizontally with the slope on the right, to the right of the front stud of the previous piece. Repeat symmetrically on the back side.

Step 58

Place a black 1x1 plate with a triangular tooth hanging down from one side, with the tooth on the left, on the front stud of the clear 1x4 brick from step 56. Repeat symmetrically on the back side.

Step 59

Place the left stud of a black 1x2 curved slope tile, horizontally with the tall side on the left, on each of the previous two pieces.

Step 60

Place a red 1x2 hollow slope with a handle bar on top, vertically with the tall side on the left, between the left studs of the previous two pieces.

Step 61

Place a transparent clear 3x4 windscreen, with the slope on the left and centered vertically, to the right of the supercharger scoop.

Step 62

Now we'll add the roof to the car! Place the left column of a black 4x4 triple curved wedge, with the studs on the right, on the right column of the previous piece.

Step 63.1

Let's add some lights to the top of the car. Place a dark gray 1x2 plate with two studs sticking up from one long side, vertically with the side studs on the left, in front of you.

Step 63.2

Place a transparent orange 1x1 round tile on each of the side studs on the previous piece.

Step 63.3

The lights on the top of the car have a couple of spikes on them! Place a light gray 1x1 pyramid slope tile on each of the studs on the 1x2 plate with two side studs from step 63.1.

Step 63.4

Place the light assembly, with the lights on the left, on the roof of the car.

Step 64.1

Now let's start making the wheels! Push a red wheel into a black rubber tire, with the flat, spoked side of the wheel at the bottom.

Step 64.2

Push a white 1L pin with a stud on one side, with the stud on top, into the hole on the top side of the wheel.

Step 64.3

Place a light gray 1x1 pyramid slope tile on the stud of the previous piece.

Step 64.4

Repeat steps 64.1-64.3 three times.

Step 64.5

Place one wheel on each of the four pins on the car. Now the convicts' car is complete!

Sub-Build 5: Safe

Group 12.

Step 65

Now we'll build the safe the convicts are stealing! Set the car aside for now. Place a dark gray 2x4 plate, horizontally, in front of you.

Step 66

Place the back two rows of a dark green 2x3 plate, vertically, under the left two columns of the previous piece. Place another to the right of the first.

Step 67

Place a dark gray 1x4 tile with two studs, horizontally, on the front row of the safe.

Step 68.1

Place a black 1x3 plate, vertically, on the leftmost column of the safe. Repeat symmetrically on the right side.

Step 68.2

Place a black 1x2x2 tall panel, horizontally with the flat side at the back, centered horizontally on the back row of the safe.

Step 69

Place a dark green 1x2 brick, vertically, on the back two studs of the left column of the safe. Repeat symmetrically on the right side.

Step 70.1

Place a dark gray 1x1 brick with a clip on one side, with the clip at the front, on the front left stud of the safe.

Step 70.2

Place a dark green 1x1 brick on the front right stud of the safe.

Step 71

Place a black 1x3 plate, vertically, on the leftmost column of the safe. Repeat symmetrically on the right side.

Step 72.1

Place a dark gray 2x4 plate, horizontally, on the front studs of the previous two pieces.

Step 72.2

Place a light gray 1x1 round plate behind the left and right columns of the previous piece.

Group 13.

Step 73.1

Place a dark green 1x2 tile, horizontally, on the left two studs on the front row of the safe. Place another to the right of the first.

Step 73.2

Place a dark green 1x2 tile, vertically, behind the left stud of the left previous piece. Repeat symmetrically on the right side.

Step 73.3

Place a dark green 2x2 tile with a single stud between the previous two pieces.

Step 74.1

Now let's build the safe's armored door! Place a light gray 2x2 round plate with a rounded bottom in front of you.

Step 74.2

Place a dark gray 1x2 plate with a bar on one side, vertically with the bar on the left, on the left column of the previous piece. Repeat symmetrically on the right side.

Step 74.3

Place a dark green 2x2 tile with a single stud on the previous two pieces.

Step 74.4

Place a light gray steering wheel on the previous piece.

Step 74.5

Rotate the door so the bars are on the left and right and the steering wheel is at the front. Clip the left bar on the clip on the front of the safe.

Step 75

Place three gold ingot tiles and two transparent yellow gems inside the safe and close the door!

Step 76

Place one stud of a light gray chain with 1x1 round plates on each end on the stud on top of the safe.

Step 77

Place the car back in front of you, with the grille on the left. Find the bars sticking up from the front and back sides near the right side of the car. Push the hollow stud on the free side of the chain onto one of these bars to let the car drag the safe around!

You can lift the roof off of the car to let one of the convicts drive the car! Set the car and safe aside for now.

Bag 4.

Minifigure Group 4: Police Officer

Assemble the police officer minifigure by putting the torso on the legs, the head on the torso, and the hair on the head. Place a light brown 1x1 round tile with a donut print in the officer's left hand.

Sub-Build 6: Off-road Police Car

Group 14.

Step 1.1

Let's start building the police car! Place a dark gray 2x6 plate with a 1x2 brick with an axle hole on each end, horizontally with the axle holes on the left and right, in front of you.

Step 1.2

Push the axle side of a tan 2L axle/pin combo, with the axle on the right, into the hole on the left side of the previous piece. Repeat symmetrically on the right side.

Step 2

Place a red 1x2 plate, vertically, on the second column from the left. Repeat symmetrically on the right side.

Step 3

Place the back two rows of a light gray 2x6 plate, vertically and centered horizontally, on the 2x6 plate with axle bricks.

Step 4.1

Place the back row of a black 4x4 double inverted slope brick with a cutout, with the slopes on the left and right, on the front row of the previous piece.

Step 4.2

Place a lime green 2x2 round brick, centered horizontally, on the second and third rows from the front of the previous piece.

Step 5.1

Now we'll work on the other half of the car. Set the rest of the off-road police car aside for now. Place a dark gray 2x6 plate with a 1x2 brick with an axle hole on each end, horizontally with the axle holes on the left and right, in front of you.

Step 5.2

Push the axle side of a tan 2L axle/pin combo, with the axle on the right, into the hole on the left side of the previous piece. Repeat symmetrically on the right side.

Step 6

Place a black 1x2 plate with a short bar on one side, vertically with the bar at the front, on the second column from the left. Repeat symmetrically on the right side.

Step 7

Place the front two rows of a light gray 2x6 plate, vertically and centered horizontally, on the 2x6 plate with axle bricks.

Step 8

Place a light yellow 1x4 plate, horizontally and centered horizontally, on the front row.

Step 9

Place the first half of the police car back in front of you, with the 2x6 plate with axle bricks at the back. Attach the back row of the second half to the front of the first half. This will attach to the 4x4 double inverted slope brick from step 3.

Step 10

Rotate the car 90 degrees counterclockwise so it is horizontal, with the two short bars from step 6 on the right. Place a black 4x4 hollow plate to the left of the light yellow 1x4 plate from step 8. Repeat symmetrically on the left side.

Group 15.

Step 11

Place a light gray 2x4 double wedge plate, vertically with the widest side at the right, to the left of the left previous piece.

Step 12

Place a tan 2x4 plate, vertically and centered vertically, on the right two columns of the car.

Step 13.1

Place a light yellow 1x4 plate, horizontally, to the left of the front row of the previous piece. Repeat symmetrically on the back side.

Step 13.2

Place a light gray 1x2 plate with a row of four studs hanging down from one side, horizontally with the side studs at the front, to the left of the front previous piece. Repeat symmetrically on the back side.

Step 13.3

Place a light yellow 1x4 plate, horizontally, to the left of both previous pieces.

Step 14

Place a black 4x4 plate with two clips on one side, with the clips on the left, to the left of the previous two pieces.

Step 15.1

Place a light gray 2x6 plate, vertically, on the rightmost two columns of the car.

Step 15.2

Place a dark gray 2x6 double inverted slope with a cutout, vertically, to the left of the previous piece.

Step 16

Place a dark gray 6x6 double inverted slope with a cutout, with the slopes at the front and back, to the left of the previous piece. Place another to the left of the first.

Step 17.1

Place a light gray 2x6 plate, vertically, to the left of the previous piece.

Step 17.2

Place a dark gray 2x6 double inverted slope with a cutout. vertically, to the left of the previous piece.

Step 18.1

Place a dark tan 1x2 brick with a log pattern, horizontally, to the right of the front row of the previous piece. Repeat symmetrically on the back side.

Step 18.2

Place a dark tan 1x2 brick with a log pattern, horizontally, on the front two studs on the right two columns of the car. Repeat symmetrically on the back side.

Step 19.1

Place a lime green 1x4 brick with four studs on one side, vertically with the side studs on the right, centered vertically on the rightmost column of the car.

Step 19.2

Place a red 2x4 tile, horizontally and centered vertically, to the left of the previous piece.

Step 19.3

Place a blue 1x4 brick, vertically, to the left of the previous piece.

Step 19.4

Place a light gray 2x3 plate, horizontally and centered vertically, to the left of the previous piece.

Step 20.1

Place a light gray 1x2 brick with vertical grooves on one side and horizontal grooves on the other, vertically with the vertical grooves on the left, to the left of the previous piece.

Step 20.2

Place the left stud of a blue 1x4 brick, horizontally, in front of the previous piece. Repeat symmetrically on the back side.

Group 16.

Step 21.1

Place a tan 2x2 tile with two studs, with the studs on the right, behind the right two studs of the front previous piece.

Step 21.2

Place a tan 1x2 hollow slope with a handle bar on top, vertically with the tall side on the left, to the left of the previous piece.

Step 22

Place a dark gray 1x10 plate, horizontally, on the front row between the two 1x2 bricks with a log pattern. Repeat symmetrically on the back side.

Step 23

Place a dark gray 1x2 plate with rounded ends, horizontally, on the left two studs on the front row of the car. Repeat symmetrically on the back side.

Step 24

Now we'll build the bumper of the police car. Place a black 2x6 plate, horizontally, in front of you.

Step 25

Place a dark gray 1x2 slope tile, vertically with the tall side on the right, on the leftmost column of the previous piece. Repeat symmetrically on the right side.

When you finish this group you will have a transparent blue 1x1 round tile leftover.

Group 17.

Step 26.1

Place the leftover transparent blue 1x1 round tile to the right of the back stud of the left previous piece.

Step 26.2

Place a transparent 1x1 round tile, symmetrically to the previous piece, on the right side of the bumper.

Step 27

Place a black 1x4 half cylinder tile, horizontally and centered horizontally, on the front row of the bumper.

Step 28

Now we'll place the bumper on the police car! Find the four side studs on the right side of the car. Rotate the bumper so the anti-studs are on the left and the 1x4 half cylinder is at the bottom. Place the top row of the bumper, centered, on the side studs on the right side of the car.

Step 29.1

Now we'll start working on the other side of the car. Place a dark gray 1x1 brick on the leftmost stud of the front row of the car. Repeat symmetrically on the back side.

Step 29.2

Place a dark gray 1x4 brick, horizontally, to the right of each of the previous two pieces.

Step 29.3

Place a dark gray 1x2 slope brick, horizontally with the slope on the right, to the right of each of the previous two pieces.

Step 30

Place a dark gray 1x4 brick, vertically, between the slopes of the previous two pieces.

Step 31.1

Place a light yellow 1x4 plate, horizontally, to the right of the front stud of the previous piece. Repeat symmetrically on the back side.

Step 31.2

Place two silver 1x2 grille tiles, horizontally, in front of the front previous piece. Repeat symmetrically on the back side.

Step 32

Place a white 4x6 plate, vertically, to the right of the right pieces from the previous step. There should be one free column to the right of this piece.

Step 33.1

Place a white 1x2 tile with a steering wheel, with the steering wheel facing the left, centered vertically, to the left of the previous piece.

Step 33.2

Place the rightmost stud of a dark gray 1x4 panel, horizontally with the wall at the front, in front of the previous piece. Repeat symmetrically on the back side.

Step 34

Place a dark gray 1x4 brick, vertically and centered vertically, to the right of the previous two pieces.

Step 35

Place a white 1x6 brick, vertically and centered vertically, to the right of the previous piece.

Group 18.

Step 36

Place a tan 2x2 ribbed tall plate to the right of the front two studs of the previous piece. Repeat symmetrically on the back side.

Step 37.1

Place a white 1x2 brick with two studs on one side, vertically with the side studs on the right, to the right of the front previous piece. Repeat symmetrically on the back side.

Step 37.2

Place a light gray 1x2 brick with vertical grooves on one side and horizontal grooves on the other, vertically with the vertical grooves on the right, between the previous two pieces.

Step 38.1

Now we'll make the sides of the engine compartment, which are curved. Place a light gray 1x2 plate with a row of four studs hanging down from one side, horizontally with the side studs at the front, in front of you.

Step 38.2

Place a white 1x2 tile, horizontally and centered horizontally, on the side studs of the previous piece.

Step 38.3

Place a white 1x4 doubled curved slope tile, horizontally, on the remaining two side studs. It will go over the previous piece.

Step 38.4

Repeat steps 38.1-38.3.

Step 38.5

Place one of the engine sides, horizontally with the curved slopes at the front, on the second and third studs from the right on the front row of the police car. Repeat symmetrically on the back side with the other assembly.

Step 39.1

Now we'll build the grille of the police car. Place a light yellow 1x4 plate, horizontally, in front of you.

Step 39.2

Place a black 1x4 plate with rounded ends, horizontally, on the previous piece.

Step 39.3

Place a silver 1x2 grille tile, horizontally and centered horizontally, on the previous piece.

Step 39.4

Place a white 1x1 tile with a 1x1 slope tile on one side, horizontally with the slope tile on the left, to the left of the previous piece. Repeat symmetrically on the right side.

Step 39.5

Rotate the grille so the anti-stud is at the left, and so the slopes are at the front and back. Place it on the four side studs on the top row of the right side of the police car.

Step 40

Place a green 1x4 tile, vertically and centered vertically, on the third column of studs from the right.

Step 41

Place a light gray 2x2 plate with two studs on one side, with the side studs at the right, to the right of the front two studs of the previous piece. Place another behind the first.

Group 19

Step 42.1

Place the right column of a white 2x6 plate, vertically and centered vertically, on the left column of the previous two pieces.

Step 42.2

Place a dark gray 2x4 plate, vertically and centered vertically, to the left of the previous piece.

Step 43

Place the left stud of a white 1x1 tile with a 1x1 slope tile on one side, horizontally with the slope on the right, on the front right corner stud of the 2x6 plate from step 42.1. Repeat symmetrically on the back side.

Step 44

Place a white 1x2 inverted slope brick, horizontally with the slope on the left, on the front row to the right of the two 1x2 grille tiles. Repeat symmetrically on the back side.

Step 45

Place a dark gray 1x2 plate with rounded ends, horizontally, on the leftmost two studs on the front row. Repeat symmetrically on the back side.

Step 46.1

Place a light gray 1x2 plate with a row of four side studs hanging down from one side, horizontally with the side studs at the front, to the right of the front previous piece. Repeat symmetrically on the back side.

Step 46.2

Place a dark gray 1x4 double curved slope tile, horizontally, on the side studs of the front previous piece. Repeat symmetrically on the back side.

Step 47

Place a dark gray 1x2 plate with rounded ends, horizontally, on the front row to the right of the 1x2 plate with a row of four side studs. Repeat symmetrically on the back side.

Step 48.1

Place a white 1x1 plate with a horizontal clip on one side, with the clip at the front, on the leftmost stud on the front row. Repeat symmetrically on the back side.

Step 48.2

Place a white 1x12 plate, horizontally, to the right of the front previous piece. Repeat symmetrically on the back side.

Bag 5.

Group 20.

Step 49.1

Now we'll make some flood lights so the police car can see when it goes off-roading! Place a black 1x4 plate with rounded ends, vertically, in front of you.

Step 49.2

Place four transparent yellow 1x1 round tiles on the previous piece.

Step 49.3

Rotate the light assembly so it is vertical with the side studs at the right. Place it, centered vertically, on the side studs on the right side of the car.

Step 50

Place a dark blue 1x10 plate, horizontally, on the front row so the left sides are even. Repeat symmetrically on the back side.

Step 51.1

Place a dark blue 1x2 tile, horizontally, to the right of each of the previous two pieces.

Step 51.2

Place a dark blue 1x4 tile, vertically, between the right studs of the previous two pieces.

Step 52.1

Place a light gray 1x2 slope tile with a control panel print, vertically with the tall side on the right, centered vertically to the right of the previous piece.

Step 52.2

Place a blue 2x2 plate to the right of the previous piece.

You will have two dark blue 2x2 triangular tiles leftover when you finish this group.

Group 21.

Step 53.1

Place the right stud of a leftover dark blue 2x2 triangular tile, with the 90 degree corner at the back left, in front of the left column of the previous piece. Repeat symmetrically on the back side.

Step 53.2

Place a white 2x2 triangular tile, with the 90 degree corner at the front right, in front of the front previous piece. Repeat symmetrically on the back side.

Step 54.1

Place a white 1x2 tile, horizontally, to the right of the back stud of the front previous piece. Repeat symmetrically on the back side.

Step 54.2

Place a dark blue 2x2 curved slope tile with a police badge print, with the tall side on the left, between the previous two pieces.

Step 55

Now we'll make a wall that divides the police officer driving the car from any criminals she catches! Place a dark gray 1x4 brick, vertically and centered vertically, on the seventh column from the left. This goes on top of another 1x4 brick.

Group 22.

Step 56.1

Place a dark blue 1x1 brick on the leftmost stud on the front row of the car. Repeat symmetrically on the back side.

Step 56.2

Place a transparent clear 1x4 brick, horizontally, to the right of each of the previous two pieces.

Step 56.3

Place a dark blue 1x1 brick to the right of each of the previous two pieces.

Step 57.1

Place a dark blue 1x6 brick, vertically, to the right of the previous two pieces.

Step 57.2

Place a dark blue 1x1 brick to the right of the front stud of the previous piece. Repeat symmetrically on the back side.

Step 58

Now we'll add the windshield. Place a clear 6x6 windshield, with the slope on the right, to the right of the previous two pieces.

Step 59.1

Now we'll place the door to let prisoners in and out of the police car. Place a black 1x4x4 door frame, vertically and centered vertically, on the leftmost column of the car.

Step 59.2

Place a light yellow 1x2 tile, vertically and centered vertically, on the previous piece.

Step 60

Place the left column of a black 2x2 corner plate, with the corner at the front left so the studs form a braille letter H, in front of the previous piece. Repeat symmetrically on the back side.

Step 61

Place two white 1x1 plates with horizontal clips, with the clips at the front, on the front row to the right of the front previous piece. Repeat symmetrically on the back side.

Step 62.1

Place a black 1x4 plate with rounded ends, horizontally, to the right of each of the rightmost pieces from the previous step. You will place a total of two pieces.

Step 62.2

Place a dark blue 1x4 tile, vertically, on the wall between the second studs from the right on the previous two pieces.

Step 63.1

Place a dark blue 1x1 slope tile, with the tall side at the right, on the front left corner of the car. Repeat symmetrically on the back side.

Step 63.2

Place a black 1x4 plate with rounded ends, horizontally, to the right of each of the previous two pieces.

Step 63.3

Place a dark blue 1x1 slope tile, with the tall side at the left, to the right of each of the previous two pieces.

Step 63.4

Place a dark blue 1x4 tile, horizontally, to the right of each of the previous two pieces.

Step 64

Place a dark blue 1x4 tile, horizontally, between the two 1x1 slope tiles on the front row of the car. Repeat symmetrically on the back side.

Group 23.

Step 65.1

Now we'll add bars to the window for the prisoners. Clip the middle two bars of a 4x3 set of bars, with the bars upright, into the right two clips near the top of the car on the front side. Place the windows as low as you can.

Step 65.2

Clip the small bar of a pair of handcuffs, upright, into the leftmost clip on the front side of the car.

Step 65.3

Place a black 1x4 fence panel, horizontally with the panel side on top, on the four side studs on the front of the car. This is the step up into the vehicle!

Step 66.1

Now we'll repeat this on the back side of the car. Rotate the car 180 degrees so the opening for the prisoners is on the right. Clip the middle two bars of a 4x3 set of bars, with the bars upright, into the left two clips near the top of the car on the front side. Place the windows as low as you can.

Step 66.2

Clip the small bar of a pair of handcuffs, upright, into the rightmost clip on the front side of the car.

Step 66.3

Place a black 1x4 fence panel, horizontally with the panel side on top, on the four side studs on the front of the car.

Step 67

Now we'll make the ramp that acts as a door for the prisoner transport part of the car. Place a dark gray 4x6 plate with a short bar on two corners, horizontally with the bars on the left, in front of you.

Step 68.1

Place a transparent red 1x2 tile, vertically and centered vertically, on the rightmost column of the previous piece.

Step 68.2

Place a dark blue 1x1 slope tile, with the tall side on the left, in front of the previous piece. Repeat symmetrically on the back side.

Step 69.1

Place a black 1x2 plate with a bar on one side, horizontally with the bar at the front, to the left of the front previous piece. Repeat symmetrically on the back side.

Step 69.2

Place a blue 2x2 plate between the previous two pieces.

Step 69.3

Place a silver 1x2 grille tile, vertically, to the left of the previous piece.

Step 70

Place a dark blue 1x4 tile, vertically, on the rightmost free column of studs on the door. Place another to the left of the first.

Step 71

Place a dark blue 1x1 slope tile, with the tall side on the right, on the front row to the left of the left previous piece. Repeat symmetrically on the back side.

Step 72

Now we'll add this to the car! Find the two clips on the right side of the car near the bottom. Keeping the bars on the left, flip the door upside down so the anti-studs are on the top. Clip the two bars into the clips on the right side of the car.

Step 73

Rotate the door up to close it.

Step 74.1

Now we'll build the roof of the car. Set the car aside for now. Place a white 4x6 plate, horizontally, in front of you.

Step 74.2

Place the left column of a white 2x2 curved slope tile, with the tall side on the left, on the front two studs of the rightmost column of the previous piece. Place another behind the first.

Step 75

Place a dark blue 1x10 plate, horizontally, under the front row of the roof so the right sides are even. It should extend three studs to the left of the 4x6 plate. Repeat symmetrically on the back side.

Step 76.1

Place a white 2x6 plate, vertically and centered vertically, on the left two columns of the previous two pieces.

Step 76.2

Place a black 1x4 plate with rounded ends, vertically, to the right of the previous piece.

You will have a transparent red 1x2 tile leftover when you finish this group.

Group 24.

Step 77.1

Place a white 1x4 tile, horizontally, on the front row to the left of the 2x2 curved slope tiles from step 74.2. Repeat symmetrically on the back side.

Step 77.2

Place a silver 1x2 grille tile, vertically, between the leftmost studs of the previous two pieces.

Step 78

Place a black 4x4 triple curved wedge, with the studs on the right, on the left four columns of the roof.

Step 79.1

Place the leftover transparent red 1x2 tile, horizontally, on the front row of the roof. There should only be two studs in this row.

Step 79.2

Place a transparent blue 1x2 tile symmetrically to the previous piece on the back side of the roof.

Step 80

Place the car in front of you, with the ramp on the right. Place the leftmost column of the roof assembly, on the leftmost column of the windshield.

Step 81.1

Assemble four wheels by pushing the black wheel hub into the black rubber tire.

Step 81.2

Place a wheel, with the flat, spoked side of the wheel closest to the car, onto each of the four pins on the car. Now the off-road police car is complete!

Thank you so much for building this set!

There is one page of ads after the instructions end. This page shows ads for four sets. The first set is set number 60448, the Red Sports Car. The second set is set number 60451, the Emergency Ambulance. The third set is set number Lifeguard Beach Rescue Truck. The last set is set number 60452, the Donut Truck.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.