

75407 Brick-Built Star Wars™ Logo

Adapted by Carrie Blazina and tested by Radar.

Inspire nostalgic memories of epic stories, legendary characters and dramatic scenes with this LEGO® brick-built Star Wars™ Logo sign. A super creative gift for adult Star Wars fans, this buildable model kit invites you to build your own 3D version of the iconic logo first seen in the opening credits of Star Wars: A New Hope™.

Capture the smooth contours of each yellow letter and apply classic LEGO greebling details to the black areas between the yellow letters. And look out for a delightful surprise hidden inside the “T” of Star Wars.

This LEGO Star Wars collectible build-and-display set, which can be placed on any flat surface, makes striking room decor. An impressive centerpiece on its own, the brick-built logo is also the perfect way to signpost your LEGO Star Wars collection of buildable models (sold separately).

Spark nostalgic memories of thrilling Star Wars adventures for every fan with this striking 3D rendition of the classic logo.

This set for ages 18+ includes 700 pieces and measures over 5 in. (13 cm) high, 11.5 in. (30 cm) wide and 1 in. (3 cm) deep.

The front of the box features the Lego and Disney logos and an image of the completed set. The Star Wars logo features bold, blocky yellow capital letters; the words appear in two stacked lines of text with “Star” directly on top of “Wars.” The “S” in “Star” is slanted to the right and the bottom left part extends to the left past the rest of the letter, and the top right side of the “S” connects directly to the top left side of the “T.” The bottom right part of the “R” in “Star” also extends past the rest of the letter. In “Wars,” the bottom right part of the “R” connects to the bottom left part of the “S,” which is also slanted to the right like in “Star.” The 3D yellow letters of the logo emerge and stand out from a black brick-built background.

The top of the box features a 1-to-1-sized comparison image of a 2x1x3 yellow slope brick as well as an overhead view of the logo. The left side of the box features the Lego and Star Wars logos along with an image of the iconic light blue text of the opening crawl of every Skywalker Saga movie: “A long time ago in a galaxy far, far away...” The bottom of the box features French and Spanish translations of the same text, as well as an ad for the Lego Builder app.

The right side of the box features a view of the interior of the “S” and “T” in the logo. The top of the “T” can be removed to reveal a small surprise, which we will describe later. The back of the box features the Lego, Star Wars and Disney logos. It also has a photo of the completed logo displayed on a display case shelf and a screenshot of the logo as it appears on film (where it has a yellow border around the black letters, instead of solid yellow letters as they appear in the set). There is also an image showing the dimensions of the set: 30 cm/11.5 in. wide. There is also a reproduction of the classic original poster for Star Wars: A New Hope, where Luke, wearing a white robe, is using both hands to hold a lightsaber up to the sky as light beams in the shape of an upside-down “T” emanate from it. Leia poses next to him in a white dress and wears her iconic hairstyle with a bun on each side of her head, and C-3PO and R2-D2 stand off to the side. In the back of the poster, Darth Vader’s shadowy helmet looms ominously, and a group of starfighters attack the distant Death Star.

The box contains six bags and two instruction booklets. The first instruction booklet covers bags 1-3. Bag 1 contains the pieces to start to build the base of the word “Star.” Bag 2 contains the pieces to continue building up the word “Star,” including finishing the “R.” Bag 3 contains the pieces to finish the word “Star.” The second instruction booklet covers bags 4-6. Bag 4 contains the pieces to start to build the base of the word “Wars.” Bag 5 contains the pieces to continue building up the word “Wars,” including finishing the “R” and “S.” Bag 6 contains the pieces to complete the word “Wars” and finish the set.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back.
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified).
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece.
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner who may want to follow along with the printed visual instructions that come with each set, PDF versions are always online at [<https://www.lego.com/en-us/service/building-instructions/75407>]. Low-vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags or small containers. Have a sighted friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted into groups according to the building steps in the set. Doing this in advance makes locating the pieces easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers or meaningful names. The parts will be collected into a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2 and 3, and put them in one container. Note that where there are multiple colors of the same brick in a step, the colors will be split into two groups to make telling the difference easier for the builder!

Instruction booklet 1:

Bag 1: Starting to build the base of the word "Star."

Group 1: Steps 1-4, starting the base of the word "Star."

Group 2: Steps 5-6, continuing the base.

Group 3: Step 7, continuing the base.

Group 4: Step 8, continuing the base.

Group 5: Step 9, continuing the base.

Group 6: Steps 10-18, continuing the base and starting the letters "S" and "T."

Group 7: Steps 19-34, continuing to build up the letter "T" and starting to build the "A" and "R."

You will have a few leftover pieces: a yellow 1x1 slope, a yellow 1x1 plate and a black 1x1 round plate.

Bag 2: Continuing building up the word "Star," including finishing the "R."
Group 8: Steps 35-36, continuing to build the "A."
Group 9: Steps 37-38, continuing to build the "R."
Group 10: Step 39, continuing to build the "R."
Group 11: Steps 40-41.2, continuing to build the "R."
Group 12: Steps 41.3-47, continuing to build the "R."
Group 13: Steps 48-54, building the curved part of the "R."
Group 14: Steps 55-60, finishing the curved part of the "R" and attaching it.

There are no leftover pieces from this bag.

Bag 3: Finishing building the word "Star."
Group 15: Step 61, continuing to build the "A."
Group 16: Steps 62-65, continuing to build the "T" and building between the letters.
Group 17: Steps 66-75, continuing to build the "T," "S" and "A" and building between the letters.
Group 18: Step 76, building the interior of the "T."
Group 19: Steps 77-83, finishing the word "Star."

You will have a few leftover pieces: a light gray 1x1 slope, a light gray 1x1 plate, a transparent red 1x1 round plate, a white 1x2 magnifying glass and a light nougat 1x2 round half tile.

Instruction Booklet 2:

Bag 4: Starting to build the base of the word "Wars."
Group 20: Steps 1-6, starting to build the base.
Group 21: Step 7 (part 1), continuing the base. Note: Step 7 contains two pieces of the same type but different colors, so we recommend starting step 7 in group 21 so that the pieces are separated. In other words, the yellow 2x4 plates should be in group 21 and the black 2x4 plate should be in group 22.
Group 22: Steps 7 (part 2)-9, continuing the base and starting the "S."
Group 23: Steps 10-15, continuing the "S" and starting the "R."
Group 24: Steps 16-19, starting the "A."
Group 25: Step 20, continuing the "A."
Group 26: Steps 21.1-21.4, starting the "W."
Group 27: Steps 21.5-22, continuing the "W" and building between letters.
Group 28: Steps 23-26, building between letters and continuing the "W."

You will have one leftover piece: one yellow 1x1 plate.

Bag 5: Continuing building up the word "Wars," including finishing the "R" and "S."
Group 29: Steps 27-62, continuing to build the "A," "R" and "S."
Group 30: Steps 63-73, finishing the "R" and "S."

You will have one leftover piece: one yellow 1x1 tile.

Bag 6: Completing the word "Wars" and finishing the set.
Group 31: Steps 74-76, continuing to build the "A."
Group 32: Steps 77-78, continuing to build the "A."
Group 33: Steps 79-82, finishing the "A" and building between letters.
Group 34: Steps 83-86, continuing to build the "W."
Group 35: Steps 87-90, finishing the set.

There are no leftover pieces from this bag.

Ask a friend to find the first booklet for you. The building instructions in the first booklet start with an ad for the LEGO Builder app. The third page includes an introduction from Jens Kronvold Frederiksen, creative lead and design director of Lego Star Wars. The quote reads, "An Adventurous Partnership: For decades, the partnership between the Lego Group, Lucasfilm Ltd. and the Star Wars franchise has delighted fans of all ages, combining creative Lego building with stories from a distant galaxy. Since the first Lego Star Wars sets were released in 1999, this collaboration has inspired legendary starships, epic battles and beloved characters in brick form. 'A long time ago in a galaxy far, far away...'"

The quote continues, "A Forceful Logo: Lego Star Wars has become a buildable staple for avid collectors and new fans alike. One constant that unites all the stories, sets and fans is the iconic logo. Recognized by generations, it sparks excitement and imagination, and you can almost hear the thrilling theme tune! This model captures its unique essence, with characteristic Lego greebling and a hidden nod to the opening scene in A New Hope."

Elsewhere on the page are copies of images of the same opening text and Star Wars logo that appear on the back of the box, as well as a screenshot of the crawling opening text that reads "Episode IV: A New Hope" in elongated letters. The next page contains French and Spanish translations of the intro quote.

The fifth page has a diagram of multiple ways to use the included brick separator. First, the underside of the brick separator's two studs attach to the top of a plate to detach it from on top of a brick. Then, the separator's two studs attach to the underside of a plate to detach it from under a brick. Next, the separator's axle pushes a bar through a brick's axle hole to remove the bar. Finally, the angled edge of the separator removes a tile from a plate.

Let's build!

Bag 1, groups 1-7: Starting to build the base of the word "Star."

Group 1: Starting to build the base.

Step 1

Place a yellow 2x4 plate vertically in front of you. Then, vertically place a yellow 1x2 brick on the rightmost column so it is centered vertically.

Step 2

Horizontally place the right column of a yellow 1x4 brick behind the ppp so two columns overhang to the left. Repeat this placement symmetrically to the front.

Step 3

Vertically place a yellow 2x4 plate under the two left columns of the two ppp so the middle two rows are exposed.

Step 4

Horizontally place the right column of a dark orange 1x2 rounded brick with internal bars on the leftmost column of the second row from the back of the build so it overhangs one column to the left. Then place another horizontally in front of the ppp.

Group 2: Continuing the base.

Step 5

Horizontally place the right column of a black 2x4 plate under the left column of the two ppp so two columns are exposed to the left.

Step 6

Horizontally place the right three columns of a black 2x10 brick on the exposed studs of the ppp so seven columns overhang to the left.

Group 3: Continuing the base.

Step 7

Flip the build upside down so the black 2x10 brick is on the left. Then, vertically place a yellow 2x4 plate on the sixth and seventh columns from the left so it is centered vertically. Then, vertically place a yellow 1x4 plate to the left of the ppp so it is also centered vertically. Next, vertically place a black 1x2 rounded plate with open studs to the left of the ppp. Now, vertically place a yellow 2x4 plate to the left of the ppp so it is centered vertically.

Group 4: Continuing the base.

Step 8

Horizontally place the right column of a black 2x4 plate to the left of the ppp so it overhangs three columns to the left. Then, horizontally place the right three columns of a black 2x10 brick under the three left columns of the ppp so seven columns are exposed to the left.

Group 5: Continuing the base.

Step 9

Vertically place the right column of a yellow 2x4 plate on the leftmost column of the ppp so it is centered vertically and one column overhangs to the left.

Then vertically place a yellow 1x4 plate to the right of the ppp so it is also centered vertically. Next, vertically place two black 1x2 rounded plates with open studs, one to the right of the other, to the right of the ppp.

Now, vertically place a yellow 2x4 plate to the right of the ppp so it is centered vertically. Finally, vertically place a black 1x2 rounded plate with open studs to the right of the ppp.

Group 6: Continuing the base and starting the letters "S" and "T."

Step 10

Flip the build right side up so the 2x10 brick is on the left. Then place a black 2x2 brick on the leftmost column of the build so it is centered vertically and overhangs one column to the left. Then, horizontally place the right column of a black 2x4 plate under the left column of the ppp so three columns are exposed to the left.

Step 11

Horizontally place a black 1x4 brick with a horizontal groove on the three left columns of the front row of the ppp so it overhangs one column to the left and the groove faces the front. Repeat this placement symmetrically to the back.

Step 12

Horizontally place the rightmost column of a yellow 4x8 plate under the left column of the two ppp so it is centered vertically and there are seven columns exposed to the left.

Step 13

Start building the "S."

Vertically place a tan 1x2 log brick on the seventh column from the left so it is centered vertically. It should sit to the left of the two 1x4 bricks with horizontal grooves.

Then, horizontally place a yellow 1x8 plate on the front row of the eight leftmost columns of the build. Repeat this placement symmetrically to the back.

Now, vertically place a yellow 1x2 plate between the leftmost column of the two ppp.

Step 14

Vertically place a yellow 2x4 brick on the two leftmost columns of the build. Then, horizontally place a yellow 1x6 brick to the right of the front row of the ppp. Now, repeat this placement symmetrically to the back. Finally, place an orange 2x2 plate between the right two columns of the ppp.

Step 15

Vertically place a yellow 1x4 plate on the leftmost column of the build. Then horizontally place a yellow 1x2 plate to the right of the back row of the ppp. Repeat this placement symmetrically to the front. Now, place a yellow 4x4 plate with 2x2 center gap to the right of the two ppp.

Step 16

Vertically place three yellow 2x4 tiles, one to the right of the other, on the six leftmost columns of the build. Then vertically place a yellow 1x4 tile to the right of the ppp.

Step 17

Place a 1x4 brick with four side studs vertically to the right of the ppp, with the side studs facing right.

Step 18

Start building the "T" in the section of the build to the right of the "S."

Place a yellow 1x1 brick on the front row of the 13th column from the left. Then, horizontally place a yellow 1x2 brick to the right of the ppp. Now, repeat both placements symmetrically to the back.

Group 7: Continuing to build up the letter "T" and starting to build the "A" and "R."

Step 19

Vertically place a black 1x2x2 wall panel on the ninth column from the left so the wall faces the right. Then vertically place another to the right of the ppp oriented the same way.

Next, horizontally place a black 1x2 log brick to the right of the back row of the ppp. Repeat this placement symmetrically to the front.

Now, vertically place a yellow 2x4 brick to the right of the two ppp. Finally, vertically place a yellow 1x4 brick to the right of the ppp.

Step 20

Vertically place the right column of a yellow 2x4 brick on the ppp. Then, vertically place a yellow 1x4 brick to the left of the ppp. Now, place a black 2x2 round ridged brick with axle hole to the left of the ppp so it is centered vertically.

Step 21

Vertically place a black 1x2 tile with upright 1x2 plate on the 16th column from the left so the studs face the back. Then, vertically place another to the right of the ppp so the studs face the front.

Step 22

Place a black 2x2 plate upright on the front-facing side studs. Then, repeat symmetrically to the back.

Step 23

Let's make a part!

Place a black 2x2 round ridged brick with axle hole in front of you. Then, horizontally place a black 1x2 log brick on the back row of the ppp. Repeat this placement symmetrically to the front.

Now place your part on the 18th and 19th columns from the left so it is centered vertically. It should sit to the right of the upright 2x2 plate.

Step 24
Start the "A."

Let's make a part!

Horizontally place a yellow 2x4 plate in front of you. Then, horizontally place a yellow 2x4 brick on the ppp.

Flip your part so it is upside down and horizontal. Vertically place a yellow 1x2 plate on the leftmost column. Repeat this placement symmetrically to the right.

Now, place a yellow 1x1 brick with side stud and bottom lip on the back left corner so the side stud faces the front. Then, place a yellow 1x1 slope tile upright on the ppp so it slopes up. Finally, repeat the two previous placements symmetrically to the right.

Now, flip your part right side up and rotate it clockwise so the slopes are on the right and slope down. Place it vertically on the 20th and 21st columns from the left so it is centered vertically.

Step 25
Let's make a part!

Place a yellow 1x4 plate horizontally in front of you. Then, place a yellow 1x4 brick horizontally on top of it. Next, place a yellow 1x1 plate on the leftmost column of the underside of the part. Finally, place another symmetrically opposite it.

Place your part vertically on the 22nd column from the left so it is centered vertically.

Step 26
Let's make a part!

Horizontally place a yellow 2x4 plate in front of you. Then, horizontally place a yellow 2x4 brick on the ppp.

Flip your part so it is upside down and horizontal.

Vertically place a yellow 1x2 plate on the leftmost column. Repeat this placement symmetrically to the right.

Now, place a yellow 1x1 brick with side stud and bottom lip on the back left corner so the side stud faces the front. Then, place a yellow 1x1 slope tile upright on the ppp so it slopes up.

Finally, repeat the two previous placements symmetrically to the right. Now, flip your part right side up and rotate it counter-clockwise so the slopes are on the left and slope down.

Place it vertically on the 23rd and 24th columns from the left so it is centered vertically.

Step 27
Place a black 2x2 round ridged brick with axle hole to the right of the ppp.

Then, start building the R by placing a yellow 1x2 brick horizontally on the 10th and 11th columns from the right of the front row. Then, place a yellow 1x1 brick to the right of the ppp. Now, repeat both placements symmetrically to the back.

Step 28

Resume building the "A."

Horizontally place a yellow 1x2x3 slope brick on the 18th and 19th columns from the left on the front row so it slopes to the left. Repeat symmetrically to the back.

Next, horizontally place a yellow 1x2x3 slope brick on the 13th and 14th columns from the right on the front row so it slopes to the right. Now, repeat this placement symmetrically to the back.

Step 29

Resume building the "R."

Place a black 2x2 round ridged brick with axle hole on the 11th and 12th columns from the right so it is centered vertically. Then, place a pink 2x2 brick to the right of the ppp.

Next, horizontally place a yellow 2x4 plate to the right of the ppp. Finally, place a yellow 4x4 plate with 2x2 center gap to the right of the ppp.

Step 30

Let's make a part!

Hold a black 1x2 plate with 2x2 side studs hanging down horizontally in front of you so the side studs face the front.

Place a black 1x1 round plate upright on the left column of the bottom row of front-facing side studs. Then, horizontally place a black 1x2 rounded plate with open studs upright on the top row of front-facing side studs. Now, place a yellow 2x2 triangle tile upright on the two ppp so the right angle faces the top left.

Place your part horizontally on the back row of the seventh and eighth columns from the right so the triangle tile faces the back.

Let's make another part!

Hold a black 1x2 plate with 2x2 side studs hanging down horizontally in front of you so the side studs face the front. Place a black 1x1 round plate upright on the right column of the bottom row of front-facing side studs. Then, horizontally place a black 1x2 rounded plate with open studs upright on the top row of front-facing side studs. Now, place a yellow 2x2 triangle tile upright on the two ppp so the right angle faces the top right.

Place your part horizontally on the front row of the seventh and eighth columns from the right so the triangle tile faces the front.

Step 31

Resume building the "R."

Let's make a part!

Place a yellow 1x2 brick horizontally in front of you. Then place a yellow 1x1 brick with a clip on the right column of the ppp so the clip faces the front. The hands of the clip will face left and right.

Next, stack two yellow 1x1 plates to the left of the ppp. Now, horizontally place a yellow 1x2 curved slope tile on top so it slopes to the left.

Rotate the part 180 degrees and flip it upside down so it slopes to the top left and the clip faces the back. Now attach the back-facing clip of your part to the front facing bar on the main build on the fifth column from the right.

Step 32

Let's make a part!

Place a yellow 1x2 brick horizontally in front of you. Then place a yellow 1x1 brick with a clip on the left column of the ppp so the clip faces the front. The hands of the clip will face left and right.

Next, stack two yellow 1x1 plates to the right of the ppp. Now, horizontally place a yellow 1x2 curved slope tile on top so it slopes to the right.

Flip your part upside down so it slopes to the top left and the clip faces the front. Now attach the front-facing clip of your part to the back facing bar on the main build on the fifth column from the right.

Step 33

Horizontally place a blue 2x3 tile on the fourth through sixth columns from the right so it is centered vertically.

Then, place a yellow 1x4 plate horizontally on the four rightmost columns of the front row. Repeat this placement symmetrically to the back.

Now, vertically place a yellow 1x2 plate on the rightmost column so it is centered vertically.

Step 34

Vertically place two yellow 2x4 tiles, one to the left of the other, on the four right columns of the build.

Bag 2: Continuing building up the word "Star," including finishing the "R."

Group 8: Continuing to build the "A."

Step 35

Resume building the "A."

Vertically place a yellow 1x4 plate on the 20th column from the left. Then, place an orange 2x2 plate to the right of the two middle rows of the ppp.

Next, horizontally place a yellow 1x2 tile in front of the ppp. Repeat this placement symmetrically to the back.

Now, vertically place two yellow 1x2 tiles, one in front of the other on the 16th column from the right. Finally, place a yellow 1x4 plate vertically to the right of the two ppp.

Step 36

Vertically place a magenta 1x2 plate on the 20th column from the left so it is centered vertically. Then, horizontally place a black 2x4 plate to the right of the ppp. Now, place a dark tan 1x2 log brick vertically to the right of the ppp.

Group 9: Continuing to build the "R."

Step 37

Build some of the space between letters and continue to build the "R."

Place two black 1x2 log bricks horizontally, one behind the other, to the right of the ppp. Then, place a dark gray 2x3 brick horizontally to the right of the two ppp. Next, horizontally place a yellow 1x2x2 brick in front of the two rightmost columns of the ppp. Repeat this placement symmetrically to the back.

Step 38

Let's make two identical parts.

Place a yellow 1x1 plate in front of you. Then place a yellow 1x1x1 $\frac{2}{3}$ brick with two side studs on top of the ppp so the side studs face the left.

Now that you have two identical parts, place one on the back row to the left of the 1x2x2 brick so the side studs face the left. Then, repeat this placement symmetrically to the front.

Group 10: Continuing to build the "R."

Step 39

Horizontally place a black 1x4 brick with horizontal groove on the second row from the front on the 12th through 15th columns from the right so the groove faces the front. Then, repeat this placement symmetrically to the back.

Place a dark tan 1x2 log brick vertically to the right of the two ppp. Now, vertically place a yellow 2x4 brick to the right of the ppp.

Group 11: Continuing to build the "R."

Step 40

Place a yellow 1x2 brick horizontally on the back row of the ppp. Then, place another symmetrically opposite it. Next, vertically place a black 1x2 log brick between the right columns of the two ppp.

Step 41.1

and 41.2. Let's make a part.

Place a black 2x4 plate horizontally in front of you and place an orange 2x2 plate on its two rightmost columns. Then, vertically place a black 1x2 ingot tile to the left of the ppp. Next, place a black 1x2 rounded plate with open studs vertically to the left of the ppp.

Group 12: Continuing to build the "R."

Step 41.3

Vertically place a black 1x2 rounded plate with open studs on top of the ppp. Then, place a yellow 2x2 plate on the two rightmost columns.

Now, horizontally place your part on the 10th through 13th columns from the right so it is centered vertically and the 2x2 plate is on the right.

Step 42

Make two identical parts.

Place a yellow 1x1x1 $\frac{2}{3}$ brick with two side studs in front of you so the side studs face the left. Then, place a yellow 1x1 plate on top.

Now that you have two identical parts, place one part on the front row of the 11th column from the right so the side studs face the left. Repeat symmetrically to the back.

Step 43

Build some of the area between the "A" and "R" and continue the "R."

Place a black 2x2 round ridged brick with axle hole on the 14th and 15th columns from the right so it is centered vertically. Then, vertically place a yellow 2x4 brick on the 10th and 11th columns from the right. Now, place a yellow 1x4 brick vertically to the right of the ppp.

Step 44

Place two yellow 1x2 tiles vertically, one behind the other, on the 11th column from the right. Then, place another horizontally on the back row of the build on the ninth and 10th columns from the right. Next, place another symmetrically opposite it.

Step 45

Place a yellow 1x8 tile vertically upright on the side studs on the back row of the build on the 11th column from the right. Next, place the other symmetrically opposite it.

Step 46

Continue building the space between the "A" and "R."

Place a dark tan 1x2 log brick vertically on the 15th column from the right. Place a black 2x2 brick to the right of the ppp. Place a black 1x2 ingot tile vertically on the left column of the ppp.

Step 47

Let's make a part. Hold horizontally in front of you a black 1x2 plate with 2x2 side studs hanging down in front of you so the side studs face the front.

Then, place a black 2x2 round plate with axle hole upright on the front-facing side studs. Next, horizontally place two yellow 1x2 tiles, one above the other, horizontally upright on the front-facing side studs.

Now, vertically place your part on the 13th column from the right so it is centered vertically and the tiles face the right.

Group 13: Building the curved part of the "R."

Step 48

Start making a part. Place a magenta 1x2 plate vertically in front of you. Then, horizontally place the rightmost column of a black 2x4 brick on the ppp so it overhangs three columns to the left.

Step 49

Flip your part over so it is still horizontal with the 1x2 plate on the right. Vertically place a yellow 1x4 plate on the leftmost column so it is centered vertically.

Then, place a black 1x2 rounded plate with open studs vertically to the right of the ppp. Now, place another yellow 1x4 plate vertically to the right of the ppp so it is centered vertically.

Step 50

Flip the part over so the 1x2 plate is under the rightmost column. Now, make two identical parts.

Place a yellow 1x1 plate in front of you. Then, horizontally place a yellow 1x2 brick on the ppp so it overhangs one column to the right.

Now that you have two identical parts, place the right column of one part on the leftmost column of the front row so the 1x1 plate overhangs to the left. Repeat this placement symmetrically to the back.

Step 51

Let's make two identical parts.

Place a yellow 1x1 plate with two upright side studs in front of you so the side studs face the right. Then, horizontally place a yellow 1x2 brick on the ppp so it overhangs one column to the left. Next, place a yellow 1x2 plate vertically upright on the right-facing side studs.

Now that you have two identical parts, horizontally place the left column of one part on the rightmost column of the front row so the tile faces the right. Repeat this placement symmetrically to the back.

Step 52

Hold a dark tan 1x2 plate with 2x2 side studs hanging down horizontally in front of you so the side studs face the front. Then, place an orange 2x2 plate upright on the front-facing side studs.

Now place your part vertically on the leftmost column of the second and third rows from the front so the ppp faces the left.

Step 53

Place a black 1x2 log brick vertically to the right of the ppp.

Step 54

Place a yellow 1x1 brick on the leftmost column of the front row. Then, place another symmetrically behind it. After that, place a yellow 1x3 arch brick horizontally to the right of the ppp, covering the gap between bricks. Repeat symmetrically to the back.

Group 14: Finishing the curved part of the “R” and attaching it.

Step 55

Stack two yellow 2x2 plates. Then, place the stack on the two left columns of your part so it is centered vertically.

Step 56

Let's make a part.

Place a yellow 1x4 plate horizontally in front of you. Then, place four yellow 1x1 plates with two upright side studs, one to the right of the other, on the ppp so their side studs face the back. Next, horizontally place a yellow 1x4 plate on top of the four ppp.

Now, vertically place your part on the rightmost column of the sub-build so the side studs face the right.

Step 57

Let's make a part.

Place a yellow 2x4 plate horizontally in front of you. Then, horizontally place a yellow 1x4 brick on the back row of the ppp. Next, vertically place four yellow 1x2x2 curved slope tiles, one to the right of the other, on your part so they slope to the front.

Now, vertically place your part on the two rightmost columns of your sub-build so it slopes to the right.

Step 58

Let's make a part.

Horizontally place a yellow 2x4 brick in front of you. Then, place a yellow 1x4 plate under the back row of the ppp. Place a yellow 2x4 plate in front of the ppp so one row is exposed to the front.

Next, vertically place four yellow 1x2x2 curved slope tiles, one to the right of the other, on the front two rows of your part so they slope to the front. Now, horizontally place two yellow 1x2 tiles, one to the right of the other, on the back row.

Attach your part vertically to the three left columns of your sub build so it slopes to the left.

Step 59

Attach the sub-build of the curve of the "R" to the main build.

Attach the sub-build to the fifth through eighth columns from the right on the main build by rotating it so it is vertically upright with the slopes on the right.

Step 60

Place a yellow 2x4 tile horizontally across the second and third rows on the seventh through 10th columns from the right to complete the "R."

Bag 3: Finishing building the word "Star."

Group 15: Continuing to build the "A."

Step 61

Vertically place a black 1x2 log brick on the 19th column from the left so it is centered vertically. Then, horizontally place a black 2x4 brick to the right of the ppp.

Group 16: Continuing to build the "T" and building between the letters.

Step 62

Horizontally place a black 1x4 brick with horizontal groove on the second row from the front on the 15th through 18th columns from the left so the groove faces the front. Repeat this placement symmetrically to the back.

Then, place a yellow 1x1 brick behind the left column of the ppp. Repeat symmetrically to the front.

Now, vertically place a yellow 2x4 brick to the left of the two ppp.

Step 63

Place two black 1x1 bricks with side stud and bottom lip, one to the left of the other, to the left of the second row from the front of the ppp so their side studs face the front. Repeat both placements symmetrically to the back.

Stack two black 2x2 plates and place the back row of the stack to the left of the ppp.

Step 64

Place a magenta 1x2 plate vertically in front of you. Next, place a red 1x2 brick with two side studs vertically on top of it with its studs facing left. Place this part vertically to the left of the ppp so it is centered vertically and the side studs face the left.

Step 65

Place the left column of a black 2x2 plate on the ppp. Then, place a yellow 1x1x1 $\frac{2}{3}$ brick with two side studs behind the left column of the ppp so the side studs face the right. Repeat this placement symmetrically to the front.

Now, vertically place a black 1x2 rounded plate with open studs on the 10th column from the left so it is centered vertically.

Group 17: Continuing to build the "T," "S" and "A" and building between the letters.

Step 66

Vertically place a yellow 1x4 plate on the eighth column from the left. Then, vertically place a black 1x2 plate with open studs to the right of the ppp so it is centered vertically.

Next, horizontally place a black 2x4 tile with two jumper studs to the right of the ppp. Place a yellow 1x1 plate behind the right column of the ppp. Repeat this placement symmetrically to the front.

Then, horizontally place a yellow 1x2 plate to the right of the ppp. Repeat this placement symmetrically to the back.

Place another black 2x4 tile with two jumper studs horizontally with its two left columns between the two ppp. Finally, place a black 2x6 plate horizontally to the right of the ppp.

Step 67

Place a black 1x2 ingot tile horizontally upright on the front-facing side studs on the 10th and 11th columns from the left. Then, repeat this placement symmetrically to the back.

Step 68

Make the bottom curves of the "S" by making two identical parts.

Place a yellow 1x1 plate with two upright side studs in front of you so the side studs face the right. Then, place a yellow 1x1 brick on top of the ppp.

Next, horizontally place a yellow 1x2 curved slope tile on the ppp so it slopes and overhangs to the left. Horizontally place a yellow 1x2 slope brick under the left column of the ppp so it slopes to the left.

Then, place a yellow 1x1 brick upright on the bottom right-facing side stud. Finally, place the bottom row of a yellow 1x2x2 curved slope tile vertically upright on the ppp so it slopes up.

Now that you have two identical parts, rotate one part so it is vertically upright with the ppp at the bottom and the anti-studs facing the left. Attach it to the right-facing side studs on the eighth column from the right on the front of the build so the ppp is flush with the bottom of the build. Then, attach the second part symmetrically to the back.

Step 69

Build more of the "A" by making four identical parts.

Place a yellow 1x1 plate with two upright side studs in front of you so the side studs face the right. Then place a yellow 1x2 plate vertically upright on the right-facing side studs. Next, vertically place a yellow 1x2 slope tile upright on the ppp so it slopes down.

Now that you have four identical parts, attach one part to the front row of the 20th column from the left so the slope tile is on the right. Repeat this placement symmetrically on the 24th column from the left in the same row. Now, place the other two parts symmetrically to the back.

Step 70

Let's make a part.

Place a yellow 2x4 plate horizontally in front of you. Then, place a yellow 1x4 plate horizontally on the back row of the ppp.

Next, horizontally place a yellow 2x4 plate in front of the ppp so it overhangs one row to the front. Horizontally place a yellow 1x4 plate under the front row of the ppp.

Then, place a yellow 2x4 brick horizontally on the back two rows of the part. Finally, horizontally place a yellow 1x4 brick on the front row.

Now, rotate your part counterclockwise 90 degrees so the ppp is on the right. Place it in this position on the 21st through 23rd columns from the left.

Step 71

Let's make a part.

Place a black 2x2 plate in front of you. Then, place a black 1x2 log brick horizontally on the back row of the ppp. Place another horizontally in front of the ppp. Next, place a black 2x2 plate on top of the two ppp.

Place your part to the left of the last part you made so it is centered vertically.

Step 72

Add the angled sides to the "A."

Horizontally place a yellow 1x2x3 slope brick in front of the ppp so it slopes to the left. Then, place another symmetrically on the 24th and 25th columns from the left. Now, repeat the last two placements symmetrically to the back.

Step 73

Finish the "A."

Place a yellow 2x4 tile vertically in the 20th and 21st columns from the left. Then, place a yellow 1x4 tile vertically to the right of the ppp. Finally, place a yellow 2x4 tile vertically to the right of the ppp.

Step 74

Stack two transparent red 1x1 round plates on the jumper stud between the 10th and 11th columns from the left. Place another on the jumper stud between the 15th and 16th columns from the left. Then, place a yellow 1x4 brick vertically to the right of the ppp.

Step 75

Place a light nougat 1x2 half round tile vertically in the second and third rows of the ninth column from the left, with its flat side facing left. Next, vertically place a yellow 1x2 brick centered vertically to the left of the ppp.

Group 18: Step 76, building the interior of the "T."

Step 76

Let's make the surprise inside of the T.

Place a light gray 1x1 plate in front of you. Then, horizontally place the left column of a light gray 1x2 slope tile on the ppp so it slopes to the left and overhangs to the right.

Now, flip the part so it is horizontally upright with the slope facing the front. Attach the double-sided stud of a light gray 1x1 plate with upright double-sided stud to the right back-facing anti-stud so the stud of the plate faces up and is on the right.

Next, horizontally place the right column of a light gray 1x2 slope tile on the back-facing stud so it slopes to the left and aligns with the front-facing slope.

Vertically place a light gray 1x2 jumper plate on the rightmost column of your part so it is centered vertically. Finally, place a light gray 1x1 slope tile on the ppp so it slopes to the right.

Now, attach your part horizontally to the rightmost jumper stud which is between the 15th and 16th columns from the left on the second and third rows from the front so the ppp is on the right.

Group 19: Finishing the interior of the "T" and the rest of the word "Star."

Step 77

Let's make another part.

Place a white 1x1 plate with upright double-sided stud in front of you so the upright double-sided stud is on the left.

Then, place a white 1x1 round plate with horizontal bar on the ppp so the bar faces horizontally to the right. Then, attach the open stud of a white 1x1 short brick to the ppp so its anti-stud faces the right.

Now, attach your part horizontally to the transparent red 1x1 round plate between the 10th and 11th columns from the left so the short brick faces the right.

You've made the surprise inside of the "T": a micro replica of the opening scene of "Star Wars Episode IV: A New Hope," where a Star Destroyer is bearing down on Princess Leia's ship, the Tantive IV!

Step 78

Place a yellow 1x10 brick horizontally on the front row of the build on the eighth through 17th columns from the left. Then, place another symmetrically to the back.

Step 79

Place a yellow 1x4 tile horizontally on the second through fifth columns from the left on the ppp.

Then, place a yellow 1x2 plate horizontally to the right of the ppp. Next, horizontally place a yellow 1x4 tile to the right of the ppp.

Vertically place a yellow 1x2 plate in front of the right column of the ppp. Then, horizontally place the right column of a yellow 1x4 tile in front of the ppp.

Now, place a yellow 1x2 plate horizontally to the left of the ppp. Finally, horizontally place a yellow 1x4 tile to the left of the ppp.

Step 80

Let's make a part to create another curve of the "S."

Place a yellow 1x1 plate with two upright side studs in front of you so the side studs face the back. Place the left column of a yellow 1x4 brick horizontally on the ppp so it overhangs three columns to the left.

Then, place three more yellow 1x1 plates with upright 1x2 side studs, one to the right of the other, under the three right columns of the ppp so their side studs face the back.

Place two yellow 2x2 curved slope tiles, one to the right of the other, on your part so they slope and overhang one row to the front.

Then, horizontally place a yellow 2x4 slope brick under the front row of the two ppp so it slopes to the front.

Rotate your part 180 degrees so the side studs face the front.

Make a horizontal stack of two yellow 1x4 plates and place them horizontally upright on the bottom row of front-facing side studs.

Now, rotate your part horizontally upright so the ppp is on the top and on the right column. The anti-studs should face the right.

Attach your part to the left-facing side studs on the eighth column from the left so it slopes down.

Step 81

Let's make a part.

Place a yellow 2x4 plate horizontally in front of you. Next, horizontally place a yellow 1x4 plate on the back row of the ppp. Place a yellow 1x4 tile horizontally on top of the ppp.

Rotate this part vertically so the ppp is on the right. Attach it to the build in the seventh and eighth columns from the left.

Step 82

Make the upper left curve of the "S."

Horizontally place the right column of a yellow 1x2x2 curved slope tile on the left column of the ppp so it slopes to the left. Then, place three more in the same orientation, one in back of the other, behind the ppp.

Step 83

Let's make a part to cover the top of the "S" and "T."

Place a yellow 1x10 plate horizontally in front of you. Then, vertically place the front row of a yellow 2x4 tile on the right two columns of the ppp so it overhangs three rows to the back.

Then, attach the right two columns of a yellow 1x10 plate horizontally under the back row of the ppp so eight columns are exposed to the left.

Now, vertically place four more yellow 2x4 tiles, one to the left of the other, across the remaining columns of your part.

Attach your part horizontally to the ninth through 18th columns from the left.

Congratulations, you built the word "Star!" Proceed to the second instruction booklet.

Bag 4: Starting to build the base of the word "Wars."

Group 20: Starting to build the base.

Step 1

Place a black 2x10 plate horizontally in front of you. Then, vertically place a yellow 2x4 brick on the two right columns of the ppp so it is centered vertically.

Step 2

Vertically place a dark orange 1x2 rounded brick with internal bars to the left of the ppp. Then place a black 2x2 brick to the left of the ppp. Vertically place a dark tan 1x2 log brick to the left of the ppp.

Step 3

Vertically place a yellow 1x4 brick to the left of the ppp so it is centered vertically. Then, place a yellow 2x4 brick vertically to the left of the ppp so it is also centered vertically. Now, place a black 2x2 brick to the left of the ppp so it is centered vertically and overhangs one column to the left.

Step 4

Vertically place the right column of a yellow 2x4 plate under the left column of the ppp so it is centered vertically and one column is exposed to the left.

Step 5

Horizontally place the right column of a black 2x10 brick on the left column of the ppp so it is centered vertically and overhangs nine columns to the left.

Step 6

Flip the build upside down so the ppp is on the left. Horizontally place a yellow 1x2 plate on the front row of the eighth and ninth columns from the right. Then, place a yellow 1x1 plate to the right of the ppp. Now, repeat both placements symmetrically to the back.

Group 21: Continuing the base.

Step 7

Vertically place the right column of a yellow 2x4 plate on the leftmost column of the build so it is centered vertically and overhangs one column to the left.

Then, place a black 1x2 rounded plate with open studs vertically to the right of the ppp so it is centered vertically. Place another yellow 2x4 plate vertically to the right of the ppp so it is centered vertically.

Now, vertically place another black 1x2 rounded plate with open studs to the right of the ppp so it is centered vertically.

Group 22: Continuing the base and starting the "S."

Step 7

Place a black 2x4 plate horizontally to the right of the ppp.

Step 8

Let's make a part.

Place a yellow 4x4 plate with 2x2 center gap in front of you. Then, vertically place an orange 1x2 rounded brick with internal bars on the rightmost column so it is centered vertically.

Next, place a yellow 1x4 brick horizontally across the back row. Repeat this placement symmetrically to the front.

Now, flip your part upside down so the rounded brick is on the right column.

Horizontally place a yellow 1x6 plate on the back row so two columns overhang to the left. Repeat this placement symmetrically to the front.

Next, horizontally place a black 2x4 plate in between the four right columns of the two ppp.

Flip the part right side up so two columns are exposed to the left. Then, bring back the main build and flip it right side up so the 2x10 is on the left. Now, horizontally place the two left columns of your part under the right two columns of the front row of the main build.

Step 9

Place a yellow 1x2 plate horizontally on the front row in the fifth and sixth columns from the right. Next, place another symmetrically to the back. Then, place a red 2x8 plate horizontally with its two rightmost columns between the two ppp.

Group 23: Continuing the "S" and starting the "R."

Step 10

Vertically place a red 1x2 brick with 2 side studs on the rightmost column so it is centered vertically and the side studs face the right. Place a yellow 1x1 plate behind the ppp and another symmetrically to the front.

Then, place a yellow 2x4 plate vertically to the left of the two ppp. Place another vertically to the left of the ppp. Now, place a yellow 1x4 plate vertically to the left of the ppp.

Step 11

Place a yellow 1x1 plate on the front right corner. Repeat symmetrically to the back.

Then, horizontally place a dark tan 2x3 plate on the second through fourth columns from the right so it is centered vertically. Horizontally place a yellow 1x3 tile behind the ppp. Then, repeat the placement symmetrically to the front.

Now, place the front row of a yellow 2x2 corner tile to the left of the ppp so its right angle faces the front right and it looks like the Braille letter J. Repeat this placement symmetrically to the back.

Finally, vertically place a magenta 1x2 plate between the left columns of the two ppp.

Step 12

Let's make a part.

Place a yellow 1x2 brick horizontally in front of you. Then, place a yellow 1x1 brick with a clip on the right column of the ppp so the clip faces the front.

Stack two yellow 1x1 plates to the left of the ppp. Now, horizontally place a yellow 1x2 curved slope tile on top of your part so it slopes to the left.

Flip your part upside down and rotate it 180 degrees so it slopes to the right and the clip faces the back. Attach the back-facing clip of your part to the front-facing bar on the seventh column from the right on the main build.

Step 13

Make a symmetrical copy of the ppp.

Place a yellow 1x2 brick horizontally in front of you. Then, place a yellow 1x1 brick with a clip on the left column of the ppp so the clip faces the front.

Stack two yellow 1x1 plates to the right of the ppp. Now, horizontally place a yellow 1x2 curved slope tile on top so it slopes to the right.

Flip your part upside down so it slopes to the left. Attach the front-facing clip of your part to the back facing bar on the seventh column from the right on the main build.

Step 14

Let's make a part.

Hold a black 1x2 plate with 2x2 side studs hanging down horizontally in front of you so the side studs face the front. Then, place a black 1x1 round plate upright on the left column of the bottom row of front-facing side studs.

Next, horizontally place the left column of a black 1x2 rounded plate upright above the ppp. Now, place a yellow 2x2 triangle tile upright on the two ppp so its right angle faces the top left.

Rotate your part 180 degrees so the ppp faces the back. Place your part horizontally on the back row of the main build on the eighth and ninth columns from the right.

Make a symmetrical copy of the previous part.

Hold a black 1x2 plate with 2x2 side studs hanging down horizontally in front of you so the side studs face the front. Then, place a black 1x1 round plate upright on the right column of the bottom row of front-facing side studs.

Next, horizontally place the right column of a black 1x2 rounded plate upright above the ppp. Now, place a yellow 2x2 triangle tile upright on the two ppp so its right angle faces the top right.

Horizontally place your part in this orientation on the front row of the eighth and ninth columns from the right on the main build.

Step 15

Place the front row of a tan short 2x2 ribbed brick to the left of the ppp. Then, horizontally place a black 1x4 brick with horizontal groove to the left of the front row of the ppp so its groove faces the front. Now, repeat this placement symmetrically to the back.

Group 24: Starting the "A."

Step 16

Let's start making the "A."

Place a yellow 2x4 plate horizontally in front of you. Then place a yellow 2x4 brick horizontally on top of the ppp.

Flip your part upside down so it remains horizontal.

Vertically place a yellow 1x2 plate on the leftmost column. Repeat this placement symmetrically to the right.

Place a yellow 1x1 brick with side stud and bottom lip on the back left corner so the side stud faces the front. Then, place a yellow 1x1 slope tile upright on the ppp so it slopes up. Repeat both placements symmetrically to the right.

Flip your part right side up and rotate it so it is vertical and the slopes face the left. Place it in this orientation on the ninth and 10th columns from the left.

Step 17

Let's make a part.

Place a yellow 1x4 plate horizontally in front of you. Then, horizontally place a yellow 1x4 brick on the ppp.

Now, place a yellow 1x1 plate under the left column of your part. Repeat this placement symmetrically to the right.

Rotate your part so it is vertical. Now, place it in this orientation on the eighth column from the left on the main build.

Step 18

Make a symmetrical copy of the part we made in step 16.

Place a yellow 2x4 plate horizontally in front of you. Then place a yellow 2x4 brick horizontally on top of the ppp.

Flip your part upside down so it remains horizontal.

Vertically place a yellow 1x2 plate on the leftmost column. Repeat this placement symmetrically to the right.

Place a yellow 1x1 brick with side stud and bottom lip on the back left corner so the side stud faces the front. Then, place a yellow 1x1 slope tile upright on the ppp so it slopes up. Repeat both placements symmetrically to the right.

Flip your part right side up and rotate it so it is vertical and the slopes face the right. Place it in this orientation on the sixth and seventh columns from the left.

Step 19

Vertically place a yellow 1x4 plate on the sixth column from the left so it is centered vertically. Then horizontally place a yellow 1x3 tile to the right of the front row of the ppp.

Vertically place the front row of a yellow 1x4 tile to the right of the ppp. Next, horizontally place a yellow 1x3 tile to the left of the back row of the ppp.

Finally, horizontally place a tan 2x3 tile on the seventh through ninth columns from the left so it sits in the center of the four ppp.

Group 25: Continuing the "A."

Step 20

Horizontally place the three left columns of a black 2x4 plate on the ppp. Then, place a magenta 1x2 plate vertically to the left of the ppp.

Next, place a dark tan 1x2 log brick to the left of the ppp. Finally, place a black 2x2 round ridged brick with axle hole to the left of the ppp.

Group 26: Starting the "W."

Step 21

Let's start making the W.

Place a black 2x4 plate horizontally in front of you. Then, place a black 1x2 log brick horizontally on the front row so it is centered horizontally. Repeat this placement symmetrically to the back.

Place the right column of a yellow 2x2 corner brick to the left of the ppp so the right angle faces the front left and it looks like a Braille letter H. Repeat this placement symmetrically to the front. Now, repeat both parts symmetrically to the right.

Place a black 2x2 brick on the second and third columns from the left so it is centered vertically. Place another to the left of the ppp so it is also centered vertically. Finally, place another black 2x2 brick on your part so it is centered horizontally and vertically.

Group 27: Continuing the "W" and building between letters.

Step 21

Place a yellow 2x4 plate vertically with its right column under the left column of the part. Attach the completed part with its rightmost column on the leftmost column of the main build.

Step 22

Place a bright pink 2x2 brick on the seventh and eighth columns from the left so it is centered vertically.

Group 28: Building between letters and continuing the "W."

Step 23

Place the left column of a black 2x2 brick on the right column of the ppp. Then, horizontally place a black 1x2 half round brick to the right of the back row of the ppp. Place another symmetrically to the front.

Step 24

Let's make four identical parts.

Place a yellow 1x2x3 inverted slope brick in front of you so it slopes to the right. Then, attach the side studs of a yellow 1x1x1 $\frac{2}{3}$ brick with two side studs to the top two rows of the left-facing anti-studs of the ppp.

Now that you have four identical parts, attach the left column of one part to the second column from the left on the front row of the main build so it slopes and overhangs one column to the right. Repeat this placement symmetrically on the seventh column from the left. Now, repeat both placements symmetrically to the back.

Step 25

Place a yellow 1x6 plate horizontally across the front row of the second through seventh columns from the left. Place another symmetrically on the back row.

Step 26

Place the right column of a yellow 1x2x3 inverted slope brick horizontally on the leftmost column of the front row so it slopes and overhangs one column to the left. Place three more in the same orientation behind the ppp.

Now, place another symmetrically to the ppp on the eighth column from the left on the back row. Repeat this placement symmetrically to the front.

Bag 5: Continuing building up the word "Wars," including finishing the "R" and "S."

Group 29: Start building the "A" and finish the "R" and "S."

Step 27

Start building the "A."

Horizontally place a yellow 1x2x3 slope brick on the 11th and 12th columns from the left on the front row so it slopes to the left.

Then, place another symmetrically on the 18th and 19th columns from the left. Now, place two more symmetrically on the back row.

Step 28

Start building the space between the letters "A" and "R."

Vertically place a black 1x2x2 wall panel on the 18th column from the left so it is centered vertically and the wall faces the right.

Then, vertically place a black 1x2 tile with centered 1x2 upright side studs to the right of the ppp so it is centered vertically and the side studs face the front.

Place another vertically to the right of the ppp so it is also centered vertically and the side studs face the back.

Step 29

Place a black 2x2 plate upright on the front-facing side studs. Then, repeat this placement symmetrically to the back.

Step 30

Start building the "R."

Horizontally place a gray 2x3 brick to the right of the ppp so it is centered vertically. Then, place a yellow 1x2x2 brick horizontally in front of the two right columns of the ppp. Repeat this placement symmetrically to the back.

Step 31

Make two identical parts.

Place a yellow 1x1 plate in front of you. Then, place a yellow 1x1x1 $\frac{2}{3}$ brick with two side studs on the ppp so the side studs face the left.

Now that you have two identical parts, place one on the front row of the 13th column from the right so the side studs face the left. Repeat this placement symmetrically to the back.

Step 32

Vertically place a black 1x2x2 wall panel between the two ppp so the wall faces the left.

Step 33

Make two identical parts.

Place a yellow 1x1x1 $\frac{2}{3}$ brick with two side studs in front of you so the side studs face the left. Then, place a yellow 1x1 plate on top.

Now that you have two identical parts, place one on the front row of the 13th column from the right so the side studs face the left. Repeat this placement symmetrically to the back.

Step 34

Stack two yellow 2x4 bricks vertically to the right of the two ppp.

Step 35

Place a yellow 2x4 brick vertically with its right column on top of the left column of the ppp. Next, place a yellow 1x4 brick vertically to the right of the ppp.

Step 36

Place a yellow 2x4 tile vertically with its right column on top of the ppp. Then, place a yellow 1x1 tile to the left of the back row of the ppp. Now, place another in the front row of the same column.

Step 37

Continue building the "S."

Vertically place a black 1x2 log brick on the second column from the right so it is centered vertically.

Then, horizontally place a black 1x4 brick with horizontal groove to the left of the front row of the ppp so its groove faces the front. Repeat this placement symmetrically to the back.

Step 38

Vertically place a green 1x2x1 $\frac{2}{3}$ brick with 2x2 side studs on the rightmost column of the build so it is centered vertically and the side studs face the right. Then, place a black 2x2 brick to the left of the ppp so it is centered vertically.

Step 39

Make two identical parts.

Place a yellow 1x1x1 $\frac{2}{3}$ brick with two side studs in front of you so the side studs face the left. Then, place a yellow 1x1 plate on the ppp.

Now that you have two identical parts, place one on the front right corner of the build so the side studs face the left. Repeat this placement symmetrically to the back.

Step 40

Place a yellow 2x2 corner plate on the front right corner of the build so the right angle faces the back right and it looks like the Braille letter D. Repeat this placement symmetrically to the back.

Now, vertically place a magenta 1x2 plate to the left of the two ppp so it is centered vertically.

Step 41

Start a sub-build to make the bottom right curve of the "S."

Place a yellow 1x4 brick horizontally in front of you. Then, place a yellow 1x1 plate with 1x2 upright side studs under the left column of the ppp so the side studs face the back.

Step 42

Place three more yellow 1x1 plates with 1x2 upright side studs, one to the right of the other, to the right of the ppp so their side studs face the back.

Step 43

Place the back row of a yellow 2x2 curved slope tile on the right two columns of the part so it slopes to the front. Repeat this placement symmetrically to the left.

Step 44

Place the back row of a yellow 2x4 slope brick under the front overhanging row so it slopes to the front.

Step 45

Let's make a part.

Place a yellow 1x4 plate horizontally in front of you. Then, place a yellow 1x1 plate on the rightmost column of the ppp.

Place two blue 1x1 plates with clip, one to the left of the other, to the left of the ppp so the clips face the front. Place a yellow 1x1 plate to the left of the ppp. Then, place a yellow 1x4 plate horizontally on top of the part.

Now, vertically place a yellow 1x2x2 curved slope tile on the leftmost column of the part so it slopes and overhangs to the back. Place three more of these in the same orientation to the right of the ppp.

Now, bring back your previous part so it slopes to the front. Rotate the part you just made 180 degrees so it slopes to the front. Now rotate it so it is horizontally upright with the slopes facing down and the anti-studs facing the front. Attach it horizontally upright to the back-facing studs of your previous part.

Step 46

Let's attach the part to the main build.

Rotate the part 90 degrees clockwise so the 2x4 slope brick is on the left. Then flip it upright so the slopes face the right and the clips are on the bottom and face the left.

Attach the clips of the part to the right-facing bars which are centered vertically on the rightmost column of the main build. The part will also attach to the right-facing side studs.

Step 47

Continue building the "S."

Horizontally place a black 1x2 log brick on the second row from the front on the fourth and fifth columns from the right. Place another behind the ppp.

Then, vertically place a black 1x2x3 brick to the left of the two ppp.

Step 48

Vertically place a black 1x2 tile with centered upright 1x2 side studs to the right of the ppp so it is centered vertically and its side studs face the front. Then, place another vertically to the left of the ppp so its side studs face the back.

Step 49

Place a black 2x2 plate upright on the back-facing side studs of the ppp. Repeat this placement symmetrically to the front.

Step 50

Make two identical parts. Place a yellow 1x1 plate with 1x2 upright side studs in front of you so the side studs face the right. Then, place a yellow 1x1 brick on the ppp.

Next, horizontally place the right column of a yellow 1x2 curved slope tile on the ppp so it slopes and overhangs to the left.

Then, horizontally place the right column of a yellow 1x2 slope brick under the ppp so it slopes to the left.

Now that you have two identical parts, flip one of them 90 degrees to the left so the part is upright and its side studs face the top. In this position, place your part upright on the left-facing side studs on the front right corner of the main build. Place the other part symmetrically to the back.

Step 51

Let's make a part.

Place a black 2x2 plate in front of you. Then, place a black round ridged brick with axle hole on top of the ppp. Place a black 2x2 plate on top of the ppp.

Now, place the part on the second and third columns from the right so it is centered vertically.

Step 52

Start a sub-build that will become the top curve of the "S."

Place a yellow 1x4 plate horizontally in front of you. Then, place a yellow 2x4 brick horizontally with its back row on top of the ppp.

Step 53

Place a yellow 2x4 plate horizontally with its back row under the front row of the ppp.

Step 54

Place the back row of a yellow 1x4 brick vertically on the leftmost column of the ppp.

Step 55

Horizontally place the leftmost column of a yellow 2x4 plate under the second and third rows from the front of the ppp.

Step 56

Vertically place a yellow 1x4 brick on the front three rows of the rightmost column so it overhangs one row to the front.

Step 57

Place a yellow 1x4 plate horizontally on the back row of the part. Then, place a yellow 2x4 plate horizontally in front of the ppp. Now, place another horizontally in front of the ppp.

Step 58

Place a yellow 2x4 tile horizontally on top of the back two rows of the part. Place a yellow 2x4 plate horizontally in front of the ppp. Place a yellow 1x1 tile in front of the ppp's leftmost column. Repeat this placement symmetrically to the right.

Step 59

Vertically place a yellow 1x2x2 curved slope tile on the front row on the leftmost column of the part so it slopes and overhangs to the front. Repeat symmetrically to the right.

Step 60

Attach the sub-build to the "S."

Rotate the part 90 degrees clockwise so the curved slopes are on the left. Place it horizontally on the three rightmost columns of studs so four columns overhang to the right.

Step 61

Horizontally place a black 2x6 plate on the fifth through 10th columns from the right so it is centered vertically.

Step 62

Make the curved part of the "R."

Horizontally place a yellow 2x4 plate in front of you. Then, place a yellow 1x2 brick horizontally on the back row of the ppp so it is centered horizontally.

Group 30: Finishing the "R" and "S."

Step 63

Place a black 2x4 brick vertically in front of the ppp so it overhangs three rows to the front. Then, place a yellow 1x2 brick vertically on the leftmost column of the part. Repeat this placement symmetrically to the right.

Step 64

Flip your part over so it is horizontal and the 2x4 plate is on the left. Place a black 1x2 rounded plate with open studs vertically on the third column from the left.

Then, vertically place a yellow 1x4 plate to the right of the ppp so it is centered vertically. Place a magenta 1x2 plate vertically to the right of the ppp.

Step 65

Make two identical parts.

Place a yellow 1x1 plate with 1x2 upright side studs in front of you so the side studs face the right. Horizontally place the right column of a yellow 1x2 brick on the ppp so it overhangs one column to the left. Then, place a yellow 1x2 grill tile vertically upright on the right-facing side studs.

Now that you have two identical parts, flip the previous part over so the 2x4 plate is on the left. Place the left column of one of your parts on the rightmost column of the front row so it overhangs one column to the right and the grill tile faces the right. Place the second part symmetrically to the back.

Step 66

Place the right column of a yellow 2x2 corner plate on the back right corner of your part so the right angle faces the front right and it looks like the Braille letter J. Repeat symmetrically to the front. Then, vertically place a black 1x2 log brick to the left of the two ppp so it is centered vertically.

Step 67

Vertically place a yellow 1x4 brick on the left column of your part. Then, horizontally place a yellow 1x3 arch brick to the right of the front row of the ppp. Repeat this placement symmetrically to the back.

Step 68

Let's make a part.

Place a magenta 1x2 plate horizontally in front of you. Then, horizontally place a yellow 1x4 plate on top of the ppp so it is centered horizontally.

Now, place a yellow 1x1 plate with 1x2 upright side studs under the left column of the ppp so the side studs face the front. Repeat this placement symmetrically to the right.

Bring back your previous part so it is horizontal and the grill tiles face the right. Place your part vertically on the rightmost column so the side studs face the right.

Step 69

Place a yellow 2x4 plate vertically on top of the two rightmost columns of the build. Next, place a yellow 1x4 plate vertically to the left of the ppp. Then, place a yellow 2x4 plate vertically to the left of the ppp.

Step 70

Vertically place a black 1x2 slope tile on the leftmost column of the ppp so it slopes to the right. Place another symmetrically on the rightmost column of your part.

Step 71

Make two identical parts.

Place a yellow 1x2 brick horizontally in front of you. Then, horizontally place the right column of a yellow 1x2x2 slope tile on the left column of the ppp so it slopes and overhangs one column to the left.

Place a yellow 1x1 plate to the right of the ppp. Then, place a yellow 1x1 tile on top of the ppp.

Now that you have two identical parts, place one horizontally on the three left columns of the back row of your sub-build so it slopes to the left. Repeat symmetrically to the front.

Step 72

Make two identical parts.

Place a yellow 1x1 brick in front of you. Then, horizontally place the left column of a yellow 1x2x2 curved slope tile on the ppp so it slopes and overhangs one column to the right.

Now that you have 2 identical parts, place one horizontally on the two right columns of the front row of the sub build so it slopes to the right. Repeat this placement symmetrically to the back.

Step 73

Flip your sub-build upright so the anti-studs face the left and the curved part is on the right. Attach it to the main build on the 11th through 14th columns from the right.

Bag 6: Completing the word "Wars" and finishing the set.

Group 31: Continuing to build the "A."

Step 74

Place a bright pink 2x2 brick on the 16th and 17th columns from the left so it is centered vertically. Then, horizontally place a black 2x4 brick to the left of the ppp. Now, place a black 2x2 round ridged brick with axle hole to the left of the ppp.

Step 75

Vertically place a magenta 1x2 plate on the 13th column from the left so it is centered vertically. Then, place a black 2x2 plate to the right of the ppp.

Horizontally place a black 1x4 brick with horizontal groove to the right of the front row of the ppp so the groove faces the front. Then, repeat this placement symmetrically to the back.

Step 76

Place a black 1x2 log brick horizontally on the two rightmost columns of the ppp. Next, place another horizontally in front of the ppp. Then, place a black 2x2 round ridged brick with axle hole to the left of the two ppp.

Group 32: Continuing to build the "A."

Step 77

Make four identical parts.

Place a yellow 1x1 plate with 1x2 upright side studs in front of you so the side studs face the left. Then, place a yellow 1x2 plate vertically upright on the left-facing side studs. Now, place a yellow 1x2 slope tile vertically upright on the ppp so it slopes down.

Now that you have four identical parts, place one on the 13th column from the left on the front row so the slope is on the right. Repeat this placement symmetrically on the 17th column from the left. Now, repeat both parts symmetrically to the back.

Step 78

Let's make a part.

Place a yellow 2x4 plate horizontally in front of you. Then, horizontally place a yellow 1x4 brick on the back row of the ppp. Next, place a yellow 2x4 brick horizontally in front of the ppp so it overhangs one row to the front.

Then, horizontally place a yellow 1x4 plate under the front row of the ppp. Place another yellow 1x4 plate horizontally on top of the front row of the part. Finally, horizontally place a yellow 2x4 plate behind the ppp.

Rotate the part 90 degrees counter-clockwise so the ppp is on the right. Place this part on the 14th through 16th columns from the right so it is centered vertically.

Group 33: Finishing the "A" and building between letters.

Step 79

Let's make a part.

Place a black 2x4 brick horizontally in front of you. Then, horizontally place a black 1x4 brick with a horizontal groove on the back row of the ppp so the groove faces the back. Repeat symmetrically to the front.

Now, horizontally place your part on the 10th through 13th columns from the left so it is centered vertically.

Step 80

Horizontally place a yellow 1x2x3 slope brick in front of the two right columns of the ppp so it slopes to the left. Place another symmetrically on the 17th and 18th columns from the left. Now, place two more symmetrically on the back row.

Step 81

Place a black 2x2 plate on the 12th and 13th columns from the left so it is centered vertically. Then, place the left column of a yellow 2x2 corner tile in front of the ppp so the right angle faces the front right and it looks like the Braille letter J. Repeat this placement symmetrically to the back.

Then, vertically place a magenta 1x2 plate to the right of the two ppp so it is centered vertically. Place the left column of a yellow 1x3 tile horizontally behind the ppp. Repeat symmetrically to the front.

Now, place the left two columns of a black 2x6 plate horizontally between the two ppp.

Step 82

Place a yellow 1x8 tile vertically upright on the left-facing side studs on the 17th column from the right on the front row. Repeat symmetrically to the back.

Group 34: Continuing to build the "W."

Step 83

Let's make a part.

Place a yellow 4x4 plate with 2x2 center gap in front of you. Then, vertically place a yellow 2x4 brick on the two rightmost columns.

Horizontally place a yellow 1x4 brick to the left of the front row of the ppp. Repeat symmetrically to the back.

Then, place the right two columns of a yellow 4x4 plate with 2x2 center gap under the left two columns of the two ppp.

Now, vertically place a yellow 2x4 brick on the two leftmost columns. Place a yellow 1x3 tile horizontally on the front left corner of the sub-build. Then, repeat symmetrically to the back. Now, repeat both placements symmetrically to the right.

Place your part horizontally on the second through ninth columns from the left.

Step 84

Let's make a part.

Place a yellow 2x4 plate vertically in front of you. Then, vertically place a yellow 1x2x1 $\frac{3}{4}$ brick with 2x2 side studs on the back right corner so the side studs face the right.

Place another symmetrically in front of the ppp. Now, repeat the last two placements symmetrically to the left.

Place a yellow 1x2 plate vertically upright on the back column of left-facing side studs. Repeat symmetrically to the front. Now, repeat both placements symmetrically to the right.

Place a yellow 1x2 slope tile vertically upright on the back column of left-facing side studs so it slopes up. Repeat symmetrically to the front. Now, repeat both parts symmetrically to the right.

Place your completed part vertically on the fifth and sixth columns from the left. The slopes will sit on the tiles to the left and right of the part.

Step 85

Make two identical parts.

Stack two yellow 2x4 plates horizontally in front of you. Horizontally place the plate part of a blue 1x2 plate with upright 2x2 tile on the back row so it is centered horizontally and the anti-studs face the back.

Horizontally place a black 1x2 rounded plate with open studs in front of the ppp. Vertically place a yellow 1x2 slope tile on the left column of the part so it slopes to the front. Repeat this placement symmetrically to the right. Now, place a black 2x2 brick between the two ppp.

Now that you have two identical parts, attach one part: Rotate it 90 degrees counterclockwise and flip it so it is vertical and the wedges of the angled parts are in the bottom right. Place it on the second and third columns from the left of the main build.

Attach the other part: Rotate it 90 degrees clockwise and flip it to the right so it is vertical and the wedges of the angled parts are in the bottom left. Place it on the seventh through ninth columns from the left.

Step 86

Place a yellow 1x2x3 inverted slope brick horizontally on the front left corner so it slopes and overhangs one column to the left. Place three more behind it in the same orientation.

Place another horizontally on the 10th column from the left on the front row so it slopes and overhangs one column to the right. Repeat this placement symmetrically to the back.

Group 35: Finishing the set.

Step 87

Finish the "W."

Place a yellow 2x2 corner tile on the front left corner so the right angle faces the front left and it looks like the Braille letter H. Repeat this placement symmetrically to the back.

Then, vertically place a magenta 1x2 plate between the right columns of the two ppp. Place another vertically on the 11th column from the left so it is centered vertically.

Then, place the left column of a yellow 2x2 corner tile in front of the ppp so the right angle faces the front right and it looks like the Braille letter J. Repeat this placement symmetrically to the back.

Step 88

Cover the top of the word "Wars" so you can attach it to the word "Star."

Horizontally place a black 2x6 plate on the second through seventh columns from the left so it is centered vertically.

Then, horizontally place a black 1x2 rounded plate with open studs in front of the two right columns of the ppp. Place another symmetrically to the back.

Step 89

Place a black 2x4 tile horizontally on the eighth through 11th columns from the left so it is centered vertically. Then, place a black 2x6 plate horizontally to the right of the ppp.

Place a black 2x4 tile horizontally to the right of the ppp. Then, place a black 2x10 plate horizontally to the right of the ppp.

Now, horizontally place a black 2x4 tile to the right of the ppp. Place the left column of a black 1x2 rounded plate with open studs in front of the right column of the ppp. Repeat this placement symmetrically to the back.

Finally, place the left column of a black 2x2 plate between the right columns of the two ppp.

Step 90

Place the word "Star" on top of the word "Wars," ensuring the builds line up right on top of each other.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please sign up for our [newsletter](#) and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!