

75437 Cobb Vanth's Speeder

Adapted by Arturo and tested by Hannah Kinsey.

Team up with Cobb Vanth for action-packed battles against Cad Bane with this exciting LEGO® *Star Wars*™ vehicle toy building set for kids (75437). Build a detailed LEGO brick model of Cobb Vanth's awesome speeder from *Star Wars: The Mandalorian*™ Season 2. It's got a driver's seat for the Cobb Vanth LEGO minifigure, a clip for his pistol and a hidden compartment to stow iconic accessories including Boba Fett's helmet and a bantha milk carton. The included Cad Bane LEGO minifigure is equipped with 2 blaster pistols, and Cobb also has a jetpack for aerial action play. A fantastic gift for boys, girls and any *Star Wars: The Mandalorian* or *Star Wars: Boba Fett*™ fans ages 7 years old and up, this building toy is a great way to spark kids' imaginations through play.

The packaging gives a very adventurous, desert-duel vibe. The front of the box shows Cobb Vanth's speeder rushing across a sandy Tatooine-style landscape, with the long vehicle angled dynamically across the center of the artwork. The speeder is built mostly in bright light orange, reddish brown, red, dark bluish gray, and light bluish gray colors, with a rounded turbine at the front, exposed mechanical detailing along the sides, and a separate driver's seat section where Cobb Vanth can sit. Cobb Vanth is shown in action with his Mandalorian-style armor, jetpack, and blaster, while Cad Bane appears nearby in his brown outfit and wide-brimmed hat, holding his blasters as if confronting him. The background shows a tan desert settlement with rounded buildings and rocky scenery, giving the scene a dry, dusty frontier atmosphere. On the top, there is a metallic blue stripe with the classic red LEGO logo to the left and the Star Wars logo to its right. On the top right corner, we see the LEGO version of Mando carrying Grogu on his back. In the middle and to the left, the box displays the set's number, name, and number of pieces, all in white letters. On the bottom right corner, we see the minifigures included in this set. From left to right, these are Cobb Vanth and Cad Bane. The right side of the box has a warning that states that the set contains small parts, and it is therefore not recommended for children younger than 3 years old in different languages. The back of the box shows the speeder from another angle in the same desert setting, focusing more on the play scene between Cobb Vanth and Cad Bane. The speeder is shown hovering low over the sand. Cobb Vanth and Cad Bane are posed around the vehicle with their weapons, suggesting a showdown in the open desert. On the top left corner, we have the classic LEGO and Star Wars logos. On the top right corner, we have a small inset that shows the speeder bike's compartment and how it can store a bantha mil carton and a snack. The top of the box has the set's name in different languages, as well as a picture of minifigure of Cobb Vanth on a 1:1 scale. The bottom side is a tidy strip that contains the barcode as well as a few technical bits, such as the place of manufacture, copyright and trademark notices.

The build consists of 207 pieces in total and is recommended for ages 7+. Once finished, you will have a speeder bike and 2 minifigures. The set consists of 1 instruction booklet and 3 numbered bags.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.

- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- Open/hollow stud: a bump on a LEGO brick with a hole, which allows attaching bars. In the case

of open

studs, the hole goes all the way through. In the case of hollow studs, it does not.

- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.

- Left/right wedge parts: these are parts that when placed in front of you and are pointing to the back, their wedge is on the left/right side of the part.

- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall

at the right, connector to the front, and then place another such piece symmetrically on the back wall, at

the right, the technic connector of the second piece should point to the back, since it will be placed

symmetrically.

- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

Additionally, it is worth mentioning that besides the printed visual instructions that come with each kit, a PDF version for the set's instructions is always available online at [\[https://www.lego.com/en-us/service/building-instructions/75437\]](https://www.lego.com/en-us/service/building-instructions/75437). This might help a sighted building partner that may want to follow along or low vision users that may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2, and 3 and put them in one container.

This LEGO set comes with 1 instruction booklet, 3 numbered bags, and 2 minifigures. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder!

LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Book 1, bag 1 - Cobb Vanth and speeder bike's seat

Group 1: pages 4-5

Group 2: steps 1-11

Group 3: steps 12-21

Book 1, bag 2 - Cad Bane and speeder bike's turbine

Group 4: page 23

Group 5: steps 22-26

Group 6: steps 27-34

Group 7: steps 35-40

Group 8: steps 41-45

Book 1, bag 3 - Speeder bike's body and speeder bike's container lid

Group 9: steps 46-59

Group 10: steps 60-74

Group 11: steps 75-84

We are done with the sorting, let's start building!

Building Instructions

Book 1, bag 1

Group 1 – Cobb Vanth

Pages 4-5. Locate 1 dark brown pair of legs with holster strap and 1 light bluish gray torso with dark green Mandalorian armor and battle damage, dark red arms, and dark tan hands. Assemble the body of the minifigure. Then, attach 1 sand green jet pack to the minifigure's neck, so that it faces to the back. Next, attach light nougat head with light bluish gray moustache and goatee to the neck. Continue by placing 1 sand green Mandalorian helmet with black visor and dark green cheek indents on top of the head. Ask a sighted friend to make sure that the face print and the helmet are facing the right way. Attach 1 light bluish gray helmet antenna to the left-facing hole of the helmet. Lastly, put 1 dark bluish gray revolver into Cobb Vanth's right hand. Optionally, you can remove the helmet and instead place a light bluish gray hair with widow's peak and short sideburns.

Group 2 – Speeder bike's seat

Step 1

Let's begin with the speeder bike's seat. Place 1 medium nougat 2x3 plate vertically in front of you.

Step 2

Locate 2 dark bluish gray 1x2 inverted slope bricks. Place the first one vertically on the back right corner of the ppp, so that it slopes and it overhangs to the back by 1 row. Take the second one and repeat symmetrically on the left.

Step 3

Place 1 light bluish gray 1x1 round plate with open hole in front of the ppp. Rotate 1 dark bluish gray 2x2 corner plate so that it resembles a J in Braille. Place its front row to the right of the ppp.

Step 4

Find 2 reddish brown 1x2 inverted slope bricks. Place the first one vertically on the front left corner, so that it slopes and it overhangs to the front by 1 row. Take the second one and repeat symmetrically on the right. Rotate 1 black 2x2 plate with bar underneath so that its bar is to the front. Place its back row on top of the front row of the 2 ppps. Lastly, rotate 1 reddish brown 2x2 plate with a 2x3 plate elevated vertically, so that its 2x3 plate faces to the front. Place its 2 front rows on top of the ppp.

Step 5

Attach 1 medium nougat 1x2 plate with clips on long edge horizontally to the front-facing bar.

Step 6

Rotate the ppp to bring it as close as possible to the bottom of the build.

Step 7

Grab 2 dark bluish gray 1x2 bricks with axle hole. Place them vertically, one to the right of the other, on the 2nd and 3rd rows from the back on the 2 leftmost columns, so that their axle holes face to the left and right.

Step 8

Place 1 black 1x1 half round tile to the right of the back row of the 2 ppps, so that its curved edge faces to the back. Then, place 1 dark bluish gray 1x1 tile with upright clip in front of the ppp, so that its clip hands face to the front and back.

Step 9

Place 1 dark orange 1x2 rounded plate with open holes horizontally on the back row. Then, place 1 dark tan 1x2 plate with handle on long edge horizontally on top of the ppp, so that its handle faces to the back.

Step 10

Rotate 1 red 2x3 plate vertically. Place its back row on top of the ppp. Then, place 1 dark orange 1x3 plate vertically in front of the left column of the ppp.

Step 11

Place 1 reddish brown 1x1 plate with 1x2 side studs hanging down to the right of the back row of the ppp, so that its side studs face to the right. Then, place 1 dark bluish gray 1x2 plate with 2x2 side studs hanging down vertically in front of the ppp, so that its side studs face to the right.

Group 3 – Speeder bike's seat (continued)

Step 12

Place 1 red 1x2 jumper plate horizontally on the back row. Then, place 1 light bluish gray 1x1 round plate with open hole on top of the ppp.

Step 13

Place 1 light bluish gray 1x2 sloped tile horizontally in front of the ppp, so that it slopes to the back.

Step 14

Place 1 dark tan 2x4 plate vertically in front of the ppp. Then, place 1 dark bluish gray 1x2 plate with clips on long edge horizontally on the front row of the ppp, so that its clips face to the front. Rotate 1 dark tan 2x2 curved slope tile so that it slopes to the back. Place its front row on top of the ppp.

Step 15

Attach the handle of 1 light bluish gray 1x2 plate with handle on long edge to the front-facing clips. Then, place 1 dark tan 1x2 tile on top of the ppp. Rotate the 2 ppps 90 degrees from front to back, so that their antistuds face to the front.

Step 16

We need to make a small sub-build. Hold 1 light bluish gray 1x1 plate with clip, so that its clip faces to the back. Then, attach light bluish gray roller skate under the ppp, so that its edge with upright stop faces to the front. The sub-build is complete. Flip it upside down, so that its stud faces down and its clip faces to the back. Attach its clip to the front-facing handle, between the other 2 clips. Lastly, rotate the sub-build downwards, so that it is as close as possible to the build.

Step 17

Attach 1 reddish brown 1x1 quarter round tile to the top back right-facing side stud, so that its curved edge faces up and back. Then, attach 1 dark orange 1x2 double sloped curved tile horizontally upright in front of the ppp.

Step 18

Attach 1 medium nougat 1x2 grille plate horizontally upright under the ppp. Then, attach 1 reddish brown 1x1 round plate with open stud behind the ppp.

Step 19

Insert the nozzle of 1 reddish brown 1x1 tile with nozzle into the ppp, so that its antistud faces to the front. Then, attach 1 reddish brown 1x1 round plate with open stud to the front-facing antistud of the ppp.

Step 20

Attach the handle of 1 reddish brown bar holder with handle to the clip located on the rightmost column, so that its bar holder faces up.

Step 21.1

We need to make 2 identical sub-builds. Let's begin with the first one. Hold 1 flat silver bar holder with angled clip so that its clip faces to the front and its hole faces up. Then, insert the bar of 1 dark bluish gray 1x1 tile with bar into the hole of the ppp.

Step 21.2

Then, attach 1 pearl dark gray perpendicular connector to the ppp, so that its opposite side studs face to the left and right.

Step 21.3

The sub-build is complete. Attach its clip to the left of the back-facing handle.

Step 21.4

Make a second identical build by repeating steps 21.1 and 21.2 and attach it symmetrically on the right.

Book 1, bag 2

Group 4 – Cad Bane

Page 23. Locate 1 dark brown pair of legs with reddish brown jacket tails and silver belt and 1 reddish brown torso with jacket, ammunition belt, blue gauntlets, and dark brown hands. Assemble the body of the minifigure. Then, attach 1 flat silver breathing apparatus with 2 thick tubes to the minifigure's neck, so that its longer flat edge faces to the back and it slopes down. Next, attach black head with sand blue face and large red eyes to the neck. Ask a sighted friend to make sure that the face print faces the right way. Attach 1 dark brown hat on top of the minifigure's head. Lastly, put 1 black blaster into each of Cad Bane's hands.

Group 5 – Speeder bike's turbine

Step 22

Let's build the speeder bike's turbine. Place 1 dark bluish gray 2x10 plate vertically in front of you.

Step 23

Locate 2 reddish brown 1x2 plates with clips on short edge. Place the first one vertically on the back of the left column, so that its clip faces to the back. Take the second one and repeat symmetrically on the right. Then, place 1 tan 2x8 plate vertically in front of the 2 ppps.

Step 24

Find 2 light bluish gray 1x2 plates with 1x2 side studs hanging down. Place the first one vertically on the front of the leftmost column, so that its side studs face to the left. Take the second one and repeat symmetrically on the right.

Step 25.1

We need to make a small sub-build. Place 1 dark bluish gray 1x2 brick with axle hole vertically in front of you, so that its axle hole faces to the left and right. Then, insert the short end of 1 dark bluish gray 5.5L axle with stop into the right-facing hole of the ppp, so that it protrudes to the right by 5L.

Step 25.2

Slide 1 tan 1x2 brick with hole into the protruding axle all the way to the left, until it is to the right of the other 1x2 brick.

Step 25.3

Place 1 black 2x2 round plate with axle hole on top of the 2x2 studded surface created by the 2 1x2 bricks.

Step 25.4

Place 1 white 2x2 plate on top of the ppp.

Step 25.5

The sub-build is complete. Place its 2x2 antistuds on the 3rd and 4th rows from the front, behind the 2 light bluish gray 1x2 plates with 1x2 side studs hanging down, so that its axle protrudes to the right.

Step 26

Grab 6 light bluish gray 1x2 plates with 1x2 side studs hanging down. Place the first three vertically, one behind the other, behind the left column of the sub-build from the previous step, so that its side studs face to the left. Take the remaining 3 and repeat symmetrically on the right.

Group 6 – Speeder bike's turbine (continued)

Step 27.1

We need to make another sub-build. Place 1 tan 1x2 brick with hole horizontally in front of you, so that its hole faces to the front and back.

Step 27.2

Locate 2 black 1x2 plates with 2x2 upright side studs. Rotate the first one vertically so that its side studs face to the left. Place its back row under the left column of the ppp. Take the second one and repeat symmetrically on the right.

Step 27.3

Place 1 dark bluish gray 1x2 brick with axle hole horizontally on the front row.

Step 27.4

Insert 1 dark bluish gray 8 axle with stop horizontally into the back hole, so that its stop is to the back. Insert it as far as it can go, so that it protrudes to the front by 6L.

Step 27.5

The sub-build is complete. Place its 2 back rows on top of the 2 front rows, creating 2x3 side studded surfaces on both left and right sides.

Step 28

Place 1 dark bluish gray 1x2 rounded plate with open studs horizontally on the front row. Then, place 1 dark tan 2x2 tile with 2 studs behind the ppp, so that its studs face to the front.

Step 29

Place 1 black 2x2 plate on the 2 front rows.

Step 30

Place 1 bright orange 1x1 plate with 1x1 side stud hanging down on the 4th row from the front on the rightmost column, in front of the right column of the 2x2 tile with studs, so that its side stud faces to the right. Then, place 1 reddish brown 1x1 plate with 1x2 side studs hanging down to the left of the ppp, so that its side studs face to the left.

Step 31

Place 1 dark bluish gray 1x2 rounded plate with open studs horizontally on the 2nd row from the back. Then, place 1 tan 2x3 tile vertically in front of the ppp.

Step 32

Find 2 black 1x6 plates with 1x4 cutout with 2x6 upright side studs. Rotate the first one vertically, so that its side studs face to the left. Place its front row in front of the left column of the ppp. Take the second one and repeat symmetrically on the right.

Step 33

Grab 2 tan 1x1 tiles. Place the first one on the front row of the ppp. Take the second one and repeat symmetrically on the left.

Step 34.1

We need to make another sub-build. Place 1 tan 1x2 brick with hole horizontally in front of you, so that its hole faces to the front and back. Then, insert the short end of 1 dark bluish gray 5.5L axle with ring into the back hole of the ppp, so that it protrudes to the back.

Step 34.2

Slide 1 tan 1x2 brick with hole horizontally onto the back of the ppp as far as possible, so that it is in front of the other 1x2 brick, creating a 2x2 studded surface.

Step 34.3

Place 1 reddish brown 2x2 jumper plate on top of the sub-build.

Step 34.4

The sub-build is complete. Place it on the 2 back rows, so that its axle protrudes to the back.

Group 7 – Speeder bike's turbine (continued)

Step 35

Slide 1 light bluish gray axle connector with 3 axles onto the back-protruding axle as far as possible. Its axles should face down, up left, and up right. Then, attach 1 dark bluish gray 1x2 hinge cylinder onto each of the 2 up-facing axles from the ppp, so that their hinges are vertical.

Step 36

Attach 1 bright light orange 1x8 plate with hinge and angled side extensions to each of the 2 ppps, so that their studs face to the front. Then, attach 2 flat silver 1x2 grilled tiles to the studded surface of each of the 2 ppps.

Step 37

Slide the middle axle hole of 1 pearl dark gray round axle connector with 2 pin holes and 3 axle holes onto the back-protruding axle, so that it goes as far as possible.

Step 38

Slide the middle axle hole of 1 dark bluish gray pulley wheel onto the back-protruding axle, so that it goes behind the ppp.

Step 39.1

We need to make a small sub-build. Place 1 light bluish gray 3x3x2 round brick with recessed center in front of you. Then, place 1 dark bluish gray 2x2 round tile with stud on top of the ppp.

Step 39.2

Place 1 light bluish gray 1x1 cylinder brick on top of the ppp.

Step 39.3

Attach 1 light bluish gray bulb with bar onto the top of the ppp.

Step 39.4

The sub-build is complete. Rotate it 90 degrees from front to back, so that the ppp faces to the back. Slide the sub-build into the back-protruding axle.

Step 40

Push the 2 light bright orange 1x8 plates with hinges and angled side extensions to the back as much as possible, so that they surround the sub-build from the previous step.

Notice that we will not count this section of the speeder bike (anything behind the side-studs) when counting rows and columns.

Group 8 – Speeder bike's turbine (continued)

Step 41

Slide the middle axle hole of 1 dark bluish gray pulley wheel onto the front-protruding axle as far as possible.

Step 42

Rotate 1 dark bluish gray technic wheel so that its narrow side faces to the back. Slide its middle hole onto the front-protruding axle as far as possible.

Step 43

Slide 1 pink 2x2 round brick with axle hole onto the front-protruding axle as far as possible, so that its studs face to the front. Then, slide 1 black 2x2 round plate with axle hole, so that it attaches to the front of the ppp.

Step 44

Rotate 1 light bluish gray half barrel container so that its studs face to the back. Slide it onto the front-protruding axle as far as possible.

Step 45

Slide 1 black 2x2 round plate with axle hole onto the front-protruding axle as far as possible, so that its studs face to the front. Then, attach 1 dark bluish gray 2x2x2 cone to the ppp.

Note that we will not count this section of the speeder bike (anything in front of the side-studs) when counting rows and columns.

Book 1, bag 3

Group 9 – Speeder bike's body

Step 46

Place 1 black 1x2 double curved sloped tile horizontally on the 2nd row from the front, so that it slopes to the front and back.

Step 47

Place 1 black 1x1 tile with upright clip in front of the left column of the ppp, so that its clip hands face to the front and back. Then, place 1 dark bluish gray 1x1 round tile to the right of the ppp.

Step 48

Rotate the build 90 degrees clockwise, so that the protruding axle faces to the front. Attach 1 black 1x1 round plate with open stud on the bottom left corner of front-facing side studs.

Step 49

Attach 1 dark bluish gray 1x10 plate horizontally upright to the right of the ppp.

Step 50

Attach 1 black 1x5 plate horizontally upright above the 5 rightmost columns of the ppp. Rotate 2 flat silver 1x2 grille tiles vertically upright. Place them, one to the left of the other, so that their bottom row is to the left of the ppp. Place 1 dark bluish gray 1x4 plate horizontally upright to the left of the top row of the 2 ppps. Lastly, place 1 flat silver 1x2 grille tile horizontally upright below the 2 leftmost columns of the ppp, so that its left column is above the 1x1 round plate with open stud.

Step 51

Rotate 1 red 2x2 wedge plate upright, so that its antistuds face to the back and its right angle faces down right. Attach its bottom row to the 5th and 6th columns from the left on the bottom row.

Step 52

Attach 1 red 2x4 plate horizontally upright to the right of the ppp. Then, rotate 1 red 2x2 wedge plate upright, so that its antistuds face to the back and its right angle faces up left. Attach it to the right of the ppp.

Step 53

Rotate 1 red 1x2 plate horizontally upright. Attach its right column to the bottom left corner of the ppp. Then, attach 1 flat silver 1x2 grille tile horizontally upright to the left of the ppp. Continue by attaching 1 red 1x2 plate horizontally upright to the left of the ppp. Lastly, attach 1 red 1x2 right wedge tile horizontally upright to the left of the ppp, so that it slopes to the left.

Step 54

Place 1 dark bluish gray 1x4 plate horizontally upright on the 7th to 10th columns from the left on the top row, to the right of the top row of the 2 flat silver 1x2 grille tiles. Attach 1 black 1x2 double curved slope tile horizontally upright on the 2 left columns of the ppp. Then, attach 1 dark bluish gray 1x2 plate with handle on long edge horizontally upright to the right of the ppp, so that its handle faces up. Attach 1 red 1x1 quarter round tile upright to the left column of the ppp, so that its curved edge faces up left. Then, attach 1 red 1x2 left wedge slope tile horizontally upright to the right of the ppp, so that it slopes to the right.

Step 55

Locate 2 dark bluish gray 1x2 rounded plates with open studs. Attach the first one horizontally upright on the 2 leftmost columns of the bottom row. Then, attach the second one horizontally upright on top of the ppp.

Step 56

Attach 1 dark bluish gray 1x2 plate with handle on long edge horizontally upright on the 2 leftmost columns of the top row, so that its handle faces up.

Step 57

Attach 1 red 1x2 right wedge slope tile horizontally upright to the left column of the ppp, so that it slopes to the left. Then, attach 1 red 1x2 left wedge slope tile horizontally upright to the right of the ppp, so that it slopes to the right.

Step 58

Attach 1 black candle piece horizontally to the left of the up-facing handle located on the leftmost column.

Step 59

Slide 1 light bluish gray bush onto the protruding front-facing axle, so that it goes as far to the back as possible.

Group 10 – Speeder bike's body (continued)

Step 60

Rotate the build 180 degrees counterclockwise, so that the protruding axle faces to the back. Attach 1 black 1x1 round plate with open stud on the bottom right corner of front-facing side studs.

Step 61

Attach 1 dark bluish gray 1x10 plate horizontally upright to the left of the ppp.

Step 62

Attach 1 black 1x5 plate horizontally upright above the 5 leftmost columns of the ppp. Rotate 2 flat silver 1x2 grille tiles vertically upright. Place them, one to the right of the other, so that their bottom row is to the right of the ppp. Place 1 dark bluish gray 2x4 plate horizontally upright to the right of the 2 ppps.

Step 63

Rotate 1 red 2x2 wedge plate upright, so that its antistuds face to the back and its right angle faces down left. Attach its bottom row to the 5th and 6th columns from the right on the bottom row.

Step 64

Attach 1 red 2x4 plate horizontally upright to the left of the ppp. Then, rotate 1 red 2x2 wedge plate upright, so that its antistuds face to the back and its right angle faces up right. Attach it to the left of the ppp.

Step 65

Rotate 1 red 1x2 plate horizontally upright. Attach its left column to the bottom right corner of the ppp. Then, attach 1 flat silver 1x2 grille tile horizontally upright to the right of the ppp. Continue by attaching 1 red 1x2 plate horizontally upright to the right of the ppp. Lastly, attach 1 red 1x2 left wedge tile horizontally upright to the right of the ppp, so that it slopes to the right.

Step 66

Place 1 dark bluish gray 1x4 plate horizontally upright on the 7th to 10th columns from the right on the top row, to the left of the top row of the 2 flat silver 1x2 grille tiles. Attach 1 black 1x2 double curved slope tile horizontally upright on the 2 right columns of the ppp. Then, attach 1 dark bluish gray 1x2 plate with handle on long edge horizontally upright to the left of the ppp, so that its handle faces up. Attach 1 red 1x1 quarter round tile upright to the right column of the ppp, so that its curved edge faces up right. Then, attach 1 red 1x2 right wedge tile horizontally upright to the left of the ppp, so that it slopes to the left.

Step 67

Attach 1 dark bluish gray 1x2 rounded plate with open studs horizontally upright on the 2 rightmost columns of the bottom row. Then, attach 1 black 1x2 double curved slope tile horizontally upright above the ppp. Lastly, attach 1 dark bluish gray 1x2 plate with handle on long edge horizontally upright above the ppp, so that its handle faces up.

Step 68

Attach 1 red 1x2 left wedge slope tile horizontally upright to the right column of the ppp, so that it slopes to the right. Then, attach 1 red 1x2 right wedge slope tile horizontally upright to the left of the ppp, so that it slopes to the left.

Step 69

Attach 1 black 1x1 double curved slope tile upright below the left column of the ppp, so that it slopes up and down. Then, attach 1 black 1x1 round plate with open stud to the left of the ppp. Lastly, attach 1 black 1x1 tile with upright clip above the ppp, so that its clip arms face up and down.

Step 70

Attach 1 dark bluish gray 1x1 round tile with pin below the ppp. Then, attach 1 flat silver skate to the ppp, so that its curved edge faces to the right.

Step 71

Attach 1 pearl dark gray pistol to the clip above the ppp, so that its handle faces up right.

Step 72

Attach 1 black candle piece horizontally to the right of the top-facing handle located on the rightmost column.

Step 73

Locate 2 transparent clear 2x2 inverted round tiles with rounded bottom. Attach the first one under the 2 leftmost columns of the 2x10 plate located underneath the entire build. Take the second one and repeat symmetrically on the right.

Step 74

Build a bantha milk carton by attaching 1 white 1x1 double sloped tile to 1 bright light blue 1x1 brick with a bantha and glass print. Then, build a snack by stacking 1 bright green 1x1 round plate with petals, 1 bright green 1x1 round plate, and 1 orange 1x1 double curved slope tile. Place both the milk and the snack on the container created by the open space on top of the speeder bike engine, to the right of the reddish brown 2x2 jumper plate.

Group 11 – Speeder bike's container lid

Step 75

Let's build the speeder bike's container lid. Place 1 light bluish gray 2x8 plate vertically in front of you. Then, place 1 bright light orange 2x4 wedge plate horizontally on the 2 front rows of the ppp, so that its narrow side is to the front.

Step 76

Place 1 bright light orange 2x4 plate horizontally behind the ppp. Then, place 1 bright light orange 1x4 plate horizontally behind the ppp. Lastly, place 1 bright light orange 2x4 wedge plate horizontally behind the ppp, so that its narrow side is to the back.

Step 77

Rotate 1 dark bluish gray 2x2 curved slope tile so that it slopes to the back. Place its front row on top of the back row of the ppp. Then, place 2 bright light orange 1x2 jumper plates horizontally, one in front of the other, in front of the ppp.

Step 78

Place 2 light bluish gray 1x1 plates with 1x1 tile with upright clip vertically, one to the right of the other, in front of the ppp, so that their clips are to the back and their clip hands face to the front and back. Place 1 dark bluish gray 1x2 rounded plate horizontally in front of the 2 ppps. Lastly, place 1 light bluish gray 1x2 half round tile with stud horizontally in front of the ppp, so that its curved edge faces to the back.

Step 79

Place 1 flat silver 1x2 grille tile horizontally on the 3rd row from the front, in front of the 2 upright clips, so that it is centered horizontally. Locate 2 bright light orange 1x1 slope tiles. Place the first one to the left of the ppp, so that it slopes to the left. Take the second one and repeat symmetrically on the right. Find 2 bright light orange 1x2 slope tiles. Place the first one vertically behind the ppp, so that it slopes to the right. Take the second one and repeat symmetrically on the left.

Step 80

Rotate 1 bright light orange 1x2 left wedge curved slope tile horizontally, so that it points to the left. Place its right column on the left studded column of the 2nd row from the front. Find 1 bright light orange 1x2 right wedge curved slope tile and repeat symmetrically on the right.

Step 81

Place 1 dark bluish gray 1x2 rounded plate with open studs vertically on top of the 2 bright light orange 1x2 jumper plates located on the back of the build. Then, place 1 dark bluish gray 1x1 round tile on the back row of the ppp.

Step 82

Attach the handle of 1 light bluish gray 1x2 plate with handle on long edge to the upright clips in front of the ppp, so that its studs face to the back.

Step 83

The container lid is complete. Bring back the speeder bike engine, so that its protruding axle is to the right. Place the container lid on top of the speeder bike open container, so that the lid is behind the black 1x2 double curved slope tile.

Step 84

Lastly, bring back the speeder bike seat, so that its handles are to the back and its axle hole faces to the left and right. Insert the protruding engine's right-facing axle into the left-facing axle hole of the seat, so that it goes as far as possible.

We are done with the construction! If you wish, you can sit down Cobb Vanth on the speeder bike's seat. Enjoy the adventures of Cobb Vanth and Cad Bane!

At the end of the instruction booklet, you will find two pages advertising other sets from the wave. On the first page, you will find sets 75437 (Cobb Vanth's Speeder, this set), 75448 (Clone Shock Trooper Mech), 75436 (The Mandalorian & Grogu's Speeder Bike), and 75452 (BB-8). On the second page, you will find sets 75443 (Grogu's Homestead) and 75449 (Siege of Mandalore Battle Pack). Afterwards, you will find the set inventory. On the last page you will find an invitation to share feedback.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind are able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!