

75456 Star Wars Advent Calendar 2026

Adapted by John Le and tested by Natalie Charbonneau.

The LEGO® Star Wars™ Advent Calendar 2026 (75456) sparks daily creative fun for kids during the countdown to Christmas. Packed with collectible Star Wars: The Mandalorian™ themed mini building toys, this Advent calendar makes an exciting early Christmas gift for boys, girls and any fan ages 6 years old and up. Discover iconic characters as they've never been seen before: The Mandalorian and Moff Gideon LEGO minifigures, plus Grogu and Pit Droid LEGO figures all in holiday outfits. Mando and Grogu have complementary sweaters – Grogu's features an image of Mando and Mando's has an image of Grogu. Find 7 mini build vehicles, including an X-wing in festive colors. Look out for Blurr, Mudhorn, Bantha and Dewback LEGO figures. With a surprise treat every day, this festive building set offers hours of fun for kids and family-bonding activities during the run-up to Christmas. The set contains 293 pieces.

ADVENT CALENDAR 2026 (75456) – Find surprise LEGO® brick toys behind every door for kids to create their own festive Star Wars: The Mandalorian™ adventures during the countdown to Christmas.

ICONIC CHARACTERS – The Mandalorian and Moff Gideon LEGO® minifigures and Grogu in holiday sweaters, Carson Teva and Jawa LEGO minifigures, plus Pit Droid LEGO figures in festive colors and IG-11.

7 MINI BUILD VEHICLES – Mando's N-1 Starfighter, The Razor Crest, a speeder bike, Sandcrawler, Outland TIE Fighter, Imperial Light Cruiser and an X-wing in festive colors.

MORE MINI BUILD TOYS – Mudhorn, Bantha, Dewback and Blurr LEGO® figures, plus 3 tables with beskar, gifts and Moff Gideon's accessories, a weapons rack, Mandalorian gauntlet and Grogu's hoverpram.

HOLIDAY ACTIVITIES – This 293-piece Advent calendar is great for kids to build and play with solo or share the fun with friends, or for family-bonding holiday activities.

The front of the box shows a snowy mountain side in the background. Next to the mountains, there are houses with snow on the roof! And in the front, the Mandalorian is sharing hot chocolate with Carson Teva!

The back of the box shows a large gate to a fortress in the middle of the snowy hills opening! Inside, a bright light is shining through! Outside, there are fighter jets flying around and a drone shooting at the Mandalorian!

The top of the box shows a real size image of Grogu wearing a festive outfit!

The build is 293 pieces in total and is for ages 6+.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: <https://bricksfortheblind.org/help-with-screen-readers>.

Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back

- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/75456>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

The box folds down into a mat, the mat features a top down view of a few snowy lit up houses surrounding a christmas tree with a bunch of presents at its base!

The windows that we'll be opening are arranged in 4 rows of six windows. No grouping instructions are provided, since each build is very small.

We don't want to spoil each day's surprise for you, so we'll put lots of ***s between each day. ,

The box should be oriented with the fold-out mat on the table. The windows themselves are decorated with a stone building with a large brown door opening and a bright yellow light shining through. The foldout mat is decorated with a water fountain in the middle, snow all around, and festive lights on each side.

Let's get to building!

Day 1: (2nd row from the bottom of the leftmost column.)

Step 1

Locate 1 brown pair of legs printed with silver beskar armor, 1 torso printed with a dark green sweater and Grogu on it, 1 light tan head printed with eyes, lips, and a beard, 1 silver beskar helmet, and 1 red mug. Assemble your minifigure then attach the mug to his hand!

This is the Mandalorian!

Day 2: (2nd row from the top of the 3rd column from the left.)

Step 1

Horizontally place a brown 2x4 plate in front of you. Then vertically place a light brown 1x2 log brick underneath the leftmost column. Then repeat symmetrically to the right.

Step 2

Place a white 2x2 round brick on the 2 leftmost columns. Then place a white 2x2 round tile with a pinhole on top of the ppp. Now insert a red 2L bar with a stop into the pinhole of the ppp so it goes all the way down.

Step 3

Place a white 2x2 dish on top of the ppp. Then place a red bowtie on top of the ppp so the angled parts face the front.

Step 4

Place a black 2x2 plate on the 2 rightmost columns. Then horizontally place a dark grey 1x2 ingot tile on the back row of the ppp. Now place a light grey 1x1 round plate on the front right corner. Now vertically place a dark grey 1x2 ingot tile on the rightmost column so it is centered vertically.

This is a table with a container and beskar ingots!

Day 3: (Top right corner.)

Step 1

Locate 1 small green torso printed with a red festive outfit and a Mandalorian helmet on it, and 1 green head with long ears and black eyes. Assemble your minifigure then put him in front of you!

This is Grogu!

Day 4: (2nd column from the left of the top row.)

Step 1

Place a white 2x2 plate with 2 side studs in front of you so the side studs face the left. Then vertically place a white 1x2 sloped curved brick on the leftmost column so it slopes to the left.

Step 2

Vertically place a brown 1x2 plate with 2 side studs on the right column so the side studs face the right. Then vertically place a light brown 1x2 jumper plate on top of the ppp.

Step 3

Place a white 1x1 plate with 2 side studs hanging down upright on the front right-facing side stud so the 2 side studs face the front. Then horizontally place a white 1x2 tile with a round side upright on the front-facing side studs so the round side faces down. Then repeat both parts symmetrically to the back.

Step 4

Horizontally place a white 1x2 tile with a sloped curved lip upright on the right-facing side studs so it slopes up.

This is Grogu's hover pod!

Day 5: (3rd column from the right of the 2nd row from the top.)

Note, today some pieces that are the same but have different colors.

Step 1

Horizontally place a dark tan 1x2 plate with an inverted slope in front of you so it slopes to the right. Then place a tan 1x1 plate with a side stud hanging down on the rightmost column so the side stud faces the right. Now place a dark orange 1x1 tile upright on the right-facing side stud.

Step 2

Place a brown 1x1 round plate on the leftmost column. Then place a light grey 1x1 round brick with a side stud on top of the ppp so the side stud faces the left.

Step 3

Horizontally place a dark grey 1x2 plate with 2 side studs hanging down on top so the side studs face the back.

Step 4

Place a tan 1x1 round plate on the rightmost column. Then place a sand green 1x1 round plate on top of the ppp.

Step 5

Place a dark grey 1x1 round plate on the leftmost column. Then place a brown 1x1 round plate on top of the ppp. Now place a silver 1x1 round plate on top of the ppp.

Step 6

Insert a light grey 3L bar into the left-facing side stud. Now attach the clip of a dark grey 1x1 tile with a clip to the left end of the bar so the anti-stud faces down. Then place a brown 1x1 plate with a double-sided stud underneath the ppp so the double-sided stud is on the left.

Step 7

Horizontally place a light grey 1x2 tile with a cutoff corner upright on the front-facing side stud so it overhangs 1 column to the left and the cutoff corner faces the top left. Then repeat symmetrically to the back.

This is a speeder bike!

Day 6: (3rd column from the left of the 2nd row from the bottom.)

Step 1

Horizontally place a black 1x3 plate in front of you. Then horizontally place a light grey 1x2 brick with side studs on 2 sides on the 2 leftmost columns. Now horizontally place a light grey 1x2 inverted slope brick to the right of the ppp so it slopes and overhangs to the right.

Step 2

Place a dark grey 1x1 round plate with a bar upright on the leftmost front-facing side stud so the bar faces the left. Then place a yellow 1x1 tile upright to the right of the ppp. Now repeat both parts symmetrically to the back.

Step 3

Place a transparent 1x1 sloped curved half cylinder brick on the leftmost column so it slopes to the left. Then place a dark grey 3x3 cross-shaped plate to the right of the ppp so it is centered vertically. Now horizontally place a light grey 1x4 tile on top of the ppp so it is centered vertically and overhangs 1 column to the right.

Step 4

Place a light grey 1x1 plate with a double-sided stud in front of the ppp so the double-sided stud is in the front. Now place a light grey 1x1 round plate upright on the left-facing side stud of the ppp. Then place a

dark grey 1x1 round tile with an upright bar, upright on the right-facing side stud of the double-sided stud. Now repeat everything symmetrically to the back.

This is the Razor Crest!

Day 7: (Bottom left corner.)

Step 1

Horizontally place a light grey 2x4 plate in front of you. Then horizontally place a dark grey 1x4x2 panel on the back row so the wall faces the back. Now place 4 light grey 1x1 plates with a clip, 1 to the right of the other, on top of the ppp so the clips face the front.

Step 2

Horizontally place a dark grey 1x4 tile with 2 studs on top of the 4 ppp. Now vertically attach a larger black blaster to the leftmost clip so the handle faces the front. Then attach a black hammer to the 2nd clip from the right so the hammer head is on top.

Step 3

Let's make a part! Let's make a rifle blaster! Place a smaller black blaster in front of you so the handle faces the front and the barrel faces the right. Now attach the ridged side of a brown lightsaber hilt to the right-facing barrel. Now attach a black claw to the right-facing bar hole so the claw hands face the front and back. Now vertically attach the lightsaber hilt of your part to the rightmost clip so the claw faces up.

This is a gun rack!

Day 8: (2nd column from the right of the 2nd row from the bottom.)

Step 1

Place a light grey 2x2 round ridged brick in front of you. Then place a dark tan 4x4 round plate on top of the ppp so it is centered.

Step 2

Place a light blue 1x1 round tile on the front stud of the leftmost column. Then place a transparent 1x1 dish on the 2nd row from the back of the 2nd column from the left. Now place a light blue 1x1 round tile on top of the ppp.

Step 3

Place a white 1x1 tea cup on the 2nd row from the front of the 2nd column from the right so the handle faces the right.

This is a table!

Day 9: (3rd column from the left of the bottom row.)

Step 1

Vertically place a dark tan droid body in front of you so the left-facing and right-facing bars are in the back and the stud faces down. Now attach the clip of a dark grey pair of legs to the front-facing handle so the anti-stud faces the front and the rounded sides of the feet face up.

Step 2

Stand your droid body upright so the stud faces the back. Now place a dark grey 1x1 tile with a clip upright on the back-facing side stud so the clip hands face left and right.

Step 3

Attach a dark grey droid arm to the right-facing bar so it hangs down. Then repeat symmetrically to the left.

Step 4

Attach a dark grey claw to the top-facing handle so the bar faces up. Then place a dark grey droid head printed with 2 red eyes on top of the ppp.

Step 5

Lift up the left arm so the clip faces the front. Then vertically attach the end of a black rifle blaster to the clip so the stock rests on the floor and the handle of it faces the front.

This is a droid!

Day 10: (Top left corner.)

Step 1

Horizontally place a brown 2x4 plate in front of you. Then vertically place a dark brown 1x2 log brick underneath the rightmost column. Then vertically place another 1 underneath the 2nd column from the left.

Step 2

Vertically place a brown 1x2 slope tile on the leftmost column so it slopes to the left. Then vertically place a light brown 1x2 hinge panel to the right of the ppp so the wall faces the right.

Step 3

Attach the bar of a light grey 2x2 plate with a bar underneath to the ppp so it slopes to the left, over the 1x2 slope tile. Then vertically place 2 dark brown 1x2 jumper plates, 1 to the right of the other, on top of the ppp.

Step 4

Horizontally place a brown 1x2 rounded plate on top of the 2 ppp. Now place a tan fang on the left column of the ppp so it slopes down to the left.

Step 5

Place a light brown 2x2 plate with 2 side studs on the 2 rightmost columns so the side studs face the right. Then vertically stack 2 brown 1x2 plates on the left column of the ppp. Now place a brown 2x2 sloped curved tile on the 2 rightmost columns so it slopes to the right.

Step 6

Horizontally place a brown 1x2 slope tile upright on the right-facing side studs so it slopes up.

This is a Mudhorn!

Day 11: (2nd column from the left of the 2nd row from the top.)

Step 1

Horizontally place a black 2x3 plate in front of you. Then horizontally place 2 light grey 1x2 jumper plates, 1 in front of the other, on the leftmost column so they overhang to the left. Then repeat symmetrically to the right.

Step 2

Vertically place a sand blue 1x4 plate on the leftmost column so it overhangs 2 rows to the back. Now vertically place a dark grey 1x2 angled sloped curved tile on the back row of the ppp so it slopes and overhangs to the back and the cutoff corner faces the back left. Now repeat both parts symmetrically to the right.

Step 3

Place a light grey 1x1 plate with a side stud hanging down on the front left corner so the side stud faces the front. Then place a transparent orange 1x1 round plate upright on the front-facing side stud of the ppp. Now repeat both parts symmetrically to the right.

Step 4

Vertically place a dark grey 1x3 plate on top of your build so it is centered horizontally and overhangs 1 row to the back. Now place a transparent 1x1 slope tile on the back row of the ppp so it slopes to the back. Now place a transparent 1x1 plate in front of the ppp. Then place a transparent 1x1 tile on top of the ppp.

Step 5

Place a light grey 1x1 round brick with a side stud in front of the ppp so the side stud faces the front. Then place a transparent orange 1x1 round plate upright on the front-facing side stud of the ppp.

This is a fighter jet!

Day 12: (2nd column from the right of the 2nd row from the bottom.)

Step 1

Vertically place a dark tan 1x2 plate with 3 teeth in front of you so the teeth face the left. Then vertically place a light grey 2x2 inverted slope brick on top of the ppp so it slopes and overhangs to the right.

Step 2

Horizontally place a light grey 2x4 slope brick on top of the ppp so it slopes and overhangs 2 columns to the right.

Step 3

Vertically place a dark grey 1x2 plate with 2x2 side studs hanging down on top of the ppp so the side studs face the left. Then vertically place a brown 1x2 jumper plate on top of the ppp.

Step 4

Horizontally place a light grey 1x2 tile upright on the top row of left-facing side studs. Then horizontally place a light grey 1x2 plate with 2x2 upright side studs, upright below the ppp so the side studs face down.

Step 5

Place a dark grey 2x2 tile with a round side on the bottom-facing side so the round side faces the left. Now place a light brown 1x1 brick with a side stud and bottom lip upright on the front left-facing side stud so the side stud faces the front. Now place a dark grey 1x1 round tile printed with an eye upright on the front-facing side stud. Now repeat both parts symmetrically to the back.

Step 6

Vertically place 2 light grey 1x2x2 sloped curved bricks, 1 in front of the other, upright on the left-facing side studs so they slope and overhang to the top.

This is a Blurrg!

Day 13: (3rd column from the right of the top row.)

Step 1

Horizontally place a light brown 2x4 tile with 2 studs in front of you. Then place an orange 1x1x1 $\frac{2}{3}$ brick with side studs on 3 sides on the right stud so the side studs face the front, right, and back. Then horizontally place a dark grey 1x2x1 $\frac{2}{3}$ brick with side studs on 2 sides to the left of the ppp so the side studs face the front and back.

Step 2

Place a light brown 1x1 plate with 2 side studs hanging down on the leftmost column so the side studs face the left. Then place a brown 1x1 slope tile upright on the top left-facing side stud so it slopes down. Now place a dark grey 1x1 round plate upright below the ppp.

Step 3

Horizontally place a light brown 1x4 tile with 2 studs on top so it overhangs 2 columns to the right. Now vertically place a brown 1x2 slope brick upright on the right-facing side studs so it slopes down. Then place a brown 1x1 slope tile upright on the right-facing side stud of the ppp so it slopes down.

Step 4

Place a brown 2x2 plate with a cutoff corner upright on the leftmost column of front-facing side studs so the angled side overhangs to the left, the studs are vertical, and the cutoff corner faces the bottom left.

Now place a brown 2x2 corner tile upright to the right of the ppp so it looks like the braille letter h. Then horizontally place a light brown 1x2 tile with a cutoff corner upright to the right of the top row of the ppp so the cutoff corner faces the bottom right. Now repeat everything symmetrically to the back.

Step 5

Vertically place a black 1x2 jumper plate underneath your build so it is centered horizontally. Now place 2 black 1x1 skates, 1 in front of the other, underneath the leftmost column so the rounded parts face the left. Then repeat symmetrically to the right.

This is a sandcrawler!

Day 14: (Leftmost column of the 2nd row from the top.)

Step 1

Locate 1 short dark grey pair of legs, 1 dark grey torso printed with brown shoulder straps, 1 black head printed with red eyes, 1 dark grey hood, 1 blaster, and 1 black 1x1 round brick. Assemble your minifigure then attach the blaster to his hand! Now attach the stud of the 1x1 round brick to the barrel of the blaster!

Day 15: (Rightmost column of the 2nd row from the bottom.)

Today, we are making a Bantha!

Step 1

Horizontally place a brown 2x3 brick in front of you. Then vertically place a brown 1x2 plate with 2 upright side studs underneath the rightmost column so the side studs face the right.

Step 2

Place 2 light brown 1x1 round plates, 1 to the right of the other, underneath the front left corner. Then repeat symmetrically to the back.

Step 3

Horizontally place a light brown 1x2 jumper plate upright on the right-facing side studs. Then place a brown 1x1 round plate upright on the ppp. Now place a brown 1x1 slope tile upright on the ppp so it slopes up.

Step 4

Vertically place a light brown 2x2 plate with 2 side studs on the 2 leftmost columns so the side studs face the left. Then place a tan 1x1 plate with a double-sided stud on the front row so it is centered horizontally and the double-sided stud is in the front. Then repeat symmetrically to the back.

Step 5

Horizontally place a brown 1x1 tile with a 1x1 slope tile on the front right corner so it slopes to the right. Then repeat symmetrically to the back.

Step 6

Place a tan 1x1 cone brick upright on the front left-facing side stud. Then repeat symmetrically to the back.

This is a Jawa minifigure!

Day 16: (3rd column from the right of the bottom row.)

Step 1

Place a black 3x3 cross-shaped plate in front of you. Then vertically place a dark grey 1x3 plate on top so it is centered horizontally.

Step 2

Place a light grey 1x1 plate with a side stud hanging down on the back row of the ppp so the side stud faces the back. Now place a light grey 1x1 round plate upright on the back-facing side stud. Then place a dark grey spear tip upright on the ppp.

Step 3

Place a light grey 1x1 plate with a double-sided stud on the leftmost column so the double-sided stud is on the left. Then vertically place a light grey 1x2 tile with a cutoff corner on top of the ppp so it overhangs 1 row to the front and the cutoff corner faces the front left. Now repeat both parts symmetrically to the right.

Step 4

Place a light grey 1x1 round tile with an upright bar, upright on the leftmost front-facing side stud so the anti-stud faces the front. Then repeat symmetrically to the right.

Step 5

Place a dark grey 1x1 round tile with an upright bar, upright on the leftmost back-facing side stud so the anti-stud faces the back. Then place a light grey 1x1 ice cream cone upright on the ppp so the bar faces the back. Now repeat both parts symmetrically to the right.

This is a Tie fighter!

Day 17: (2nd column from the left of the bottom row.)

Step 1

Vertically place a white 1x3 plate in front of you. Then vertically place a white 1x1 plate with a 1x1 slope tile on the front row so it slopes and overhangs to the front. Now place a white 1x1 plate on top of the ppp. Then place a black 1x1 slope tile on top of the ppp so it slopes to the front.

Step 2

Vertically place a black 1x2 brick with side studs on 2 sides on the back 2 rows so the side studs face the left and right. Then vertically place a white 1x2x2 slope brick on top of the ppp so it slopes to the front.

Step 3

Horizontally place a light grey 1x2 plate upright on the left-facing side studs. Then horizontally place a white 1x2 plate with a bar upright on the ppp so the bar faces down. Now attach a white flag to the bar of the ppp so it faces the bottom left and the angled side faces the front. Then repeat everything symmetrically to the right.

This is an Imperial shuttle!

Day 18: (3rd column from the left of the top row.)

Step 1

Locate 1 orange pair of legs printed with pockets, 1 orange torso printed with buttons and tubing, 1 light tan head printed with eyes, lips, and an orange visor, and 1 white and blue helmet printed with yellow circles. Assemble your minifigure then put him in front of you.

This is a pilot!

Day 19: (2nd column from the left of the 2nd row from the bottom.)

Step 1

Horizontally place a red 2x3 plate in front of you. Then place a green 2x2 plate with a cutoff corner on the leftmost column so it overhangs 1 column to the left, the studs look like the braille letter d, and the cutoff corner faces the front left. Then repeat symmetrically to the right.

Step 2

Place a red 1x6 plate on top so it is centered horizontally and overhangs 4 rows to the back. Now vertically place a green 1x2 sloped curved tile on the back row of the ppp so it slopes and overhangs to the back.

Step 3

Vertically place a white 1x3 plate in front of the ppp. Then vertically place a black 1x2 slope tile on the front 2 rows of the ppp so it slopes to the back.

Step 4

Place a short white 1x1 brick in front of the ppp. Then place a white 1x1 half sphere on top of the ppp.

Step 5

Place a red 1x1 brick with 2 side studs in front of the ppp so the side studs face the left and right. Now insert the bar of a gold 1x1 faucet into the left-facing side stud of the ppp so the anti-stud faces the front. Then place a transparent pink 1x1 round plate upright on the front-facing anti-stud. Now repeat both parts symmetrically to the right.

Step 6

Place a green 1x1 slope tile on the back row of the 2nd column from the left so it slopes to the left. Then repeat symmetrically to the right.

Step 7

Place a red 1x1 plate with a double-sided stud underneath the leftmost column so the double-sided stud is on the left. Then place another 1 on top of the leftmost column so the double-sided stud is on the left. Then repeat both parts symmetrically to the right.

Step 8

Insert a white 4L bar into each of the 2 leftmost back-facing side studs so the bars stick out the back. Then repeat symmetrically to the right.

This is a festive x-wing!

Day 20: (2nd column from the right of the bottom row.)

Step 1

Horizontally place a dark tan 2x3 plate in front of you. Then place 2 dark tan 1x1 round plates, 1 to the right of the other, underneath the front left corner. Then repeat symmetrically to the back.

Step 2

Vertically place an olive green 1x2 brick on the leftmost column. Now vertically stack 2 olive green 1x2 plates to the right of the ppp. Then vertically place an olive green 1x2 plate on the rightmost column.

Step 3

Horizontally place an olive green 2x4 sloped curved tile on the 2 rightmost columns so it slopes and overhangs 2 columns to the right.

Step 4

Vertically place a dark tan 1x2 plate with 2x2 side studs hanging down on the leftmost column so the side studs face the left.

Step 5

Let's make a part! Place a brown 2x2 tile with a stud in front of you. Then vertically place a brown 1x2 plate underneath the rightmost column. Now place the left column of your part on the leftmost column of the build.

Step 6

Place a dark tan 1x1 brick with a side stud and bottom lip upright on the bottom front left-facing side stud so the side stud faces the front. Then place an olive green 1x1 round tile printed with an orange eye upright on the front-facing side stud. Now repeat both parts symmetrically to the back.

Step 7

Place an olive green 2x2 sloped curved brick upright on the left-facing side studs so it slopes up.

This is a Dewback!

Day 21: (2nd column from the right of the top row.)

Step 1

Locate 1 black pair of legs, 1 torso printed with a red sweater and tie fighters, 1 brown head printed with eyes, lips, and a mustache, and 1 black hair. Assemble your minifigure then put him in front of you.

This is Carson Teva!

Day 22: (3rd column from the right of the 2nd row from the bottom.)

Step 1

Horizontally place a dark grey 2x4 tile with 2 studs in front of you. Then vertically place a light grey 1x2 log brick underneath the leftmost column. Then repeat symmetrically to the right.

Step 2

Place a silver 1x1 half cone brick on the left stud. Then place a black 1x1 half sphere on top of the ppp. Now place a black helmet with spikes and a red visor on top of the ppp.

Step 3

Place a light grey 1x1 tile with a stud on the right stud so the clip hands face the back left and front right.

Step 4

Let's make a part! Let's make a sword! Horizontally place a dark grey lightsaber hilt in front of you so the side studs face the left and right and the ridged side faces the right. Now attach a black blade to the left-facing side stud so the cutoff corner faces the front left.

Step 5

Attach the hilt of your sword to the clip so the blade faces the front left.

This is a table with a helmet and sword!

Day 23: (Rightmost column of the 2nd row from the top.)

Step 1

Horizontally place a black 1x3 plate in front of you. Then vertically place a dark grey 2x3 plate on the 2 rightmost columns so it is centered vertically. Now place a light grey 1x1 plate with a double-sided stud on the leftmost column so the double-sided stud faces the left.

Step 2

Place a light grey 1x1 plate with a double-sided stud on the front right corner so the double-sided stud is in the front. Then horizontally place a light grey 1x2 tile with a cutoff corner to the left of the ppp so it overhangs 1 column to the left and the cutoff corner faces the front left. Now repeat both parts symmetrically to the back.

Step 3

Place a transparent orange 1x1 round plate upright on the front right-facing side stud. Then repeat symmetrically to the back.

Step 4

Place a light grey 1x1 plate with a side stud hanging down on the rightmost column so it is centered vertically and the side stud faces the right. Then place a transparent orange 1x1 round plate upright on the right-facing side stud of the ppp.

Step 5

Horizontally place a dark grey 1x2 plate with a 1x1 slope tile and a stud on the 2nd and 3rd columns from the right so it is centered vertically and slopes to the left. Now horizontally place a light grey 1x2 slope brick on the 2 rightmost columns so it is centered vertically and slopes to the right. Then vertically place a light grey 1x2 jumper plate on top of the ppp so it is centered vertically.

Step 6

Horizontally place a light grey 1x3 slope brick upright on the leftmost front-facing side stud so it slopes and overhangs 2 columns to the left. Then repeat symmetrically to the back.

This is a light cruiser!

Day 24: (Bottom right corner.)

Step 1

Place 2 dark red 1x1 round plates with a handle, 1 to the right of the other, in front of you so the handles face the front. Then place a green 1x1 tile with a clip on top of each of the 2 ppp so the clip hands face the front and back.

Step 2

Horizontally attach a gold T-shaped bar to the 2 top-facing clips so the middle bar faces up.

Step 3

Place a dark red 1x1 round plate on top of the top-facing bar so the stud faces up. Then place a dark green 1x1 brick with a side stud on 3 sides on top of the ppp so the side studs face the left, right, and front. Now place a red 1x1 slope tile upright on the front-facing side stud so it slopes up.

Step 4

Place a green 1x1 round tile with an upright bar, upright on the right-facing side stud so the bar faces the right. Then attach a gold skeleton arm to the bar of the ppp so the elbow is on the bottom and the clip faces the front. Now repeat both parts symmetrically to the left.

Step 5

Place a green claw on the top-facing stud so the claw hands face left and right. Then attach a black 1x1 faucet to the claw so the anti-stud faces the front and the handle faces up. Now place a red 2x2 dish on the handle.

Step 6

Place a light brown bag next to your droid!

This is a festive droid!

Thank you so much for building this set!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind are able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

At the end of the instruction booklets, there are no ads!