

76263 Iron Man Hulkbuster vs. Thanos

Adapted by John Le and tested by Jolene Nemeth.

Based on Marvel Studios' Avengers: Infinity War, this playset brings Super Hero Iron Man and his mech together with supervillain Thanos and his aircraft. The Hulkbuster mech is fully posable and includes a seat for the Iron Man minifigure. The aircraft has an attached disc shooter and a seat for the Thanos minifigure. Inside the box, each bag of bricks contains a complete model and character that kids can assemble for play right away.

Imaginative play for young Super Heroes – LEGO® Marvel Iron Man Hulkbuster vs. Thanos (76263) puts classic Super Hero action into the hands of youngsters aged 4 and up.

Iconic characters – Includes Iron Man with his Hulkbuster mech and Thanos with his aircraft. A Starter Brick ensures the build-and-play fun can start right away.

Battle action – The Hulkbuster mech is fully posable and includes a seat for the Iron Man minifigure. The aircraft has an attached disc shooter and a seat for the Thanos minifigure.

Portable fun – The Hulkbuster stands over 4.5 in. (11 cm) tall and the aircraft measures over 3.5 in. (9 cm) wide, so kids can easily pick it up and take the action wherever they go.

The front of the box shows Iron Man inside the Hulkbuster standing on a bunch of rocks! He is swinging at Thanos who is on his aircraft shooting missiles at him!

The back of the box shows all the accessories that the set comes with. It comes with Iron Man, Thanos, the Hulkbuster, an aircraft, and 2 gold 2x2 discs for Thanos's aircraft to shoot at Iron Man.

The top of the box shows a real size image of Thanos.

The build is 66 pieces in total and is for ages 4+.

Bag 1 includes the pieces for Iron Man and the Hulkbuster!

Bag 2 includes Thanos and his aircraft!

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the

table.

- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/76263>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 2 bags labeled 1 and 2, 2 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

The steps in this set correspond to page numbers.

Bag 1 - Iron Man and Hulkbuster

Group 1 - Pages 6-7.

Group 2 - Pages 8-33.

Group 3 - Pages 34-57.

Bag 2 - Thanos and Aircraft

Group 4 - Pages 4-5.

Group 5 - Pages 6-25.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Iron Man

Steps 6 to 7

Locate 1 dark red pair of legs printed with gold armor, 1 dark red and gold torso printed with armor and a light blue core, 1 light tan head printed with a mustache and goatee, and 1 dark red and gold helmet. Assemble your minifigure and make sure the curved side of the helmet faces the front. Then put him aside while we build his Hulkbuster!

Group 2 - Hulkbuster

Steps 8 to 9

Horizontally place a dark red 2x3 plate in front of you. Then vertically place a dark grey 1x2 brick with a hole on the left column so there is no overhang.

Steps 10 to 11

Vertically place a transparent light blue 1x2 plate on top of the previous brick so there is no overhang. Then vertically place a black 2x2 brick with holes and 2 round parts to the right so it is centered vertically and the round parts face the front and back.

Steps 12 to 13

Horizontally place 2 dark red 1x3 sloped curved bricks, 1 in front of the other, on top so there is no overhang and they slope to the right.

Steps 14 to 15

Flip your part on its side so the rounded parts are on the bottom left and bottom right, and the 1x3 sloped curved bricks face the front! Now attach the pin of a dark red leg on a 2x4 tile to the left-facing rounded part so the outward bend faces the front, and the side studs of the leg face the left. Then repeat symmetrically to the right.

Steps 16 to 17

Horizontally place a dark grey 2x2 plate with angled sides underneath the front 2 rows of the left leg so the short side faces the front. Then repeat symmetrically to the back. Now repeat both parts symmetrically to the right.

Steps 18 to 19

Insert a black 2L pin into the top-facing hole.

Steps 20 to 21

Let's make a part! Place a dark red 2x2 plate with angled sloped sides and a bar in front of you so the bar faces the front. Then place a light grey 2x2 round tile printed with a blue core on top of the 2x2 set of studs.

Steps 22 to 23

Horizontally place a light grey 2x2 plate with tall angled walls with 2 clips in front of you so the 2 clips face the front. Now attach the bar of your previous part to the front-facing clips so the 2x2 round tile faces the front.

Steps 24 to 25

Rotate your part 180 degrees so the 2x2 round tile faces the back. Now horizontally place 2 dark grey 1x2 plates with a ball, 1 to the right of the other, upright on the top row of the front-facing side studs so the balls face outwards to the left and right.

Steps 26 to 27

Horizontally place a light grey 2x4 plate upright on the 2 upper rows of the front-facing side studs so it is centered horizontally. Then horizontally place a gold 1x2 tri-sloped tile upright on the bottom row so it is centered horizontally and slopes down.

Steps 28 to 29

Vertically place a transparent light blue 2x3 tile with 2 clips upright on the front-facing side studs so it is centered horizontally, overhangs 1 row to the top, and the clips face up.

Steps 30 to 31

Horizontally place 2 dark red 1x4 sloped curved tiles, 1 above the other, upright to the front-facing side studs so they are centered horizontally and there are no more exposed studs facing the front.

Steps 32 to 33

Rotate your part 180 degrees so the 2x2 round tile faces the front. Then place your part on top of the top-facing pin of your main build.

Group 3 - Hulkbuster

Steps 34 to 35

Let's make a part! Horizontally place a dark grey bent 2x2 round part with 2 2x2 set of studs in front of you so the outwards bend faces the front and the 2x2 set of studs on the right are in rows and columns. The studs to the left should face slightly to the back left. Now vertically place a light grey 1x2 plate with a socket on the rightmost column so the socket faces the right.

Steps 36 to 37

Place a light grey 1x2 brick with a hole and a 1x2 plate on the left 2x2 set of studs so the brick is on the left and there is no overhang. Then place a dark red 2x2 sloped curved tile on top so it slopes to the right. Then place a short black 2x2 grooved brick on the right 2x2 set of studs so there is no overhang. Now place a dark red 2x2 brick with sloped angled sides and side studs on top so the studs are on the left and it is centered horizontally.

Steps 38 to 41

Insert a dark red fist with a pin into the left-facing hole so the thumb faces the back. There are two fists, so if one of them doesn't work, then try the other one. Now horizontally place a gold 1x2 grill tile on the front-facing side studs of the right piece. Then repeat symmetrically to the back.

Steps 42 to 43

Rotate your part 180 degrees so the socket faces the left. Now attach the socket to the right-facing ball of your build. This is his arm!

Steps 44 to 45

Let's make another part! Horizontally place a dark grey bent 2x2 round part with 2 2x2 set of studs in front of you so the outwards bend faces the front and the 2x2 set of studs on the right are in rows and columns. The studs to the left should face slightly to the back left. Now vertically place a light grey 1x2 plate with a socket on the leftmost column so the socket faces the left.

Steps 46 to 47

Place a light grey 1x2 brick with a hole and a 1x2 plate on the right 2x2 set of studs so the brick is on the right and there is no overhang. Then place a dark red 2x2 sloped curved tile on top so it slopes to the left. Then place a short black 2x2 grooved brick on the left 2x2 set of studs so there is no overhang. Now place a dark red 2x2 brick with sloped angled sides and side studs on top so the studs are on the right and it is centered horizontally.

Steps 48 to 51

Insert a dark red fist with a pin into the right-facing hole. Now horizontally place a gold 1x2 grill tile on the front-facing side studs of the left piece. Then repeat symmetrically to the back.

Steps 52 to 53

Rotate your part 180 degrees so the socket faces the right. Now attach the socket to the left-facing ball of your build. This is his other arm!

Steps 54 to 55

Attach the bar of a dark red dome with a gold face with white eyes to the top-facing bars that are in the back! Then flip it down to close the top!

Building Instructions (Bag 2, Book 2):

Group 4 - Thanos

Steps 4 to 5

Locate 1 dark blue pair of legs, 1 dark blue and purple torso printed with gold armor, 1 purple head printed with a mean grin and stretch marks on his forehead, and 1 gold helmet. Assemble your minifigure and make sure the gap of his helmet faces the front. Then put him aside while we build his aircraft!

Group 5 - Thanos's Aircraft

Steps 6 to 7

Horizontally place a dark grey 2x6 plate with bricks on the side in front of you.

Steps 8 to 9

Horizontally place a light grey 1x4 brick with a slot on the back row so it is centered horizontally.

Steps 10 to 11

Horizontally place a black 2x8 plate on top so it is centered horizontally.

Steps 12 to 13

Place a dark blue 2x2 chair on top so it is centered horizontally and the back of the chair faces the back.

Steps 14 to 15

Horizontally place 2 dark blue 1x2 plates with a hole and a stud, 1 in front of the other, to the right of the chair so the holes are on the left. Then repeat symmetrically to the left.

Steps 16 to 17

Horizontally place a gold 3x4 sloped brick with 2 studs on the 2 rightmost columns so it slopes and overhangs to the right. Then repeat symmetrically to the left.

Steps 18 to 19

Attach a transparent purple 1x1 cone brick to the stud of a light grey bar. Then repeat again so you have 2 parts in total.

Steps 20 to 21

Insert the bar side into the front-facing holes so the 1x1 cone bricks face the front.

Steps 22 to 23

Locate 2 gold 2x2 round tiles. These can be used to shoot through the slot of the 1x4 brick!

Steps 24 to 25

Place your minifigure on top of the chair so he faces the front!

Thank you so much for building this set!

Visit bricksfortheblind.org for more accessible instructions, sign up for our newsletter, and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our [Facebook](#) and [Instagram](#) accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets, there are no ads.