## 76324 Spider-Man vs Oscorp

Adapted by Arturo and tested by Jolene Nemeth.

LEGO® Marvel Spider-Man vs. Oscorp (76324) is a premium build-play-and-display set that's bursting with Super Hero action, iconic characters and famous locations. This multi-model city scene makes an impressive gift for fans of Super Heroes and Marvel collectibles aged 10 and up.

The street scene comprises 3 separate buildings: Miles Morales's apartment with a jewelry store underneath, the Oscorp building, and Venom's apartment with a convenience store below. Each room is furnished with relevant equipment and accessories. 8 LEGO minifigures from the Marvel movies ensure endless web-slinging action: Spider-Man, Spider-Woman, Miles Morales with his motorbike, Eddie Brock, Ghost-Spider, Norman Osborn, Kraven the Hunter and Green Goblin with his glider. Transparent sticks allow kids to position and pose characters with realistic ease.

The packaging captures the action of the showdown at Oscorp! The front of the box shows our Spider-Heroes fighting the villains in an epic battle at Oscorp Tower. On the left side, at ground level, we have Miles Morales riding his motorbike and firing studs at Kraven The Hunter, who is fighting Ghost Spider in the middle of the street. To the right, we have Eddie Brock peeking from around a corner, with Venom visible from the back of his shoulder. Behind our characters, we have, from left to right, a building with a jewelry store on the first floor and Miles Morales's apartment on the second floor; Oscorp Tower spanning 4 levels in total, a street corner with some traffic lights and garbage container; and a Mini Mart with Eddie Brock's apartment on top in a corner configuration. When we look up, we see Spider-Man swinging from Oscorp Tower's flagpole with a web, while Spider-Woman is jumping from it. They are both trying to capture the Green Goblin, who is flying with his glider and throwing pumpkin bombs into the fray. The background consists of an urban scene, with other buildings fading into the back. The top left corner is decorated with the classic LEGO and Marvel logos. In the opposite corner, we have Spider-Man from his chest up in his classic red and blue suit. Above him, you will find the Spider-Man logo. At the bottom and all the way to the right corner, we have the minifigures in the set. These are, from left to right, Spider-Man, Spider-Woman, Miles Morales, Eddie Brock, Ghost Spider, Norman Osborn, Kraven The Hunter, and Green Goblin. The left of the box repeats the LEGO and Marvel logos on top of black and white depictions of several Marvel superheroes in their minifigure form. The back of the box shows the three buildings, but this time from their open back, allowing us to look into the interiors. This time, we have on the left Oscorp Tower, where Spider-Man is at the ground floor, shooting a web towards Kraven The Hunter, who is escaping with a jewel in his hand. On Oscorp Tower's fourth floor, we can see Norman Osborne about to assume the identity of Green Goblin with the help of the transformation chamber. Spider-Woman is swinging around the tower's corner. In the middle, we have the Mini Mart and Eddie Brock's apartment on top, with Eddie in it, looking for something in his computer. To the right, we have the jewelry store with Miles Morales's apartment above. Ghost Spider is coming down from the apartment's ceiling trap door, while Miles is jumping from the roof. On the top right corner, we can see a couple of the action features of the set, which include rotating the antenna to activate the transformation chamber and rotating a knob to rotate the flagpole as well, allowing our Spider-Heroes to swing from it. The right side of the box has the LEGO logo, as well as a warning that states that the set contains small parts and it is therefore not recommended for children younger than 3 years old in other languages. It also has the set's name in different languages. The top of the box has the classic LEGO logo, as well as an image of Spider-Man's minifigure on a 1:1 scale. The bottom of the box is a tidy strip that contains the barcode as well as a few technical bits: the LEGO and Marvel logos, the set number, the recycling instructions for the paper/cardboard elements of the set, copyright, and trademark notices.

The build consists of 808 pieces in total, 8 minifigures, 1 sticker sheet, and is recommended for ages 10+. Once finished, you will have 2 apartment buildings and the Oscorp Tower. The set consists of 9 bags and 5 instruction booklets.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.

- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- Hollow stud: a bump on a LEGO brick with a hole, which allows attaching bars.
- “Anti-stud” is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Left/right wedge parts: these are parts that when placed in front of you and are pointing to the back, their wedge is on the left/right side of the part.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off
Additionally, it is worth mentioning that besides the printed visual instructions that come with each kit, a PDF version for the set's instructions is always available online at [https://www.lego.com/en-us/service/building-instructions/76324]. This might help a sighted building partner that may want to follow along or low vision users that may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2, and 3 and put them in one container.

This LEGO set comes with 9 bags labeled 1 through 9 and 5 instruction booklets. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder!

LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Book 1, bag 1 – Miles Morales, Miles Morales's motorbike, and street corner
Group 1: page 8
Group 2: steps 1 – 11
Group 3: steps 12 – 20

Group 4: steps 1 – 10
Group 5: steps 11 – 14

Book 2, bag 2 – Eddie Brock, Mini Mart, and Eddie Brock's apartment
Group 6: pages 3 – 4
Group 7: steps 1 – 9
Group 8: steps 10 – 20
Group 9: steps 21 – 28
Group 10: steps 29 – 38
Group 11: steps 39 – 50

Book 3, bag 3 – Spider-Woman, Oscorp Tower (first floor)
Group 12: page 3
Group 13: steps 1 – 12
Group 14: steps 13 – 20
Group 15: steps 21 – 24

Book 3, bag 4 – Oscorp Tower (second floor)
Group 16: steps 25 – 29
Group 17: steps 30 – 38
Group 18: steps 39 – 47
Group 19: steps 48 – 49
Group 20: steps 50 – 54

Book 3, bag 5 – Norman Osborne, Oscorp Tower (third floor)
Group 21: page 43
Group 22: steps 55 – 61
Group 23: steps 62 – 67
Group 24: steps 68 – 73
Group 25: steps 74 – 82

Book 3, bag 6 – Green Goblin, Oscorp Tower (fourth floor)
Group 26: page 63
Group 27: steps 83 – 90
Group 28: steps 91 – 97
Group 29: step 98
Group 30: steps 99 – 102

Book 3, bag 7 – Spider-Man, Oscorp Tower (roof, façade)
Group 31: page 88
Group 32: steps 103 – 106
Group 33: steps 107 – 117
Group 34: steps 118 – 126
Group 35: steps 127 – 129
Group 36: steps 130 – 135

Book 4, bag 8 – Kraven The Hunter, jewelry store
Group 37: page 3

Group 38: steps 1 – 7
Group 39: steps 8 – 13
Group 40: step 14
Group 41: steps 15 – 19
Group 42: steps 20 – 26
Group 43: steps 27 – 30

Book 5, bag 9 – Ghost Spider, Miles's apartment
Group 44: page 2
Group 45: steps 1 – 5
Group 46: steps 6 – 8
Group 47: steps 9 – 14
Group 48: step 15
Group 49: steps 16 – 20
Group 50: steps 21 – 24
Group 51: steps 25 – 27
Group 52: steps 28 – 32
Group 53: steps 33 – 39

Alright, we are done with sorting. Let's get building!

Building Instructions

Book 1, bag 1:

## Group 1 – Miles Morales

### Step 1
Let's begin by assembling Miles. Locate 1 dark bluish gray pair of legs and 1 dark red torso with black Spider-Man outfit printed with open jacket, dark red arms, and black hands. Put them together.

### Step 2
Find 1 black minifigure head with Spider-Man webbing and large white eyes with red borders. Attach it to your minifigure. If you wish, ask a sighted friend to make sure that the face print is facing the right way. Put 1 dark red hood on Miles, making sure that the opening goes in the front.

### Step 3
Your minifigure is ready!

## Group 2 – Miles Morales's motorbike

### Step 1
Place 1 dark red 2x4 plate horizontally in front of you. Rotate 1 dark bluish gray 2x2 vehicle base with wheel fork so that its wheel fork is facing to the right. Place its 2 leftmost columns on top of the 2 rightmost columns of the ppp.

## Step 2
Place another dark bluish gray 2x2 vehicle base with wheel fork symmetrically to the left.

## Step 3
Grab 2 light bluish gray 1x2 plates with 2x2 upright side studs. Place the first one horizontally on the front row, so that it is centered horizontally and its side studs face to the front. Take the second one and repeat symmetrically on the back.

## Step 4
Place 1 light bluish gray 2x6 double inverted slope with 2x4 cutout horizontally, so that it is centered horizontally and it slopes to the left and right.

## Step 5
Place 1 light bluish gray 1x2 brick with log profile vertically on the 2nd column from the right.

## Step 6
Stack 2 light bluish gray 1x2 rounded plates with hollow studs. Place them centered vertically on the 2nd column from the left.

## Step 7
Locate 2 dark bluish gray 1x2 plates with 1x2 side studs hanging down. Place the first one horizontally on the 2 leftmost columns of the front row, so that its side studs face to the front. Take the second one and repeat symmetrically to the back. Find 2 black 1x1 plates with 1x1 side studs hanging down. Place the first one on the rightmost column of the front row, so that its side stud faces to the front. Take the second one and repeat symmetrically to the back.

## Step 8
Rotate 1 black 2x3 right wedge plate horizontally upright so that its antistuds are facing to the back and it points to the right. Place its rightmost column on the rightmost column of the front-facing side studs. Grab 1 black 2x3 left wedge plate and repeat symmetrically to the back.

## Step 9
Locate 2 dark red 1x1 plates. Place the first one upright to the left of the top row of the ppp. Take the second one and repeat symmetrically to the front.

## Step 10
Find 2 black 2x2 corner tiles with cut corner. Rotate the first one upright, so that its antistuds face to the back and its cut corner faces the bottom left. Place its top row to the left of the ppp, so that it surrounds it. Take the second one and repeat symmetrically to the back.

### Step 11
Grab 1 dark red 1x2 curved sloped left wedge tile. Rotate it horizontally upright so that its antistuds are facing to the back and it points to the left. Place its rightmost column on top of the leftmost column of the front-facing side studs, so it slopes and overhangs to the left. Locate 1 dark red 1x2 curved slope right wedge tile and repeat symmetrically to the back.

## Group 3 – Miles Morales's motorbike (continued)

### Step 12.1
Let's make a build for the motorbike's exhaust. Place 1 dark red 1x2 plate with 1x2 upright side studs vertically in front of you, so that its side studs face to the right. Place 1 light bluish gray 1x2 rounded plate with hollow studs horizontally upright on the right-facing side studs.

Step 12.2
Place 1 black 2x2 curved slope tile on the leftmost column, so that it slopes and it overhangs to the left by 1 column

Step 12.3
Attach 2 transparent light blue lightning bolts to the right-facing studs.

Step 12.4
The build is finished. Place it on top of the 2 rightmost columns of the motorbike, so that the lightning bolts face to the right.

### Step 13
Place 1 pearl dark gray 1x2 stud shooter horizontally upright on the 2 leftmost columns of front-facing side studs, so that its barrel points to the left. Insert 1 dark bluish gray trigger into the horizontal slot of the ppp, so that its thicker tab is to the right. Repeat symmetrically to the back.

### Step 14
Place 1 dark red 1x2 curved slope right wedge tile horizontally upright on the 2 leftmost columns of front-facing side studs, so that it slopes to the right. Locate 1 dark red 1x2 curved slope left wedge tile and repeat symmetrically to the back.

### Step 15
Find 2 dark bluish gray 1x1 round plate with 1L bar and hollow stud. Place the first one on the 2$^{nd}$ column from the left of the front row, so that its bar points to the front right. Take the second one and repeat symmetrically to the back.

### Step 16
Place 1 pearl dark gray 1x2 ingot tile vertically on top of the 2 ppps.

### Step 17.1
Let’s make a small build for the motorbike’s front. Place 1 dark red 2x2 curved slope with ridges in front of you, so that it slopes to the left.

Step 17.2
We need to apply sticker 9 (a small black rectangle with some armored plates texture and a red spider) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 17.3
Place the rightmost column of the 2x2 curved slope with ridges on top of the leftmost column, so that it slopes and overhangs to the left by 1 column.

### Step 18
Attach 2 light bluish gray 3L technic pins with stops to the left and right front pin holes, so that their stops are facing to the front. However, don’t push them through completely, just enough so that they can stay in place.

### Step 19
Grab 2 white wheels with pin holes and 2 black tires. Insert the wheels into the tires. Rotate the tires upright, so that their pinholes are facing to the front and back. Take the first one and align it with the pin on the left. Then, attach it by pushing the pin in completely. Repeat with the second tire and the right pin.

### Step 20
You can use 4 transparent light blue 1x1 round tiles as ammunition for the motorbike by feeding one to the stud shooter and pushing the trigger. Be careful! The tiles will be shot out flying, making them easy to lose. The motorbike is done! If you wish, sit Miles in the bike.

## Group 4 – Street corner

### Step 1
Let’s build a small street corner. Place 1 dark bluish gray 8x8 plate in front of you. Then, place 1 light bluish gray 4x4 corner plate on the back right corner of the ppp, so its right angle is in the back right.

### Step 2
Rotate 1 light bluish gray 4x4 round corner plate so that its curved edge faces to the front left. Attach its back left corner on the 3rd column from the left of the 3rd row from the back, so that its right back corner is surrounded by the ppp.

### Step 3
Place 2 tan 1x1 bricks with hole, one to the right of the other, on the 3rd and 4th columns from the left of the back row, so that their holes face the front and back. Insert 1 black 2L technic pin with friction ridges into the left back-facing hole, so that it protrudes to the back. Then, insert 1 blue 2L technic axle with pin with friction ridges to the right back-facing hole, so its axle protrudes to the back.

## Step 4

Place 1 dark bluish gray 2x2 round plate on the 2 back rows of the 2nd and 3rd columns from the right. Locate 4 black 1x1 round plates. Place them on the following locations: rightmost column of the back row; 4th column from the right of the back row; 4th column from the right of the 3rd row from the back; and rightmost column of the 3rd row from the back.

## Step 5.1

Let's make a build for a garbage container. Place 2 yellow 2x3 bricks vertically, one to the right of the other, in front of you.

Step 5.2

Place 1 yellow 3x4 container horizontally on top of the ppps, so that it is centered horizontally.

Step 5.3

The garbage container is done. Place it on top of the 4 black 1x1 round plates from the previous step, on the right back corner of the build.

## Step 6

Let's build a small soda can. Place 1 dark pink 1x1 round brick in front of you. Place 1 flat silver 1x1 round tile with soda can pattern on top of the ppp. The soda can is done. Place it loose into the garbage container.

## Step 7.1

Let's build the garbage container's lid. Place 1 black 2x4 plate horizontally in front of you. Place 1 black 1x4 tile with 2 studs horizontally on the back row of the ppp, so that it is centered horizontally.

Step 7.2

Place 2 black 2x2 curved slope tiles on the front row, one to the right of the other, so that they slope and overhang to the front by 1 row.

Step 7.3

The lid is complete. Place it horizontally on top of the garbage container, so that it slopes to the front.

## Step 8

Place 1 tan 1x2 brick horizontally on the 3rd and 4th columns from the left of the 2nd row from the back, in front of the 1x1 bricks with holes.

## Step 9

Place 1 tan 1x2 brick horizontally in front of the ppp. Place 1 tan 2x2 tile with studs on edge behind the back of the ppp, so that its studs are on its front row.

### Step 10

Place 1 white 2x2 jumper plate on top of the ppps of the previous step. Find 1 white 2x2 tile printed with a cover of the Daily Bugle. On the top, it has a banner of the Daily Bugle on a red background, with a bugle in the center. On the left, the text reads “SPIDER-MAN, NO MORE?”, and to the right, a small picture shows Spider-Man’s suit in a garbage can in an alley, all in the LEGO aesthetic. Place it on top of the ppp.

## Group 5 – Street corner (continued)

### Step 11

Place 1 light bluish gray 1x2 log brick vertically on the 3rd and 4th rows from the front of the 2nd column from the right. Place 1 light bluish gray 1x2 brick with 2 holes vertically to the right of the ppp, so that its holes are facing to the left and right.

### Step 12

Place 1 dark bluish gray 2x2 jumper plate on top of the ppps from the previous step. Place 1 light bluish gray 2x2 inverted radar dish on top of the ppp. Lastly, place 1 light bluish gray 1x1 round plate with hollow stud on top of the ppp.

### Step 13.1

Let’s create the build of the traffic lights’ post. Place 1 light bluish gray 1x2 plate with 12L bar and 1x1 round plate end vertically in front of you, so that its 1x2 plate is to the back. Place 1 dark bluish gray 1x1 plate with horizontal clip on the back row of the ppp, so that the clip faces to the back and its nads face up and down.

Step 13.2

Place 1 dark bluish gray 1x1 plate with horizontal clip in front of the ppp, so that the clip faces to the right and its hands face up and down.

Step 13.3

Place 1 light bluish gray 1x2 ingot tile vertically on top of the ppps.

Step 13.4

Rotate 1 light bluish gray 5L bar with handle horizontally, so that its handle is to the right and facing forward. Attach its left end to the clip on the back, so that it has as little overhang to the left as possible. Rotate 1 dark bluish gray sausage so that one of its ends is facing forward and the other one is facing to the right and to the back. Attach its front end to the clip on the right side.

Step 13.5

The traffic lights’ post is finished. Rotate it vertically upright, so that the sausage end that is not attached to the clip is facing forward. Attach the base of the post (the bar under the 1x1 round plate) to the hollow stud on top of the inverted radar dish located on the 2 rightmost columns of the street corner build.

### Step 14.1
Let’s create the build of the traffic lights. Place 1 black 1x2 plate horizontally in front of you. Place 1 black 1x2 short brick with studs on 3 sides and extended antistud centered horizontally on top of the ppp, so that its extended antistud faces to the right.

Step 14.2
Locate 1 black 1x1 brick with side stud and bottom lip. Attach its side anti-stud to the left of the traffic lights build. Attach 1 yellow 1x1 tile upright to the left-facing side stud.

Step 14.3
Find 2 yellow 1x3 tiles. Attach the first one to the 2 front-facing side studs, so that it has no overhang. Take the second one and repeat symmetrically to the back.

Step 14.4
Rotate the traffic lights vertically upright by flipping it 90 degrees from right to left, so that the 1x1 tile is facing downwards. Grab 2 transparent red 1x1 round plates. Take the first one and place it on the top side stud on the left. Take the second one and attach it symmetrically on the right. Place 2 transparent yellow 1x1 round plates below the ppps. Lastly, place 2 transparent green 1x1 round plates below the ppps.

Step 14.5
The traffic lights are complete. Attach the top-facing antistud to the bottom-facing bar of the light post of the main build.

Miles’s motorbike and the street corner build are complete!

Book 2, bag 2

## Group 6 – Eddie Brock with Venom Head

### Step 1
Let’s assemble Eddie Brock and his symbiote companion, Venom. Locate 1 dark blue pair of legs and 1 dark brown torso. Assemble the body of the minifigure.

### Step 2
Attach 1 black neck bracket with side stud to the minifigure’s neck, so that the side stud is to the back. Then, attach 1 light nougat head with beard stubble and grin (Eddie Brock’s head) to the minifigure’s neck.

### Step 3
Put 1 dark tan spiked hair on the minifigure’s head.

### Step 4
Rotate the minifigure so that its side stud faces to the front. Attach 1 black 1x1 round tile with upright bar and hole to the front-facing side stud. Then, attach the clip of 1 black bar holder with clip to the ppp, so that the bar holder points to upper left. Attach the bar of 1 black 1L bar with angled hollow stud to the ppp, so that its angled hollow stud points to the left and to the front.

### Step 5
Find 1 black minifigure alien head with large white eyes and dark red open mouth with sharp teeth (Venom's head). Attach it to the stud of the ppp. If you wish, ask a sighted friend to make sure that the face prints of both Eddie Brock and Venom are facing the right way. Your minifigure is ready!

## Group 7 – Mini Mart

### Step 1
Place 1 dark bluish gray 8x8 plate in front of you. Place 1 light bluish gray 1x4 brick vertically on the back right corner of the ppp.

### Step 2
Place 1 light bluish gray 1x2 brick with 2 holes vertically in front of the ppp, so that its holes face to the left and right. Place 1 light bluish gray 2x3 brick vertically on the back left corner of the 8x8 plate. Place 1 light bluish gray 1x1 brick with axle hole in front of the left column of the ppp, so that its axle hole faces to the front and back.

### Step 3
Place 1 light bluish gray 1x2 brick with 2 holes vertically in front of the ppp, so that its holes face to the left and right. Insert 1 blue 2L technic pin axle into the back left-facing hole of the ppp, so that the axel protrudes to the left. Then, insert 1 black 2L pin into the front left-facing hole, so it protrudes to the left.

### Step 4
Place 1 transparent clear 1x1 brick on top of the 4$^{th}$ row from the front of the 2$^{nd}$ column from the right. Then, place 1 transparent clear 1x4 brick vertically to the left of the ppp, so that its front row is flush with the front of the ppp.

### Step 5
Place 1 dark bluish gray 1x2 jumper plate vertically on the 2 back rows of the ppp. Grab 1 dark bluish gray 2x2 corner plate. Rotate is so that it resembles an H in Braille. Place it in front of the ppp.

### Step 6
Place 1 white 1x2 slope brick with a light aqua keypad horizontally on top of the front row of the ppp, so that it slopes to the right. Place 1 dark tan 1x6x5 panel vertically to the back of the rightmost column, so that its wall faces to the right.

### Step 7.1
Let's make a build for the front windows. Place 2 white 1x2x3 window frames one on top of the other, so that they are horizontal and their ridges face to the front.

Step 7.2
Attach 2 transparent clear 1x2x3 window glasses to the front of the windows.

Step 7.3
The windows are done. Place them to the left of the front row of the 1x6x5 panel, on the 3rd row from the front.

### Step 8.1
Let's make a build for the main door. Place 1 white 1x4x6 door frame horizontally in front of you, so that its ridges face to the front. Attach 1 transparent clear 1x4x6 door with stud handle to the front of the door frame, so that its stud handle is to the right.

Step 8.2
Attach 1 white 1x1 round plate upright to the stud handle on the front of the door.

Step 8.3
The door is done. Place it horizontally to the left of the windows, on the 3rd row from the front.

### Step 9.1
Let's make a small build for a shelf. Place 1 black 1x3 jumper plate horizontally in front of you.

Step 9.2
Place 1 white 1x1 brick with a printed fish pattern on the left stud of the ppp. Then, place 1 white 1x1 brick with a printed "POP" in speech bubble on top of a red and white striped background pattern to the right of the ppp. If you wish, ask a sighted friend to make sure that the prints face to the front.

Step 9.3
Place 1 red 1x1 double slope tile on top of the ppp, so that it slopes to the left and right. Then, place 1 dark azure 1x1 double slope tile to the left of the ppp, so that it also slopes to the left and right.

Step 9.4
The shelf is done. Rotate it vertically so that the ppp is to the front. Place the shelf vertically on the 3 back rows of the 2nd column from the left. Put the building to the side for now.

## Group 8 – Mini Mart

### Step 10
Let's continue by building a wall. Place 1 dark tan 1x6 brick horizontally in front of you. Place 1 dark tan 1x4 masonry brick horizontally on top of the ppp, so that it is centered horizontally and its brick pattern faces to the back.

### Step 11
Place 1 dark tan 1x1 brick to the right of the ppp.

### Step 12
Place 1 dark tan 1x3 plate horizontally on top of the 3 rightmost columns.

### Step 13
Place 1 light bluish gray 2x3 plate horizontally on top of the ppp, so that it is centered horizontally and it overhangs to the front by 1 row.

### Step 14
Place 1 dark tan 1x3 plate horizontally on top of the back row of the ppp. Then, place 1 dark tan 1x2 log brick horizontally to the left of the ppp.

### Step 15
Place 1 dark tan 1x1x3 brick to the left of the ppp.

### Step 16
Place 1 dark tan 1x4 masonry brick horizontally to the right of the ppp, so that its brick pattern faces to the back. Then, place 1 dark tan 1x1 brick to the right of the ppp.

### Step 17
Place 1 dark tan 1x6 brick horizontally on top of the wall build, so that it is centered horizontally.

### Step 18.1
Let’s make a small build for a shelf. Place 1 black 1x3 jumper plate horizontally in front of you. Then, place 1 lime 1x2 brick centered horizontally on top of the ppp.

Step 18.2
Place 1 sand green 1x2 ingot tile horizontally on top of the ppp.

Step 18.3
The shelf is done. Place it horizontally on top of the overhanging row on the front of the wall.

### Step 19
Bring back the building. Place the wall vertically on the back left corner, so that the shelf overhangs to the right.

### Step 20
Place 1 light bluish gray 1x8 tile horizontally on the back row. Locate 4 light bluish gray 1x4 plates. Place the first one vertically in front of the left column of the ppp. Take the second one and repeat symmetrically to the right. Take the remaining 2 and place them horizontally, one to the right of the other, on the front row, so that there is no overhang. The first floor of the building is done, put it to the side for now.

## Group 9 – Eddie Brock's apartment

### Step 21
Let's continue with building the second floor. Place 1 dark tan 6x8 plate horizontally in front of you. Place 1 reddish brown 1x6 plate vertically on the rightmost column, so that it is centered vertically.

### Step 22
Find 2 reddish brown 1x6 plates. Place the first one vertically on the leftmost column, so that it is centered vertically. Then, place the second one horizontally on the back row, so that it is centered horizontally.

### Step 23
Place 1 tan 1x4 brick with side studs horizontally on the 2nd through 5th columns from the left of the back row, so that its side studs face to the back. Then, place 1 dark bluish gray 1x2 brick with side studs. horizontally to the right of the ppp, so that its side studs face to the back.

### Step 24
Grab 2 medium nougat 1x2 masonry bricks. Place the first one vertically to the back of the leftmost column, so that its brick pattern faces to the left. Take the second one and repeat symmetrically to the right.

### Step 25
Place 2 light bluish gray 1x1 bricks with axle holes in front of the ppps, so that their axle holes face to the left and right. Then, place 2 medium nougat 1x3 bricks vertically in front of the ppps.

### Step 26
Place 1 medium nougat 1x6x5 panel vertically on the rightmost column, so that its wall faces to the right.

### Step 27.1
Let's make a small build. Place 1 tan 1x4 brick with side studs horizontally in front of you, so that its side studs face to the front. Rotate 1 dark orange 1x2 plate with 1x2 upright side studs horizontally upright, so that its antistuds face to the back and its side studs face upwards. Attach it to the front-facing side studs of the ppp, so that it is centered horizontally.

Step 27.2
Attach 1 white 1x4 double curved slope horizontally upright to the front-facing side studs.

Step 27.3
Rotate the build 180 degrees in the horizontal plane, so that the ppp faces to the back. Place the build on the back row, to the left of the 1x6x5 panel.

### Step 28
Place 1 white 1x4x3 window frame horizontally on top of the build from the previous step, so that its ridges face to the back. Attach 1 transparent clear 1x4x3 window to the back of the window frame, so that its hinge is on the top.

## Group 10 – Eddie Brock's apartment (continued)

### Step 29.1
Let's make a small build for a dart board. Place 1 medium nougat 1x2 masonry brick horizontally in front of you, so that its brick pattern faces to the back. Place 1 dark tan 1x2 plate with 2x2 upright side studs horizontally on top of the ppp, so that its side studs face to the front.

Step 29.2
Attach 1 black 2x2 round tile upright to the front-facing side studs, so that it is centered.

Step 29.3
We need to apply sticker 15 (a dart board with a picture of LEGO Spider-Man's head almost at the center) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 29.4
The dart board build is complete. Place it horizontally on the back row, to the left of the window.

### Step 30.1
Let's make a small build for an AC unit. Place 1 dark bluish gray 2x2 plate in front of you. Place 1 medium nougat 1x2 masonry brick horizontally on the front row of the ppp, so that its brick pattern faces to the back.

Step 30.2
Place 2 white 1x1 bricks with side stud and bottom lip on the back row, side by side, so that their side studs face to the back.

Step 30.3
Attach 1 flat silver 1x2 grille tile horizontally upright to the back-facing side studs.

Step 30.4
Place 1 white 1x2 ingot tile horizontally on top of the back row. Then, place 1 medium nougat 1x2 plate horizontally in front of the ppp.

Step 30.5
Place 1 medium nougat 1x2 masonry brick horizontally on top of the ppp, so that its brick pattern faces to the back.

Step 30.6
The AC build is complete. Place it horizontally on the back row, to the left of the window, so that it overhangs to the back by 1 row.

## Step 31
Place 1 medium nougat 1x6 brick horizontally on the 2nd through 7th columns from the left of the back row.

## Step 32
Locate 2 medium nougat 1x2 plates. Place the first one vertically on the 2nd and 3rd rows from the back on the 2nd column from the right, in front of the wall. Place the second one vertically on the 2nd and 3rd rows from the back of the 4th column from the left, in front of the wall. Place 2 reddish brown 1x2 log bricks vertically on top of the ppps. These will be the legs of a desk.

## Step 33
Place 1 medium nougat 2x2 round plate on top of the 3rd and 4th columns from the right of the 2nd and 3rd rows from the front. Then, place 1 reddish brown 2x2 tile with studs on edge on top of the ppp, so that its studs face to the front.

## Step 34.1
Let’s make a build for a desktop with a computer. Place 1 dark orange 2x4 tile with 2 studs horizontally in front of you. Place 1 light bluish gray 1x1 tile with rounded side on the right stud of the ppp, so that its curved edge faces to the front. This represents the computer’s mouse.

Step 34.2
Rotate 1 light bluish gray 2x2 tile with upright 1x2 plate so that its 2x2 antistuds face downwards and its 1x2 studs face to the front. Place it on top of the left stud of the 2x4 tile with 2 studs, so that there is no overhang.

Step 34.3
Rotate 1 light bluish gray 2x2 inverted curved slope upright so that its studs face to the front and it slopes upwards. Attach its bottom row to the back-facing antistuds of the ppp.

Step 34.4
Attach 1 light bluish gray 2x2 tile upright to the front-facing side studs. We need to apply sticker 7 (a computer screen with the faces of LEGO Spider-Man, Anti-Venom, and Green Goblin) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 34.5
The desktop is complete. Place it horizontally on top of the desk legs located on the 2nd and 3rd rows from the back of the 2nd and 5th columns from the right.

## Step 35
Place 1 white chicken on the 3rd column from the left of the 3rd row from the front.

## Step 36
Place 1 medium nougat 1x6x5 panel vertically on the leftmost column, so that its wall faces to the left.

### Step 37
Bring back the first floor, so that the door faces to the front. Place the second floor on top of it, so that the face with the window and the AC unit faces to the front.

### Step 38.1
Let’s make a small build for a security camera. Find 1 black camera with handle. Attach 1 transparent clear 1x1 round tile to the camera’s stud, which will represent its lens.

Step 38.2
Grab 1 white 1L bar with mechanical claw. Attach its claw to the camera’s handle.

Step 38.3
Attach the bar of the ppp to the axle hole on the right face of the building, located at the base of the second floor. Feel free to rotate it so that the camera points in whichever direction you wish.

## Group 11 – Eddie Brock’s apartment’s roof and façade details

### Step 39
Let’s continue with this building’s roof. Place 1 reddish brown 6x8 plate horizontally in front of you. Locate 2 light bluish gray 1x4 plates. Place the first one vertically on the back of the leftmost column. Take the second one and repeat symmetrically to the right.

### Step 40
Place 2 light bluish gray 1x4 plates vertically on top of the ppps.

### Step 41
Place 2 light bluish gray 1x1 bricks with axle hole in front of the ppps, so that their axle holes face to the left and right. Place 2 light bluish gray 1x2 inverted slope bricks vertically in front of the ppps, so that they slope and overhang to the front by 1 row.

### Step 42
Place 1 light bluish gray 2x2 ridged round brick with axle hole on the 3$^{rd}$ and 4$^{th}$ columns from the right of the 2$^{nd}$ and 3$^{rd}$ rows from the back. Place 1 dark bluish gray 2x2 round tile with hole on top of the ppp.

### Step 43
Place 3 dark bluish gray 1x2 panels with 2 sides horizontally, side by side, on the front row, so that their long sides face to the back.

### Step 44
Place 1 light bluish gray 2x8 plate horizontally on the 2 front rows, so that its 2$^{nd}$ through 7$^{th}$ columns of the front row overhang to the front.

### Step 45
Locate 2 light bluish gray 1x6 curve slopes. Place the first one on the 6 back rows of the leftmost column, so that it slopes to the back. Take the second one and repeat symmetrically to the right.

### Step 46
Place 1 light bluish gray 1x8 tile horizontally on the front row.

### Step 47
The building's roof is complete. Place it horizontally on top of the second floor build. Make sure that the ppps slope to the back.

### Step 48.1
Let's make a small build for the Mini Mart's sign. Place 1 medium azure 2x6 tile horizontally in front of you.

Step 48.2
We need to apply sticker 4 (a medium azure rectangle with white capital letters spelling "MINI MART" underlined with a red stripe) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 48.3
Attach it horizontally upright to the front-facing side studs above the door, so that it is centered horizontally.

### Step 49
Place 1 bright green 1x1 round flower plate on top of the right stud in front of the second floor window.

### Step 50
Place 1 green 1x1 round plate with 3 leaves to the left of the ppp. Place 1 medium lavender 1x1 round flower plate on top of the ppp. The Mini Mart and Eddie Brock's apartment are complete!

Book 3, bag 3.

## Group 12 – Spider-Woman

### Step 1
Find 1 black pair of legs and 1 black torso with white spider front and white hands. Assemble the body of the minifigure.

### Step 2
Attach 1 black head with large white eyes over light nougat face to the minifigure's neck. If you wish, ask a sighted friend to make sure that the face print of Spider-Woman is facing the right way. Put 1 dark orange female mid-length hair on the minifigure's head.

### Step 3.1
Let's make a small build for a shooting web. Grab 1 white 1x1 round plate with bar handle underneath. This is where the web will be attached to the minifigure's hand. Place 1 white 1x1 round plate with hollow stud on top of the ppp.

Step 3.2
Attach 1 white 2L bar with stop ring to the ppp.

Step 3.3
Locate 1 white conical spider web. Attach the bar on the top of the web to the ppp. Put the bar handle in Spider-Woman's right hand. Your minifigure is ready!

## Group 13 – Oscorp Tower (first floor)

### Step 1
Place 1 dark bluish gray 2x14 plate horizontally in front of you. Find 2 bright green 1x4 plates. Rotate the first one vertically. Attach its 2 back rows to the leftmost column of the ppp, so that it overhangs to the front by 2 rows. Take the second one and repeat symmetrically to the right.

### Step 2
Place 1 dark bluish gray 6x14 plate horizontally under the overhanging rows of the ppps.

### Step 3
Grab 2 black 1x2 bricks with 2 holes. Place the first one vertically on the 3rd and 4th rows from the front of the rightmost column, in front of the 1x4 plate. Take the second one and repeat symmetrically to the left.

### Step 4.1
Let's make a small build. Place 1 black 2x3 stair plate horizontally in front of you, so that the higher side is on the left. Place 1 red 1x1 round brick on the back right corner.

Step 4.2
Place 1 red 1x1 nozzle on top of the ppp, so that it faces to the back.

Step 4.3
Place 1 bright green 1x1 plate in front of the ppp. Then, place 1 black 1x1 plate on top of the ppp.

Step 4.4
The build is ready. Place its leftmost column on top of the 1x2 brick with holes on the leftmost column of the build.

### Step 5.1
Let's make a small build. Place 1 black 2x3 stair plate horizontally in front of you, so that its higher side is on the right. Place 1 bright green 1x1 plate on the front left corner.

Step 5.2

Place 1 black 1x1 plate on top of the ppp.

Step 5.3
The build is ready. Place its rightmost column on top of the 1x2 brick with holes on the rightmost column of the build.

## Step 6
Rotate 1 black 1x6 plate vertically. Place its 2 front rows to the left of the build from the previous step. Place 1 black 1x4 log brick vertically on the 4 back rows of the ppp.

## Step 7
Rotate 1 black 2x2 corner brick so that it resembles an F in braille. Place its leftmost column in front of the ppp.

## Step 8
Place 1 dark bluish gray 1x4 plate with 2 studs vertically on top of the ppp, so that it is flush with its front edge. Then, attach 1 yellow cup to the back stud of the ppp. Locate 2 dark bluish gray 1x2 jumper plates. Place the first one vertically behind the ppp. Place the second one horizontally on the 2nd and 3rd columns from the right of the 4th row from the front.

## Step 9
Insert 1 blue 2L pin axel into the back left-facing hole on the leftmost column, so that its pin protrudes to the left. Then, insert 1 black 2L pin into the front left-facing hole in front of the ppp, so that it protrudes to the left.

## Step 10
Place 1 black 2x3 left wedge horizontally on the 3 leftmost columns of the 2 front rows, so that it points to the left. Find 1 black 2x3 right wedge and repeat symmetrically to the right.

## Step 11
Grab 2 bright green 1x2 tiles. Place the first one horizontally on top of the 2 rightmost columns of the ppp. Take the second one and repeat symmetrically on the left.

## Step 12.1
Let’s make a small build. Place 1 black 2x8 plate with door rail horizontally in front of you. Then, place 1 bright green 1x2 tile horizontally on the 2 leftmost columns of the ppp.

Step 12.2
Place 1 bright green 1x2 tile horizontally to the right of the ppp.

Step 12.3
The build is done. Place it horizontally on the 2nd row from the front, so that it is centered horizontally and its door rail overhangs to the front.

## Group 14 – Oscorp Tower (first floor, continued)

### Step 13
Locate 4 black 1x4x3 panels. Place the first one vertically on the back of the leftmost column, so that its wall faces to the left. Place the second one on top of the ppp in the same orientation. Take the remaining two and repeat symmetrically to the right.

### Step 14
Find 2 black 1x1x5 bricks. Place the first one in front of the ppps. Take the second one and repeat symmetrically to the left.

### Step 15
Grab 6 black 1x1x1 2/3 bricks with 2 side studs. Stack the first 3 so that their side studs face to the front. Place them in front of the ppp. Take the remaining 3 and repeat symmetrically to the right.

### Step 16
Locate 2 black 1x1x5 bricks. Place the first one to the left of the ppp. Take the second one and place it symmetrically to the left.

### Step 17
Find 2 dark bluish gray 1x2x5 bricks. Rotate the first one vertically and place its back row to the right of the ppp. Take the second one and place it symmetrically to the right.

### Step 18
Place 1 sand green 1x10 plate horizontally on top of the back rows of the ppps. Notice that only the leftmost and rightmost studs will be attached.

### Step 19
Place 1 yellow 1x6 tile horizontally on top of the ppp, so that it is centered horizontally. Grab 2 bright green 4x4 plates with 3x3 curved cutout. Rotate the first one so that its cutout faces to the back left. Place its front row to the right of the ppp. Take the second one and repeat symmetrically to the left.

### Step 20
Locate 2 dark bluish gray 1x2 plates with 1x2 side studs hanging down. Place the first one vertically behind the back of the ppp, so that its side studs face to the right. Take the second one and repeat symmetrically to the right. Find 2 bright green 1x2 slope tiles. Attach the first one horizontally upright to the side studs of the ppp, so that it slopes down. Take the second one and repeat symmetrically on the left.

## Group 15 – Oscorp Tower (first floor, continued)

### Step 21

Find 2 transparent clear 1x4x3 panels. Place the first one horizontally on the 2nd row from the front, on the 1x4 studded surface to the right of the 2 bright green 1x2 tiles on the 4th through 7th columns from the right, so that its wall faces to the front. Place the second one on top of the ppp, with the same orientation.

### Step 22

Let's make a small build for the sliding door. Place 1 black 1x4x6 door frame horizontally in front of you, so that its ridges face to the front. Attach a transparent clear 4x6 window glass to the front of the door frame. The sliding door is complete. Place it on top of the front row, from the 4th to the 7th columns from the left. Notice that the door frame will just be standing on top of a tile surface, it will not be attached to any studs.

### Step 23

Rotate 1 black 2x8 plate with door rail horizontally. Place its back row on the 4th through 7th columns from the left on the 2nd row from the front, so the rail faces to the front and the 4 left columns of the rail sit above the ppp.

### Step 24

Grab 2 light bluish gray 1x2 slopes with cutout. Rotate the first one horizontally, so that it slopes to the right. Attach its leftmost column to the rightmost column of the ppp, so that its rightmost column sits on top of the front row of the 1x2x5 brick. Take the second one and repeat symmetrically on the left. This should secure the door and allow it to slide from left to right and vice versa. Place 1 light bluish gray 1x6 tile horizontally between both ppps to complete the sliding door structure.

Book 3, bag 4.

## Group 16 – Oscorp Tower (second floor)

### Step 25

Place 1 dark bluish gray 6x14 plate horizontally in front of you. Place 1 black 1x3 brick horizontally on the left of the back row.

### Step 26

Place 1 black 1x1 brick with axle hole to the right of the ppp, so that its axle hole faces to the front and to the back. Place 1 black 1x3 brick horizontally to the right of the ppp. Now, place 1 black 1x1 brick with axle hole to the right of the ppp, so that its hole faces to the front and back.

### Step 27

Rotate 1 black 2x2 corner plate so that it resembles a J in Braille. Place its back row to the right of the ppp. Place 1 dark green 1x2 plate horizontally in front of the ppp. Locate 2 black 1x1 bricks with axle holes. Place the first one on the back right corner of the build, so that its axle hole faces to the left and right. Place the second one to the left of the ppp, so that its axle hole faces to the front and back. Then, place 1 black 1x3 tile horizontally to the left of the ppp.

### Step 28
Locate 6 black 1x1x1 2/3 bricks with side studs. Stack the first 3 so that their side studs face to the back. Place them on top of the rightmost column of the back row. Take the remaining 3 and repeat symmetrically on the left.

### Step 29
Place 1 transparent clear 1x6x5 panel horizontally to the right of the ppps, so that its wall faces to the back. Find 2 black 1x1x5 bricks. Place the first one to the right of the ppp. Then, place the second one on the 2nd column from the right of the back row.

## Group 17 – Oscorp Tower (second floor, continued)

### Step 30
Let's make a small build for a research station. Place 1 white 2x2x2 cabinet in front of you, so that it's hinges face to the front. Attach 1 transparent clear 2x2x2 door to the hinges of the ppp, so that its flat edge faces down.

### Step 31
Place 1 bright light blue syringe inside the container.

### Step 32
Close the door of the cabinet. Place 1 dark bluish gray 2x2 plate on top of the container.

### Step 33
Place 1 white 1x2x2 panel horizontally on the back row of the ppp, so that its wall faces to the back. Place 1 white 1x2 half round jumper plate horizontally in front of the ppp, so that its curved edge faces to the front.

### Step 34
Attach 1 black animal horn with bar vertically upright to the ppp.

### Step 35
Place 1 white 1x2 brick with 2 holes horizontally on top of the back row. Then, place 1 dark green 1x2 plate horizontally on top of the ppp.

### Step 36
Insert 1 reddish brown 3L axle with stop into the right back-facing hole, so that its stop faces to the back and it protrudes to the front.

### Step 37
Attach 1 red technic bush to the front of the ppp. Make sure that it is even with its front edge, so that the axle can still move front to back.

### Step 38
The research station build is complete. Place it on top of the 2nd and 3rd rows from the back, on the 6th and 7th columns from the right, so that its container door faces to the front.

## Group 18 – Oscorp Tower (second floor, continued)

### Step 39
Let's make a build for a research screen. Place 2 light bluish gray 1x2x1 2/3 bricks with side studs horizontally, one to the right of the other, in front of you, so that their side studs face to the front.

### Step 40
Place 1 light bluish gray 1x2x1 2/3 brick with side studs horizontally on top of the ppps, so that it is centered horizontally and its side studs face to the back.

### Step 41
Attach 1 bright green 1x2 tile horizontally upright to the bottom row of front-facing side studs, so that it is centered horizontally. Attach 1 bright green 1x2 right wedge tile horizontally upright to the right of the ppp, so that it points to the right. Then, take 1 bright green 1x2 left wedge tile and repeat symmetrically on the left.

### Step 42
Locate 2 black 1x1x1 2/3 bricks with side studs. Place the first one on top of the leftmost column, so that its side studs face to the front. Take the second one and repeat symmetrically on the right.

### Step 43
Place 2 black 1x1x1 2/3 bricks with side studs on top of the ppps, so that their side studs face to the front. Place 1 light bluish gray 1x2x1 2/3 brick with side studs horizontally between the 2 ppps, so that its side studs face to the back.

### Step 44
Place 2 bright green 1x2 slope tiles horizontally on top of the build, side by side, so that they slope to the back.

### Step 45.1
Let's make a small build for Green Goblin's screen. Place 1 black 6x6 tile in front of you.

Step 45.2
We need to apply sticker 6 (depicting a screen with green tones, showing LEGO Green Goblin's face in the center, with the lines of text "GREEN GOBLIN" and "!OVERRIDE!" underneath) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 45.3

Attach the screen upright to the front-facing side studs, so that it is centered horizontally and it overhangs to the left and right by 1 column.

### Step 46.1
Rotate the build 180 degrees on the horizontal plane, so that the ppp faces to the back. Let's make a small build for the research screen. Place 1 white 2x4 tile vertically in front of you.

Step 46.2
We need to apply sticker 5 (depicting a blue screen showing a DNA chain with the text "SYMBIOTE" in white on top) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 46.3
Attach the screen vertically upright to the front-facing side studs.

### Step 47
The research screen build is ready. Attach its leftmost column to the stud on the 6th column from the right of the back row, so that the 6x6 tile faces to the back. Note that the rest of its columns are standing on a tile. This will allow this wall to be blown easily when you push the front axle of the research station.

## Group 19 – Oscorp Tower (second floor, continued)

### Step 48
Find 2 dark green 1x2 plates. Place the first one vertically on the 2nd and 3rd rows from the back on the 7th column from the left. Then, place the second one vertically on the 2nd and 3rd rows from the back, on the 4th column from the left. Lastly, place 1 light bluish gray 1x2 log brick vertically on top of each of the ppps.

### Step 49.1
Let's make a small build for a research desktop. Place 1 bright green 2x4 tile with 2 studs horizontally in front of you. Then, place 1 white 1x1 round plate with bar handle on top of the right stud of the ppp, so that its handle faces to the back.

Step 49.2
Place 1 transparent clear 1x1 round tile with cell culture pattern on top of the ppp.

Step 49.3
Find 1 white bent skeleton arm. Attach one of its ends to the back-facing bar, so that its other end is above the cell culture tile.

Step 49.4
Rotate 1 white 2L bar with stop ring vertically upright. Attach its bottom half to the ppp. This is a microscope.

Step 49.5

Place 1 medium nougat spider on the left stud of the research desktop.

Step 49.6
The research desktop build is complete. Place it horizontally on top of the 1x2 log bricks in front of the window.

## Group 20 – Oscorp Tower (second floor, continued)

### Step 50
Grab 4 black 1x4x2 panels. Place the first 2 vertically on the 2nd to the 5th rows from the back of the leftmost column, one on top of the other, so that their wall faces to the left. Take the remaining 2 and repeat symmetrically on the right.

### Step 51
Place 1 bright green 1x2 tile vertically on top of the ppps, so that it is centered vertically. Rotate 1 bright green 2x6 tile horizontally. Place its rightmost column behind the ppp. Place 1 bright green 2x4 tile with 2 studs horizontally to the left of the ppp. Rotate 1 bright green 4x4 plate with 3x3 curved cutout so that its cutout faces to the front right. Place its back row to the left of the back row of the ppp.

### Step 52
Locate 2 black 1x1x5 bricks. Place the first one on the front row of the leftmost column. Take the second one and repeat symmetrically to the right. Find 2 black 1x2 inverted slope bricks. Place the first one on top of the ppp, so that it slopes to the left. Take the second one and repeat symmetrically on the left.

### Step 53
Grab 2 sand green 2x2 wedge plates with cut corner. Place the first one on top of the ppp, so that its cut corner faces to the back right and it has no overhang. Take the second one and repeat symmetrically on the right.

### Step 54
The second floor build is finished! Bring back the main build, so that its sliding door faces to the front. Rotate the second floor so that the Green Goblin screen faces to the front. Place it on top of the main build.

Book 3, bag 5.

## Group 21 – Norman Osborne

### Step 1
Locate 1 black pair of legs and 1 black torso with gray pinstripes suit pattern. Assemble the body of the minifigure.

### Step 2
Attach 1 light nougat minifigure head with dark orange eyebrows and wrinkles to the minifigure's neck. If you wish, ask a sighted friend to make sure that the face print of Norman Osborne is facing the right way. Put 1 dark orange left tousled hair on the minifigure's head.

### Step 3
Your minifigure is ready!

## Group 22 – Oscorp Tower (third floor)

### Step 55
Place 1 dark bluish gray 6x14 plate horizontally in front of you. Then, place 1 black 1x4 brick with side studs horizontally on the left end of the back row, so that its side studs face to the back.

### Step 56
Rotate 1 dark tan 1x4 brick vertically. Place its back row to the right of the ppp. Then, place 1 sand green 1x2 plate with stud and upright clip vertically on the 2 front rows of the ppp, so that the clip is in the front. Rotate 1 dark green 1x2 curved slope vertically so that it slopes to the back. Place its back row on top of the stud of the ppp.

### Step 57
Place 1 black 1x1 brick with axle hole on the 6$^{th}$ column from the left of the back row, so that its axle hole faces to the front and back.

### Step 58
Place 1 black 1x6x5 panel horizontally on the left of the back row, so that its wall faces to the back.

### Step 59
Place 2 black 1x2x3 window frames horizontally to the right of the ppp, one on top of the other, so that their ridges face to the back. Attach 1 transparent clear 2x3 window to the back of each of the ppps.

### Step 60
Place 1 black 1x4x6 door frame horizontally to the right of the ppp, so that its ridges face to the back. Attach 1 transparent clear 4x6 window to the back of the door frame.

### Step 61
Place 1 black 1x1 brick with axle hole to the right of the ppp, so that its axle hole faces to the front and back. Then, place 1 black 1x1x5 brick on top of the ppp.

## Group 23 – Oscorp Tower (third floor, continued)

### Step 62
Place 1 dark tan 1x4 brick vertically in front of the ppp. Then, place 1 dark tan 1x1 brick on top of the 7th column from the right of the 2nd row from the back.

### Step 63
Place 1 black 1x1 brick with axle hole on the rightmost column of the back row, so that its axle hole faces to the left and right. Place 3 black 1x2x2 2/3 bricks with side studs on top of the ppp, one on top of the other, so that their side studs face to the back.

### Step 64
Find 4 black 1x4x2 panels. Place the first 2 vertically on the 2nd to the 5th rows from the back of the leftmost column, one on top of the other, so that their walls face to the left. Take the remaining 2 and repeat symmetrically on the right.

### Step 65
Grab 2 bright green 1x3 tiles. Place the first one horizontally on top of the 5th to the 7th columns from the left of the back row. Take the second one and place it horizontally to the right of the ppp. Locate 2 bright green 4x4 plates with 3x3 curved cutout. Rotate the first one so that its cut out faces to the front left. Place its back row to the right of the ppp. Take the second one and repeat symmetrically on the left.

### Step 66
Locate 2 black 1x1x5 bricks. Place the first one on the front row of the leftmost column. Take the second one and repeat symmetrically to the right. Find 2 black 1x2 inverted slope bricks. Place the first one horizontally on top of the ppp, so that it slopes to the left. Take the second one and repeat symmetrically on the left.

### Step 67
Grab 2 sand green 2x2 plates with cut corner. Place the first one on top of the ppp, so that its cut corner faces to the back right and it has no overhang. Take the second one and repeat symmetrically on the right.

## Group 24 – Oscorp Tower (third floor, continued)

### Step 68
Let’s make a build for Green Goblin’s desk. Place 1 dark bluish gray 4x6 left wedge plate in front of you, so that it points to the left. Attach 1 light bluish gray 4L antenna on the back right corner of the ppp.

### Step 69
Place 1 bright green 1x1 round tile with upright bar and hole on the 2nd column from the right of the 2nd row from the back.

### Step 70
Attach 1 transparent orange candle flame to the ppp.

### Step 71.1
Let’s make a small build for a flask. Place 1 transparent clear goblet in front of you. Attach 1 transparent green 1x1 round plate on top of the ppp.

Step 71.2
Place 1 transparent bright green 1x1 round tile on top of the ppp.

Step 71.3
Locate 1 light bluish gray skeleton arm. Place it horizontally in front of you, so that its elbow faces to the front. Attach its left end to the goblet.

Step 71.4
The flask build is complete. Rotate it upside down, so that the 1x1 round tile faces down. Attach the right end of the skeleton arm to the top part of the antenna, so that the flask is above the flame.

### Step 72
Place 1 orange minifigure head with pumpkin face on the 3rd column from the left of the 2nd row from the back. If you wish, ask a sighted friend to make sure that the pumpkin print is facing to the front. Place 1 transparent orange flaming hair piece on top of the ppp.

### Step 73
Green Goblin’s desk is complete. Place it on the third floor so that its back row is on the second row from the back and its right column sits on the second column from the right.

## Group 25 – Oscorp Tower (third floor, continued)

### Step 74
Let’s make a build for Green Goblin’s glider. Place 1 dark bluish gray 2x2 plate with rounded extension and hole vertically in front of you, so that its hole is to the back.

### Step 75
Rotate 1 light bluish gray 2x2 plate with wings horizontally so that its wings point and slope to the back. Place its front row on top of the back row of studs of the ppp.

### Step 76.1
Rotate 1 light bluish gray 2x2 curved sloped double wedge tile so that it points to the back. Place its front row on top of the back row of the ppp, so that it slopes to the back.

Step 76.2
We need to apply sticker 14 (a pentagon shaped sticker with a robotic face pattern with eyes and highlights in bright green) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

## Step 77

Find 2 dark bluish gray 1x1 round plates with bar handle. Place the first one on the leftmost column of the front row, so that its handle faces to the left and slightly to the back. Take the second one and repeat symmetrically to the right.

## Step 78

Place 1 light bluish gray 1x2 plate with hinge fingers on long side horizontally on top of the ppps, so that its hinge fingers face to the front. Place 1 dark green 1x2 plate horizontally behind the ppp.

## Step 79

Grab 2 light aqua 1x2 half round jumper plates. Place the first one vertically on the leftmost column, so that its flat edge faces to the right. Take the second one and repeat symmetrically to the right. Together, they should form a complete circle.

## Step 80.1

Let's make two small identical builds for Green Goblin's glider's wings, beginning with the first one. Place 1 bright green 1x2 plate with horizontal clip on long side vertically in front of you, so that its clip is to the right. Rotate 1 light bluish gray 2x2 curved sloped double wedge tile so that it points to the left. Place its rightmost column on top of the ppp.

Step 80.2

We need to apply sticker 13 (a pentagon shaped sticker with a plating pattern in light bluish gray and bright green) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 80.3

The first build is complete. Attach its clip to the left-facing handle.

Step 80.4

Make a second identical build by following steps 80.1 to 80.3 and attach it symmetrically on the right.

## Step 81

Green Goblin's glider is complete. Rotate it upright and attach its hinge fingers to the clip located on the 5$^{th}$ column from the left of the 3$^{rd}$ row from the front.

## Step 82

The third floor build is finished! Rotate it 180 degrees on the horizontal plane so that its windows face to the front. Bring back the main build, so that its sliding door faces to the front. Place the third floor horizontally on top of the main build.

Book 3, bag 6.

## Group 26 – Green Goblin

### Step 1
Locate 1 green pair of legs with dark purple armor and knees and 1 green torso with dark purple and silver armor pattern. Assemble the body of the minifigure.

### Step 2
Attach 1 green minifigure head with lime eyes and silver mechanical smile to the minifigure's neck. If you wish, ask a sighted friend to make sure that the face print of the Green Goblin is facing the right way. Put 1 dark purple smooth hood on the minifigure's head, so that its pointy end faces to the back.

### Step 3
Place 1 orange minifigure head with pumpkin head on Green Goblin's left hand. If you wish, ask a sighted friend to make sure that the pumpkin print is facing to the front. Place 1 transparent orange flaming hair piece on top of the ppp. Your minifigure is ready!

## Group 27 – Oscorp Tower (fourth floor)

### Step 83
Place 1 dark bluish gray 6x14 plate horizontally in front of you. Then, place 1 dark bluish gray 1x2 brick with side studs horizontally on the right of the back row, so that its side studs face to the back.

### Step 84
Place 3 black 1x2x1 2/3 bricks with side studs horizontally on top of the ppp, one on top of the other, so that their side studs face to the back.

### Step 85
Find 2 black 1x4x6 door frames. Place the first one horizontally to the left of the ppps, so that its ridges face to the back. Place the second one vertically on the 2$^{nd}$ to the 5$^{th}$ rows of the rightmost column, so that its ridges face to the right. Attach 2 transparent clear 4x6 windows to the back and to the right of the ppps, respectively.

### Step 86
Place 1 black 1x1 brick with axle hole on the front right corner of the build, so that its hole faces to the front and back. Then, place 1 black 1x1x5 brick on top of the ppp.

### Step 87
Grab 2 black 1x2x3 window frames. Place them horizontally on the 7$^{th}$ and 8$^{th}$ columns from the left of the back row, one on top of the other, so that their ridges face to the back. Attach 1 transparent clear 2x3 window to the back of each of the ppps.

### Step 88
Place 1 bright green 1x4 plate vertically on the rightmost column, so that it is even with its front edge. Rotate 1 bright green 2x8 plate horizontally. Place its rightmost column behind the ppp.

### Step 89
Locate 2 dark green 1x2 plates. Place the first one horizontally on the 5th and 6th columns from the right of the 2nd row from the back. Then, place the second one horizontally on the 5th and 6th columns from the right of the 2nd row from the front. Place 2 light bluish gray 1x2 log bricks horizontally on top of the ppps. These will be the legs of a working desktop.

### Step 90.1
Let's make a small build for a working desktop. Place 1 bright green 2x4 tile with 2 studs horizontally in front of you. Attach 1 dark bluish gray 1x2 tile with bar handle to the right stud of the ppp, so that it slopes to the front left.

Step 90.2
Attach 1 white 2x2 sign tile with clip to the handle of the ppp, so that it faces to the front left.

Step 90.3
We need to apply sticker 2 (a light blue square simulating a computer screen, with the text "GREEN GOBLIN OVERRIDE" on top and the drawing of some electrical wires and a progress bar in white, with the LEGO Green Goblin face at the center. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 90.4
Find 1 white 2x2 tile printed with a cover of the Daily Bugle. On the top, it has a banner of the Daily Bugle on a red background, with a bugle in the center. On the bottom, the text reads "TIMES SCARE", and in the middle it shows a black silhouette of Green Goblin on his glider flying through some buildings, leaving a trail of smoke. Place it on the left stud, so it is slightly angled.

Step 90.5
The build for the working desktop is complete. Rotate it 90 degrees counterclockwise, so that it is vertical and the newspaper tile is to the front. Place it vertically on top of the working desktop legs, located on the 5th and 6th columns from the right.

## Group 28 – Oscorp Tower (fourth floor, continued)

### Step 91
Place 1 light bluish gray 1x1 brick with side stud on the 6th column from the left of the back row, so that its side stud faces to the back. Then, place 2 black 1x2x1 2/3 bricks with side studs on top of the ppp, one on top of the other, so that their side studs face to the back.

### Step 92
Place 1 black 1x1 brick with axle hole on the back row of the build, so that its axle hole faces to the left and right. Then, place 2 black 1x2x1 2/3 bricks with side studs on top of the ppp, one on top of the other, so that their side studs face to the back.

### Step 93
Rotate 1 black 1x6x2 arch horizontally. Place its leftmost column on top of the ppp. Place 1 bright green 1x4 plate horizontally on top of the ppp, so that it is centered horizontally.

### Step 94.1
Let's make a small build for a secure door. Place 1 black 1x4x6 door frame horizontally in front of you, so that its ridges face to the front. Place 1 bright green 1x4 plate horizontally on top of the ppp, so that it is centered horizontally.

Step 94.2.1
Place 1 transparent clear 4x6 window glass vertically upright in front of you.

Step 94.2.2
We need to apply sticker 8 (a dark bluish gray rectangle with armored pattern going from top to bottom, a sign at the center that says "RESTRICTED AREA" in red, and a numeric keypad underneath it) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 94.2.3
Attach the window glass to the front of the door frame.

Step 94.3
The secure door build is complete. Place it vertically on the 2nd through 5th rows from the front of the 6th column from the left, so that its window glass faces to the right.

### Step 95
Place 1 sand green 1x3 plate vertically on top of the 3 front rows of the secure door. Rotate 1 sand green 2x2 corner plate so that its studs resemble an F in Braille. Place its leftmost column behind the ppp. Then, place 1 sand green 1x3 plate horizontally to the right of the back row of the ppp. Lastly, place 1 sand green 2x4 plate horizontally to the right of the ppp.

### Step 96
Locate 4 light bluish gray 2x2 corner tiles with cut corner. Place the first one on the 2nd and 3rd columns from the left on the 2nd and 3rd rows from the back, so that its cut corner faces to the back left. Take the second one and repeat symmetrically to the right. Take the remaining 2 and repeat symmetrically to the front. This should result in an octagonal tiled pattern on the floor with a 2x2 empty studded surface at the center.

### Step 97
Place 1 white 2x2 turntable base plate on the 2x2 studded surface in the center of the 4 ppps. Then, attach 1 light bluish gray 2x2 round turntable plate with bottom pin to the center of the ppp. We will attach the transformation chamber on top of this turntable.

## Group 29 – Oscorp Tower (fourth floor, continued)

### Step 98.1
Let's make a build for Green Goblin's transformation chamber. Place 1 white 4x4 round plate in front of you. Then, place 1 dark bluish gray 2x2 round brick with axle hole on top of the 2 rightmost columns of the ppp, so that it is centered vertically.

Step 98.2
Place 1 dark bluish gray 2x2 round brick with axle hole to the left of the ppp.

Step 98.3
Find 2 dark bluish gray 2x2 round bricks with axle hole. Place the first one on top of the ppp. Then, place the second one to the right of the ppp.

Step 98.4
Grab 2 light bluish gray 1x2x3 panels. Place the first one horizontally on the 2nd row from the front, so that its wall faces to the back and it is centered horizontally. Take the second one and repeat symmetrically to the back.

Step 98.5
Locate 6 light bluish gray 1x2 half round bricks. Take the first 3 and stack them vertically on the leftmost column, so that their curved faces face to the left. Take the remaining 3 and place them symmetrically on the right.

Step 98.6
Place 1 white 4x4 round plate centered on the top, so that it is aligned with the 4x4 round plate at the base.

Step 98.7
Place 1 bright green 2x2 round plate with axle hole centered on top of the ppp. Then, place 1 dark bluish gray 2x2 round tile with hole on top of the ppp.

Step 98.8
The transformation chamber is complete. Place it centered on top of the 2x2 turntable located to the left of the secure door.

## Group 30 – Oscorp Tower (fourth floor, continued)

### Step 99
Let's make a small build for a secure window. Place 1 black 1x4x6 door frame horizontally in front of you, so that its ridges face to the front. Place 1 bright green 1x4 plate horizontally on top of the ppp, so that it is centered horizontally.

Step 99.2.1
Place 1 transparent clear 4x6 window glass vertically upright in front of you.

Step 99.2.2
We need to apply sticker 11 (a dark bluish gray rectangle with armored pattern going from top to bottom) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 99.2.3
Attach the window glass to the front of the door frame.

Step 99.3
The secure window build is complete. Place it vertically on the 2nd to the 5th rows from the front of the leftmost column, so that its sticker faces to the left.

### Step 100
Place 1 dark green 1x2 plate vertically on the back of the leftmost column. Then, place 1 sand green 1x3 plate vertically in front of the ppp.

### Step 101
Place 1 black 1x1 brick with axle holes on the front left corner of the build, so that its hole faces to the front and back. Then, place 1 black 1x1x5 brick on top of the ppp.

### Step 102
Rotate 1 black 1x1 tile with 1x1 slope tile vertically so that it slopes to the front. Place its front row on top of the ppp.

Book 3, bag 7 (plus 1 dark bluish gray 6x16 tile with studs on edges and 1 white hose with climbing grips and connector ends).

## Group 31 – Spider-man

### Step 1
Locate 1 blue pair of legs and 1 red torso with Spider-Man costume and blue arms with black webbing pattern and red hands. Assemble the body of the minifigure.

### Step 2
Attach 1 red Spider-Man head with black webbing and large white eyes to the minifigure’s neck. Your minifigure is ready!

## Group 32 – Oscorp Tower (fourth floor continued)

### Step 103
Place 3 black 1x2 bricks with side studs horizontally on the left of the back row, one to the right of the other, so that their side studs face to the back. Then, place 1 black 1x3 brick horizontally to the right of the ppp. Place 1 black 1x1 brick with hole to the right of the ppp, so that its hole faces to the front and back. Next, place 1 black 1x3 brick horizontally to the right of the ppp. Finally, place 1 light bluish gray 1x1 brick with side stud to the right of the ppp, so that its side stud faces to the back.

### Step 104
Find 2 light bluish gray 1x4 bricks. Rotate the first one horizontally. Place its rightmost column in front of the ppp. Place the second one vertically in front of the rightmost column of the ppp.

### Step 105
Place 1 black 1x6 brick horizontally on the 1st to the 6th columns from the left of the 2nd row from the back. Notice that only its leftmost and rightmost studs will attach to studs.

### Step 106
Place 1 black 2x6 plate with 5 holes horizontally in front of the ppp. Notice that only its leftmost and rightmost columns will attach to studs. Then, place 1 dark bluish gray 2x2 round tile with hole on top of the ppp, so that it is centered horizontally. Lastly, place 1 black 1x1 tile on the front row of the 6th column from the left.

## Group 33 – Oscorp Tower (fourth floor continued)

### Step 107
Place 1 dark bluish gray 1x8 plate with door rail horizontally on the right of the back row, so that its door rail overhangs to the back. Then, place 1 sand green 1x3 plate horizontally on the 2nd to the 4th columns from the right of the 2nd row from the back.

### Step 108
Place 1 light bluish gray 1x6 curved slope vertically on the rightmost column, so that it slopes to the front.

### Step 109
Rotate 1 light bluish gray 2x3 tile horizontally. Place its back row to the left of the back row of the ppp. Place 1 light bluish gray 1x4 tile with 2 studs horizontally to the left of the back row of the ppp.

### Step 110.1
Let’s make a small build for a wall-mounted flagpole. Place 1 light bluish gray 3L axle connector vertically in front of you. Insert 1 1 red 4L axle into the front-facing axle hole of the ppp.

Step 110.2
Attach 1 light bluish gray 6L bar with stop ring to the back-facing hole of the axle connector, so that its stop ring is to the back.

Step 110.3
The flagpole is complete. Attach its front-facing axle to the back hole located on the 5th column from the right of the back row, so that it protrudes to the front.

### Step 111
Rotate 1 lime green 2x4 L-shaped technic liftarm horizontally upright, so that its short arm is to the left and points upwards. Attach its rightmost back-facing axle hole to the front-facing protruding axle of the ppp. Make sure that it goes almost all the way to the back, without touching the bricks behind it. The technic liftarm should be able to rotate without too much friction.

### Step 112
Attach 1 light bluish gray 2x2 ridged round brick with axle hole upright to the front-facing axle. Then, attach 1 red 2x2 round tile upright to the ppp.

### Step 113
Place 1 dark bluish gray 2x2 plate with 1x2 upright side studs on the 5th and 6th columns from the left of the 2 back rows, so that its side studs face to the back. Then, place 1 dark green 1x2 plate horizontally on top of the front row of the ppp.

### Step 114
Grab 2 dark bluish gray 2x2 plates with 1x2 upright side studs. Place the first one on the 3rd and 4th columns from the left on the 2 back rows. Then, place the second one to the left of the ppp. Make sure that the side studs of both face to the back.

### Step 115
Place 1 sand green 1x3 plate horizontally on the left of the back row. Then, place 1 sand green 2x2 plate with cut corner to the right of the ppp, so that its cut corner faces to the front left.

### Step 116
Rotate 1 light bluish gray 2x2 curved slope tile so that it slopes to the right. Place its leftmost column on top of the rightmost column of the ppp. Place 1 light bluish gray 1x4 tile with 2 studs horizontally to the left of the back row of the ppp.

### Step 117
Insert 1 red 4L axle into the top-facing hole of the 2x2 round tile located on the 3rd and 4th rows from the back of the 3rd and 4th columns from the left.

## Group 34 – Oscorp Tower (antenna)

### Step 118
Put the fourth floor build to the side for now. We will build the tower’s antenna. Place 1 light bluish gray 2x2 ridged round brick in front of you. Place 1 black 2x2x10 tower with vertical bars on top of the ppp, so that its angled edge faces to the front.

### Step 119
Place 1 black 2x2 plate with steering wheel on top of the ppp, so that its struts face to the left and right.

## Step 120.1

Let’s make a small build for a radar dish. Place 1 transparent bright green 1x1 round plate with hollow stud in front of you. Then, place 1 light aqua 2x2 inverted radar dish on top of the ppp.

Step 120.2

Place 1 transparent bright green 3x3 inverted radar dish on top of the ppp.

Step 120.3

Insert 1 dark bluish gray mechanical claw into the center stud of the ppp, so that its claw faces upwards.

Step 120.4

Attach its claw to the top segment of the front-facing edge of the post. Rotate it so that the radar dish faces to the right front.

## Step 121.1

Let’s make another build for a smaller radar dish. Place 1 transparent bright green 1x1 round plate with hollow stud in front of you. Then, place 1 light aqua 2x2 inverted radar dish on top of the ppp.

Step 121.2

Insert 1 dark bluish gray mechanical claw into the center stud of the ppp, so that its claw faces upwards.

Step 121.3

Attach its claw to the top segment of the front-facing edge of the post, above the other radar dish. Rotate it so that it faces to the front left.

## Step 122

Place 1 bright green 2x2 round plate with axle hole on top of the tower antenna. Then, place 1 dark bluish gray 2x2 round tile with hole on top of the ppp.

## Step 123

Insert 1 dark tan 3L axle with stud all the way into the top of the tower antenna, so that its stud faces upwards.

## Step 124

Attach 1 black 8L antenna to the ppp.

## Step 125

The tower antenna build is complete. Bring back the fourth floor build. Attach the tower antenna to the top-facing axle on top of the transformation chamber, on the left side of the build. Now, rotating the antenna will activate the transformation chamber mechanism: you can place Norman Osborne on one side and the Green Goblin on the opposite one. When rotating the antenna, Norman Osborne will change into his Green Goblin outfit.

### Step 126
The fourth floor build is finished! Rotate it 180 degrees on the horizontal plane, so that its flagpole faces to the front. Bring back the main build, so that it is horizontal and its sliding door faces to the front. Place the 4th floor on top of the main build.

## Group 35 – Oscorp Tower (façade details)

### Step 127
We will add some final details to the tower's façade. Rotate 1 dark bluish gray 2x4 plate vertically upright. Attach its top row to the front-facing side studs located on the 16th row from the bottom (at the base of the third floor), on the 2 rightmost columns. Then, rotate 1 dark bluish gray 12x3 right wedge plate vertically upright, so that it points down. Attach its 2 rightmost columns below the ppp. Rotate 1 dark bluish gray 4x4 wedge plate with cut corner upright, so that its cut corner faces to the left down. Place it to the left of the 2x4 plate.

### Step 128.1
Let's make a build for Oscorp's sign. Place 1 dark bluish gray 6x16 tile with studs on edges vertically in front of you, so that its edge without studs is to the left. Place 1 light bluish gray 1x6 tile vertically on the 3rd to the 8th rows from the back of the rightmost column.

Step 128.2
Place 1 light bluish gray 1x4 tile with 2 studs vertically in front of the ppp.

Step 128.3
We need to apply sticker 3 (a larger dark bluish rectangle with the text "OSCORP" in dark green letters with a bright green contour spelled vertically) to the 6x16 tile. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 128.4
Rotate the Oscorp sign vertically upright. Place its 4 leftmost columns above the ppp (the 4x4 plate with cut corner). Its 2 rightmost columns should sit directly above the 2x4 plate.

### Step 129.1
Let's make a small build. Place 1 dark bluish gray 4x6 right wedge plate horizontally in front of you, so that it points to the left. Rotate 1 light bluish gray 1x2 left wedge tile vertically, so that it points to the back. Place its front row on top of the back row of the rightmost column of the ppp.

Step 129.2
Place 1 light bluish gray 1x4 tile with 2 studs vertically in front of the ppp, so that it overhangs to the front by 2 rows.

Step 129.3
The small build is finished. Attach it horizontally upright above the Oscorp sign, so the overhang connects with the sign on the rightmost column of front-facing side studs and it overhangs by 2 rows to the top.

## Group 36 – Oscorp Tower (façade details, continued)

### Step 130
Attach 1 light bluish gray 1x4 tile with 2 studs vertically upright to the 4 bottom front-facing studs of the rightmost column. Then, attach 1 light bluish gray 1x6 tile above the ppp. Place 1 light bluish gray 1x4 tile with 2 studs vertically upright above the ppp. Finally, attach 1 light bluish gray 1x6 tile vertically upright above the ppp.

### Step 131.1
Let's make two identical builds to decorate the Oscorp sign, beginning with the first one. Place 1 bright green 2x2 plate in front of you. Rotate 1 sand green 1x2 curved slope left wedge tile horizontally, so that it points to the right. Place its leftmost column on top of the right back corner of the ppp, so that it overhangs to the right by 1 column.

Step 131.2
Place 1 sand green 1x2 curved sloped right wedge tile symmetrically to the left.

Step 131.3
Locate 2 transparent bright green 1x2 curved slopes. Place the first one horizontally in front of the ppp, so that it slopes to the left. Take the second one and repeat symmetrically to the right.

Step 131.4
The build is finished. Rotate it horizontally upright. Place its bottom row on the 3$^{rd}$ through 6$^{th}$ columns from the right of the 4$^{th}$ row from the top of front-facing side studs, above the Oscorp sign.

Step 131.5
Build a second identical build by following steps 131.1 to 131.3. Place it symmetrically below the Oscorp sign.

### Step 132
Find 2 dark bluish gray 2x2 tiles with studs on edge. Attach the first one upright on the 2 bottom rows of the leftmost column of front-facing side studs, so that its studs are on the left. Place the second one above the ppp, making sure that its studs are also on the left. Then, place 1 dark bluish gray 2x2 corner plate upright above the ppp, so that its studs resemble a J in Braille.

### Step 133
Attach 1 dark bluish gray 1x12 plate vertically upright above the left column of the ppp. Rotate 1 dark bluish gray 3x12 left wedge plate vertically upright, so that it points down. Attach its leftmost column above the ppp. Now, place 1 dark bluish gray 3x3 plate with cut corner upright above the ppp, so its cut corner faces the top right.

### Step 134
Rotate 1 light bluish gray 1x2 right wedge tile vertically upright, so that it points upwards. Place it on top of the 2 top rows of the leftmost column of front-facing studs. Grab 3 light bluish gray 1x4 tiles with 2 studs and 3 light bluish gray 1x6 tiles. Place them vertically upright below the ppp, one below the other, alternating, starting with a 1x4 tile with 2 studs, covering the rest of the left column of front-facing side studs.

### Step 135
Locate 1 white rope with climbing grips and connector ends. Attach one of its connector ends to the flagpole. Attach Spider-Man (or any Spidey character) to the climbing grips or to the other connector end. If you rotate the corresponding handle to the back, you will swing the web. Find 1 transparent clear curved bar with 1L axle and 1x1 round plate. Rotate it so that its axle is to the back and its 1x1 round plate end points to the front right. Attach its axle to the axle hole located above the right side of the sliding door. You can attach Green Goblin riding his glider on top of the 1x1 round plate, to simulate that he is flying around the Oscorp Tower.

Book 4, bag 8

## Group 37 – Kraven the Hunter

### Step 1
Find 1 reddish brown pair of legs and 1 dark orange torso with lion head vest, belt with pouches, light nougat arms, and reddish brown hands. Assemble the body of the minifigure.

### Step 2
Attach 1 tan fur neck collar to the minifigure’s neck, so that its opening faces to the front. Attach 1 light nougat head with black eyebrows and goatee to the minifigure’s neck. If you wish, ask a sighted friend to make sure that the face print of Kraven is facing the right way.

### Step 3
Put 1 black hair combed front to rear on the minifigure’s head. Lastly, you can complete Kraven by putting a transparent red jewel in Kraven’s left hand and a flat silver spear in this right hand. Your minifigure is ready!

## Group 38 – Jewelry store

### Step 1
Place 1 dark bluish gray 8x16 plate horizontally in front of you. Then, place 1 reddish brown 1x4 brick vertically on the 4 front rows of the leftmost column of the ppp.

### Step 2
Place 1 reddish brown 1x2 brick with 2 pin holes vertically behind the ppp.

### Step 3
Place 1 reddish brown 1x6x5 panel vertically on the 6 front rows of the leftmost column, so that its wall faces to the left.

### Step 4.1
Let's make a build for the main door. Place 1 dark tan 1x4x6 door frame horizontally in front of you, so that its ridges face to the front. Attach 1 transparent clear 4x6 window glass with stud to the front of the door frame, so that its stud is to the right.

Step 4.2
Attach 1 light bluish gray 1x1 round plate to the stud handle on the front of the door.

Step 4.3
The door is done. Place it horizontally to the right of the back row of the 1x6x5 panel, so that the door opens to the back right.

### Step 5
Rotate 1 tan 2x4 brick vertically. Place its back row to the right of the ppp. Then, place 1 tan 1x2 log brick horizontally in front of the ppp.

### Step 6
Place 1 dark orange 2x4 tile with 2 studs vertically on top of the ppp, so that it is even with its front edge. Place 1 reddish brown 1x1x5 brick behind the ppp, so that it is to the right of the door. Then, place 1 tan 1x1x5 brick to the right of the ppp.

### Step 7.1
Let's make a small build for a cash register. Place 1 light bluish gray 2x2 plate with 1x2 upright side studs in front of you, so that its side studs face to the right. Place 1 light bluish gray 1x2 curved slope brick vertically on the leftmost column of the ppp, so that it slopes to the left.

Step 7.2
Attach 1 light bluish gray 1x2 ingot tile horizontally upright to the right-facing side studs.

Step 7.3
Place 1 transparent clear 1x2x1 panel vertically on the rightmost column, so that its wall faces to the left and it is centered vertically.

Step 7.4
The cash register is ready. Place it on top of the back stud of the 2x4 tile with 2 studs, so that the ingot tile on the side faces to the right.

## Group 39 – Jewelry store (continued)

## Step 8

Place 1 green 1x2 tile with bill pattern on top of the stud in front of the cash register. Feel free to angle it as you please. Place 1 dark blue 1x4 tile horizontally to the right of the cash register, on the 3rd row from the back, on the 6th through 9th columns from the right. Then, place 1 dark blue 1x2 jumper plate horizontally to the right of the ppp.

## Step 9.1

Let's make a build for the front window. Place 1 transparent clear 1x6x5 wall panel horizontally in front of you, so that its wall faces to the back. Then, place 1 dark blue 1x2 slope tile on top of the 2 leftmost columns of the ppp, so that it slopes to the front.

Step 9.2

Place 2 dark blue 1x2 slope tiles to the right of the ppp, side by side, so that they slope to the front.

Step 9.3

The front window is done. Place it horizontally on the 4th through 9th columns from the right on the 3rd row from the back, so that it attaches to the 1x2 jumper plate.

## Step 10

Place 1 transparent clear 1x1 quarter round tile on the 6th column from the right of the 3rd row from the front, so that its curved edge faces to the left. Place 1 transparent clear 1x1 slope tile on the 7th column from the right, so it sits in front of the window and it slopes to the right. Place 1 white 2x2 brick in front of the 2 rightmost columns of the window. Place 1 transparent clear 1x1 slope tile in front of the right column of the ppp, so that it slopes to the left.

## Step 11

Find 1 white 2x2 brick. Place its right column in front of the ppp.

## Step 12.1

Let's make a small build for a broken display. Place 1 medium nougat 2x2 round plate in front of you. Then, place 1 transparent clear 1x1 slope tile on the back right corner of the ppp, so that it slopes to the front.

Step 12.2

Place 1 transparent clear 1x1 quarter round tile on the leftmost column of the front row, so that its curved edge faces to the front right.

Step 12.3

The broken display is finished. Place it on top of the back 2x2 brick, located in front of the window.

## Step 13.1

Let's make a small build for a jewelry display. Place 1 medium nougat 2x2 round plate in front of you. Then, place 1 pearl gold 1x1 round plate with hollow stud on the center of the ppp, between its 4 studs.

Step 13.2

Attach 1 transparent bright green jewel to the ppp.

Step 13.3
Place 1 transparent clear 2x2x2 domed glass case on top of the 2x2 round plate.

Step 13.4
The jewelry display is finished. Place it on top of the 2x2 brick on the 2 front rows.

## Group 40 – Jewelry store (continued)

### Step 14.1
Let's make a build for the jewelry store's side wall. Place 1 tan 1x6x5 wall panel horizontally in front of you, so that its wall faces to the front. Then, place 1 tan 1x4 masonry brick horizontally on top of the 4 leftmost columns of the ppp, so that its brick pattern faces to the front.

Step 14.2
Place 1 dark bluish gray 1x1 brick with hole to the right of the ppp, so that its hole faces to the front and the back.

Step 14.3
Rotate 1 red 1x2 thin technic liftarm horizontally upright. Insert 1 red 2L technic notched axle to the right back-facing axle hole of the ppp, so that it protrudes to the back. Attach this protruding axle to the front of the 1x1 brick with hole, so that it protrudes slightly to the back. Rotate 1 medium azure 1x4 thin technic liftarm vertically upright. Attach its top axle hole to the protruding axle on the back. While doing this, make sure that the 1x2 liftarm remains horizontal.

Step 14.4
Place 1 tan 1x1 brick with side stud and bottom lip on the rightmost column, so that its side stud faces to the front. Attach 1 tan 1x1 tile upright to the front-facing side stud of the ppp.

Step 14.5
The side wall is done. Rotate it 90 degrees counterclockwise on the horizontal plane, so that the red 1x2 thin technic liftarm faces to the right. Place the wall on the 6 front rows of the 3rd column from the right.

## Group 41 – Jewelry store (continued)

### Step 15
Place 1 white 1x2 ridged brick vertically on the 3rd and 4th rows from the back of the 2nd column from the right (to the right of the 2 back rows of the side wall from the previous step), so that its vertical ridges face to the right. Then, place 1 white 1x2 brick with 2 holes vertically to the right of the ppp, so that its holes face to the right.

## Step 16

Place 1 white 2x2 jumper plate on top of the ppps. Grab 1 white 2x2 tile printed with a cover of the Daily Bugle. On the top, it has a banner of the Daily Bugle on a red background, with a bugle in the center. On the bottom, the text reads “WHO IS SPIDER-MAN”, and in the middle it shows a picture of two skyscrapers with a small red shadow of LEGO Spider-Man. Place it on top of the ppp.

## Step 17

Place 1 dark bluish gray 2x14 plate horizontally on top of the back row of the building, so that it overhangs to the front by 1 row. Place 2 dark bluish gray 1x4 plates vertically in front of the leftmost and rightmost columns of the ppp.

At this point, when you flip the red 1x2 thin technic liftarm downwards, the front window will pop out. If you wish, you can put it back in place easily.

## Step 18

Place 1 tan 1x2 inverted slope horizontally on the front left corner, so that it slopes and overhangs by one column to the right. Place 1 tan 1x4 masonry brick vertically behind the ppp, so that its brick pattern faces to the right.

## Step 19.1

Let’s make a small build for the jewelry store’s number. Place 1 light bluish gray 1x2 plate with 1x2 upright side studs horizontally in front of you, so that its side studs face to the front. Place 1 dark tan 1x4 double curved slope horizontally on top of the ppp, so that it overhangs to the left and right by 1 column.

Step 19.2

Attach 1 black 1x2 rounded tile horizontally upright to the front-facing side studs.

Step 19.3

We need to apply sticker 10 (a small, rounded rectangle with the number 1964 in dark bluish gray; this may be a reference to the year when many villains made their debut in the Amazing Spider-man, including Kraven the Hunter and Green Goblin) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 19.4

The build is done. Rotate it 180 degrees in the horizontal plane, so that the tile with the number faces to the back. Place it on the back row of the building, from the 2$^{nd}$ to the 5$^{th}$ columns from the left.

## Group 42 – Jewelry store (continued)

## Step 20

Place 1 reddish brown 1x6 raised arch on top of the number build from the previous step. Then, place 1 tan 1x1 short brick to the right of the ppp.

### Step 21
Locate 3 light bluish gray 2x2 plates with 1x2 upright side studs. Place them to the right of the ppp, side by side, so that their side studs face to the back.

### Step 22
Place 1 white 1x1 round plate with hollow stud on the back of the rightmost column of the building. Then, place 1 white 1x1 round plate with bar arm down on top of the ppp, so that its bar faces to the back.

### Step 23
Place 1 tan 1x8 plate horizontally on the 8 right columns of the back row of the building, so that it is to the right of the 1x6 arch.

### Step 24
Place 1 tan 1x4 masonry brick vertically in front of the rightmost column of the ppp, so that its brick pattern faces to the right. Then, place 1 tan 1x2 inverted slope horizontally in front of the ppp, so that it slopes and overhangs to the left by one column.

### Step 25
Find 2 dark tan 2x2 corner tiles. Place the first one on top of the ppp, so that it has no overhang. Take the second one and repeat symmetrically to the left. Place 2 dark tan 1x4 tiles with 2 studs vertically behind the ppps.

### Step 26
Place 2 dark tan 1x6 tiles horizontally, side by side, on the back row of the building, so that they are centered horizontally.

## Group 43 – Jewelry store (continued)

### Step 27
Rotate the build 180 degrees in the horizontal plane, so that the window and the door face to the front. Grab 2 transparent clear 1x1 quarter round tiles. Place the first one on the 5$^{th}$ column from the left of the front row, so that its curved edge faces to the front. Then, place the second one on the 7$^{th}$ column from the left of the 2$^{nd}$ row from the front, so that its curved edge faces to the back left.

### Step 28.1
Let’s make a build for a fire hydrant. Place 1 black 1x1 round brick in front of you. Place 1 black 1x1 brick with side stud and bottom lip on top of the ppp, so that its side stud faces to the front.

Step 28.2
Attach 1 light bluish gray 1x1 round plate upright to the front-facing side stud of the ppp.

Step 28.3
Place 1 black 1x1 half cone brick on top of the fire hydrant.

Step 28.4
The fire hydrant is ready. Place it on top of the 6th column from the right of the 2nd row from the front.

### Step 29
Place 1 white 1x1 round plate with hollow stud in front of you Attach 1 transparent black 1x1 round dome top on top of the ppp. Flip the build upside down and attach it to the downward-facing bar on the left of the top of the building.

### Step 30.1
Let's make a small build for the jewelry store sign. Place 1 black 2x6 tile horizontally in front of you.

Step 30.2
We need to apply sticker 1 (a black rectangle with silver letters spelling "MARVELOUS Jewelry" broken in 2 lines, with small diamonds to the left and right of the word "Jewelry") to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 30.3
The jewelry store sign is ready. Attach it horizontally upright to the front-facing side studs above the window, so that it overhangs down by 1 row. The jewelry store is finished!

Book 5, bag 9

## Group 44 – Ghost Spider

### Step 1
Grab 1 black pair of legs and 1 white torso with black bodysuit and medium azure webbing pattern. Assemble the body of the minifigure.

### Step 2
Attach 1 white minifigure head with large magenta eye outlines to the minifigure's neck. If you wish, ask a sighted friend to make sure that the face print is facing the right way. Put 1 white hood on the minifigure's head, so that its opening faces to the front.

### Step 3
Your minifigure is ready!

## Group 45 – Miles's apartment

### Step 1
Place 1 tan 6x14 plate horizontally in front of you. Then, place 1 dark red 1x2 masonry brick horizontally on the left of the back row of the ppp, so that its brick pattern faces to the back.

### Step 2
Place 3 dark red 1x4 bricks horizontally to the right of the ppp, side by side.

### Step 3
Place 2 dark red 1x1 bricks on the leftmost and rightmost columns of the 2nd row from the back. Place 2 dark red 1x4 bricks vertically in front of each of the ppps.

### Step 4
Place 1 dark red 1x6x5 wall panel vertically on the leftmost column, so that its wall faces to the left.

### Step 5
Place 1 dark red 1x1 brick to the right of the back row of the ppp. Then, place 1 dark red 1x1x3 brick on top of the ppp. Lastly, place 1 dark red 1x1 brick on top of the ppp.

## Group 46 – Miles's apartment (continued)

### Step 6.1
Let's make a small build for the AC unit. Place 1 dark bluish gray 2x3 plate vertically in front of you. Place 1 white 1x1 brick with side stud and bottom lip on the leftmost column of the back row of the ppp, so that its side stud faces to the back.

Step 6.2
Place 1 white 1x1 brick with side stud and bottom lip to the right of the ppp, so that its side stud also faces to the back.

Step 6.3
Place 1 white 1x2 ingot tile horizontally on top of the ppps. Attach 1 flat silver 1x2 grille tile horizontally upright to the back-facing side studs.

Step 6.4
Place 1 light bluish gray 1x2 log brick horizontally under the front row.

Step 6.5
The AC unit build is done. Place it vertically on the 2 back rows of the 3rd and 4th columns from the left, so that the AC unit overhangs to the back by 1 row.

### Step 7.1
Let's make a small build for some windows. Place 2 dark blue 1x2x2 window frames horizontally, one on top of the other, so that their ridges face to the front.

Step 7.2
Attach 1 transparent clear 2x2 window glass to the front of each of the windows.

Step 7.3

Place 1 medium nougat 1x2 plate with handle on long side horizontally on top of the windows, so that its handle faces to the front. Then, place 1 dark red 1x2 plate on top of the ppp.

Step 7.4
Rotate the window build 180 degrees on the horizontal plane, so that its handle faces to the back. Place it in front of the AC unit, on the 3rd and 4th columns from the left of the 2nd row from the back.

### Step 8
Place 2 dark red 1x2x2 bricks horizontally, one on top of the other, to the right of the windows. Then, place 1 dark red 1x2 masonry brick horizontally on top of the ppps, so that its brick pattern faces to the back.

## Group 47 – Miles's apartment (continued)

### Step 9
Place 1 black 2x2 round jumper plate on the 6th and 7th columns from the left of the 2nd and 3rd rows from the back, in front of the wall.

### Step 10.1
Let's make a small build for an easel. Place 1 black 1x2 hinge base horizontally in front of you, so that its flat face faces to the back. Find 1 light bluish gray 2x2 plate with bar underneath. Attach its bar to the ppp, so that it overhangs to the front by 1 row.

Step 10.2
Place 1 black 2x2 plate on top of the ppp, so that it overhangs to the back by 1 row. Then, place 1 black 1x2 plate with 2 bar handles in front of the ppp, so that its bar handles face to the front.

Step 10.3.1
Place 1 black 2x3 tile vertically on top of the build, so that there is no overhang.

Step 10.3.2
We need to apply sticker 12 (a small blue rectangle with a "painting" of LEGO Miles Morales in his black suit) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 10.4
The easel is done. Attach its 1x2 hinge base to the 3rd and 4th columns from the left of the 3rd row from the back, in front of the windows. Angle the handle bars down as much as possible, as these are the easel's legs.

### Step 11.1
Let's make a small build for a fan. Place 1 black 1x1 round plate with horizontal bar in front of you, so that its handle faces to the front. Place 1 black 1x1 tile with bar and pin hole on top of the ppp.

Step 11.2
Attach 1 black propeller to the top of the ppp.

Step 11.3
The fan is done. Rotate it vertically upright. Attach its bottom-facing bar to the 2x2 round jumper plate located on the 6th and 7th columns from the left, in front of the wall.

### Step 12
Place 1 dark turquoise 1x1 round brick on the 2nd column from the left of the 2nd row from the front. Place 1 yellow 1x1 round brick on the 5th column from the left of the 2nd row from the front. Place 2 light bluish gray 1x1 nozzles on top of the ppps. These are Miles's spray paint cans.

### Step 13
Place 1 dark bluish gray 1x1x5 brick on top of the 6th column from the left of the front row. Then, place 1 dark bluish gray 1x1 round brick on top of the ppp.

### Step 14
Find 1 dark bluish gray 6x6 plate. Place its front right corner on top of the ppp, so that its leftmost column and back row are on top of the apartment's walls.

## Group 48 – Miles's apartment (continued)

### Step 15.1
Let's make a build for Miles's bed. Place 1 dark bluish gray 1x5 plate horizontally in front of you. Rotate 1 light bluish gray 1x3 plate vertically. Place its back row under the rightmost column of the ppp.

Step 15.2
Place 1 light bluish gray 1x3 plate symmetrically to the left.

Step 15.3
Place 2 light bluish gray 1x5 plates in front of the other 1x5 plate, one in front of the other.

Step 15.4
Place 1 white 1x3 jumper plate vertically on the rightmost column. Then, place 1 white 1x2 ingot tile vertically on top of the ppp.

Step 15.5
Place 1 dark azure 1x4 tile horizontally on the 4 left columns of the back row. Then, place dark azure 2x2 jumper plate in front of the 2 leftmost columns of the ppp. Place 1 dark azure 2x2 triangular tile to the right of the ppp, so its right angle is to the back left. Next, place 1 white 2x2 triangular tile to the right of the ppp, so its right angle is to the front right.

Step 15.6
The bed is done. Place it horizontally on the back right corner of the apartment.

## Group 49 – Miles's apartment (continued)

### Step 16.1
Let’s make two small identical builds for some windows, beginning with the first one. Place 1 dark orange 1x2 plate with door rail horizontally in front of you, so that its door rail faces to the front. Then, place 1 dark blue 1x2x2 window frame horizontally on top of the ppp, so that its ridges face to the front.

Step 16.2
Place 1 dark blue 1x2x2 window frame horizontally on top of the ppp, so that its ridges face to the front.

Step 16.3
Attach 1 transparent clear 2x2 window glass to the front of each of the window frames.

Step 16.4
Place 1 medium nougat 1x2 plate with handle on long side horizontally on top of the windows, so that its handle faces to the front. Then, place 1 dark red 1x2 plate on top of the ppp. Rotate the window build 180 degrees on the horizontal plane, so that the handle and door rail face to the back.

Step 16.5
The first window build is complete. Place it horizontally on the 7th and 8th columns from the right of the back row.

Step 16.6
Make a second identical build by following steps 16.1 to 16.4. Place it horizontally on the 3rd and 4th columns from the right of the back row.

### Step 17
Place 1 dark red 1x2 masonry brick horizontally between both windows, so that its brick pattern faces to the back. Then, stack 2 dark red 1x2x2 bricks horizontally and place them on top of the ppp.

### Step 18
Place 1 dark red 1x1 brick on the 2nd column from the right of the back row. Then, place 1 dark red 1x1x3 brick on top of the ppp. Now, place 1 dark red 1x1 brick on top of the ppp.

### Step 19
Place 1 dark red 1x6x5 wall panel vertically on the rightmost column, so that its wall faces to the right.

### Step 20
Place 1 dark bluish gray 1x8 plate horizontally on the 8 right columns of the back row. Then, place 1 1 dark bluish gray 1x5 plate vertically in front of the rightmost column of the ppp.

## Group 50 – Miles’s apartment (continued)

### Step 21
Place 1 tan 1x3x2 half arch brick vertically on the leftmost column of the back row, so that it overhangs to the back by 2 rows. Then, place 1 tan 1x4 masonry brick horizontally to the right of the ppp, so that its brick pattern faces to the front. Now, place 1 tan 1x3x2 half arch brick vertically to the right of the ppp, so that it overhangs to the back by 2 rows.

### Step 22
Place 1 tan 1x2 brick with 2 side studs on one side horizontally to the right of the ppp, so that it side studs face to the back. Rotate 1 tan pentagonal tile upright so that its antistuds face to the front and it points downwards. Attach its bottom row to the back-facing side studs of the ppp, so that it overhangs to the top by 1 row.

### Step 23
Place 1 tan 1x3x2 half arch brick vertically to the right of the ppp, so that it overhangs to the back by 2 rows. Then, place 1 tan 1x4 masonry brick horizontally to the right of the ppp, so that its brick pattern faces to the front. Now, place 1 tan 1x3x2 half arch brick vertically to the right of the ppp, so that it overhangs to the back by 2 rows.

### Step 24
Place 1 tan 1x1 brick with axle hole on the 2nd row from the back of the leftmost column, so that its axle hole faces to the left and right. Place 1 tan 1x4 masonry brick vertically in front of the ppp, so that its brick pattern faces to the right.

Place 1 tan 1x2 inverted slope brick horizontally on the 6th column from the left of the front row, so that it slopes and overhangs to the right by 1 column. Then, place 1 tan 1x4 masonry brick vertically behind the ppp, so that its brick pattern faces to the left.

Place 1 tan 1x1 brick with axle hole on the front right corner, so that its axle hole faces to the left and right. Then, place 1 tan 1x4 masonry brick vertically behind the ppp, so that its brick pattern faces to the right.

## Group 51 – Miles’s apartment (continued)

### Step 25
Locate 2 dark bluish gray 1x5 plates. Place the first one vertically on the 5 front rows of the 6th column from the left. Take the second one and repeat symmetrically to the left. Place 1 dark tan 1x6 plate horizontally behind the ppps.

### Step 26
Rotate 1 dark tan 6x8 trap door horizontally so that its pin holders are to the left. Place its back row to the right of the ppp, so that it attaches to the center, back, and right walls of the apartment.

### Step 27
Place 1 dark bluish gray 4x6 trap door hinge horizontally in front of you, so that its pins are to the left. Place 1 red 2x2 tile with 2 studs on edge on the 2 leftmost columns of the ppp, so that it is centered vertically and its studs are to the left. Attach the trap door hinges to the trap door from the previous step. Listen for a click to make sure that it is attached properly. For now, the trap door will hang down into the apartment.

## Group 52 – Miles's apartment (continued)

### Step 28
Place 1 tan 1x6 brick vertically on the 6 front rows of the leftmost column. Then, place 1 tan 1x12 brick horizontally to the right of the back row of the ppp. Now, place 1 tan 2x14 plate horizontally on the 2 back rows.

### Step 29
Place 1 tan 1x2 log brick horizontally on the 2nd and 3rd columns from the right of the front row. Then, place 1 tan 1x6 brick horizontally to the left of the ppp. Next, place 1 tan 2x4 brick vertically behind the 2 leftmost columns of the ppp.

### Step 30
Rotate 1 tan 2x2 corner brick so that its studs resemble a D in Braille. Place it to the front of the rightmost column, so that it overhangs to the left by 1 column. Then, place 1 tan 1x4 brick with holes. vertically behind the ppp.

### Step 31
Bring the trapdoor upwards and fix it in place by attaching it to the overhanging stud.

### Step 32
Rotate 1 yellow 1x2 technic thin liftarm with axle horizontally upright so that its axle is to the front and overhanging to the right. Insert this axle into the 2nd hole of the ppp from the left, so that it still protrudes slightly to the right. Rotate 1 red 1x2 technic thin liftarm vertically upright. Attach its top axle hole to the protruding axle. This completes the trapdoor mechanism. Flip the ppp to the back to open the trapdoor.

## Group 53 – Miles's apartment (continued)

### Step 33
Place 1 dark bluish gray 1x2 jumper plate vertically to the front of the leftmost column. Find 4 dark bluish gray 1x6 tiles. Place the first one vertically behind the ppp. Take the next two and place them horizontally, one to the right of the other, to the right of the back row of the ppp. Rotate the last one vertically and place its back row to the right of the ppp. Grab 1 dark bluish gray 2x2 tile. Place its rightmost column in front of the ppp. Lastly, place 1 dark bluish gray 1x6 tile horizontally to the left of the front row of the ppp.

### Step 34
Place 1 dark bluish gray 1x4 tile with 2 studs vertically behind the leftmost column of the ppp. Rotate 1 light bluish gray 1x8 tile horizontally. Place its 2nd column from the left behind the ppp. Then, place 1 light bluish gray 1x5 plate vertically in front of the leftmost column of the ppp.

### Step 35
Locate 2 light bluish gray 1x3 slope bricks. Place the first one vertically on the front 3 rows of the ppp, so that it slopes to the front. Take the second one and repeat symmetrically to the back.

### Step 36
Place 1 light bluish gray 1x2 log brick vertically on top of the studs of the ppps. Then, place 1 dark bluish gray 1x2 jumper plate vertically on top of the ppp. Lastly, place 1 flat silver technic spacer (which looks like a short cylinder) on top of the ppp.

### Step 37
Place 1 black 6x8 slope brick horizontally upside down in front of you, so that it slopes to the front. Next, place 1 black 1x8 plate with door rail horizontally upside down on the back row, so its door rail faces to the back. Find 4 light bluish gray 1x6 plates and flip them upside down. Take the first 2 and place them vertically on the leftmost and rightmost columns. Take the remaining 2 and place them on the front and back rows.

### Step 38
Flip the slope upright, so that it slopes to the front. Attach it to the front right corner of the apartment roof. Notice how easily detachable it is, so you can put any minifigure on top of the trapdoor and release it into the apartment with the mechanism.

### Step 39
Rotate the apartment 180 degrees on the horizontal plane, so that the windows and AC unit face to the front. Attach the apartment on top of the jewelry store. The building is complete!

We are done with the set! You can pose your minifigures and enact all the action scenes that your imagination allows. Feel free to reshuffle the location of the buildings. You can attach them together with the pins, axles, and holes at their bases. Have fun making up the adventures of our Spidey Universe characters.

At the end of the instruction booklet, you will find a page advertising 3 other Spider-man sets. The page is divided diagonally from top left to bottom right. On the left side, Spider-Man's mech is prominently shown, shooting web from its left hand. This side advertises the sets for "Marvel Spider-Man", these being set 76308 (Spider-Man Mech vs Anti-Venom) and 76309 (Spider-Man vs Venom Muscle Car), both of their boxes are shown in the center. The background of this side is composed of electric blue and dark blue tones. On the right side, one set of the "Spider-Man Across the Spider-Verse" movie is advertised, this being set 76311 (Miles Morales vs The Spot). The background on this side is mostly dark purple with a few dark pink tones around the set's box. Afterwards, you will find the set inventory and on the last page you will find an invitation to share feedback.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our Builders page. It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind are able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a $5 donation at: https://www.gofundme.com/f/bricks-for-the-blind-gofundme.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please sign up for our newsletter and follow us on Facebook and Instagram to be the first to know when new instructions are available!