

## 76335 Spider-Man vs Ghost Rider Motorcycle

Adapted by Arturo and tested by Matthew Shifrin.

Kickstart high speed chase Super Hero action with this Spider-Man vs. Ghost Rider Motorcycle (76335) building toy for boys and girls ages 6 and up. The LEGO® I Marvel building set's battle-ready motorcycle and 2 dynamic Spider-Man and Ghost Rider minifigures fuel kids' imaginative play. The Ghost Rider minifigure is depicted as a skeleton with flames streaming from his hands and head. His iconic motorcycle features 2 flaming tailpipes and 2 built-in stud shooters. The Spider-Man minifigure's web-rope attaches to the motorcycle, offering endless role play possibilities as the characters battle on and off the high-octane vehicle. This building set makes a great gift idea for the birthdays of young Super Heroes, LEGO builders and fans of collectible Spider-Man merchandise.

The packaging captures the action Ghost Rider chasing Spider-Man! The front of the box shows Spider-Man swinging from right to left by holding to a web-rope. Right behind him, Ghost Rider is riding his motorcycle, about to catch him. The background consists of an urban scene, with a street and buildings fading into the back with a dark blue and purple hue. The top left corner is decorated with the classic LEGO and Marvel logos. In the opposite corner, we have Spider-Man from his chest up in his classic red and blue suit. Above him, you will find the Spider-Man logo. At the bottom and all the way to the right corner, we have the minifigures in the set. These are, from left to right, Spider-Man and Ghost Rider. The left of the box repeats the LEGO logo on top of black and white depictions of several Marvel superheroes in their minifigure form. The back of the box shows a similar background to that in the front. However, in this case Ghost Rider stepped down from his motorcycle and Spider-Man is wrapping him in one of his web-ropes. On the bottom right we have a small inset that shows how to shoot the stud shooter of the motorcycle. On the top left corner, we have the classic logos of LEGO and Marvel. On the bottom left corner, we have Spidey's logo as well. The right side of the box has a warning in several different languages that states that the set contains small parts and it is therefore not recommended for children younger than 3 years old. The top of the box has the classic LEGO logo, the name of the set in several other languages, and an image of Ghost Rider's minifigure on a 1:1 scale. The bottom of the box is a tidy strip that contains the barcode as well as a few technical bits: the LEGO and Marvel logos, the set number, the recycling instructions for the paper/cardboard elements of the set, copyright, and trademark notices.

The build consists of 72 pieces in total, 2 minifigures, and is recommended for ages 6+. Once finished, you will have Ghost Rider's motorcycle. The set consists of 1 unnumbered bag and 1 instruction booklet.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: [bricksfortheblind.org/help-with-screen-readers](https://bricksfortheblind.org/help-with-screen-readers). Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.

- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- Hollow stud: a bump on a LEGO brick with a hole, which allows attaching bars.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Left/right wedge parts: these are parts that when placed in front of you and are pointing to the back, their wedge is on the left/right side of the part.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

Additionally, it is worth mentioning that besides the printed visual instructions that come with each kit, a PDF version for the set's instructions is always available online at [\[https://www.lego.com/en-us/service/building-instructions/76335\]](https://www.lego.com/en-us/service/building-instructions/76335). This might help a sighted building partner that may want to follow along or low vision users that may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

### Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2, and 3 and put them in one container.

This LEGO set comes with 1 unnumbered bag and 1 instruction booklet. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder!

LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Book 1, bag 1 – Spider-Man, Ghost Rider, Ghost Rider's motorcycle

Group 1: page 6

Group 2: page 7

Group 3: steps 1-13

Group 4: steps 14-24

Group 5: steps 25-31

Group 6: steps 32-43

Alright, we are done with sorting. Let's get building!

## Building Instructions

Book 1, bag 1:

### Group 1 – Spider-Man

Page 5. Locate 1 blue pair of legs, 1 red torso with black webbing, blue arms with red patch with black webbing, and red hands, and 1 red minifigure head with black webbing and large white eyes with black borders. Assemble the minifigure. Ask a sighted friend to make sure that the face print is facing the right way. Spidey is ready!

### Group 2 – Ghost Rider

Page 6. Find 1 black pair of legs, 1 black torso with leather jacket with silver stitching, spikes, zipper, chain with orange flames pattern, and black hands, and 1 white minifigure head with skull pattern with yellow flames coming out from its mouth and eyeball sockets. Assemble the minifigure. Ask a sighted friend to make sure that the face print is facing the right way. Then, place 1 transparent orange flame burst with handle into each of Ghost Rider's hands. Ghost Rider is ready!

### Group 3 – Ghost Rider's motorcycle

#### Step 1

Place 1 light bluish gray 2x4 plate vertically in front of you.

#### Step 2

Rotate 1 dark bluish gray 2x2 plate with wheel fork with 2 arms and pinholes vertically, so that its 2x2 plate is to the front, its fork arms to the back, and its pin holes face to the left and right. Attach its 2x2 plate to the 2 back rows of the ppp.

#### Step 3

Locate 2 dark bluish gray 1x1 plates with 1x1 upright side studs. Place the first one in front of the left column of the ppp, so that its side stud faces to the left. Take the second one and repeat symmetrically on the right.

#### Step 4

Find 2 orange 1x2 plates with 1x2 upright side studs. Place the first one vertically in front of the ppp, so that its side studs face to the right and it overhangs to the front by 1 row. Take the second one and repeat symmetrically on the left.

#### Step 5

Place 1 orange 2x3 plate vertically on the 2<sup>nd</sup> to 4<sup>th</sup> rows from the front.

#### Step 6

Place 1 light bluish gray 1x2 rounded plate with open studs horizontally underneath the overhanging front row.

#### Step 7

Place 1 dark bluish gray 1x2 brick with axle hole horizontally on top of the front row.

#### Step 8

Place 1 light bluish gray 1x2 rounded plate with open studs horizontally behind the ppp.

#### Step 9

Place 1 black 2x2 plate with 2x3 plate vertically behind the ppp, so that its 2x2 plate is to the front.

#### Step 10

Place 2 black 1x1 plates with 1x1 sloped tile vertically, one to the right of the other, on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front, so that they slope to the back.

#### Step 11

Grab 2 red 1x2 plates with 1x2 side studs hanging down. Place the first one vertically on the 2 front rows on the left column, so that its side studs face to the left. Take the second one and repeat symmetrically on the right.

#### Step 12

Place 1 black 2x2 plate on top of the 2 ppps.

#### Step 13

Place 1 black 2x3 plate with curved sides and wing end vertically on top of the 3 back rows, so that it slopes to the back.

#### Group 4 – Ghost Rider's motorcycle (continued)

#### Step 14

Attach 1 red 1x1 round plate upright to the front bottom right-facing side stud.

#### Step 15

Attach 1 dark bluish gray 1x1 plate with 1x1 tile with upright clip horizontally upright behind the ppp, so that its clip is to the back.

#### Step 16

Attach 1 pearl dark gray stud shooter horizontally upright above the 2 ppps, so that its open end faces to the front. Then, insert 1 dark bluish gray trigger horizontally into the slot of the ppp, so that its thicker tab is to the back.

#### Step 17

Rotate 1 black 2x2 round corner plate upright, so that its antistuds face to the left and its curved corner faces to the back and down. Attach it to the 3 right-facing side studs on the 2 front rows.

#### Step 18

Attach 1 red 1x1 round plate upright to the front bottom left-facing side stud.

#### Step 19

Attach 1 dark bluish gray 1x1 plate with 1x1 tile with upright clip horizontally upright behind the ppp, so that its clip is to the back.

#### Step 20

Attach 1 pearl dark gray stud shooter horizontally upright above the 2 ppps, so that its open end faces to the front. Then, insert 1 dark bluish gray trigger horizontally into the slot of the ppp, so that its thicker tab is to the back.

#### Step 21

Rotate 1 black 2x2 round corner plate upright, so that its antistuds face to the right and its curved corner faces to the back and down. Attach it to the 3 left-facing side studs on the 2 front rows.

#### Step 22

Place 1 dark bluish gray 1x2 plate with handle on long edge horizontally on top of the front row, so that it is centered horizontally and its handle faces to the front. Then, rotate 1 black 2x2 curved slope tile so that it slopes to the back. Place its back row on top of the ppp.

#### Step 23

Attach 1 dark bluish gray 2x2 inverted round tile to the bottom of the 2 front rows.

#### Step 24

Rotate 1 light bluish gray axle connector with 3 axles, so that its axles face to the back, front up, and front down. Insert the back-facing axle to the front-facing axle hole.

Put the motorcycle to the side for now. Make sure that it keeps the same orientation.

## Group 5 – Ghost Rider's motorcycle (continued)

### Step 25

Let's make a sub-build for the motorcycle's front wheel. Place 1 dark bluish gray axle connector with axle hole vertically in front of you, so that its axle hole faces to the front and its axle connector faces up. Then, insert 1 black 4L technic axle into the front-facing axle hole.

### Step 26

Rotate 1 dark bluish gray axle connector with axle hole vertically, so that its axle hole faces to the back and its axle connector faces up. Attach it to the front-facing axle.

### Step 27

Locate 2 light bluish gray 3L axles. Insert the first 1 vertically upright to the axle connector of the ppp, so that it protrudes up. Take the second one and repeat symmetrically on the back.

### Step 28

Rotate 1 red axle connector with axle hole horizontally, so that its axle hole faces to the right and its axle connector faces up. Slide it onto the ppp as low as possible.

### Step 29

Insert 1 light bluish gray wheel into 1 black tire. Then, slide the wheel and tire assembly onto the front axle.

### Step 30.1

Let's make a small sub-build. Place 1 dark bluish gray axle connector with axle hole vertically in front of you, so that its axle hole faces to the front and its axle connector faces up. Then, insert 1 black 4L technic axle into the front-facing axle hole.

### Step 30.2

Rotate 1 dark bluish gray axle connector with axle hole vertically, so that its axle hole faces to the back and its axle connector faces up. Attach it to the front-facing axle.

### Step 30.3

The sub-build is complete. Slide its axle connectors onto the protruding front and back axles.

### Step 31

The motorcycle's front wheel is complete. Rotate it 90 degrees from left to right. Bring back the motorcycle build. Attach the front wheel's back down-facing axle hole to the motorcycle's front-up-facing axle, so that the wheel faces front down.

## Group 6 – Ghost Rider's motorcycle (continued)

#### Step 32

Insert 1 light bluish gray wheel into 1 black tire. Then, align the wheel and tire assembly's hole with the pin holes located at the back of the motorcycle.

#### Step 33

Insert 1 light bluish gray 3L pin with stop from right to left into the motorcycle's back-facing fork arms and wheel, so that the wheel is attached in place.

#### Step 34

Attach 1 black skeleton arm to the middle of the front-facing handle located behind the top part of the front wheel build, so that the arm faces to the back. Then, attach 1 light bluish gray handlebar to the ppp, so that its handles face to the sides and to the back.

#### Step 35

Let's make a small sub-build for the motorcycle's front panel. Place 1 dark bluish gray 1x2 plate with handle on long edge horizontally in front of you.

#### Step 36

Find 2 black skeleton arms. Attach the first one to the left part of the handle of the ppp, so that it faces to the back. Take the second one and repeat symmetrically to the right.

#### Step 37

Rotate 1 transparent orange 2x3 pentagonal tile with silver skull pattern with flames on the background vertically, so that it points to the front. Place its back row on top of the 1x2 plate.

#### Step 38

Place 1 transparent orange 1x2 plate horizontally in front of the 1x2 plate, under the ppp.

#### Step 39

Attach 1 dark bluish gray 2x2 inverted round tile to the bottom of the 2 front rows.

#### Step 40

The sub-build is complete. Attach its back-facing skeleton arms to the left and right of the front-facing handle located behind the top part of the front wheel build, in front of the motorcycle's handlebars.

#### Step 41

Locate 2 light bluish gray bar holders with handle. Attach the handle of the first one to the right-facing clip located approximately in the middle of the motorcycle, so that its hole faces to the back. Take the second one and repeat symmetrically on the left. Then, insert 1 transparent orange flame piece into the hole of each of the 2 ppps.

#### Step 42

You can use the 4 transparent orange 1x1 round tiles as ammunition for the motorcycle's stud shooters. Be careful not to point or shoot at anyone's face!

#### Step 43

Lastly, stand Ghost Rider behind the motorcycle handlebars, so that he can ride it. If you wish, you can attach 1 white 1x1 round plate with pin to any free stud on the motorcycle. Then, you can attach the connector of 1 white 21L web rope to it, simulating one of Spidey's webs.

We are done with the construction! Enjoy the adventures of Ghost Rider on his motorcycle against Spider-Man!

At the end of the instruction booklet, you will find a page advertising 5 other Spider-man sets. On the left side, we have set 76342 (Spider-Man vs Ghost Rider Motorcycle), 76338 (Mech Battle: Spider-Man vs. Doc Ock), and 76337 (Miles Morales Mech vs. Spider-Man 2099). On the right side, we have set 76336 (Spider-Man Car vs. Venomized Wolverine) and set 76335 (Spider-Man vs Ghost Rider, this set). The background of this page is dark blue with some shades resembling skyscrapers. On the left corner, we have the classic LEGO and Marvel logos. Afterwards, you will find the set inventory and on the last page you will find an invitation to share feedback.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at [info@bricksfortheblind.org](mailto:info@bricksfortheblind.org) and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!