

76342 Spider-Man vs Mysterio - The Daily Bugle

Adapted by Arturo and tested by Radar.

Explore 4 levels of Super Hero action with Spider-Man vs. Mysterio: The Daily Bugle (76342), a Spider-Man building toy gift for boys, girls and kids ages 10 years old and up. Great to build, play with and put on display, this collectible Spider-Man building set is packed to the rooftop with LEGO® I Marvel minifigures and pretend play adventures. The Daily Bugle LEGO I Marvel building toy comes with Spider-Man, Miles Morales, Ghost Spider, J. Jonah Jameson, Mysterio, Venomized Captain America and Rhino minifigures, plus 3 transparent sticks and 2 transparent bricks to enable mid-air action. There's also a jointed Rhino mech with an opening cockpit. The detailed interior includes offices, reception, newsroom tech, a cash safe and a working billboard-changing lever. Outside there is a fire escape, movable newspaper stand and a street corner with traffic lights.

The packaging captures the action of the showdown at The Daily Bugle! The front of the box shows the detailed multi-story Daily Bugle building dominating the scene, against a stylized city skyline background with clouds and urban elements. On the left side, at ground level, we have Rhino in his mech chasing after Ghost Spider on her dark purple skateboard. On the right side, we see J. Jonah Jameson next to the news stand, looking up to the fight between Miles Morales and Venomized Captain America. On the left, we see Mysterio flying towards Spider-Man, who is shooting a web at him. The top left corner is decorated with the classic LEGO and Marvel logos. In the opposite corner, we have Spider-Man from his chest up in his classic red and blue suit. Above him, you will find the Spider-Man logo. At the bottom and all the way to the right corner, we have the minifigures in the set. These are, from left to right, Spider-Man, Miles Morales, Ghost Spider, J. Jonah Jameson, Venomized Captain America, Mysterio, and Rhino. The left of the box repeats the LEGO and Marvel logos on top of black and white depictions of several Marvel superheroes in their minifigure form. The back of the box shows the open back side of the Daily Bugle, revealing its offices and newsroom areas. This time, at ground level, we see Ghost Spider shooting a web at Rhino, who has been captured and is outside of his mech. To the left of the Daily Bugle, Spider-Man is shooting a web at Venomized Captain America, while on the top we see Miles Morales fighting Mysterio. The right side of the box has the LEGO logo, as well as a warning that states that the set contains small parts and it is therefore not recommended for children younger than 3 years old in other languages. It also has the set's name in different languages. The top of the box has the classic LEGO logo, as well as an image of the Venomized Captain America minifigure on a 1:1 scale. The bottom of the box is a tidy strip that contains the barcode as well as a few technical bits: the LEGO and Marvel logos, the set number, the recycling instructions for the paper/cardboard elements of the set, copyright, and trademark notices.

The build consists of 781 pieces in total, 7 minifigures, 2 sticker sheets, and is recommended for ages 10+. Once finished, you will have the Daily Bugle building, a news stand, and Rhino's mech. The set consists of 8 numbered bags and 3 instruction booklets.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.

- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- Hollow stud: a bump on a LEGO brick with a hole, which allows attaching bars.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Left/right wedge parts: these are parts that when placed in front of you and are pointing to the back, their wedge is on the left/right side of the part.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off

Additionally, it is worth mentioning that besides the printed visual instructions that come with each kit, a PDF version for the set's instructions is always available online at [\[https://www.lego.com/en-us/service/building-instructions/76342\]](https://www.lego.com/en-us/service/building-instructions/76342). This might help a sighted building partner that may want to follow along or low vision users that may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2, and 3 and put them in one container.

This LEGO set comes with 8 bags labeled 1 through 8 and 3 instruction booklets. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder!

LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Book 1, bag 1 - Rhino, Spider-Man, and Rhino's mech

Group 1: page 8

Group 2: page 9

Group 3: steps 1-5

Group 4: steps 6-8

Group 5: steps 9-10

Group 6: steps 11-16

Group 7: steps 17-25

Group 8: steps 26-35

Book 2, bag 2 - Ghost Spider, street corner, traffic light, mailbox, and news stand

Group 9: pages 3-4

Group 10: steps 1-7

Group 11: steps 8-17

Group 12: steps 18-31

Book 3, bag 3 - Miles Morales and the Daily Bugle's first floor

Group 13: page 3

Group 14: steps 1-6.1

Group 15: steps 6.2-24

Book 3, bag 4 - J. Jonah Jameson, the Daily Bugle's second floor, emergency stairs, photocopier, and second-floor attachment

Group 16: page 29

Group 17: steps 25-35

Group 18: steps 36-45

Group 19: steps 46-51

Group 20: steps 52-61

Book 3, bag 5 - Mysterio, the Daily Bugle's third floor, and emergency stairs

Group 21: page 56

Group 22: steps 62-76

Group 23: steps 77-88

Book 3, bag 6 - Third-floor screen mechanism, safe, newsroom details, desk, stairs, third-floor attachment, and roof detailing

Group 24: steps 89-105

Group 25: steps 106-111

Book 3, bag 7 - The Daily Bugle's fourth floor, emergency stairs, office drawers, desk, and fourth-floor attachment

Group 26: steps 112-128

Group 27: steps 129-139

Group 28: steps 140-146

Group 29: steps 147-150

Book 3, bag 8 - Venomized Captain America, the Daily Bugle's roof, billboard, final building details, and optional display elements

Group 30: page 132

Group 31: steps 151-159

Group 32: steps 160-169

Alright, we are done with sorting. Let's get building!

Building Instructions

Book 1, bag 1:

Group 1 – Rhino

Page 8. Locate 1 dark bluish gray pair of medium legs, 1 dark bluish gray torso with silver armor panels, pearl dark gray arms, and pearl dark gray hands, and 1 light nougat minifigure head with thick black eyebrows and closed mouth smile. Ask a sighted friend to make sure that the face print is facing the right way. Then, place 1 pearl dark gray headgear with shoulder pads and white rhinoceros horns on top of the minifigure's head. Rhino is ready!

Group 2 – Spider-Man

Page 9. Locate 1 blue pair of medium legs, 1 red torso with dark red webbing, black spider, dark orange belt with silver buckle, and red hands, and 1 red minifigure head with dark red webbing and large white eyes with black borders. Assemble the minifigure. Ask a sighted friend to make sure that the face print is facing the right way. Spidey is ready!

Group 3 – Rhino's mech

Step 1

Let's begin by assembling Rhino's mech. Place 1 black 2x4 plate horizontally in front of you. Then, place 1 dark bluish gray 2x6 plate vertically on top of the ppp, so that it is centered horizontally and it overhangs to the front by 4 rows.

Step 2

Place 1 light bluish gray 2x2 inverted round tile with rounded bottom under the 3rd and 4th rows from the front of the ppp.

Step 3

Locate 2 dark bluish gray 1x2 plates with ball on long edge. Place the first one vertically on the leftmost column on the 2 back rows, so that its ball is to the left. Take the second one and repeat symmetrically on the right.

Step 4

Find 2 dark bluish gray 1x1 corner panels. Place the first one on the back row of the ppp, so that its opening faces to the front left. Take the second one and repeat symmetrically on the left. Grab 2 dark bluish gray 2x2 corner tiles with cut corner. Rotate the first one so that its cut corner faces to the front left. Place its left column in front of the ppp. Take the second one and repeat symmetrically on the right. Lastly, Locate 2 light bluish gray 1x2 jumper plates. Place them vertically, one next to the other, on the 2nd and 3rd rows from the front.

Step 5

Locate 2 black 1x1 plates with 1x2 upright side studs. Place the first one on top of the front left corner, so that its side studs face to the left. Take the second one and repeat symmetrically on the right. Then, attach 1 light bluish gray 2x2 inverted curve slope tile to the bottom of the 2 front rows, so that it slopes to the back.

Group 4 – Rhino's mech (continued)

Step 6.1

We need to make a small sub-build for the mech's waist. Place 1 dark bluish gray 2x2 curved slope brick in front of you, so that its studs are to the back. Then, place 1 black 1x2 plate with clips on long edge horizontally on top of the ppp, so that its clips face to the back.

Step 6.2

Place 2 transparent red 1x1 plates, one to the right of the other, on top of the ppp.

Step 6.3

Find 2 light bluish gray 1x1 plates with 1x2 side studs hanging down. Place the first one on the back left corner, so that its side studs face to the left. Place the second one symmetrically on the right.

Step 6.4

Place 1 dark bluish gray 1x2 ingot tile horizontally on top of the 2 ppps.

Step 6.5

Place 1 black 1x2 plate with balls on short edges horizontally under the front row. Then, rotate 1 light bluish gray 1x2 plate with 1x2 brick with pin hole so that its pin hole faces to the back. Place it under the build.

Step 6.6

Place the back row of the sub-build on top of the front row of the mech build, so that there is a column of 4 side studs on the left and on the right.

Step 7

Rotate 1 dark bluish gray 2x2 left wedge plate vertically upright, so that its antistuds face to the right and it points up. Attach its front column to the 2 middle left-facing side studs, so that it overhangs slightly to the back. Then, attach 1 dark bluish gray 1x4 double curved slope tile to the ppp.

Find 1 dark bluish gray 2x2 right wedge plate and 1 dark bluish gray 1x4 double curved slope tile and repeat symmetrically on the right.

Step 8

Rotate 1 dark bluish gray cockpit with handle and 2x2 studded surface so that its handle faces to the front and its studded surface faces up. Then, place 1 light bluish gray 2x3 pentagonal tile vertically on top of the ppp, so that it points and it overhangs to the back slightly. We need to apply sticker 12 (a light bluish gray armored plate with dark bluish gray contours) onto the ppp. Ask a sighted friend to make sure that the sticker is placed properly. Lastly, attach the front-facing handle of the cockpit to the back-facing clips of the mech's body, located on the back of the waist.

Group 5 – Rhino's mech (continued)

Step 9.1

Let's continue by building the mech's right leg. Place 1 light bluish gray 2x2 plate with cut corner in front of you, so that its right angle faces to the front right. Then, place 1 dark bluish gray 1x2 plate with ball and ball socket on opposite short edges horizontally on top of the front row of the ppp, so that its ball faces to the left.

Step 9.2

Place 1 light bluish gray 1x2 plate with 1x2 side studs hanging down horizontally on top of the ppp, so that its side studs face to the front. Then, place 1 black 1x1 short brick behind the right column of the ppp.

Step 9.3

Attach 1 red 1x1 transparent red plate upright to the left front-facing side stud.

Step 9.4

Attach 1 light bluish gray 1x1 pyramid tile to the ppp. Then, place 1 dark bluish gray 1x1 sloped tile to the right of the ppp, so that it slopes to the right.

Step 9.5

Grab 2 dark bluish gray 2x2 corner tiles with cut corner. Rotate the first one so that its cut corner faces to the back left. Attach its right column on top of the back right corner. Rotate the second one so that its cut corner faces to the front right. Place its right column to the right of the front row of the ppp.

Step 9.6

The right leg is complete. Bring back the mech, so that its 2x3 pentagonal tile faces up and it points to the back. Attach the right leg's ball socket to the left-facing ball in front of the mech's waist, so that the 2 ppps face to the left and its ball faces to the front.

Step 10.1

Let's continue by building the mech's left leg. Place 1 light bluish gray 2x2 plate with cut corner in front of you, so that its right angle faces to the front left. Then, place 1 dark bluish gray 1x2 plate with ball and ball socket on opposite short edges horizontally on top of the front row of the ppp, so that its ball faces to the right.

Step 10.2

Place 1 light bluish gray 1x2 plate with 1x2 side studs hanging down horizontally on top of the ppp, so that its side studs face to the front. Then, place 1 black 1x1 short brick behind the left column of the ppp.

Step 10.3

Attach 1 red 1x1 transparent red plate upright to the right front-facing side stud.

Step 10.4

Attach 1 light bluish gray 1x1 pyramid tile to the ppp. Then, place 1 dark bluish gray 1x1 sloped tile to the left of the ppp, so that it slopes to the left.

Step 10.5

Grab 2 dark bluish gray 2x2 corner tiles with cut corner. Rotate the first one so that its cut corner faces to the back right. Attach its left column on top of the back left corner. Rotate the second one so that its cut corner faces to the front left. Place its left column to the left of the front row of the ppp.

Step 10.6

The left leg is complete. Bring back the mech, so that its 2x3 pentagonal tile faces up and it points to the back. Attach the left leg's ball socket to the right-facing ball in front of the mech's waist, so that the 2 ppps face to the right and its ball faces to the front.

Group 6 – Rhino's mech (continued)

Step 11

We need to build two identical feet. You can build them simultaneously or one at a time. Let's begin with the first one. Place 1 dark bluish gray 2x2 inverted slope brick in front of you, so that it slopes to the back.

Step 12

Place 1 dark bluish gray 1x2 rounded plate with open studs horizontally on the back row of the ppp. Then, place 1 light bluish gray 1x2 plate with ball socket on long edge horizontally on top of the ppp, so that its ball socket faces to the back. Lastly, place 1 dark bluish gray 1x2 rounded plate with open studs horizontally on top of the ppp.

Step 13

Locate 2 dark bluish gray 1x1 bricks with side stud and lip. Place the first one in front of the left column of the ppp, so that its side stud faces to the left. Take the second one and repeat symmetrically to the right.

Step 14

Place 1 dark bluish gray 2x3 plate with round side and pin hole vertically on top of the build, so that its hole is to the back. Then, place 1 dark bluish gray 2x2 half round tile on top of the 2 back rows of the ppp, so that its curved edge faces to the back. Note that only its front row will be attached. Then, place 1 dark bluish gray 1x2 rounded plate with open studs horizontally in front of the ppp. Lastly, place 1 light bluish gray 2x2 double slope tile with peak on the front row of the ppp, so that its peak faces to the back. Notice that only its front row will be attached.

Step 15

Find 2 dark bluish gray 1x1 sloped tiles. Attach the first one upright to the left-facing side stud, so that it slopes to the back. Take the second one and repeat symmetrically on the right.

Step 16

The first foot is complete. Bring back the mech, so that its 2x3 pentagonal tile faces up and it points to the back. Attach the foot's back-facing ball socket to the ball of the mech's right leg, so that its 2 ppps slope up and its light bluish gray 2x2 double curved slope tile with peak faces to the front.

If you chose to build one foot at a time, build a second foot by repeating steps 11 to 15. Attach it to the ball of the other leg. Once both feet are attached, pose the mech in a standing position.

Group 7 – Rhino's mech (continued)

Step 17

Let's continue by building the mech's right arm. Place 1 dark bluish gray 2x6x2 bent plate in front of you, so that its segments face to the back left and to the right. Place 1 dark bluish gray 1x2 plate with handle on short edge vertically on the rightmost column, so that its handle faces to the back.

Step 18

Place 1 light bluish gray 1x2 plate with open-ended bar on long edge vertically on top of the ppp, so that its bar faces to the right. Then, place 1 light bluish gray 2x2 corner plate with cut corner to the left of the ppp, so that its right angle faces front right. Place 1 light bluish gray 2x2 inverted round tile with rounded bottom under the 2 rightmost columns.

Step 19

Rotate the arm approximately 45 degrees counterclockwise, so that its segments face to the left and to the back right. Place 1 light bluish gray 1x2 plate with ball socket vertically on top of the leftmost column, so that its ball socket faces to the left. Then, place 1 light bluish gray 2x4 trapezoid plate vertically to the right of the ppp, so that its narrow side faces to the right.

Step 20

Place 1 dark bluish gray 1x4 double inverted slope brick vertically under the leftmost column, so that it has 1 row exposed on the back and 1 on the front.

Step 21

Rotate 1 dark bluish gray 2x4 triple wedge brick with studs vertically so that its studs are to the right and it slopes to the back, left, and front. Place its rightmost column on top of the leftmost column of the arm. Then, place 1 dark bluish gray 2x2 curved slope brick to the right of the ppp, so that its studs are to the left.

Step 22

Grab 2 dark bluish gray 2x2 round tiles with stud. Place the first one on top of the 2x2 studded surface on the left segment of the arm. Place the second one on top of the 2 rightmost columns of the studded surface on the back right segment of the arm.

Step 23

Place 1 light bluish gray 1x1 pyramid tile on top of each of the 2 ppps.

Step 24

Locate 4 flat silver 90 degree bar holders with clips. Attach the first 3 to the handle facing to the back right. Attach the remaining one to the handle facing back left. Make sure that all of them face down.

Step 25

The mech's right arm is complete. Bring back the standing mech, so that its 2x3 pentagonal tile faces to the front. Attach the right arm's ball socket to the left-facing ball located on the mech's torso, so that the arm is close to the body and its hand is to the front.

Group 8 – Rhino's mech (continued)

Step 26

Let's continue building the mech's left arm. Place 1 dark bluish gray 2x6x2 bent plate in front of you, so that its segments face to the left and to the back right. Place 1 dark bluish gray 1x2 plate with handle on short edge vertically on the leftmost column, so that its handle faces to the back.

Step 27

Place 1 light bluish gray 1x2 plate with open-ended bar on long edge vertically on top of the ppp, so that its bar faces to the left. Then, place 1 light bluish gray 2x2 corner plate with cut corner to the right of the ppp, so that its right angle faces front left. Place 1 light bluish gray 2x2 inverted round tile with rounded bottom under the 2 leftmost columns.

Step 28

Rotate the arm approximately 45 degrees clockwise, so that its segments face to the back left and to the right. Place 1 light bluish gray 1x2 plate with ball socket vertically on top of the rightmost column, so that its ball socket faces to the right. Then, place 1 light bluish gray 2x4 trapezoidal plate vertically to the left of the ppp, so that its narrow side faces to the left.

Step 29

Place 1 dark bluish gray 1x4 double inverted slope brick vertically under the rightmost column, so that it has 1 row exposed on the back and 1 on the front.

Step 30

Rotate 1 dark bluish gray 2x4 triple wedge brick with studs vertically so that its studs are to the left and it slopes to the back, right, and front. Place its leftmost column on top of the rightmost column of the arm. Then, place 1 dark bluish gray 2x2 curved slope brick to the left of the ppp, so that its studs are to the right.

Step 31

Grab 2 dark bluish gray 2x2 round tiles with stud. Place the first one on top of the 2x2 studded surface on the right segment of the arm. Place the second one on top of the 2 leftmost columns of the studded surface on the back left segment of the arm.

Step 32

Place 1 light bluish gray 1x1 pyramid tile on top of each of the 2 ppps.

Step 33

Locate 4 flat silver 90 degree bar holders with clip. Attach the first 3 to the handle facing to the back left. Attach the remaining one to the handle facing back right. Make sure that all of them face down.

Step 34

The mech's left arm is complete. Bring back the standing mech, so that its 2x3 pentagonal tile faces to the front. Attach the left arm's ball socket to the right-facing ball located on the mech's torso, so that the arm is close to the body and its hand is to the front.

Step 35

If you wish, you can open the cockpit, attach the legs' antistuds of the Rhino minifigure to the jumper plates, and close the cockpit so that Rhino can pilot his mech.

Book 2, bag 2

Group 9 – Ghost Spider

Page 3. Locate 1 black pair of medium legs, 1 white torso with black bodysuit and medium azure webbing pattern, and white hands, and 1 white minifigure head with large magenta eye outlines. Assemble the minifigure. Ask a sighted friend to make sure that the face print is facing the right way. Put 1 white hood on the minifigure's head, so that its opening faces to the front.

Page 4. Attach 2 pairs of black wheels to 1 dark purple skateboard. We need to apply stickers 20 (2 dark purple half circles with white webs) to the ppp. Ask a sighted friend to make sure that the stickers are placed correctly. If you wish, you can place Ghost Spider on top of her skateboard. Ghost Spider is ready!

Group 10 – Street corner with news stand

Step 1

Let's build a street corner with a news stand. Place 1 dark bluish gray 8x8 plate in front of you. Then, place 1 light bluish gray 2x4 plate horizontally on the back left corner of the ppp, so that their left and back edges are flush.

Step 2

Place 1 light bluish gray 2x2 plate in front of the 2 leftmost columns of the ppp.

Step 3

Place 1 black 1x2 brick vertically in front of the right column of the ppp. Then, place 1 black 1x2 brick with 2 pin holes vertically to the left of the ppp, so that its holes face to the left. Insert 1 black 2L pin into the back hole of the ppp, so that it protrudes to the left by 1L. Then, insert 1 blue 2L pin with axle into the front hole, so that its axle protrudes to the left.

Step 4

Place 1 black 1x2 brick horizontally on the 3rd and 4th columns from the right on the 2nd row from the back. Then, place 1 black 1x2 brick with 2 pin holes horizontally behind the ppp, so that its holes face to the back. Insert 1 black 2L pin into the left hole of the ppp, so that it protrudes to the back by 1L. Then, insert 1 blue 2L pin with axle into the right hole, so that its axle protrudes to the back.

Step 5

Rotate 1 light bluish gray 4x4 quarter round plate, so that its curved edge faces to the front right. Place its back left corner on top of the 3rd column from the left on the 3rd row from the back. Then, place 1 light bluish gray 3x3 round tile on the front right corner.

Step 6

We need to place sticker 15 (a round print of a New York City manhole cover) onto the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 7

Place 1 dark bluish gray 2x2 jumper plate on the 3rd and 4th columns from the right on the 2 back rows, on top of the 2 black 1x2 bricks. Then, place 1 light bluish gray 2x2 inverted radar dish on top of the ppp. Lastly, place 1 light bluish gray 1x1 round plate with open stud on top of the ppp. This will be the base of the traffic light.

Group 11 – Street corner with news stand (continued)

Step 8.1

We need to make a small sub-build for a mailbox. Place 1 white 2x2x2 container in front of you, so that its opening faces to the front.

Step 8.2

We need to apply sticker 13 (a blue square with the text “US MAIL” in white with a red stripe below and the silhouette of 1 white bird underneath) to the right face of the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 8.3

Attach 1 white 2x2 container door to the opening of the mailbox, so that its slot is on top and it faces to the front.

Step 8.4

We need to apply sticker 8 (a blue rectangle with the text “US MAIL” in white with a red stripe above) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 8.5

Insert 1 white 1x2 tile with an envelope print into the mailbox.

Step 8.6

Find 2 blue 1x2 quarter cylinder bricks. Place the first one horizontally on the back row of the mailbox, so that it slopes to the back. Take the second one and repeat symmetrically to the front.

Step 8.7

The mailbox is complete. Place it on top of the 2 leftmost columns from the left on the 3rd and 4th rows from the front, on top of the black 1x2 bricks, so that its slot faces to the front.

Step 9.1

We need to make a small sub-build for one pole with traffic lights. Place 1 light bluish gray 1x2 plate with 12L bar and 1x1 round plate vertically in front of you, so that its 1x2 plate is to the back. Then, place 1 dark bluish gray 1x1 plate with clip on the back row of the ppp, so that its clip faces to the back.

Step 9.2

Place 1 light bluish gray 1x1 plate in front of the ppp. Then, place 1 light bluish gray 1x2 jumper plate vertically on top of the 2 ppps.

Step 10

Place 1 dark green 1x4 tile horizontally on top of the ppp, so that it is centered horizontally and it overhangs to the left and right. Then, we need to apply sticker 4 (a dark green rectangle with the text "39th STREET" in white) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Rotate the build vertically upright from back to front, so that the ppp faces to the front. Insert the sub-build into the traffic light's base located on the 3rd and 4th columns from the right on the 2 back rows.

Step 11

Place 1 black 1x2 plate vertically in front of you. Then, place 1 black 1x2x2/3 brick with side studs on sides and extended side stud vertically on top of the ppp, so that its extended receptacle faces to the back.

Step 12

Rotate 1 black 1x1 brick with side stud and lip so that its side stud faces to the front. Attach its back-facing antistud to the front-facing side stud of the ppp. Then, attach 1 yellow 1x1 tile to the front-facing side stud of the ppp.

Step 13

Grab 2 yellow 1x3 tiles. Attach the first one horizontally upright to the left-facing side studs. Take the second one and repeat symmetrically on the right.

Step 14

Place 1 transparent red 1x1 round plate on top of the back row. Then, attach 1 transparent yellow 1x1 round plate in front of the ppp. Lastly, place 1 transparent green 1x1 round plate in front of the ppp.

Step 15

Attach 1 transparent red 1x1 round plate under the back row. Then, attach 1 transparent yellow 1x1 round plate under the build, in front of the ppp. Lastly, attach 1 transparent green 1x1 round plate under the build, in front of the ppp.

Step 16

Rotate 1 light bluish gray 5L bar with perpendicular handle horizontally, so that its handle is to the right and it faces to the front. Insert its handle into the back-facing hole of the anti stud.

Step 17

Attach the ppp to the top-facing clip of the pole, so that the traffic light overhangs to the right as far as possible.

Group 12 – News stand

Step 18

Let's build the news stand. Place 1 dark bluish gray 4x8 plate vertically in front of you. Then, place 1 light bluish gray 2x4 plate vertically on top of the ppp, so that it is centered horizontally and vertically.

Step 19

Place 1 dark green 1x4 tile horizontally in front of the ppp.

Step 20

Place 1 black 2x2 tile with 2 studs on top of the 2 back rows of the light bluish gray 2x4 plate, so that its studs face to the front. Place 1 black 2x2 plate with 1x2 side studs in front of the ppp, so that its side studs face to the front.

Step 21

Rotate 2 black 1x2 bricks with 2 pin holes vertically. Place the front row of the first one to the right of the front row of the ppp. Take the second one and repeat symmetrically on the left.

Step 22

Insert 1 black 2L pin into the back hole of the ppp, so that it protrudes to the left by 1L. Then, insert 1 blue 2L pin with axle into the front hole, so that its axle protrudes to the left.

Step 23

Place 1 black 1x2 brick vertically behind each of the 2 black 1x2 bricks with pin holes.

Step 24

Grab 2 dark bluish gray 1x4 tiles with 2 studs. Place the first one vertically on the leftmost column, on the 3rd to 7th rows from the front. Take the second one and repeat symmetrically on the right.

Step 25

Place 1 light bluish gray 1x2 plate horizontally on the 3rd row from the front, so that it is centered horizontally. Then, place 1 dark green 1x2 tile horizontally on top of the ppp.

Step 26

Attach 1 white 2x4 plate horizontally upright to the front-facing side studs, so that it is centered horizontally and as close as possible to the ground. Then, attach 1 white 2x2 tile to the 2 rightmost columns of the ppp. We need to apply sticker 9 (a front cover of the Daily Bugle, with a banner of the Daily Bugle on a red background on top, with a bugle in the center; under it, the text reads "CRUSHER HOGAN'S WRESTLING COMEBACK!") to the ppp. Ask a sighted friend to make sure that the sticker is placed and oriented correctly.

Then, place 1 white 2x2 plate to the left of the ppp. Lastly, attach 1 white 2x2 tile to the ppp. We need to apply sticker 11 (a front cover of the Daily Bugle, with a banner of the Daily Bugle on a red background on top, with a bugle in the center; under it, the text reads "SYMBIOTES: IS ANYONE SAFE?", with the black shadow of a venomized minifigure) to the ppp. Ask a sighted friend to make sure that the sticker is placed and oriented correctly.

Step 27

Place 1 light bluish gray 1x2 quarter cylinder brick horizontally on the 4th row from the front, so that it is centered horizontally and it slopes to the back.

Step 28

Locate 2 dark green 1x4x6 panels. Place the first one vertically on the leftmost column on the 3rd to 7th rows from the front, so that its flat edge faces to the left. Take the second one and repeat symmetrically on the right.

Step 29.1

Place 1 dark green 1x4 brick vertically on top of each of the 2 ppps. Then, place 1 dark bluish gray 4x4 tile with 4 studs on top of the 2 ppps, so that its studs face to the front.

Step 29.2

Place 2 dark bluish gray 1x2 plates with 2x2 side studs hanging down horizontally, one next to the other, on the front row of the ppp, so that their side studs face to the front.

Step 29.3

Place 1 dark green 1x4 tile horizontally on top of the 2 ppps.

Step 29.4

Attach 1 black 2x4 tile horizontally upright to the front-facing side studs. We need to apply sticker 2 (a black sign with the text "NEWS STAND" with a smaller row of text below saying "COMICS, MAGAZINES, POSTCARDS", all in a white font) to the ppp. Ask a sighted friend to make sure that the sticker is placed and oriented correctly.

Step 30

Bring back the street corner build so that the 3x3 round tile is on the front right corner. Attach the right-facing pin holes of the news stand to the protruding left-facing pin and axle on the street corner build.

Step 31

This step is optional. Feel free to place 1 transparent 1x1 round brick on any free stud of the build. Then, insert the bar of 1 transparent clear 1x1 round plate with angled bar into the ppp in any orientation that you wish. Then, attach Gwen Spider's skateboard to the ppp. Feel free to pose Ghost Spider as you wish as well.

Book 3, bag 3

Group 13 – Miles Morales

Page 3. Locate 1 black pair of legs, 1 black torso with red spider logo, dark bluish gray webbing, and black hands, and 1 black minifigure head with white eyes, red eye outlines, and dark bluish gray webbing. Assemble the minifigure. Ask a sighted friend to make sure that the face print is facing the right way.

Group 14 – Daily Bugle's first floor

Step 1

Let's build the Daily Bugle's first floor. Place 1 dark bluish gray 2x12 plate horizontally in front of you. Then, place 1 black 1x4 brick vertically on top of the leftmost column, so that it overhangs to the front by 2 rows.

Step 2

Rotate 1 dark bluish gray 6x12 plate horizontally. Place the 2 back rows of its leftmost column under the overhang of the ppp.

Step 3

Place 1 black 1x2 brick with 2 pin holes vertically on the 3rd and 4th rows from the front of the leftmost column, in front of the 1x4 brick, so that its holes face to the left and right. Insert 1 black 2L pin into the back hole of the ppp, so that it protrudes to the left by 1L. Then, insert 1 blue 2L axle with pin into the front hole, so that its axle protrudes to the left.

Step 4

Place 1 black 2x4 brick vertically on the 2 rightmost columns on the 4 back rows. Then, place 1 black 1x2 brick with 2 pin holes vertically in front of the right column of the ppp.

Step 5

Locate 2 black 1x2 inverted half arch bricks. Place the first one horizontally to the left of the front row of the ppp, so that it slopes to the right. Take the second one and repeat symmetrically on the left.

Step 6.1

Place 1 white 1x2 right wedge tile vertically on the 2 front rows on the 4th column from the left, so that it points to the front. Then, find 1 white 1x2 left wedge tile and repeat symmetrically on the right.

We need to place some tiles to create a checkered pattern. Grab 4 white 1x1 tiles. Place the first one to the left of the back row of the ppp. Place the second one 2 columns to the left of the ppp. Continue by placing the third one in front and to the left of the ppp. Place the last one 2 columns to the right of the ppp.

Group 15 – Daily Bugle’s first floor (continued)

Step 6.2

Locate 4 black 1x1 tiles. Place them on the exposed studs of the checkered pattern created in the previous step (between the wedge tiles on the 2 front rows).

Step 7

Place 1 black 1x6x6 door frame horizontally on the 3rd row from the front, so that it is centered horizontally, behind the checkered pattern from the previous step, and its ridge is to the front. Then, attach 1 transparent clear 1x3x6 door horizontally upright to the front of the ppp on its left half, so that its hinges are to the left. Attach 1 pearl gold 1x1 round plate to the front-facing side stud of the ppp. We need to apply sticker 18 (a dark red stripe with the text “DAILY” on top of it with a white font) to this door. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Continue by attaching 1 transparent clear 1x3x6 door horizontally upright to the front of the door frame on its right half, so that its hinges are to the right. Attach 1 pearl gold 1x1 round plate to the front-facing side stud of the ppp. We need to apply sticker 19 (a dark red stripe with the text “BUGLE” on top of it with a white font) to this door. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 8

Find 2 black 1x1x5 bricks. Place the first one to the left of the door frame, on top of the 1x2 inverted half arch brick. Take the second one and repeat symmetrically on the right.

Step 9

Place 1 tan 1x1x6 round pillar with square base in front of each of the 2 ppps.

Step 10

Grab 2 medium nougat 1x6x5 panels. Place the first one on the back of the leftmost column, so that its flat edge faces to the left. Take the second one and repeat symmetrically on the right.

Step 11.1

Place 1 black 1x2 brick horizontally on the 2 leftmost columns on the 2nd row from the front, to the left of the 1x1x6 round pillar with square base. Then, stack 2 dark tan 1x2 bricks with masonry pattern horizontally on top of the ppp, so that their brick pattern faces to the back.

Step 11.2

Place 1 dark tan 1x2x1 2/3 brick with side studs on top of the ppps, so that its side studs face to the front. Place 1 dark tan 1x2 plate with door rail horizontally on top of the ppp, so that its rail faces to the front. Then, place 1 dark tan 1x2 brick with masonry pattern horizontally on top of the ppp, so that its brick pattern faces to the back.

Step 11.3

Attach 1 black 2x2 tile to the front-facing side studs from the previous step. We need to apply sticker 16 (a black square with a light bluish gray bugle on top with the number 1941 underneath, which is a reference to The Amazing Spider-Man comic #41 where Rhino made his first appearance).

Step 12.1

Place 1 black 1x2 brick horizontally on the 2 rightmost columns on the 2nd row from the front, to the right of the 1x1x6 round pillar with square base.

Step 12.2

Stack 4 dark tan 1x2 bricks with masonry pattern horizontally on top of the ppp, so that their brick pattern faces to the back.

Step 12.3

Place 1 dark tan 1x1 brick on top of the rightmost column of the ppps. Then, place 1 dark tan 1x1 brick with side stud and lip to the left of the ppp, so that its side stud faces to the front. Insert 1 dark bluish gray mechanical claw into the front-facing side stud of the ppp, so that its hands face to the left and right.

Step 13.1

Rotate 1 black 2x8 plate horizontally. Place its front left and front right corners on top of the 1x1x6 round pillars with square base.

Step 13.2

Place 4 black 1x2 plates with 2x2 upright side studs horizontally, one to the right of the other, on the front row of the ppp, so that their side studs face to the front.

Step 13.3

Place 1 medium nougat 1x8 plate horizontally on top of the 4 ppps.

Step 14

Locate 2 dark tan 2x2 corner bricks. Rotate the first one so that it resembles an H in Braille. Place its front row to the left of the ppp. Take the second one and repeat symmetrically on the right. Find 2 medium nougat 1x1 bricks with axle hole. Place the first one behind the ppp, so that its axle hole faces to the left and right. Take the second one and repeat symmetrically on the left. Grab 2 medium nougat 1x4 masonry bricks. Place the first one vertically behind the ppp, so that its brick pattern faces to the left. Take the second one and repeat symmetrically on the right.

Step 15

Locate 2 medium nougat 1x3 bricks. Place the first one vertically on top of the ppp, so that it is flush with its back edge. Take the second one and repeat symmetrically on the left. Find 2 medium nougat 1x4 masonry bricks. Place the first one vertically in front of the ppp, so that its brick pattern faces to the left. Take the second one and repeat symmetrically on the right. Lastly, place 1 tan 1x10 brick horizontally to the left of the front row of the ppp.

Step 16

Attach 1 black 2x8 plate horizontally upright to the front-facing side studs. Then, attach 2 red 2x4 tiles horizontally upright, one to the right of the other, to the ppp. We need to apply sticker 5 (a red rectangle with the word "DAILY" in a white italic font) and sticker 7 (a red rectangle with the word "BUGLE" in a white italic font) to the left and right tiles. Ask a sighted friend to make sure that the stickers are applied and oriented correctly.

Step 17

Rotate the build 180 degrees on the horizontal plane, so that its doors are to the back. Place 1 medium nougat 1x8x2 arch horizontally on the 6th row from the front, on top of the door frame, so that it is centered horizontally.

Step 18

Place 1 black 2x8 plate horizontally behind the ppp.

Step 19

Find 2 dark bluish gray 1x2 plates with 2x2 side studs hanging down. Place the first one horizontally to the left of the front row of the ppp, so that its side studs face to the back. Take the second one and repeat symmetrically on the right.

Attach 1 dark bluish gray 2x2 curved slope brick to the back-facing side studs of each of the 2 ppps, so that they slope down.

Step 20

Place 1 dark bluish gray 1x8 tile horizontally between the 2 ppps. Then, place 2 dark bluish gray 1x6 tiles horizontally, one to the right of the other, in front of the ppp, so that together they are centered horizontally.

Step 21

Grab 2 dark tan 1x4 tiles with 2 studs. Place the first one vertically on the 3rd to 7th rows from the front on the leftmost column. Take the second one and repeat symmetrically on the right. Find 2 dark tan 1x2 plates with 1x2 side studs hanging down. Place the first one vertically in front of the ppp, so that its side studs face to the left. Take the second one and repeat symmetrically on the left. Attach 1 dark tan 1x2 sloped tile horizontally upright to the side studs of each of the 2 ppps, so that they slope down.

Step 22

Let's build the reception desk. Grab 2 white 1x1 bricks. Place the first one on the 2nd column from the right on the 5th row from the front. Place the second one on the 6th column from the right on the front row. Rotate 1 white 4x4 round corner brick so that its long curved edge faces to the back left. Place it so that its left column sits behind the ppp. Rotate 1 dark orange 5x5 round corner plate so that its long edge faces to the back left. Place it on top of the ppp, so that their curves are aligned.

Place 1 light bluish gray 1x1 tile with upright clip on top of the back left stud of the ppp, so that its clip hands face to the back left and front right. Attach 1 transparent light blue book cover to the ppp. We need to apply sticker 21 (a transparent clear screen resembling a computer screen) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly. Lastly place 1 yellow mug on top of the front left stud of the 5x5 round corner plate, so that its handle faces to the front.

Step 23

Place 1 black 2x2 turntable base plate on the 3rd and 4th columns from the right on the 2nd and 3rd rows from the front. Then, attach 1 light bluish gray 2x2 round turntable with bar on top of the ppp. Lastly, place 1 lime green seat on top of the ppp.

Step 24

Place 2 black 1x2 hinge base bricks vertically, one in front of the other, on the 2nd column from the left, on the 1st to 4th rows from the front, so that their walls face to the left. Rotate 2 light bluish gray 2x2 plates with hinge bar underneath so that their hinge bars are to the right. Attach them to the 2 ppps. Angle them as close as possible to the wall to the left.

Attach 2 dark orange 1x4 tiles with 2 studs horizontally upright, one below the other, to the 2 ppps. Then, attach 2 white 2x2 tiles upright, one in front of the other, on top of the 2 ppps. We need to apply sticker 11 (a front cover of the Daily Bugle, with a banner of the Daily Bugle on a red background on top, with a bugle in the center; under it, the text reads "SYMBIOTES: IS ANYONE SAFE?", with the black shadow of a venomized minifigure) to the front 2x2 tile and sticker 9 (a front cover of the Daily Bugle, with a banner of the Daily Bugle on a red background on top, with a bugle in the center; under it, the text reads "CRUSHER HOOGAN'S WRESTLING COMEBACK!") to the back 2x2 tile. Ask a sighted friend to make sure that the stickers are applied and oriented correctly.

Book 3, bag 4

Group 16 – J. Jonah Jameson

Page 29. Locate 1 dark tan pair of legs, 1 dark blue torso with suit jacket over white shirt with black tie, and light nougat hands, and 1 light nougat head with dark bluish gray moustache and spider web over mouth. Assemble the minifigure. Ask a sighted friend to make sure that the face print is facing the right way. Lastly, place 1 light bluish gray hair swept back with widow's peak on top of the minifigure head.

Group 17 – Daily Bugle's second floor

Step 25

Let's build the Daily Bugle's second floor. Place 1 dark bluish gray 6x12 plate horizontally in front of you. Then, place 1 medium nougat 1x1x5 brick on the back left corner of the ppp.

Step 26

Place 1 medium nougat 1x4 masonry brick vertically in front of the ppp, so that its brick pattern faces to the left.

Step 27

Place 1 dark green 1x2x2 window frame vertically on the 2 back rows of the ppp, so that its ridge faces to the left. Attach 1 transparent clear 2x2 window glass to the left of the ppp. Then, place 1 black 1x2 brick with grille profile vertically on top of the window, so that its vertical pattern faces to the left.

Step 28

Stack 3 medium nougat 1x2 masonry bricks and place them vertically in front of the ppp, so that their brick pattern faces to the left.

Step 29

Place 1 medium nougat 1x1 brick with axle hole on the front row of the ppp, so that its axle hole faces to the left and right. Then, place 1 medium nougat 1x3 brick vertically behind the ppp.

Step 30

Place 1 dark tan 1x2 plate with 1x2 side studs hanging down vertically on the 2 back rows of the leftmost column, so that its side studs face to the right. Then, attach 1 dark tan 1x2 slope tile horizontally upright to the side studs of the ppp, so that it slopes down.

Step 31

Stack 3 medium nougat 1x2x1 2/3 bricks with side studs horizontally, so that their side studs face to the front. Place them on the 2 leftmost columns on the front row.

Step 32

Locate 3 black 1x2 bricks with grille pattern. Place the first one horizontally to the right of the ppps. Then, skip one column to the right and place the second one horizontally. Next, skip one column to the right and place the third one horizontally. Make sure that the vertical pattern of all 3 of them faces to the front.

Then, stack 2 dark green 1x2x2 windows horizontally so that their ridges face to the front and place them on top of each of the 3 ppps. Lastly, attach 1 transparent clear 2x2 window glasses to the front of each of the 6 windows.

Step 33

Find 6 medium nougat 1x1x1 2/3 bricks with side studs. Stack the first 3 and place them between the first and second group of windows from the left, so that their side studs face to the front. Stack the remaining 3 and place them between the second and third group of windows from the left, so that their side studs face to the front.

Step 34

Place 1 dark tan 1x1 tile on the 3rd row from the back on the leftmost column, in front of the 1x2 plate with 1x2 side studs hanging down. Then, rotate 1 dark tan 3x3 corner plate with cut corner, so that its right angle faces to the front left. Place its leftmost column in front of the ppp. Place 1 dark tan 1x6 tile horizontally to the right of the front row of the ppp.

Step 35

Stack 3 medium nougat 1x2x1 2/3 bricks with side studs horizontally, so that their side studs face to the front. Place them on the 2 rightmost columns on the front row.

Group 18 – Daily Bugle's second floor emergency stairs

Step 36

We need to make a sub-build for the emergency stairs of the second floor. Place 1 black 1x4 brick with pin holes vertically in front of you. Grab 2 black 2L pins. Insert them into the back and front holes of the ppp, so that they protrude to the right by 1L.

Step 37

Attach 1 black 2x2 plate with pin hole underneath to each of the 2 ppps.

Step 38

Place 1 black 4x4 plate on top of the sub-build, so that it overhangs to the right by 1 column. Rotate 1 black 2x4 plate vertically. Place its leftmost column under the overhang of the ppp, leaving 1 column of exposed studs to the right. Continue by placing 2 black 1x2 plates vertically, one in front of the other, on top of the rightmost column of the ppp. Lastly, locate 2 black 1x2 plates with stud and upright clip. Place them on the 1st and 3rd columns from the right vertically, so that they are centered vertically and their clips face to the front.

Step 39

Place 1 dark green 1x2x2 window frame vertically on the 2 back rows of the leftmost column, so that its ridge faces to the right. Then, attach 1 transparent clear 2x2 window glass to the right of the ppp.

Step 40

Stack 2 medium nougat 1x2 masonry bricks and place them vertically in front of the window frame, so that their brick pattern faces to the right.

Step 41

Attach 1 black 4L bar horizontally to the clips, so that it is as close as possible to the masonry bricks on the left.

Step 42

Find 2 black 1x4x2 fences. Place the first one horizontally on the right of the front row. Take the second one and repeat symmetrically on the back.

Step 43

Grab 3 black 1x4 tiles with 2 studs. Place the first one vertically on the rightmost column. Place the remaining 2 horizontally to the left of the front and back rows of the ppp. Lastly, place 1 black 1x2 plate vertically on the leftmost column, so that it is centered vertically.

Step 44

Place 1 medium nougat 1x4 masonry brick vertically on top of the leftmost column, so that its brick pattern faces to the right. Then, place 1 medium nougat 1x4 plate vertically on top of the ppp.

Step 45

The sub-build is complete. Place its leftmost column on the 2nd to 5th rows from the front on the rightmost column of the second floor build, so that the emergency stairs overhang to the right.

Note that unless explicitly stated, we will not take into account the overhanging emergency stairs when counting rows and columns in the build.

Group 19 – Daily Bugle's second floor (continued)

Step 46

Place 1 medium nougat 1x1x5 brick behind the leftmost column of the sub-build.

Step 47

Rotate 1 dark tan 1x2 plate with 1x2 side studs hanging down vertically, so that its side studs face to the left. Place its back row on top of the ppp. Attach 1 dark tan 1x2 slope tile horizontally upright to the side studs of the ppp, so that it slopes down.

Then, place 1 dark tan 1x1 tile in front of the 1x2 plate with 1x2 side studs hanging down. Rotate 1 dark tan 3x3 corner plate with cut corner, so that its right angle faces front right. Place its rightmost column in front of the ppp.

Step 48

Rotate the second floor build 90 degrees from front to back, so that its large group of windows faces up. Locate 2 tan 1x4 half cylinder bricks. Place the first one vertically on the front of the leftmost column. Take the second one and repeat symmetrically on the right.

Step 49

Place 1 dark tan 1x10 plate horizontally on the front row, so that it is centered horizontally. Find 3 dark tan 1x2 jumper plates. Place the first one horizontally on the 2nd and 3rd columns from the left of the ppp. Then, skip one column to the right and place the second one horizontally. Next, skip another column to the right and place the third one horizontally. Lastly, attach 1 tan 1x1 half round tile to each of the 3 ppps, so that their curved edges face to the front.

Step 50

Rotate 4 tan 1x3 inverted arches vertically, so that they slope to the back. Place their front rows on top of the exposed studs of the 1x10 plate.

Step 51

Rotate the second floor build 90 degrees from back to front. Then, rotate it 180 degrees on the horizontal plane, so that its large group of windows faces to the back.

Place 1 light bluish gray 3x4 container vertically on the front 4 rows of the 2nd to 4th columns from the left. Then, place 1 black camera inside of the ppp. Continue by placing 1 black 3x4 tile with studs in center vertically on top of the container. Lastly, place 1 white 2x2 tile with pizza box pattern on top of the 2 middle rows of the ppp. If you wish, you can ask a sighted friend to make sure that the orientation of the ppp is correct, but it isn't relevant.

Group 20 – Daily Bugle's second floor (continued)

Step 52

Let's make a small sub-build for a photocopier. Place 1 light bluish gray 2x4 plate horizontally in front of you. Locate 2 white 1x2 rounded plates with open studs. Place the first one vertically under the leftmost column of the ppp. Take the second one and repeat symmetrically on the right. These will be the photocopier legs.

Step 53

Place 1 white 1x1 brick on the back right corner. Then, place 1 white 1x1 brick with side stud and lip in front of the ppp, so that its side stud faces to the front.

Step 54

Place 1 flat silver 1x2 ingot tile vertically on top of the 2 ppps. Attach 1 light bluish gray 1x1 tile with button pattern to the front-facing side stud. Ask a sighted friend to make sure that the tile is oriented correctly.

Step 55

Find 2 black 1x2 panels. Place the first one horizontally on the front row, so that it is centered horizontally and its flat edge faces to the back. Take the second one and repeat symmetrically on the back.

Step 56

Place 1 black 1x2 hinge brick vertically to the left of the 2 ppps, so that its flat edge faces to the right. Then, attach 1 light bluish gray 1x2 plate with hinge bar underneath vertically to the ppp.

Step 57

Rotate 1 white 2x3 plate horizontally. Place its leftmost column on top of the ppp. Continue by attaching 1 light bluish gray 1x2 plate with bar on long edge vertically on the rightmost column of the ppp, so that its bar faces to the right. Rotate 1 light bluish gray 2x2 curved slope tile so that it slopes to the left. Place its rightmost column on top of the ppp.

Step 58

The photocopier is complete. Place its legs on the 3rd and 6th columns from the right on the 4th and 5th rows from the front, so that the photocopier stands horizontally in front of the wall with a large group of windows.

Step 59

We need to make a small sub-build. Place 1 black 2x2 inverted curved slope tile in front of you, so that it slopes to the back. Place 1 black 1x2 plate with open-ended bar on long edge horizontally on top of the front row of the ppp, so that its bar faces to the front. Attach the clips of 1 black 3x7 ladder to the ppp. Attach this sub-build to the 2 front rows under the overhanging emergency stairs, so that it is centered horizontally. Bring the stairs down so that they are vertically upright.

Step 60

Attach the clips of 1 black 3x7 ladder to the 4L bar located on the floor of the emergency stairs. Angle these stairs forward as much as possible.

Step 61

Bring back the main build, so that its doors face to the front. Rotate the second floor so that its large group of windows faces to the front. Place it on top of the main build. Make sure that its left, back, and right edges are flush.

Book 3, bag 5

Group 21 – Mysterio

Page 56. Locate 1 green pair of legs with gold knee pads and gold belt and 1 green torso with gold armor, dark green arms, and pearl gold hands. Assemble the minifigure. Then, attach 1 magenta rubber cape to the neck of the minifigure, so that it hangs to the back. Continue by attaching 1 white minifigure head with black eyes and smoke swirls pattern to the minifigure. Ask a sighted friend to make sure that the face print is facing the right way. Lastly, place 1 satin transparent light blue fishbowl on top of the head.

If you wish, you can give Mysterio a couple of accessories. Attach 1 transparent green 1x1 cylinder brick under each of Mysterio's legs. The cylinders make it look like Mysterio is hovering in mid-air. Attach 1 transparent clear 1x1 round plate with open stud and handle underneath to any of Mysterio's hands. Then, attach 1 transparent bright green 1x1 cone brick to the ppp. Lastly, attach 1 transparent bright green smoke piece to the ppp.

Group 22 – Daily Bugle's third floor

Step 62

Let's build the Daily Bugle's third floor. Place 1 dark bluish gray 6x12 plate horizontally in front of you. Locate 2 medium nougat 1x4 masonry bricks. Place the first one on the 4 back rows vertically of the leftmost column, so that its brick pattern faces to the left. Take the second one and repeat symmetrically on the right.

Step 63

Find 2 medium nougat 1x1 bricks with axle holes. Place the first one in front of the ppp, so that its axle hole faces to the left and right. Take the second one and repeat symmetrically on the left.

Step 64

Place 1 dark bluish gray 1x3 brick horizontally to the right of the ppp. Rotate 1 tan 2x3 tile horizontally. Place its back row to the right of the ppp. Place 1 tan 1x4 panel horizontally to the right of the back row of the ppp, so that its flat edge faces to the front.

Step 65

Grab 2 dark tan 1x2 bricks with side studs. Place the first one horizontally on the 2 rightmost columns of the front row, so that its side studs face to the front. Take the second one and repeat symmetrically on the left. Locate 2 black 1x2 bricks with grille pattern. Place the first one horizontally to the right of the ppp, so that its vertical pattern faces to the front. Take the second one and repeat symmetrically on the right. Lastly, place 1 dark tan 1x1 brick with side stud to the left of the ppp, so that its side stud faces to the front.

Step 66

Place 1 medium nougat 1x1x5 brick on the back left corner.

Step 67

Stack 2 dark green 1x2x2 window frames and place them vertically in front of the ppp, so that their ridges face to the left. Attach 1 transparent clear 2x2 window glass to the left of each of the 2 ppps. Then, place 1 black 1x2 grille brick vertically on top of the window frames, so that its vertical pattern faces to the left.

Step 68

Stack 4 medium nougat 1x2 masonry bricks and place them vertically in front of the ppp, so that their brick pattern faces to the left. Place 1 medium nougat 1x1 brick on the back row of the ppp, in front of the 1x2 grille brick. Then, place 1 medium nougat 1x1 brick with axle hole in front of the ppp, so that its axle hole faces to the left and right.

Step 69

Rotate 1 dark tan 2x2 corner plate so that it resembles a J in Braille. Place its front row on the 2 leftmost columns on the front row. Then, place 1 dark bluish gray 2x2 plate to the right of the ppp. Lastly, place 1 dark bluish gray 1x4 plate horizontally on the 2nd to 5th columns from the right on the front row.

Step 70

Place 1 dark tan 1x1 plate on the front left corner. Then, place 1 dark tan 1x10 plate horizontally to the right of the ppp.

Step 71

Place 1 dark tan 1x2 brick with side studs horizontally on the 2 leftmost columns on the front row, so that its side studs face to the front. Then, stack 2 medium nougat 1x2x1 2/3 bricks with side studs and place them horizontally on top of the ppp, so that their side studs face to the front.

Step 72

Place 1 medium nougat 1x6 plate vertically on the leftmost column. Then, place 1 light bluish gray 1x1 half round short brick with side stud to the right of the front row of the ppp, so that its side stud faces to the front.

Step 73

Stack 2 dark green 1x2x2 window frames and place them horizontally to the right of the ppp, so that their ridges face to the front. Attach 1 transparent clear 2x2 window glass to the front of each of the 2 ppps. We need to apply sticker 10 (a light bluish gray window blind) to each of the 2 ppps. Ask a sighted friend to make sure that the stickers are applied and oriented correctly. Then, place 1 black 1x2 grille brick horizontally on top of the window frames, so that its vertical pattern faces to the front.

Step 74

Place 1 dark bluish gray 1x1 brick with side stud to the right of the ppp, so that its side stud faces to the front. Then, stack 2 medium nougat 1x1x1 2/3 bricks with side studs and place them on top of the ppp, so that their side studs face to the front. Lastly, place 1 light bluish gray 1x1 half round short brick with side stud on top of the ppps, so that its side stud faces to the front.

Step 75

Place 1 transparent clear 1x6x5 panel horizontally to the right of the ppp, so that its flat edge faces to the back. We need to apply sticker 17 (a screen showing a live transmission of the Daily Bugle with Mysterio at the front, the Daily Bugle icon on the bottom left corner, and a white banner at the bottom with the text "LIVE LIVE LIVE" in a black font) to the front of the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 76

Place 1 medium nougat 1x1x5 brick on the back right corner.

Group 23 – Daily Bugle's third floor emergency stairs

Step 77

We need to make a sub-build for the emergency stairs of the third floor. Place 1 black 1x4 brick with pin holes vertically in front of you. Grab 2 black 2L pins. Insert them into the back and front holes of the ppp, so that they protrude to the right by 1L.

Step 78

Attach 1 black 2x2 plate with pin hole underneath to each of the 2 ppps.

Step 79

Place 1 black 4x4 plate on top of the sub-build, so that it overhangs to the right by 1 column. Rotate 1 black 2x4 plate vertically. Place its leftmost column under the overhang of the ppp, leaving 1 column of exposed studs to the right. Continue by placing 2 black 1x2 plates vertically, one in front of the other, on top of the rightmost column of the ppp. Lastly, locate 2 black 1x2 plates with stud and upright clip. Place them on the 1st and 3rd columns vertically from the right, so that they are centered vertically and their clips face to the front.

Step 80

Place 1 dark green 1x2x2 window frame vertically on the 2 back rows of the leftmost column, so that its ridge faces to the right. Then, attach 1 transparent clear 2x2 window glass to the right of the ppp.

Step 81

Stack 2 medium nougat 1x2 masonry bricks and place them vertically in front of the window frame, so that their brick pattern faces to the right.

Step 82

Attach 1 black 4L bar horizontally to the clips, so that it is as close as possible to the masonry bricks on the left.

Step 83

Find 2 black 1x4x2 fences. Place the first one horizontally on the right of the front row. Take the second one and repeat symmetrically on the back.

Step 84

Grab 3 black 1x4 tiles with 2 studs. Place the first one vertically on the rightmost column. Place the remaining 2 horizontally to the left of the front and back row of the ppp. Lastly, place 1 black 1x2 plate vertically on the leftmost column, so that it is centered vertically.

Step 85

Place 1 medium nougat 1x4 masonry brick vertically on top of the leftmost column, so that its brick pattern faces to the right. Then, place 1 medium nougat 1x4 plate vertically on top of the ppp.

Step 86

The sub-build is complete. Place its leftmost column on the 2nd to 5th rows from the front on the rightmost column of the third floor build, so that the emergency stairs overhang to the right.

Note that unless explicitly stated, we will not take into account the overhanging emergency stairs when counting rows and columns in the build.

Step 87

Stack 3 medium nougat 1x1x1 2/3 bricks with side studs and place them on the front right corner, so that their side studs face to the front.

Step 88

Place 1 medium nougat 1x6 plate vertically on the rightmost column.

Book 3, bag 6

Group 24 – Daily Bugle's third floor (continued)

Step 89

Let's make a sub-build for the third floor screen mechanism. Place 1 medium nougat 1x6 plate vertically in front of you. Then, place 1 black 1x4 tile horizontally on the back row of the ppp, so that it overhangs to the right by 3 columns.

Step 90

Rotate 1 black 2x4 plate horizontally. Place the 3 leftmost columns of its back row under the overhang of the ppp.

Step 91

Place 1 black 6x6 tile in front of the 1x4 tile, so that its left edge is flush. We need to apply sticker 6 (a black frame with a white rectangle in the center with some green bubbles printed) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 92

Place 1 medium nougat 1x6 plate vertically under the rightmost column of the 6x6 tile, so that its back row is exposed to the back.

Step 93

Place 1 white 1x2 plate on the 2 rightmost columns on the back row. Then, place 2 white 1x1 bricks with side stud and lip on top of the ppp, so that their side studs face to the front. Place 1 white 1x2 plate horizontally on top of the 2 ppps. Continue by placing 1 flat silver 1x2 grille tile horizontally on top of the ppp. Lastly, attach 1 white 1x2 ingot tile horizontally upright to the front-facing side studs. This is an AC unit.

Step 94

Place 3 tan 1x2 plates with 1x2 upright side studs horizontally, one to the right of the other, under the front row, so that their side studs face to the front.

Step 95

Attach 1 medium nougat 1x6 tile horizontally upright to the front-facing side studs of the 3 ppps.

Step 96

Rotate the third floor build 180 degrees on the horizontal plane, so that its screen faces to the back. Then, flip the screen mechanism 90 degrees from front to back, so that its sticker faces to the front and the ppp faces up. Insert the protruding AC unit into the space located at the bottom of the back wall. Push the screen mechanism to the back as much as possible.

Step 97

Place 1 white 1x10 plate horizontally on the 4th row from the front, so that it is centered horizontally. Then, place 1 black 1x10 brick horizontally on top of the ppp.

Step 98

Place 1 light bluish gray 2x2x2 container on the 2nd and 3rd columns from the right on the 4th and 5th rows from the front, on the back right corner of the room. Then, attach 1 light bluish gray 2x2 container lid to the ppp. We need to apply sticker 14 (a dark bluish gray safe vault panel) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly. Close the container. Insert 2 green 1x2 tiles with \$100 bill pattern into the container's slot.

Step 99

Place 1 black 1x6x5 panel horizontally to the left of the front row of the container, so that its flat edge faces to the back. We need to apply sticker 3 (a screen showing a live transmission of the Daily Bugle with Rhino in his mech at the front, the Daily Bugle icon on the bottom left corner, and a white banner at the bottom with the text "BREAKING: ZOO GATE DESTROYED" in a black font) to the front side of the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 100

Place 1 black 1x2x2 brick horizontally to the right of the ppp, on top of the front row of the container.

Step 101

Stack 2 black 1x2 bricks and place them horizontally to the left of the 1x6x5 panel. Then, place 1 black 1x2x1 2/3 brick with side studs horizontally on top of the ppps, so that its side studs face to the front. Continue by placing 1 black 1x2 brick horizontally on top of the ppp. Then, place 1 black 1x2 plate horizontally on top of the ppp. Lastly, attach 1 white 2x2 round tile with clock pattern to the front-facing side studs. Its orientation is not relevant, since regardless of its orientation it will be a valid time.

Step 102

Locate 2 medium nougat 1x2 plates. Place the first one vertically on the 2 back rows of the rightmost column. Take the second one and repeat symmetrically on the left. Rotate 2 medium nougat 1x6 plates horizontally. Place the left column of the first one in front of the ppp. Place the second one to the right of the ppp. Grab 2 dark tan 1x3 plates. Place the first one vertically in front of the rightmost column of the ppp. Take the second one and repeat symmetrically on the left.

Step 103

Place 1 medium nougat 1x6 tile horizontally on the back row, so that it is centered horizontally. Locate 2 medium nougat 3x3 corner plates. Rotate the first one so that its right angle faces to the back left. Place its back row to the left of the ppp. Take the second one and repeat symmetrically on the right.

Step 104

Find 1 medium nougat 1x4 tile. Place it horizontally to the left of the front row of the ppp. Then, place 1 medium nougat 1x6 tile horizontally to the left of the ppp. Grab 2 dark tan 1x1 tiles. Place the first one on the rightmost column on the 3rd row from the front. Take the second one and repeat symmetrically on the left.

Step 105

Place 1 dark tan 1x2 plate with 1x2 side studs hanging down vertically in front of the ppp, so that its side studs face to the right. Attach 1 dark tan 1x2 slope tile horizontally upright to the right-facing side studs of the ppp, so that it slopes down.

Locate 1 dark tan 1x2 plate with 1x2 side studs and 1 dark tan 1x2 slope tile and repeat both placements symmetrically on the right.

Group 25 – Daily Bugle's third floor (continued)

Step 106.1

Let's make a small sub-build for a desk. Place 1 tan 2x3 plate vertically in front of you. Find 2 dark orange 1x2 log bricks. Place the first one horizontally under the front row of the ppp. Take the second one and repeat symmetrically on the back.

Step 106.2

Place 1 light bluish gray 1x2 jumper plate on the 2 front rows of the rightmost column.

Step 106.3

Attach 1 light bluish gray 1x1 tile with upright clip to the ppp, so that its clip hands face to the left and right. Then, attach 1 transparent light blue book cover to the ppp. We need to apply sticker 23 (a transparent clear screen resembling a computer screen) to the left edge of the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 106.4

Place 1 white 1x2 tile with keyboard pattern vertically on the 2 front rows of the leftmost column. Then, place 1 transparent clear mug behind the ppp, so that its handle faces to the left.

Step 106.5

The desk is complete. Place it in its same orientation on the 1st to 3rd rows from the front, in front of the screen, so that it is centered horizontally.

Step 107

Place 1 black 2x2 round plate with axle hole to the left of the 2 front rows of the desk. Then, place 1 red seat on top of the ppp, so that the seat faces towards the computer screen.

Step 108

Attach the clips of 1 black 3x7 ladder to the 4L bar located on the floor of the emergency stairs. Angle these stairs forward as much as possible.

Step 109

Bring back the main build, so that its doors are to the front. Rotate the third floor build 180 degrees horizontally, so that the Mysterio screen faces to the front. Attach the third floor to the main build. Make sure that its left, back, and right edges are flush.

Step 110

Carefully, rotate the build 90 degrees from front to back, so that the Mysterio screen faces up.

Grab 6 tan 1x4 half cylinder bricks. Place the first 3 vertically, one behind the other, on the leftmost column, behind the already placed 1x4 double curved slope tile. The one at the back should overhang by approximately 1 row. Take the remaining 3 and repeat symmetrically on the right.

Step 111

Place 1 tan 1x4 tile with 2 studs vertically on the leftmost studded column, in front of the 1x3 inverted arch. Then, place 2 tan 1x2 tiles vertically, one behind the other, behind the ppp. Place 1 tan 1x4 tile with studs vertically behind the ppps.

Place 1 tan 1x4 tile with 2 studs vertically on the 2nd studded column from the left, in front of the 1x3 inverted half arch. Then, place 1 tan 1x2 tile vertically 2 rows behind the ppp, behind the AC unit. Place 1 tan 1x4 tile with 2 studs vertically behind the ppp.

Place 1 tan 1x4 tile with 2 studs vertically on the 2nd studded column from the right, in front of the 1x3 inverted half arch. Then, place 1 tan 1x2 tile vertically behind the ppp.

Place 1 tan 1x4 tile with 2 studs vertically on the rightmost studded column, in front of the 1x3 inverted half arch. Then, place 1 tan 1x2 tile vertically behind the ppp.

Lastly, rotate the main build 90 degrees from back to front, so that it is standing and the Mysterio screen faces to the front. If you wish, you can move the AC unit from left to right and vice versa. With this movement, the bubble pattern will move behind the image of Mysterio on the screen.

Book 3, bag 7

Group 26 – Daily Bugle's fourth floor

Step 112

Let's build the Daily Bugle's fourth floor. Place 1 dark bluish gray 6x12 plate horizontally in front of you. Then, place 1 medium nougat 1x4 masonry brick vertically on the 4 back rows of the leftmost column, so that its brick pattern faces to the left.

Step 113

Place 1 medium nougat 1x1 brick with axle hole in front of the ppp, so that its hole faces to the left and right.

Step 114

Place 1 dark tan 1x1 plate in front of the ppp. Then, place 1 tan 1x2 rounded plate with open studs vertically on top of the ppp, so that it overhangs to the front by 1 row. Place 1 tan 1x1 half round tile on top of the front row of the ppp, so that its curved edge faces to the front. Then, place 1 dark tan 1x1 plate behind the ppp.

Note that we will not consider this overhang when counting rows or columns.

Step 115

Place 1 dark bluish gray 1x1 brick with side stud to the right of the ppp, so that its side stud faces to the front. Then, place 1 black 1x2 grille brick horizontally to the right of the ppp, so that its vertical pattern faces to the front.

Step 116

Place 1 medium nougat 1x1x5 brick on the back left corner.

Step 117.1

Place 1 medium nougat 1x4 masonry brick vertically in front of the ppp, so that its brick pattern faces to the left.

Step 117.2

Place 1 dark green 1x2x2 window frame vertically on the 2 back rows of the ppp, so that its ridge faces to the left. Attach 1 transparent clear 2x2 window glass to the ridge on the left of the ppp.

Step 117.3

Place 1 black 1x2 brick with grille profile vertically on top of the window frame, so that its vertical pattern faces to the left.

Step 117.4

Stack 2 medium nougat 1x2 masonry bricks and place them vertically in front of the ppp, so that their brick pattern faces to the left.

Step 117.5

Place 1 medium nougat 1x1 brick with axle hole on the front row of the ppp, so that its axle hole faces to the left and right. Then, place 1 medium nougat 1x3 brick vertically behind the ppp.

Step 118

Stack 3 medium nougat 1x2x1 2/3 bricks with side studs horizontally, so that their side studs face to the front. Place them on the 2 leftmost columns on the front row.

Step 119

Stack 2 dark green 1x2x2 windows horizontally so that their ridges face to the front and place them to the right of the 3 ppps. Attach 1 transparent clear 2x2 window glass to the front ridge of each of the 2 windows. Place 1 dark tan 1x2 brick with side studs horizontally on top of the window frames, so that its side studs face to the front. Attach 1 dark tan 1x2 jumper plate horizontally upright to the side studs of the ppp. Lastly, attach 1 tan 1x1 half round tile upright to the ppp, so that its curved edge faces down.

Step 120

Place 1 dark tan 1x2 plate with 1x2 side studs hanging down vertically on the 2 back rows of the leftmost column, so that its side studs face to the right. Place 1 dark tan 1x1 tile in front of the ppp. Then, rotate 1 dark tan 3x3 plate with cut corner so that its right angle faces to the front left. Place its left column in front of the ppp. Lastly, attach 1 dark tan 1x2 slope tile horizontally upright to the right-facing side studs, so that it slopes down.

Step 121

Find 2 black 1x2 bricks with grille pattern. Place the first one horizontally on the front row, 2 columns to the right of the already placed 1x2 grille brick. Then, skip one column to the right and place the second one horizontally. Make sure that the vertical ridges of both face to the front.

Step 122.1

We need to make two identical small sub-builds. You can build them simultaneously or one at a time. Let's begin with the first one. Place 1 dark bluish gray 1x1 brick with side stud in front of you, so that its side stud faces to the front. Then, place 1 medium nougat 1x1x1 2/3 brick with side studs on top of the ppp, so that its side studs face to the front.

Step 122.2

Attach 1 tan 1x1 plate with 1x1 upright side stud to the bottom front-facing side stud, so that its side stud faces down. Rotate 1 tan 1x3 inverted half arch vertically upright, so that its antistuds face to the back and it slopes up. Attach its bottom row to the ppp.

Step 122.3

Attach 1 tan 1x1 half round tile to the bottom-facing side stud, so that its curved edge faces to the front.

Step 122.4

The first sub-build is complete. Place it on the 5th column from the left on the front row, to the left of the 1x2 grilled brick, so that it overhangs to the front by 1 row.

Step 122.5

If you chose to build one sub-build at a time, build a second sub-build by repeating steps 122.1 to 122.3. Place it on the 5th column from the right on the front row, between the 2 1x2 grilled bricks, so that it overhangs to the front by 1 row.

Step 123.1

We need to make two identical sub-builds. You can build them simultaneously or one at a time. Let's begin with the first one. Stack 2 dark green 1x2x2 windows horizontally so that their ridges face to the front.

Step 123.2

Attach 1 transparent clear 2x2 window glass to the front of each of the 2 windows.

Step 123.3

Place 1 dark tan 1x2 brick with side studs horizontally on top of the window frames, so that its side studs face to the front. Attach 1 dark tan 1x2 jumper plate horizontally upright to the side studs of the ppp. Lastly, attach 1 tan 1x1 half round tile upright to the ppp, so that its curved edge faces down.

Step 123.4

The first sub-build is complete. Place it on the 6th and 7th columns from the right on the front row, on top of the middle 1x2 grille brick.

Step 123.5

If you chose to build one sub-build at a time, Build a second sub-build by repeating steps 123.1 to 123.3. Place it on the 3rd and 4th columns from the right on the front row, on top of the right 1x2 grille brick.

Step 124.1

We need to make two identical sub-builds. You can build them simultaneously or one at a time. Let's begin with the first one. Stack 2 medium nougat 1x1x1 2/3 bricks with side studs, so that their side studs face to the front.

Step 124.2

Attach 1 tan 1x4 tile with 2 studs vertically upright to the front-facing side studs.

Step 124.3

The first sub-build is complete. Place it on top of the 5th column from the left on the front row, so that its 1x4 tile with studs is a continuation of the up-sloping 1x3 inverted half arch.

Step 124.4

If you chose to build one sub-build at a time, build a second sub-build by repeating steps 124.1 and 124.2. Place it on the 5th column from the right on the front row, so that its 1x4 tile with studs is a continuation of the up-sloping 1x3 inverted arch.

Step 125

Place 1 dark tan 1x6 tile horizontally on the 4th to 9th columns from the left of the front row, to the right of the front row of the 3x3 corner plate with cut corner.

Step 126

Place 1 medium nougat 1x6 plate vertically on the rightmost column. Then, place 1 dark bluish gray 1x1 brick with side stud to the left of the front row of the ppp, so that its side stud faces to the front.

Step 127

Rotate 1 tan 1x2 rounded plate with open studs vertically. Place its back row to the right of the ppp, so that it overhangs to the front by 1 row. Place 1 tan 1x1 half round tile on top of the front row of the ppp, so that its curved edge faces to the front. Then, place 1 dark tan 1x1 plate behind the ppp.

Step 128

Rotate 1 medium nougat 1x2x1 2/3 brick with 2x2 side studs horizontally, so that its side studs face to the front. Place its right column on top of the ppp. Place 1 light bluish gray 1x1 half round short brick with side stud on top of the left column of the ppp, so that its side stud faces to the front. Lastly, place 1 dark tan 1x1 plate on top of the ppp.

Group 27 – Daily Bugle's fourth floor emergency stairs

Step 129

We need to make a sub-build for the emergency stairs of the fourth floor. Place 1 black 1x4 brick with pin holes vertically in front of you. Grab 2 black 2L pins. Insert them into the back and front holes of the ppp, so that they protrude to the right by 1L.

Step 130

Attach 1 black 2x2 plate with pin hole underneath to each of the 2 ppps.

Step 131

Place 1 black 4x4 plate on top of the sub-build, so that it overhangs to the right by 1 column.

Step 132

Attach 1 black 1x4 tile with 2 studs vertically under the rightmost column.

Step 133

Place 1 dark green 1x2x2 window frame vertically on the 2 back rows of the leftmost column, so that its ridge faces to the right. Then, attach 1 transparent clear 2x2 window glass to the ridge on the right of the ppp.

Step 134

Place 1 medium nougat 1x2 masonry brick vertically in front of the window frame, so that its brick pattern faces to the right.

Step 135

Place 1 medium nougat 1x3 brick vertically on top of the ppp, so that it overhangs to the front by 1 row. Note that we will not take into account this overhang when counting rows and columns in the build.

Step 136

Place 1 black 1x2 plate horizontally on the front row, so that it is centered horizontally. Then, attach 2 black telescopes to the ppp.

Step 137

Place 1 black 1x4x2 fence vertically on the rightmost column.

Step 138

Place 1 black 1x3 tile vertically on the 3 back rows of the ppp. Rotate 1 black 1x4 tile with 2 studs horizontally. Place its right column in front of the ppp.

Step 139

The sub-build is complete. Place its overhang on top of the front right corner of the fourth floor build. Note that unless explicitly stated, we will not take into account the overhanging emergency stairs when counting rows and columns in the build.

Group 28 – Daily Bugle's fourth floor (continued)

Step 140

Place 1 medium nougat 1x1x3 brick on the back right corner, behind the window frame. Then, place 1 dark tan 1x1 plate on top of the ppp.

Step 141

Rotate 1 medium nougat 1x4 plate vertically. Place its back row on top of the ppp. Place 1 medium nougat 1x2 plate horizontally on the 2 right columns of the front row, to the right of the window frames. Then, place 1 dark tan 1x1 plate on the left column of the ppp.

Step 142.1

Rotate 1 medium nougat 1x6 plate vertically. Place its front row to the right of the ppp. Then, place 1 medium nougat 1x4 plate vertically on top of the ppp, so that it is centered vertically on top of it.

Step 142.2

Place 1 dark tan 1x1 plate behind the ppp.

Step 142.3

Rotate 1 medium nougat 1x4 masonry brick vertically, so that its brick pattern faces to the right. Place its back row on top of the ppp. Place 1 medium nougat 1x1 brick with axle hole in front of the ppp, so that its hole faces to the left and right.

Step 142.4

Rotate 1 medium nougat 1x4 plate vertically. Place its front row on top of the ppp. Lastly, place 1 dark tan 1x1 plate behind the ppp.

Step 143

Place 1 medium nougat 1x2x1 2/3 brick with 2x2 side studs horizontally on the 2 right columns of the front row, so that its side studs face to the front.

Step 144

Rotate 1 dark tan 3x3 corner plate with cut corner so that its right angle faces to the front right. Place its 2 rightmost columns on the front row, on top of the ppp. Then, place 1 dark tan 1x1 tile behind the right column of the ppp. Lastly, place 1 dark tan 1x2 plate with 1x2 side studs hanging down vertically behind the ppp, so that its side studs face to the left. Attach 1 dark tan 1x2 slope tile horizontally upright to the side studs of the ppp, so that it slopes down.

Step 145

Rotate the build of the 4th floor 90 degrees from front to back, so that its wall with 6 windows faces up. Locate 2 tan 1x1 plates with 1x1 upright side studs. Place the first one on the 2nd column from the right on the front row, so that its side stud faces to the front. Take the second one and repeat symmetrically on the left. Rotate 2 tan 1x3 inverted half arches vertically, so that they slope to the back. Place the back row of the first one on top of the ppp. Take the second one and repeat symmetrically on the right. Find 2 tan 1x1 half round tiles. Attach the first one on the rightmost front-facing side stud, so that its curved edge faces up. Take the second one and repeat symmetrically on the left.

Step 146

Place 1 tan 1x4 tile with 2 studs vertically behind each of the 2 tan 1x3 inverted half arches from the previous step. Find 4 tan 1x1 half cylinder bricks. Place the first one on the front row of the rightmost column, so that it slopes to the left and right. Take the second one and repeat symmetrically on the left. Take the remaining 2 and repeat symmetrically on the back. Lastly, grab 2 tan 1x4 half cylinder bricks. Place the first one vertically on the rightmost column, between the 2 tan 1x1 double curved slope tiles. Take the second one and repeat symmetrically on the left.

Group 29 – Daily Bugle's fourth floor (continued)

Step 147.1

Rotate the fourth floor build 90 degrees from back to front. Then, rotate it 180 degrees on the horizontal plane, so that its emergency stairs are to the left.

Now, let's build some office drawers. Place 1 sand blue 2x3x2 container horizontally on the 4th and 5th rows from the front, on the 3rd to 5th columns from the right, so that it stands in front of the wall with windows and its opening faces to the front. Then, insert 2 white drawers into the ppp.

Step 147.2

Place 1 white 1x2 jumper plate vertically on the leftmost column of the drawers. Then, place 1 white 2x2 jumper plate to the right of the ppp.

Step 147.3

Let's build a coffee pot. Place 1 transparent clear minifigure head on top of the ppp. Then, attach 1 black 1x1 plate with clip on top of it, so that its clip faces front left. Attach 1 black fang to the clip of the ppp, so that it curves down.

Step 147.4

Attach 1 red mug to the 1x2 jumper plate, so that its handle faces to the front left.

Step 148.1

Let's build a desk. Rotate 1 tan 4x4 plate with 3x3 curved cutout so that its right angle faces to the back right. Then, attach 1 dark orange 1x1 round brick under its back left, back right, and front right corners.

Step 148.2

Place 1 light bluish gray 1x1 tile with upright clip on the 2nd row from the front on the rightmost column, so that its clip hands face to the left and right. Then, attach 1 transparent light blue book cover vertically to the ppp. We need to apply sticker 22 (a transparent clear screen resembling a computer screen with an open document with the title "SPIDER-MAN IS THE WORST") to the left edge of the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 148.3

Lastly, place 1 pearl gold statue on the 2nd column from the left on the back row. This might represent a journalism trophy that J. Jonah Jameson has won.

Step 148.4

The desk is complete. Place its front right corner on the 6th column from the left on the front row.

Step 149

Place 1 black 2x2 turntable base plate on the 3rd and 4th columns from the left on the 2 front rows. Then, attach 1 light bluish gray 2x2 round turntable plate with bar on top of the ppp. Lastly, place 1 sand blue seat on top of the ppp.

Step 150

Bring back the main build, so that its doors are to the front. Rotate the fourth floor build 180 degrees horizontally, so that its open space faces to the back. Attach the fourth floor to the main build. Make sure that its left, back, and right edges are flush.

Book 3, bag 8

Group 30 – Venomized Captain America

Page 132. Locate 1 dark blue pair of legs with red right boot and black left leg with tendrils, 1 dark blue torso with white spider logo, black symbiote tendrils, black left arm, dark blue right arm, and red hands, and 1 black minifigure head with white eyes, black symbiote tendrils, and light nougat skin patches. Assemble the minifigure. Ask a sighted friend to make sure that the face print is facing the right way. Then, place 1 black helmet with a white "A" letter with dark blue symbiote tendrils on top of the minifigure head. Lastly, put 1 round shield with a white star at the center surrounded with a white and red rings, and black symbiote tendrils into the minifigure's left hand.

Group 31 – Daily Bugle roof

Step 151

Let's build the Daily Bugle's roof. Place 1 dark bluish gray 6x12 plate horizontally in front of you. Find 2 light bluish gray 1x2 inverted half arches. Place the first one horizontally on the 2 left columns of the back row, so that it slopes to the right. Take the second one and repeat symmetrically on the right.

Step 152

Grab 2 light bluish gray 1x4 masonry bricks. Place the first one vertically in front of the right column of the ppp, so that its brick pattern faces to the left. Take the second one and repeat symmetrically on the left.

Step 153

Locate 2 light bluish gray 1x2 log bricks. Place the first one vertically to the right of the 2 front rows of the ppp. Take the second one and repeat symmetrically on the right. Place 2 light bluish gray 1x4 arches horizontally, one to the left of the other, to the left of the front row of the ppp.

Step 154

Find 2 light bluish gray 1x1 bricks with side stud. Place the first one on the front left corner, so that its side stud faces to the front. Take the second one and repeat symmetrically on the right. Then, place 5 light bluish gray 1x2 bricks with side stud horizontally, one to the left of the other, to the left of the ppp, so that their side studs face to the front.

Step 155

Grab 2 dark bluish gray 1x4 plates. Place the first one vertically on the 4 back rows of the leftmost column. Take the second one and repeat symmetrically on the right. Locate 2 dark bluish gray 1x1 round plates. Place the first one to the left of the front row of the ppp. Take the second one and repeat symmetrically on the left.

Step 156

Place 6 dark bluish gray 2x2 plates with 1x2 upright side studs on the 2 front rows, one next to the other, so that their side studs face to the front.

Step 157

Place 3 light bluish gray 1x4 tile with 2 studs horizontally, one to the right of the other, on the front row.

Step 158

Attach 5 dark bluish gray 1x2 jumper plates horizontally upright, one to the right of the other, on the top front-facing side studs, so that together they are centered horizontally.

Step 159

Rotate 4 dark bluish gray 1x2 curved slope tiles vertically upright, so that they slope down. Attach them to the 2nd and 3rd columns from the left and 2nd and 3rd columns from the right of front-facing side studs.

Group 32 – Billboard and final building details

Step 160

Let's make a build for a billboard. Place 1 black 6x12 tile with studs on edges horizontally in front of you, so that its side without studs faces to the back. We need to apply sticker 1 (a billboard with a Daily Bugle ad with the text "LITTERBUG LEAVES WEBS ALL OVER THE CITY" in the center with a white font; to the right, Spider-Man is swinging in one of his webs; at the bottom, a white banner has the text "CAN THE CITY AFFORD IT?" with a black font) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 161

Place 2 red 1x6 tiles horizontally, one to the right of the other, on the front row. Then, place 1 white 1x1 round plate with open stud on the 3rd row from the back on the rightmost column.

Step 162

Find 2 red 1x2 plates with 2x2 upright tiles. Place the 1x2 plate of the first one under the 2 leftmost columns on the front row. Take the second one and repeat symmetrically on the right. Grab 2 red 2x2 inverted curved slope tiles. Rotate the first one so that it slopes to the back. Attach its back row under the 1x2 plate of the ppp. Take the second one and repeat symmetrically on the left.

Step 163

Flip the billboard 90 degrees from back to front, so that it is standing. Attach 1 white web with bar to the 1x1 round plate on the rightmost column.

Step 164

The billboard is complete. Place it on the 2nd and 3rd rows from the front, so that it is centered horizontally.

Step 165

Bring back the main build, so that its doors are to the front. Attach the roof to the main build. Make sure that its left, back, and right edges are flush. Note that from now on, we will not consider the billboard when counting studs (unless explicitly mentioned).

Step 166

Attach 1 black 1x2 plate with open-ended bar on long edge vertically on the 2nd and 3rd rows from the back on the rightmost column, so that its bar faces to the right. Attach 1 black 3x7 ladder with clips to the ppp, so that it is vertically upright above the emergency stairs.

Step 167

Locate 2 dark bluish gray 1x1 plates with 1x1 upright side stud. Attach the first one to the top leftmost front-facing side stud, so that its side stud faces up. Take the second one and repeat symmetrically on the right. Rotate 3 dark bluish gray 1x3 inverted half arches vertically upright, so that their antistuds face to the back and they slope down. Attach the top row of the first 2 to the 2 ppps. Attach the top row of the last one to the front-facing 1x2 jumper plate. Then, attach 1 dark bluish gray 1x1 slope tile to the ppp, so that it slopes down. The building is complete!

Step 168

If you wish, you can insert the axle of any of the 3 transparent clear 1x1 round plates with curved bar and axle into any of the axle holes on the left and right walls of the building. Feel free to orient them in any way you like. You can use these to pose the minifigures.

Step 169

If you wish, you can also attach the news stand to the right side of the building, by inserting the protruding pin and axle into the 2 right-facing holes on the right of the first floor.

We are done with the set! You can pose your minifigures and create all the action scenes that your imagination allows. Feel free to reshuffle the location of the buildings. You can attach them together with the pins, axles, and holes at their bases. Have fun making up the adventures of our Spidey Universe characters.

At the end of the instruction booklet, you will find a page displaying set 76342 (Spider-Man vs Mysterio – The Daily Bugle, this set), a “+” sign, and set 76324 (Spider-Man vs Oscorp), showing how they can be combined to form the corner of a street. In the next page, you will find a page advertising 5 other Spider-man sets. On the left side, we have set 76342 (Spider-Man vs Mysterio: The Daily Bugle, this set), 76338 (Mech Battle: Spider-Man vs. Doc Ock), and 76337 (Miles Morales Mech vs. Spider-Man 2099). On the right side, we have set 76336 (Spider-Man Car vs. Venomized Wolverine) and set 76335 (Spider-Man vs Ghost Rider). The background of this page is dark blue with some shadows resembling skyscrapers. On the left corner, we have the classic LEGO and Marvel logos. Afterwards, you will find the set inventory and on the last page you will find an invitation to share feedback.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!