

76350 Spider-Man vs Hulk Epic Clash

Adapted by Arturo and tested by Peter Durieux.

Swing into Spider-Man: Brand New Day movie action with this Spider-Man vs. Hulk Epic Clash (76350) building toy, a great gift for boys and girls ages 8 years old and up. Kids can play out endless explosive adventures with a cast of LEGO® I Marvel characters including Spider-Man, Tarantula, Scorpion, Boomerang and Hotdog Vendor minifigures, plus a large Hulk figure. Transparent posing sticks attach to the office building walls to enable midair action. Pushing a trigger at the rear causes the front wall to blast apart, revealing the mighty Hulk. Kids then rebuild the wall for new adventures. Smaller builds and accessories that inspire imaginative role play include Spider-Man's web, furniture, construction tools, a reception area, park area and a hotdog vendor's cart, which opens to reveal sausages and bread.

The packaging captures the explosive action of the showdown between Spider-Man and Hulk at the Department of Damage Control building! The front of the box shows a tall gray office building in the middle of a city street, with the mighty Hulk bursting through the front façade and sending wall panels flying outward. At the top of the building, Scorpion is posed with his segmented green tail raised behind him, while Spider-Man swings in from the left on a white web rope, ready to join the fight. Around the building, the other characters are arranged to make the scene feel busy and chaotic: Tarantula appears in his dark red outfit with clawed accessories, Boomerang is shown with his white boomerangs and blue-and-white suit, and the Hotdog Vendor stands near the street-level hotdog cart. The build itself is mostly light bluish gray, with rows of transparent window panels, dark gray trim, tan ledges, reddish-brown interior details, and a large white spider web stretched across one side of the façade. In front of the building, there is also a small park area with a bench, tree, flowers, lamp, and pigeons, while the hotdog cart adds a bright street-scene detail. The background consists of an urban scene, with tall buildings and a blue sky fading behind the action. On the top left corner, we have the classic LEGO and Marvel logos, as well as the set's age rating, number, name, and piece count. In the opposite corner, we have Spider-Man from his chest up in his classic red and blue suit. Above him, you will find the Spider-Man logo. At the bottom right corner, we have the character lineup in the set. These are, from left to right, Spider-Man, Hulk, Boomerang, Tarantula, Scorpion, and the Hotdog Vendor. The left of the box repeats the LEGO and Marvel logos on top of a dark superhero-style background, keeping the same Spider-Man branding and comic-book feel as the front. The back of the box shows the building similarly to the front, but with its façade intact. This time, we have Boomerang jumping on the top left corner, Spider-Man swinging in the top middle, trying to tach Tarantula, who is to his right. At the bottom of the building, the hotdog vendor is hiding behind the building, while Hulk is jumping to fight Scorpion. The right side of the box has the LEGO logo, as well as a warning that states that the set contains small parts and it is therefore not recommended for children younger than 3 years old in other languages. It also has the set's name in different languages. The top of the box has the classic LEGO logo, as well as an image of Spider-Man's minifigure on a 1:1 scale. The bottom of the box is a tidy strip that contains the barcode as well as a few technical bits: the LEGO and Marvel logos, the set number, the recycling instructions for the paper/cardboard elements of the set, and copyright and trademark notices.

The build consists of 534 pieces in total, 6 minifigures, 1 sticker sheet, and is recommended for ages 8+. Once finished, you will have 1 building and two side builds: a park bench and a hotdog cart. The set consists of 6 numbered bags and 1 instruction booklet.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- Hollow stud: a bump on a LEGO brick with a hole, which allows attaching bars.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Left/right wedge parts: these are parts that when placed in front of you and are pointing to the back, their wedge is on the left/right side of the part.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

Additionally, it is worth mentioning that besides the printed visual instructions that come with each kit, a PDF version for the set's instructions is always available online at [\[https://www.lego.com/en-us/service/building-instructions/76350\]](https://www.lego.com/en-us/service/building-instructions/76350). This might help a sighted building partner that may want to follow along or low vision users that may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2, and 3 and put them in one container.

This LEGO set comes with 6 bags labeled 1 through 6 and 1 instruction booklet. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder!

LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Book 1, bag 1 - Spider-Man; DODC building (first floor)

Group 1: page 5

Group 2: steps 1-10

Group 3: steps 11-18

Group 4: steps 19-22

Group 5: steps 23-28

Group 6: steps 29-39

Book 1, bag 2 - Tarantula; DODC building (second floor); Third floor (floor)

Group 7: pages 44-45

Group 8: steps 40-44

Group 9: steps 45-51

Group 10: steps 52-54

Group 11: steps 55-65

Book 1, bag 3 - Third floor; building's ceiling

Group 12: steps 66-72

Group 13: steps 73-78

Group 14: steps 79-85

Group 15: steps 86-96

Group 16: steps 97-98

Book 1, bag 4 - Boomerang; DODC building (façade); building's last wall

Group 17: pages 106-107

Group 18: steps 99-105

Group 19: steps 106-112

Group 20: steps 113-114

Group 21: steps 115-118

Book 1, bag 5 - Scorpion (Mac Gargan); Hulk; Park

Group 22: pages 126-127

Group 23: pages 128-129

Group 24: steps 121-126

Group 25: steps 127-135

Book 1, bag 6 - Hotdog vendor; Hotdog cart

Group 26: page 146

Group 27: steps 136-142

Group 28: steps 143-149

Group 29: steps 150-160

Alright, we are done with sorting. Let's get building!

Building Instructions

Book 1, bag 1:

Group 1 – Spider-Man

Page 5. Locate 1 pair of dark blue hips with molded red boots, 1 red torso with dark blue side panels, black webbing, black spider logo, dark blue arms, and red hands, and 1 red minifigure head with black webbing and large white eyes. Assemble the minifigure. Ask a sighted friend to make sure that the head is oriented properly.

Group 2 – DODC building (first floor)

Step 1

Place 1 dark bluish gray 6x8 plate vertically in front of you. Then, place 1 black 1x4 brick vertically on the back of the left column.

Step 2

Place 1 black 1x2 brick with 2 pin holes vertically in front of the ppp, so that its holes face to the left and right.

Step 3

Rotate 1 black 1x6 brick horizontally. Place it to the right of the front row of the ppp, so that it overhangs to the right by 1 column.

Step 4

Rotate 1 dark bluish gray 6x8 plate vertically. Place its 3rd row from the front on the leftmost column under the overhang of the ppp.

Step 5

Rotate 1 light bluish gray 1x6x5 panel vertically, so that its flat side faces to the right. We need to place sticker 8 (street art with the text "WE BELIEVE MYSTERIO" with Mysterio's silhouette above; a Daily Bugle logo with the picture of JJ Jameson to the right; an ad for Toome's Salvage business, and an ad for "DELMAR'S DELI GROCERY") to the left-facing side of the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly. Then, place it vertically on the back of the leftmost column.

Step 6

Place 1 light bluish gray 1x6 brick horizontally to the right of the front row of the ppp.

Step 7

Rotate 2 transparent clear 1x2x3 panels horizontally, so that their flat side faces to the back. Place the first one on top of the 2 leftmost columns of the ppp. Then, place 1 light bluish gray 1x1x3 brick to the right of the ppp. Lastly, place the second 1x2x3 panel to the right of the ppp.

Step 8

Place 1 light bluish gray 1x1 brick with clip to the right of the ppp, so that its clip faces to the back. Then, stack 2 light bluish gray 1x1 bricks on top of the ppp.

Step 9

Rotate 1 light bluish gray 1x6 brick horizontally. Place its rightmost column on top of the ppp.

Step 10

Place 1 black 1x4x6 door frame horizontally to the right of the ppp, so that its ridge faces to the front. Then, attach 1 transparent clear 4x6 door with stud to the front of the ppp, so that its stud is to the right. Attach 1 light bluish gray 1x1 round plate with open stud to the front-facing side stud of the door. Lastly, apply sticker 1 (which has the text "DEPARTMENT OF DAMAGE CONTROL" at the bottom with light bluish gray text on top of a black background and its initials above it) to the door. Ask a sighed friend to make sure that the sticker is applied and oriented correctly.

Group 3 – DODC building (first floor) (continued)

Step 11

Place 1 tan 1x4 tile horizontally in front of the door. Then, rotate 1 black 1x6 brick horizontally. Place its leftmost column on top of the 3rd row from the front on the rightmost column, so that it overhangs to the right by 5 columns.

Step 12

Rotate 1 dark bluish gray 6x8 plate vertically. Place its 3rd row from the front on the 1st to the 5th columns from the left under the overhang of the ppp.

Step 13

Rotate 1 black 1x2 brick with 2 pin holes vertically. Place its front row to the right of the ppp. Then, insert 1 black 2L technic pin to the front hole of the ppp, so that it protrudes to the right by 1L. Continue by inserting 1 blue 1L technic pin with 1L axle to the back hole, so that its axle protrudes to the right.

Step 14

Place 1 black 1x4 brick vertically behind the 1x2 brick from the previous step.

Step 15

Place 1 light bluish gray 1x6 brick horizontally on the 3rd row from the front on the 3rd to 8th columns from the right.

Step 16

Place 1 light bluish gray 1x1 brick with clip on top of the leftmost column of the ppp, so that its clip faces to the back. Then, stack 2 light bluish gray 1x1 bricks on top of the ppp.

Step 17

Rotate 2 transparent clear 1x2x3 panels horizontally, so that their flat side faces to the back. Place the first one to the right of the ppp. Then, place 1 light bluish gray 1x1x3 brick to the right of the ppp. Lastly, place the second 1x2x3 panel to the right of the ppp.

Step 18

Rotate 1 light bluish gray 1x6 brick horizontally. Place its 2 rightmost columns on top of the ppp.

Group 4 – DODC building (first floor) (continued)

Step 19

Rotate the build 180 degrees on the horizontal plane, so that the door is to the back. Place 1 light bluish gray 1x1x5 brick on the front row on the 2nd column from the right. Then, place 1 dark red 1x8 tile horizontally to the left of the ppp.

Step 20.1

We need to make a small sub-build for a weapons rack. Place 1 dark red 1x2 log brick horizontally in front of you. Then, place 1 red 1x2 brick with side studs horizontally on top of the ppp, so that its side studs face to the front.

Step 20.2

Place 1 dark red 1x2 grille tile on top of the ppp.

Step 20.3

Find 2 pearl dark gray stud shooters. Attach the handle of the first one to the left front-facing side stud, so that its open end faces front up. Take the second one and repeat symmetrically to the right. Then, insert 1 dark bluish gray trigger horizontally into the slot of each of the 2 ppps, so that its thicker tab is to the bottom.

Step 20.4

The sub-build is complete. Place the weapons rack on the 4th and 5th columns from the right on the 5th row from the front, in front of the window.

Step 21

Place 1 dark red 1x1 plate 2 columns to the left of the weapon rack. Place 1 light bluish gray 1x1 round plate with open stud on top of the ppp. Insert 1 transparent blue 3L bar vertically upright into the ppp, so that it also attaches to the front-facing clip above it. Continue by attaching 1 light bluish gray 1x1 round plate with open stud onto the ppp, so that it stays on the top. Lastly, place 1 transparent red 1x1 dome top on top of the ppp.

Step 22

Place 1 dark red 1x1 plate on the 7th column from the left on the 5th row from the front. Place 1 light bluish gray 1x1 round plate with open stud on top of the ppp. Insert 1 transparent blue 3L bar vertically upright into the ppp, so that it also attaches to the front-facing clip above it. Continue by attaching 1 light bluish gray 1x1 round plate with open stud onto the ppp, so that it stays on the top. Lastly, place 1 transparent green 1x1 dome top on top of the ppp.

Group 5 – DODC building (first floor) (continued)

Step 23

Grab 2 dark red 1x2 log bricks. Place the first one horizontally on the 7th and 8th columns from the left on the front row, to the left of the 1x8 tile. Place the second one vertically on the 4th column from the left on the 4th and 5th rows from the front.

Step 24

Rotate 1 red 4x4 curved tile so that its long curved edge faces to the back right. Place its leftmost column on top of the front row of the ppp. Its rightmost column should be on top of the leftmost column of the other 1x2 log brick from the previous step.

Step 25

Locate 2 red 1x2 rounded plates. Rotate the first one vertically. Place its back row to the right of the front row of the ppp, so that it overhangs to the back by 1 row. Rotate the second one horizontally. Place its rightmost column behind the leftmost column of the 4x4 curved tile, so that it overhangs to the left by 1 column.

Step 26

Find 2 black 1x3 rounded plates. Rotate the first one vertically. Place its back row on top of the rightmost column of the ppp, so that it overhangs to the front by 1 row. Note that for the rest of the instructions, we will not consider this overhang when counting rows. Rotate the second one horizontally. Place its 2 rightmost columns on top of the front row on the 7th and 8th columns from the left, so that it overhangs to the left by 1 column.

Step 27

Grab 2 light bluish gray 1x1 round plates with open stud. Place the first one on the front-facing overhang of the 1x2 round plate. Place the second one on top of the overhang located on the 3rd column from the left on the 5th row from the front. Rotate 1 light bluish gray 6x6 quarter cone slope tile, so that its long curved edge faces to the back right. Place its leftmost and rightmost columns on top of the 2 ppps.

Then, place 1 black 1x2 tile with keyboard pattern vertically on top of the overhang located on the front row on the 6th column from the left. Lastly, insert 1 black droid arm vertically upright on top of the overhang located on the 3rd row from the front on the 4th column from the left, so that its arms face to the front and back.

Step 28

Attach 1 transparent blue book cover horizontally to the ppp. Then, we need to place sticker 2 (a computer screen with the text "ALERT" in red) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Group 6 – DODC building (first floor) (continued)

Step 29

Place 1 light bluish gray 1x6x5 panel vertically on the front of the leftmost column, so that its flat edge faces to the right. We need to place stickers 2 (Spider-Man's logo) and 6 (a black scorpion) to the left-facing edge of the ppp. Ask a sighted friend to make sure that the stickers are applied and oriented correctly.

Step 30

Place 1 light bluish gray 1x1x5 brick to the right of the front row of the ppp.

Step 31

Rotate 1 light bluish gray 1x16 brick horizontally. Place its leftmost column on top of the ppp.

Step 32

Place 3 light bluish gray 6x6 plates, one to the right of the other, on top of the 6 front rows (i.e., on top of the first floor of the building).

Step 33

Locate 2 light bluish gray 1x6 bricks. Place the first one vertically on the front of the leftmost column. Take the second one and repeat symmetrically on the right.

Step 34

Rotate the build 180 degrees on the horizontal plane, so that its door is to the front. Find 2 flat silver 1x2 grille tiles. Place the first one on the 2nd row from the front on the 3rd and 4th columns from the left. Take the second one and repeat symmetrically on the right. Then, grab 2 black 1x2 curved slope bricks. Place the first one horizontally on the 2nd row from the front on the 6th and 7th columns from the left (to the left on the 1x4 tile), so that it slopes to the front. Take the second one and repeat symmetrically on the right.

Step 35

Grab 2 dark bluish gray 1x4 bricks with side studs. Place the first one on the 3rd row from the front on the 2nd to 5th columns from the left. Take the second one and repeat symmetrically on the right.

Step 36

Locate 2 dark bluish gray 1x1 bricks. Place the first one to the left of the ppp. Take the second one and repeat symmetrically on the left.

Step 37

Place 3 tan 2x2 inverted slope bricks, one to the right of the other, to the right of the ppp, so that they slope to the front.

Step 38

Rotate 2 tan 1x6 plates horizontally upright. Grab the first one and attach its 4 center columns to the 4 front-facing side studs on the left of the building. Take the second one and repeat symmetrically on the right.

Step 39

Rotate 6 dark bluish gray 1x2 curved slope tiles so that they are vertically upright and they slope down. Place the top row of the first three on the 1st, 3rd, and 5th columns from the left of front-facing side studs. Take the remaining 3 and repeat symmetrically on the right.

Book 1, bag 2:

When beginning with this bag, the main building should be horizontally in front of you, with its door on the front.

Group 7 – Tarantula

Pages 44-45. Locate 1 dark red pair of legs with silver belt buckle, knee pads and black boots and 1 dark red torso with straps with silver buckles, dark red arms, and black hands. Assemble the minifigure. Then, attach 1 black bandana to the minifigure's neck, so that it faces to the front. Continue by attaching 1 black head with mask, dark bluish gray eye holes, and knot on the back to the minifigure's neck. Ask a sighted friend to make sure that the head is oriented properly. Then, put 1 black claw into each of the minifigure's hands. Optionally, you can attach 1 black 1x1 round plate with open stud to each of the minifigure's feet as well as 1 black claw to each of the 2 ppps, so that the claws face to the front. Note that if you do so, you will not be able to stand the minifigure.

Group 8 – DODC building (second floor)

Step 40

Find 2 tan 1x3 plates. Place the first one vertically on the back of the leftmost column. Take the second one and repeat symmetrically on the right. Grab 2 tan 3x3 corner plates. Rotate the first one so that its straight angle faces front right. Place its rightmost column in front of the ppp. Take the second one and repeat symmetrically to the left. Locate 2 tan 1x2 jumper plates. Place the first one horizontally to the right of the front row of the ppp. Take the second one and repeat symmetrically on the right. Lastly, place 1 tan 1x8 tile horizontally to the left of the ppp.

Step 41

Place 2 tan 1x2 jumper plates horizontally, one to the right of the other, in front of the ppp, so that together they are centered horizontally.

Step 42

Find 2 tan 1x1 plates. Place the first one to the left and the second one to the right of the 2 ppps. Then, place 1 light bluish gray 1x1 pyramid tile on top of each of the 2 ppps.

Step 43

Rotate 1 light bluish gray 1x6x5 panel vertically, so that its flat side faces to the left. We need to place sticker 7 (a black spider) to the right-facing side of the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly. Then, place it vertically on the back of the rightmost column.

Step 44

Place 1 light bluish gray 1x2 brick with technic axle hole horizontally to the left of the front row of the ppp. Then, place 1 transparent clear 1x2x3 panel horizontally on top of the ppp, so that its flat edge faces to the back. Lastly, place 1 light bluish gray 1x2 masonry brick horizontally on top of the ppp, so that its brick pattern faces to the front.

Group 9 – DODC building (second floor) (continued)

Step 45

Rotate the build 180 degrees on the horizontal plane, so that its door is to the back. Place 1 reddish brown 1x4 brick vertically on the 2nd column from the left on the 2nd to 5th rows from the front. Then, place 4 reddish brown 1x1 plates with clip on top of the ppp, one in front of the other, so that their clips face to the right. Lastly, place 1 reddish brown 1x4 tile vertically on top of the 4 ppps.

Step 46

Attach 1 saw, 1 hammer, 1 shovel, and 1 broom vertically upright to each of the 4 clips from the previous step. Make sure that they are oriented horizontally, to make them fit easier in the rack.

Step 47

Place 1 light bluish gray 1x1x5 brick on the 2nd column from the left on the front row.

Step 48

Place 1 red 1x3 tool box horizontally on the 5th to 7th columns from the left on the 5th row from the front. Then, place 1 light bluish gray 1x1 tile with upright clip 3 columns to the right, so that its clip hands face front and back. Lastly, attach 1 black crowbar horizontally to the ppp.

Step 49

Find 2 light bluish gray 1x1 tiles with upright clips. Place the first one on the 5th column from the left on the 2nd row from the front, so that it is rotated 45 degrees and its clip hands face to the back right and front left. Place the 2nd one on the 4th column from the right on the 3rd row from the front, so that it is also rotated 45 degrees and its clip hands face to the back right and front left.

Grab 2 orange 1x2 rounded plates with open studs. Place the first one vertically on the 8th column from the left on the 2nd and 3rd rows from the front. Place the second one vertically on the 6th column from the right on the 2nd and 3rd rows from the front. These will be the couch legs from the couch in the next step.

Step 50.1

Let's make a build for a couch. Place 3 dark red 1x2 plates with 2x2 upright side studs horizontally in front of you, one to the right of the other, so that their side studs face to the back.

Step 50.2

Attach 1 orange 2x6 tile horizontally upright to the back-facing side stud from the 3 ppps.

Step 50.3

Place 1 orange 2x2 tile with studs on the 2 leftmost columns, so that its studs are to the front and it overhangs to the front by 1 row.

Step 50.4

Place 2 orange 2x2 tiles with studs to the right of the ppp, one to the right of the other, so that their studs are to the front and they overhang to the front by 1 row.

Step 50.5

Place 1 dark red 1x6 plate under the overhanging front row.

Step 50.6

Rotate the couch 180 degrees on the horizontal plane so that its exposed studs are to the back. Place it on top of the couch legs located on the 8th column from the left and the 6th column from the right on the 2nd and 3rd rows from the front.

Step 51

Attach 1 dark bluish gray pickaxe to the rotated 1x1 tile with upright clip located on the 5th column from the left on the 2nd row from the front, so that its head faces to the front right. Then, slide 1 medium azure 1x1 round brick onto 1 light bluish gray paint roller handle. Next, attach the handle to the 1x1 tile with upright clip located on the 4th column from the right on the 3rd row from the front, so that the paint roller faces to the front right.

Group 10 – DODC building (second floor) (continued)

Step 52

Place 1 light bluish gray 1x6x5 panel vertically on the front of the rightmost column, so that its flat side faces to the left.

Step 53

Place 1 light bluish gray 1x1 brick to the left of the front row of the ppp. Then, stack 3 medium azure 1x1 bricks on top of the ppp. Lastly, place 1 light bluish gray 1x1 brick on top of the ppp.

Step 54

Rotate the build 180 degrees on the horizontal plane, so that its door is to the front. Place 1 light bluish gray 1x2 brick with technic axle hole horizontally on the 1x2 jumper plate located on the 2nd and 3rd columns from the left on the 3rd row from the front (on the second row from the front of the second floor, considering the overhang above the door). Then, place 1 transparent clear 1x2x3 panel horizontally on top of the ppp, so that its flat edge faces to the back. Lastly, place 1 light bluish gray 1x2 masonry brick horizontally on top of the ppp, so that its brick pattern faces to the front.

Put the main build to the side for now. Make sure it keeps the same orientation.

Group 11 – Third floor (floor)

Step 55

Let's make a build for the second floor's ceiling/third floor's floor. Place 1 dark bluish gray 1x16 technic brick with holes horizontally in front of you. Then, rotate 1 reddish brown 4x4 plate with cut corner so that its right angle faces to the back left. Place its back row on top of the 4 leftmost columns on the ppp.

Step 56

Rotate 1 reddish brown 4x4 plate with cut corner so that its right angle faces to the back right. Place it to the right of the ppp.

Step 57

Grab 2 reddish brown 4x4 plates with cut corner and repeat symmetrically on the right.

Step 58

Place 1 light bluish gray 2x12 plate horizontally on the 2 back rows, so that it is centered horizontally.

Step 59

Place 1 light bluish gray 2x3 pentagonal tile vertically in front of the 2 center columns of the ppp, so that it points to and it overhangs slightly to the front. Then, locate 2 light bluish gray 2x2 triangular tiles. Rotate the first one so that its right angle faces to the back right. Place it to the left of the ppp. Take the second one and repeat symmetrically on the right.

Step 60

Place 1 light bluish gray 2x3 pentagonal tile vertically on the 2 back rows, so that it is centered horizontally and it points to the front. Then, locate 2 tan 1x2 jumper plates. Place the first one horizontally to the left of the back row of the ppp. Take the second one and repeat symmetrically on the right.

Step 61

Find 2 light bluish gray 2x2 triangular tiles. Rotate the first one so that its right angle faces to the back left. Place it in front of the ppp. Take the second one and repeat symmetrically on the left. Then, grab 2 flat silver 1x2 grille tiles. Place the first one vertically on the 2 back rows on the 5th column from the left. Take the second one and repeat symmetrically on the right.

Step 62

Grab 2 light bluish gray 1x6 plates. Place the first one vertically on the 2nd column from the left, so that it overhangs to the front by 2 rows. Take the second one and repeat symmetrically on the right.

Step 63

Locate 2 light bluish gray 2x6 plates. Place the first one to the right of the ppp, so that it overhangs to the right by 1 column. Take the second one and repeat symmetrically on the left.

Step 64

Insert 1 light bluish gray 7L axle to the back of the 4th hole from the left of the 1x16 technic brick, so that the axle protrudes to the front and back. Then, attach 1 light bluish gray 2L axle connector to the front of the ppp. Lastly, attach 1 lime joint ball to the back of the 7L axle.

Step 65

The sub-build is complete. Bring back the main build, which should be horizontal and with its door to the front. Place the sub-build horizontally on top of the 2nd floor, so that it is centered horizontally.

Book 1, bag 3:

When beginning with this bag, the main building should be horizontally in front of you, with its door on the front.

Group 12 – Third floor

Step 66

Find 2 light bluish gray 1x6 bricks. Place the first one vertically on the back of the leftmost column. Take the second one and repeat symmetrically on the right. Locate 2 light bluish gray 1x2 masonry bricks. Place the first one horizontally to the left of the front row of the ppp, so that its brick pattern faces to the front. Take the second one and repeat symmetrically on the left.

Step 67

Grab 2 tan 3x3 corner plates. Rotate the first one so that its right angle faces to the front left. Place its 2 rightmost columns on top of the ppp. Take the second one and repeat symmetrically on the right. Locate 2 tan 1x3 plates. Place the first one vertically behind the ppp. Take the second one and repeat symmetrically on the left.

Step 68

Place 1 light bluish gray 1x6x5 panel vertically on the back of the rightmost column, so that its flat side faces to the left.

Step 69

Find 1 light bluish gray 1x6x5 panel and repeat symmetrically on the left. We need to place sticker 5 (a text saying "SPIDEY WAS HERE" in black with the drawing of a small spider next to it) to the left side of the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 70

Place 1 light bluish gray 1x1 tile with upright clip on the 3rd column from the left on the 2nd row from the back, so that it is rotated approximately 45 degrees and its clip hands face to the back left and to the front right. Then, attach 1 black 1x2 plate with handle on short edge vertically upright to the ppp, so that its studs face to the front left. Lastly, rotate 1 tan 3x3 corner plate upright, so that its right angle faces up right. Attach its 2 bottom rows to the ppp, so that it overhangs up by 1 row.

Step 71

Grab 1 light bluish gray 1x1 tile with upright clip, 1 black 1x2 plate with handle on short end, and 1 tan 3x3 corner plate. Repeat the previous step symmetrically on the right.

Step 72

Locate 2 light bluish gray 1x2 bricks with technic axle hole. Place the first one horizontally on the 6th row from the back on the 2nd and 3rd columns from the left. Take the second one and repeat symmetrically on the right. Then, place 1 transparent clear 1x2x3 panel horizontally on top of each of the 2 ppps, so that their flat edges face to the back. Lastly, place 1 light bluish gray 1x2 masonry brick horizontally on top of each of the 2 ppps, so that their brick patterns face to the front.

Group 13 – Third floor (continued)

Step 73

Rotate the build 180 degrees on the horizontal plane, so that its door is to the back. Find 2 light bluish gray 1x1x5 bricks. Place the first one on the 2nd column from the left on the front row. Take the second one and repeat symmetrically on the right. Grab 2 dark bluish gray 1x3 inverted slope bricks. Place the first one on top of the ppp, so that it slopes to the left. Take the second one and repeat symmetrically on the right.

Step 74.1

We need to make a small sub-build. Place 1 reddish brown 4x4 plate with cut corner in front of you, so that its right angle faces to the front left. Then, place 1 light bluish gray 1x6 plate vertically on the second column from the left, so that it overhangs to the back by 2 rows.

Step 74.2

Place 1 light bluish gray 2x6 plate vertically to the left of the ppp.

Step 74.3

Rotate 1 light bluish gray 2x6 brick vertically. Place its leftmost column on top of the rightmost column of the ppp.

Step 74.4

The sub-build is complete. Place its front row on the left of the front row of the building, so that it overhangs to the right by 1 column.

Step 75.1

We need a symmetrical small sub-build. Place 1 reddish brown 4x4 plate with cut corner in front of you, so that its right angle faces to the front right. Then, place 1 light bluish gray 1x6 plate vertically on the second column from the right, so that it overhangs to the back by 2 rows.

Step 75.2

Place 1 light bluish gray 2x6 plate vertically to the right of the ppp.

Step 75.3

Rotate 1 light bluish gray 2x6 brick vertically. Place its rightmost column on top of the leftmost column of the ppp.

Step 75.4

The sub-build is complete. Place its front row on the right of the front row of the building, so that it overhangs to the left by 1 column.

Step 76

Locate 2 light bluish gray 1x6 bricks. Place the first one vertically on the front of the leftmost column, to the left of the 2x6 brick. Take the second one and repeat symmetrically on the right.

Step 77

Find 6 tan 2x2 plates. Place the first 3 on the front of the 2 leftmost columns, one in front of the other. Take the remaining 3 and repeat symmetrically on the right. Grab 2 tan 1x1 plates. Place the first one on the 2nd column from the right on the 6th row from the front. Take the second one and repeat symmetrically on the left.

Step 78

Locate 2 dark bluish gray 1x6 tiles. Place the first one vertically on the front of the leftmost column. Take the second one and repeat symmetrically on the right.

Group 14 – Third floor (continued)

Step 79

Place 1 light bluish gray 1x1 tile with upright clip on the 4th column from the left on the 2nd row from the front, so that its clip hands face to the left and right. Then, attach 1 black 1x2 plate with handle on short edge to the ppp, so that its studs face up and it faces up right. Lastly, attach 1 tan 1x3 plate vertically to the rightmost column of the ppp, so that it overhangs to the front and to the back by 1 row. Then, rotate it slightly clockwise.

Step 80

Place 1 light bluish gray 1x1 tile with upright clip on the 4th column from the right on the 2nd row from the front, so that its clip hands face to the left and right. Then, attach 1 black 1x2 plate with handle on short edge to the ppp, so that its studs face up and it faces up left. Continue by rotating 1 dark bluish gray 1x8 plate horizontally. Then, place its 2 rightmost columns on top of the ppp. Lastly, place 1 tan 1x3 plate vertically on the 3rd column from the left of the ppp, so that it overhangs to the front and to the back by 1 row.

Step 81

Place 1 light bluish gray 1x1 tile with upright clip on the 3rd column from the left on the 3rd row from the front, so that its clip hands face to the left and right. Then, attach 1 black 1x2 plate with handle on short edge to the ppp, so that its studs face up and it faces up right. Lastly, attach 1 tan 1x3 plate vertically to the rightmost column of the ppp, so that it overhangs to the front and to the back by 1 row. Then, rotate it slightly counterclockwise.

Place 1 light bluish gray 1x1 tile with upright clip on the 3rd column from the right on the 3rd row from the front, so that its clip hands face to the left and right. Then, attach 1 black 1x2 plate with handle on short edge to the ppp, so that its studs face up and it faces up left. Lastly, attach 1 tan 1x3 plate vertically to the leftmost column of the ppp, so that it overhangs to the front and to the back by 1 row. Then, rotate it slightly anticlockwise.

Step 82

Rotate the building 180 degrees on the horizontal plane, so that its door is to the front. Find 2 light bluish gray 1x1 bricks. Place the first one on the back row on the 2nd column from the left. Take the second one and repeat symmetrically on the right. Grab 2 light bluish gray 1x4 masonry bricks. Place the first one vertically in front of the ppp, so that its brick pattern faces to the right. Take the second one and repeat symmetrically on the left. Rotate 2 light bluish gray 1x2 bricks with technic axle hole horizontally. Place its leftmost column in front of the ppp. Take the second one and repeat symmetrically on the right.

Step 83

Locate 2 light bluish gray 1x2x3 bricks. Place the first one vertically on the 2 back rows on the 2nd column from the left. Take the second one and repeat symmetrically on the right. Find 2 transparent clear 1x2x3 panels. Place the first one vertically in front of the ppp, so that its flat edge faces to the left. Take the second one and repeat symmetrically on the left.

Step 84

Grab 6 light bluish gray 2x2 corner bricks. Rotate 3 of them so that they resemble an H in Braille and stack them one on top of the other. Place their leftmost column in front of the ppp. Take the remaining 3 and repeat symmetrically on the right.

Step 85

Locate 2 light bluish gray 1x2 masonry bricks. Place the first one horizontally on top of the front row of the ppp, so that its brick pattern faces to the front. Take the second one and repeat symmetrically on the right. Find 2 light bluish gray 1x4 masonry bricks. Place the first one vertically behind the left column of the ppp, so that its brick pattern faces to the left. Take the second one and repeat symmetrically on the right.

Group 15 – building's ceiling

Step 86

Let's make a build for the building's ceiling. Place 1 light bluish gray 1x16 brick horizontally in front of you.

Step 87

Rotate 1 light bluish gray 4x8 plate horizontally. Place its back row on top of the ppp, so that it is centered horizontally and it overhangs to the front by 3 rows.

Step 88

Grab 2 light bluish gray 2x3 step plates. Rotate the first one vertically, so that its elevated 2x2 plate is to the back. Place its 2 back rows to the left of the 2 back rows of the ppp. Take the second one and repeat symmetrically on the right.

Step 89

Place 1 light bluish gray 2x12 plate horizontally on the 2 back rows, so that it is centered horizontally.

Step 90

Locate 2 black 1x1 tiles. Place the first one on the rightmost column of the front row. Take the second one and repeat symmetrically on the left.

Step 91

Find 2 reddish brown 1x2 inverted slope bricks. Place the first one vertically to the right of the ppp, so that it slopes to the front. Take the second one and repeat symmetrically on the right.

Step 92

Place 1 light bluish gray 2x3 pentagonal tile vertically on the 2 front rows, so that it is centered horizontally, it points to the front, and its tip overhangs to the front.

Step 93

Grab 2 light bluish gray 1x4 plates. Place the first one horizontally to the left of the back row of the ppp. Take the second one and repeat symmetrically on the right. Rotate 1 light bluish gray 2x4 right wedge plate horizontally, so that it points to the right. Place it in front of the ppp. Then, locate 1 light bluish gray 2x4 left wedge plate and repeat symmetrically on the left.

Step 94

Find 2 sand green 2x2 slope bricks. Place the first one on the 2 back rows on the 7th and 8th columns from the left, so that it slopes to the left. Take the second one and repeat symmetrically on the right.

Step 95

Place 1 sand green 2x2 brick on top of the 2 ppps. Then, place 1 sand green 2x2 slope brick on top of the ppp, so that it slopes to the back. We need to apply sticker 9 (a graffiti with the text "BOOMERANG!" on it) to the ppp. Ask a sighted friend to make sure that the sticker is placed and oriented correctly. Lastly, place 1 tan 1x2 jumper plate horizontally on top of the ppp.

Step 96

The building's ceiling sub-build is complete. Place its back row on top of the back row of the building, so that it is centered horizontally.

Group 16 – building's ceiling (continued)

Step 97

Place 1 light bluish gray 2x6 plate vertically on the back of the 2nd and 3rd columns from the left. Then, place 1 dark bluish gray 1x6 tile vertically on the left column of the ppp. Continue by placing 1 light bluish gray 1x6 brick vertically to the right of the ppp. Then, place 2 tan 1x3 plates vertically, one in front of the other, on top of the ppp. Lastly, place 1 dark bluish gray 1x6 tile vertically on top of the 2 ppps.

Step 98

Place 1 light bluish gray 2x6 plate vertically on the back of the 2nd and 3rd columns from the right. Then, place 1 dark bluish gray 1x6 tile vertically on the right column of the ppp. Continue by placing 1 light bluish gray 1x6 brick vertically to the left of the ppp. Then, place 1 tan 1x3 plate vertically on top of the 3 front rows of the ppp. Next, place 1 light bluish gray 1x1 round plate with handle behind the ppp, so that its handle faces to the right. Place 1 tan 1x2 jumper plate vertically behind the ppp. Lastly, place 1 dark bluish gray 1x6 tile vertically on top of the 3 ppps.

Book 1, bag 4:

When beginning with this bag, the main building should be horizontally in front of you, with its door on the front.

Group 17 – Boomerang

Pages 106-107. Locate 1 dark blue pair of legs with black trim and silver boot tips and 1 dark blue torso with white flight suit with straps, black belt, dark blue arms, and white hands. Assemble the minifigure. Then, attach 1 transparent clear neck bracket with 2 studs to the minifigure's neck, so that its studs face to the back. Continue by attaching 1 dark blue minifigure head with light blue visor over light nougat face to the minifigure's neck. Ask a sighted friend to make sure that the head is oriented properly. Lastly, find 2 white boomerangs. Attach the first one to its left back-facing side stud, so that the boomerang's arms face to the top left and to the bottom left. Take the remaining one and repeat symmetrically on the right.

Group 18 – DODC building (façade)

Step 99

We need to build 3 identical segments of the DODC building's façade. You can choose to build them simultaneously or one at a time. Let's begin with the first one. Place 1 light bluish gray 1x12 brick horizontally in front of you. Then, locate 2 light bluish gray 1x1x3 bricks. Place the first one the leftmost column of the ppp. Take the second one and repeat symmetrically on the right.

Step 100

Find 2 transparent clear 1x2x3 panels. Place the first one horizontally to the left of the ppp, so that its flat edge faces to the back. Take the second one and repeat symmetrically on the left. Grab 2 light bluish gray 1x1x3 bricks. Place the first one to the right of the ppp. Take the second one and repeat symmetrically on the right.

Step 101

Place 1 light bluish gray 1x12 brick horizontally on top.

Step 102

Locate 2 light bluish gray 1x4 plates. Place the first one vertically on top of the leftmost column, so that it overhangs to the back by 3 rows. Take the second one and repeat symmetrically on the right. Place 1 light bluish gray 2x4 right wedge plate horizontally to the left of the 2 front rows of the ppp, so that it points to the left. Take 1 light bluish gray 2x4 left wedge plate and repeat symmetrically on the left. Then, place 1 light bluish gray 1x2 right wedge tile vertically to the right of the ppp, so that it points and it overhangs slightly to the back. Lastly, place 1 light bluish gray 1x2 left wedge tile vertically to the right of the ppp, so that it points and it overhangs slightly to the back.

Step 103

Place 1 light bluish gray 1x12 brick horizontally on top of the front row.

Step 104

Place 1 tan 1x8 tile horizontally on top of the ppp, so that it is centered horizontally. Locate 2 tan 1x2 jumper plates. Place the first one horizontally to the left of the ppp. Take the second one and repeat symmetrically on the right.

Step 105

The first façade segment is complete. If you chose to build them separately, build 2 more by repeating steps 99 to 104. Then, place them one on top of the other, so that their front faces are flush with each other. Be careful, since the connection between them is on purpose not very strong. Place the façade's front row on top of the 3rd row from the front (the front row of the building), so that it is centered horizontally. They should cover the complete front face of the building.

Group 19 – building's last wall

Step 106

Let's continue by building the building's last wall. Place 1 light bluish gray 1x4 masonry brick horizontally in front of you, so that its brick pattern faces to the front. Then, place 1 transparent clear 1x2x3 panel horizontally on top of the ppp, so that it is centered horizontally and its flat edge faces to the back.

Step 107

Place 1 light bluish gray 1x2 masonry brick on top of the ppp, so that its brick pattern faces to the front.

Step 108

Find 2 light bluish gray 1x1x3 bricks. Place the first one to the left of the ppp. Take the second one and repeat symmetrically on the right. Grab 2 light bluish gray 1x1 bricks with lip and side stud. Place the first one on top of the ppp, so that its side stud faces to the right. Take the second one and repeat symmetrically on the left.

Step 109

Place 1 light bluish gray 1x4 masonry brick horizontally on top, so that its brick pattern faces to the front.

Step 110

Place 2 light bluish gray 1x2 plates with clip on long edge horizontally, one to the right of the other, on top of the ppp, so that their clips face to the front.

Step 111

Place 1 tan 1x4 plate horizontally on top of the 2 ppps.

Step 112

Locate 2 light bluish gray 1x1 slope tiles. Attach the first one to the right-facing side stud, so that it slopes to the front. Take the second one and repeat symmetrically on the left.

Group 20 – building's last wall (continued)

Step 113

Place 1 light bluish gray 1x4 masonry brick horizontally on top, so that its brick pattern faces to the front. Then, place 1 transparent clear 1x2x3 panel horizontally on top of the ppp, so that it is centered horizontally and its flat edge faces to the back. Continue by placing 1 light bluish gray 1x2 masonry brick on top of the ppp, so that its brick pattern faces to the front.

Next, find 2 light bluish gray 1x1x3 bricks. Place the first one to the left of the ppp. Take the second one and repeat symmetrically on the right. Grab 2 light bluish gray 1x1 bricks with lip and side stud. Place the first one on top of the ppp, so that its side stud faces to the right. Take the second one and repeat symmetrically on the left.

Continue by placing 1 light bluish gray 1x4 masonry brick horizontally on top, so that its brick pattern faces to the front. Then, place 1 light bluish gray 1x4 plate horizontally on top of the ppp. Place 1 tan 1x4 plate horizontally on top of the ppp.

Lastly, locate 2 light bluish gray 1x1 slope tiles. Attach the first one to the right-facing side stud, so that it slopes to the front. Take the second one and repeat symmetrically on the left.

Step 114

Attach the bar of 1 white spider-web to the front-facing clips, so that its web is above them.

Group 21 – building's last wall (continued)

Step 115

Place 1 light bluish gray 1x4 masonry brick horizontally on top, so that its brick pattern faces to the front. Then, place 1 transparent clear 1x2x3 panel horizontally on top of the ppp, so that it is centered horizontally and its flat edge faces to the back. Continue by placing 1 light bluish gray 1x2 masonry brick on top of the ppp, so that its brick pattern faces to the front.

Next, find 2 light bluish gray 1x1x3 bricks. Place the first one to the left of the ppp. Take the second one and repeat symmetrically on the right. Grab 2 light bluish gray 1x1 bricks with lip and side stud. Place the first one on top of the ppp, so that its side stud faces to the right. Take the second one and repeat symmetrically on the left.

Continue by placing 1 light bluish gray 1x4 masonry brick horizontally on top, so that its brick pattern faces to the front. Then, place 1 dark bluish gray 1x4 tile horizontally on top of the ppp.

Lastly, locate 2 light bluish gray 1x1 slope tiles. Attach the first one to the right-facing side stud, so that it slopes to the front. Take the second one and repeat symmetrically on the left.

Step 116

The building's last wall is complete. Place it horizontally on top of the 2 tan 1x2 jumper plates exposed above the building's door, located in the middle the 2nd row from the front.

Step 117

Attach one of the connectors of 1 white 21L web rope to the up right corner of the web piece. Attach the second connector to the right-facing handle located on the 3rd column from the right on the 3rd row from the back.

Step 118

Attach 1 black 8L antenna to the 1x2 jumper plate located on the middle of the 2nd row from the back.

Book 1, bag 5:

Group 22 – Scorpion (Mac Gargan)

Pages 126-127 (step 119). Locate 1 dark green pair of legs with dark bluish gray hips and bright green armor plates and 1 dark green torso with bright green armor plates, dark green arms, and black hands. Assemble the minifigure. Then, attach 1 dark green jet pack with stud to the minifigure's neck, so that its stud faces to the back. Next, attach 1 medium tan head with left eyebrow scar to the minifigure's neck. Ask a sighted friend to make sure that the head is oriented properly.

We need to assemble Scorpion's tail. Hold 1 black horn horizontally upright, so that it curves to the bottom and to the back and its bar faces to the front. Then, slide the hole of 1 dark green bar holder with handle, so that its handle faces to the front and it is horizontal.

We need to assemble 3 identical sub-builds. You can choose if you want to assemble them simultaneously or one at a time. Let's begin with the first one. Hold 1 green mechanical claw horizontally upright, so that its bar faces to the front and its arms face up and down. Then, slide 1 dark bluish gray technic bushing onto the front-facing bar. Lastly, slide 1 dark green bar holder with handle in front of the ppp, onto the front-facing bar, so that its handle faces to the front and is horizontal. If you chose to assemble the sub-builds separately, assemble 2 more. Bring back the tail, so that its horn curves to the bottom and to the back and its handle faces to the front and it is horizontal. Then, connect the 3 sub-builds to the tail, one in front of the other, so that it ends with one horizontal bar in front.

Bring back the minifigure, so that its pack's stud faces to the back. Then, attach 1 dark green 1x1 tile with upright clip to said stud, so that the clip's hands face up and down. Attach the front-facing handle of the tail to the ppp. You can pose the tail as you wish, but for now, curve it forward, so that its black horn faces to the front and to the top.

Group 23 – Hulk

Pages 128-129 (step 120). Place 1 olive green giant body with reddish brown pants in front of you. Locate 2 blue 1L axles with pin. Insert the pin of the first one into the left-facing pin hole of the giant body, so that its axle protrudes to the left. Take the second one and repeat symmetrically on the right. Attach 1 olive green giant left arm to the ppp. Find 1 olive green giant right arm and repeat symmetrically on the left. Find 1 olive green giant right hand and insert it into the ppp, so that its fingers face to the right. Grab 1 olive green giant left hand and repeat symmetrically on the right. Next, attach 1 olive green giant head with black bushy eyebrows and angry expression to the figure's neck. Ask a sighted friend to make sure that the head is oriented properly. Lastly, place 1 black giant hair on top of the head.

Group 24 – Park bench

Step 121

Place 1 light bluish gray 8x8 plate in front of you. Then, place 2 dark orange 2x2 bricks with channels and axle hole, one to the right of the other, on the 2 back rows, so that together they are centered horizontally.

Step 122

Place 1 dark tan 2x2 round tile with stud on top of each of the 2 ppps.

Step 123

Attach 2 reddish brown candles vertically upright, one on top of the other, into the left 2x2 round tile with stud from the previous step. For now, this will be a tree stump. We will continue building it in a few steps.

Step 124

Place 1 lime 1x1 round plate with long leaves on top of the right 2x2 round tile with stud. Then, insert 1 bright green plant stem with 3 stems into the ppp.

Step 125

Attach 1 lavender flower with indent underneath to each of the 3 stems of the ppp.

Step 126.1

Let's continue building the tree. Attach 2 reddish brown candles vertically upright, one on top of the other, into the tree stump.

Step 126.2

Insert 1 reddish brown seaweed into the top candle, so that its arms face to the left and right.

Step 126.3

Locate 2 bright green 1x1 round plates with 3 leaves. Attach the first one to the top of the left branch of the ppp, so that its leaves face to the left. Take the second one and repeat symmetrically on the branch on the right.

Step 126.4

Rotate 1 dark green 3x5 plant leaves horizontally, so that it points to the right. Attach its center open stud to the top of the 2nd branch from the right of the tree. Then, attach 1 bright green 1x1 round plate with 3 leaves on top of that same center open stud, so that its leaves face to the right.

Step 126.5

Rotate 1 green 3x5 plant leaves horizontally, so that it points to the left. Attach its center open stud to the top of the 2nd branch from the left of the tree. Then, attach 1 bright green 1x1 round plate with 3 leaves on top of that same center open stud, so that its leaves face to the right. Lastly, attach 1 light bluish gray pigeon on top of the ppp.

The tree is complete!

Group 25 – Park bench (continued)

Step 127

Place 1 black 1x2 brick with 2 pin holes vertically on the 3rd and 4th rows from the front on the rightmost column. Then, insert 1 black 2L technic pin to the back hole of the ppp, so that it protrudes to the right by 1L. Continue by inserting 1 blue 1L technic pin with 1L axle to the front hole, so that its axle protrudes to the right.

Step 128

Place 1 dark green 1x4 brick horizontally to the left of the back row of the ppp.

Step 129

Place 3 black 1x2 bricks with 2 pin holes vertically, one to the right of the other, so that their back row is to the left of the ppp.

Step 130

Place 1 dark green 1x6 tile horizontally on the right of the 3rd row from the front, so that its 4 center columns overhang. Then, place 1 dark green 1x6 plate horizontally behind the ppp.

Step 131

Locate 2 black 1x1 plates with 2 handles on opposite side. Place the first one vertically on top of the leftmost column of the ppp, so that its handle bars face to the front and back. Take the second one and repeat symmetrically on the right. Find 2 black 1x1 plates with clip. Attach the first one vertically upright to the back handle bar of the ppp. Take the second one and repeat symmetrically on the left.

Step 132

Attach 1 dark green 1x6 tile horizontally upright to the 2 ppps.

Step 133

Grab 2 black curved claws. Attach the first one vertically to the front-facing handle bar on the left of the bench, so that it curves to the back. Take the second one and repeat symmetrically on the right.

Step 134.1

Let's build a lamp. Place 1 black 2x2 jumper plate on top of the 2 leftmost columns on the 3rd and 4th rows from the front. Then, attach 1 black 2x2 inverted radar dish on top of the ppp.

Step 134.2

Place 2 black telescopes vertically upright, one on top of the other, on top of the ppp.

Step 134.3

Attach 1 transparent blue minifigure head on top of the ppp. Then, place 1 black 2x2 inverted radar dish on top of the ppp.

Step 134.4

Lastly, place 1 light bluish gray pigeon on top of the ppp. The lamp is complete!

Step 135

The park bench is complete. If you wish, you can leave it detached. However, you can also connect it with its right-facing pin and axle to the 2 left-facing holes located at the base of the main building.

Book 1, bag 6:

Group 26 – Hotdog vendor

Page 146. Locate 1 dark azure pair of legs, 1 medium lavender torso with hoodie, gold zipper, dark turquoise shoulder bag, medium lavender arms, and medium brown hands, and 1 medium brown minifigure head with dark orange lips and dark turquoise hearing aid on right ear. Assemble the minifigure. Ask a sighted friend to make sure that the head is oriented properly. Lastly, place 1 dark brown hair with curls on top of the minifigure head.

Group 27 – Hotdog cart

Step 136

Rotate 1 light bluish gray 2x3x2 container so that its antistuds face to the left and its opening faces up.

Step 137

Insert 2 red sausages and 3 medium nougat sausages into the ppp. Then, close the container by attaching 1 transparent light blue 2x3x2 door vertically to the back of the opening of the container, so that its handle faces up.

Step 138

We need to apply sticker 10 (the menu of the hotdog cart, which consists of a an “AMAZING MENU” and a “DEAL” MEAL; it also includes the picture of a hotdog and a can of soda in LEGO style to the front of the container. Ask a sighted friend to make sure that the sticker is applied and oriented properly.

Step 139

Rotate 1 light bluish gray 2x3x2 container so that its antistuds face to the left and its opening faces up. Attach it to the right-facing studs of the hotdog cart build.

Step 140

Insert 2 tan hotdog buns into the right container.

Step 141

We need to apply sticker 11 (an advertisement for a can of juice with a red background) to the front of the right container. Ask a sighted friend to make sure that the sticker is applied and oriented properly.

Step 142

Close the container by attaching 1 transparent light blue 2x3x2 door vertically to the back of the opening of the right container, so that its handle faces up.

Group 28 – Hotdog cart (continued)

Step 143

Attach 2 light bluish gray 1x3 double jumper plates horizontally upright, one below the other, to the right-facing side studs.

Step 144.1

We need to assemble a small sub-build. Hold 1 dark bluish gray 1x2 plate with 2x2 side studs hanging down horizontally, so that its side studs face to the front. Then, attach 1 light bluish gray 1x3 plate horizontally upright to the bottom row of front-facing side studs, so that it overhangs to the right by 1 column.

Step 144.2

Rotate 1 dark bluish gray 1x1 plate with 1x2 side studs hanging down so that its side studs face to the front. Attach its bottom row of front-facing side studs to the back of the overhang of the ppp.

Step 144.3

Locate 2 light bluish gray 1x1 round plates with open stud and bar. Attach the first one to the top left front-facing side stud, so that its bar faces to the top. Take the second one and repeat symmetrically on the right. Next, place 1 light bluish gray 1x1 plate upright between the 2 ppps.

Step 144.4

The sub-build is complete. Rotate it 90 degrees counterclockwise on the horizontal plane, so that the ppp faces to the right. Attach its right-facing side studs to the left-facing antistuds of the hotdog cart.

Step 145

Rotate 1 light bluish gray 2x2 tile with hole and 2x2 upright side studs, so that its side studs face to the right. Attach its left-facing antistuds to the right-facing side studs of the hotdog cart.

Step 146

We need to assemble a small sub-build. Place 1 dark bluish gray 2x6 plate horizontally in front of you. Then, place 1 light bluish gray 1x2 panel vertically on the leftmost column of the ppp, so that its wall faces to the left. Next, place 1 light bluish gray 2x3 tile horizontally to the right of the ppp. The sub-build is complete. Place its 2 rightmost columns under the 2x2 tile with hole from the previous step.

Step 147

Attach 1 light bluish gray 1x2 tile with bar handle horizontally upright to the top row of right-facing side studs, so that its flat side faces to the bottom.

Step 148

Place 1 red 1x1 round brick on the back of the leftmost column. Then, attach 1 red 1x1 round tile with upright thin bar on top of the ppp. This is the ketchup. Continue by placing 1 yellow 1x1 round brick in front of the ppp. Next, attach 1 yellow 1x1 round tile with upright thin bar on top of the ppp. This is the mustard.

Step 149

Place red 1x1 round brick in front of the ppp. Then, place 1 flat silver 1x1 round tile with pull tab printed pattern on top of the ppp. This is a soda can.

Group 29 – Hotdog cart (continued)

Step 150

Put the hotdog cart to the side for now. We will assemble a sub-build for its top cover. Place 1 light bluish gray 3x3 plate in front of you. Then, place 1 light bluish gray 1x6 tile horizontally on the back row of the ppp, so that it overhangs to the right by 3 columns.

Step 151

Place the back row of 1 light bluish gray 3x3 plate under the overhang of the ppp.

Step 152

Locate 2 medium azure 1x1 short bricks. Place the first one on the leftmost column of the 2nd row from the front. Take the second one and repeat symmetrically on the right. Place 2 medium azure 1x2 rounded plates with open studs horizontally, one to the right of the other, on the 2nd row from the front, so that together they are centered horizontally and between the 2 ppps.

Step 153

Place 1 light bluish gray 1x6 tile horizontally on the front row.

Step 154

Grab 2 blue 1x1 plates with ring attachment. Place the first one on the leftmost column on the 2nd row from the front, so that its ring faces to the right and its holes face to the front and back. Take the second one and repeat symmetrically on the right.

Step 155.1

We need to assemble two identical sub-builds. You can choose to build them simultaneously or one at a time. Let's begin with the first one. Place 1 medium azure 2x2 corner plate in front of you, so that it resembles a D in Braille.

Step 155.2

Place 1 red 2x4 tile horizontally on top of the ppp, so that it overhangs to the right by 2 columns. We need to apply sticker 2 (a red sign with the text "NEW YORK'S BEST HOTDOGS" in white font) to the ppp. Ask a sighted friend to make sure that the sticker is applied and oriented correctly.

Step 155.3

The sub-build is complete. Flip it 90 degrees upright from front to back, so that its antistuds face to the back. Attach its leftmost and rightmost columns of the bottom row of back-facing antistuds to the front-facing rings on the cart's top cover.

Step 155.4

If you chose to assemble the sub-builds separately, build a second one by repeating steps 155.1 and 155.2. Attach it symmetrically to the back.

Step 156

Attach 1 light bluish gray 1x3 plate vertically under the 2nd column from the left.

Step 157

Locate 2 light bluish gray 1x1 plates with clip. Attach the first one under the front row of the ppp, so that its clip faces to the left. Take the second one and repeat symmetrically on the back. Lastly, attach 1 light bluish gray lightsaber handle to the clip of each of the 2 ppps, so that their thick end faces to the bottom.

Step 158

Bring back the hotdog cart, so that its handle faces to the right. Attach the 2 ppps to the top-facing bars on the left side of the cart, to the right of the ketchup bottle and the soda can.

Step 159

Find 2 light bluish gray 2x2 round plates with wheel holder underneath. Attach the first one underneath the 2 leftmost columns of the base of the hotdog cart, so that its wheel holder is vertical. Take the second one and repeat symmetrically on the right. Lastly, attach 1 black pair of wheels to each of the 2 ppps.

Step 160

Attach 1 tan hotdog bun vertically on top of the leftmost column of the hotdog cart's top cover. Then, insert 1 red sausage vertically into the ppp.

We are done with the set! If you wish, you can insert the axle of any of the 3 transparent clear 1x1 round plates with curved bar and axle into any of the axle holes on walls of the building. Feel free to orient them in any way you like. You can use these to pose the minifigures. The set has one more play feature. You can place the Hulk figure on the building's third floor. Then, you can push the lime Technic ball on the back of the building to make the Hulk "destroy" its façade! Have fun making up the adventures of Spider-Man fighting all the villains.

At the end of the instruction booklet, you will find a page advertising 3 other Spider-man sets, these being set 76350 (Spider-Man vs Hulk Epic Clash, this set), 76346 (Spider-Man Hero Figure), and 76349 (Spider-Man Prison Transport Chase). The background of this page is composed of dark blue and dark purple tones. Afterwards, you will find the set inventory and on the last page you will find an invitation to share feedback.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!