

76386 Hogwarts™: Polyjuice Potion Mistake

Set adapted by Alex Charbonneau and tested by Natalie Charbonneau.

LEGO® Harry Potter™ Hogwarts™: Polyjuice Potion Mistake (76386) inspires magical adventures in the Hogwarts bathroom.

Minifigure makeovers with Polyjuice potion.

Young witches and wizards join Harry Potter, Ron Weasley™ and Hermione Granger™ as they brew powerful Polyjuice potion. Drinking it transforms the characters into Vincent Crabbe and Gregory Goyle, which kids achieve by turning the minifigures' heads to reveal an alternative face and adding a different hairpiece. The magic can go awry, however, such as when Hermione transforms into a cat! There are other surprises too: an exclusive, golden, anniversary Harry Potter minifigure; 2 random wizard card tiles to collect; and a secret tunnel beneath the sink. When this set is combined with LEGO Harry Potter Hogwarts Chamber of Secrets (76389), the secret tunnel connects the 2 rooms, expanding the play possibilities even further. This magical, modular system lets kids continue adding rooms to create an entire Hogwarts Castle model.

- LEGO® Harry Potter™ Hogwarts™: Polyjuice Potion Mistake (76386) has got it all: popular characters, imaginative features and enchanting adventures – all set in a famous Hogwarts location.

- Includes Harry Potter™, Hermione Granger™ and Ron Weasley™ minifigures, a buildable Moaning Myrtle's bathroom and authentic accessories.

- Exciting features, such as transforming minifigures and a secret passage, help kids recreate an iconic scene from Harry Potter™ and the Chamber of Secrets™ and dream up magical stories of their own.

- The set measures over 3 in. (8 cm) high, 5 in. (12 cm) wide and 2.5 in. (6 cm) deep and connects easily to LEGO® Harry Potter™ Hogwarts™ Chamber of Secrets (76389) to double the fun.

- This toy is one of a series of authentically detailed, modular sets that kids can build, combine and rearrange to create their own Hogwarts™ Castle model.

- Includes an exclusive, golden Harry Potter™ minifigure to celebrate 20 years of magic with LEGO® Harry Potter. Also includes 2 random wizard card tiles for kids to collect (16 in total).

The box is a deep blue. On the front right corner is an image of Harry, Hermione, and Ron from the film. A swish of magic curves around the border of the box. Inside of the curve is an image of a bathroom, with one toilet stall, and three golden sinks! Hermione, her head transformed into a cat's head, stands in front of the stall holding her wand! Ron stands nearby with a disgusted expression, while Harry stands in front of the sinks with a sneer. Bottle of green and yellow potions lay strewn near a cauldron. An inset on the lower left shows the included minifigures: a golden 20 year anniversary Harry Potter minifigure, a normal Harry Potter, a Hermione Granger, and a Ron Weasley.

The top of the box shows a life sized image of Hermione with her head transformed to a cat. There is also an image of the three minifigures holding potions and wands near the cauldron. The left side of the box shows an image of the golden Harry Potter minifigure, stating that it is exclusive to the set.

The back of the box has a main image and two insets. The main image shows the bathroom, with the students. Hermione's head is back to normal! The first inset shows that the middle sink lifts up to show a secret passage! The second inset shows that the Harry Potter and Ron Weasley minifigures can be transformed into Gregory Goyle and Vincent Crabbe by rotating their heads and changing their hairdos! There is also a note that two collectible wizard cards (printed on 2x2 tiles) are included with the set!

The build is 217 pieces, and 77 building steps.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: going from front to behind.
- Horizontally: going from left to right.
- Upright: pointing up towards the ceiling.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind the piece
- Centered-horizontally: even amount of space left and right of the piece.
- Row: studs lined up from left to right.

For builders with low vision, or a sighted building partner who may want to follow along with the printed visual instructions that come with each kit, PDF versions are always online at LEGO.com:

(<https://www.lego.com/en-us/service/buildinginstructions/10321>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2 and 3, and put them in one container.

This LEGO set comes with two bags labeled 1-2, a sticker sheet, and an instruction booklet. Sort the pieces into groups as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split across two groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 (9 groups of bricks)

Minifigure group 1 contains the pieces to build the Hermione Granger minifigure, her wand, and a cat head.

Minifigure group 2 contains the pieces to build the gold Harry Potter minifigure, its stand, and a golden wand.

Minifigure group 3 contains the pieces to build the cauldron and two vials of polyjuice potion.

Main build:

Group 1 contains the pieces for steps 1-6.

Group 2 contains the pieces for steps 7-14.

Group 3 contains the pieces for steps 15-23.

Group 4 contains the pieces for steps 24-29.

Group 5 contains the pieces for steps 30-36, as well as one brown 1x2 brick used in step 37.

Group 6 contains the pieces for steps 37-40.

Bag 2 (2 groups of bricks)

Minifigure group 4 contains the pieces to build the Harry Potter minifigure, his wand, and a wizard card.

Minifigure group 5 contains the hairpiece needed to transform Harry into Gregory Goyle.

Minifigure group 6 contains the pieces to build the Ron Weasley minifigure, his wand, and a wizard card.

Minifigure group 7 contains the hairpiece needed to transform Ron into Vincent Crabbe.

Main build:

Group 7 contains the pieces for steps 41-47.

Group 8 contains the pieces for steps 48-61. Place the mirror stickers for step 56.

Group 9 contains the pieces for steps 62-70. Place the mirror sticker for step 70.

Group 10 contains the pieces for steps 71-77.

Building Instructions:

Open bag 1.

Minifigure group 1.

Assemble the Hermione Granger minifigure by putting the torso on the legs, the head on the torso, and the hair on the head. Hermione's accessories are a tan wand and a clear mug. Her hair can be switched out for the cat head!

Minifigure group 2.

Assemble the gold Harry Potter minifigure by putting the torso on the legs, the head on the torso, and the hair on the head. Put the minifigure on its stand by placing a gold 3x4 tile with a row of four studs on top, horizontally long in front of you. Place the minifigure's feet, centered horizontally, on the top row of studs. Place the gold wand in Harry's hand.

Minifigure group 3.

Assemble the cauldron by placing a dark gray cauldron piece onto a black 2x2 circular tile with a single stud. Put a light gray spoon into the cauldron! Assemble the first vial of potion by putting a light brown 1x1 circular plate on a transparent green 1x1 cone. Assemble the second vial of potion by putting a light brown 1x1 circular plate on a transparent yellow 1x1 circular brick.

Open group 1.

Start Building

Step 1

Let's start working on the bathroom! Place a tan 1x16 brick horizontally long in front of you.

Step 2

Attach the back row of a tan 2x6 plate, vertically long, on the leftmost two columns of the previous piece. Attach this piece from the bottom, so the 1x16 brick is on the 2x6 plate. Place another tan 2x6 plate in the same orientation on the rightmost two columns of the 1x16 brick.

Step 3.1

Place a tan 2x2 plate to the left of the right 2x6 from the previous step, extending one stud to the front. This piece also goes under the 1x16 brick.

Step 3.2

Place a tan 2x6 plate, horizontally long, to the right of the left 2x6 plate from step 2, extending one stud to the front. This piece also goes under the 1x16 brick.

Step 4

Place a tan 1x4 plate, horizontally long, between the previous two pieces.

Step 5

Place a blueish gray 4x6 plate, vertically long, in front of the 1x16 brick, leaving one column of exposed studs at the left. Place another symmetrically on the right side of the build. Place another to the right of the first. There should be a gap of two columns between the last 4x6 plate and the rightmost 4x6 plate.

Step 6

Place a dark tan 2x16 plate, horizontally long and centered horizontally, under the previous three pieces, extending one row to the front.

Open group 2.

Step 7.1

Place a 1x2 grille plate, horizontally long, on the front row of the previous piece, skipping one stud from the left end. Place six more 1x2 grille tiles, also horizontally long, in a row to the left of the first.

Step 7.2

Place a blueish gray 2x2 plate behind the row of grille tiles, between the 4x6 plates.

Step 8.1

Now let's build the tile floor under the sinks. Place a brown 1x1 tile in front of the second stud from the right on the 1x16 brick.

Step 8.2

Place a white 2x2 angled corner tile in front of the previous piece, extending one stud to the left, with the angle at the front right. Place another white 2x2 angled corner tile to the left of the previous piece, extending one stud to the front, with the angle at the back left. There should be a 2x4 hole to the left of the last 2x2 angled corner.

Step 8.3

Repeat the previous three pieces symmetrically on the left side of the 2x4 hole.

Step 9.1

Place a white 1x4 tile, horizontally long, in front of the 2x4 hole, centered horizontally on the hole. It should be in front of the front two 2x2 angled corner tiles.

Step 9.2

Place a white 2x2 triangle tile to the right of the previous piece, extending one stud behind, with the corner at the back left. Place another triangle tile symmetrically to the left of the 1x4 tile.

Step 10.1

We'll turn our attention to the left edge of the build. Place a light gray 1x2 brick with two pin-holes, vertically long, on the leftmost column, in front of the 1x16 brick.

Step 10.2

Place a brown 1x1 brick in front of the previous piece.

Step 10.3

Place a tan 1x3 tile, vertically long, in front of the previous piece. There should be a single exposed stud at the front left corner of the bathroom.

Step 11

Place a tan 1x4x5 wall panel with a window, horizontally long with the flat side at the back, on the rightmost four studs of the 1x16 brick.

Step 12.1

Place a tan 1x1 plate with a horizontal clip on one side to the left of the previous piece, with the clip at the front.

Step 12.2

Place a light brown 1x2 plate, horizontally long, to the left of the previous piece.

Step 12.3

Place a tan 1x1 plate with a horizontal clip on one side to the left of the previous piece, with the clip at the front.

Step 13.1

Place a tan 1x2 brick, horizontally long, on the previous piece, extending one stud to the right. There should be two exposed studs between this brick and the wall panel.

Step 13.2

Find a light brown 1x2 masonry brick. A masonry brick has a brick wall pattern on one side, and horizontal grooves on the other side. Place this brick, horizontally long, to the right of the previous piece. The side with both horizontal and vertical grooves should be at the back. Its right side should touch the wall panel.

Step 14.1

Place a tan 1x2 inverted slope on the right stud of the previous piece, with the slope at the back.

Step 14.2

Place a tan 1x2 brick, horizontally long, to the left of the front stud of the previous piece.

Step 14.3

Place a tan 1x2 inverted slope to the left of the previous piece, with the slope at the back.

Open group 3.

Step 15

Now we're going to decorate the wall behind the sink! Set the bathroom aside for now. Place a tan 2x4 plate, horizontally long, in front of you.

Step 16

Place a black 1x2x2 window lattice into a brown 1x2x2 window frame. Place the window, horizontally long and centered horizontally, on the back row of the previous piece, with the lattice at the back.

Step 17

Place two tan 1x2 bricks, vertically long, one on each side of the previous piece, even with the front of the 2x4 plate.

Step 18

Place a tan 2x2 inverted slope in front of the window, with the slope at the front.

Step 19.1

Place a tan 1x4 brick, horizontally long and centered horizontally, on the back row of the previous piece.

Step 19.2

Place two tan 1x1 round bricks, one behind the left stud, and one behind the right stud of the previous piece.

Step 20

Place a tan 1x2 brick, horizontally long, on the two studs in front of the 1x4 brick.

Step 21.1

Place a tan 1x4 plate, horizontally long and centered horizontally, on the back row of the assembly.

Step 21.2

Place a brown 2x3 plate, vertically long and centered horizontally, in front of the previous piece.

Step 21.3

Place two tan 1x1 plates with a horizontal clip on one side, one to the left and one to the right of the previous piece, with the clips at the front.

Step 22.1

Place a tan 1x1 pyramid tile behind each of the pieces from the previous step.

Step 22.2

Place two sand green 1x1 slope tiles between the previous two pieces. Place these so they slope up and form a point in the middle.

Step 23

Place the bathroom in front of you, horizontally long, with the 1x16 brick at the back. With the window lattice at the back, place the assembly we just made on the back wall of the bathroom, to the left of the wall panel. Its top should be even with the top of the wall panel. There should be eight open studs to the left.

Open group 4.

Step 24

Place a tan 1x4x5 wall panel with a window, horizontally long with the flat side at the back, to the left of the assembly we just placed.

Step 25.1

Place a tan 1x3 brick, horizontally long, to the left of the previous piece.

Step 25.2

Place a light brown 1x1 brick on the rightmost stud of the previous piece.

Step 25.3

Place a light brown 1x1 plate to the left of the previous piece. Stack another on top of the first.

Step 26.1

Place a tan 1x2 brick, vertically long to the left of the 1x3 brick, extending one stud to the front, so it is even with the back left corner of the bathroom.

Step 26.2

Now we'll install the toilet bowl! Place a white 2x2 dome bottom on the bathroom floor, place it on the second stud from the back wall, on the second column from the left wall.

Step 27.1

Next, we'll complete the toilet by making the tank! Place a white 1x2 plate, horizontally long, with the studs down in front of you.

Step 27.2

Place a white 1x1 plate, with the stud down, into the right anti-stud of the previous piece. "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate.

Step 27.3

Find a light gray 1x1 plate with a ring on one side. The ring has a stud on each side. Place one stud from the ring into the left anti-stud on the 1x2 plate so the 1x1 plate overhangs to the back, and the stud on the plate is sideways on the left.

Step 27.4

Place a white 1x2 tile, horizontally long, on the other stud from the ring. It should be aligned with the rest of the toilet tank. Keeping the plate from the previous piece at the back, rotate the tank so the studs of the 1x2 plate are at the left.

Step 27.5

Attach a black 1x1 hinging antenna on the top stud of the 1x2 plate. Hinge the antenna so it hangs straight down.

Step 27.6

Using the plate of the ring stud, attach this to the wall directly behind the toilet bowl. It should be one stud from the left wall panel, and the tank should hang down and almost touch the toilet bowl.

Step 28.1

Place a tan 2x2 corner brick to the left of the previous piece, oriented like a Braille letter F and aligned with the corner of the wall so it extends one stud to the front.

Step 28.2

Place a brown 1x2x2 tall brick, vertically long, on the wall in front of the previous piece.

Step 29.1

Place a brown 1x3 brick, vertically long, on the previous piece, aligned with the front of the wall.

Step 29.2

Place a tan 1x2 brick, horizontally long, behind the previous piece, aligned with the left of the wall.

Step 29.3

Place a light brown masonry brick to the right of the previous piece, with the brick pattern at the back. The brown bricks make one wooden wall of the bathroom stall!

Open group 5.

Step 30.1

Now we'll build the other wall of the bathroom stall! Set the bathroom aside for now. Place a brown 1x3 brick, horizontally long, in front of you.

Step 30.2

Place a light brown 1x1 plate on the leftmost stud of the previous piece.

Step 31

Place a brown 1x2 plate, horizontally long, to the right of the previous piece.

Step 32.1

Place a brown 1x1 brick with a horizontal clip on one side on the rightmost stud of the previous piece, with the clip at the right.

Step 32.2

Place a brown 1x2 brick, horizontally long, to the left of the previous piece.

Step 33

Place a brown 1x3 brick, horizontally long, on the previous two pieces.

Step 34.1

Place a brown 1x1 brick with a horizontal clip on one side on the rightmost stud of the previous piece, with the clip at the right.

Step 34.2

Place a brown 1x1 brick to the left of the previous piece.

Step 34.3

Place a light brown 1x1 plate to the left of the previous piece.

Step 35

Place a brown 1x2 plate, horizontally long, on the rightmost two studs on the stall wall. Rotate the wall so the clips are at the front.

Step 36

Place the bathroom in front of you again, horizontally long with the wall at the back. Place the stall wall in front of the leftmost stud of the left wall panel. There should be three studs between the two walls of the stall.

Open group 6. You should have a brown 1x2 brick left over from the previous group.

Step 37.1

The back stud of the stall wall we just placed is lower than the rest of the wall. Place a tan 2x2 angled corner piece on this lowered stud, oriented like a Braille letter E, with the angle at the front left. It should attach to the wall to the left of the left wall panel.

Step 37.2

Place a light brown masonry brick, horizontally long, on the wall to the left of the previous piece, with the brick pattern at the back.

Step 37.3

Place a tan 1x2 brick, vertically long, to the left of the previous piece, even with the back of the wall.

Step 37.4

Place a brown 1x2 brick, vertically long in front of the previous piece. It should be even with the front of the wall.

Step 38.1

Place a brown 1x1 tile on the front stud of the previous piece.

Step 38.2

Place a light gray 1x2 brick with two pin-holes, vertically long, behind the previous piece.

Step 38.3

Place a tan 1x4 brick, horizontally long, behind the previous piece, aligned with the left wall. It should touch a wall panel at the right.

Step 39

Place a brown 1x3 tile, vertically long, on the stall wall to the right of the toilet.

Step 40

Find a brown 1x5x3 door with three studs and a handle. This door has two bars on the side opposite from the handle. Clip the bars into the two clips on the right stall wall, so that when you close the door the handle is at the front on the left.

Open bag 2.

Minifigure group 4.

Assemble the Harry Potter minifigure by putting the torso on the legs, the head on the torso, and the hair on the head. Harry's accessory is a brown wand.

Minifigure group 5.

This group contains the hair to turn the Harry Potter minifigure into the Gregory Goyle minifigure! You do this by taking Harry's hair off, rotating his head 180 degrees, and putting Gregory's hair on! Harry has long, messy black hair, while Gregory has brown short hair.

Minifigure group 6.

Assemble the Ron Weasley minifigure by putting the torso on the legs, the head on the torso, and the hair on the head. Ron's accessory is a brown wand.

Minifigure group 7.

This group contains the hair to turn the Ron Weasley minifigure into the Vincent Crabbe minifigure! You do this by taking Ron's hair off, rotating his head 180 degrees, and putting Vincent's hair on! Ron has long, straight red hair, while Vincent has straight, short brown hair.

Open group 7.

Step 41.1

Place a light gray 1x1 brick with a pin-hole in front of you, with the hole at the sides.

Step 41.2

Place a light brown 1x1 brick on the previous piece.

Step 41.3

Place a tan 1x1x3 tall brick on the previous piece.

Step 41.4

Place a light gray 1x1 brick with a pin-hole on the previous piece, with the hole at the side.

Step 41.5

Place a light gray 2L pin into the two holes on the side of the assembly, pushing them in from the right side so they overhang to the right.

Step 41.6

Place this assembly on the rightmost column of the bathroom, all the way against the right wall panel, with the pins extending to the right.

Step 42.1

Place a tan 1x1x6 round column on the front left stud of the bathroom.

Step 42.2

Place a tan 1x6x7 arched door frame with round columns, vertically long, in front of the assembly we just placed on the right side of the build. It should be even with the front of the bathroom.

Step 43.1

Place a tan 1x3 brick, vertically long, on the back stud of the previous piece, extending behind so it is aligned with the back wall of the bathroom.

Step 43.2

Place a tan 1x2 brick, horizontally long, on the wall to the left of the previous piece.

Step 44.1

Place a tan 1x12 brick, horizontally long, on the wall to the left of the previous piece.

Step 44.2

Place a tan 1x3 brick, vertically long, on the wall to the left of the previous piece, aligned with the back wall.

Step 45.1

Place a tan 2x2 corner brick on the previous piece, oriented like a Braille letter F, aligned with the corner of the walls.

Step 45.2

Place a tan 1x12 brick, horizontally long, on the wall to the right of the previous piece.

Step 45.3

Place a tan 2x2 corner brick, oriented like a Braille letter D, to the right of the previous piece, aligned with the corner of the walls.

Step 46

Find two 1x1 scroll bricks. Scroll bricks are a 1x1 brick with a bar sticking out even with the top on one side, which has a stud on top and a circular decoration on the sides. Place one on the column at the front left of the bathroom, with the scroll on the right. Place the other symmetrically on the front right column of the bathroom.

Step 47.1

Place a tan 1x6 brick, vertically long, on the right wall of the bathroom, even with the front of the wall.

Step 47.2

Place a tan 1x6 arch, vertically long, on the front left column, extending to the back so it connects to the wall.

Open group 8.

Step 48

Now we'll start building the sinks! Set the bathroom aside for now. We will make two identical sinks. Place a white 2x2 plate in front of you.

Step 49

Place a white 1x2 tile with walls on three sides, vertically long, with the opening at the left, on the right column of the previous piece.

Step 50

Place a white 2x4 wedge plate, vertically long and centered vertically, to the left of the previous piece, with the widest portion at the right.

Step 51

Place a light gray 1x2 plate with an upwards bar on one long end, vertically long, under the left column of the previous piece, with the bar at the left.

Step 52

Place a white 2x2 plate on the studs of the wedge plate.

Step 53.1

Place a tan 1x2 plate, vertically long, on the left column of the previous piece.

Step 53.2

Place a gold 1x2 tile with a faucet, vertically long, to the right of the previous piece, with the spigot at the right.

Step 54

Place a white 1x2 plate with offset studs at the long ends, vertically long with the offset studs at the right, to the left of the previous piece.

Step 55

Place a white 1x2 brick with vertical grooves on one side and horizontal grooves on the other, vertically long, with the horizontal grooves at the left, on the left column of the previous piece.

Step 56

Place a light gray 1x2x2 tall brick with a mirror sticker, vertically long, on the previous piece, with the sticker at the right.

Step 57

Place a light gray 1x2 plate with an upwards bar on one long end, vertically long, on the previous piece, with the bar at the left.

Step 58

Place a white 1x1 round brick on the two offset studs at the front of the sink. Stack two more on the first. Repeat this on the back offset stud.

Step 59

Place a white 1x2 plate with offset studs at the long ends, vertically long with the offset studs at the right, on top of the sink so the offset studs attach to the round bricks from the previous step and the plate attaches to the 1x2 plate with an upwards bar above the mirror.

Step 60.1

Place a white 1x1 circular plate on the offset studs of the previous piece.

Step 60.2

Place a white 1x2 double slope, horizontally long, on the studs of the top plate with offset studs. Rotate the sink so the sink is at the front and the upward bars are at the back. Remember to make another sink!

Step 61

Place the bathroom in front of you, horizontally long, with the open section at the front. Find the four clips on the wall to the right of the bathroom stall. There are two pairs, one on the right and one on the left. The upwards bars on the sinks attach to these clips, then you can angle the sink so the base is in line with the angled tiles on the floor! Do this for both sinks. The left sink should point 45 degrees to the left, and the right sink should point 45 degrees to the right.

Open group 9.

Step 62

Now we'll start on the third sink. This is the sink with the trap door! Place a white 2x2 plate in front of you.

Step 63

Place a white 1x2 tile with walls on three sides, vertically long, with the opening at the right, on the left column of the previous piece.

Step 64

Place a white 2x4 wedge plate, vertically long, to the right of the previous piece, with the widest portion at the left.

Step 65

Place a tan 1x2 plate with a 2x2 of studs extending up from one long side, vertically long with the side studs on the right, under the right column of the previous piece.

Step 66

Place a white 2x2 plate on the studs of the wedge plate.

Step 67

Place a gold 1x2 tile with a faucet, vertically long, on the left column of the previous piece, with the spigot at the left.

Step 68

Place a white 1x2 plate, vertically long, to the right of the previous piece. Stack another 1x2 plate in the same orientation on the first.

Step 69

Place a white 1x2 brick with vertical grooves on one side and horizontal grooves on the other, vertically long, with the horizontal grooves at the right, on the previous piece.

Step 70

Place a light gray 1x2x2 tall brick with a mirror sticker, vertically long, on the previous piece, with the sticker at the left.

Open group 10.

Step 71

Place a light gray 1x2 plate with a 2x2 of studs hanging down from one long side, vertically long with the side studs at the right, on the previous piece.

Step 72.1

Place a white 1x1 tile with a clip on top on each stud of the previous piece, with the clips aligned horizontally.

Step 72.2

Place a white 2x6 tile onto the side studs at the right of the sink.

Step 73.1

Place a white 2x4 wedge plate, vertically long, in front of you, with the widest part at the right.

Step 73.2

Place two light gray 1x2 plates with a bar on one short side, horizontally long with the bar at the left, under the previous piece.

Step 73.2

Attach the two bars to the clips on top of the sink, so the wedge plate is on the right with its studs on top. If you install it backwards, the studs will be down when the wedge plate is on the right. This is the hinge which lets students open the trap door! Rotate this sink so the wedge plate is at the back

Step 74

Put the bathroom back in front of you, with the open side at the front. Locate the 2x2 plate extending from the wall between the two sinks we already placed. Attach the hinge of the trapdoor onto this 2x2. The sink should be between the two other sinks, with the faucet at the front! It should rotate up and down so you can access the trap door, or wash your hands, depending on what you need!

Step 75.1

Place a tan 1x12 brick with a groove on one side, horizontally long in front of you with the groove at the front.

Step 75.2

Place a dark tan 1x6 tile, horizontally long and centered horizontally, on the previous piece.

Step 75.3

Place a dark tan 1x4 tile with a stud at each end, horizontally long to the left of the previous piece, and another to the right.

Step 76

Place this assembly, horizontally long with the groove at the front, across the front of the bathroom, attaching it to the two scroll bricks on the columns at each corner. It should be even with the front of the bathroom.

Step 77.1

Place a dark tan 1x6 tile, horizontally long and centered horizontally, on the back wall of the bathroom.

Step 77.2

Place a dark tan 1x4 tile with a stud at each end, horizontally long to the left of the previous piece, and another to the right.

Step 77.3

Place a dark tan 1x6 tile, vertically long, on the wall to the left of the left previous piece, even with the back wall.

Step 77.4

Place a dark tan 1x2 tile, vertically long, on the wall in front of the previous piece.

Step 77.5

Repeat steps 77.3 and 77.4 on the right wall of the bathroom.

Congratulations! Now the Hogwarts Polyjuice Potion Mistake is complete!

Thank you so much for building this set!

There are two pages of ads after the instructions end. The first shows two additional Hogwarts sets which can be combined with this set. They are set number 76389, Hogwarts: Chamber of Secrets and 76387, Hogwarts Fluffy Encounter.

The second page shows all sixteen wizard cards! The cards available are: a silver Albus Dumbledore, a gold Albus Dumbledore, Severus Snape, Godric Gryfindor, Minerva McGonagall, Gilderoy Lockhart, Zalazar Slytherin, Olympe Maxime, Helga Hufflepuff, Newt Scarmander, Seraphina Picquer, Nicholas Flamel, Bertie Bott, Jocunda Sykes, Rowena Ravenclaw and Garrick Ollivander.

Visit bricksfortheblind.org for more accessible instructions and tell your friends about us!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.