

76413 Hogwarts: Room of Requirement

Set adapted by Alex Charbonneau and tested by Natalie Charbonneau.

Recreate a magical room that can only be discovered by someone in need with the LEGO® Harry Potter™ Hogwarts™: Room of Requirement playset (76413) for ages 8 and up. It features a brick-built section of Hogwarts castle that opens up for easy play. The Room of Requirement is packed with stacks of items, including a buildable record player and a diadem element, and there is a detachable upper-level room for The Grey Lady.

Iconic characters

Bring the escape scene from Harry Potter and the Deathly Hallows™ – Part 2 to life with 5 minifigures – Harry Potter, Hermione Granger™, Draco Malfoy™, Blaise Zabini and The Grey Lady – plus a Cornish Pixie figure and a buildable Fiendfyre figure that can be rebuilt into a fire serpent. This LEGO set connects with others in the series to create an entire Hogwarts Castle.

A new way of building

Download the LEGO Builder app and let kids step into a new world of building fun where they can zoom in and rotate models in 3D, save sets and track their progress.

5 LEGO® minifigures and 2 figures:

- Harry Potter™, Hermione Granger™, Draco Malfoy™, Blaise Zabini and The Grey Lady, plus Fiendfyre, which can be rebuilt into a fire serpent, and a Cornish Pixie.

Playful details:

- The building opens up for easy play and includes a detachable upper-level room for The Grey Lady and the Room of Requirement with stacks of buildable items and a diadem element.

Fun gift idea:

- Give this 587-piece buildable LEGO® model as a surprise treat, birthday present or holiday gift to kids aged 8 and up who are into Harry Potter™ and the Wizarding World.

Build, play and display:

- This versatile set measures over 15 in. (39 cm) high, 6.5 in. (17 cm) wide and 2.5 in. (7 cm) deep.

Modular building toy:

- This LEGO® Harry Potter™ toy is one of a series of modular sets that combine to create a complete Hogwarts™ Castle.

A new way to build:

- Let the LEGO® Builder app guide kids on an intuitive building adventure. They can save sets, track their progress and zoom in and rotate models in 3D while they build.

Part of an extensive range:

- LEGO® Harry Potter™ playsets put favorite characters, familiar locations and magical adventures into the hands of all young wizards, witches and Muggles™.

The box is a deep blue. On the front right corner is an image of Harry, Hermione, and Ron from the film. A swish of magic curves around the border of the box. Inside the curve of magic is a second of the Hogwarts school which contains the Room of Requirement. The walls of this section are tan, and the roof and spires are medium green. This section has three levels. On the bottom level, a flame serpent is sticking its head out of the large arched doorway. More flames can be seen in the adjacent rooms. Harry Potter, Draco Malfoy, Hermoine Grainger, and Blaise Zabini all fly on brooms around the castle walls. Another ghost, the Grey Lady, floats near the third level.

The top of the box shows a life sized image of the Grey Lady minifigure. It also shows all five minifigures standing in a row.

The back of the box shows the reverse of the Room of Requirement. There are three separate levels, and the sides of the build can hinge out to create more space. The students are walking around doing various things. Blaise and Malfoy are near the center of the frame with a precarious stack of books and furniture. Hermione holds her broom near a suit of armor, and Harry carries a basilisk tooth! The fire serpent is shown moving in between the walls of the room. There are three inset images on the back of the box. The first shows how the wall on the first floor can be opened to reveal the hidden entrance to the Room of Requirement. The second shows Harry with the Grey lady on the second level of the room. The last inset shows how the fire serpent can be assembled completely as a large snake, or it can be disassembled so it can be shown moving in and out of the walls!

The build is 587 pieces, and 179 building steps.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of the piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner who may want to follow along with the printed visual instructions that come with each kit, PDF versions are always online at LEGO.com: (<https://www.lego.com/en-us/service/buildinginstructions/76413>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2 and 3, and put them in one container.

This LEGO set comes with four bags labeled 1-4, and an instruction booklet. Sort the pieces into groups as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split across two groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 (7 groups of bricks)

Minifigure group 1 contains the pieces to build the Harry Potter minifigure.
Minifigure group 2 contains the pieces to build the Grey Lady minifigure.

Sub-build 1: Second Level Roof

Group 1 contains the pieces for steps 1-6. Include two light brown 1x1 bricks from steps 7 and 9.
Group 2 contains the pieces for steps 7-9. Include a tan 1x1 brick from step 13.

Sub-build 2: Second Level Tower

Group 3 contains the pieces for steps 10-21.
Group 4 contains the pieces for steps 22-31.
Group 5 contains the pieces for steps 32-41.

Bag 2 (10 groups of bricks)

Minifigure group 3 contains the pieces to build the Draco Malfoy minifigure.

Sub-build 3: Main Level

Group 6 contains the pieces for steps 42-47.
Group 7 contains the pieces for steps 48-51.
Group 8 contains the pieces for steps 52-54.
Group 9 contains the pieces for steps 55-56. Include a light green 1x1 plate from step 59.
Group 10 contains the pieces for steps 57-63. Include a light green 1x1 brick from step 65.
Group 11 contains the pieces for steps 64-66.
Group 12 contains the pieces for steps 67-74.
Group 13 contains the pieces for steps 75-76.
Group 14 contains the pieces for steps 77-81.

Bag 3 (9 groups of bricks)

Minifigure group 4 contains the pieces to build the Hermione Granger minifigure.

Group 15 contains the pieces for steps 82-85.
Group 16 contains the pieces for steps 86-87.
Group 17 contains the pieces for steps 88-91. Include a tan 1x1 brick from step 92.
Group 18 contains the pieces for steps 92-101.
Group 19 contains the pieces for steps 102-113. Include a brown 1x6 plate from step 114.
Group 20 contains the pieces for steps 114-121.
Group 21 contains the pieces for steps 122-123. Include two tan 1x2 slope bricks from step 126.
Group 22 contains the pieces for steps 124-129.

Bag 4 (9 groups of bricks)

Minifigure group 5 contains the pieces to build the Blaise Zabini minifigure.

Sub-build 4: Fire Serpent

Group 23 contains the pieces for steps 1-6 of the fire serpent.

Subb-build 5: Main Room Continued

Group 24 contains the pieces for steps 130-137. Include a black 2x2 plate from step 138.

Group 25 contains the pieces for step 138.

Group 26 contains the pieces for steps 139-140.

Group 27 contains the pieces for steps 141-149.

Group 28 contains the pieces for steps 150-157.

Group 29 contains the pieces for steps 158-168.

Group 30 contains the pieces for steps 169-173.

Building Instructions:

Open bag 1.

Open minifigure group 1: Harry Potter

Assemble the Harry Potter minifigure by putting the torso on the legs, the head on the torso, and the hair on the head. Harry's accessory is a dark brown wand.

Open minifigure group 2: The Grey Lady

Assemble the Grey Lady minifigure by putting the torso on the dress piece, the head on the torso, and the hair on the head.

Sub-build 1: Second Level Roof

Start Building

Step 1.1

We'll start by building the roof of the second level. Place a dark tan 8x8 plate with a grid pattern in front of you.

Step 1.2

Place a light gray 1x2 brick with two holes, vertically, on the second and third studs from the front of both the left and right columns of the previous piece.

Step 2.1

Place the back stud of a sand green 1x2 slope brick, vertically with the slope at the front, to the right of the front stud of the left piece from the previous step. The front of this piece should be even with the front of the 8x8 plate with a grid pattern. Repeat symmetrically on the right side.

Step 2.2

Place a sand green 2x4 slope brick, horizontally with the studs at the back, between the pieces from the previous step.

Step 3

Place a tan 1x2 inverted slope brick, vertically with the slope at the front, on both the front left and front right corners of the roof.

Step 4

Place a tan 1x8x3 arch brick, horizontally, behind the two 1x2 bricks with two holes from step 1.2. There should be four free studs behind the left and right studs of this piece.

Step 5

Place a tan 1x3 brick, vertically, in front of the left and right studs of the previous piece.

Step 6.1

Next, we'll build the sloped part of the roof. Set the second level roof aside. Place a sand green 2x6 plate horizontally in front of you, with the studs on the bottom.

Step 6.2

Place a black 1x2 plate with a pin hole on the side, vertically with the hole at the front, upside down on the left and right anti-stud columns of the previous piece.

Step 6.3

Place the front lower stud of a black 1x2 inverted curved slope tile, vertically, upside down on the back anti-stud of both pieces from the previous step. These pieces will overhang the 2x6 plate by one stud to the back.

Step 6.4

Place the front corner anti-studs of a sand green 2x6 plate, horizontally, upside down on the back studs of the pieces from the previous step.

Step 6.5

Place a black 2x2 round tile with a rounded bottom, upside down, centered vertically and horizontally on the two 2x6 plates.

Step 6.6

Push a black 2L pin, from the left, into the pin hole on the left side of the assembly. Repeat symmetrically on the right side.

Step 6.7

Flip the roof over so it's right side up and horizontally with the pins on the back row. We'll now place three sand green 1x1 slope tiles on the roof. Place one, with the thick side at the back, on the third stud from the right on the back row. Place the second, with the thick side at the back, on the second stud from the left on the second row from the front. Place the last, with the thick side at the back, on the second stud from the right on the front row.

Step 6.8

Push the hole of a light brown 1x2 brick with a hole onto each of the pins on the assembly.

Step 6.9

Now place the rest of the roof in front of you, with the row of slope bricks at the front. Find the 1x4 raised columns on the left and right sides of the room. Attach the sloped assembly by placing the two 1x2 bricks from the previous step on the back two studs of the raised columns. Now, rotate the front of the angled portion of the roof down as far as it will go. It should rest on the slope bricks on the front row of the roof.

You will have two light brown 1x1 bricks leftover when you finish this group. We'll use these in steps 7 and 9.

Open group 2.

Step 7.1

Place a leftover light brown 1x1 brick in front of the left 1x2 brick with a hole from the previous step.

Step 7.2

Place a tan 1x1 brick symmetrically to the previous piece on the right side of the roof.

Step 8.1

Place a tan 1x2 brick, vertically, on both of the 1x2 bricks with holes from step 6.8.

Step 8.2

Place a sand green 1x1 slope tile, with the thick side at the back, on the front stud of both pieces from the previous step. Repeat symmetrically on the back stud.

Step 9.1

Now we'll build a small decorative arch. Place a tan 1x4 arch brick, horizontally, in front of you.

Step 9.2

Place a sand green 1x2 slope brick, horizontally with the slope on the left, on the left two studs of the previous piece. Repeat symmetrically on the right side.

Step 9.3

Place a sand green 1x2 double slope tile on the previous two pieces.

Step 9.4

Place a leftover light brown 1x1 brick on the left anti-stud of the 1x4 arch brick.

Step 9.5

Place a tan 1x1 brick symmetrically to the previous piece on the right side of the arch.

Step 9.6

Place a tan 1x1 brick on the anti-stud of each of the previous two pieces.

Step 9.7

Rotate the roof assembly 180 degrees so the sloped portion is at the back. Find the 1x8x3 arch brick on the fifth row from the front. Place the small arch we just made, centered horizontally, on this big arch. This completes the left side of the second level roof. Set it aside for now.

You will have a tan 1x1 brick leftover from this group. We'll use that in step 13.

Sub-build 2: Second Level Tower

Open group 3.

Step 10.1

Next up, we'll build the tower which is on the right side of the second level. Place a dark tan 8x8 plate with a grid pattern in front of you.

Step 10.2

Place a light gray 1x2 brick with two holes, vertically, on the back two studs on both the left and right columns of the previous piece.

Step 11.1

Place a tan 1x2 brick, horizontally, on the back row to the right of the left piece from the previous step.

Step 11.2

Find a light brown 1x2 masonry brick. A masonry brick has a brick wall pattern on one side, and horizontal grooves on the other side. Place this, with the brick pattern at the back, symmetrically to the previous piece on the right side.

Step 12.1

Now we'll make a small sink. Place a tan 2x4 brick vertically in front of you.

Step 12.2

Stack two light gray 1x2 plates and place them, horizontally, on the second row from the back of the previous piece.

Step 12.3

Place a tan 1x2 jumper plate, horizontally, on the stack from the previous step.

Step 12.4

Place a light gray 1x2 panel with walls on three sides, vertically with the open side on the right, on the front two studs on the left column of the 2x4 brick. Repeat symmetrically on the right side.

Step 12.5

Place a gold faucet, with the nozzle at the front, on the jumper plate.

Step 12.6

Place the back row of the 2x4 brick centered horizontally on the back row of the 8x8 plate with a grid pattern.

Step 13.1

Place a tan 1x8 brick, horizontally, on the back row of the room.

Step 13.2

Place the leftover tan 1x1 brick in front of the right stud of the previous piece.

Step 13.3

Place a light brown 1x1 brick, symmetrically to the previous piece on the left side.

Step 14

Place the front stud of a tan 1x2x2 tall brick, vertically, on each of the last two pieces. The back of these pieces should be even with the back of the room.

Step 15.1

Find two tan 1x1 scroll bricks. Scroll bricks are a 1x1 brick with a bar sticking out even with the top on one side, which has a stud on top and a circular decoration on the sides. Place one scroll brick, with the scroll at the back, on the back row to the right of the left piece from the previous step. Repeat symmetrically on the right side.

Step 15.2

Place a tan 1x2 brick, vertically, on both of the pieces from the previous step. The back stud of these pieces should attach to the scrolls of the scroll bricks.

Step 16.1

Place the right stud of a tan 2x2 corner brick, with the corner at the back right so it's oriented like a braille letter F, on the front stud of the left piece from the previous step. The left column of this piece should attach to a 1x2x2 tall brick. Repeat symmetrically on the right side.

Step 17

The middle four studs on the back wall are lower than the rest. Place two tan 1x2x3 arched window frames, horizontally, on these studs.

Step 18.1

Place a tan 1x2 brick, horizontally, on the left two studs of the back wall.

Step 18.2

Place a light brown masonry brick, horizontally with the brick pattern at the back, symmetrically to the previous piece on the right side.

Step 18.3

Place a light gray 1x1 brick with a hole, with the hole facing left and right, in front of the right stud of the previous piece. Repeat symmetrically on the left side.

Step 19

Place a tan 1x6x7 arched door frame with round columns, vertically with the rounded side of the column at the right, in front of the wall on the leftmost column. The front of this piece should be even with the front of the floor. Repeat symmetrically on the right side.

Step 20

Place the front stud of a tan 1x3 plate, vertically, on the back stud of both pieces from the previous step. The back of these pieces should be even with the back of the room.

Step 21.1

Rotate the room 180 degrees so the wall is at the front. Find the two 1x2x3 arched window frames on the front wall. Place a tan 1x1 round brick on each one.

Step 21.2

Find two tan 1x2 jumper arch bricks. These have a single anti-stud on the bottom and are two studs wide with only a single stud on top. Place the one of these, horizontally, on both pieces from the previous step.

Step 21.3

Place a tan 1x4 plate, horizontally, on the previous pieces.

Open group 4.

Step 22

Find the two bricks which overhang to the front of the wall. Place a tan 1x3x3 half arch, with the arch on the right, on the left one of these bricks. Repeat symmetrically on the right side.

Step 23.1

Place the front stud of a tan 1x2 brick, vertically, on the left stud of the left piece from the previous step.

Step 23.2

Place the front stud of a light brown 1x2 masonry brick, vertically with the brick pattern on the right, symmetrically to the piece from the previous step.

Step 24.1

Place a sand green 1x2 slope brick, vertically with the slope at the front, on the previous piece.

Step 24.2

Place a sand green 2x4 slope brick, horizontally with the slope at the front, to the left of the previous piece.

Step 24.3

Place a sand green 1x2 slope brick, vertically with the slope at the front, to the left of the previous piece.

Step 25.1

Place a tan 1x1 brick to the left of the previous piece. Repeat symmetrically on the right side.

Step 25.2

Place the left stud of a tan 1x2 inverted slope brick, horizontally with the slope at the right, behind the left piece from the previous step. Repeat symmetrically on the right side.

Step 26.1

Rotate the room 180 degrees so the wall is at the back again. Place a dark tan 1x4 plate, vertically, in front of both pieces from the previous step.

Step 26.2

Place the left stud of a tan 1x2 inverted slope brick, horizontally with the slope at the right, in front of the left piece from the previous step. Repeat symmetrically on the right side.

Step 27.1

Place a tan 1x1 scroll brick, with the scroll at the right, in front of the left piece from the previous step. Repeat symmetrically on the right side.

Step 27.2

Place a tan 1x1 brick on the left stud of the left piece from the previous step. Repeat symmetrically on the right side.

Step 28

Place a tan 1x6 arch brick, horizontally, on the scroll bricks between the two pieces from the previous step.

Step 29.1

Place a dark tan 2x2 corner tile, with the corner at the front left so it's oriented like a braille letter H, on the front left corner of the wall. Repeat symmetrically on all the other corners.

Step 29.2

Place a dark tan 1x4 tile with two studs, horizontally, on the arch brick between the front two pieces from the previous step. Repeat symmetrically on the back.

Step 30

Place a dark tan 1x6 tile, vertically and centered vertically, on the second column from the left. This piece will go on the stud behind the right stud of the front left 2x2 corner tile from step 29.1. Repeat symmetrically on the right side.

Step 31.1

Place a dark tan 4x8 plate, horizontally, on top of the room so the front is even with the front of the room. There will be a 4 stud gap near the top on both the left and right sides of the room.

Step 31.2

Place a gray 1x4 panel with a fence pattern, vertically with the fence on the left, on the left column of the previous piece. Repeat symmetrically on the right.

Open group 5.

Step 32.1

Now we'll build the spire which goes on top of the room we just made. Set the room aside for now. Place a dark tan 4x8 plate horizontally in front of you.

Step 32.2

Place a sand green 1x1 cone on the left and right studs on the back row of the previous piece.

Step 33.1

Place a sand green unicorn horn, with the point up, into the hollow stud on top of the pieces from the previous step.

Step 33.2

Place a brown 2x2 slope brick, with the slope at the front, centered horizontally on the front two rows of the 4x8 plate.

Step 34.1

Place a light gray 1x2 hinge base, horizontally with the flat side at the back, on the previous piece.

Step 34.1

Clip the clips of a light gray 1x2 hinge plate, horizontally, into the previous piece. You should be able to rotate it so the studs face the front, or face up. Rotate the hinge plate so the studs are on top.

Step 35.1

Next, we'll make a scroll! Place a white 1x1 plate with a hole sticking up, vertically with the hole at the back, in front of you.

Step 35.2

Place the back left anti-stud of a white 2x2 curved slope tile with a sticker, with the slope at the front, on the previous piece. The sticker on this piece is of the writing on the scroll.

Step 35.3

Place a white 1x1 plate with a hole sticking up, vertically with the hole at the back, to the right of the first one.

Step 35.4

Place a white 1x2 plate with a hole hanging down, vertically with the hole at the front, on the front left two anti-stud on the bottom of the scroll. Place another to the right of the first.

Step 35.5

Push the stud of a gold 1x1 round plate with a flower petal pattern into each of the four holes on the sides of the scroll. These are the ornate ends of the rods that the paper of the scroll is rolled around!

Step 36

Place the middle row of anti-stud on the scroll on the hinge plate from step 34.1, then tilt the scroll forward until it touches the slope brick.

Step 37

Place a sand green 8x4x6 half cone, with the open side at the front, on the 4x8 plate. It should wrap around the scroll on its stand without hitting anything.

Step 38.1

Place a tan 2x2 inverted slope brick, with the slope at the front, centered horizontally on the front row of the previous piece.

Step 38.2

Place a tan 1x2x2 arched window frame, horizontally with the flat side at the back, on the front row of the previous piece.

Step 39

Place a sand green 4x2x3 half cone, with the open side at the front, on the 8x4x6 half cone. The top two studs on the half cone should be right behind the two studs from the previous piece.

Step 40.1

Place a sand green 2x2 jagged cone on the top four studs of the spire.

Step 40.2

Place a sand green 1x1 cone on the previous piece.

Step 40.3

Place a sand green unicorn horn, with the point up, into the hollow stud on top of the previous piece.

Step 41

Now we'll attach the spire to the rest of the second level tower. Place the tower in front of you with the 4x8 plate at the front. The wall should be at the back. Place the 4x8 plate with the spire on top of the tower, behind the other 4x8 plate. This completes the second level tower and spire. Set them aside for now.

Open bag 2.

Open minifigure group 3: Draco Malfoy

Assemble the Draco Malfoy minifigure by putting the torso on the legs, the head on the torso, and the hair on the head. Draco's accessory is a black wand.

Sub-build 3: Main Level

Open group 6.

Step 42.1

Next up, we'll build the main level of the Room of Requirement. The sides of this room will open outwards so you have extra room to play! It is also a very tall room. We'll start with the center section of the floor. Place a dark tan 6x6 angled corner plate, with the angled corner at the front left, in front of you.

Step 42.2

Place a dark gray 2x2 tile with two studs, with the studs at the front, on the left two studs of the back two columns on the previous piece.

Step 43

Place a dark tan 2x8 plate with a rail, horizontally with the rail at the back, to the right of the previous piece.

Step 44.1

Place a dark tan 6x6 angled corner plate symmetrically to the first one, on the anti-stud of the previous piece.

Step 45.1

Place a dark gray 2x2 tile with two studs, with the studs at the front, on the right two columns of the back two rows on the previous piece.

Step 45.2

Place a tan 1x1 slope tile, with the thick side at the back, in front of the left stud of the 2x8 plate with a rail. There should be one free stud to the left of this piece. Repeat symmetrically on the right side.

Step 45.3

Place a light green 1x1 brick behind the left piece from the previous step.

Step 45.4

Place a light green 1x1 plate symmetrically to the previous piece on the right side.

Step 46.1

Now we'll start building the left side of the floor. Remember, this will be hinged so it can swing out to the side! Set the center section of the floor aside for now. Place a dark tan 8x8 angled corner plate, with the angled corner at the back right, in front of you.

Step 46.2

Place a light brown 2x2 tile, centered vertically, on the left two columns of the previous piece.

Step 47.1

Place the back two columns of a light brown 2x4 tile with two studs, vertically, to the right of the previous piece.

Step 47.2

Place a light brown 2x2 tile to the right of the front two columns of the previous piece.

Step 47.3

Place a light gray 1x1 brick with a hole on the side, with the hole facing left and right, on the second stud from the back on the leftmost column of the 8x8 angled corner plate.

Open group 7.

Step 48.1

Next, we'll build the hinge that will attach this side to the center floor. Place the left stud of a dark gray 2x2 corner plate, with the corner at the back right so it's oriented like a braille letter D, behind the previous piece.

Step 48.2

Place a light green 1x1 plate on the front stud of the previous piece.

Step 48.3

Find a dark gray 1x4 hinge plate. This is two 1x2 plates which are connected by a hinge at one corner so they can be folded up into a 2x2 plate, or unfolded to a 1x4 plate. They can also be any angle between. Unfold the hinge plate into a 1x4, and place the left half, horizontally with the hinge at the back, on the back row of the 2x2 corner plate from step 48.1.

Step 48.4

Stack two light green 1x2 plates and place them, horizontally, on the right half of the previous piece.

Step 48.5

Place the back row of a dark gray 2x2 corner plate, with the corner at the back right so it's oriented like a braille letter D, to the left of the stack from the previous step.

Step 49

Place the center of the floor in front of you, horizontally with the rail at the back. Find the left 2x2 tile with two studs. Place the right half of the 1x4 hinge plate from step 48.3 onto the studs of this piece. The left side of the floor should touch the left angled corner plate on the center floor section. You should be able to rotate it clockwise to open up that side of the room. Rotate it as far counterclockwise as it will go for now.

Step 50.1

Place a dark gray 1x2 brick, horizontally, on the left two studs on the back row. This will be to the left of where the room hinges open.

Step 50.2

Place a dark gray 1x2 inverted slope brick, vertically with the slope at the back, on the left stud of the previous piece.

Step 50.3

Place a light green 1x1 brick to the right of the previous piece.

Step 50.4

Place the right stud of a dark gray 2x2 corner brick, with the corner at the front left so it's oriented like a braille letter H, on the previous piece.

Step 50.5

Place a light green 1x1 slope tile, with the thick side at the front, on the back stud of the previous piece.

Step 51.1

Place a dark gray 1x2x3 tall slope brick, horizontally with the slope on the right, in front of the stack we made in steps 50.1-50.5.

Step 51.2

Place the front stud of a dark gray 2x2 corner brick, with the corner at the back left so it's oriented like a braille letter F, on the previous piece.

Open group 8.

Step 52.1

Place a light gray 1x1 brick with a hole, with the hole on the left and right, on the front stud of the previous piece.

Step 52.2

Place a dark gray 1x1 brick behind the previous piece.

Step 52.3

Place a tan 1x1 brick with a stud on one side, with the side stud at the front, to the right of the previous piece.

Step 53

Place the right stud of a tan 1x2 brick, horizontally, on the previous piece.

Step 54.1

Now we'll build a wall section for the center floor section. Set the rest of the floor aside for now. Place a dark gray 1x3 brick horizontally in front of you.

Step 54.2

Place a dark gray 1x1 brick with a horizontal clip on one side, with the clip at the front, on the left stud of the previous piece.

Step 54.3

Place a dark gray 1x1 brick to the right of the previous piece.

Step 54.4

Place the right stud of a dark gray 1x2 plate with a rail, horizontally with the rail at the back, on the previous piece.

Step 54.5

Place a tan 1x1x2 tall brick with two studs on one side, with the side studs at the front, to the right of the previous piece.

Step 54.6

Stack two light brown 1x1 plates and place it on the previous piece.

Step 54.7

Place a dark gray 1x2 slope brick, horizontally with the slope on the right, on the left two studs of the wall we're building.

Step 54.8

Place a tan 1x3 arch brick, horizontally, on top of the wall.

Step 54.9

Set the rest of the floor in front of you, with the 2x8 plate with a rail at the back. Find the three studs to the right of the hinged portion of the floor. Place the wall element we made, with the clip at the front, on these three studs.

Open group 9.

Step 55.1

Place a tan 1x1x2 tall brick with two studs on one side, with the side studs at the front, on the rightmost stud of the wall we just placed.

Step 55.2

Place a tan 1x1 brick with a horizontal clip on one side, with the clip at the front, to the left of the previous piece.

Step 55.3

Place a light brown 1x1 brick to the left of the previous piece.

Step 55.4

Place a tan 1x2 plate with a rail, horizontally with the rail at the back, on the previous two pieces.

Step 56.1

Next, we'll assemble a 1x4 hinge brick. There is one 1x2 brick which has a hole, and one which has a pin. Push the pin down into the hole. Now this can be folded up into a 2x2 brick, or unfolded to a 1x4 brick. It can also be any angle between.

Step 56.2

With the left side of the room rotated all the way counterclockwise, place the 1x4 hinge brick, open all the way to a 1x4 brick with the hinge at the back, horizontally along the left four studs on the back wall. You should still be able to rotate the left side of the room open or closed.

You will have a light green 1x1 plate leftover when you finish this group.

Open group 10.

Step 57.1

Next, we'll build the right side of the room. Set the rest of the main floor aside for now. Place a dark tan 8x8 angled corner plate, with the angled corner at the back left, in front of you.

Step 57.2

Place a light brown 2x2 tile, centered vertically, on the right two columns of the previous piece.

Step 58.1

Place the back two columns of a light brown 2x4 tile with two studs, vertically, to the left of the previous piece.

Step 58.2

Place a light brown 2x2 tile to the left of the front two columns of the previous piece.

Step 58.3

Place a light gray 1x1 brick with a hole on the side, with the hole facing left and right, on the second stud from the back on the rightmost column of the 6x6 angled corner plate.

Step 59.1

Like we did for the left side, we need to build the hinge that will attach this side to the center floor. Place the right stud of a dark gray 2x2 corner plate, with the corner at the back left so it's oriented like a braille letter F, behind the previous piece.

Step 59.2

Place the leftover light green 1x1 plate on the front stud of the previous piece.

Step 59.3

Place the right half of a dark gray 1x4 hinge plate, open so it is a 1x4 plate and horizontally with the hinge at the back, on the back row of the 2x2 corner plate from step 59.1.

Step 59.4

Place the back row of a dark gray 2x2 corner plate, with the corner at the back left so it's oriented like a braille letter F, on the right half of the previous piece.

Step 60

Place the rest of the main level in front of you, with the 2x8 plate with a rail at the back. Find the right 2x2 tile with two studs. Place the left half of the 1x4 hinge plate from step 59.3 onto the studs of this piece. The right side of the floor should touch the right angled corner plate on the center floor section. You should be able to rotate it counterclockwise to open up that side of the room. Rotate it as far clockwise as it will go for now to close up the room.

Step 61.1

Place a light green 1x1 brick on the right stud of the left half of the 1x4 hinge plate from step 59.3.

Step 61.2

Place a dark gray 1x2 brick, horizontally, to the left of the previous piece.

Step 62.1

Place a dark gray 1x2 inverted slope brick, vertically with the slope at the back, on the back right corner stud on the right side of the room.

Step 62.2

Place the right stud of a dark gray 2x2 corner brick, with the corner at the front left so it's oriented like a braille letter H, in front of the previous piece.

Step 63.1

Now we'll build the wall for this side. Set the rest of the main room aside for now. Stack two dark gray 1x3 plates and place them horizontally in front of you.

Step 63.2

Place a dark gray 1x2 plate with a rail, horizontally with the rail at the back, on the right two studs of the stack we just made.

Step 63.3

Place a dark gray 1x2 slope brick, horizontally with the slope on the left, on the previous piece.

Step 63.4

Place a tan 1x1x2 tall brick with two studs on one side, with the side studs at the front, to the left of the previous piece.

Step 63.5

Stack two light brown 1x1 plates and place it on the previous piece.

Step 63.6

Place a dark gray 1x1 brick with a horizontal clip on one side, with the clip at the front, on the 1x2 slope brick from step 63.3.

Step 63.7

Place a tan 1x3 arch brick, horizontally, on top of the wall.

Step 63.8

Set the rest of the floor in front of you, with the 2x8 plate with a rail at the back and both the left and right room sides rotated closed. Leaving two free columns of studs to the right, place the wall we just made on the back wall on the right side.

You will have a light green 1x1 brick leftover when you finish this group.

Open group 11.

Step 64

Place the back stud of a dark gray 1x2x3 tall slope brick, vertically with the slope at the front, to the right of the wall we just placed.

Step 65.1

Place a dark gray 1x2 brick, vertically, to the right of the previous piece.

Step 65.2

Place the leftover light green 1x1 brick behind the previous piece.

Step 65.3

Place the front stud of a dark gray 1x2 slope brick, vertically with the slope at the back, on the previous piece.

Step 65.4

Place a dark gray 1x1 brick in front of the previous piece.

Step 65.5

Place the front stud of a light brown 1x2 masonry brick, vertically with the brick pattern on the right, on the previous piece.

Step 66.1

Place a light gray 1x1 brick with a hole, with the hole on the left and right, on the front stud of the previous piece.

Step 66.2

Place the right stud of a tan 1x2x2 tall brick, horizontally, behind the previous piece.

Open group 12.

Step 67.1

Place a light brown 1x1 brick to the left of the previous piece.

Step 67.2

Place a tan 1x1 brick with a horizontal clip on one side, with the clip at the front, to the left of the previous piece.

Step 68.1

Place a tan 1x1x2 tall brick with two studs on one side, with the side studs at the front, to the left of the previous piece.

Step 68.2

Place a tan 1x2 plate with a rail, horizontally with the rail at the back, to the right of the previous piece.

Step 69

Assemble a tan 1x4 hinge brick like we did in step 56.1. Place the left half of this piece, open all the way to a 1x4 brick with the hinge at the back, horizontally on the previous piece. You should still be able to rotate the right side of the room open or closed.

Step 70.1

Next we'll make the door. Place a dark brown 1x6x6 door frame horizontally in front of you. The inside of the left and right sides of the doorway has a small lip, make sure this is closer to the front. There are small holes on the top of this lip that the door will attach to.

Step 70.2

Attach a brown door with a sticker on both sides, with the stud on the right, to the left half of the previous piece. Do this by pushing the left side of the door up against the lip on the left side of the door frame. The small pins on the top of the bottom of the door will click into the holes on the door frame. Repeat symmetrically on the right side. The stickers show ornate wood paneling.

Step 70.3

Place a gold 1x1 round plate on both studs of both pieces from the previous step.

Step 70.4

Place a brown 1x3x3 curved slope brick, horizontally with the slope on the left, on the left three studs of the door frame. Repeat symmetrically to the right.

Step 70.5

Place the door assembly, with the doors opening to the front, horizontally and centered horizontally on the back wall of the main room.

Step 71.1

Place a tan 1x2 inverted slope brick, horizontally with the slope on the right, to the left of the door. Repeat symmetrically on the right side.

Step 71.2

Place a light brown 1x2 plate, horizontally to the left of the left piece from the previous step. Repeat symmetrically on the right side.

Step 72

Place a tan 1x12 plate, horizontally and centered horizontally, on the back wall.

Step 73

Find the four side studs on either side of the door. Place a tan 1x6 tile with a sticker, standing upright, on the bottom two studs on the left side of the door. The top of this piece should be just below the top pair of side studs. Repeat on the right side. The sticker on these pieces shows ornate columns.

Step 74.1

Place the left column of a tan 4x4 quarter arch plate, with the corner at the top left, on the side stud above the left piece from the previous step. Repeat symmetrically on the right side. This should make an arch around the door.

Step 74.2

Find a tan 4x4 rounded corner tile with a sticker. This piece is cut out so it looks like a macaroni noodle, I'll call it a "4x4 macaroni tile" from now on. Place this piece on the left piece from the previous step so that the curve of the tile matches the curve of the plate under it. Repeat symmetrically on the right side.

Open group 13.

Step 75.1

Make sure the left and right sides of the room are closed for the next step. Place a tan 1x3 brick, vertically, on the front three studs of the leftmost column. Repeat symmetrically on the right side.

Step 75.2

Place a light gray 1x1 brick with a hole, with the hole facing the front and back, on the front row to the right of the left piece from the previous step. Repeat symmetrically on the right side.

Step 75.3

Place a tan 1x2 brick, vertically, behind both previous pieces.

Step 76.1

Now we'll build a display case which holds a golden cup. Place a brown 2x3 plate vertically in front of you.

Step 76.2

Place a dark brown 1x2 plate, horizontally, on both the front and back rows of the previous piece.

Step 76.3

Place a dark brown 1x2 jumper plate, horizontally, between the two previous pieces.

Step 76.4

Place a gold cup on the previous piece.

Step 76.5

Place a clear 1x2x3 wall panel, horizontally with the flat side at the front, on the front 1x2 plate from step 75.2. Repeat symmetrically on the back side.

Step 76.6

Place a brown 2x3 plate vertically on the two previous pieces.

Step 76.7

Place a tan 1x2 slope tile, horizontally with the thick side at the front, on the back row of the previous piece.

Step 76.8

Place a tan 2x2 corner brick, with the corner at the back left so it's oriented like a braille letter F, in front of the previous piece.

Step 76.9

Place a light gray 1x1 brick with a hole, with the hole facing the front and back, in front of the right stud of the previous piece.

Step 76.10

Place the display case on the three bricks on the front left corner of the left side of the room.

Open group 14.

Step 77.1

Now we'll build another display case for the other side of the room. Place a brown 2x3 plate vertically in front of you.

Step 77.2

Place a dark brown 1x2 plate, horizontally, on both the front and back rows of the previous piece.

Step 77.3

Place a dark brown 1x2 jumper plate, horizontally, between the two previous pieces.

Step 77.4

Place a gold cup on the previous piece.

Step 77.5

Place a clear 1x2x3 wall panel, horizontally with the flat side at the front, on the front 1x2 plate from step 75.2. Repeat symmetrically on the back side.

Step 77.6

Place a brown 2x3 plate vertically on the two previous pieces.

Step 77.7

Place a tan 1x2 slope tile, horizontally with the thick side at the front, on the back row of the previous piece.

Step 77.8

Place a tan 2x2 corner brick, with the corner at the back right so it's oriented like a braille letter D, in front of the previous piece.

Step 77.9

Place a light gray 1x1 brick with a hole, with the hole facing the front and back, in front of the left stud of the previous piece.

Step 77.10

Place the display case on the three bricks on the front right corner of the right side of the room.

Step 78.1

Next, we'll build two horizontal supports which connect the display cases we just made to the back wall of the room. Place a tan 1x1 brick with a stud on one side, with the side stud at the front, in front of you.

Step 78.2

Place a light brown 1x1 brick on the previous piece.

Step 78.3

Push the bar end of a clear 1x1 round plate with a 4L bar on one side, into the hollow side stud of the brick with a side stud. As a side note, this piece is also called an antenna.

Step 78.4

Place the side stud of a tan 1x1 brick with a stud on one side, with the side stud at the back, on the anti-stud of the previous piece.

Step 78.5

Repeat steps 78.1-78.4 to make another support.

Step 78.6

Place the front brick of one support on the back left stud on top of the left display case. The back two bricks of the support should attach to a 1x1 brick with a hole which is in front of the back wall. Repeat symmetrically on the right side.

Step 79

Stack two tan 2x2 corner plates and place the stack, with the corner at the back left so it's oriented like a braille letter F, on the left corner of the back wall. The front anti-stud of the stack should attach to the back brick of the horizontal support. Repeat symmetrically on the right side.

Step 80.1

Place a tan 1x2 half circle brick, with the flat side at the back, on the front row of each display case.

Step 80.2

Place a tan 1x1 brick with a stud on one side, with the side stud on the right, behind the right stud of the left piece from the previous step. Repeat symmetrically on the right side.

Step 81.1

Place a light brown 2x2 round plate on both display cases.

Step 81.2

Make two stacks of 2x2 ribbed round plates and place one stack on both previous pieces.

Step 81.3

Place a light brown 2x2 round plate on both previous pieces.

Open bag 3.

Open minifigure group 4: Hermione Granger

Assemble the Hermione Granger minifigure by putting the torso on the legs, the head on the torso, and the hair on the head. Hermione's accessory is a light brown wand.

Open group 15.

Step 82.1

Next, we're going to build a sliding wall which can slide closed to hide the door to the Room of Requirement if it needs to be hidden! Set the rest of the room aside. Place a tan 1x3 plate horizontally in front of you.

Step 82.2

Place a tan 1x2x2 wall panel, horizontally with the flat side at the back, on the left two studs of the previous piece.

Step 83.1

Place a light brown 1x2 masonry brick, horizontally with the brick pattern at the back, on the previous piece.

Step 83.2

Place a tan 1x1x3 tall brick, to the right of the previous piece.

Step 83.3

Place a tan 1x3 plate, horizontally, on top of the wall.

Step 84.1

Place a tan 1x2x2 wall panel, horizontally with the flat side at the back, on the left two studs of the previous piece.

Step 84.2

Stack two tan 1x1 bricks and place them to the right of the previous piece.

Step 85

Place a tan 1x3 plate, horizontally, on top of the wall.

Open group 16.

Step 86.1

Next we'll build the bottom portion of the wall. Set the top portion aside for a minute. Stack two dark gray 1x2 plates and place them horizontally in front of you.

Step 86.2

Place a dark gray 1x2 slope brick, horizontally with the slope at the right, on the stack.

Step 86.3

Place a light green 1x1 plate on the previous piece.

Step 86.4

Place the left stud of a dark gray 1x2 plate, horizontally, on the right anti-stud of the 1x2 plate on the bottom of the stack from step 86.1. This piece will underhang one stud to the right.

Step 86.5

Place a dark gray 1x1 brick on the right stud of the previous piece.

Step 86.2

Place a tan 1x2 inverted slope brick, horizontally with the slope on the left, on the previous piece.

Step 86.3

Place the top portion of the wall, with the flat sides of the wall panels at the back, on the bottom half of the wall.

Step 87

Place the main room in front of you with the two display cases at the back. Rotate the wall panel 180 degrees so the flat sides of the wall panels are at the front. Find the rail at the bottom of the room and set the wall panel on the right side of it so it covers the right half of the door. It won't be attached to anything yet.

Open group 17.

Step 88.1

Now we'll build the wall panel to cover the left side of the door. Be careful, this door is not the mirror of the first door! Set the main room aside for now. Place a tan 1x2x2 wall panel, horizontally with the flat side at the back, in front of you.

Step 88.2

Place a light brown 1x2 masonry brick, horizontally with the brick pattern at the back, on the previous piece.

Step 89

Place the right two studs of a tan 1x3 brick, horizontally on the previous piece. It will overhang one stud to the left.

Step 90

Place a tan 1x1x3 tall brick on the overhanging anti-stud of the previous piece.

Step 91

Place a tan 1x3 plate, horizontally, on top of the wall.

You will have a tan 1x1 brick leftover when you finish this group.

Open group 18.

Step 92.1

Place the leftover tan 1x1 brick on the left stud of the previous piece.

Step 92.2

Place a light brown 1x1 brick on the previous piece.

Step 92.3

Place a tan 1x2x2 wall panel, horizontally with the flat side at the back, to the right of the previous piece.

Step 93

Place a tan 1x3 plate, horizontally, on top of the wall.

Step 94.1

Now we'll build the bottom of this wall panel. Set the top part aside for now. Place a dark gray 1x2 plate horizontally in front of you.

Step 94.2

Place the left stud of a dark gray 1x2 slope brick, horizontally with the slope at the left, on the right stud of the previous piece.

Step 94.3

Place a light green 1x1 plate on the previous piece.

Step 94.4

Place a light green 1x1 plate on the left stud of the 1x2 plate from step 94.1.

Step 94.5

Place a tan 1x2 inverted slope brick, horizontally with the slope on the right, on the previous piece.

Step 94.6

Place the top portion of the wall, with the flat sides of the wall panels at the back, on the bottom half of the wall.

Step 95

Place the main room in front of you with the two display cases at the back. Rotate the wall panel 180 degrees so the flat sides of the wall panels are at the front. Place the second wall panel we made to the left of the first.

Step 96

Place a dark tan 2x8 plate with a rail, horizontally with the rail at the front, centered horizontally on the wall. The front row of this piece should go over the studs of the two wall panels and should hold them in place. The panels should be able to slide left and right to expose or hide the actual door to the room of requirement.

Step 97

Place the right stud of a tan 1x2 curved slope tile, horizontally with the slope on the left, on the left stud of the previous piece. Repeat symmetrically on the right.

Step 98.1

Next we'll make an ornate bit that goes over the door. Place a tan 1x6 plate horizontally in front of you.

Step 98.2

Place a brown 1x4x2 ornate fence panel, horizontally and centered horizontally, on the previous piece.

Step 99

Place two brown 1x2x3 arched window frames, horizontally, on the previous piece.

Step 100.1

Place a tan 1x1x3 tall brick on the left and right studs of the 1x6 plate from step 98.1.

Step 100.2

Place a gold 1x1 plate with a triangle hanging down, with the triangle at the front, on both previous pieces.

Step 100.3

Place a tan 1x3 double inverted slope brick, vertically, on both previous pieces.

Step 101

Place this assembly, horizontally and centered horizontally, on the wall over the door.

Open group 19.

Step 102.1

Now we'll make two more horizontal supports. Place a tan 1x1 brick with a stud on one side in front of you, with the side stud at the front.

Step 102.2

Place a clear 1x1 round brick with a 4L bar on the side stud of the previous piece so the bar points to the front.

Step 102.3

Push the hollow side stud of a tan 1x1 brick with a stud on one side, with the side stud at the back, onto the bar of the previous piece.

Step 102.4

Place a light gray 1x1 brick with a hole, with the hole facing left and right, on the anti-stud of the previous piece.

Step 102.5

Repeat steps 102.1-102.4.

Step 102.6

Place the back brick of one of the horizontal supports on the front left stud of the back left stack of round bricks and plates. The front of this support should attach behind the left stud of the front wall. Repeat symmetrically on the right side.

Step 103.1

Place two 1x1 scroll bricks, with the scrolls at the front, on the left two studs on the front of the wall. Repeat symmetrically on the right side.

Step 103.2

Place a dark tan 1x2 plate with rounded ends, horizontally, on the scrolls of both pairs of scroll bricks from the previous step.

Step 103.3

Push the short bar of a transparent orange flame down into the hollow studs of the pieces from the previous step. You'll do this a total of four times.

Step 104.1

Place a tan 1x2 brick with a log pattern, horizontally, behind the left pair of flames from the previous step.

Step 104.2

Place a light brown 1x2 masonry brick, horizontally with the brick pattern at the front, behind the right pair of flames.

Step 105

Place the front row of a tan 2x2 corner brick, with the brick at the front right so it's oriented like a braille letter J, on the previous piece. Repeat symmetrically on the left side.

Step 106

Place a tan 1x1x5 tall brick on the wall to the right of the left piece from the previous step. Repeat symmetrically on the right side.

Step 107

Place the left stud of a tan 1x4 arch brick, horizontally, on the left piece from the previous step. The right side of this piece should attach to a tan 1x3 double inverted slope.

Step 108.1

Place a tan 1x2x2 tall brick, horizontally, on the wall to the right of the right piece from the previous step.

Step 108.2

Place a light brown 1x2 masonry brick, horizontally with the brick pattern at the front, symmetrically to the previous piece on the left side.

Step 108.3

Place a tan 1x2 brick with a log pattern, horizontally, on the previous piece.

Step 109.1

Place a light brown 1x2 brick with two studs on one long side, horizontally with the side studs at the front, on the previous piece. Repeat symmetrically on the right side.

Step 109.2

Place the top row of a light gray 2x3 pentagonal tile with a Hogwarts crest sticker, with the pointed side down, on the side studs of both previous pieces.

Step 110

Assemble two tan 1x4 hinge bricks like we did in step 56.1. Place the left half of one, open all the way to a 1x4 brick with the hinge at the front, horizontally on the left 1x2 brick with two side studs from step 109.1. You should still be able to rotate the left side of the room open or closed. Repeat symmetrically on the right side.

Step 111.1

Place a tan 1x2 brick with a log pattern, horizontally, to the right of the left piece from the previous step. Repeat symmetrically on the right side.

Step 111.2

Place a brown 1x4x2 ornate fence panel, horizontally, between the two previous pieces.

Step 112.1

Find the two studs in front of and to the left and right of the previous piece. Place a tan 1x3x3 half arch, with the arch on the right, on the left one of these studs. Repeat symmetrically on the right side.

Step 112.2

Repeat the previous step on the behind the fence piece.

Step 113

Place a tan 1x3 plate, vertically, on the leftmost studs of the left two half arches. Repeat symmetrically on the right side.

You will have a brown 1x6 plate leftover when you finish this group.

Open group 20.

Step 114.1

Place the leftover brown 1x6 plate, horizontally, on the center studs of the previous two pieces.

Step 114.2

Place a tan 1x6 plate, horizontally, on the previous piece.

Step 115.1

Place a tan 1x2 brick with a log pattern, horizontally, to the left of the previous two pieces.

Step 115.2

Place a light brown 1x2 masonry brick, horizontally with the brick pattern at the front, symmetrically to the previous piece on the right side.

Step 115.3

Place a tan 1x2 inverted slope brick, vertically with the slope at the back, to the right of the previous piece. Repeat symmetrically on the left side.

Step 116.1

Place the left column of a dark tan 2x2 corner tile, with the corner at the front left so it's oriented like a braille letter H, on the previous piece. Repeat symmetrically on the right side.

Step 116.2

Place two dark tan 1x4 tiles with two studs, horizontally, between the front rows of the previous two pieces.

Step 117.1

Place a dark tan 1x2 tile, horizontally and centered horizontally, in front of the previous two pieces. Repeat symmetrically on the back side.

Step 117.2

Place a dark tan 1x1 tile with a 1x1 slope tile on one side, horizontally with the slope on the left, to the left of both pieces from the previous step. Repeat symmetrically on the right side.

Step 118

Rotate the room 180 degrees so the wall is at the back. Place a tan 2x2 corner brick, with the corner at the front right so it's oriented like a braille letter J, on the column over the left display case. Repeat symmetrically on the right side.

Step 119.1

Place a tan 1x2 brick with an axle hole, vertically, on the right column of both previous pieces. Note that these pieces are not placed symmetrically!

Step 119.2

Place a light brown 1x2 brick with a hole, vertically, to the left of both previous pieces.

Step 120.1

Place a tan 1x3x3 half arch, vertically with the arch at the back, on the back stud of the left piece from the previous step. Repeat symmetrically on the right side.

Step 120.2

Place a light gray 1x1 brick with a hole, with the hole facing left and right, on the front stud of both previous pieces.

Step 120.3

Place a tan 1x3 half arch, vertically with the arch at the front, behind both half arches from step 120.1. These will attach to studs in front of the back wall.

Step 120.4

Place a light gray 1x1 brick with a hole, with the hole facing left and right, on the back stud of both previous pieces.

Step 121

Place the back stud of a tan 1x6 brick, vertically, on both previous pieces.

Open group 21.

Step 122.1

Place a light brown 1x1 brick on the back right stud of the column over the left display case. This will be to the right of a 1x3x3 half arch. Repeat symmetrically on the right side.

Step 122.2

Place a tan 1x4x4 half arch, horizontally with the arch on the right, on the left piece from the previous step. Repeat symmetrically on the right side.

Step 122.3

Place a tan 1x2 plate, horizontally, on the right two studs of the left piece from the previous step. Repeat symmetrically on the right side.

Step 123.1

Place a tan 1x2x2 tall brick with a blue flower sticker, horizontally with the sticker at the front, on the front row of the column over the left display case.

Step 123.2

Place a tan 1x2 brick with an axle hole, horizontally, on the previous piece.

You will have two tan 1x2 slope bricks leftover when you finish this group.

Open group 22.

Step 124.1

Place a tan 1x2x2 tall brick with a phoenix sticker, horizontally with the sticker at the front, on the front row of the column over the right display case.

Step 124.2

Place a light brown 1x2 brick with a hole, horizontally, on the previous piece.

Step 125

Place the front row of a tan 2x2 corner brick, with the corner at the front left so it's oriented like a braille letter H, on the previous piece. Repeat symmetrically on the left side.

Step 126

Place the left stud of a leftover tan 1x2 slope brick, horizontally with the slope on the left, on the back stud of the previous piece. Repeat symmetrically on the right side.

Step 127.1

Place a tan 1x8 plate, vertically, on the leftmost column of the left wall. Repeat symmetrically on the right side.

Step 127.2

Place a light brown 1x1 plate to the right of the back stud of the left piece from the previous step. Repeat symmetrically on the right side.

Step 128

Find the two half arches which overhang the center of the room near the front of the build. There are four free studs on each of these. Place a dark tan 1x4 tile with two studs, horizontally, on both of these half arches.

Step 129.1

Place a dark tan 1x2 slope brick, vertically with the slope at the back, on the front two studs of the leftmost column of the left wall. Repeat symmetrically on the right side.

Step 129.2

Place a dark tan 2x2 corner slope brick, with the stud at the back left, on the back left corner of the wall. Repeat symmetrically on the right side.

Open bag 4.

Open minifigure group 5: Blaise Zabini

Assemble the Blaise Zabini minifigure by putting the torso on the legs, the head on the torso, and the hair on the head. Blaise's accessory is a brown wand.

Sub-build 4: Fire Serpent

Open group 23.

Step 1.1

Now we'll build the fire serpent. Set the main room aside for now. Place an orange 2x2 bent cylinder in front of you so the flat faces are on the left and right. There is an axle hole in the center of each face.

Step 1.2

Push the axle of a blue 2L axle/pin combo into the left axle hole of the previous piece.

Step 1.3

Push a red 2L axle into the right axle hole of the 2x2 bent cylinder.

Step 2.1

We'll make the fiery tail of the serpent now. Place an orange inverted dome in front of you. This has four studs on top and one anti-stud on the bottom.

Step 2.2

Place an orange 2x2 round plate on the previous piece.

Step 2.3

Place an orange 2x2 round tile with a hole on the previous piece.

Step 2.4

Now, rotate the tail so that the previous piece is on the left. Push the axle on the right side of the bent cylinder through the hole on the left side of the tail to attach the two parts.

Step 2.5

Push the short bar of a large transparent orange flame, from the right, into the anti-stud on the right side of the tail.

Step 3.1

Now we'll build a body section of the fire serpent. Place a transparent orange 2x2 round tile with a rounded bottom in front of you.

Step 3.2

Place an orange 2x2 round brick with holes on two sides, with the holes on the left and right, on the previous piece.

Step 3.3

Place an orange 1x1 plate with a horizontal clip on one side, with the clip at the front, on the front right stud of the previous piece.

Step 3.4

Place an orange 1x1 plate with a vertical clip on one side, with the clip at the back, behind the previous piece.

Step 3.5

Place the right column of an orange 2x2 slope tile, with the slope on the left, on the previous two pieces.

Step 3.6

Clip the short bar of a medium sized transparent orange flame, with the flame at the right, into the clip on the back of the assembly.

Step 3.7

Clip the short bar of a small transparent orange flame, with the flame at the top right, into the clip on the front of the assembly.

Step 3.8

Push the pin of a blue 2L axle/pin combo into the left hole on the assembly.

Step 3.9

Push the right hole of the assembly onto the pin on the left side of the 2x2 bent cylinder from step 1.1.

Step 4.1

Push one face of another orange 2x2 bent cylinder, with the faces at the left and right, onto the axle on the left side of the previous assembly.

Step 4.2

Push the axle of a blue 2L axle/pin combo into the left axle hole of the previous piece.

Step 5.1

Now we'll build another body segment. Place a transparent orange 2x2 round tile with a rounded bottom in front of you.

Step 5.2

Place an orange 2x2 round brick with holes on two sides, with the holes on the left and right, on the previous piece.

Step 5.3

Place an orange 1x1 plate with a vertical clip on one side, with the clip at the front, on the front right stud of the previous piece.

Step 5.4

Place an orange 1x1 plate with a horizontal clip on one side, with the clip at the back, behind the previous piece.

Step 5.5

Place the right column of an orange 2x2 slope tile, with the slope on the left, on the previous two pieces.

Step 5.6

Clip the short bar of a medium sized transparent orange flame, with the flame at the right, into the clip on the front of the assembly.

Step 5.7

Clip the short bar of a small transparent orange flame, with the flame at the top right, into the clip on the back of the assembly.

Step 5.8

Push a black 2L pin into the left hole on the assembly.

Step 5.9

Push the right hole of the assembly onto the pin on the left side of the 2x2 bent cylinder from step 4.2.

Step 6.1

Find the top of the fire serpent's head. This includes the eyes and the upper jaw, and it has a flat side with a pin hole on it. Push the pin hole on the flat side, with the teeth at the left, onto the pin on the left side of the body.

Step 6.2

Clip the lower jaw into the previous piece. This might be tricky! There is a recessed area behind the teeth on the head where the lower jaw attaches. This completes the fire serpent! Set it aside for now.

Sub-build 5: Main Room Continued

Open group 24.

Step 130.1

Set the main room in front of you, with the doorway at the back. Open the left and right walls all the way so the back of the room is now one long wall. Make two lamps by placing a gold faucet on top of a transparent 1x1 cone.

Step 130.2

Find the side stud above both display cases. Push the short bar of one of the lamps we made in the previous step, with the cone at the bottom, into the hollow side studs over each display case.

Step 131.1

Now we'll add some details around the door. There are two clips on the wall on each side of the door. Clip a broom, with the bristles at the bottom, onto the lower clip on each side.

Step 131.2

Make a torch by pushing the short bar of a transparent orange flame into the hollow stud of a black 1x1 inverted cone with a short bar on one side. Repeat this step to make another torch.

Step 131.2

Clip the short bar of one torch with the flame on top, into the upper clip on each side of the door

Step 132.1

Next we'll make a stack of books with a chair on top of it! Set the rest of the room aside for now. Place a dark gray 2x4 plate horizontally in front of you.

Step 132.2

Place a dark tan 1x2 brick, vertically, on the leftmost column of the previous piece.

Step 133

Stack two dark tan 1x2 plates and place them, vertically, to the right of the previous piece.

Step 134

Place a dark gray 2x2 round tile with a hole to the right of the stack from the previous step.

Step 135.1

Place a light gray 1x2 plate with two vertical clips on one side, vertically with the clips on the right, on the stack of 1x2 plates.

Step 135.2

Clip the bar of a gold 1x2 plate with a bar on one long side, vertically with the bar on the left, into the clips of the previous piece.

Step 135.3

Place a purple 1x2 tile on the previous piece.

Step 136

Place a dark tan 2x2 tile with two studs, with the studs on the right, on the left two columns.

Step 137.1

Place the left column of a light brown 2x2 brick on the previous piece.

Step 137.2

Place a dark red 2x2 tile with a single stud on the previous piece.

You will have a black 2x2 plate leftover when you finish this group.

Open group 25.

Step 138.1

Place the back left stud of the leftover black 2x2 plate on the previous piece. Rotate this piece 45 degrees counterclockwise.

Step 138.2

Place a tan 2x2 plate on the previous piece.

Step 138.3

Place a black 2x2 tile with a single stud on the previous piece.

Open group 26.

Step 139.1

Place the front left stud of a dark tan 2x2 brick on the previous piece. Rotate this piece about 20 degrees counterclockwise. It doesn't have to be precise! We're making a pretty messy stack.

Step 139.2

Place a dark blue 2x2 tile with a single stud on the previous piece.

Step 139.3

Now we'll build a chair! Place a brown chair upside down in front of you.

Step 139.4

We need to add some legs to the chair. Place a gold 1x1 round plate with an angled bar on the bottom onto the front left anti-stud of the previous piece. Rotate the bar so it points towards the front left. Repeat symmetrically on all four corners.

Step 139.5

Rotate the chair so it is rightside up with the back of the chair at the back. Place a transparent clear 1x1 round tile with a short bar on top on the left stud of the chair.

Step 139.6

Push the short bar of a silver crown into the hollow bar of the previous piece.

Step 139.7

Now, push the front right leg of the chair down into the hollow stud on top of the stack of books. The chair should be at a really precarious angle! Now the stack of books is complete.

Step 140

Set the main room in front of you, with the wall at the back and the left and right sides opened all the way. Find the 2x4 tile with two studs on the floor of the left room. Rotate the stack of books so the 2x4 plate is vertical and so the round plate at the bottom is at the front. Place the stack of books on the right stud of the 2x4 tile with two studs. The back of the stack of books should be even with the back of the room.

Open group 27.

Step 141.1

Next we'll make a record player! Set the main room aside for now. Place a brown 2x2 plate with two studs on one side, with the side studs at the front, in front of you.

Step 141.2

Place a brown 1x2 plate, horizontally, on the back row of the previous piece.

Step 142

Place a dark gray 2x2 tile with a hole on the previous two pieces.

Step 143

Place a black 1x1 plate on the front left side stud.

Step 144.1

Place a black 1x1 plate with a ring, with the ring at the back, in front of you.

Step 144.2

Place a light gray and black hinged lever, with the lever at the left, onto the left stud of the ring of the previous piece.

Step 144.3

Place a black 1x1 round plate with a 1L bar on one side, with the bar pointing 45 degrees up, onto the right stud of the ring.

Step 144.4

Place the black 1x1 plate with a ring from step 144.1, with the ring at the top, on the side stud to the right of the 1x1 plate from step 143. The lever should point to the left, and the bar should point up towards you.

Step 145

Place a brown 1x2 ingot tile, horizontally, on the two front facing studs. An ingot tile looks like a regular tile, except that the corners all around are angled, not straight up and down.

Step 146.1

Clip a black 1x1 tile with a clip on top, with the anti-stud at the back, to the bar of the 1x1 round plate with a bar from step 144.3.

Step 146.2

Place the stud of a yellow 2x2 dish into the anti-stud of the previous piece.

Step 147

Set the main room in front of you, with the wall at the back and the left and right sides opened all the way. Place the record player in front of the left display case, to the left of the stack of books.

Step 148.1

Now we'll make another stack of stuff. Set the main room aside again. Place a black 2x4 brick horizontally in front of you.

Step 148.2

Place a dark green 2x4 tile with two studs, horizontally, on the previous piece.

Step 149.1

Assemble a 2x3x3 cabinet by clipping a light gray door into it. Place the front row of the cabinet, with the door at the front, centered horizontally on the previous piece.

Step 149.2

Place a light green 2x2 tile with a single stud on the left two columns of the previous piece.

Step 149.3

Place a light green 1x2 tile, vertically, to the right of the previous piece.

Open group 28.

Step 150.1

Place a brown 2x2x2 box on the previous piece.

Step 150.2

Place a white fang in the box.

Step 150.3

Place a dark green 2x2 tile with a single stud on the box.

Step 150.4

Place a transparent blue Cornish pixie on the previous piece.

Step 151

Set the main room in front of you, with the wall at the back and the left and right sides opened all the way. Place the stack of stuff we just made, vertically with the cabinet door at the right, on the left stud of the 2x4 tile with two studs on the right room. The back side of the stack should be even with the back of the room.

Step 152.1

Next we'll make a little display table. Set the main room aside for now. Place a brown 2x4 tile with two studs horizontally in front of you.

Step 152.2

Place a chrome silver 1x1 short cone on the right stud of the previous piece.

Step 153.1

Place a gold telescope to the left of the previous piece.

Step 153.1

Push the short bar of a white candle into the hollow stud of the previous piece.

Step 154.1

Place a light gray 1x2 jumper arch brick, horizontally, on the short cone from step 152.

Step 154.2

Place a light gray 1x1 round brick on the previous piece.

Step 155

Place a metallic light gray helmet on the previous piece.

Step 156

Place this table, vertically, on the tiles in front of the right display case.

Step 157.1

Place a tan 1x14 brick with a groove on one side, horizontally with the groove at front, centered vertically on the front wall of the room.

Step 157.2

Place a dark tan 1x6 tile, horizontally and centered horizontally, on the previous piece.

Step 157.3

Place a dark tan 1x4 tile, horizontally, to the left of the previous piece. Repeat symmetrically on the right side.

Open group 29

Step 158.1

Now we'll attach the other rooms. Rotate the main room 180 degrees so the wall is at the front. Close the left and right sides of the wall completely.

Step 158.2

Place the second level roof, with the sloped roof at the front, on top of the left side of the main room.

Step 158.3

Place the second level tower, with the open side of the spire at the back, to the right of the second level roof.

Step 159.1

Now we'll build another spire. Set the rest of the room of requirement aside for now. Place a dark tan 3x6 wedge plate, horizontally with the widest row at the front, in front of you.

Step 159.2

Place a tan 1x4 plate, horizontally and centered horizontally, on the front row of the previous piece.

Step 160.1

Place a light gray 1x1 brick with a hole, with the hole facing front and back, to the left and right of the previous piece.

Step 160.2

Place a light brown 1x1 plate on both previous pieces.

Step 161

Place a tan 2x4x2 half cylinder with a brick sticker, horizontally with the open side at the front, centered horizontally on the back two rows of the 3x6 wedge plate.

Step 162

Place a tan 2x2 macaroni brick, with the flat sides at the front and the right, on the left two studs of the previous piece. Repeat symmetrically on the right side.

Step 163.1

Place a tan 1x6 arch brick, horizontally and centered horizontally, in front of the previous two pieces.

Step 163.2

Place a light brown 1x1 plate on the left and right studs of the previous piece.

Step 163.3

Place two tan 1x2 plates with a bar sticking up from one side, with the bar at the front, next to each other between the previous two pieces.

Step 163.4

Place a tan 1x6 plate, horizontally, on the front row.

Step 164.1

Place the front row of a dark tan 3x6 wedge plate, horizontally with the widest row at the front, on the previous piece.

Step 164.2

Push a black 2L pin into the right hole on the front of the assembly.

Step 165

Place a dark tan 3x3x2 curved ornate fence, with the flat sides on the front and the right, on the left half of the assembly. Repeat symmetrically on the right side.

Step 166

Place a tan 2x4x2 half cylinder, with the open side at the front, inside the curves of the previous two pieces.

Step 167.1

Place a tan 1x4 tile, horizontally and centered horizontally, on the front row of the previous piece.

Step 167.2

Place a tan 1x2 plate, horizontally and centered horizontally, behind the previous piece.

Step 168

Place the back stud of a dark tan 2x2 angled corner plate, with the angled corner at the back left, on the left stud of the previous piece. Repeat symmetrically on the right side.

Open group 30.

Step 169.1

Place a tan 2x2 inverted slope brick, with the slope at the front, centered horizontally on the front row.

Step 169.2

Place a tan 1x2x2 arched window frame, horizontally with the flat side at the back, on the front row of the previous piece.

Step 170

Place a sand green 4x2x3 half cone, with the open side at the front, on the two dark tan 2x2 angled corner plates from step 168. The top two studs on the half cone should be right behind the two studs from the previous piece.

Step 171.1

Place a sand green 2x2 jagged cone on the top four studs of the spire.

Step 171.2

Place a sand green 1x1 cone on the previous piece.

Step 171.3

Place a sand green unicorn horn, with the point up, into the hollow stud on top of the previous piece.

Step 172

Now place the rest of the room of requirement in front of you, with the left and right sides closed and the hidden door at the front. There is a four stud gap on the right side of the tower below the floor. Find the top hole on the right side of the room of requirement. This is below the large spire on the tower. Rotate the spire we just made so the pin from step 164.2 is on the left and push this pin into the hole we just identified. The two bars on the left side of this spire should rest inside the gap near the top of the tower to support the spire.

Step 173.1

Now we'll make one more small spire. Place a tan 2x2 round brick with a hole on two sides, with the holes facing left and right, in front of you.

Step 173.2

Push a black 2L pin into the right hole of the previous piece.

Step 173.3

Stack two tan 2x2 round bricks and place them on the round brick with a hole.

Step 173.4

Place a sand green 2x2 jagged cone on the top four studs of the spire.

Step 173.5

Place a sand green unicorn horn, with the point up, into the hollow stud on top of the previous piece.

Step 173.6

Place a light brown 1x1 round plate on the center anti-stud of the 2x2 round brick with a hole from step 173.1.

Step 173.7

Find the top two holes on the left side of the room of requirement. These are behind a 1x2 inverted slope at the top of the roof. Push the pin of the spire we just made into the front of these two holes.

Congratulations! Now the Hogwarts™: Room of Requirement is complete!

Thank you so much for building this set!

There are two pages of ads after the instructions end.

The first page of ads shows the four Hogwarts house banner sets. Each of these sets includes a scene of that house's dormitories, as well as minifigures from that house! Each banner can be folded up into that house's banner. The top left ad is for set number 76409, the Gryffindor House Banner. The top right is 76410, the Slytherin House Banner. The bottom right is 76411, the Ravenclaw House Banner. The bottom left is 76412, the Hufflepuff House Banner.

The second page shows ads for two sets. The first is set number 76420, the Triwizard Tournament: The Black Lake. The second set is this set, set number 76413, Hogwarts The Room of Requirement.

Visit bricksfortheblind.org for more accessible instructions, [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our [Facebook](#) and [Instagram](#) accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.