

76420 Triwizard Tournament: The Black Lake

Adapted by John Le and tested by Jolene Nemeth.

Kids can stage a spellbinding contest with the LEGO® Harry Potter™ Triwizard Tournament™: The Black Lake (76420) playset. A top gift idea for kids aged 8 and up, it features a buildable underwater scene with an arch ruin, 2 caves, and flexible LEGO elements to create the effect of 2 minifigures floating. There is also a pier model, with a minifigure-diving function, which can be placed on top of the underwater scene.

Bring a classic Harry Potter and the Goblet of Fire™ scene to life with 5 LEGO minifigures, including Harry Potter with flipper elements and Viktor Krum with a shark head element to help them rescue Hermione Granger™ and Ron Weasley™. Fans will also be inspired to play by the Merperson minifigure, new-for-March-2023 GrindyLOW figure, and accessory elements such as the Gillyweed potion.

5 LEGO® minifigures and 2 LEGO figures – Harry Potter™ with flipper elements, Viktor Krum with a shark head element, Hermione Granger™, Ron Weasley™, and a Merperson, plus GrindyLOW and crab figures

Black Lake underwater scene – Features a buildable arch ruin with 2 flexible LEGO® elements to create the effect of Hermione Granger™ and Ron Weasley™ floating, plus 2 caves with hidden treasure.

Buildable pier model and rowboat – The pier features a minifigure-diving function and a rotating clock, plus accessory elements inside including a kettle and Gillyweed potion.

Build, play and display – The pier model measures over 7 in. (18 cm) high, 5 in. (12 cm) wide and 2.5 in. (6 cm) deep and can be placed on top of the underwater scene.

The front of the box shows the pier resting on the water. Underwater, Ron and Hermione are floating, trapped in the arch ruin! Harry Potter is coming to save them but he has to be careful because Viktor Krum, in Shark form and a Merperson are close by!

The back of the box shows the entire build. The pier sits right above the arch ruin. Ron and Hermione are trapped underwater and have to hold their breath long enough so Harry Potter can come save them!

The top of the box shows all the minifigures standing next to each other!

The build is 349 pieces in total and is for ages 8+.

Bag 1 includes the pieces for Harry Potter and part of the pier.

Bag 2 includes the pieces for Viktor Krum and the rest of the pier.

Bag 3 includes the pieces for Ron Weasley, Hermione Granger, and part of the arch ruin.

Bag 4 includes the pieces for a Merperson and the rest of the arch ruin.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/76420>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 4 bags labeled 1 to 4, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Harry Potter and Triwizard Tournament: The Black Lake.

Group 1 - Page 5.

Group 2 - Steps 1-8.

Group 3 - Steps 1-13.

Bag 2 - Viktor Krum and Triwizard Tournament: The Black Lake.

Group 4 - Page 22.

Group 5 - Steps 14-25.

Group 6 - Steps 26-28.

Group 7 - Steps 29-35.

Bag 3 - Ron Weasley, Hermione Granger, and Triwizard Tournament: The Black Lake.

Group 8 - Left Minifigure on Page 41.

Group 9 - Right Minifigure on Page 41.

Group 10 - Steps 36-44.

Group 11 - Steps 45-49.

Group 12 - Steps 50-54.

Bag 4 - Merperson and Triwizard Tournament: The Black Lake.

Group 13 - Page 62

Group 14 - Steps 55-71.

Group 15 - Steps 72-75.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Harry Potter

Sub-build 1. Locate 1 short black pair of legs, 1 torso printed with a red sleeveless tanktop, 1 light tan head printed with glasses and red scratch marks on his face, 1 black hair, 1 dark brown wand, and 2 light tan flippers. Assemble your minifigure then put the wand in his hand and the flippers underneath each of his legs so they face the front!

Group 2 - Boat

Step 1

Vertically place a brown 2x4 plate with inverted sloped sides in front of you. Then vertically place a brown 1x2 log brick on the right column so it is centered vertically.

Step 2

Horizontally place a light brown 2x4 tile to the left of the previous log brick so it overhangs 3 columns to the left.

Step 3

Vertically place a brown 2x4 plate with inverted sloped sides underneath the overhang so it is centered horizontally to the 2x4 tile.

Step 4

Place a brown 4x4 inverted sloped curved plate underneath the left overhang so the short end faces the left.

Step 5

Vertically place a brown 1x4 sloped curved tile on the rightmost column so it is centered vertically. Then horizontally place a brown 1x2 tile on the front row to the left of the previous tile. Then repeat symmetrically to the back.

Step 6

Horizontally place a brown 1x2 jumper plate to the left of each of the previous 1x2 tiles. Then vertically place a brown 2x2 plate with angled sides on the left 2 columns so the short end faces the left and there is no overhang.

Step 7

Place a gold 1x1 clip on the front jumper plate so the clip hands face the front left and back right. Then repeat symmetrically to the back.

Step 8

Now attach the bar of a brown oar to each of the clips so the oars face outwards of the boat to the right. Now put your boat away while we build the pier!

Group 3 - Pier

Step 1

Horizontally place a dark blue 6x14 plate in front of you. Then vertically place a dark blue 1x6 tile on the leftmost and rightmost columns so there is no overhang.

Step 2

Horizontally place a black 2x3 slope brick to the left of the right 1x6 tile so it is centered vertically and slopes to the right. Then repeat symmetrically to the left. Now place a brown 1x1 brick with a hole in front of the stud of the left 2x3 slope brick so the hole faces left and right.

Step 3.1

Let's make a part! Place a brown 1x1 brick with a hole in front of you so the hole faces the left and right. Then insert the pin side of a tan pin connected to an axle into the left-facing hole.

Step 3.2

Vertically insert the axle hole of a dark tan axle hole with 2 small holes into the left-facing axle so the small holes face the front and back.

Step 3.3

Insert the bar side of a dark grey bar connected to a ball into the front-facing hole. Then repeat symmetrically to the back.

Step 3.4

Vertically place your part in front of the stud of the right 2x3 slope brick so the balls are on the left.

Step 4.1

Let's make a part! Horizontally place a brown 2x6 tile upside down in front of you.

Step 4.2

Horizontally place a black 2x4 plate upside down on top of the tile so it is centered horizontally.

Step 4.3

Vertically place a black 1x2 plate with a hole underneath upside down on the rightmost column so the hole is in the front. Then repeat symmetrically to the left.

Step 4.4

Insert a light grey 2L pin into the right-facing hole. Then repeat symmetrically to the left.

Step 4.5

Flip your build over so it is horizontal and the pins are in the back. Then attach a brown 1x1 brick with a hole to each of the pins.

Step 4.6

Place the 1x1 bricks of your part behind each of the studs of the 2x3 slope bricks. Then make sure the back row is free.

Step 5

Horizontally place a dark tan 2x8 plate on the front 2 1x1 bricks and front stud of the 2x3 slope bricks. Then vertically place a dark tan 1x2 plate behind the leftmost and rightmost column of the 2x8 plate.

Step 6

Vertically place a black 1x2 plate with a slope tile and a stud on the rightmost column of the 2x8 plate so it slopes to the front. Then vertically place another 1 behind it so it slopes to the back. Now repeat both parts symmetrically to the left.

Step 7

Vertically place a tan 1x2 plate with a clip on the long side on top of the right 2 1x2 plates with 1x1 slope tiles so the clip faces the right. Then repeat symmetrically to the left.

Step 8

Attach the side with a stop of a black bar into a black bar holder with a bar. Repeat again so you have 2 parts in total. Now attach the bar of the bar holder to the left-facing and right-facing clips so they face outwards diagonally for now.

Step 9.1

Let's make a part! Stack 2 brown 1x2 log bricks together so there is no overhang then horizontally place them in front of you.

Step 9.2

Horizontally place a brown 1x3 arch brick on the right stud so it slopes and overhangs to the right. Then repeat symmetrically to the left.

Step 9.3

Horizontally place a brown 1x2 log brick on top so it is centered horizontally. Now repeat again so you have 2 parts in total. Now vertically place 1 part on top of the right 1x2 plate with a clip in between the 2 1x1 slope tiles. Then repeat symmetrically to the left.

Step 10

Place a brown 1x1 round pillar with a 1x1 brick at the bottom on the front left corner. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.

Step 11

Vertically place a brown 1x6 arch brick on top of the 2 left pillars. Then repeat symmetrically to the right.

Step 12

Horizontally place a sand green 2x3 plate on top of the left 1x6 arch brick so it is centered vertically and connects to the 1x2 log brick that is to the right. Then repeat symmetrically to the right.

Step 13

Horizontally place a black 2x12 plate in front of the 2 previous 2x3 plates so it is centered horizontally. Then repeat symmetrically to the back.

Building Instructions (Bag 2, Book 1):

Group 4 - Viktor Krum

Sub-build 2. Locate 1 red pair of legs, 1 light tan torso printed with a dark tan tank top, 1 light tan head printed with eyes, eyebrows, and a beard on 1 side, and a large red mouth with a tongue on the other, 1 black hair, and 1 light grey shark mask. Assemble your minifigure then either put the hair on or the shark mask on!

Group 5 - Pier

Step 14

Horizontally place a dark grey 1x2 plate with a bar on the long side on the front row of the front 2x12 plate so it is centered horizontally and the bar faces the front. Then horizontally place a dark tan 2x3 angled plate to the right so the angled side faces the front, the short end is on the left, and it overhangs to the front. Then repeat symmetrically to the left.

Step 15

Vertically place 2 dark tan 4x6 plates, 1 to the right of the other, behind the 3 previous plates so together they are centered horizontally and overhang 1 row to the back.

Step 16

Vertically place a dark tan 4x8 plate with a rounded side to the right of the previous 4x6 plate so the rounded side face the right and the back row is aligned with the back row of the 4x6 plate. Then repeat symmetrically to the left. Make sure you angled up the bars that are below these plates so they hold the weight of the plates!

Step 17

Horizontally place a light grey 2x4 tile on top of the front 1x2 plate with a bar so it is centered horizontally. Then place a black 1x1 cone brick to the left and right of the back row of the 2x4 tile.

Step 18

Horizontally place a light grey 2x6 brick behind the previous 2x4 tile so it is centered horizontally. Then place a light grey 2x2 slope brick to the left and right so they slope outwards to the left and right.

Step 19

Vertically place a light grey 1x2 brick in front of the studs of the right 2x2 slope brick. Then repeat symmetrically to the left. Now attach the clips of a black ladder to the front-facing bar so it hangs down.

Step 20

Horizontally place 2 white 1x2 log bricks, 1 to the right of the other, on the back row of the 2x6 brick so together they are centered horizontally. Then place a white 2x2 corner brick to the left and right so the left one looks like the braille letter f, and the right one looks like the braille letter d. Then vertically place a white 1x2 log brick in front of each of the corner bricks so they sit on the 1x2 brick.

Step 21

Horizontally place a black 2x6 plate in front of the previous horizontal 1x2 log bricks so it sits on the front row of the 2x6 brick and cone bricks. Then place 3 sand green 2x2 tiles with a stud on top of the previous 2x6 plate so there are no exposed studs.

Step 22

Horizontally place a light grey 1x6 plate behind the previous 3 2x2 tiles with a stud so it is centered horizontally. Then vertically place a light grey 1x4 plate to the left and right so there is no overhang.

Step 23

Stack 2 white 1x1 round bricks together then place them on the front stud of the previous 1x4 plate that's on the left. Then repeat symmetrically on the back stud of the 1x4 plate. Now repeat both parts symmetrically to the right.

Step 24.1

Let's make a part! Horizontally place a white 1x2 window in front of you. Then insert a transparent glass pane into the front so it connects to 2 little holes. Now repeat 4 more times so you have 5 parts in total.

Step 24.2

Horizontally place 3 parts next to each other on top of the previous 1x6 plate in between the round bricks so the windows face the back. Then vertically place 1 part in between the round bricks on the left side so the window face the left. Then repeat symmetrically to the right.

Step 25

Horizontally place a light grey 1x4 plate on top of the horizontal windows so it is centered horizontally. Then place a light grey 2x2 corner plate to the left and right so there is no overhang. Then vertically place a light grey 1x2 plate in front of each of the corner plates so they sit on the window and 1x1 round brick.

Group 6 - Pier

Step 26

Place a silver mug on the right 2x2 tile with a stud so the handle faces the front right. Then place another mug on the middle 2x2 tile with a stud so the handle faces the front right. Then place a silver head on the left 2x2 tile with a stud. Then place a gold 1x1 round plate with a bar on top so the bar faces the right. Then place a light grey 1x1 half-cone brick on top. Now place a transparent green 1x1 round brick in front of the previous half-cone brick so it sits to the left of the 2x4 tile. Then place a gold 1x1 round tile on top!

Step 27

Rotate your build 180 degrees. Horizontally place 2 white 1x4 fences, 1 to the right of the other, on the front row of the 4x6 plates so together they are centered horizontally. Then place a white 1x6 curved fence to the left and right so there is no overhang.

Step 28

Horizontally place a light grey 1x8 tile on top of the 1x4 fences so it is centered horizontally. Then place a light grey 1x6 curved tile to the left and right on top of the curved fences so there is no overhang.

Group 7 - Pier

Step 29

Let's make a part! Horizontally place a white 4x8 plate in front of you.

Step 30

Horizontally place a black 2x6 plate on top so it is centered.

Step 31

Vertically place 4 sand green 1x3 sloped curved bricks, 1 to the right of the other, on the front row of the 2x6 plate so together they are centered and slope and overhang to the front. Then repeat symmetrically to the back.

Step 32

Place a sand green 3x3 sloped curved brick with 2 studs on the front right corner so it sits on the 2x2 studs and overhangs in the front right. Make sure the stud aligns with the studs of the 1x3 sloped curved brick to the left. Then repeat symmetrically to the back. Now repeat both parts symmetrically to the left.

Step 33

Horizontally place 2 sand green 1x3 slope bricks, 1 to the right of the other, on the front 1x6 stud row so they slope outwards. Then repeat symmetrically to the back.

Step 34

Horizontally place your roof on top of the plates that are on top of the windows so it is centered.

Step 35.1

Let's make a part! Place a gold 2x2 plate in front of you. Then horizontally place a white 1x2 brick with a hole on the back row so there is no overhang.

Step 35.2

Horizontally place a white 1x2 brick with a hole on the front row so there is no overhang.

Step 35.3

Place a gold 2x2 plate on top so there is no overhang.

Step 35.4

Insert a dark tan 3L axle with a stud into the front-facing hole so the stud faces the front. Make sure it goes all the way through! Then attach a black ball upright to the back-facing axle.

Step 35.5

Place a white 2x2 round tile printed with a clock upright to the front-facing stud so it is centered.

Step 35.6

Place a sand green 2x2 tile with a stud on top so there is no overhang.

Step 35.7

Place a sand green 1x1 cone brick on top of the stud of the 2x2 tile. Then insert a sand green unicorn horn into the cone brick.

Step 35.8

Place your part on top of the 2x2 set of studs from the 1x3 bricks so the 2x2 round tile faces the front.

Building Instructions (Bag 3, Book 1):

Group 8 - Ron Weasley

Sub-build 3. Locate 1 short black pair of legs, 1 black torso printed with a suit and a red tie, 1 light tan head printed with a sleeping face, and 1 light brown hair. Assemble your minifigure and put him in front of you.

Group 9 - Hermione Granger

Sub-build 4. Locate 1 short black pair of legs, 1 black torso printed with a suit and a red tie, 1 light tan head printed with a sleeping face with lashes, 1 dark brown hair, and 1 light grey octopus. Assemble your minifigure then put Ron and the octopus next to her! Now put everything away so we can build the underwater part.

Group 10 - Underwater Ruins

Step 36

Horizontally place a dark tan 8x16 plate in front of you. Then place a green 1x1 round flower plate in the front left and front right corners.

Step 37

Horizontally place a dark tan 1x6 tile in the back left corner so there is no overhang. Then repeat symmetrically to the right.

Step 38

Place a green 2x2 tile with a stud in front of the left 1x6 tile so it is centered horizontally to it. Then place a black 2x2 tile in front. Now repeat both parts symmetrically to the right.

Step 39

Vertically place a dark grey 2x3 brick in front of the left 2 columns of the left 1x6 tile. Then vertically place another 2x3 brick in front of the 2 right columns of the left 1x6 tile. Now repeat both parts symmetrically to the right. Then place a gold wine glass on top of the left 2x2 tile with a stud.

Step 40.1

Let's make a part! Horizontally place a dark grey 1x2 log brick in front of you. Then place a sand green 1x1 round plate with a bar on the left stud so the bar faces the left. Then horizontally place a dark blue 1x2 sloped curved tile on top so it slopes to the right and there is no overhang. Now repeat again so you have 2 parts in total.

Step 40.2

Vertically place 1 part in front of the right column of the 2nd from the left 2x3 brick so the bar faces the front. Then repeat symmetrically to the right.

Step 41

Place a dark blue 2x2x2 slope brick on top of the back 2 rows of the leftmost 2x3 brick so it slopes to the left. Then place another 2x2x2 slope brick to the right so it sits on the back 2 rows of the 2x3 brick and slopes to the right. Now repeat both parts symmetrically to the right.

Step 42

Horizontally place a dark blue 1x2x2 slope brick in front of each of the 4 previous 2x2x2 slope bricks so the slopes align.

Step 43

Horizontally place a dark grey 1x4 arch brick on the back row on top of the left 2 2x2x2 slope bricks. Then vertically place a dark grey 1x2 plate in front of the left and right columns of it. Now repeat all parts symmetrically to the right.

Step 44

Horizontally place a dark blue 1x3 brick on the left 3 studs of the left 1x4 arch brick. Then vertically place a dark blue 1x2 inverted slope brick to the right so it slopes and overhangs to the back. Now repeat both parts symmetrically to the right.

Group 11 - Underwater Ruins

Step 45.1

Let's make a part! Horizontally place a dark blue 2x4 plate in front of you. Then vertically place a sand green 1x2 ingot on the leftmost column so there is no overhang. Then horizontally place a dark grey 2x3 plate to the right.

Step 45.2

Place a dark blue 2x2 brick on the rightmost columns so there is no overhang. Then vertically place a light grey 1x2x2 brick with 2x2 side studs to the left so the side studs face the left.

Step 45.3

Vertically place a light orange 1x2 plate on top of the previous 1x2x2 brick with 2x2 side studs. Now repeat again so you have 2 parts in total.

Step 45.4

Horizontally place 1 part in front of the left 1x4 arch brick so it sits on the 2 1x2 plates and the ingot faces the left. Then repeat symmetrically to the right.

Step 46

Vertically place a sand green 1x3 brick to the right of the left vertical light orange 1x2 plate so there is no overhang. Then horizontally place a sand green 1x2 slope brick to the left of the back stud of the 1x3 brick so it slopes to the left. Now repeat both parts symmetrically to the right.

Step 47

Horizontally place a dark blue 2x4x6 rock formation in front of the left 2x2 tile so the rock formation faces the front and surrounds the 2x2 tile. Then repeat symmetrically to the right.

Step 48.1

Let's make a part! Horizontally place a dark blue 1x5 plate in front of you. Then place a black 1x1 plate with a double-sided stud on the rightmost stud so the double-sided stud faces the front.

Step 48.2

Place a sand green 1x1 slope tile on the leftmost stud so it slopes to the front.

Step 48.3

Horizontally place a dark blue 1x2 sloped curved tile on top of the 2 rightmost studs so it slopes to the left.

Step 48.4

Insert a black bar with a ridged middle part into the left-facing side stud of the double-sided stud.

Step 48.5

Vertically place your part on top of the right column of the left 2x4 rock formation so there is no overhang and the bar faces the right.

Step 49.1

Let's make a part! Horizontally place a dark blue 1x5 plate in front of you. Then place a black 1x1 plate with a double-sided stud on the leftmost stud so the double-sided stud faces the front.

Step 49.2

Place a sand green 1x1 slope tile on the rightmost stud so it slopes to the front.

Step 49.3

Horizontally place a dark blue 1x2 sloped curved tile on top of the 2 leftmost studs so it slopes to the right.

Step 49.4

Insert a black bar with a ridged middle part into the right-facing side stud of the double-sided stud.

Step 49.5

Vertically place your part on top of the left column of the right 2x4 rock formation so there is no overhang and the bar faces the left.

Group 12 - Underwater Ruins

Step 50

Vertically place a sand green 2x4 plate to the left of the part you previously placed on the left so there is no overhang. Then repeat symmetrically to the right.

Step 51

Place a bright green 1x1 plate with a clip on the left stud of the left rock formation so the clip faces the front. Then place a sand green 1x1 slope tile on top so it slopes to the left. Now place another sand green 1x1 slope tile on the right stud of the right rock formation so it slopes to the right.

Step 52.1

Let's make a part! Horizontally place a silver chain with 2 studs in front of you. Then place a black 1x1 round plate underneath the left and right studs of the chain. Now repeat again so you have 2 parts in total.

Step 52.2

Connect 1 of the round plates of the chain to the left front-facing bar with the ridged middle part so the chain hangs down. Then connect the bottom 1x1 round plate connected to the chain to the front-facing bar so the chain is vertical. Now repeat symmetrically to the right.

Step 53

Place a green 1x1 round flower plate on top of a sand green 1x2 rounded plate. Now repeat again so you have 2 parts in total! Then horizontally place one of them in front of the left 2x4 rock formation so it is centered horizontally and the flower is on the right. Then repeat symmetrically to the right.

Step 54.1

Attach a light green fish to the left front-facing clip so the fish faces the left. Then place a light orange crab in between the middle 2 rows so it sits in between the build and faces the front. Make sure it is in the middle 2 rows and the 5th and 6th columns from the front. It should be in the middle of 2x2 studs.

Step 54.2

Horizontally place a green seaweed in the left stud of the left previous 1x2 rounded plate, to the left of a 1x1 flower plate. Then repeat symmetrically to the right.

Building Instructions (Bag 4, Book 1):

Group 13 - Merperson

Sub-build 5. Locate 1 sand green mermaid tail, 1 sand green torso printed with muscles, 1 sand green head printed with a scary face with gold eyes and dark green lips, 1 tan hair, and 1 gold trident. Assemble your minifigure then put the trident in her hand!

Group 14 - Underwater Ruins

Step 55

Let's make a part! Horizontally place a teal 2x4 brick in front of you.

Step 56

Vertically place a sand green 1x2 masonry brick on the leftmost column so the brick grooves face the left. Then repeat symmetrically to the right.

Step 57

Vertically place 2 teal 1x3 arches, 1 to the right of the other, on the back row in between the 1x2 bricks so they arch and overhang to the back.

Step 58

Vertically place a sand green 1x2 masonry brick on the leftmost column on top of the previous masonry brick, so the brick grooves face the left. Then repeat symmetrically to the right.

Step 59

Horizontally place a teal 1x4 brick on the back stud of the 1x2 bricks so it is centered horizontally and does not overhang.

Step 60

Horizontally place a light grey 1x2x2 brick with 2x2 side studs on the front row in between the 1x2 bricks so the side studs face the front. Then horizontally place a light orange 1x2 plate on top of the previous 1x2x2 brick. Now repeat steps 55-60 again so you have 2 of these parts in total.

Step 61

Vertically place 1 part on the left 2x4 plate so it arches to the right. Then repeat symmetrically to the right.

Step 62

Vertically place a sand green 1x3 brick to the left of the back 3 studs of the left 1x4 brick. Then repeat symmetrically to the right.

Step 63

Horizontally place a sand green 1x2 slope brick on the back stud of the previous 1x3 brick and 1x4 brick that are on the left so it slopes to the right. Then place a teal 2x2 slope brick in front so it also slopes to

the right. Then place a sand green 1x1 slope tile in front so it sits on the front stud of the 1x4 brick and slopes to the right. Now repeat placing all the parts in this step symmetrically to the right.

Step 64

Place a dark grey 1x1 round brick to the right of the back row of the left 2x2 slope brick. Then place a sand green 1x1 brick with a side stud in front so the side stud faces the front. Now repeat both parts symmetrically to the right.

Step 65

Horizontally place 2 teal 1x6 arch bricks, 1 in front of the other, in between the bricks from the previous step.

Step 66

Vertically place a teal 1x2 slope tile on top of the left 1x1 round brick and 1x1 brick with a side stud so it slopes to the left. Then repeat symmetrically to the right.

Step 67

Place a sand green 2x2 plate with 2 side studs to the right of the left 1x2 slope tile so the side studs face the front. Then horizontally place a sand green 1x2 ingot on the back row of this plate. Now repeat both parts symmetrically to the right.

Step 68

Horizontally place a teal 1x2 brick with a hole in between the front row of the previous 2x2 plates with side studs. Then insert a light grey 1L pin with a stud into the front-facing hole so the stud faces the front. Now attach a dark grey 2x2 dish upright onto the front-facing stud of the pin.

Step 69

Horizontally place 2 teal 1x3 sloped curved bricks on top of the previous 1x2 brick with a hole and 2x2 plates with side studs so together they are centered horizontally and slope outwards to the left and right.

Step 70

Vertically place a sand green 1x2 ingot upright to the left of the front-facing dish so the bottom is slightly pointed towards the front right. Then place another sand green 1x2 ingot upright to the left so there is a front-facing stud in between them. Make sure it is also vertical and slightly pointed towards the front right. Then repeat both parts symmetrically to the right.

Step 71

Vertically place a teal 1x3 arch brick to the left of the 1x1 slope tile that is to the left of the upright ingots so it arches and overhangs to the front. Then repeat symmetrically to the right.

Group 15 - Underwater Ruins

Step 72.1

Let's make a part! Horizontally place a dark grey 1x4 brick with 4 side studs in front of you so the side studs face the front. Then place a green 1x1 round flower plate upright onto the leftmost and rightmost front-facing side studs. Now repeat again so you have 2 parts in total.

Step 72.2

Now vertically place 1 part on the back stud of the previous arch brick you placed on the left so the side studs face the left. Then repeat symmetrically to the right.

Step 73.1

Let's make a part! Vertically place a sand green 1x6 plate in front of you. Then place a teal 1x1 round tile on the front and back studs. Then vertically place a dark grey 1x4 tile with 2 studs in between them. Now repeat again so you have 2 parts in total.

Step 73.2

Vertically place 1 part on top of the left 1x4 brick with 4 side studs and the arch so there is no overhang. Then repeat symmetrically to the right.

Step 74.1

Let's make a part! Horizontally place a teal 2x10 plate in front of you. Then vertically place a sand green 1x2 rounded plate on the rightmost column so there is no overhang.

Step 74.2

Vertically place a sand green 1x2 ingot on the 3rd and 6th columns from the left so there is no overhang.

Step 74.3

Place a green 1x1 round flower stud on the back stud of the rounded plate. Then horizontally place a green spiked tail into the front stud of the rounded plate so the tail faces the left. Now repeat all the steps again so you have 2 parts in total.

Step 74.4

Vertically place 1 part upright onto the right-facing middle 2 side studs of the 1x4 brick so it hangs down and connects to all the lower side studs. Make sure there is no overhang at the top and also make sure that the tail is at the bottom. Now repeat symmetrically to the left.

Step 75

Bring back your pier and horizontally place it on top so the fences face the front! Make sure it is centered!

Thank you so much for building this set!

Visit bricksfortheblind.org for more accessible instructions, sign up for our newsletter, and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our [Facebook](#) and [Instagram](#) accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 4 LEGO Harry Potter Theme kits:

76409 Gryffindor™ House Banner

76412 Hufflepuff™ House Banner

76411 Ravenclaw™ House Banner

76410 Slytherin™ House Banner