

Hogwarts Castle: The Great Hall

Adapted by Jordi Isus. Tested by Radar.

Invite your young wizard, witch, or Muggle™ to join students and teachers in the Great Hall with this epic LEGO® Harry Potter™ Hogwarts™ Castle toy playset for kids (76435). A magical gift for boys, girls, and any Harry Potter fan aged 10 and up, the castle build features the largest-ever LEGO brick recreation of the Great Hall, which is packed with authentic details including floating candles and the illusion of sky. Also explore the courtyard and dungeon with a secret entrance and 3 detailed rooms – a bathroom, corridor, and Hufflepuff™ common room that each slide out for easy play.

This collectible set features 11 characters, including Harry Potter, Hermione Granger™, Albus Dumbledore™ and a mountain troll for creative play, plus 5 of 14 random collectible Hogwarts portraits for display.

This playset is part of a LEGO Harry Potter collection of modular sets (sold separately) that connect to creating the most detailed brick-built Hogwarts Castle scene ever.

LEGO® Harry Potter™ collectible Hogwarts™ Castle toy playset for kids – The largest, most detailed LEGO brick model ever of the Great Hall, a magical gift idea for young wizards, witches, and Muggles™

11 characters – Harry Potter™, Ron Weasley™, Hermione Granger™, Albus Dumbledore™, Professor Quirrell, Leanne, Daphne Greengrass, Terry Boot, Professor Vector, the Fat Fryar, and a mountain troll.

Imaginative play toy – Build the Great Hall, courtyard, and a dungeon with a secret entrance in the rockface, plus 3 rooms (bathroom, corridor, and Hufflepuff™ common room) that slide out for easy play.

5 of 14 collectible Hogwarts™ portraits – This Harry Potter™ building toy includes 5 of 14 random Hogwarts portrait elements to display in the dungeon corridor and Hufflepuff™ Common Room.

Harry Potter™ themed gift idea for kids – This magical toy building set makes a fun gift for boys, girls, and any fan of Harry Potter stories aged 10 and up.

Intuitive instructions – The LEGO® Builder app guides your youngster on an intuitive building adventure with tools that let them zoom in and rotate models in 3D, save sets and track their progress.

LEGO® Harry Potter™ collection – The Great Hall is the main model in a series of modular sets (sold separately) that connect to create the most detailed LEGO® brick-built Hogwarts™ Castle scene ever.

Build, play and display – The buildable castle toy in this 1,732-piece LEGO® Harry Potter™ set measures over 16 in. (40 cm) high, 17.5 in. (44 cm) wide and 8.5 in. (21 cm) deep.

This release uses a new two-part lid-and-tray packaging that differs from previous Harry Potter LEGO sets. The box does not open from a single lateral side; when opened, the packaging separates into two parts: a lid and a bottom tray, and both parts are sealed with tape. To access the contents, remove or cut the tape on the lid and on the tray, then lift the lid off the bottom tray.

The front of the box shows a large image of the completed Hogwarts Castle model, centered and brightly lit. The castle is built in tan, grey, and dark-grey stone colors, with tall towers, pointed roofs, arched windows, and rocky cliff sections at the base. The Great Hall is the most

prominent structure, with its tall windows and steep roof. On the right side of the model, the rocky cliff with the secret entrance is visible. Along the bottom edge of the box is a row of LEGO minifigures included in the set, shown in full color: Harry Potter, Hermione Granger, Ron Weasley, Dumbledore, Professor Quirrell, the Fat Friar, and others, all standing in a line. In the top left corner, the LEGO logo appears in its classic red square, and next to it the Harry Potter logo appears in gold letters on a dark blue background. Near the top, the set number 76435, and the recommended age 10+ are printed. The background behind the castle is a dark blue night sky with a subtle magical glow, creating a mysterious Hogwarts atmosphere.

The back of the box shows the Hogwarts Castle model opened up and viewed from the rear, revealing detailed interior rooms. Several smaller images surround the main picture, each highlighting different play features and sections of the build. One image shows the Great Hall interior with long tables and floating candles; another highlights the dungeon rooms—including the bathroom, a corridor, and the Hufflepuff common room—each presented as removable modules. There is also a close-up of the secret entrance in the cliff with the rock door open. Additional images show minifigures interacting with the set, demonstrating story scenes. Along the bottom are small icons that illustrate features such as the removable dungeon modules, the opening secret entrance, and the modular connection points for expanding the castle. The overall Layout emphasizes play features, interior detail, and storytelling possibilities.

This set has 1732 pieces, 5 instruction books, 11 minifigures, and is for kids aged 10+!

Book 1 (bags 1-6): contains the pieces to build Harry Potter, Professor Quirrell and the Hogwarts Castle Exterior Structure.

Book 2 (bags 7-9): contains the pieces to build Fat Friar, Professor Vector, and the Hogwarts Clock Tower Courtyard.

Book 3 (bags 10-14): contains the pieces to build Terry Boot, Daphne Greengrass, Ron Weasley, Albus Dumbledore, Hogwarts great hall and the underground corridor.

Book 4 (bag 15): contains the pieces to build Hermione Granger, Mountain troll with its swinging club, and the girls' bathroom.

Book 5 (bag 16): contains the pieces for Leanne and Hogwarts Hufflepuff common room.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/ Front: towards you.
- Behind/ Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back.
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.

- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.

- That one/ ppp: previously placed piece.

- Plate: piece with studs. -

Tile: smooth piece without studs (unless otherwise specified).

- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.

- Hollow stud: a bump on a LEGO brick with a hole, which allows attaching bars.

- Anti- stud is a term for the portion of a LEGO piece

which accepts studs, like the bottom of a plate or brick.

- Left/ right wedge parts: these are parts that when placed in front of you and are pointing

to the back, their wedge is on the left/ right side of the part.

- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector

on the front wall at the right, connector to the front, and then place another piece symmetrically on the back wall, at the right, the technic connector.

of the second piece should point to the back since it will be placed symmetrically.

- Centered- vertically: even amount of space in front of and behind the piece.

- Centered- horizontally: even amount of space left and right of the piece.

- Row: studs lined up horizontally (left to right/ side to side).

- Column: studs lined up upright or vertically (top to bottom/ back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

- Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

- Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pinhole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard-length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop; however, it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

- Technic brick - a brick which contains one or more holes which accept technic pins.
- Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift- arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells, and triangles.
- Gears - A gear is a functional element. They are typically discs with teeth on the outside; there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!
- Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pinholes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.
- Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts or can form useful elements such as bars. Bushes are typically light gray, cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make it easier to pull on and off.
- For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/building-instructions/76435>)
- As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.
- Sorting the pieces:
- To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3 and put them in one container.

This Lego set comes with 16 bags labelled 1-16, a sticker sheet, and 5 sets of instructions. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into different groups to make telling the difference easier for the builder. LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Specific placement guidelines:

[Start Building](#)

[Step 1](#)

Rows and Columns Across the Whole Build:

Unless we say otherwise, rows are counted from front to back or back to front, and columns are counted from left to right or from right to left across the entire build.

Example: “Vertically place a tan 1x2 plate on the 4th and 5th rows from the front on the 3rd column from the left.” or “Place a white 2x2 tile with stud on the 2 back rows on the 3rd and 4th columns from the right.”

This uses the full build's row and column Layout.

Step 2

Why We Sometimes Count Columns from a Specific Row:

Each row can have a different number of columns. This happens when the build becomes narrower or wider toward the sides, or when certain rows have cutouts, curves, or irregular shapes.

So, if a row is shorter or wider than the rows above or below it, counting columns across the whole build becomes misleading. To avoid confusion, we count columns within that specific row.

Example: Instead of: “Place the 1x2 plate on the front row on the 2nd and 3rd columns from the right.” We say: “Place the 1x2 plate on the 2nd and 3rd columns from the right of the front row.”

This makes it clear that the row itself is the reference, not the whole build.

Step 3

Why We Sometimes Count Rows from a Specific Column:

Each column can have a different number of rows. This happens when one column extends further back than the next, another extends forward, some columns are tall, others short, or the shape is staggered or irregular. When columns vary in height or depth, counting rows across the entire build becomes confusing. To avoid this, we count rows within that specific column.

Example: “Place a tan 1x1 round plate on the 3rd row from the back of the 2nd column from the right.”

This avoids the problem of columns with different lengths.

Step 4

Using Landmarks for Tactile Orientation:

When rows and columns alone aren't enough, we add landmarks—nearby pieces that help the builder feel where the new piece belongs.

Example: “Vertically place a green 2x4 plate on the 2nd through 5th rows from the back on the 2nd and 3rd columns from the left, so the back row sits on the front row of the back left 2x2 corner plate, and the front row sits on the back row of the front left 2x2 corner plate.”

These tactile cues confirm the correct placement.

Description:

Here is a detailed structural description that may help you blind builder to imagine what the build looks like before or while building it. This model recreates a multi-level Hogwarts scene built into a dramatic cliffside. The front shows a tall, textured cliff made of rough tan and dark-grey brickwork, with the shore of the lake at its base represented by dark blue plates. A secret rock door is hidden in the cliff, blending into the stone until it swings outward to reveal a narrow passage.

At the front-right corner begins the exterior staircase. Its narrow, even steps climb along the right side of the cliff and lead directly into the courtyard above. This courtyard is a rectangular platform paved with patterned tiles and bordered by low walls. On its left side stands the base of the clock tower, a square stone structure rising above the courtyard. Beneath it, set on the same wall, is the single doorway that leads into the Great Hall. To reach the hall, you must climb the staircase, cross the courtyard, and pass through these doors.

The Great Hall occupies the left side of the model when viewed from the front. Its exterior features tall stone walls, many narrow windows, and a small turret projecting from the roofline. Above it stretches the enchanted strip roof, built from plates decorated with cloud shapes, soft blues and greys, and a moon motif to evoke the magical sky seen in the films.

Turning the model around reveals the open back, where all interior spaces can be accessed. Inside the Great Hall, two long dining tables run in parallel rows, each with smooth tops and studs for placing plates and accessories. They are set with dishes of food and gold and silver goblets. The teachers' table stands lengthwise along the opposite wall of the great hall's door, arranged in the same way. Floating candles are represented by transparent plates holding candle elements with translucent flames, and the four house banners hang beneath them.

Below the courtyard and Great Hall are the underground modules, each removable. Under the clock tower is the girls' bathroom, with a toilet stall, a working sink, and a broken sink spilling water made from transparent blue pieces. In the central undersection is a narrow portrait corridor with framed portraits on both sides and a small staircase that aligns with the secret rock door when the module is placed. Beneath the Great Hall lies the Hufflepuff common room, a warm space with a fireplace, a sofa, a round table, a chair, and greenery on the walls.

Together, these elements form a compact, multi-level Hogwarts environment that can be explored from the outside in and from the upper courtyard down into the hidden rooms below.

Book 1: Hogwarts Castle Exterior Structure and Rock Base

Bag 1

Group 1: [Harry Potter, page 5.](#)

Group 2: contains the pieces for steps 1-10.

Group 3: contains the pieces for steps 11-22.

Bag 2

Group 4: contains the pieces for steps 23-33.

Group 5: contains the pieces for steps 34-38.

Bag 3

Group 6: [Professor Quirrell, page 36.](#)

Group 7: contains the pieces for steps 39-50.

Group 8: contains the pieces for steps 51-62.

Bag 4

Group 9: contains the pieces for steps 63-70.

Group 10: contains the pieces for steps 71-78.

Bag 5

Group 11: contains the pieces for steps 79-82.

Group 12: contains the pieces for steps 83-93.

Group 13: contains the pieces for steps 94-97.

Group 14: contains the pieces for steps 98-103.

Bag 6

Group 15: contains the pieces for steps 104-118.

Group 16: contains the pieces for steps 119-122.

Group 17: contains the pieces for steps 123-126.

Group 18: contains the pieces for steps 127-136.

Group 19: contains the pieces for steps 137-142.

Group 20: contains the pieces for steps 143-151.

Book 2: Hogwarts Clock Tower Courtyard

Bag 7

Group 21: [Fat Friar, page 3.](#)

Group 22: contains the pieces for steps 152-158.1.

Group 23: contains the pieces for steps 158.2-161.1.

Group 24: contains the pieces for steps 161.2-164.

Bag 8

Group 25: contains the pieces for steps 165-167.

Group 26: contains the pieces for steps 168-174.

Bag 9

Group 27: [Professor Vector, page 29.](#)

Group 28: contains the pieces for steps 175-177.

Group 29: contains the pieces for steps 178-181.

Group 30: contains the pieces for steps 182-184.

Group 31: contains the pieces for steps 185-193.

Group 32: contains the pieces for steps 194-200.

Book 3

Bag 10

Group 33: [Terry Boot, page 2.](#)

Group 34: contains the pieces for steps 201-207.

Group 35: contains the pieces for steps 208-211.

Group 36: contains the pieces for steps 212-218.

Group 37: contains the pieces for steps 219-221.

Bag 11

Group 38: Daphne Greengrass, page 24.

Group 39: contains the pieces for steps 222-224.1.

Group 40: contains the pieces for steps 224.2-231.

Group 41: contains the pieces for 232-235.2.

Group 42: contains the pieces for steps 235.3-236.2.

Group 43: contains the pieces for steps 237-240.1.

Group 44: contains the pieces for steps 240.2 -243-1.

Group 45: contains the pieces for steps 243.2-244.

Bag 12

Group 46: Ron Weasley, page 49.

Group 47: contains the pieces for steps 245-247.

Group 48: contains the pieces for steps 248-254.1.

Group 49: contains the pieces for steps 254.2-259.

Bag 13

Group 50: Albus Dumbledore, page 61.

Group 51: contains the pieces for steps 260-266.

Group 52: contains the pieces for steps 267-270.

Group 53: contains the pieces for steps 271-275.

Group 54: contains the pieces for steps 276-284.

Group 55: contains the pieces for steps 285-291.

Group 56: contains the pieces for steps 292-298.

Bag 14

Group 57: contains the pieces for steps 299-301.1.

Group 58: contains the pieces for steps 301.2-302.2.2.

Group 59: contains the pieces for steps 302.3-302.4.

Group 60: contains the pieces for steps 302.5-302.6.

Group 61: contains the pieces for steps 302.7-310.

Corridor

Group 62: contains the pieces for steps 1-14.

Book 4

Bag 15

Group 63: Hermione Granger, page 3.

Group 64: Mountain troll, page 4-7.

Group 65: contains the pieces for steps 1-16.

Group 66: contains the pieces for steps 17-22.1.

Group 67: contains the pieces for steps 22.2-35.

Group 68: contains the pieces for steps 36-43.

Book 5: Hufflepuff common room.

Bag 16

Group 69: Leanne, page 3.

Group 70: contains the pieces for steps 1-16.1.

Group 71: contains the pieces for steps 16.2-22.1.

Group 72: contains the pieces for steps 22.2-33.

Group 73: contains the pieces for steps 34-40.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 – Harry Potter.

Sub build 1. Locate a pair of short black legs, and a torso printed with a black closed hooded jacket, with the white shirt collar and the red-and-yellow Gryffindor tie peeking out from underneath and visible at the top. Locate a light-tan dual-sided head printed with glasses and with two expressions — one cheerful and one worried— a black hair piece, and a brown set of wands.

Assemble your minifigure. Choose which facial expression you want to display, either the cheerful smile or the worried face. Ask a sighted helper to help you identify the face. Break off a wand and attach it to Harry's right hand. Set him aside while you start building the castle.

Hogwarts Castle Exterior Structure and Rock Base

Group 2:

Step 1

Horizontally place a dark blue 2x16 plate in front of you. Horizontally place a black 1x4 brick with horizontal groove on the back right corner, so the horizontal groove faces the back.

Step 2

Horizontally place the back row of a dark grey 2x8 brick to the left of the ppp. Vertically place the back row of a sand green 1x2 slope brick to the right of the front row of the ppp, so it slopes to the front and 1 row overhangs to the front. Place the back row of a dark tan 2x2 slope brick to the right of the ppp, so it slopes to the front and 1 row overhangs to the front. Place a dark grey 1x1 round brick to the right of the back row of the ppp.

Step 3

Horizontally place a blue 2x6 half round plate under the front overhanging row, so its right side aligns with the plate behind it and 1 row is exposed to the front. Then, place a transparent blue 1x1 slope tile on the back row of the ppp to the left of the slope bricks so it slopes to the front.

Step 4

Vertically place a grey 1x2 log brick on the leftmost column of your build. Vertically place the 2 front rows of a grey 2x6 brick to the right of the ppp, so 4 rows overhang to the back. Vertically place a sand green 1x3 brick to the right of the 3 front rows of the ppp, so 1 row overhangs to the back.

Step 5

Place a grey 2x2x3 slope brick on the 3rd and 4th rows from the front on the 2 right columns, so it slopes to the front, and it sits on the 1x4 brick with horizontal groove, on the 1x1 round brick and on the tan 2x2 slope brick. Horizontally place a dark grey 2x4x6 rock panel to the left of the ppp, so the rock pattern faces the front.

Step 6

Place a dark grey 2x2 brick to the left of the ppp. Horizontally place a grey 1x2 log brick to the left of the back row of the ppp. Then place a dark grey 1x2 brick with open ended bar on 1 long side in front of the ppp, so the open ended bar faces the front.

Step 7

Horizontally place a dark grey 1x4x3 panel on the 4th row from the front counting the entire build, so it is centered horizontally and the hollow side faces the back. Horizontally place a grey 1x3 slope brick in front of the 3 right columns of the ppp, so it slopes to the left and it sits on the dark grey 2x2 brick and on the horizontal 1x2 brick with a front facing open ended bar. Place a sand green 1x1 slope tile on the ppp, so it slopes to the front.

Step 8

Horizontally place the right column of a grey 1x2 log brick behind the ppp, so it sits on the 1x4x3 panel. Place another horizontally to the left of the ppp. Horizontally place the back row of a dark grey 2x4x6 rock panel to the left of the ppp, so the rock pattern faces the front. Then place a grey 1x1x5 brick to the left of the front row of the ppp.

Step 9

Place a grey 2x2 corner brick with cut corner on the 2 ppps, so it looks like a Braille letter I and the cut corner faces the front right.

Step 10

Rotate your build 90 degrees counterclockwise, so the open ended bar faces to the right. horizontally place the 4 right columns of a dark blue 4x8 plate under the left overhang so it is centered vertically.

Group 3:

Step 11

Horizontally place a black 1x2 brick with pin hole on the back row of the ppp, on the 2nd and 3rd columns from the right. Insert the pin end of a tan 2L pin axle from back to front into the back facing hole of the ppp, so the 1l axle end protrudes to the back. Place a tan 1x1 brick with side stud and bottom lip on the 3rd column from the right of the front row of your build (here, we are counting only the columns of this mentioned row), so both the side stud and the bottom lip face the front. horizontally place a grey 1x3 slope brick to the left of the ppp, so it slopes to the left.

Step 12

Place a dark tan 2x2 plate on the 3rd and 4th columns from the right of the 3rd and 4th rows from the front (here, we are counting only the columns within this mentioned rows), so it sits on the 1x2 brick with pin hole, on the sand green 1x3 brick and on the grey 2x6 brick. Horizontally place the 4 right columns of a dark grey 2x8 brick on the 4 left columns of your build, so it is centered vertically on the dark blue 4x8 plate, and it sits to the left of the horizontal 2x6 brick, 4 columns should overhang to the left.

Step 13

Horizontally place the 4 right columns of a dark blue 4x8 plate under the 4 left columns of the ppp so it is centered vertically and 4 columns are exposed to the left.

Step 14

Horizontally place the 3 right columns of a dark grey 2x8 brick on the 3 left columns of the ppp, so it is centered vertically and 5 columns overhang to the left. Vertically place the 2 front rows of a sand green 1x3 brick to the right of the ppp, so it sits between the 2 horizontal dark grey 2x8 bricks.

Step 15

Horizontally place a black 1x2 brick with pin hole to the left of the back row of the ppp. Insert the pin end of a tan 2L pin axle from back to front into the back facing hole of the ppp, so the 1L axle end protrudes to the back. Horizontally place a grey 1x4 brick to the left of the ppps, so 3 columns overhang to the left.

Step 16

Let's make a part! Vertically place a dark blue 2x16 plate in front of you. Vertically place a dark grey 2x8 brick on the ppp, so it is centered vertically. Vertically place a black 1x4 brick with horizontal groove on 1 long side behind the right column of the ppp, so the horizontal groove faces the right. Repeat symmetrically to the left. Bring back your main build and position it horizontally in front of you, so the tall wall with the open ended bar faces to the right. Vertically align the 4 front rows of your part to the leftmost dark blue 4x8 plate, so the 2nd 3rd and 4th rows from the front of your part sit underneath the left overhanging bricks. Three columns of the leftmost horizontal dark grey 2x8 brick should overhang to the left and 1 column of the leftmost horizontal grey 1x4 brick should overhang to the left.

Step 17

horizontally place a sand green 1x3 brick on the 3 left columns of the front row.

Then, horizontally place a gray 1x4 brick to the right of the ppp.

Next, place a dark gray 1x2 brick with open ended bar to the right of the ppp so the bar faces the front.

Step 18

Place a grey 1x1x5 brick on the 4th column from the right of the 2nd row from the front, (here, we are counting only the columns within this mentioned row), so it sits behind the right column of a front horizontal grey 1x3 slope brick.

Step 19

Horizontally place the front row of a dark grey 2x4x6 rock panel to the left of the ppp, so it the rock pattern faces the front. Then place a grey 2x2x3 slope brick to the left of the ppp, so it slopes to the front. Place a grey 2x2 corner brick with cut corner on the 4th and 5th columns from the right of the 2nd and 3rd rows from the front, (here, we are counting only the columns

within the mentioned rows), so it sits on the 1x1x5 brick from the previous step and on the back row of the dark grey 2x4x6 rock panel, and looks like a braille letter E.

Step 20.1

Skip this step if you have already placed your sticker! Ask a helper to place sticker 9 on the hollow side of the dark grey 1x6x5 panel. This sticker has a dark grey background with two light grey stone-like arches. Inside each arch, at the back, there is a black torch mounted on the wall, each one showing a bright orange flame. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 20.2

Horizontally place a grey 1x2x2 panel on the back row of the grey 2x2x3 slope brick from the previous step, so the hollow side faces the back, and it sits to the left of the back row of the front left horizontal 2x4x6 rock panel from the previous step. Horizontally place a dark grey 1x6x5 panel with sticker to the left of the ppp, so the hollow side with the sticker faces the back.

Step 21

Horizontally place a grey 1x2 log brick in front of the 2 right columns of the ppp. Place the back row of a dark tan 2x2 slope brick to the left of the ppp, so it slopes to the front. Place a dark tan 2x2 plate on the 3rd and 4th rows from the front on the 6th and 7th columns from the left, counting the entire build, so the front row sits to the left of the 1x6x5 panel with sticker.

Step 22

Horizontally place a grey 1x3 slope on the 2nd row from the front, so it is centered horizontally on this row, and it slopes to the left, its 2 right columns sit on the horizontal 1x2 log brick from the previous step, and its leftmost column sits on the right column of the 2x2 slope brick from the previous step. Place a sand green 1x1 slope tile on the ppp, so it slopes to the front. Place a dark grey 2x4x6 rock panel on the 2 front rows on the 6th through 9th columns from the left, counting the entire build, so the rock pattern faces the front, and it sits to the left of the front sloping 2x2 slope brick. Vertically place the 2 front rows of a grey 2x6 brick to the left of the ppp. Repeat symmetrically to the back.

You've laid the first enchanted stones of the dungeon's right wing, and the rocky front wall is beginning to rise beneath your hands. The castle feels your magic—continue, for its secrets are eager to take shape!

Building Instructions (Bag 2, Book 1):

Group 4:

Step 23

Let's make a part! Horizontally place a grey 1x2 log brick in front of you. Place the back row of a dark grey 2x2 inverted slope brick on the ppp, so it slopes upward to the front and 1 row overhangs to the front. Vertically place a grey 1x2 log brick on top of your part on the right column. Then place a dark grey 2x2 corner brick to the left of the ppp, so it looks like a braille letter D and 1 column of the back row overhangs to the left. Rotate your part 90 degrees counterclockwise so it slopes to the right. Bring back your main build and position it horizontally in front of you, so the open side is at the back. Vertically place your part on top of the right wall on the 3 back rows, so it sits on the right sloping 2x2x3 slope brick and on the back right facing vertical 2x4x6 rock panel.

Step 24

Place the left column of a dark grey 2x2 inverted slope brick on top of the right wall on the 6th and 7th rows from the back, so it slopes upward to the right and 1 column overhangs to the

right. Vertically place a sand green 1x2 slope brick in front of the left column of the ppp, so it slopes to the front. Then place the left column of a dark grey 2x2 inverted slope brick in front of the ppp, so it slopes upward to the right.

Step 25

Horizontally place a dark grey 1x4x6 door frame on the front right corner of your build, so the ridges face the front, and it sits on the front right horizontal 1x2 log brick on a 1x1 brick with a front facing side stud and bottom lip, and on the front horizontal 1x3 slope brick. Let's start placing pieces on top of the front wall! Horizontally place a grey 1x2 log brick on the 8th and 9th columns from the right of the 3rd row from the front, (here, we are counting only the columns of this mentioned row), so it sits on the leftmost column of the front right horizontal 2x4x6 rock panel and on the rightmost column of the horizontal 1x2x2 panel. Place the back row of a dark grey 2x2 inverted slope brick to the left of the ppp, so it slopes upward to the front. Horizontally place a sand green 1x3 brick to the left of the back row of the ppp. Then place the back row of a dark grey 2x2 corner brick to the left of the ppp, so it looks like a braille letter D.

Step 26.1

Let's make a part! vertically place a dark grey 2x4 brick in front of you. Stack 3 dark grey 2x2 bricks, then place your stack on the 2 back rows of the ppp.

Step 26.2

Vertically place a grey 1x2 log brick in front of the right column of your stacked pieces. Vertically place a dark grey 1x2x2 slope brick on the ppp, so it slopes to the front. Bring back your main build so it is horizontally in front of you, and the open side faces the back. Vertically place your part on the 4 front rows on the 4th and 5th columns from the left, counting the entire build.

Step 27

Stack 4 dark grey 2x2 bricks, then place your stack on the 2 back rows of the left wall, which you have only built its base, so it sits on the back left vertical 2x6 brick.

Step 28

Vertically place a grey 1x2 log brick on the 3rd and 4th rows from the front on the 4th column from the left counting the entire build, so it sits on the left column of the 3 dark grey 2x2 stacked bricks from step 26. Place the back row of a dark grey 2x2 corner brick to the right of the front row of the ppp, so it looks like a braille letter H.

Step 29

Vertically place the front row of a grey 1x12x3 raised arch behind the left column of the ppp, so it sits on the front left stacked 2x2 bricks and on the back left 2x2 stacked bricks. Place a dark grey 2x2 corner brick to the left and behind the ppp, so it looks like a braille letter F.

Step 30

Vertically place a dark grey 1x16 brick on top of the right wall on the 16 back rows on the 4th column from the right counting the entire build. Horizontally place a grey 1x12 brick on top of the front horizontal wall, on the 3rd row from the front on the 7th through 18th columns from the right.

Step 31

Place a tan 1x1 brick with a side stud and bottom lip on top of the front right 1x4x6 door frame, on the 3rd column from the right of the front row, (here, we are counting only the columns within this mentioned row), so both the side stud and the bottom lip face the front. Place the front row of a dark grey 2x2 inverted slope brick to the left of the ppp, so it slopes upward to the left and 1 column overhangs to the left. Horizontally place the left column of a dark grey 1x3 inverted slope brick on the right column of the front sloping 2x2 inverted slope brick on the 10th column

from the right on the 2nd row from the front, so it slopes upward to the right, and 2 columns overhang to the right. Horizontally Place the right column of a grey 1x2 inverted slope brick to the left of the ppp, so it slopes upward to the left and 1 column overhangs to the left. Place the back row of another vertically on top of front horizontal wall on the 2nd row from the front on the 5th column from the left counting the entire build so it sits on the front left corner of the front wall, it slopes upward to the front and 1 row overhangs to the front. Place a dark grey 2x2 inverted slope brick to the right of the ppp, so it slopes upward to the front and 1 row overhangs to the front. Place another to the right of the ppp. Place a dark grey 2x2 brick on the 3rd and 4th rows from the front on the 4th and 5th columns from the left counting the entire build, so it sits on the left vertical 1x2 log brick and on the front left H shaped 2x2 corner brick and on the front row of the 1x12x3 raised arch brick.

Step 32

Vertically place a dark grey 1x2x5 brick in front of the left column of the ppp, on the 2 front rows on the 4th column from the left counting the entire build. Place a dark grey 2x2 corner brick on the back left corner of your build, so it looks like a braille letter D and sits on the back left F shaped 2x2 corner brick and on the back row of the 1x12x3 raised arch brick. Vertically place a grey 1x2 inverted slope brick in front of the left column of the ppp, so it slopes upward to the front and 1 row overhangs to the front.

Step 33

Vertically place a grey 2x3 brick on the 3 back rows on the 2 left columns. Horizontally place a grey 1x8 brick on the 3rd row from the front on the 4th through 11th columns from the left so it sits on top of the front horizontal wall. Place a dark grey 2x2 corner brick behind the 2 left columns of the ppp, so it looks like a braille letter J, and it sits on a dark grey 2x2 brick and on the 1x12x3 raised arch brick.

Group 5:

Step 34

Horizontally place a grey 2x3 brick on the 2 front rows on the 4th through 6th columns from the left, on top of the front wall, so it sits on the vertical 1x2x5 brick on the front left upward sloping 1x2 inverted slope brick and on the front left 2x2 inverted slope brick. Place a dark grey 2x2 brick to the right of the ppp. Then place a dark grey 2x2 inverted slope brick to the right of the ppp, so it slopes to the right and 1 column overhangs to the right. Place a dark grey 2x2 corner brick on the 2nd and 3rd rows from the front on the 12th and 13th columns from the left on top of the front wall, so it looks like a braille letter F, and the front row sits on the left overhanging column of a left sloping 1x2 inverted slope brick. Place another symmetrically to the right of the back row of the ppp, so it looks like a braille letter D. Horizontally place a grey 2x3 brick on the 2nd through 4th columns from the right of the 2 front rows, here, we are counting only the columns withing the mentioned rows, so it sits on top of the front wall.

Step 35

Vertically place the 2 front rows of a sand green 1x3 brick to the left of the ppp. Horizontally place another to the left of the back row of the ppp. Horizontally place a grey 1x2 inverted slope brick in front of the 2 left columns of the ppp, so it slopes to the right and 1 column overhangs to the right. it attaches only by its left column to the main build. Skip 1 column to the left and place a dark grey 2x2 inverted slope brick, so it slopes to the front and 1 row overhangs to the front, it sits between the 2 front rows of the 2 2x2 corner bricks from the previous step.

Step 36

Rotate your build 90 degrees clockwise, so the open side faces to the right. horizontally place a grey 1x2 log brick on the 2 right columns of the 3rd row from the front. Then, place another

horizontally on the same row on the 6th and 7th columns from the right. Next, place a dark gray 1x1 round brick on the same row on the 10th column from the right.

Now, horizontally place a gray 1x2 inverted slope brick to the left of the ppp so it slopes and overhangs 1 column to the left. Finally, horizontally place a sand green 1x2 slope brick on the 2 left columns of the same row so it slopes to the right.

Step 37

Horizontally place a grey 2x6 brick on top of your front wall on the 6 right columns. Vertically place a sand green 1x2 slope brick to the left of the ppp, so it slopes to the front. Place a dark grey 2x2 inverted slope brick to the left of the ppp, so it slopes to the front and 1 row overhangs to the front. Place a dark grey 2x2 corner brick to the left of the ppp, so it looks like a braille letter J, and its back row sits on the 1x12 brick, and its front row on the 1x1 round brick from the previous step and on the 1x2 inverted slope brick from the previous step. Horizontally place a grey 1x4 brick to the left of the back row of the ppp.

Step 38

Horizontally place a dark grey 1x3 inverted slope brick in front of the 3 left columns of the ppp, so it slopes to the left and 2 columns overhang to the left, it attaches only by its rightmost column. Horizontally place a grey 1x2 inverted slope brick to the left of the ppp, so it slopes to the right and 1 column overhangs to the right. You've raised the dungeon walls higher, shaped the rugged cliffside stones, and brought the left wall to life with its graceful arch. The castle hums with your growing magic—continue, for the next bag holds deeper enchantments.

Building Instructions (Bag 3, Book 1):

Group 6 – Professor Quirrell.

Sub build 2. Locate a brown pair of legs, a brown torso printed with a white shirt, a brown tie, and a purple section of his scarf, a tan dual-sided head printed with two expressions—one thoughtful expression, and the other showing Voldemort's face with pale skin, narrow red eyes, thin arched eyebrows, and a small frowning mouth—a purple wrapped-turban hairpiece, and a brown set of wands.

Assemble the Professor Quirrell minifigure. Choose which facial expression you want to display, either Quirrell's thoughtful face or the Voldemort's face. Ask a sighted helper to help you identify the face. Break off a wand and attach it to his right hand. Set professor Quirrell aside while we continue building the castle.

Group 7:

Step 39

Let's start building the central section and the left wing!

Vertically place a dark blue 2x16 plate in front of you. Then, vertically place a black 1x4 brick with horizontal groove on the back right corner of the ppp so the groove faces the right. Repeat symmetrically to the left.

Step 40

Vertically place a dark grey 2x8 brick in front of the ppps.

Step 41

Horizontally place a grey 1x4 brick in front of the ppp, so it is centered horizontally. Horizontally place a dark grey 2x8 brick in front of the ppp, so it is centered horizontally.

Step 42

Horizontally place a dark blue 4x8 plate to the right of the 4 front rows of the vertical 2x16 plate, so the 2 left columns are centered vertically underneath the right overhang.

Step 43

Place a grey 1x1 brick with clip on the leftmost column of the front row of your part, so the clip faces the front. Horizontally place a dark grey 1x6 brick to the right of the ppp. Then place a dark grey 1x1 round brick to the right of the ppp. Horizontally place a dark grey 1x2 plate with upright bar to the right of the ppp, on the front right corner of your build, so the bar is at the front pointing upward. Stack 2 tan 1x2 plates, then horizontally place your stack on the ppp. Place a reddish brown 2x2 round brick with axle hole on the 2nd and 3rd rows from the front on the 4th and 5th columns from the right.

Step 44

Horizontally place a dark blue 4x8 plate to the left of the 4 front rows of the vertical 2x16 plate, so the 2 right columns are centered vertically underneath the left overhang.

Step 45

Vertically place a sand green 1x3 brick on the 5th column from the left on the 2nd through 4th rows from the front of your part. Horizontally place a black 1x2 brick with pin hole to the right of the back row of the ppp. Then insert the pin end of a tan 2L pin axle from back to front into the back facing pin hole of the ppp, so the 1L axle end protrudes to the back.

Step 46

Horizontally place the 4 right columns of a dark grey 2x8 brick on the 2nd and 3rd rows from the front on the 4 left columns of your part, so 4 columns overhang to the left, and it sits to the left of another horizontal 2x8 brick. Place a dark grey 1x1 round brick in front of the 2nd column from the right of the ppp. Horizontally place a grey 1x4 brick to the right of the ppp. Then place a dark grey 1x1 round brick to the right of the ppp, so it sits to the left of the 1x1 brick with front facing clip.

Step 47

Horizontally place a dark blue 4x8 plate to the left of the 4 front rows of your part, so the 4 right columns of the plate will be under the overhang. Then horizontally place a grey 2x6 brick on the 4 left columns of the ppp, so it is centered vertically on the ppp, and 2 columns overhang to the left.

Step 48

Vertically place the 4 front rows of a dark blue 2x16 plate to the left of the 4 front rows of your part, so the 2nd and 3rd rows attach underneath the 2 left overhanging columns of the ppp.

Step 49

Horizontally place a sand green 1x3 brick on the 4th row from the front on the 3 left columns of your part. Horizontally place a black 1x2 brick with pin hole to the right of the ppp, then insert the pin end of a tan 2L pin axle from back to front into the back facing pin hole of the ppp, so the 1L axle end protrudes to the back. Vertically place a dark grey 2x8 brick on the 2 left columns of your part, so it is centered vertically and sits behind the 2 left columns of the sand green 1x3 brick.

Step 50

Place a dark grey 1x1 round brick behind the left column of the ppp. Then vertically place a dark grey 1x3 inverted slope brick behind the ppp so it slopes to the back. Vertically place a black

1x4 brick with horizontal groove on 1 long side to the right of the 2 ppps, so the horizontal groove faces the right.

Group 8:

Step 51

In this step, you will be placing pieces on the front row of your part.

Place a dark grey 1x1 round brick on the front left corner of your part. Vertically place the back row of a sand green 1x2 slope brick to the right of the ppp, so it slopes to the front and 1 row overhangs to the front. Vertically place a dark grey 2x3 slope brick to the right of the ppp, so it slopes to the front and 2 rows overhang to the front. Place a transparent blue 1x1 slope tile to the right of the back row of the ppp, so it slopes to the front.

Step 52

Horizontally place a dark blue 2x6 half round plate in front of the 6 left columns of your part, so it attaches underneath the front left overhang.

Step 53

Vertically place a grey 2x6 brick on the 6 back rows of the right wall, so it sits on 2 vertical 1x4 bricks with horizontal groove on 1 long side and on a vertical 2x8 brick. Repeat symmetrically to the front. Place a dark tan 2x2 plate to the left of the 3rd and 4th rows from the front of the ppp.

Step 54.1

Skip this step if you have already placed your sticker! Ask a helper to place sticker 9 on the hollow side of the dark grey 1x6x5 panel. This sticker has a dark grey background with two light grey stone-like arches. Inside each arch, at the back, there is a black torch mounted on the wall, each one showing a bright orange flame. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 54.2

Horizontally place a dark grey 1x6x5 panel with sticker to the left of the front row of the ppp, so the hollow side faces to the back.

Step 55

Horizontally place the 2 left columns of a dark grey 2x4x6 rock panel in front of the 2 right columns of the ppp, so the rock pattern faces the front. Place a dark tan 2x2 slope brick to the left of the ppp, so it slopes to the front. Then place a dark grey 1x2 brick with open ended bar on 1 long side to the left of the back row of the ppp, so the open ended bar faces the front.

Step 56

Place the front row of a grey 2x2x3 slope brick to the left of the ppp, so it slopes to the front, and the back row sits to the left of the 1x6x5 panel with sticker. Horizontally place a grey 1x3 slope brick on the 4th row from the front on the 12th through 14th columns from the left, counting the entire build, so it slopes to the left and its leftmost column sits on the right column of the horizontal 1x2 brick with front facing bar from the previous step. Place a sand green 1x1 slope tile on the rightmost column of the ppp, so it slopes to the front.

Step 57

Horizontally Place a grey 1x2x2 panel on the 5th row from the front on the 9th and 10th columns from the left, counting the entire build, so it sits on the 2x2x3 slope brick from the previous step. Horizontally place the back row of a dark grey 2x4x6 rock panel to the left of the ppp, so the rock pattern faces the front. Place the front row of a dark tan 2x2 plate to the left of the back row of the ppp.

Step 58

Horizontally place the 2 right columns of a dark grey 2x4x6 rock panel in front of the ppp., so the rock pattern faces the front. Vertically place another behind the 2 left columns of the ppp, so the rock pattern faces to the left.

Step 59

Place a dark grey 2x2 brick behind the ppp, vertically place a grey 1x2 lob brick behind the right column of the ppp. Repeat symmetrically to the left.

Step 60

Place a sand green 1x1 slope tile on the back row of the ppp, so it slopes to the left. Vertically place a grey 1x3 slope brick in front of the ppp, so it slopes to the back. Vertically place a dark grey 1x4x3 panel to the right of the 2 ppps, so the hollow side faces to the right. Place a sand green 1x1 slope tile to the left of the front row of the ppp, so it slopes to the left.

Step 61

Vertically place 2 grey 1x2 log bricks, one behind the other, on top of the vertical 1x4x3 panel from the previous step. Then vertically place the right column of a dark grey 2x4x6 rock panel behind the ppps, so the rock pattern faces the left.

Step 62

Place a grey 2x2x3 slope brick behind the ppp, so it slopes to the left, this should be located on the back left corner of your part.

You've begun raising the enchanted stones of the left wing and set the first shapes of the central corridor into place. The castle feels its form expanding under your magic—continue, for the next bag will reveal even more of its hidden pathways!

Building Instructions (Bag 4, Book 1):

Group 9:

Step 63

Vertically place a grey 1x2 log brick on the ppp. Then, place the right column of a dark grey 2x2 inverted slope brick on the ppp, so it slopes to the left and 1 column overhangs to the left. Vertically place the 2 back rows of a sand green 1x3 brick on the right column of the ppp.

Step 64

Vertically place a grey 1x2 log brick to the left of the 2 back rows of the ppp.

Let's continue placing pieces on top of the vertical left wall! Place the right column of a dark grey 2x2 inverted slope brick on the 6th and 7th rows from the back on the 2nd column from the left, so it slopes to the left and, 1 column overhangs to the left and it sits on the front row of the vertical back left facing rock panel and on the back row of a vertical left 1x2 log brick. Vertically place a sand green 1x2 slope brick in front of the ppp, so it slopes to the back. Place the right column of a dark grey 2x2 inverted slope brick in front of the ppp, so it slopes to the left and 1 column overhangs to the left. Vertically place the front row of a grey 1x2 inverted slope brick on top of the front horizontal wall, on its leftmost column, so it slopes to the back and 1 row overhangs to the back. Horizontally place the left column of another to the right of the back row of the ppp, so it slopes to the right and 1 column overhangs to the right, and it sits on the front row of the front left vertical rock panel.

Step 65

Vertically place a grey 1x12 brick behind the left column of the ppp. Horizontally place the right column of a grey 1x2 log brick behind the ppp.

Step 66

You will now be placing pieces on the left overhanging column of the 2x2 inverted slope bricks you have placed on top of the left wall. Vertically place a grey 1x2 inverted slope brick in front of the left column of the ppp, so it slopes to the front and 1 row overhangs to the front. Place a dark grey 1x1 round brick on the back row of the left column of the 2x2 inverted slope brick 2 rows in front of the back 2x2 inverted slope brick. Vertically place a grey 1x2 inverted slope brick in front of the ppp, so it slopes to the front and 1 row overhangs to the front. skip 2 rows to the front and place a grey 1x2 log brick in front of the left overhanging column of the front left 2x2 inverted slope brick, so it is placed vertically on the exposed left column of the 2x2 slope brick. Skip 2 rows to the front and place a dark tan 2x2 slope brick on the front left corner of the horizontal front wall and vertical left wall, so it slopes to the left and it sits on 2 1x2 inverted slope bricks and on the horizontal front left rock wall.

Step 67

Rotate your part 90 degrees clockwise, and position it vertically in front of you, so the open side faces to the right. Vertically place a dark grey 1x2x2 slope brick on the leftmost column of the 9th and 10th rows from the front (here, we are counting only the columns within the mentioned rows), so it slopes to the back. Vertically place the front row of a grey 1x2 inverted slope brick on top of the ppp, so it slopes to the back and 1 row overhangs to the back.

Step 68

Stack 3 grey 2x3 bricks. Then, place your stack horizontally to the right of the ppp. Horizontally place the 3 right columns of a dark grey 2x4 brick on top of the stack, so the leftmost column sits on the vertical 1x2 inverted slope brick from the previous step.

Step 69

Vertically place the front row of a grey 1x4 brick on the 2nd column from the right of the back row of the ppp. Place a dark grey 2x2 corner brick behind the ppp, so it looks like a braille letter J. Vertically place a grey 1x4 brick behind the right column of the ppp. Place the right column of a dark grey 2x2 inverted slope brick behind the ppp, so it slopes to the left and 1 row overhangs to the left. Place a grey 2x2 corner brick with cut corner on the 4th and 5th rows from the back on top of the left vertical wall, so it looks like a braille letter E, the cut corner faces to the back right and joins 2 vertical left facing rock panels.

Step 70

Stack 4 dark grey 2x2 bricks. Then place your stack on the 2 rightmost columns of the 9th and 10th rows from the front so it sits on a horizontal 2x6 brick from step 53.

Group 10:

Step 71

Horizontally place a grey 1x4 brick on the 4 left columns of the 9th row from the front (here, we are counting only the columns of this mentioned row), so it sits on a horizontal 2x4 brick. Place a dark grey 2x2 corner brick behind the 2 left columns of the ppp, so it looks like a braille letter J. Vertically place the front row of a dark grey 1x16 brick to the right of the back row of the ppp.

Step 72

Let's build the front arch. Horizontally place a grey 1x12x3 raised arch brick on the 10th row from the front on the 2nd through 13th columns from the right, so it sits on the right stacked 2x2

bricks and on the horizontal 2x4 brick. Place a dark grey 2x2 corner brick to the front and to the right of the ppp, so it looks like a braille letter J.

Step 73

Place a dark grey 2x2 corner brick on the ppps, so it looks like a braille letter D. Horizontally place a grey 1x2 inverted slope brick to the left of the front row of the ppp, so it slopes to the left and 1 column overhangs to the left. Place a dark grey 2x2 brick on the 3rd and 4th columns from the left of the 9th and 10th rows from the front at the other side of the arch.

Step 74

Vertically place the 2 front rows of a grey 1x4 brick to the left of the ppp. Then place a sand green 1x2 slope brick behind the ppp, so it slopes to the back. Place a dark grey 1x1 round brick on the 9th row from the front on the leftmost column, so it sits to the left of the front row of the vertical 1x4 brick you placed in this same step. Place a grey 1x1 brick with clip behind the ppp, so the clip faces to the left. Locate the left upward sloping 2x2 inverted slope bricks on the left wall. Vertically place a sand green 1x2 slope brick on each of the left overhanging column of the 2x2 inverted slope bricks, so there are 2 in total. The back one slopes to the back whereas the front one slopes to the front.

Step 75

Horizontally place a grey 2x3 brick on the 9th and 10th rows from the front on the 3 right columns, to the right of the arch. Repeat symmetrically to the left. Place a dark grey 2x2 corner brick to the right of the ppp, so it looks like a braille letter F.

Step 76

Rotate your left wing and hall section 90 degrees counterclockwise so the open side faces the back, and the arch is on the right. Bring back your right wing main build from bag 2 and position it horizontally in front of you with the open side facing the back and the arch on the left. On the left side of your right wing main build, feel two overhangs: the front overhang extends 3 columns to the left, the one behind it extends 1 column to the left. Align the 3rd row from the front of your left wing and hall section (we are counting the entire build) to the front row of the right wing so they sit flush. As you connect them, the three rightmost columns of the 4th and 5th rows from the front of the left wing slide under the three left-overhanging columns of the 2x6 brick on the right wing. The single-column overhang of the rear 1x4 brick rests on the rightmost column of the 6th row from the front of the left wing.

Step 77

After the wings are linked, take a dark grey 1x1 brick with pin hole and place it to the left of the 1x4 overhanging brick, sitting on the 6th row from the front of the left wing, so the pin holes face the front and the back. Insert the pin end of a tan 2L pin axle from back to front into the back facing hole of the ppp, so the 1L axle end protrudes to the back. Repeat both parts symmetrically to the left.

Step 78

Horizontally place a grey 4x8 plate on the linking section between the 2 wings, which is the central corridor, on top of the ppps, so it is centered horizontally and vertically.

You've carried the magic forward by expanding the left wing and shaping more of the central corridor, letting the underground castle grow deeper within the cliff's natural stone. The rugged front wall now mirrors the right wing's wild rock shapes, and with the wings joined to the central section, the castle begins to feel whole beneath your hands—continue, for even greater enchantments await in the next bag.

Building Instructions (Bag 5, Book 1):

Group 11:

Step 79

Horizontally place a grey 1x2 log brick on top of the front wall of the left wing, on the 5th row from the front on the 10th and 11th columns from the left counting the entire build. Vertically place a tan 1x3x3 half arch brick to the right of the ppp, so 2 rows overhang to the front. Horizontally place a grey 1x2 log brick to the right of the back row of the ppp. Vertically place the back row of a tan 1x3x3 half arch brick to the right of the ppp, so 2 rows overhang to the front. Place a dark tan 2x2 slope brick to the right of the 2 back rows of the ppp, so it slopes to the front and there is no overhang. Vertically place the 2 back rows of a tan 1x3x3 half arch brick to the right of the ppp, so the arch faces to the front. all of the half arches face with their arch to the front.

Step 80

You'll continue placing pieces on top of the front wall of the left wing. Vertically place the back row of a tan 1x3x3 half arch brick on the 5th row from the front on the 3rd column from the left, counting the entire build, so the arch faces to the front. Vertically place a sand green 1x2 slope brick to the right of the 2 back rows of the ppp, so it slopes to the front. Place a dark grey 1x1 round brick to the right of the back row of the ppp. Vertically place a tan 1x3x3 half arch brick to the right of the ppp, so 2 rows overhang to the front. Place the back row of a dark grey 2x2 corner brick to the right of the back row of the ppp, so it looks like a braille letter D and there is no overhang. Vertically place a tan 1x3x3 half arch brick to the right of the ppp, so 2 rows overhang to the front.

Step 81

Next, You will be placing pieces on top of the left wall of the left wing. Vertically place a dark grey 1x10 brick on the 2nd column from the left of the 10 back rows. Place a dark grey 1x1 round brick in front of the ppp. Then vertically place a grey 1x4 brick in front of the ppp.

Step 82

Vertically place a sand green 1x3 brick on the leftmost column of the 3 back rows. Vertically place a grey 1x3 slope brick on the leftmost column of the 6th through 8th rows from the back, so it slopes to the back. Skip 1 row to the front, then vertically place a sand green 1x2 slope brick on the leftmost column of the 10th and 11th rows from the back, so it slopes to the back.

Group 12:

Step 83

Let's make a part! Horizontally place a dark grey 1x12 plate in front of you. Place a grey 1x1 round tile with upright bar on the rightmost column of the ppp. Then place another to the left of the ppp.

Step 84

Horizontally place a dark tan 1x2 plate to the left of the ppp. Then place a dark grey 1x12 plate to the left of the ppp, so 4 columns overhang to the left.

Step 85

Horizontally place the 4 right columns of a dark grey 1x12 plate underneath the left overhanging columns.

Step 86

Place a grey 1x1 round tile with upright bar on the 5th column from the left of your part. Place another to the right of the ppp. Then horizontally place a dark tan 1x2 plate to the right of the ppp.

Step 87

Horizontally place the 4 right columns of a dark tan 1x8 plate on the 4 left columns of your part, so 4 columns overhang to the left. Horizontally place the 4 right columns of a dark grey 1x12 plate underneath the left overhang, so 8 columns are exposed to the left.

Step 88

Horizontally place a dark tan 1x2 plate on the 5th and 6th columns from the left of your part. Then place 2 consecutive grey 1x1 round tiles with upright bar to the right of the ppp.

Step 89

Horizontally place the 4 right columns of a dark grey 1x12 plate on the 4 left columns of your part, so 8 columns overhang to the left. Horizontally place the 8 right columns of another underneath the left overhang of the ppp, so 4 rows are exposed to the left.

Step 90

Horizontally place a dark tan 1x2 plate on the 3rd and 4th columns from the left of your part. Place 2 consecutive grey 1x1 round tiles with upright bar to the left of the ppp.

Step 91

Horizontally place a grey 1x8 tile on top of your part on the 3rd through 10th columns from the left. Horizontally place another to the right of the ppp. Repeat both placements symmetrically to the right. Then horizontally place another grey 1x8 tile on top of your part, so it is centered horizontally.

Step 92

Let's make 4 identical parts! Horizontally place a dark grey 1x2 plate with upright bar in front of you, so the bar is at the front. Horizontally place a dark tan 1x2 brick with 2 side studs on 1 long side on the ppp, so the side studs face the back. You should now have 4 identical parts. Flip 1 of your parts so the side studs face down and the antistuds point to the back. Now place it on the 2 right columns of your part from the previous step, so it attaches by the side studs to the 2 1x1 round tiles with upright bar, and the antistuds face the back. Repeat symmetrically to the left. then place another horizontally on the 19th and 20th columns from the left. Repeat symmetrically to the right.

Step 93

Flip your sub build, so the bars of the 4 1x2 plates with upright bar from the previous step are at the back pointing upward and the antistuds of your sub build face the front. Let's make 4 identical stacks! Stack a dark tan 1x2 brick with 2 side studs on 1 long side on a horizontal tan 1x2 plate, so the side studs face the back. You should now have 4 identical stacks. Horizontally attach the back facing side studs of your first stack to the 2 right columns of front facing antistuds of your sub build. Repeat symmetrically to the left. Then Horizontally attach another horizontal stack using the back facing side studs to the 19th and 20th columns from the left of front facing antistuds. Repeat symmetrically to the right.

Group 13:

Step 94

Bring back your main build so it is horizontally in front of you and the open side faces the back. Horizontally place your sub build keeping the same position on top of your main build on the 3 back rows, so there is no overhang.

Step 95

Horizontally place a grey 1x2 log brick in front of the 2 right columns of your attached sub build on top of the right wall of the right wing. Vertically place a dark grey 2x8 brick in front of the ppp. Then vertically place a dark grey 2x4 brick in front of the ppp. Horizontally place a dark grey 2x8 brick to the left of the 2 front rows of the ppp. Now place another horizontally to the left of the ppp. Horizontally place a grey 1x12 brick to the left of the front row of the ppp so it sits on both wings. Vertically place another behind the rightmost column of the ppp on the arch wall of the right wing.

Step 96

Horizontally place a grey 1x12 brick on the 5th row from the front on the 2nd through 13th columns from the left, on top of the front row of the left wing, so it sits behind the vertical 1x3x3 half arch bricks. Horizontally place a dark grey 1x6 brick to the right of the ppp. Vertically place a dark grey 1x10 brick behind the rightmost column of the ppp, on the arch wall of the left wing. Place a dark grey 1x1 round brick on the 2nd row from the front of the 19th column from the left, (here, we are counting only the rows of this mentioned column), so it sits in front of the rightmost column of the horizontal dark grey 1x6 brick.

Step 97

Place a tan 2x2 inverted corner slope brick on the 4th row from the front on the 2nd column from the left, so it slopes to the front and the left, and 1 row overhangs to the front and 1 column to the left. Vertically place the back row of a grey 1x2 inverted slope brick on the 4th row from the front on the 8th column from the left, so it slopes to the front and 1 row overhangs to the front.

Group 14:

Step 98

Next, you'll be placing pieces on top of the left wall of the left wing. Horizontally place the right column of a tan 1x2 inverted slope brick on the 6th row from the front on the 2nd column from the left, so it slopes to the left and 1 column overhangs to the left. Place a dark grey 2x2 corner brick behind the ppp, so it looks like a braille letter D. Horizontally place a tan 1x2 inverted slope brick behind the ppp, so it slopes to the left. Place a dark grey 2x2 corner brick behind the ppp, so it looks like a braille letter D. Horizontally place a tan 1x2 inverted slope brick behind the ppp, so it slopes to the left. Vertically place a grey 1x2 log brick behind the right column of the ppp. Horizontally place the right column of a tan 1x2 inverted slope brick behind the ppp, so it slopes to the left and 1 column overhangs to the left.

Step 99

Next, you will be placing tiles on top of the right and front walls of the right wing. Place a tan 2x2 tile on the 4th and 5th rows from the back on the 3rd and 4th columns from the right, counting the entire build, on top of the right wall of the right wing. Horizontally place a sand green 1x2 tile in front of the ppp. Place a tan 2x2 tile in front of the ppp. Vertically place a tan 2x6 tile in front of the ppp. Horizontally place the 2 right columns of a tan 2x4 tile with 2 studs in front of the ppp. Place a tan 2x2 tile to the left of the ppp. Horizontally place a tan 2x6 tile to the left of the ppp. Then place a tan 2x2 tile to the left of the ppp. Then place a tan 2x4 tile with 2 studs horizontally to the left of the ppp.

Step 100

Next, you'll be placing tiles on top of the left wall of the right wing (the arch wall) on the top of the front row of the central section and on top of the right wall of the left wing (the arch wall). Vertically place the 2 front rows of a tan 1x6 tile to the left of the ppp. Then place a dark tan 1x1 tile behind the ppp. Vertically place a tan 1x6 tile behind the ppp. Repeat the 3 parts symmetrically to the left. Horizontally place a dark tan 1x4 tile on top of the front wall of the central section, on the 20th through 23rd columns from the left. Horizontally place a tan 1x6 tile to the right of the ppp.

Step 101

Next you'll be placing tiles on top of the front and left walls of the left wing. Let's start with the left wall. Vertically place a tan 2x6 tile on the 4th through 9th rows from the back on the 2 left columns. Vertically place another in front of the ppp. Let's place tiles on the front wall. Place a tan 2x2 tile to the right of the 2 front rows of the ppp. Horizontally place a tan 2x6 tile to the right of the ppp. Place a tan 2x2 tile to the right of the ppp. Then place a tan 2x6 tile horizontally to the right of the ppp. A row should be exposed in front of the 4 ppps on top of the front wall of the left wing.

Step 102

Horizontally place a tan 1x4 tile with 2 studs in front of the 4 right columns of the ppp, so it attaches only by the rightmost and leftmost columns to the 1x3x3 half arch bricks. Horizontally place a tan 1x6 tile to the left of the ppp. Then place a dark tan 1x4 tile to the left of the ppp. Now place a tan 1x4 tile with 2 studs horizontally to the left of the ppp.

Step 103

Let's make 3 identical parts! Let's build 3 plants! Hold a reddish brown 4L bar with a 1x1 round plate on 1 end vertically upright, so the 1x1 round plate is at the bottom. Slide the open stud of a green 1x1 round plate with upright leaf from top to bottom through the top end of the ppp, so the leaf points upright to the back and 3.5L of the bar extends upward. Slide the open stud of another from top to bottom through the top end of the bar, so the leaf points upright to the left and 3L of the bar extends upward. Place a reddish brown bar holder with clip on top of the bar, so the hands of the clip face the front and the back. Place a green 1x1 inverted cone with bar on the bottom of your part, so the bar faces the bottom. Turn your part upside down, so the ppp is at the top. You should now have 3 identical parts. Bring back your main build, so it is horizontally in front of you and the open side faces the back. Locate the front left facing open ended bar, then clip the bottom clip of your first part on the middle of the front left facing open ended bar. Clip a second to the front right facing open ended bar but this time not in the middle but on the left end. Clip the 3rd on the right facing open ended bar to its front end.

You've crowned the walls of the right wing, left wing, and central section with new enchanted pieces, and the narrow linking tiles now bind their tops together so the next floor may rest securely above. Three living plants now cling to the rugged cliffside, adding a touch of wild magic to the stone—continue, for the castle is eager to rise even higher under your hands.

Building Instructions (Bag 6, Book 1):

Group 15:

Step 104

Let's start building the door of the secret entrance in the rock face. Place a dark blue 4x4 quarter round plate in front of you, so the right angle faces the back right and the rounded edge faces the front left. Horizontally place a grey 1x2 brick with handle on 1 short side on the back left corner of the ppp, so the handle faces the left.

Step 105

Vertically place the back row of a grey 1x3 slope brick to the right of the ppp, so it slopes to the front. Then place a transparent blue 1x1 slope tile to the left of the 2nd row from the back of the ppp, so it slopes to the front.

Step 106

Horizontally place a dark grey 2x4x6 rock wall on the back right corner of your part so, the rock pattern faces the front, and 3 columns overhang to the right.

Step 107

Vertically place the 2 back rows of a dark blue 2x4 plate underneath the right overhang, so after the placement the rock panel overhangs 1 column to the right. Place a dark blue 4x4 quarter round plate to the right of the ppp, so the right angle faces the back left and the rounded edge faces the front right, and the back left corner attaches underneath the right overhang.

Step 108

Place a dark grey 1x1 round brick on the back right corner of the ppp. Horizontally place a grey 1x2 brick with clip on 1 long side on the 2nd row from the back on the 2nd and 3rd columns from the right of your part, so the clip faces the back.

Step 109

Horizontally place the left column of a grey 1x2 inverted slope brick in front of the right column of the ppp, so it slopes to the right. Horizontally place a grey 1x3 slope brick to the left of the ppp, so it slopes to the left. Horizontally place a dark tan 1x2 slope tile to the left of the ppp, so it slopes to the front.

Step 110

Place a grey 2x2 corner brick with cut corner on the back right corner of your part, so it looks like a braille letter I and the cut corner faces the front right. Place the back row of another to the left of the front row of the ppp, so it looks like a braille letter E, and the cut corner points to the front left.

Step 111

Horizontally place the left column of a grey 1x2x3 brick on the back row of the ppp. Place a sand green 1x1 slope tile in front of the right column of the ppp, so it slopes to the front. place another to the right of the ppp, so it slopes to the right. Then, place a grey 1x1x3 brick on the back right corner of your part.

Step 112

Horizontally place a dark grey 1x2x3 slope brick on the back left corner of your part, so it slopes to the left. Horizontally place the right column of a grey 1x2 inverted slope brick on the ppp, so it slopes to the left and 1 column overhangs to the left. Vertically place the back row of a grey 1x2x3 inverted slope brick with 3 antistuds on the straight side to the right of the ppp, so the side antistuds face the back and it slopes to the front. Vertically place a sand green 1x2 slope brick on the ppp, so it slopes to the front.

Step 113

Horizontally place a grey 1x4 brick on the 4 left columns of studs of the back row of your part. Place the right column of a grey 2x2 corner brick with cut corner on top of the back right 1x1x3 brick, so the cut corner faces the front right and the studs look like a braille letter I. Place another symmetrically to the left of the ppp, so it looks like a braille letter E, and the cut corner faces the front left.

Step 114

Horizontally place the right column of a dark grey 1x3 inverted slope brick on the front row of the ppp, so it slopes to the left and 2 columns overhang to the left. Horizontally place a grey 1x2 inverted slope brick to the right of the ppp, so it slopes to the right and 1 row overhangs to the right. Horizontally place the 5 right columns of a dark grey 1x10 brick behind the ppps.

Step 115

Horizontally place a dark grey 2x4 brick on the back right corner of your part, so it sits on the ppps. Place a dark grey 1x1 round brick to the left of the back row of the ppp.

Step 116

Place the front row of a grey 2x2 corner brick with cut corner in front of the ppp, so the cut corner faces the front left, and it looks like a braille letter E. Place a dark grey 2x2 inverted slope brick to the left of the ppp, so it slopes to the front and 1 row overhangs to the front. Horizontally place a grey 1x2 brick with handle on a short side to the left of the back row of the ppp, so the handle faces the left.

Step 117

Horizontally place the 2 left columns of a grey 1x6 brick on the ppp. Then, horizontally place the back row of a dark tan 2x4 plate to the right of the ppp.

Step 118

Place a sand green 1x1 slope tile to the left of the front row of the ppp, so it slopes to the front. Skip a column to the left and horizontally place a dark tan 1x2 slope tile on the front overhanging row of the front sloping 2x2 inverted slope brick., so it slopes to the front and there is no overhang. Horizontally place a reddish brown 1x2 jumper plate on the back row of your part on the 2nd and 3rd columns from the right.

Group 16:

Step 119.1

Skip this step if you have already placed your sticker! Ask a helper to place sticker 8 on the top front outward curving side of the back right tan 2x2x5 quarter round panel with cutout. This sticker has a tan background with a tan brick pattern simulating a wall. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 119.2

Place a tan 2x2x5 quarter round panel with cutout and with a sticker on top of your part on the back right corner, so the larger, outside, curve faces the front right. Place another symmetrically to the left of the ppp. Then, place a grey 1x3 slope brick horizontally to the left of the back row of the ppp, so it slopes to the right. Repeat symmetrically to the left.

Step 120.1

Skip this step if you have already placed your sticker! Ask a helper to place sticker 7 on the front outward curving side of the tan 2x4x2 half round panel with cutout. This sticker shows a tan stone wall with a few exposed bricks drawn in an irregular pattern, as if the surface is slightly worn. A green ivy vine climbs up the wall, adding a touch of life and giving it that classic, ancient Hogwarts atmosphere. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 120.2

Place a tan 2x4x2 half round panel with cutout with sticker on top of the 2 back right tan 2x2x5 quarter round panels with cutout, so the sticker faces the front, the cutout faces the back.

Horizontally place a tan 2x2 curved corner tile on the 2 right columns of the ppp, so the larger, outside, curve faces the front right. Repeat symmetrically to the left.

Step 121

Rotate your part 90 degrees clockwise so the bar handles face the back, and the stickers face the left. Bring back your main build, position it horizontally in front of you, so the open side faces the back. Locate the 2 front facing clips to the left of the central section on the left wing. Attach the back facing handles of your part to these front facing clips.

Step 122

Push your attached part to the right closing the door of the secret entrance in the rock face.

Group 17:

Step 123

Let's make a part! Let's build the stairs! Place a dark grey 4x4 plate with cut corner in front of you, so the right angle faces the back left. Horizontally place a sand green 1x3 brick on the back right corner.

Step 124

Vertically place a grey 1x2 log brick in front of the leftmost column of the ppp. Place a tan 1x1 round plate to the right of the back row of the ppp. Next, place a tan 1x1 round plate with horizontal bar on top of the ppp, so the bar points to the front right. Then, place a tan 1x1 round plate on top of the ppp.

Step 125

Place a dark tan 3x3 wedge plate with cut corner on top of your part on the 3 back rows on the 3 right columns, so the right angle faces the back left and sits on the ppps.

Step 126

Horizontally place a dark grey 1x3 plate on the back row of the ppp. Place a grey 1x1 plate with a tooth hanging down on the leftmost column of the ppp, so the tooth faces the back. Place a tan 1x1 round plate on the 2nd row from the front on the 2nd column from the left of your part. Set your stairs aside for now.

Group 18:

Step 127

Horizontally place a dark blue 3x8 left wedge plate in front of you, so the longest straight side faces the front, and the short side points to the right.

Step 128

Horizontally place the back row of a dark grey 2x4x6 rock panel on the front right corner, so the rock pattern faces the back and 1 row overhangs to the front. Horizontally place the rightmost column of a dark blue 1x3 plate underneath the front left overhang of the ppp, the front row of the rightmost column of the rock panel still overhangs.

Step 129

Place the front row of a dark grey 2x2x3 slope brick on the 2 left columns of the ppp, so it slopes to the back. And it sits to the left of the 2x4x6 rock panel. Place a transparent blue 1x1 slope tile behind the left column of the ppp, so it slopes to the back.

Step 130

Vertically place the front row of a dark grey 1x2 plate with upright bar to the left of the ppp, so the bar faces upright on the left. Place a tan 1x1 round plate in front of the ppp.

Step 131

Vertically place a grey 1x3 slope brick on the 2 ppps, so it slopes to the back.

Step 132

Bring back your stairs build from step 126 and position it in front of you, so the right angle of the 4x4 plate with cut corner which serves as a base points to the back left. Attach the back left corner of the stairs to the front right overhang of your current part, so it only attaches by 1 stud.

Step 133

Place a grey 1x1x3 brick on the 4th row from the front on the 3rd column from the right, so it sits on the back facing 1x1 plate with tooth. Horizontally place the right column of a grey 1x2 log brick on the ppp.

Step 134

Place a tan 1x1 round plate on the right column of the ppp. Then, place a grey 1x1 plate with a tooth hanging down on the ppp, so the tooth faces the back. Horizontally place a dark grey 1x2x5 brick to the right of the ppps.

Step 135

Place a dark grey 1x1x5 brick on top of your part on the 2nd row from the front on the 3rd column from the right counting the entire build.

Step 136

Place the front row of a dark tan 3x3 plate with cut corner on the ppp, so the right angle faces the back left, and the back row sits on the horizontal back right 1x2x5 brick and on the back right 1x1 plate with tooth. Set your sub build aside.

Group 19:

Step 137

Let's make a part! horizontally place a dark blue 3x8 right wedge plate in front of you, so the longest straight edge faces the front and the short side points to the left.

Step 138

Vertically place a dark grey 1x2 plate with upright bar on the 2 back rows on the 2nd column from the right of the ppp, so the upright bar is on the right. Place a tan 1x1 round plate in front of the ppp.

Step 139

Vertically place the front row of a sand green 1x2 slope brick on the ppp, so it slopes to the back.

Step 140

Place the back row of a dark gray 2x2x3 slope brick to the left of the front row of the ppp so it overhangs 1 row to the front. Then, horizontally place the 2 right columns of a dark blue 1x3 plate under the front row of the ppp so 1 column is exposed to the left.

Step 141

Horizontally place the front row of a dark grey 2x4x6 rock panel to the left of the ppp, so the rock pattern faces the back and the front row of the leftmost column overhangs to the front. place a dark grey 1x1 round brick on top of the ppp on its leftmost column.

Step 142

Rotate your part 180 degrees. Now, bring back your stairs build from step 136 and position it horizontally in front of you, so the upright bar is on the left. Attach the single column of the front row of your build to the back right overhang of your part.

Group 20:

Step 143

Vertically place a dark grey 1x6 raised arch brick on top of your sub build, on the leftmost column, so it is centered vertically. Vertically place a dark grey 1x6 plate to the right of the ppp, so it is centered vertically and the front row sits on the front sloping sand green 1x2 slope brick. Place a tan 1x1 round plate on the 2nd row from the front of the ppp. Repeat symmetrically to the back. Vertically place a grey 1x4 brick on top of your part on the 4th column from the left, so it is centered vertically and sits on the right column of the 2 2x2x3 slope bricks. Vertically place a dark grey 2x4 brick on top of your part on the 4th and 5th columns from the right, so it is centered vertically.

Step 144

Place the front row of a grey 2x2 corner brick with cut corner on the right column of the front row of the ppp, so the cut corner points to the front right and it looks like a braille letter I. Place a dark grey 1x1 round brick behind the left column of the ppp. Place the left column of a grey 2x2 brick behind the ppp. Horizontally place a grey 1x2 log brick to the right of the back row of the ppp.

Step 145

Place a tan 1x1 round plate in front of the left column of the ppp. Then, place a tan 1x1 round plate with horizontal bar on top of the ppp, so the bar points diagonally to the front right. Place a tan 1x1 round plate on top of the ppp.

Step 146

Place the front right corner of a grey 2x2 brick on the ppp. Place a dark grey 1x1 round brick in front of the left column of the ppp, so it sits on the right column of the 2x2 corner brick with cut corner. Place another on top of your sub build in the back right corner so it sits on the right column of a horizontal 1x2 log brick.

Step 147

Horizontally place the right column of a grey 1x2 log brick on the ppp. Place a tan 1x1 brick to the left of the ppp. Place the left column of a 2x2 corner brick in front of the ppp, so it looks like a braille letter F.

Step 148

Place a dark tan 3x3 plate with cut corner on top of the 3 ppps, so the right angle faces the back left.

Step 149

Vertically place a tan 1x4x1 panel on top of your sub build, on the leftmost column, so it is centered vertically, and the wall faces the right. Vertically place 7 more one to the right of the

other to the right of the ppp with the wall facing the right. They are the steps. The 3 back rows of the last one should sit to the left of the top 3x3 plate with cut corner.

Step 150

Rotate your stairs sub build 135 degrees counterclockwise, so the lower step points to the front right. Bring back your main build, so it is horizontally in front of you, and the open side faces the back. Locate 2 front facing side hollow studs positioned one above and one below the front right 1x4x6 door frame. Align the back left diagonal bars of your stairs sub build with those hollow studs, then insert the bars from front to back into these front facing hollow studs. After inserting the stairs should angle 45 degree from the wall.

Step 151

Place Harry Potter on the 4th step starting from the top, so he faces the front and he doesn't attach to any studs. Be careful as the minifigure can easily fall down. Open the front facing door of the secret entrance in the rock face, and place Professor Quirrell in front of it and to the right as if he had opened the door.

You've brought the secret entrance to life within the cliffside, shaping its hidden door and the half-cylindrical tower that watches over it like a silent guardian. The long staircase now descends from the top of the front right wall down to the dark-blue waters of the lake, completing the path from the cliff's height to the depths below. With this, the exterior of Hogwarts stands fully formed under your hands—place Quirrell at the secret door, guide Harry onto the stairs, and feel the story stir as your magic carries you into the next book.

Building Instructions (Bag 7, Book 2):

Group 21 – Fat Friar.

Sub built 3. Locate a gray ghost lower body shaped like a swirling tail, a pearl-white torso printed with the Fat Friar's gray monk robes with soft folds in the fabric, a white dual-sided head printed with two expressions — a warm, cheerful smile on one side and a slightly surprised, open-mouthed expression on the other, a gray hair part, and a silver-gray mug shaped like a small cup with a handle.

Assemble the Fat Friar minifigure. Choose which facial expression you want to display, either the warm smile or the surprised face. ask a sighted helper to help you identify the right face. Put the mug in his right hand so it looks like he is about to take a sip. Set the Fat Friar aside while you start building the Hogwarts Clock Tower Courtyard.

Hogwarts Clock Tower Courtyard

Group 22:

Step 152

Place a dark tan 16x16 plate in front of you. Horizontally place a reddish brown 1x6 tile on the back row of the ppp, so it is centered horizontally.

Step 153

Horizontally place a tan 1x2x5 brick to the right of the ppp. Repeat symmetrically to the left.

Step 154

Let's make a part! Let's build a door! Place a brown 1x6x6 door frame lying flat in front of you, so the antistuds face the front and the ridges face up. Attach the right edge of a reddish brown 1x3x6 door with stud handle to the right door's ridges so it snaps in place, and the handle faces the left. Repeat symmetrically to the left. Turn your door upside down. Then, place a dark grey 1x1 round plate on each stud handle, so there are 2 in total. Bring back your previous part, so

the pieces you placed in the previous step are at the back. Flip your part, so it stands horizontally upright with the 1x1 round plates facing the front. Horizontally place the door on the 2nd row from the back, so it is centered horizontally and sits in front of the 1x6 tile.

Step 155

Vertically place the back row of a tan 1x2x5 brick to the left of the door. Place a tan 1x1x3 brick to the right of the front row of the ppp. Repeat both parts symmetrically to the right.

Step 156

vertically place a tan 1x2x5 brick on the 2 back rows on the 3rd column from the right. Place another horizontally to the right of the front row of the ppp. Repeat both parts symmetrically to the left.

Step 157.1

Vertically place a nougat 1x2 masonry brick on the 3rd and 4th rows from the back on the 2nd column from the right, so the masonry pattern faces the right. A masonry brick has two different patterns on the long sides: one is smooth with a shallow horizontal groove, and the other has a raised brick-like texture you can feel with your fingers. That textured side is the masonry pattern. horizontally place the left column of a tan 1x2x2 brick in front of the ppp. Vertically place a tan 1x2 log brick in front of the left column of the ppp. Horizontally place the left column of a tan 1x2x2 brick in front of the ppp.

Step 157.2

Next, you will be placing pieces on the left side. Repeat the last placement symmetrically to the left. Vertically place a nougat 1x2 masonry brick behind the right column of the ppp, so the masonry pattern faces the left. Horizontally place the right column of a tan 1x2x2 brick behind the ppp. Vertically place a tan 1x2 log brick behind the right column of the ppp.

Step 158.1

Vertically place a tan 1x2 log brick on the ppp. Repeat symmetrically to the right, so it sits on the right 1x2 masonry brick. Vertically place another on the 6th and 7th rows from the back on the 2nd column from the right, so it sits on the right vertical 1x2 log brick. Repeat symmetrically to the left. Place a green 1x1 round plate with 3 leaves on the 8th row from the back on the 3rd column from the left, so the leaves face the right, and it sits to the right of the front left horizontal 1x2x2 brick.

Group 23:

Step 158.2

Place a dark green 1x1 round plate with 3 leaves symmetrically to the right.

Step 159

Horizontally place a tan 2x3 inverted slope brick on the 7th and 8th rows from the front on the 2nd column from the right, so it slopes upward to the left and it overhangs 2 columns to the left, it sits in front of the left column of the front right 1x2x2 brick and the ppp. Vertically place a tan 1x2 log brick on the rightmost column of the ppp. Place a tan 2x2 tile with 2 studs on edge to the left of the ppp, so the studs face the left. Repeat the 3 parts symmetrically to the left.

Step 160

Vertically place a tan 1x8 plate on the 3rd through 10th rows from the back on the 2nd column from the left. Repeat symmetrically to the right.

Step 161.1

Place a tan 1x1x3 brick on the rightmost column of the 6th row from the front. Repeat symmetrically to the left. Then, place a dark green 1x1 round plate with 3 leaves to the right of the ppp, so the leaves face the front right.

Group 24:

Step 161.2

Place a green 1x1 round plate with 3 leaves symmetrically to the right.

Step 162

Stack 2 tan 1x2 log bricks. Horizontally place your stack on the 2nd row from the front on the 2nd and 3rd columns from the right. Vertically place the back row of a tan 1x2x2 brick to the left of the stack. Repeat the 3 parts 3 times more to the left, so you have 4 vertical 1x2x2 bricks in total on the 2 front rows, and 4 horizontal stacks on the 2nd row from the front. Then, stack 2 more 1x2 log bricks and place your stack horizontally to the left of the back row of the leftmost vertical tan 1x2x2 brick. Note that the leftmost and rightmost columns of the 2nd row from the front should remain free.

Step 163

Horizontally place a tan 1x12 plate on top of the 2nd row from the front, so it is centered horizontally. Place a tan 1x1 round plate to the right of the ppp. Repeat symmetrically to the left.

Step 164

Place a tan 1x1x3 brick on the front left corner of your part. Repeat symmetrically to the right.

You've begun shaping the Clock Tower Courtyard, laying its first stones like the opening lines of a new Hogwarts chapter, and the early walls now rise with the quiet promise of castle life above ground. The doorway that will one day lead into the Great Hall stands ready, as if waiting for students to pass through—continue, for the magic of Hogwarts is beginning to unfold in new directions beneath your hands.

Building Instructions (Bag 8, Book 2):

Group 25:

Step 165

Horizontally place the leftmost column of a 1x3x3 half arch brick on the 3rd row from the back on the 6th column from the left, so it overhangs 2 columns to the right and it sits on the back left tan 1x1x3 brick in front of the door. Repeat symmetrically to the right. You should have formed an arch in front of the door.

Step 166

Horizontally place the left column of a tan 1x2 log brick on the right column of the ppp. Vertically place another behind the right column of the ppp. Then, place another horizontally to the right of the back row of the ppp. Repeat the 3 parts symmetrically to the left.

Step 167.1

Let's make 11 identical parts! Let's build 11 identical windows! Horizontally place a dark tan 1x2 plate with rail in front of you, so the rail faces the front. Place a tan 1x2x2 window panel horizontally on the ppp, so the hollow side faces the back. Horizontally place a dark tan 1x2 plate with rail on top of the ppp, so the rail faces the front. You should now have 11 identical windows! Bring back your previous part, so the door is at the back. Horizontally place a window on the 2nd row from the front on the 2nd and 3rd columns from the right, so the rails face the front.

Repeat symmetrically to the left. Skip a column to the right and horizontally place another on the 5th and 6th columns from the left of the same row. Skip another column to the right and place another horizontally on the same row. Skip another column to the right and place another horizontally on the same row. You should have placed 5 horizontal windows on the 2nd row from the front in total separated by a column each.

Step 167.2

Vertically place another window on the 3rd and 4th rows from the back on the 2nd column from the left, so the rails face the left. Skip 1 row to the front and vertically place another on the same column with the rails facing the left. Skip 1 row to the front and vertically place another on the same column with the rails facing the left. You should have 3 left facing windows separated by 1 row each. Repeat the 3 parts symmetrically to the right. You should have placed all the 11 windows.

Group 26:

Step 168

Place a tan 2x2 corner brick on the 2nd and 3rd rows from the back on the 2nd and 3rd columns from the left, so it looks like a braille letter F. Place a tan 1x1 round brick to the left of the back row of the ppp. Then, place another on the 4th row from the back on the 2nd column from the left, so it sits on the back left facing window. Skip a row to the front and vertically place a tan 1x2 log brick on top of the next left facing window. Skip a row to the front and vertically place another on top of the next left facing window. Repeat the 5 parts symmetrically to the right.

Step 169

Horizontally place a tan 1x2 log brick on the 2nd row from the front on the 2nd and 3rd columns from the right, so it sits on top of the front right horizontal window. Skip 1 column to the left and horizontally place another on top of the next window. Skip 1 column to the left and horizontally place another on top of the next window. Place another horizontally on the same row on the 2nd and 3rd columns from the left so it sits on top of the front left horizontal window. You should have placed 4 horizontal 1x2 log bricks in total on top of 4 front windows. Horizontally place a nougat 1x2 masonry brick on the same row on the 5th and 6th columns from the left, so the masonry pattern faces the front, and it sits on top of the 2nd front horizontal window starting from the left.

Step 170.1

Let's make 8 identical parts! Place a tan 1x1x3 brick in front of you. Then, place a tan 1x2 inverted slope brick vertically on top of the ppp, so it slopes to the back and 1 row overhangs to the back. You should now have 8 identical parts! Bring back your sub build, so the door is at the back. Place your first part on the front row on the 4th column from the left, so the top inverted slope brick slopes to the back and it sits on the front row of the front left vertical 1x2x2 brick. Skip 2 columns to the right and place another, so it slopes to the back, and it sits on top of the next vertical 1x2x2 brick. Repeat both placements symmetrically to the right.

Step 170.2

Place another part on the rightmost column of the 5th row from the back, so it slopes to the left and it sits on the right column of a right horizontal tan 1x2x2 brick. Skip 2 rows to the front and place another in the same column, so it slopes to the left and it sits on the right column of the next horizontal right 1x2x2 brick. Repeat both placements symmetrically to the left.

Step 171

Vertically place the front row of a tan 1x3x3 half arch brick on the front right corner of your sub build, so 2 rows overhang to the back and it sits on the front right tan 1x1x3 brick. Place another symmetrically behind the ppp, so it sits on the rightmost column of the 6th row from the front on a

tan 1x1x3 brick. Both parts should form an arch. Repeat both parts symmetrically to the left. You should now have 2 arches, one on the left and one on the right close to the front.

Step 172

Place a tan 1x1 round brick on the front left corner of your sub build. Horizontally place the left column of a tan 1x2 inverted slope brick on the 6th row from the front on the leftmost column, so it slopes to the right and sits on the back row of the left arch, and 1 column overhangs to the right. Repeat both parts symmetrically to the right.

Step 173

Horizontally place a tan 2x16 plate on top of the 2 back rows of your sub build above the door. Horizontally place a tan 1x8 plate in front of the ppp, so it is centered horizontally and sits on top of the arch in front of the door. Horizontally place a tan 1x8 plate on the front row on the 8 left columns. Repeat symmetrically to the right.

Step 174

Place a tan 1x1 round plate behind the right column of the ppp, so it sits on top of the right arch. Vertically place a tan 1x12 plate behind the ppp on top of the right wall. Repeat both parts symmetrically to the left.

You've lifted the courtyard walls higher, setting windows into place and shaping the left and right archways that give this space its Hogwarts charm. Above the doorway that will one day open into the Great Hall, the first stones of the future Clock Tower now rise—continue, for the castle is beginning to stretch upward under your guiding magic.

Building Instructions (Bag 9, Book 2):

Group 27 – Professor Vector.

Sub build 4. Locate a lower piece that represents the bottom part of her dark-orange robe -a long piece that reaches the floor with a printed train, a dark-orange torso printed with a long robe with an open hood at the front where you can see a dark-red dress with a belt; a tan head with two expressions — one calm and focused on one side and a more serious one on the other; and a combined piece of dark-brown hair with a dark-orange pointed witch's hat. Finally, locate a dark-brown set of wands.

Assemble the Professor Vector minifigure. Choose which facial expression you want to display; ask a sighted helper to help you identify the expression. Place the hair-and-hat piece on her head. Break off a wand and attach it to her right hand so she looks ready to teach Arithmancy. Set Professor Vector aside while you continue building the castle.

Group 28:

Step 175

Horizontally place a reddish brown 1x6 tile on the back row of your Hogwarts Clock Tower Courtyard, so it is centered horizontally. Place a tan 1x1 round brick to the left of the ppp. Then, horizontally place a dark grey 1x4 tile to the left of the ppp. Repeat both parts symmetrically to the right.

Step 176

Place a dark grey 2x2 curved slope tile in front of the 2 left columns of the ppp, so it slopes to the front and 1 row overhangs to the front. Vertically place a dark grey 1x2 curved left slope wedge tile to the right of the ppp, so it slopes to the front and 1 row overhangs to the front. Place a dark grey 1x1 tile to the right of the back row of the ppp. Then, horizontally place the right column of a dark grey 1x2 curved right slope wedge tile in front of the ppp, so it slopes to

the left. Repeat symmetrically to the left using a dark grey 1x2 curved left slope wedge tile. Place a dark grey 1x1 tile behind the left column of the ppp. Vertically place the back row of a dark grey 1x2 curved right slope wedge tile to the right of the ppp, so it slopes to the front and 1 row overhangs to the front. Place a dark grey 2x2 curved slope tile to the right of the ppp, so it slopes to the front and 1 row overhangs to the front.

Step 177

Horizontally place the right column of a dark grey 1x2 curved slope tile on the 3rd row from the front on the rightmost column, so it slopes to the left, it sits on top of the right arch and 1 column overhangs to the left. Place 5 dark grey 2x2 curved slope tiles behind the ppp, one behind the other, so they slope to the left and they sit on top of the right wall. Repeat the 6 parts symmetrically to the left.

Group 29:

Step 178

Vertically place a dark grey 1x2 curved slope tile on the 2 front rows on the 3rd column from the right, so it slopes to the back, and it sits on top of the front wall. Vertically place a dark grey 1x2 curved right slope wedge tile to the right of the ppp, so it slopes to the back. Place a dark grey 1x1 tile to the right of the front row of the ppp. Then, horizontally place the right column of a dark grey 1x2 curved left slope wedge tile behind the ppp, so it slopes to the left. Repeat symmetrically to the left using a dark grey 1x2 curved right slope wedge tile. Place a dark grey 1x1 tile in front of the left column of the ppp. Vertically place the front row of a dark grey 1x2 curved left slope wedge tile to the right of the ppp, so it slopes to the back. Place a dark grey 1x2 curved slope tile to the right of the ppp, so it slopes to the back. Place 5 dark grey 2x2 curved slope tiles, 1 to right to the other, to the right of the ppp on top of the front wall, so they slope to the back.

Step 179

Now you'll start building the clock tower. Locate the back right tan 1x1 round brick on the back row. Now place the right column of a tan 2x2 corner brick in front of it, so it looks like a braille letter J. Repeat symmetrically to the left. Horizontally place a tan 1x2 slope brick to the right of the front row of the ppp, so it slopes to the left. Repeat symmetrically to the right. Horizontally place a tan 1x2 double slope tile on top of the 2 ppps, so it slopes to the left and right.

Step 180

Let's make 2 identical stacks. Stack 2 reddish brown 1x2x2 window frames, so the ridges face the front. You should now have 2 identical stacks. Horizontally place your 2 stacks one to the right of the other behind the ppps, so the ridges face the front. The left column of the left frame sits behind the right column of the left 1x2 slope brick and the other should be horizontally to the right of the first stack.

Step 181

Stack 2 reddish brown 1x2 plates. Then place your stack horizontally on top of the stacked frames, so it is centered horizontally. Horizontally place a reddish brown 1x2 inverted slope brick to the right of the ppp, so it slopes upward to the right and 1 column overhangs to the right. Repeat symmetrically to the left. Horizontally place a reddish brown 1x2 plate with 2x2 side studs hanging down to the right of the ppp, so the side studs face the front. place a black 3x3 round tile with white and silver clock face upright on the front facing side studs of the ppp, so 1 row overhangs to the top.

Group 30:

Step 182.1

Skip this step if you have already placed your sticker! Ask a helper to place sticker 8 on the top of a long side of a tan 1x2x5 brick. This sticker has a tan background with a tan brick pattern simulating a wall. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 182.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 8 on the bottom front facing long side of a second tan 1x2x5 brick. This sticker has a tan background with a tan brick pattern simulating a wall. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 182.3

Place a reddish brown 1x6 brick horizontally on top of the clock's tower. Vertically place the front row of a tan 1x2x5 brick with sticker on one long side close to the top on the 2 back rows, on the left column of visible studs, so the sticker faces the left. Repeat symmetrically to the right, so the sticker of the 2nd brick which is on one long side close to the bottom faces the right.

Step 183

Place a tan 1x1x5 brick in front of the ppp. Then, place a tan 1x1x3 brick to the left of the ppp. Repeat both placements symmetrically to the left.

Step 184

Horizontally place a tan 1x6x2 arch brick on the 3rd row from the back, so it is centered horizontally, and it sits on the 2 1x1x3 bricks from the previous step.

Group 31:

Step 185

Let's make a part! Horizontally place a tan 2x8 plate in front of you. Place a tan 2x2 tile with 2 studs on one edge on top of the ppp on the 3rd and 4th columns from the left, so the studs face the front. Repeat symmetrically to the right.

Step 186

Place a tan 1x1 tile to the right of the back row of the ppp. Repeat symmetrically to the left.

Step 187

Horizontally place 2 grey 1x2 plates with 2x2 upright side studs one to the right of the other on the 2 2x2 tiles with studs on the front edge, so the side studs face the back.

Step 188

Horizontally place a reddish brown 1x2 plate on top of the ppps, so it is centered horizontally.

Step 189

Place the back row of a black 2x2 slope brick on the ppp, so it slopes to the front and 1 row overhangs to the front. Horizontally place a black 1x2 plate with 1x2 upright side studs on top of the ppp, so the side studs face the back.

Step 190

Horizontally attach a tan 1x2 log brick underneath the front overhang. Then, horizontally place a tan 1x8 plate underneath the ppp, so it is centered horizontally and sits in front of the horizontal tan 2x8 plate.

Step 191

Let's make 2 identical stacks! Stack 2 white 1x1 round plates. You should now have 2 identical stacks. Place your first stack on the 3rd column from the left of the ppp. Repeat symmetrically to the right.

Step 192

Vertically place the front row of a black 1x2 hinge brick base on the ppp, so the hinge faces the right. Repeat symmetrically to the left. Vertically place a dark tan 1x2 tile on the front left corner of your part. Repeat symmetrically to the right.

Step 193

Let's make 2 identical parts! Place an upside down dark tan 2x6 plate horizontally in front of you, so the antistuds face up. Attach a grey 2x2 hinge top plate to the 2 right columns of antistuds of the ppp, so the hinge bar faces the left. You should now have 2 identical parts. Turn your parts right side up. Bring back your previous part, and position it horizontally in front of you, so the side studs face the back. Attach one part using the bottom hinge bar to the right vertical 1x2 hinge brick base, so 4 rows overhang to the top. Repeat symmetrically to the left. Push both top sides slightly down so they touch each other on the top and they form a triangular roof shape.

Group 32:

Step 194

Rotate your clock's roof build 180 degrees, so the side studs face the front. Let's make a part! Place a tan 4x6 A shaped plate in front of you, so the open side faces the front, and the narrow side faces the back. Vertically place the 2 back rows of a nougat 2x3 plate on the 2 back rows of the ppp, so it is centered horizontally and 1 row overhangs to the front. Place the edge with studs of a tan 2x2 tile with studs on one edge underneath the front overhang, so it attaches to the ppp. Place a tan 2x2 plate with 1x2 side studs on top of your part on the 2 back rows, so it is centered horizontally and the side studs face the back. Place the back row of a tan 2x2 curved slope tile on the front row of the ppp, so it slopes to the front. Place your part upright on the front facing side studs of the clock's roof sub build., so the narrow side faces the top.

Step 195

Place the front row of a tan 2x2 round brick with axle hole on the top front row of studs of the previous attached part, so there is no overhang. Place a dark grey 2x2x2 cone brick with open stud on top of the ppp. Insert the bottom bar of an upside down dark grey 3L ski pole from top to bottom into the open stud of the ppp, so 2L of the ski pole protrudes upward.

Step 196

Bring back your Hogwarts Clock Tower Courtyard build, so the door faces the back. Horizontally place your clock's roof sub build on top of the clock's tower, so it is centered horizontally on the 3 back rows.

Step 197

Place a tan 1x1 brick on the 3rd row from the back on the right column of visible studs, so it sits on top of the clock's wall to the right of the roof. Place a tan 1x1 round brick on top of the ppp. Place a dark grey 1x1 cone brick on top of the ppp. Repeat the 3 parts symmetrically to the left.

Step 198

Place Fat friar on top of the back wall to the left of the clock, he can fall very easily as there are no studs to attach him. Place Professor Vector to the left of the left arch outside the courtyard, so she faces the left.

Step 199

Set the previous minifigures aside. Rotate your Hogwarts Clock Tower Courtyard build 90 degrees counterclockwise, so the door is on the left. Bring back your main build and place it horizontally in front of you, so the open side faces the back, and the stairs are at the front right. Place your build on top of the right wing of the castle so the front and right walls are even. And the stairs lead to the front right archway of the courtyard.

Step 200

This is not a building step but a view of the parts of the castle you have built so far.

With Bag 9 complete, you've crowned the courtyard with its finished walls and raised the clock tower to its full height, clock and pointed roof in place. This marks a proud turning point in your build, the moment when the right wing of Hogwarts truly claims its silhouette. And as the tower settles into position, a soft whisper of magic seems to drift through the stones — Book 2 closes here, and Book 3 awaits, ready to unveil the next secrets of the castle.

Building Instructions (Bag 10, Book 3):

Group 33 – Terry Boot.

Sub build 5. Locate a black pair of legs, a black torso printed with a black jacket with a hood and a white shirt with a Ravenclaw tie in white and blue, a tan dual-sided head printed with two faces — one cheerful on one side and one angry on the other — a spiky light-brown hairpiece, and a brown set of wands.

Assemble the Terry Boot minifigure, choose which facial expression you want to display, either the cheerful smile or the angry face. Ask a sighted helper to help you identify the face. Then break off a wand and attach it to his right hand. Set Terry Boot aside while you start building the Great Hall.

Great hall

Group 34:

Step 201

Place a dark tan 16x16 plate in front of you. horizontally place a reddish brown 1x3 tile on the back left corner of the ppp.

Step 202

Place the back row of a tan 2x2x3 brick to the right of the ppp. Then, horizontally place 2 reddish brown 1x3 tiles to the right of the back row of the ppp, side by side.

Step 203

Vertically place the back row of a tan 2x4 plate to the right of the ppp. Vertically place a tan 2x8 plate in front of the ppp. Place another vertically in front of the ppp, so 4 rows overhang to the front.

204 Place a dark tan 16x16 plate in front of the first 16x16 plate, so they are aligned, and the 4 back rows attach to the 4 front rows of the overhanging plate.

Step 205

Horizontally place a reddish brown 1x3 tile on the 5th row from the front on the 3 left columns. Horizontally place a tan 1x8 plate to the right of the ppp. Vertically place the front row of a tan 2x8 plate to the right of the ppp, so the back row sits in front of another vertical 2x8 plate.

Step 206.1

Vertically place a tan 1x4x3 panel on the 4 back rows on the 5th column from the right, so the hollow side faces the left and it sits on the back vertical 2x4 plate.

Step 206.2

Place a reddish brown 2x2 tile with stud on the 5th and 6th rows from the back on the 6th and 7th columns from the right, so it sits to the left of the back vertical 2x8 plate. Vertically place a reddish brown 2x4 tile with 2 studs in front of the ppp. Place another vertically in front of the ppp. Place another vertically in front of the ppp. Place a reddish brown 2x2 tile with a stud in front of the ppp. You should have placed 2 2x2 tiles with a stud and 3 2x4 tiles with 2 studs in total. Repeat the 5 parts symmetrically to the left.

Step 207

Horizontally place a dark orange 1x2 log brick on the 5th row from the back, so it is centered horizontally. Place a dark orange 2x2 brick on the 8th and 9th rows from the back, so it is centered horizontally. Place another on the 16th and 17th rows from the front, so it is centered horizontally. Horizontally place a dark orange 1x2 log brick on the 13th row from the front, so it is centered horizontally. Repeat the 4 parts on the 4th and 5th columns from the left.

Group 35:

Step 208

Place a reddish brown 2x2 tile with stud on the 5th and 6th rows from the back on the 2nd and 3rd columns from the left, so the back row sits to the left of the back left horizontal 1x2 log brick. Vertically place a reddish brown 2x4 tile with 2 studs in front of the ppp. Place another vertically in front of the ppp. Place another vertically in front of the ppp. Place a reddish brown 2x2 tile with a stud in front of the ppp. You should have placed 2 2x2 tiles with a stud and 3 2x4 tiles with 2 studs in total.

Step 209

Vertically place a reddish brown 2x4 tile with 2 studs on the 5th through 8th rows from the back on the 4th and 5th columns from the left. Vertically place a reddish brown 2x8 plate in front of the ppp. Vertically place a reddish brown 2x4 tile with 2 studs in front of the ppp. Skip 2 columns to the right and repeat the 3 parts symmetrically. You have built 2 vertical tables!

Step 210

Vertically place a dark orange 1x2 log brick on the 9th and 10th rows from the front on the 3rd column from the left. Vertically place another on the same rows on the 7th column from the right. Horizontally place a reddish brown 2x8 plate on the 9th and 10th rows from the front on the 3rd through 10th columns from the left, so the leftmost column and the rightmost column sit on the ppps. You have built a 3rd table!

Step 211.1

Place a grey 2x2 round tile with stud on the 2nd and 3rd columns from the left of the ppp. Repeat symmetrically to the right.

Step 211.2

Place a grey 2x2 round tile with stud on top of the right vertical table on the table's 2 front rows. Skip 2 rows to the back and place another. Skip 3 rows to the back and place another. Skip 1 row to the back and place another. 2 rows should remain free behind the ppp on top of this table with only 1 stud as you have placed the last piece on the front stud of the back right vertical 2x4 tile with 2 studs. Place another on top of your vertical back left table on its 2 back rows. Skip 2 rows to the front and place another. Skip 3 rows to the front and place another. Skip 1 row to the front and place another. The dishes are not placed in the same position as the dishes from the back right vertical table.

Group 36:

Step 212

Rotate your great hall sub build 90 degrees clockwise, so it is horizontally in front of you and the 1x4x3 panel is on the front right. horizontally place a tan 1x4x3 panel on the 5th row from the front on the 5th through 8th columns from the right, so the hollow side faces the back, and it sits to the left of another horizontal 1x4x3 panel. Place another horizontally to the left of the ppp, so the hollow side faces the back. Place another to the left of the ppp, so the hollow side faces the back. Horizontally place a tan 1x2x2 brick to the left of the ppp. Horizontally place a nougat 1x2 masonry brick on top of the ppp, so the masonry pattern faces the front. horizontally place a tan 1x4x3 panel to the left of the ppp, so the hollow side faces the back. Then, place another horizontally to the left of the ppp, so the hollow side faces the back.

Step 213

Next, you'll be placing 9 tan 1x1x3 bricks on the same row. Place a tan 1x1x3 brick in front of the 2nd column from the left of the ppp. Skip 2 columns to the right and place another. Place 7 1x1x3 bricks more on the same row separated each by 2 columns. The rightmost one, should sit on the rightmost column of the 4th row from the front.

Step 214

Vertically place a tan 1x2 log brick on the 4th and 5th rows from the back on the 5th column from the left. Vertically place a tan 1x8 brick in front of the ppp. Place a nougat 1x1 brick to the right of the 2nd row from the front of the ppp, so it sits to the left of the leftmost horizontal 1x4x3 panel.

Step 215

Place the right column of a tan 2x2 corner brick on the ppp, so it looks like a braille letter F, and the left column sits on top of the 2 front rows of the vertical 1x8 brick. Vertically place a tan 1x8 brick behind the left column of the ppp.

Step 216

Vertically place a tan 1x2 log brick on top of the 2 back rows of the ppp. Place 3 tan 2x2 inverted slope bricks in front of the ppp, so they all slope upward to the left and their left column overhangs to the left. Place the left column of a tan 2x2 corner brick in front of the right column of the front 2x2 inverted slope brick, so it looks like a braille letter F, and sits on top of another F shaped 2x2 corner brick.

Step 217

Vertically place the 2 front rows of a dark tan 1x10 plate on the left column of the ppp. Horizontally place a dark tan 2x12 plate to the right of the 2 front rows of the ppp so it sits on the right column of the top front left 2x2 corner brick, on the 2 front left horizontal 1x4x3 panels, on the horizontal 1x2 masonry brick and on 4 1x1x3 bricks. Place another horizontally to the right of the ppp. Then, horizontally place a dark tan 2x3 plate to the right of the ppp.

Step 218

Place a tan 1x1 cone brick on the front right corner of your build. Place another on the front row on the 3rd column from the right.

Group 37:

Step 219

Place the front row of a tan 2x2x5 quarter round panel to the left of the ppp, so the larger, outside, curve faces the back right. Place another symmetrically to the left of the ppp. Place a tan 1x1 cone brick to the left of the front row of the ppp. Place 12 more on the front row each separated by a column, so the last one sits on the front left corner of your build. Place another on the 3rd row from the front on the leftmost column of your build. Place 6 more on the same column each separated by a row. You should have 22 1x1 cone bricks in total: 15 in the front row, and 7 on the leftmost column of your build.

Step 220

Horizontally place a dark tan 1x4 tile with 2 studs on the front row on the 3 right columns, so 1 column overhangs to the right. Horizontally place a dark tan 1x6 tile on the front row on the 8th through 13th columns from the right, so it sits to the left of the front row of the 2x2x5 quarter round panel. Horizontally place 3 more to the left of the ppp. Place the front row of another vertically to the left of the ppp. Vertically place a dark tan 1x4 tile with 2 studs behind the ppp. Vertically place a dark tan 1x6 tile behind the ppp, so 2 rows overhang to the back. Locate the overhanging column of the 3 2x2 inverted slope bricks on top of the left wall. Vertically place a reddish brown 1x6 plate on top of this column.

Step 221

Place a tan 2x2x3 brick on top of the back right tan 2x2x3 brick on the on the 4th and 5th rows from the back on the 5th and 6th columns from the right. Then place the back half round edge of a dark grey 4x4 round plate with hole on top of the quarter round panels which form a half cylinder, so 2 rows overhang to the front. Place a dark grey 4x4x2 cone brick with axle hole on top of the ppp. Place a dark grey 2x2 round tile on the ppp.

With the Great Hall's stone floor laid, the long tables set, and the first balustrades rising along the outer walls, your build has taken its first real breath of Hogwarts' life. Even the half-round tower nestled between the railings stands ready, as if keeping quiet watch over the feast yet to come. You've shaped the beginnings of a place where magic gathers — and the castle starts to recognize your hands.

Building Instructions (Bag 11, Book 3):

Group 38 – Daphne Greengrass.

Sub build 6. Locate a short pair of black and gray legs printed with black shoes and gray leggings, a black skirt piece, a black torso printed with a black jacket with a hood over a white shirt and a Slytherin tie in green and silver, a tan dual-sided head printed with two faces — one smiling on one side and one worried on the other — a long yellow-blond hairpiece, and a dark-orange set of wands.

Assemble the Daphne Greengrass minifigure, choose which facial expression you want to display, either the smiling or the worried face. Ask a sighted helper to help you identify the face. Break off a wand and then attach it to her right hand. Set Daphne Greengrass aside while you continue building the Great Hall.

Group 39:

Step 222.1

Vertically place a tan 1x2x2 brick on top of the front horizontal wall on the rightmost column on the 4th and 5th rows from the front. Vertically place 9 more to the left of the ppp, each separated by 2 columns, so there are 10 in total on top of the front wall.

Step 222.2

Let's make 9 identical parts! Let's build 9 windows! Place a reddish brown 1x2x2 window frame flat in front of you, so the ridges face up. Attach a black 2x2 lattice pane to the window by pressing it into the top facing ridge. You will hear it snap into place. You should now have 9 identical windows! Horizontally place your first window on the 2nd and 3rd columns from the right of the 5th row from the front between 2 vertical 1x2x2 bricks, so the lattice faces the front. Repeat 8 times more to the left.

Step 223

Place a dark tan 2x16 plate on top of the front wall on the 16 right columns, so it sits on the ppps and there is no overhang. Horizontally place a dark tan 2x12 plate to the left of the ppp.

Step 224.1

Vertically place a tan 1x2x5 brick on the rightmost column of the front wall. Horizontally place a tan 1x4 brick to the left of the back row of the ppp. Place a tan 1x1 brick to the left of the ppp. Vertically place the back row of a nougat 1x2 masonry brick to the left of the ppp, so the masonry pattern faces the left. Horizontally place a tan 1x4 brick to the left of the back row of the ppp.

Group 40:

Step 224.2

Place a nougat 1x1 brick to the left of the ppp.

Step 225

Let's make 2 identical parts! Let's build 2 windows! Place a reddish brown 1x2x2 window frame flat in front of you, so the ridges face up and the studs face the back. Attach a black 2x2 lattice pane to the window by pressing it into the top facing ridge. You will hear it snap into place. You should now have 2 identical windows! Stack them. Then place your stack Horizontally on top of the front wall on the 2nd and 3rd columns from the right of the 5th row from the front, so the lattices face the front, and the stacked windows sit to the left of the vertical 1x2x5 brick.

Step 226

Place a black 1x1x1 2/3 brick with 2 side studs to the left of the stack, so the side studs face the back. Place a tan 1x1 round plate on top of the ppp. Place a tan 1x1x3 brick in front of the ppp.

Step 227.1

Vertically place a tan 1x2x2 brick on top of the 2 ppps.

Step 227.2

Let's make 2 identical parts! Let's build 2 windows! Place a reddish brown 1x2x2 window frame flat in front of you, so the ridges face up and the studs face the back. Attach a black 2x2 lattice pane to the window by pressing it into the top facing ridge. You will hear it snap into place. You should now have 2 identical windows! Stack them. Then place your stack Horizontally on top of the front wall on the 5th and 6th columns from the right of the 5th row from the front, so the lattices face the front.

Step 228

Vertically place the back row of a tan 1x2x2 brick to the left of the previous stacked windows, so it sits on the vertical front 1x2 masonry brick. Vertically place a tan 1x2 log brick on top of the ppp. Then, place a tan 1x1 brick on the front row of the ppp. Vertically place a reddish brown 1x1x3 half arch brick behind the ppp, so the 2 back rows of the arch overhang to the back and the arch faces the back.

Step 229

Let's make 2 identical parts! Let's build 2 windows! Place a reddish brown 1x2x2 window frame flat in front of you, so the ridges face up and the studs face the back. Attach a black 2x2 lattice pane to the window by pressing it into the top facing ridge. You will hear it snap into place. You should now have 2 identical windows! Stack them. Then place your stack Horizontally on top of the front wall on the 8th and 9th columns from the right of the 5th row from the front, so the lattices face the front.

Step 230

Place a black 1x1x1 2/3 brick with 2 side studs to the left of the stack, so the side studs face the back. Place a tan 1x1 round plate on top of the ppp. Place a tan 1x1x3 brick in front of the ppp.

Step 231

Vertically place a tan 1x2 log brick on top of the 2 ppps. Stack 2 nougat 1x2 plates. Vertically place your stack on top of the ppp. Then, place a tan 1x2 plate with bar handle on 1 short side vertically on top of the ppp, so the handle faces the back.

Group 41:

Step 232.1

Let's make 2 identical parts! Let's build 2 windows! Place a reddish brown 1x2x2 window frame flat in front of you, so the ridges face up and the studs face the back. Attach a black 2x2 lattice pane to the window by pressing it into the top facing ridge. You will hear it snap into place. You should now have 2 identical windows! Stack them. Then place your stack Horizontally on top of the front wall on the 11th and 12th columns from the right of the 5th row from the front, so the lattices face the front.

Step 232.2

Vertically place the back row of a tan 1x2x5 brick to the left of the ppps. Horizontally place a tan 1x4 brick to the left of the back row of the ppp. Now, place a tan 1x1 brick to the left of the ppp.

Step 233.1

Let's make 2 identical parts! Let's build 2 windows! Place a reddish brown 1x2x2 window frame flat in front of you, so the ridges face up and the studs face the back. Attach a black 2x2 lattice pane to the window by pressing it into the top facing ridge. You will hear it snap into place. You should now have 2 identical windows! Stack them. Then place your stack Horizontally on top of the front wall on the 14th and 15th columns from the right of the 5th row from the front, so the lattices face the front.

Step 233.2

Place a black 1x1x1 2/3 brick with 2 side studs to the left of the stack, so the side studs face the back. Place a tan 1x1 round plate on top of the ppp. Place a tan 1x1x3 brick in front of the ppp.

Step 234

Vertically place a tan 1x2 log brick on top of the ppps. Vertically place a tan 1x2 plate with a bar handle on a short side on top of the ppp, so the bar handle faces the back. Stack 2 nougat 1x2 plates, then vertically place your stack on top of the ppp.

Step 235.1

Let's make 2 identical parts! Let's build 2 windows! Place a reddish brown 1x2x2 window frame flat in front of you, so the ridges face up and the studs face the back. Attach a black 2x2 lattice pane to the window by pressing it into the top facing ridge. You will hear it snap into place. You should now have 2 identical windows! Stack them. Then place your stack Horizontally on top of the front wall on the 15th and 16th columns from the left of the 5th row from the front, so the lattices face the front.

Step 235.2

Vertically place the back row of a tan 1x2x5 brick to the left of the ppps. Horizontally place a tan 1x4 brick to the left of the back row of the ppp.

Group 42:

Step 235.3

Place a nougat 1x1 brick to the left of the ppp.

Step 236.1

Let's make 2 identical parts! Let's build 2 windows! Place a reddish brown 1x2x2 window frame flat in front of you, so the ridges face up and the studs face the back. Attach a black 2x2 lattice pane to the window by pressing it into the top facing ridge. You will hear it snap into place. You should now have 2 identical windows! Stack them. Then place your stack Horizontally on top of the front wall on the 12th and 13th columns from the left of the 5th row from the front, so the lattices face the front.

Step 236.2

Place a black 1x1x1 2/3 brick with 2 side studs to the left of the stack, so the side studs face the back. Place a tan 1x1 round plate on top of the ppp. Place a tan 1x1x3 brick in front of the ppp.

Group 43:

Step 237.1

Vertically place a tan 1x2 log brick on top of the ppps. Then, place a tan 1x1 brick on the front row of the ppp. Vertically place a reddish brown 1x1x3 half arch brick behind the ppp, so the 2 back rows of the arch overhang to the back and the arch faces the back.

Step 237.2

Let's make 2 identical parts! Let's build 2 windows! Place a reddish brown 1x2x2 window frame flat in front of you, so the ridges face up and the studs face the back. Attach a black 2x2 lattice pane to the window by pressing it into the top facing ridge. You will hear it snap into place. You should now have 2 identical windows! Stack them. Then place your stack Horizontally on top of the front wall on the 9th and 10th columns from the left of the 5th row from the front, so the lattices face the front.

Step 238.1

Vertically place the back row of a tan 1x2x5 brick to the left of the previous stack. Horizontally place a tan 1x2 log brick to the left of the back row of the ppp.

Step 238.2

Let's make 2 identical parts! Let's build 2 windows! Place a reddish brown 1x2x2 window frame flat in front of you, so the ridges face up and the studs face the back. Attach a black 2x2 lattice pane to the window by pressing it into the top facing ridge. You will hear it snap into place. You should now have 2 identical windows! Stack them. Then place your stack Horizontally on top of the front wall on the 6th and 7th columns from the left of the 5th row from the front, so the lattices face the front.

Step 239

Vertically place the back row of a tan 1x2x2 brick to the left of the previous stack, so it sits on top of the front wall on its leftmost column on a 2x8 horizontal plate. Vertically place a tan 1x2 log brick on top of the ppp. Vertically place a tan 1x2x2 brick on the 4th and 5th rows from the back on the 5th column from the left. Vertically place a nougat 1x2 plate on top of the ppp. Vertically place a tan 1x2x2 brick on top of the ppp. Then, place a tan 1x1 brick on top of the ppp on its front row.

Step 240.1

Place a tan 1x1x3 brick behind the ppp. Vertically place the back row of a tan 1x8x2 arch brick in front of the ppp. So, its back row sits on the 1x1 brick, and its front row sits on the 1x2 log brick. Place a tan 1x1 brick in front of the ppp.

Group 44:

Step 240.2

Place a nougat 1x1 brick on top of the ppp.

Step 241.1

Let's make 9 identical parts! Let's build 9 windows! Place a reddish brown 1x2x2 window frame flat in front of you, so the ridges face up. Attach a black 2x2 lattice pane to the window by pressing it into the top facing ridge. You will hear it snap into place. You should now have 9 identical windows!

Step 241.2

Horizontally place a reddish brown 1x6 plate in front of you. Horizontally place 3 windows next to each other on the ppp, so the lattices face the front. Horizontally place a reddish brown 1x6 plate on top of the pppps. Horizontally place 3 more windows on top of your part next to each other, so the lattices face the front. horizontally place a reddish brown 1x6 plate on top of the pppps. Repeat the 4 last placements once more. Bring back your Great Hall build and position it horizontally in front of you, so the front wall faces the front, and the arch is at the left. Place your multiple window build vertically to the left of the vertical 1x8 arch brick, so the lattices face the left, and it is centered vertically on the left wall, and it sits on a vertical reddish brown 1x6 plate located on top of the left overhang of the 2x2 inverted slope bricks.

Step 242

Place a tan 2x2 inverted slope brick on the 4th and 5th rows from the back on the 5th column from the left, so it slopes upward to the right and 1 column overhangs to the right. It sits on the back left 1x1x3 brick and on the back row of the vertical 1x8 arch brick. Place the right column of 3 dark grey 2x2 slope bricks one in front of another in front of the ppp, so they slope to the left connecting the arch with the multiple windows build. Place the left column of a tan 2x2 corner brick in front of the right column of the front 2x2 slope brick, so it looks like a braille letter F.

Step 243.1

Horizontally place a tan 1x12 brick to the right of the back row of the ppp. Horizontally place another to the right of the ppp. Then, place a tan 2x2 inverted slope brick to the right of the ppp, so it slopes upward to the back, and 1 row overhangs to the back.

Group 45:

Step 243.2

Place a tan 1x1 brick on the rightmost column of the 4th row from the front. Then, place 8 more to the left, 1 between each of the 2 columns in front of each of the stacked windows. So, there are 9 in total.

Step 244

Turn your Great Hall build 180 degrees, so it is horizontally in front of you and the long horizontal wall with the windows and pillars is at the back. Place a tan 2x2 brick on the 2 left columns of the 4th and 5th rows from the front (here, we are counting only the columns within these mentioned rows), so it sits on a 2x2x3 brick. Place a tan 2x2x3 brick on top of the ppp. Place a tan 2x2 brick on top of the ppp. Then, place a tan 2x2 inverted slope brick on the back row of the ppp, so it slopes upward to the back, and 1 row overhangs to the back. Horizontally place a nougat 1x2 masonry brick in front of the ppp, so the masonry pattern faces the front.

With the front wall now rising with tall pairs of windows, each one framed by steady stone pillars, the Great Hall begins to gather its quiet glow. Along the left side, your new archway and the wooden-framed tower of windows lift the structure upward, layer by layer, as if inviting more light into the castle. With every section you place, Hogwarts gains another breath, recognizing the patience and precision in your hands.

Building Instructions (Bag 12, Book 3):

Group 46 – Ron Weasley.

Sub-build 7. Locate a pair of short black legs, and a torso printed with a black open hooded jacket, showing a grey jumper with yellow and red stripes at the bottom, representing the Gryffindor colors, with a white shirt and a red and yellow tie underneath. Locate a light-tan dual-sided head with two expressions — one cheerful and one worried — a red hairpiece representing Ron's iconic ginger hair, and a reddish brown set of wands.

Assemble your minifigure. Choose which facial expression you want to display, either the cheerful smile or the worried face. Ask a sighted helper to help you identify the face. Break off a wand and attach it to Ron's right hand. Set Ron aside while we continue building the Great Hall.

Group 47:

Step 245

Horizontally place a dark tan 2x12 plate on top of the back wall on the 12 left columns of the 4th and 5th rows from the back. Horizontally place a dark tan 2x16 plate to the right of the ppp.

Step 246

Vertically place a dark tan 2x8 plate on the 2 left columns of the 4th through 11th rows from the front, so it connects the front left thick pillar with the back wall. Vertically place a dark tan 2x6 plate on the 6 front rows of the ppp. Vertically place a dark tan 2x8 plate on the 4th through 11th rows from the front on the 5th and 6th columns from the right. Vertically place a tan 2x6 plate on top of the ppp on the 6 front rows of the ppp.

Step 247

Vertically place a tan 1x2 plate with handle on a short side on the 7th column from the left of the back wall on top of the vertical front left overhanging arch brick, so the handle faces the front. Repeat symmetrically to the right. Vertically place a tan 1x4 plate on top of the leftmost column of the left wall on its 4 back rows, so it sits behind the left column of the vertical left dark tan 2x6 plate from the previous step. Horizontally place a tan 1x6 plate to the right of the back row of the ppp, so it sits on top of the back wall. Horizontally place a tan 1x10 plate to the right of the ppp. Place another to the right of the ppp. Vertically place the back row of a tan 1x4 plate to the right of the ppp, so it sits on top of the back right corner of the right wall.

Group 48:

Step 248

Let's make a part! Horizontally place a dark blue 4x12 plate in front of you. Vertically place the 4 back rows of a dark grey 2x6 plate on the 5th and 6th columns from the left, so 2 rows overhang to the front. Repeat symmetrically to the right.

Step 249

Horizontally place a dark grey 1x8 plate in front of the 4x12 plate, so it is horizontally centered and it attaches to the 2 2x6 front overhanging plates, after attaching this piece, the 2 2x6 plates should overhang 1 row to the front.

Step 250

Vertically place the 5 back rows of a dark grey 1x8 plate on the 4th column from the left of your part, so 3 rows overhang to the front. Vertically place a dark grey 6x8 plate to the left of the ppp, so 3 rows overhang to the front and 3 columns overhang to the left. Repeat both parts symmetrically to the right.

Step 251

Turn your part upside down and position it horizontally in front of you, so the long straight edge faces the front. Horizontally place the 3 left columns of a dark blue 1x6 plate on the 4th row from the front on the 3 right columns of antistuds, so it sits to the right of the horizontal 4x12 plate, and 3 columns overhang to the right. Repeat symmetrically to the left.

Step 252

Vertically place a dark gray 4x8 plate upside down under the left overhang so it is centered vertically to the rest of the build, and 1 column is exposed to the left. Repeat symmetrically to the right.

Step 253

Horizontally place a dark blue 2x6 half round plate on the 3rd and 4th rows from the back on the 2nd through 7th columns of antistuds from the right, so the rounded edge faces the back, and it sits behind the horizontal right 1x6 plate. Horizontally place a dark blue 1x3 plate on the front row of your part on the 3rd through 5th columns of antistuds from the right. Horizontally place the 3 right columns of a dark blue 2x4 plate behind the ppp. Repeat the 3 parts symmetrically to the left.

Step 254.1

Turn your part right side up, and position it horizontally, so the long straight edge faces the back. Place a sand green 1x1 slope tile on the 2nd row from the front, on the 2nd column from the left of your part, so it slopes to the front. Place another on the same row on the 6th column from the left of your part, so it slopes to the front. Place another on the same row on the 10th column from the left, so it slopes to the front. repeat the 3 placements on the 3rd row from the back on the same

columns, so they all slope to the front. Then repeat the 6 placements symmetrically to the right. You should have 12 sand green 1x1 slope tiles in total.

Group 49:

Step 254.2

Place 3 tan 1x1 slope tiles on the 3rd row from the front, on the 2nd column from the left, on the 6th column from the left and on the 10th column from the left, so they all slope to the back, and sit behind the front left sand green 1x1 slope tiles. Place 3 more on the 2nd row from the back, on the 2nd column from the left, on the 6th column from the left and on the 10th column from the left, so they all slope to the back, and sit behind the back left sand green 1x1 slope tiles. Repeat the 6 parts symmetrically to the right. You should have 12 tan 1x1 slope tiles in total.

Step 255.1

Turn your part upside down and position it horizontally in front of you, so the long straight edge faces the front. Place a white 2x2 inverted round tile with rounded bottom on top of your part on the 4th and 5th rows from the front of antistuds, so it is centered horizontally.

Step 255.2

Let's make 2 identical parts! Horizontally place a black 1x2 hinge brick base in front of you, so the wall is at the back, and the hinge faces the front. attach a grey 2x2 hinge top plate to the ppp, using the bottom back hinge bar, so 1 row overhangs to the front. You should now have 2 identical parts. Bring back your upside down roof build and position it horizontally in front of you, so the long straight edge part faces the front. Turn your parts upside down, so the 1x2 hinge brick base is facing horizontally to the front. Place the first on top of your roof build on the 4th and 5th rows from the front on the 10th and 11th columns from the right of antistuds. Repeat symmetrically to the left.

Step 256.1

Let's make 2 identical parts! Vertically place a tan 1x2 plate with 1 stud and upright pin connector in front of you, so the stud faces the front, and the holes face the left and the right. Insert a black 2L pin from left to right into the left facing pin hole of the ppp, so 1L of the pin protrudes to the left. Vertically place an upside down dark blue 1x2 plate with pin connector on a short side to the left of the ppp, so the pin hole faces the front with its holes facing the left and the right. insert the 1L left protruding pin of your part from right to left into the right facing pin hole. You should now have 2 identical parts! Bring back your upside down roof build and position it horizontally in front of you, so the long straight edge faces the front. Place the 2 back rows of your part on the 2nd and 3rd rows from the front on the 2nd column from the right of antistuds, so the pin connectors rest on the front row and the tan 1x2 plate with stud and upright pin connector points upright, so the stud faces the back. Place the 2 back rows of your second part on the same rows on the 7th column from the right of antistuds.

Step 256.2

Let's make 2 identical parts! Vertically place a tan 1x2 plate with 1 stud and upright pin connector in front of you, so the stud faces the front, and the pin holes face the left and the right. Insert a black 2L pin from right to left into the right facing pin hole of the ppp, so 1L of the pin protrudes to the right. Vertically place an upside down dark blue 1x2 plate with pin connector on a short side to the right of the ppp, so the pin connector faces the front with its holes facing the left and the right. Insert the 1L right protruding pin of your part from left to right into the right facing pin hole. You should now have 2 identical parts! Bring back your upside down roof build and position it horizontally in front of you, so the long straight edge faces the front. Place the 2 back rows of your part on the 2nd and 3rd rows from the front on the 2nd column from the left of antistuds, so the pin connectors rest on the front row and the tan 1x2 plate with stud and upright

pin connector points upright with its stud facing the back. Place the 2 back rows of your second part on the same rows on the 7th column from the left.

Step 257

Flip your roof build so it stands upright with the antistuds facing the front, and it stands on the 4 tan 1x2 plates with a stud and upright pin connector. Bring back your Great Hall main build, so it is horizontally in front of you, and the open side faces the front. attach the 4 vertical 1x2 plates with stud and upright pin connector on top of the walls on the 2nd and 7th columns from the left and on the 2nd and 7th columns from the right of the 6th and 7th rows from the back, so the middle ones sit on top of the vertical 1x2 plates with handles.

Step 258

Vertically place a tan 2x4 brick on the top of the left wall, so it is centered vertically. Vertically place a reddish brown 1x2x3 slope brick with hollow stud on top of the ppp on the 2 back rows of the ppp on the right column, so it slopes to the back. Repeat symmetrically to the front. Then, repeat the 3 placements symmetrically on top of the right wall.

Step 259

Horizontally place the 2 left columns of a grey 3x5 cloud tile with 3 studs upright on the front facing antistuds of the left 1x2 hinge brick base. Repeat symmetrically to the right.

By strengthening the walls and shaping the first sloping strip of the enchanted roof, you've done more than build it, you've cast the spell that lets the Great Hall open itself to the sky. That shimmering roofline settles into place like living magic, ready to mirror the heavens above. When you're ready, open the next bag — more of the Great Hall's magic is waiting for your hands.

Building Instructions (Bag 13, Book 3):

Group 50 – Albus Dumbledore

Sub build 8. Locate a dark red robe piece with a trailing hem, and a torso printed with the upper part of the same dark red robe, featuring a hood, soft folds in the fabric, and subtle golden trim, with long sleeves. Locate a light-tan dual-sided head with two expressions — one cheerful and one serious — a long white beard reaching down to the waist, and a white hairpiece attached to a dark red hat. Finally, locate a dark tan set of wands.

Assemble your minifigure. Choose which facial expression you want to display, either the cheerful face or the serious one. Ask a sighted helper to help you identify the face. Attach the long white beard to the torso before adding the head, then place the hat-and-hair piece on top. Break off a wand and attach it to Dumbledore's right hand. Set him aside while we continue building the Great Hall.

Group 51:

Step 260

Vertically place a tan 1x3 brick on top of the right wall on the 4th through 6th rows from the front on the 5th column from the right counting the entire build. Repeat symmetrically to the back. Then, place another vertically on top of the left wall on the leftmost column of the 4th through 6th rows from the front. Repeat symmetrically to the back.

Step 261

Place a reddish brown 2x2 inverted slope brick on top of the left wall centered vertically on the 2nd column from the left, on top of the 2 1x2x3 slope bricks with hollow stud, so it slopes upward

to the right and 1 column overhangs to the right. Repeat symmetrically to the right on the 6th column from the right.

Step 262

Let's make a part! Vertically place a tan 1x6 brick in front of you. Vertically place a tan 1x2 log brick on the 2 back rows of the ppp.

Step 263

Vertically place a tan 1x6 brick in front of the ppp, so 2 rows overhang to the front. Now vertically place a tan 1x2 log brick underneath the front overhanging rows.

Step 264

Stack 2 tan 1x6 bricks and vertically place the stack on top of your part, so it is centered vertically.

Step 265

Place a nougat 1x1 plate on the front row of your part. Vertically place a nougat 1x2 plate behind the ppp on top of the 2 stacked bricks. Repeat both parts symmetrically to the back.

Step 266

Bring back your Great Hall build and position it horizontally in front of you, so the open side faces the front. Place your part vertically on top of the left wall on its leftmost column, so it is centered vertically.

Group 52:

Step 267

Let's make a part! Vertically place a tan 1x3 brick in front of you. Vertically place the 3 front rows of a tan 1x6 brick on top of the ppp, so 3 rows overhang to the back.

Step 268

Stack 2 nougat 1x2 plates and place the stack vertically in front of you. vertically place a dark tan 1x2 plate with 1x2 side studs hanging down on the ppp, so the side studs face the right. Vertically place this small part underneath the back overhang, so the 1x6 brick overhangs 1 row to the back. Vertically place the front row of a tan 1x3 brick behind the ppp, so it attaches to the back overhang, and 2 rows are exposed to the back. Vertically place a tan 1x2 log brick on top of the 2 back rows of the ppp.

Step 269

Place a nougat 1x1 plate on top of the back row of the ppp. Place a tan 1x1 brick in front of the ppp. Repeat both parts symmetrically to the front. Then, place a tan 1x4 plate vertically on top of your part, so it is centered vertically.

Step 270

Vertically place a nougat 1x2 plate on top of your part, so it is centered vertically. Place a nougat 1x1 plate with 1x2 side studs hanging down in front of the ppp, so the side studs face the right. Repeat symmetrically to the back.

Group 53:

Step 271

Place a nougat 1x1 plate on top of the ppp. Repeat symmetrically to the front. Vertically place a tan 1x2 plate with 1x2 upright side studs between the ppps, so the side studs face the right.

Step 272

Vertically place a tan 1x6 brick on top of your part, so it is centered vertically.

Step 273

Vertically place a nougat 1x2 plate on the 2 front rows of the ppp. Repeat symmetrically to the back.

Step 274

Rotate your wall build 90 degrees clockwise, so the side studs face the front. Place the left column of a tan 2x2 curved tile upright on the right column of the bottom row of front facing side studs, and its back row on the right column of the 2nd row from the bottom of front facing side studs, so the larger outside curve faces the bottom right. Repeat symmetrically to the top, so both tiles create a semicircle. Repeat both parts symmetrically to the left.

Step 275

Rotate your part 90 degrees counterclockwise, so the tiles that form a circle face the right. Bring back your great hall build and position it horizontally in front of you, so the open side faces the front. Vertically place your wall build on top of the right wall on the 5th column from the right, so it is centered vertically and the circle faces the right.

Group 54:

Step 276

Let's make a part! Let's start building the great hall's turret. Horizontally place a white 1x12 brick with 11 pin holes in front of you, so the pin holes face the front and the back. Insert a black 2L pin from front to back into the rightmost front facing pin hole, so 1L of the pin protrudes forward. Insert another from front to back into the 2nd front facing pin hole from the right, so 1L of the pin protrudes to the front. Repeat both parts symmetrically to the left.

Step 277

Place a dark grey 1x10 brick with 9 pin holes horizontally in front of you, so the pin holes face the front and the back. Attach the 2 back right facing pin holes from front to back onto the 2 front left 1L front extending pins. Repeat symmetrically to the right.

Step 278

Horizontally place 2 reddish brown 2x14 plates in front of you one to the right of the other. Horizontally place the previous part on the ppps, so it is centered horizontally.

Step 279

Horizontally place a dark grey 1x6 brick on the front row of your sub build, so it is centered horizontally. Place a tan 1x1 round brick on the back row on the 2nd column from the right of your sub build. Repeat symmetrically to the left.

Step 280.1

Horizontally place a dark grey 2x12 plate on top of your sub build on the 2nd through 13th columns from the right. Repeat symmetrically to the left. Horizontally place a dark grey 1x2 plate with 2x4 side studs hanging down on top of your sub build on the front row, so it is centered horizontally and the side studs face the front. Repeat symmetrically to the back. Place a blue 2x2 round plate with axle hole upright on the back facing side studs so it is centered horizontally and vertically.

Step 280.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 6 on a tan 2x2 tile. This sticker has a golden H in the center, framed by a silver ornamental border. The background is tan, matching the castle's stone walls, giving it the look of a simple Hogwarts wall emblem. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 280.3

Place a tan 2x2 tile with sticker upright on the front facing side studs of your sub build, so it is centered horizontally and vertically.

Step 281

Vertically place a dark grey 1x2 jumper plate on the 2nd column from the left of your turret build. Vertically place another to the right of the ppp. Horizontally place a dark grey 1x8 tile to the right of the front row of the ppp. Repeat symmetrically to the back. Vertically place a dark grey 1x2 jumper plate to the right of the 2 ppps. Vertically place a nougat 1x2 plate to the right of the ppp. Repeat the 6 parts symmetrically to the right. Vertically place the 2 front rows of a nougat 2x3 plate on top of your part, so it is centered horizontally and 1 row overhangs to the back, and the 2 front rows sit on the 2 1x2 plates with 2x4 side studs hanging down.

Step 282.1

Skip this step if you have already placed your sticker! Ask a helper to place sticker 8 on the top of a long side of a tan 1x2x2 brick. This sticker has a tan background with a tan brick pattern simulating a wall. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 282.2

Horizontally place a tan 1x2x2 brick with sticker on top of the back overhanging row of the ppp, so the sticker faces the back. Place a grey 2x2 dome brick in front of the ppp. Insert the bottom bar of a red diamond from top to bottom into the open stud of the ppp. Vertically place a tan 1x2 log brick to the right of the 2x2 dome brick. Repeat symmetrically to the left.

Step 283

Place a sand green 1x1 plate on top of your part on the 2nd column from the left. Horizontally place a sand green 1x10 plate to the right of the ppp, so the leftmost and rightmost columns attach to 2 jumper plates. Repeat both parts symmetrically to the right.

Step 284

Place a nougat 1x1 plate with 1x2 side studs hanging down on top of your part, on the front row on the 13th column from the left, so the side studs face the front, and it sits on the front row of a vertical 1x2 log brick. Repeat symmetrically to the right. Then, repeat both parts symmetrically to the back.

Group 55:

Step 285

Place 2 tan 1x1 plates with 1x2 upright side studs on each of the 2 pppps, so the side studs face the back aligned with the side studs of the ppps. Repeat both parts symmetrically to the front, so the side studs face the front. Horizontally place a tan 1x2x2 window frame on top of your part on the back row, so it is centered horizontally and the ridges face the back. Attach a black 2x2 lattice pane to the window by pressing it into the back facing ridge. You will hear it snap into place.

Step 286

Let's make 2 identical parts! Let's build 2 windows! Place a reddish brown 1x2x2 window frame flat in front of you, so the ridges face up and the studs face the back. Attach a black 2x2 lattice pane to the window by pressing it into the top facing ridge. You will hear it snap into place. Horizontally place a tan 1x2 plate upright on the front facing antistuds of your part. You should now have 2 identical windows! Bring back your sub build and position it horizontally in front of you, so the window is at the back. Vertically place 1 window on the 2 front rows on the 13th column from the left of your turret build, so the lattice faces the left, it sits on the 2 left 1x1 plates with 1x2 upright facing side studs. Repeat symmetrically to the right. 287. Horizontally place a tan 2x4 plate on top of the 2 side facing windows. Horizontally place a tan 1x2 plate on the back row of your part, so it is centered horizontally.

Step 288

Vertically place a nougat 2x3 plate on top of your part, so it is centered horizontally and there is no overhang. Place a nougat 1x1 plate with 1x2 side studs hanging down to the right of the front row of the ppp, so the side studs face the front. repeat symmetrically to the left. Then, repeat both parts symmetrically to the back.

Step 289

Place a tan 1x8 tile vertically upright on the right column of front facing side studs. Repeat symmetrically to the left.

Step 290

Rotate your part 180 degrees. Place a tan 2x2 tile upright on the 2 bottom rows of front facing side studs, so it is centered horizontally and attaches to a blue 2x2 round plate with axle hole. Place a tan 1x1 slope tile upright to the right of the bottom row of the ppp, so it slopes to the right. Repeat symmetrically to the left.

*291. Place a tan 1x2 slope tile vertically upright on top of the ppp, so it slopes to the left. Place 2 vertically upright on the top front facing side studs on top of the ppp, so they all slope to the left. Place a tan 1x1 slope tile on the top row of front facing side studs on top of the ppps, so it slopes to the left. Repeat the 4 parts symmetrically to the right.

Group 56:

Step 292

Vertically place a dark grey 4x2x3 half cone panel on the 13th and 14th columns from the left of your sub build, so the rounded edge faces the left. Repeat symmetrically to the right, so you have a complete cone.

Step 293

Place a dark grey 2x2x2 cone brick with open stud on top of the ppps. Insert the bottom bar of an upside down dark grey 3L ski pole from top to bottom into the open stud of the ppp, so 2L of the ski pole protrudes upward.

Step 294

Vertically place a tan 1x4 plate on the rightmost column of your sub build, so it is centered vertically. Place a tan 1x1 brick on the front row of the ppp. Repeat symmetrically to the back. Vertically place a tan 1x2 brick with 2 side studs on a long side between the 2 ppps, so the side studs face the right. Repeat the 5 placements symmetrically to the left.

Step 295

Let's make 2 identical parts! Place a tan 2x2 plate with 2 side studs in front of you, so the side studs face the back. Place a tan 2x2 curved slope tile on the ppp, so it slopes to the front. You should now have 2 identical parts! Bring back your sub build, so it is horizontally in front of you, and the dark red diamond is at the front. Attach your first part upright by its top row to the right facing side studs, so the side studs face up. Repeat symmetrically to the left.

Step 296

Bring back your great hall build, so it is horizontally in front of you, and the open side is at the front. Horizontally place your build on top of the left and right walls, so it is centered vertically and the dome brick with the red rubi faces the front.

Step 297

Stack 2 tan 2x2 round bricks with axle hole. Place your stack on top of the attached build on its 2 right columns above the right facing curved slope tile. Place a dark grey 2x2x2 cone brick with open stud on top of the stack. Insert the bottom bar of an upside down dark grey 3L ski pole from top to bottom into the open stud of the ppp, so 2L of the ski pole protrudes upward. Repeat the 4 parts symmetrically to the left.

Step 298

Push the roof upward and forward until it touches and locks into the turret of the Great Hall.

In this bag, you strengthened the castle's outline by adding new details to the left and right walls, giving both sides more height and texture. You then build a turret that settles onto the sloping roof, rising in narrowing layers until it ends in a pointed spire. The small windows you placed along its sides add gentle recesses that hint at lookout points within the tower.

Great job — The Great Hall is almost conjured into being.

Building Instructions (Bag 14, Book 3):

Group 57:

Step 299

Next, you will be placing food on the dishes of the tables. Vertically insert the bottom bar of a nougat chicken drumstick from top to bottom on the first dish of the vertical table so the larger part is in the front. Place a green 1x1 round plate with 3 leaves on the same table on the back dish, so the leaves face the front. Place another on the front horizontal table on the rightmost dish, so the leaves face the back. Place another on the same table on the 3rd dish from the right, so the leaves face the right. Place another on the horizontal back table on its leftmost dish so the leaves face the right. Place another on the same table on the 3rd dish from the left, so the leaves face the left. You should have placed 5 green 1x1 round plates with 3 leaves in total. Place a red 1x1 round tile on each of the 5 ppps. These represents salad, the leaves are lettuce and the red 1x1 round tile represents a tomato slice.

Step 300

Make 4 identical stacks. Stack a white 1x1 round plate with swirled top on a dark red 1x1 round plate. You should now have 4 identical stacks. Place a stack on each free remaining dish. These represent little berry tarts with whipped cream.

Step 301.1

Let's place the goblets on the table for drinking. Place a gold goblet on the vertical right table on its back left corner, and another on the 4th row from the back of this table on the right column, so it sits in front of the back dish. Place another on the front horizontal table to the right of its

leftmost dish with a berry tart and whipped cream, and another to the left of the back row of the right dish with berry tart and whipped cream. Place another on the back horizontal table to the left of its rightmost dish with berry tart and whipped cream, and the last one to the right of the front row of its left dish with berry tart with whipped cream. You should have placed 6 gold goblets in total.

Group 58:

Step 301.2

Place a silver goblet on the back horizontal table to the left of the back row of its right dish with salad, and another to the left of its leftmost dish with salad. Place another on the front horizontal table to the right of the front row of its left dish with salad. Lastly, place another on the right vertical table on its front left corner. You should have placed 4 silver goblets in total.

Step 302.1

Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the red 2x6 tile. This sticker features the Gryffindor house banner; a tall rectangular flag divided into four equal rectangles. The top-left and bottom-right rectangles are dark red with the image of a golden lion, and the top-right and bottom-left rectangles are golden yellow with three red crowns. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 302.2

Vertically place a red 2x6 tile with a Gryffindor sticker upright on the leftmost column of front facing side studs on the back wall.

Group 59:

Step 302.3

Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the yellow 2x6 tile. This sticker shows the Hufflepuff house banner, a tall rectangular flag divided into four equal rectangles. The top-left and bottom-right rectangles are yellow with the image of a black badger, and the top-right and bottom-left rectangles are black with the image of three yellow badgers. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 302.4

Vertically place a yellow 2x6 tile with the Hufflepuff sticker upright on the second column from the left of front facing side studs on the back wall to the right of the Gryffindor's banner.

Group 60:

Step 302.5

Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the green 2x6 tile. This sticker shows the Slytherin house banner, a tall rectangular flag divided into four equal rectangles. The top-left and bottom-right rectangles are green with the image of a silver serpent, and the top-right and bottom-left rectangles are silver-grey with the image of three green serpents. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 302.6

Vertically place the green 2x6 tile upright on the column of front facing side studs to the right of the Hufflepuff's banner.

Group 61:

Step 302.7

Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the blue 2x6 tile. This sticker shows the Ravenclaw house banner, a tall rectangular flag divided into four equal rectangles. The top-left and bottom-right rectangles are blue with the image of a silver eagle, and the top-right and bottom-left rectangles are silver with the image of three blue eagles. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 302.8

Vertically place a blue 2x6 tile with the Ravenclaw sticker upright on the right column of front facing side studs on the back wall. Great job! You've now positioned the four Hogwarts house banners along the back wall.

Step 303.1

Let's make 2 identical stacks! Stack a dark grey 1x1 cone brick on a tan 1x1 round brick. You should now have 2 identical stacks. Place your first stack on the 4th row from the front on the 5th column from the right, so it sits on top of the right wall on its front right corner. Place the other on top of the left wall on its front left corner.

Step 303.2

Let's make 4 identical parts! Let's make 4 floating candles! Vertically place a transparent 1x2 plate with clip on 1 short side in front of you, so the clip faces the back. Place a gold 1x1 round plate with open stud on the front row. Insert the bottom bar of a white candle stick from top to bottom into the open stud of the ppp. Place a transparent orange candle flame on the ppp. You should now have 4 identical parts! Bring back your great hall build, and position it horizontally in front of you, so the open side faces the front. Locate the 4 front facing horizontal bar handles on the back wall, on the left and on the right, they are positioned higher and further to the front than the middle ones which are located above the Hufflepuff and the Slytherin banners. Attach a part using the back clip to each bar handle you have just found, so the candle points upward. The result is that 2 of the front facing handles are higher than the other 2.

Step 304

Rotate Your great hall build 180 degrees. Let's place pieces on top of the horizontal front wall in front of the enchanted roof. Horizontally place a dark tan 1x2 tile on top of the front wall on its 2nd and 3rd columns from the right. Place a tan 1x1 brick to the left of the ppp. Repeat both parts 7 times more to the left. Then, horizontally place a dark tan 1x2 tile to the left of the leftmost tan 1x1 brick you have placed.

Step 305

Let's make 10 identical stacks. Stack a dark grey 1x1 cone brick on a tan 1x1 round brick. You should now have 10 identical stacks. Place a stack on top of the front wall in front of the roof on each 1x1 brick, so you place 8 in total. Then, place the 2 remaining stacks on the left and rightmost columns of the roof.

Step 306

Rotate the Great Hall 180 degrees. Let's place the minifigures for display! Place Ron Weasley behind the horizontal front table behind its rightmost dish with salad. Attach a gold goblet to his left hand. Place terry Boot to the left of Ronhe is looking at the food deciding what to eat. Then place Daphne Greengrass to his left, she's holding the dish with a berry tart and whipped

cream. Let's place Albus Dumbledore to the right of the vertical table to the right of the dish with a chicken drumstick.

Step 307

Rotate your great hall 180 degrees. Bring back the Hogwarts main build and place it horizontally in front of you so the open side faces the back and the stairs and the secret door entrance on the rock face the front.

Step 308

Horizontally place the great hall on top of the left wing to the left of the clock tower courtyard.

Step 309

Open the door of the secret entrance on the rock face. Locate an open stud on the inner side of the rocky door. Insert the stick of and upside down black broom from top to bottom into the open stud of the 1x1 brick with open stud.

Step 310

Close the door.

Dungeons

Modular corridor

Group 62:

Step 1

Stack 2 grey 1x4 hinge plates. Place the stack horizontally in front of you so the rounded hinge part faces the back.

Step 2

Place the back row of a dark tan 2x2 plate underneath the 2 right columns of the stack, so 1 row is exposed to the front. Repeat symmetrically to the left.

Step 3

Vertically place the back right corner of a dark grey 4x12 plate underneath the ppp. Repeat symmetrically to the right.

Step 4

Vertically place a grey 1x4 brick on the back right corner of your build. Place a dark grey 1x1 brick with pin hole to the left of the back row of the ppp, so the pin hole faces the front and the back. Repeat both parts symmetrically to the left.

Step 5

Horizontally place 2 grey 1x4 plates 1 to the right of the other on the back row of your build, so there is no overhang. Vertically place a grey 1x2 log brick on the 2nd and 3rd rows from the back on the 2nd column from the right. Horizontally place a grey 1x2x1 wall panel to the left of the back row of the ppp, so the wall faces the back. Repeat both parts symmetrically to the left.

Step 6

Vertically place a grey 1x4 plate on the front right corner of your build. Vertically place 2 dark grey 1x2 plates with rail one behind the other on the ppp, so the rails face the right. Vertically place a grey 1x4 plate on top of the ppps. Repeat the 4 parts symmetrically to the left. Then, place a grey 1x2 log brick on the 2nd and 3rd rows from the front on the 2nd column from the left of your build. Repeat symmetrically to the right.

Step 7

Vertically place a grey 1x6 arch brick on top of your build on the rightmost column, so it is centered vertically. Place the right column of a grey 2x2 slope brick in front of the ppp, so it slopes to the left. Repeat symmetrically to the back. Then, repeat the 3 parts symmetrically to the left.

Step 8

Vertically place a grey 1x2x1 2/3 brick with 4 side studs on 1 long side on the 2nd and 3rd rows from the back on the leftmost column, so the 2x2 side studs face the right and it sits on top of the back left 2x2 slope brick. Repeat symmetrically to the right. Then, repeat both placements symmetrically to the front.

Step 9

Let's make 2 identical stacks. Stack a grey 1x1 brick on a dark grey 1x1 plate. Now place another dark grey 1x1 plate on top of your stack. You should have 2 identical stacks. Place your first stack on the back right corner of your build. Repeat symmetrically to the left. Let's make 2 more identical stacks. Stack 2 grey 1x1 bricks, then place a stack on each front corner of your build.

Step 10

Place a grey 1x1 tile with a 1x1 slope tile hanging down on the 2 front rows on the rightmost column, so it slopes to the front. place another behind the ppp, so it slopes to the back. Repeat both parts symmetrically to the back. Then, repeat the 4 parts symmetrically to the left.

Step 11

Orient a collector's 2x3 pentagonal tile featuring a random portrait, so the triangle side faces the back. It could, for example, be a portrait of Robena Ravenclaw. Attach the front row of the portrait to the front left 2x2 facing side studs of your build, so the triangle side faces up. Repeat symmetrically to the back. Then, repeat both symmetrically to the left. They could, for example, be a portrait of Helga Hufflepuff, Ivan the terrible, and Salazar Slytherin.

Step 12

Bring back the main build, so the open side faces the front.

Step 13

Locate the narrow dungeon room between the 2 wings that leads to the secret door on the rockface, this is where the corridor is placed.

Step 14

Push your corridor sub build with the portraits from front to back through the middle opening, so it slides through the grooves push it as far to the back as you can.

In this bag, you brought the Great Hall to life by placing food on the dishes and gold and silver goblets for drinking. You also attached the four house banners along the inner side of the long horizontal wall, each one showing its house's colors and animal.

You then built four floating candles, adding that unmistakable magical glow above the tables, and positioned the Great Hall to the left of the courtyard. Inside, you placed Ron Weasley, Terry Boot, Daphne Greengrass, and Albus Dumbledore, all standing behind the tables as if they were enjoying a meal.

You also assembled the first dungeon module; a narrow corridor lined with portraits on both sides and set it inside the central dungeon room. This corridor leads directly to the secret door in the rocky façade.

Great job — The castle is beginning to reveal its secrets.

Building Instructions (Bag 15, Book 4):

Group 63 – Hermione Granger.

Sub build 9. Locate a short pair of black and gray legs printed with black shoes and gray leggings, a black skirt piece, a black torso printed with a black jacket with a hood over a white shirt and a Gryffindor tie in dark red and yellow, a tan dual-sided head printed with two faces — one smiling on one side and one scared on the other — a long brown hair piece, and a dark tan set of wands.

Assemble the Hermione Granger minifigure, choose which facial expression you want to display either the cheerful smile or the scarred face. Ask a sighted helper to help you identify the face. Break off a wand and then attach it to her right hand. Set Hermione Granger aside.

Group 64 – Mountain troll.

Step 1

Sub build 10. Locate a sand-blue giant Harry Potter troll body with integrated head, torso, and feet, and no arms included. It features a dark-tan vest, a molded loincloth, and a printed pattern across the torso. The face shows two white eyes and an open mouth revealing the troll's faulty, uneven teeth. Now, let's build the arms. Place the troll figure in front of you, so it faces the front. Insert the pin end of a blue 2L pin axle from right to left into the top right facing pin hole, so the 1L axle end extends to the right. Repeat symmetrically to the left.

Step 2

Attach the axle hole of a sand blue troll arm from right to left onto the right facing 1L axle, so the pin hole of the arm is at the bottom facing to the front. Repeat symmetrically to the left.

Step 3

Insert the back facing bar of a sand blue troll hand from front to back into the front facing pin hole of its right arm, so the thumb of its hand points upward. Repeat symmetrically to the left.

Step 4.1

Let's make its club! Place a reddish brown 1x1 brick with a side stud on each side in front of you. Place a black 1x1 round plate with open stud on top of the ppp. Place a reddish brown 1x1 round plate on top of the ppp. Then, place a reddish brown 1x1 brick with a side stud on each side on top of your part, make sure to align the side studs to the below ones. Insert a reddish brown 4L antenna with stud from top to bottom into the bottom antistud of your part, so 3L of the bar with the bottom stud extends downward.

Step 4.2

Hold your club vertically upright. Place a reddish brown 2x2 round tile on top of your part. Vertically place a reddish brown 1x4 tile with 2 studs upright on the front facing side studs, so there is no overhanging row on the top. Repeat on each of the other sides, so there are 4 1x4 tiles with 2 studs in total. Attach the club to the troll's right hand by the bottom bar. Set the mountain troll with its club aside while we start building the girls bathroom.

Girls' bathroom

Group 65:

Step 1

Horizontally place a tan 2x14 plate in front of you. Horizontally place a black 1x2 brick with pin hole on top of the ppp on the back right corner, so the pin holes face the front and the back.

Step 2

Vertically place the back row of a grey 2x4 tile to the left of the ppp, so 2 rows overhang to the front. Vertically place a grey 1x4 tile with 2 studs to the left of the ppp, so 2 rows overhang to the front. Vertically place a dark grey 1x4 tile to the left of the ppp, so 2 rows overhang to the front.

Step 3

Horizontally place a tan 2x14 plate in front of the horizontal 2x14 plate, so it attaches underneath the front overhanging plates.

Step 4

Vertically place a grey 2x4 tile on the 3rd and 4th columns from the left of your build. Vertically place a grey 1x4 tile with 2 studs to the right of the ppp. Vertically place a dark grey 1x4 tile to the right of the ppp. Horizontally place a white 1x2 plate to the right of the back row of the ppp. Vertically place a white 1x3 Jumper plate in front of the left column of the ppp. Place another vertically to the right of the ppp.

Step 5

Horizontally place a black 1x2 brick with pin hole on the back left corner, so the pin holes face the front and the back. Place a white 2x2 brick in front of the ppp. Repeat symmetrically to the right.

Step 6

Horizontally place the 2 left columns of a dark grey 1x4 hinge plate in front of the ppp (right 2x2 brick), so the rounded hinge part faces the front. and 2 columns overhang to the right. Repeat symmetrically to the left. Push the overhanging columns of the hinge plates forward, so they form a right angle.

Step 7

Let's make 2 identical stacks. Stack 2 white 1x2 plates. You should now have 2 identical stacks. Horizontally place your first stack on the front left corner of your build, in front of the 2x2 brick. Repeat symmetrically to the right.

Step 8

Vertically place a white 2x4 plate on the 4 back rows on the 2 right columns of your build. Repeat symmetrically to the left. Then, horizontally place a white 1x10 brick to the right of the back row of the ppp, so it sits between the ppps.

Step 9

Horizontally place a tan 4x8 plate in front of you. Then, place its back right corner underneath the vertical right overhanging 2 rows of the 1x4 hinge plate. Repeat symmetrically to the left. You have built 2 moving sections.

Step 10

Vertically place the 2 back rows of a dark grey 1x6 plate on the front right corner of your build, so 4 rows overhang to the front. Repeat symmetrically to the left.

Step 11

Horizontally place a tan 4x8 plate in front of the front right 4x8 plate, so the right column attaches to the 4 overhanging rows of the right 1x6 plate. Repeat symmetrically to the left.

Step 12

Vertically place 2 grey 1x2 plates with rail one in front of the other on the 4 front rows on the rightmost column, so the rails face the right. Vertically place a white 1x4 brick behind the ppps. Repeat the 3 parts symmetrically to the left.

Step 13

Let's make 2 identical stacks. Stack 2 white 1x4 plates. You should now have 2 identical stacks. Vertically place your first stack on the front left corner of your build so it sits on the 2 left 1x2 plates with rail. Repeat symmetrically to the right.

Step 14

Vertically place a dark grey 1x6 plate on the 6 front rows on the rightmost column of your build. Place the 2 front rows of a dark grey 1x4 hinge plate behind the ppp, so the rounded hinge part faces the left. Push the 2 back rows of the 1x4 hinge plate forward so it creates a right angle. Attach the 2 left columns of the hinge plate to the back right vertical 2x4 plate. Repeat both parts symmetrically to the left.

Step 15

Vertically place a grey 1x6 tile on the 2nd through 7th rows from the front on the 2nd column from the left. Place a grey 1x1 quarter round tile behind the ppp, so the right angle faces the front right and the rounded edge the back left. Horizontally place a grey 1x6 tile to the right of the ppp. Repeat symmetrically to the right. Then, place a grey 1x1 quarter round tile to the right of the ppp, so the right angle faces the front left and the rounded edge the back right. Vertically place a grey 1x2 tile in front of the ppp.

Step 16

Horizontally place a grey 1x6 tile to the left of the front row of the ppp. Horizontally place 3 dark grey 1x2 grille tiles side by side behind the ppp. Repeat the 4 parts symmetrically to the left.

Group 66:

Step 17

Horizontally place a grey 2x4 tile on the 4th and 5th rows from the front on the 3rd through 6th columns from the left. Place a grey 2x2 tile with stud to the right of the ppp. Place another to the right of the ppp. Vertically place a grey 1x2 tile to the right of the ppp. Vertically place the 2 back rows of a grey 2x3 plate to the right of the ppp. Place another vertically to the right of the ppp.

Step 18

Horizontally place the 2 right columns of a grey 1x6 tile in front of the ppp. Vertically place the front row of a grey 1x2 tile to the left of the ppp. Horizontally place a grey 1x2 tile to the right of the back row of the ppp. Then, place a grey 1x2 tile vertically on the 2nd and 3rd rows from the front on the 3rd column from the left. Horizontally place a grey 2x4 tile to the right of the ppp. Vertically place a grey 1x2 tile to the right of the ppp.

Step 19

Place a grey 1x1 quarter round tile on the front row on the 3rd column from the left, so the right angle faces the back right and the rounded edge faces the front left. Horizontally place a grey 1x6 tile to the right of the ppp. Repeat both parts symmetrically to the right.

Step 20

Locate the stud on the 4th row from the back on the 5th column from the left that is part of a vertical 1x4 tile with 2 studs. Place a sand green 1x1 brick on this stud. Repeat symmetrically to the right. Locate the 2x2 studs on the 2nd and 3rd rows from the back that are Horizontally

centered, place a white 2x2 inverted dome brick between these 2x2 studs, so it doesn't attach to any studs. Stack a transparent blue 1x1 round tile on a light blue 1x1 round plate. Place your stack inside the ppp. You've just built the toilet!

Step 21

Let's start building the toilet stall! Horizontally place a tan 1x4x3 wall panel on the back row of your build, so it is centered horizontally and the wall faces the back. Vertically place the back row of a dark tan 1x4 plate to the left of the ppp, so its front row sits on the left sand green 1x1 brick from the previous step. Repeat symmetrically to the right.

Step 22.1

Vertically place a sand green 1x3 brick on the 3 front rows of the ppp). Repeat symmetrically to the left.

Group 67:

Step 22.2

Place a tan 1x1 brick behind the ppp. Repeat symmetrically to the right.

Step 23

Vertically place a dark tan 1x4 plate on the 4 back rows on the 5th column from the right, so it sits on the ppp and on the vertical right sand green 1x3 brick. Repeat symmetrically to the left.

Step 24

Place a tan 1x1 brick on the back row of the ppp. Place a grey 1x1 round plate on top of the ppp. Repeat both parts symmetrically to the right. Vertically place a sand green 1x3 jumper plate in front of the ppp on the right wall of the toilet stall. Repeat symmetrically to the left.

Step 25

Horizontally place a tan 1x6 plate on top of the back row, so it is centered horizontally.

Step 26

Horizontally place 3 tan 1x2 log bricks side by side on top of the ppp, so there is no overhang.

Step 27

Horizontally place a dark tan 1x4 plate on the back row, so it is centered horizontally. Horizontally place a white 1x2x3 slope brick with hollow stud on the 2nd and 3rd columns from the left of the back row (here, we are counting only the columns within this mentioned row), so it slopes to the left. Repeat symmetrically to the right.

Step 28

Horizontally place a tan 1x3x3 curved half slope brick on top of the ppp, so its top left column attaches to the horizontal right 1x2 log brick. Repeat symmetrically to the left. Horizontally place a tan 1x6 tile on the back row between the ppps.

Step 29

Vertically place a sand green 1x3 plate on the 5th column from the left of the 2nd through 4th rows from the back, so it sits on top of the left wall of the toilet stall. Stack 2 sand green 1x3 bricks, vertically place your stack on top of the ppp. Place 3 sand green 1x1 short half cylinder tiles one behind the other on top of the ppp, so the flat sides face the front and the back.

Step 30

Vertically place a sand green 1x3 plate on top of the right wall of the toilet stall. Vertically place a sand green 1x2 brick on the 2 back rows of the ppp. Then, place a grey 1x1 brick with clip in

front of the ppp, so the clip faces the front. Vertically place a sand green 1x3 brick on top of the 2 ppps. Place 3 sand green 1x1 short half cylinder tiles one behind the other on top of the ppp, so the flat sides face the front and the back.

Step 31

Let's make a part! Let's build the toilet stall's door. Place an upside down sand green 4x4 plate in front of you. Vertically place 2 grey 1x2 plates with bar handle on a long side one behind the other on the right column of antistuds of the ppp, so the bar handles face the right. Place 2 grey 2x2 curved inverted slope tiles on top of your part on the 2 right columns of antistuds, so they slope to the left. Flip your part, so it stands upright, the bar handles face the right, and the studs face the front. Bring back your girls' bathroom build and position it horizontally in front of you, so the toilet stall is at the back. Attach the top right bar handle to the front facing clip of the toilet stall's right wall. Close the door.

Step 32

Vertically place a transparent blue 1x2 tile on the 3rd and 4th rows from the front on the 4th column from the right of your bathroom build. Place another horizontally to the right of the back row of the ppp.

Step 33

Place a transparent blue 1x1 quarter round tile behind the right column of the ppp, so the right angle faces the front right and the rounded edge faces the back left. Place another symmetrically to the left of the ppp. Repeat both parts symmetrically on the 3rd row from the front on the same columns.

Step 34

Place a transparent blue 1x1 quarter round tile on the 3rd row from the front on the 5th column from the right, so the right angle faces the back right and the rounded edge faces the front left, and it sits to the left of the front row of a vertical 1x2 tile. Place another symmetrically behind the ppp, so they both together create a half round tile. Place another on the 5th row from the front on the 4th column from the right, so the right angle faces the front right and the rounded edge faces the back left, and it sits to the left of another transparent blue 1x1 quarter round tile.

Step 35

Vertically place a white 1x2 slope brick on top of your bathroom build on the front left corner, so it slopes to the front. Repeat symmetrically to the back, on the 2 back rows of the left moving section. Then, repeat both placements symmetrically to the right.

Group 68:

Step 36

Vertically place a grey 1x2 plate with 1x2 side studs hanging down on the leftmost column of the left moving section, so it is centered vertically, and the side studs face the right. Repeat symmetrically to the right. Place a white 1x1 tile upright on the back row of left facing side studs of the ppp. Place a white 1x1 slope tile upright in front of the ppp on the front left facing side stud so it slopes to the back. This is a broken sink.

Step 37

Let's make a part! Let's build a sink! Vertically place a grey 1x2 plate with upright bar in front of you, so the bar points upright on the left. Vertically place a white 1x2 half round brick on the ppp, so the rounded edge faces the right. Place a white 1x1 quarter round tile on the front row of the ppp, so the right angle faces the back left and the rounded edge the front right. Repeat

symmetrically to the back. Bring back your girls' bathroom build and place it horizontally in front of you, so the toilet stall is at the back. Place your part upright on the right facing side studs.

Step 38.1

Skip this step if you have already placed your sticker! Ask a helper to place sticker 10 on the wall side of 2 dark grey 1x2x2 wall panels. This sticker shows a mirror. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 38.2

Vertically place a 1x2x2 wall panel with sticker to the left of the sink, so the wall faces the right. repeat symmetrically to the right.

Step 39

Vertically place a white 1x3x3 curved slope brick on top of the vertical front sloping 1x2 slope brick, so the back row attaches to the front row of the right mirror. Repeat symmetrically to the back. Then, repeat both parts symmetrically to the left.

Step 40

Vertically place a white 1x2 plate on the leftmost column of the left section, so it is centered vertically and it sits on the ppps. Repeat symmetrically to the right.

Step 41

Let's recreate the play scene. Detach the toilet stall's door and half of the toilet stall's left and right doors. Slightly open the 2 moving sections and place the Mountain troll with its swinging club in the space between the opening sections facing the toilet stall. It has destroy it! Hermione, who was inside the toilet stall, is now in front of the monster hopeless and scared. Place her in front of the destroyed toilet stall, so she faces the front.

Step 42

Rebuild the toilet stall and set the Hermione and the Mountain troll minifigures aside. Then close the opening sections by pushing them forward.

Step 43

Bring back your main Hogwarts castle build and position it horizontally in front of you, so the open side faces the front. slide the Bathroom build from front to back as far as you can to the back through the grooves of the left dungeon wing.

By the end of Bag 15, you've brought the girls' bathroom to life beneath the courtyard: the quiet stall, the working sink, the shattered basin spilling its trail of blue water, and of course the unforgettable pair — Hermione Granger and the towering Mountain Troll. Once the scene is complete, you've placed the entire module into its spot in the dungeon level, tucking this iconic moment right under the courtyard where the story first unfolded.

With the troll poised mid-chaos and Hermione ready to face him, a playful ripple of magic seems to stir through the dungeon walls — as if Hogwarts remembers the clang of pipes and the echo of Troll... in the dungeon!" You're standing at the threshold now: only one final bag remains, waiting to reveal the last secrets of your castle!

Building Instructions (Bag 16, Book 5):

Group 69 – Leanne.

Sub build 11. Locate a short pair of black and gray legs printed with black shoes and gray leggings, a black skirt piece, a black torso printed with a black jacket with a hood over a white shirt and a Hufflepuff tie in black and yellow, a tan dual-sided head printed with two faces — one

smiling on one side and one worried on the other — a long black hairpiece, and a dark-orange set of wands.

Assemble the Leanne minifigure. Choose which facial expression you want to display, either the cheerful smile or the worried face. Ask a sighted helper to help you identify the face. Break off a wand and then attach it to her right hand. Set Leanne aside while you start building the Hufflepuff common room.

Hufflepuff common room

Group 70:

Step 1

Horizontally place a grey 2x14 plate in front of you. Horizontally place a black 1x2 brick with pin hole on the back right corner of the ppp, so the pin holes face the front and the back.

Step 2

Vertically place the back row of a dark tan 1x4 tile with 2 studs to the left of the ppp, so 2 rows overhang to the front. Place a grey 2x2 tile with 2 studs on one edge to the left of the 2 back rows of the ppp, so the studs face the back. Place a reddish brown 1x1 round tile with upright bar on the back row of your build on the 7th column from the right. Place another to the left of the ppp.

Step 3

Horizontally place a black 1x2 brick with pin hole on the back left corner of your build, so the pin holes face the front and the back. Vertically place the back row of a dark tan 1x4 tile with 2 studs to the right of the ppp, so 2 rows overhang to the front. Place a grey 2x2 tile with 2 studs on one edge to the right of the 2 back rows of the ppp, so the studs face the back. Horizontally place a black 1x4x1 fence with lattice to the right of the ppp, so the lattice faces the back.

Step 4

Horizontally place a grey 2x14 plate in front of the other 2x14 plate, so it attaches underneath the 2 front overhanging rows of the 2 vertical 1x4 tiles with 2 studs.

Step 5

Place a tan 1x1 brick on the back row of your build on the 3rd column from the left. Place a black 1x1x1 2/3 brick with 2 side studs on 1 side to the right of the ppp, so the side studs face the front. Place a tan 1x1 brick to the right of the ppp. Repeat the 3 parts symmetrically to the right.

Step 6

Place a tan 2x2 brick on the 2nd and 3rd rows from the back on the 2 right columns of your build, so it sits in front of the back right horizontal 1x2 brick with pin hole. Repeat symmetrically to the left. Horizontally place a grey 2x4 tile on the 2 front rows on the 4th through 7th columns from the left. Repeat symmetrically to the right.

Step 7

Horizontally place the 2 left columns of a reddish brown 1x4 hinge plate to the right of the front row of the ppp, so the rounded hinge part faces the front. and 2 columns overhang to the right. Repeat symmetrically to the left. Push the overhanging columns of the hinge plates forward, so they form a right angle.

Step 8

Let's make 2 identical stacks. Stack 2 tan 1x2 plates. You should now have 2 identical stacks. Horizontally place your first stack on the front left corner of your build, in front of the 2x2 brick. Repeat symmetrically to the right.

Step 9

Vertically place a tan 2x4 plate on the 4 back rows on the 2 right columns of your build. Repeat symmetrically to the left.

Step 10

Horizontally place a nougat 4x8 plate in front of you. Then, place its back right corner underneath the vertical right overhanging 2 rows of the 1x4 hinge plate. Repeat symmetrically to the left. You have built 2 moving sections.

Step 11

Vertically place the 2 back rows of a reddish brown 1x6 plate on the front right corner of your build, so 4 rows overhang to the front. Repeat symmetrically to the left.

Step 12

Horizontally place a nougat 4x8 plate in front of the front right 4x8 plate, so the right column attaches to the 4 overhanging rows of the right 1x6 plate. Repeat symmetrically to the left.

Step 13

Vertically place 2 dark tan 1x2 plates with rail one behind the other on the 4 front rows on the rightmost column, so the rails face the right. Vertically place a tan 1x4 plate behind the ppps. Repeat the 3 parts symmetrically to the left.

Step 14

Let's make 2 identical stacks. Stack 2 tan 1x2 plates. Now you should have 2 identical stacks. Vertically place your first stack of 1x2 plates on the 2 back rows of the leftmost column of the left moving section. Repeat symmetrically to the right. Place a tan 1x1 plate with 1x1 upright side stud in front of the right stack, so the side stud faces the left. Place another on the front row of the same column, so the side stud faces the left. Repeat both parts symmetrically to the left.

Step 15

Vertically place a tan 1x3 inverted half arch brick on the front left corner of your part so it slopes to the back. place another vertically behind the ppp, so it slopes to the front. Repeat both parts symmetrically to the right. Place the 2 front rows of a reddish brown 1x4 hinge plate behind the back right ppp, so the rounded hinge part faces the left. Push the 2 back rows of the 1x4 hinge plate forward so it creates a right angle. Attach the 2 left columns of the hinge plate to the back right vertical 2x4 plate. Repeat symmetrically to the left.

Step 16.1

Place a green 1x1 round plate with 3 leaves upright on the front left facing side stud, so the leaves face the back. Place another upright on the back right facing side stud, so the leaves face the front.

Group 71:

Step 16.2

Place a dark green 1x1 round plate with 3 leaves upright on the front right facing side stud, so the leaves face the back. Place another upright on the back left facing side stud, so the leaves face the front.

Step 17

Horizontally place a tan 1x2 slope brick on the back row of your build on the 2nd and 3rd columns from the right, so it slopes to the right. Place a dark orange 1x1 round plate to the left of the ppp. Repeat both parts symmetrically to the left. Insert the bottom bar of a transparent orange flame from top to bottom into the top hole of the back left 1x1 round tile with upright bar, so the top of the flame curves to the left. Repeat symmetrically to the right. They are the flames of the fireplace!

Step 18

Horizontally place a tan 1x2 slope brick on the 3rd and 4th columns from the right of the back row, so it slopes to the right, and it sits on top of the back right horizontal tan 1x2 slope brick and on a 1x1 round plate. Place a tan 1x3x3 half arch brick horizontally to the left of the ppp, so the arch faces the left. Repeat both parts symmetrically to the left creating an arch.

Step 19

Horizontally place a dark orange 1x2 brick on the 4th and 5th columns from the left of the back row of your build, so it sits on the leftmost column of the horizontal back left 1x3x3 half arch brick and on a horizontal tan 1x2 slope brick. Repeat symmetrically to the right.

Step 20

Horizontally place a dark tan 1x2 brick with 2 side studs on 1 long side on top of your build on the back row, so it is centered horizontally and the side studs face the front. Horizontally place a dark orange 1x2 brick to the left of the ppp. Then, place a reddish brown 1x2 inverted slope brick horizontally to the left of the ppp, so it slopes upward to the left and 1 column overhangs to the left. Repeat both parts symmetrically to the right.

Step 21

Horizontally place a tan 1x8 plate on top of the fireplace, so it is centered horizontally. Horizontally place 2 dark tan 1x4 tiles with 2 studs side by side on the ppp, so there is no overhang.

Step 22.1

Place a dark green 1x1 round plate with 3 leaves to the left of the ppps, so the leaves face the left and it sits on the back left 1x2 inverted slope brick.

Group 72:

Step 22.2

Place a green 1x1 round plate with 3 leaves symmetrically to the right.

Step 23

Horizontally place the right column of a tan 1x2 curved slope tile on the ppp, so it slopes to the right. Repeat symmetrically to the left.

Step 24

Let's make a part! Horizontally place a dark orange 1x4 plate in front of you.

Step 25

Horizontally place the 2 left columns and the front row of a reddish brown 2x4 left wedge plate on the 2 right columns of the ppp, so 2 columns overhang to the right and 1 row overhangs to the back. Place a reddish brown 2x4 right wedge plate symmetrically to the left of the ppp.

Step 26

Vertically place the back row of a dark orange 2x6 left wedge plate underneath the left overhang, so the short side faces the front. Repeat symmetrically to the right using a dark orange 2x6 right wedge plate.

Step 27

Vertically place the left column of a reddish brown 2x4 right wedge plate on top of the rightmost column of your part, so the short side points to the back, it is centered vertically and 1 column overhangs to the right. Repeat symmetrically to the left using a reddish brown 2x4 left wedge plate.

Step 28

Horizontally place a reddish brown 1x2 plate in front of the ppp, so it only attaches by the right column and 1 column overhangs to the left. Repeat symmetrically to the right.

Step 29

Vertically place the front row of a reddish brown 1x6 plate on the left column of the ppp. Repeat symmetrically to the left. Orient a collector's 2x3 pentagonal tile featuring a random portrait, so the triangle side faces the back. It could, for example, be a portrait of Godric Gryffindor. Attach the front row of the portrait to the back row of visible studs of your part, so it is centered horizontally and 1 row overhangs to the back.

Step 30

Bring back your Hufflepuff common room build and position it horizontally in front of you, so the fireplace is at the back. Locate the front facing side studs on top and on the right and left sides of the fireplace. Attach your part horizontally upright on the front facing side studs, so the portrait is at the top.

Step 31

Vertically place a yellow 1x4 tile on the 8th column from the right of your build, so it is centered vertically on the right moving section. Place a yellow 1x1 quarter round tile to the right of the front row of the ppp on the 3rd row from the front of your build, so the right angle faces the back left and the rounded edge faces the front right. Vertically place a yellow 1x2 tile behind the ppp. Then, place a yellow 1x1 quarter round tile behind the ppp, so the right angle faces the front left, and the rounded edge faces the back right. Repeat the 4 parts symmetrically to the left.

Step 32

Place a black 1x1 plate on the 2nd row from the front on the 8th column from the left. Place the front row of a black 2x2 curved corner tile to the left of the ppp, so the larger, outside, curve faces the front left. Vertically place a black 1x2 tile behind the ppp. Place the left column of a black 2x2 curved corner tile behind the ppp, so the larger, outside, curve faces the back left. Place a black 1x1 plate to the right of the ppp. Repeat the 5 parts symmetrically to the right. Then, place a reddish brown 2x2 round tile with stud on the 4th and 5th rows from the front on the 4th and 5th columns from the right.

Step 33

Let's Make 2 identical parts! Vertically place an upside down reddish brown 2x6 half round plate in front of you, so the rounded edge faces the left. Place a reddish brown 1x1 cone brick on the front row of antistuds. Repeat symmetrically to the back. Now place another un top of your part on the leftmost column of antistuds, so it is centered vertically. Turn your part right side up. You should now have 2 identical parts! Bring back your Hufflepuff common room build and position it horizontally in front of you, so the moving sections are at the front, and the fireplace is at the back. Place your part vertically on the left moving section of your build on the 7th and 8th

columns from the left, so it is centered vertically and the rounded edge of the 2x6 half rounded plate faces the left. Repeat symmetrically to the right. You've built a table! Place a reddish brown 2x2x2 chair on the right 2x2 round tile with stud to the right of the carpet, so the backrest faces the right.

Group 73:

Step 34.1

Let's make a part! Let's build a sofa! Horizontally place a reddish brown 2x4 plate in front of you. Place a dark orange 2x2 plate on top of the ppp, so it is centered horizontally.

Step 34.2

Vertically place a reddish brown 1x2 plate with 2x2 upright side studs to the right of the ppp, so the side studs face the right. Repeat symmetrically to the left.

Step 34.3

Place 2 reddish brown 2x2x2 chairs side by side on top of your part, so the backrests face the back. Rotate your part 90 degrees counterclockwise so the side studs face the front and the back.

Step 34.4

Horizontally place a dark orange 1x2 ingot tile upright on the bottom row of front facing side studs. Horizontally place a dark orange 1x2 half cylinder tile above the ppp, on the front facing side studs. Repeat both parts symmetrically to the back.

Step 34.5

Bring back your Hufflepuff common room build and position it horizontally in front of you, so the moving sections are at the front, and the fireplace is at the back. Place the sofa vertically on the 4th and 5th columns from the left of your build, so it is centered vertically on the left section to the left of the carpet, and the backrest of the sofa faces the left.

Step 35.1

Skip this step if you have already placed your sticker! Ask a helper to place sticker 5 on the tan 2x2 tile. This sticker has a tan background and shows a six-petaled flower outlined in black. Next to the flower, there is a black plus sign (+), a small plant leaf, and then an equals sign (=) followed by three question marks (???). All elements are drawn with simple black linework. The layout resembles a plant-related puzzle or homework exercise, as if a student is meant to solve a small herbology equation. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 35.2

Place a tan 2x2 tile with sticker on top of the table on its 2 right columns, so it is centered vertically.

Step 36

Place a grey 2x2 round tile with stud to the left of the ppp, this is a dish. Then, place a silver goblet behind the right column of the ppp.

Step 37

Place a dark orange 1x1 round plate on the stud of the 2x2 round tile from the previous step. Then place a white 1x1 round plate with swirled top on the ppp. It resembles a cream-topped cookie or mini cake, the student's snack while working. Place a black 1x1 round tile with upright

bar in front of the left column of the 2x2 tile with sticker representing a herbology exercise, this is the inkwell. Insert the bottom bar of a white quill from top to bottom into the top hole of the ppp so the feather curves backward.

Step 38

Open the moving sections slightly. Place Leanne, the Hufflepuff student, between the 2 moving sections, so she is facing the right half of the table with the inkwell and the worksheet. detach the 2x2 tile with sticker and place it lying flat on her left hand by attaching her hand to the antistud of the tile as if she were carrying it. Then attach the quill to her right hand as if she were about to write.

Step 39

Set Leanne aside. Close the moving sections of your Hufflepuff common room by pushing them forward. Bring back your Hogwarts main build and position it horizontally in front of you, so the open section faces the front. Push your Hufflepuff common room from front to back inside the empty right underground section, by sliding it through the grooves.

Step 40.1

Decide which scene you want to display and arrange the minifigures accordingly. Let's recreate the moment in the film when Professor Quirrell enters the Great Hall and warns everyone about the troll in the dungeon. Place Professor Vector in the Great Hall, standing behind Albus Dumbledore and facing the left. Place Leanne and Harry Potter behind the back horizontal table, facing forward.

Place Professor Quirrell at the entrance of the Great Hall, to the right side of the doorway.

Place Hermione inside the girls' bathroom, standing in the toilet stall. Finally, place the Mountain Troll in front of the girls' bathroom, as if it is heading toward it.

By the end of Bag 16, you've completed the warm and earthy Hufflepuff common room: the glowing fireplace with its portrait above, the soft sofa, the round table set with cake and a goblet, the botanical worksheet with its inkwell and quill, the chair, and Leanne waiting proudly in her house colors. Once finished, you've placed the entire modular room into the open space beneath the Great Hall, completing the last chamber of the dungeons and bringing the underground level of Hogwarts to life.

And now the castle stirs — for above you, Quirrell bursts into the Great Hall crying “Troll... in the dungeons!” while below, the Mountain Troll lumbers toward the girls' bathroom where Hermione hides in the stall. Will Harry and Ron reach her in time, just as they did in the story you've now rebuilt stone by stone? With this final module in place, you've completed your Hogwarts — a remarkable achievement, and the castle seems to glow with pride as you close the last bag of your journey.

Additional step:

As you know, this is a modular set that together with other Hogwarts modular sets allows you to recreate the most detailed castle ever. The box shows you how to attach the Lego set 76426 Hogwarts Boathouse to the great hall. The Lego set 76426 Hogwarts boathouse is adapted and available on the Bricks for the blind website (<https://bricksfortheblind.org/instructions/hogwarts-castle-boathouse/>). If you have also built this set, follow the following instructions to attach it to the Great Hall and therefore expand the Hogwarts castle.

Place the Boathouse set horizontally in front of you, so the straight long side faces the back. Locate the back facing clips. Bring back your Hogwarts Great Hall set, and position it horizontally in front of you, so the long rocky cliff wall faces the front and the open side with the

modular access faces the back. Now, locate the front right stairs, on the lower step there are 2 upright bars. Attach the back facing clips of your boathouse set to those upright bars. Well done! The students arriving by boat can now reach Hogwarts' courtyard entrance by climbing the stairs.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

At the end of the instruction booklets are advertisements for the following 2 LEGO Harry Potter Theme kits:
76426 Hogwarts™ Castle Boathouse
76430 Hogwarts™ Castle: Owlery