

76447 Hogwarts Castle: Flying Lessons

Adapted by Jordi and blind builder Laia. Tested by Radar.

Recreate Quidditch™ and Transfiguration classes from Harry Potter and the Sorcerer's Stone™ with this LEGO® brick-built Hogwarts™ Castle: Flying Lessons adventure set (76447) for kids. A wizard gift for boys, girls and any Harry Potter™ fans, this classroom playset features a section of Hogwarts Castle, including the Quidditch equipment room, Transfiguration classroom, Professor McGonagall's office, and the trophy room with 2 of 14 collectible Hogwarts portraits on display.

The building folds out, the Quidditch room and Transfiguration classroom pull out for easy play, and there are fun broom-flying functions and a Transfiguration function to inspire creative play. This magical toy play-and-display set includes 6 popular Harry Potter characters to role-play iconic scenes and make up fantasy adventure stories.

Explore this special LEGO Harry Potter collection for other modular sets (sold separately) that connect to create the most detailed brick-built Hogwarts Castle scene ever.

- Hogwarts™ Castle tower playset for kids – Play out Quidditch™ and Transfiguration classes with this LEGO® Harry Potter™ Hogwarts Castle: Flying Lessons adventure set
- 6 LEGO® Harry Potter™ character minifigures – Harry Potter, Neville Longbottom™, Draco Malfoy™, Professor McGonagall™, Madam Hooch and Oliver Wood
- Classroom playset – Features a foldout building with the Quidditch™ equipment room, Transfiguration classroom, Professor McGonagall's office, the trophy room, and broom-flying functions
- 2 of 14 collectible Hogwarts™ portraits – This LEGO® Harry Potter™ fantasy adventure playset includes 2 of 14 random Hogwarts portrait elements to display in the trophy room
- Wizard gift idea for kids aged 9 and up – This magical toy play-and-display set is a high-quality Harry Potter™ gift for boys, girls, and any fans of the Wizarding World
- A fun way to build – Let the LEGO® Builder app guide kids on an intuitive building adventure, where they can zoom in and rotate their model in 3D while they build, track progress and save sets
- Harry Potter™ collectible – This playset is part of a collection of modular sets (sold separately) that connect to create the most detailed LEGO® brick-built Hogwarts™ Castle scene ever
- Dimensions – The buildable Hogwarts™ Castle tower model in this 651-piece set measures over 10.5 in. (26 cm) high, 12.5 in. (32 cm) wide and 6 in. (15 cm) deep when unfolded

The front of the box presents a large beige section of the Hogwarts Castle, complete with tall towers, arched windows, and greenery at the base that helps set the magical scene. In the top-left corner, the LEGO logo and the Harry Potter logo stand clearly above the recommended age 9+, the set number 76447 Hogwarts Castle: Flying Lessons, and the piece count 651 pcs. The main image highlights the full build, showing a tall castle tower with a balcony, a

courtyard area, and a small tree. Several minifigures appear in action: Harry Potter and Draco Malfoy flying on broomsticks, Madam Hooch supervising the lesson, and additional characters positioned near the castle entrance. All of this is framed by a bright blue sky with soft clouds, reinforcing the enchanting Hogwarts atmosphere.

The back of the box continues this presentation by showing the same castle model but divided into smaller close-up scenes that emphasize the set's play features. Different panels reveal the interior of the castle with its rooms and furniture, the flying lesson action with minifigures on broomsticks, and a small courtyard complete with a tree and accessories. Small rectangular insets demonstrate how certain parts of the model open or connect, helping builders understand the interactive elements.

This set contains 651 pieces in total, and it is for ages 9+.

Bag 1: contains the pieces to build Harry Potter and the trophy room.

Bag 2 contains the pieces to build Draco Malfoy Professor McGonagall's office.

Bag 3: contains the pieces to build Madame Hooch and the castle.

Bag 4: contains the pieces to build Oliver Wood and the bottom left section.

Bag 5: contains the pieces to build Professor McGonagall and the top left section.

Bag 6: contains the pieces to build Neville Longbottom the roof and a structure to support Neville.

Bag 7: contains the pieces to build the quidditch equipment room, the transfiguration classroom, and a statue.

- Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:
 - - In Front of/Front: towards you.
 - - Behind/Back: away from you.
 - - Up: towards the ceiling.
 - - Down: towards the floor.
 - - Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
 - - Vertically: with the longest side going from front to back
 - - Horizontally: with the longest side going from left to right.
 - - Upright: pointing up towards the ceiling.
 - - Standing upright: The piece is perpendicular to the ground, like a wall.
 - - Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
 - - That one/ppp: previously placed piece.
 - - Plate: piece with studs.
 - - Tile: smooth piece without studs (unless otherwise specified)
 - - A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
 - - Anti-stud is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.

- - Left/ right wedge parts: these are parts that when placed in front of you and are pointing to the back, their wedge or cut corner is on the left/ right side of the part.
- - Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- - Centered-vertically: even amount of space in front of and behind piece
- - Centered-horizontally: even amount of space left and right of piece.
- - Row: studs lined up horizontally (left to right/side to side).
- - Column: studs lined up upright or vertically (top to bottom/back to front).
- A note on LEGO Technic™ part names. These parts are different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.
- - Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.
- - Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pinhole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard-length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop; however, it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.
- - Technic brick - a brick which contains one or more holes which accept technic pins.
- - Lift-arms - A lift-arm is a basic structural element, like a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift- arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm may accept axles or pins. They also come in a variety of shapes, including tees, ells, and triangles.
- - Gears - A gear is a functional element. They are typically discs with teeth on the outside; there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!
- - Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pinholes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.
- - Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts or can form useful elements such as bars. Bushes are typically light gray, cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make it easier to pull on and off.

For builders with low vision, or a sighted building partner who may want to follow along with the printed visual instructions that come with each kit, PDF versions are always online at LEGO.com:

(<https://www.lego.com/en-us/service/building-instructions/76447>) As low vision users may benefit from viewing the instructions on a personal device.

- Sorting the pieces:
- To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a sighted friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted into groups according to the building steps in the set. Doing this in advance makes locating the pieces easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, Numbers, or meaningful names. The parts will be collected into a small Number from steps in the instructions. Example: Steps 1-3 means collecting all the parts used in steps 1, 2 and 3, and putting them in one container.
- This set comes with 7 labelled bags, and 1 instruction booklet.
- Sort the pieces into groups as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split across two groups to make telling the difference easier for the builder!

Book 1

Bag 1

Group 1: Harry Potter, page 5.

Group 2: contains the pieces for steps 1-10.

Group 3: contains the pieces for steps 11-13.

Group 4: contains the pieces for steps 14-19.

Group 5: contains the pieces for steps 20-25.

Group 6: contains the pieces for steps 26-28.

Group 7: contains the pieces for steps 29-32.1.

Group 8: contains the pieces for steps 32.2-33.

Group 9: contains the pieces for steps 34-39.

Bag 2

Group 10: Draco Malfoy, page 22.

Group 11: contains de pieces for steps 40-44.

Group 12: contains de pieces for steps 45-45.2.

Group 13: contains de pieces for steps 45.3-54.

Group 14: contains de pieces for steps 55-58.

Group 15: contains de pieces for steps 59-64.

Group 16: contains de pieces for steps 65-68.

Group 17: contains de pieces for steps 69-71.

Group 18: contains de pieces for steps 72-77.

Group 19: contains de pieces for steps 78-80.

Bag 3

Group 20: Madam Hooch, page 46.

Group 21: contains de pieces for steps 81-83.

Group 22: contains de pieces for steps 84-93.

Group 23: contains de pieces for steps 94-98.

Group 24: contains de pieces for steps 99-106.1.

Group 25: contains de pieces for steps 106.2-111.

Bag 4

Group 26: Oliver Wood, page 71.

Group 27: contains de pieces for steps 112-113.

Group 28: contains de pieces for steps 114-119.

Group 29: contains de pieces for steps 120-129.

Bag 5

Group 30: Professor McGonagall, page 90.

Group 31: contains de pieces for steps 130-140.

Group 32: contains de pieces for steps 141-153.

Bag 6

Group 33: Neville Longbottom, page 102.

Group 34: contains de pieces for steps 154-159.

Group 35: contains de pieces for steps 160-164.

Bag 7

Group 36: contains de pieces for steps 165-178.

Group 37: contains de pieces for steps 179-187.

Group 38: contains de pieces for steps 188-189.

Group 39: contains de pieces for steps 190-205.

Description:

Once the castle is fully built, you'll have a tan stone Hogwarts section that can open and close like a storybook. When you unfold it and the open side faces you, the bottom-right room is the Trophy Room, decorated with two portraits and a proud Gryffindor shield. Above it sits Professor McGonagall's office, complete with her desk and a window on the front façade — and right in front of that window stands a small tree.

To the left of these rooms runs a stretch of castle wall, and further left, at the bottom, you'll find the Quidditch equipment room filled with flying-game accessories. Above that

room is the Transfiguration classroom, with student tables and a teacher's table that hides a fun little Easter egg. When you fold the castle closed again, all these rooms stay hidden inside, like secret corners of Hogwarts waiting to be discovered.

On the outside, the front shows McGonagall's office window, while the back reveals the windows of the Transfiguration classroom. A statue stands proudly on the roof, watching over the whole build. And to bring the flying lesson to life, there's one structure on top of the castle to hold Neville on his broom, plus two more supports along the wall so you can recreate Harry and Malfoy's flight scene.

Specific placement guidelines:

Start Building

Step 1

Rows and Columns Across the Whole Build:

Unless we say otherwise, rows are counted from front to back or back to front, and columns are counted from left to right or from right to left across the entire build.

Example: "Vertically place a tan 1x2 plate on the 4th and 5th rows from the front on the 3rd column from the left." or "Place a white 2x2 tile with stud on the 2 back rows on the 3rd and 4th columns from the right."

This uses the full build's row and column Layout.

Step 2

Why We Sometimes Count Columns from a Specific Row:

Each row can have a different number of columns. This happens when the build becomes narrower or wider toward the sides, or when certain rows have cutouts, curves, or irregular shapes.

So, if a row is shorter or wider than the rows above or below it, counting columns across the whole build becomes misleading. To avoid confusion, we count columns within that specific row.

Example: Instead of: "Place the 1x2 plate on the front row on the 2nd and 3rd columns from the right." We say: "Place the 1x2 plate on the 2nd and 3rd columns from the right of the front row."

This makes it clear that the row itself is the reference, not the whole build.

Step 3

Why We Sometimes Count Rows from a Specific Column:

Each column can have a different number of rows. This happens when one column extends further back than the next, another extends forward, some columns are tall, others short, or the shape is staggered or irregular. When columns vary in height or depth, counting rows across the entire build becomes confusing. To avoid this, we count rows within that specific column.

Example: "Place a tan 1x1 round plate on the 3rd row from the back of the 2nd column from the right."

This avoids the problem of columns with different lengths.

Step 4

Using Landmarks for Tactile Orientation:

When rows and columns alone aren't enough, we add landmarks—nearby pieces that help the builder feel where the new piece belongs.

Example: “Vertically place a green 2x4 plate on the 2nd through 5th rows from the back on the 2nd and 3rd columns from the left, so the back row sits on the front row of the back left 2x2 corner plate, and the front row sits on the back row of the front left 2x2 corner plate.”

These tactile cues confirm the correct placement.

Building Instructions (Bag 1, Book 1):

Group 1 – Harry Potter.

Sub build 1. Locate a pair of short black legs, and a torso printed with a black closed hooded jacket, with the white shirt collar and the red-and-yellow Gryffindor tie peeking out from underneath and visible at the top. Locate a light-tan dual-sided head printed with glasses and with two expressions — one cheerful and one angry— a black hair piece, a dark brown broom bristles with stud holder, a dark orange 4L antenna with antistud, and a brown set of wands.

Assemble your minifigure. Choose which facial expression you want to display, either the cheerful smile or the angry face. Ask a sighted helper to help you identify the face. Break off a wand and attach it to Harry's right hand. Assemble the broom by attaching the dark brown broom bristles with stud holder to the 4L antenna bottom antistud. Then, attach the stick to Harry's left hand. Set him aside while you start building the castle.

Group 2:

Step 1

Horizontally place a dark grey 1x10 plate in front of you. Horizontally place a dark grey 1x2 log brick on the 2 right columns of the ppp.

Step 2

Vertically place the back row of a grey 1x2 brick with clip on one long side on the leftmost column of your build, so the clip faces the left and 1 row overhangs to the front. Place a dark grey 1x1 brick with side stud and bottom lip to the right of the back row of the ppp, so the bottom blip and the side stud face the front.

Step 3

Horizontally place the back left corner of a dark grey 2x8 plate underneath the front left overhang.

Step 4

Vertically place a dark grey 1x2 log brick on the 2 back rows on the 3rd column from the right of your build. Then, place a black 1x1 brick with pin hole on the 2nd column from the left, so it is centered vertically on your build, and the pin holes face the front and the back.

Step 5

Place the right column of a dark grey 2x2 brick in front of the ppp, so 1 row overhangs to the front.

Step 6

Horizontally place the back left corner of a green 4x6 half round plate underneath the front left overhang, so the rounded edge faces the front.

Step 7

Place a dark grey 2x2 slope brick on top of your build on the back left corner, so it slopes to the right. Vertically place a grey 1x2 brick with 2 side studs on one long side on the ppp, so the side studs face the right. Vertically place a dark grey 1x2 log brick on top of the ppp.

Step 8

Horizontally place the left column of a dark grey 1x2x3 slope brick in front of the ppp, so it slopes to the left.

Step 9

Place the right column of a dark grey 2x2 corner brick with cut corner on the ppp, so the cut corner faces the front left and it looks like a braille letter E. Place a grey 1x1 brick behind the left column of the ppp.

Step 10

Horizontally place a grey 1x2 slope brick on the 2 left columns of your build, so it is centered vertically and it slopes to the left. Place a dark grey 1x1 round brick on the ppp. Now, place a grey 1x1 brick on top of the ppp.

Group 3:

Step 11

Horizontally place a dark brown 1x2 log brick to the right of the ppp. Horizontally place another to the right of the ppp.

Step 12

Place a dark brown 1x1 plate on top of your build on the 3rd column from the left counting the entire build, so it is centered vertically and it sits on top of the left horizontal 1x2 log brick. Place a gold 1x1 cone brick on top of the ppp.

Step 13

Horizontally place a dark brown 1x2 log brick to the right of the ppp. Horizontally place a black 1x2x1 2/3 brick with 2x2 side studs on the ppp, so the side studs face the back. Vertically place a reddish brown 2x3 pentagonal tile featuring a Gryffindor crest, shields, and lion print upright on the 2x2 side studs, so the point faces down. Horizontally place a dark brown 1x2 tile on top of the ppps.

Group 4:

Step 14

Place a gold 1x1 cone brick to the right of the ppp. Horizontally place a dark grey 1x2x3 slope brick on the 3rd row from the front on the 2 left columns, so it slopes to the left. Horizontally place a dark grey 1x2 log brick to the left of the ppp.

Step 15

Horizontally place the left column of a grey 1x2 slope brick in front of the right column of the ppp, so it slopes to the right. Then place a dark grey 1x1 round brick to the left of the ppp. Place a grey 1x1 slope tile to the left of the ppp, so it slopes to the right.

Step 16

Place the front row of a dark grey 2x2 slope brick to the right of the ppp, so it slopes to the front. Horizontally place a dark grey 1x2 log brick on the ppp.

Step 17

Horizontally place the right column of a grey 1x2 slope brick on the left column of the ppp, so it slopes to the right.

Step 18

Place the right column of a dark grey 2x2 corner brick with cut corner on the ppp, so the cut corner faces the front left and it looks like a braille letter E.

Step 19

Place a sand green 1x1 plate on the 3rd row from the front on the 4th column from the left counting the entire build, so it sits on a horizontal 1x2 log brick. Horizontally place a tan 1x2 inverted slope brick on the ppp, so it slopes upward to the left. Stack 2 tan 1x2 plates, then place your stack horizontally on top of the ppp.

Group 5:

Step 20

Stack 2 dark grey 1x3 plates, then vertically place your stack on top of your build on the back left corner, so 1 row overhangs to the front. Vertically place the back row of a sand green 1x2 plate to the right of the front row of the ppp.

Step 21

Place a nougat 1x1 brick on the back row of your build on the rightmost column. Place the back row of a tan 2x2 corner brick to the left of the ppp, so it looks like a braille letter F.

Step 22

Vertically place a nougat 1x2 brick with 2 side studs on 1 long side on the left column of the ppp, so the side studs face the left.

Step 23

Now we will assemble 1 tan 1x4 hinge brick! Locate a tan 1x2 brick which has a downward pointing pin on one short end, and a tan 1x2 brick which has a pin hole at the bottom of one short end. Push the pin from the first piece into the hole on the second, keeping the studs of both pointed up. You can open the hinge to create a 1x4 brick, close the hinge to make a 2x2 brick, or make it some angle in between. Place the 2 left columns of the tan 1x4 hinge brick on the back row of your build on the 2 right columns, so the rounded hinge part faces the back and 2 columns overhang to the right.

Step 24

Horizontally place the 2 right columns of a tan 1x3 plate on the 2 left columns of the ppp. Horizontally place a tan 1x2 log brick on the 2 right columns of the ppp. Horizontally place a tan 1x2 plate on top of the ppp. Now, place a sand green 1x1 plate on the rightmost column of the 2nd row from the back (here, we are counting only the columns within this mentioned row), so it sits in front of the leftmost column of the horizontal tan 1x3 plate.

Step 25

Vertically place the front row of a tan 1x2x2 brick on the ppp.

Group 6:

Step 26

Diagonally place the right column of a tan 3x3x6 corner wall panel in front of the ppp, so the leftmost column sits to the right of a horizontal tan 1x2 plate, and the hollow side faces the back left. Place a tan 1x1 plate on the rightmost column of the ppp.

Step 27

Horizontally place a tan 1x4 plate on the 3rd row from the front, so its rightmost column sits on the leftmost column of the 3x3x6 corner wall panel.

Step 28

Place a nougat 1x1 plate on the rightmost column of the ppp. Horizontally place a dark grey 1x2 plate with dual hinge fingers on one long side to the right of the ppp, so the dual hinge fingers face the front. Place the front row of a tan 2x2 corner plate with cut corner to the left of the ppp, so the right angle faces the back right. Place a nougat 1x1 plate behind the left column of the ppp. Vertically place a tan 1x3 plate on the 3 back rows on the 5th column from the right counting the entire build, so it sits on a vertical 1x2x2 brick and on a nougat 1x1 plate.

Group 7:

Step 29.1

Let's make a part. Place a green 4x4 plate in front of you. Horizontally place a dark grey 2x6 tile on the 2 back rows of the ppp, so it is centered horizontally. horizontally place the leftmost column of a green 1x3 plate underneath the back right overhang aligned with the back edge of the 4x4 plate. Repeat symmetrically to the left.

Step 29.2

Orient a green 3x3 round corner plate so the right angle faces the back right and the rounded edge faces the front left. Place it in front of the ppp, so the back right corner attaches underneath the left overhang. Repeat symmetrically to the right.

Step 29.3

Place a dark grey 2x2 brick on top of your part on the back right corner. Repeat symmetrically to the left. Place a tan 2x2 corner brick on the ppp, so it looks like a braille letter D. Repeat symmetrically to the right.

Step 29.4

Place a grey 1x1 slope tile in front of the left column of the ppp, so it slopes to the front. Repeat symmetrically to the left.

Step 29.5

Bring back your main build and position it horizontally, so the rounded edge faces the front. Horizontally place the back left corner of your part underneath the 2 right overhanging columns of your main build.

Step 30

Now we will assemble 1 tan 1x4 hinge brick! Locate a tan 1x2 brick which has a downward pointing pin on one short end, and a tan 1x2 brick which has a pin hole at the bottom of one short end. Push the pin from the first piece into the hole on the second, keeping the studs of both pointed up. You can open the hinge to create a 1x4 brick, close the hinge to make a 2x2 brick, or make it some angle in between. Place the 2 left columns of the tan 1x4 hinge brick on the back row of your build on the 2 right columns, so the rounded hinge part faces the back and 2 columns overhang to the right. Place a tan 1x1 brick with 1x1 side stud in front of the leftmost column of the ppp, so the side stud faces the front. Place another on the 2nd row from the back on the 11th column from the right counting the entire build, so the side stud faces the front and it sits in front of the right column of a 2x2 corner brick.

Step 31

Place the front row of a tan 2x2 corner brick on the ppp, so it looks like a braille letter D. Place another symmetrically on the 2 back rows of your build on the 3rd and 4th columns from the right, So it looks like a braille letter F.

Step 32.1

Horizontally place a sand green 1x2 plate on the back row on the 10th and 11th columns from the right counting the entire build.

Group 8:

Step 32.2

Horizontally place a tan 1x2 plate on top of the ppp.

Step 33

Now we will assemble 1 tan 1x4 hinge brick! Locate a tan 1x2 brick which has a downward pointing pin on one short end, and a tan 1x2 brick which has a pin hole at the bottom of one short end. Push the pin from the first piece into the hole on the second, keeping the studs of both pointed up. You can open the hinge to create a 1x4 brick, close the hinge to make a 2x2 brick, or make it some angle in between. Place the 2 right columns on the ppp, so the rounded hinge part faces the back.

Group 9:

Step 34

Horizontally place a nougat 1x2 plate on the 2 right columns of the ppp. Horizontally place a tan 1x2 log brick on the back row on the 3rd and 4th columns from the right counting the entire build.

Step 35

Horizontally place a tan 1x4x3, half arch brick in front of the left column of the ppp, so the arch faces the left and 3 columns overhang to the left. Place another symmetrically on the 2nd row from the back on the 11th column from the right, so it sits on a 2x2 corner brick. Now, horizontally place a tan 1x4 plate on top of the 2 ppps, so it is centered horizontally on them.

Step 36

Let's make 2 identical parts. orient a black 1x1 tap vertically, so the antistud faces up and the long side of the tap faces the back. Place a transparent yellow 1x1 cone brick upside down on the ppp. Place a black 1x1 round plate on the ppp. You should now have 2 identical parts. Bring back your main build, so it is horizontally in front of you and the hollow side faces the back. Insert the back facing end of the tap of one of your parts from front to back into the front right facing open stud below the right half arch brick. Insert the other symmetrically into the front facing open stud below the left half arch brick.

Step 37

Rotate your build 180 degrees. Locate 2 left facing side studs on the right wall of the right moving section. Orient a collector's 2x3 pentagonal tile featuring a random portrait, so the triangle side faces the back. It could, for example, be a portrait of Robena Ravenclaw. Attach the front row of the portrait to the 1x2 left facing side studs of your build, so the triangle side faces up. Place another symmetrically on the left wall of the right moving section. It could, for example, be a portrait of Jocunda Sykes.

Step 38

Horizontally place a dark tan 1x10 plate on the front row on the 10 right columns on top of the wall of the right moving section. Horizontally place a dark tan 2x8 plate behind the 8 right columns of the ppp. Place a nougat 1x1 plate behind the 2nd column from the right of the ppp. Place the front row of a dark tan 2x4 plate to the left of the ppp.

Step 39

Attach the hinge finger of a black axle connector with hinge finger to the back facing dual hinge fingers of your main build, so the axle hole faces up. Insert the bottom bar of a black plant with 4 upright bars from top to bottom into the top facing axle hole of the ppp, so the 4 bars face up. This is a tree!

With Bag 1 complete, you've set the very first stones of Hogwarts into place — shaping the trophy room with its gleaming displays and raising the tall tree where Harry and Draco once soared through the air in their first fierce Quidditch chase. It's a small corner of the castle, but already the grounds feel alive, as if the wind around that tree remembers broomsticks flashing past its branches.

You've begun your journey beautifully; the foundations of Hogwarts now stand because of you. Ahead waits the next bag, ready to reveal more secrets of the castle you're bringing to life.

Building Instructions (Bag 2, Book 1):

Group 10 – Draco Malfoy.

Sub build 2. Locate a short black pair of legs, a torso printed with Black Hogwarts school robes with Slytherin green detailing including the house crest and tie, a tan dual-sided head showing two expressions — one with a subtle smirk, and the other angry, a blond hairpiece, a dark brown broom bristles with stud holder, a black 4L antenna with antistud, and a black set of wands.

Assemble your minifigure. Choose which facial expression you want to display, either the smirking or the angry face. Ask a sighted helper to help you identify the face. Break off a wand and attach it to Malfoy's right hand. Then, assemble the broom by attaching the a dark brown broom bristles with stud holder to the antistud of the black 4L antenna, and attach the broomstick to his left hand. Set him aside while we continue building the set.

Group 11:

Step 40

Let's start building Professor McGonagall's office. Horizontally place a tan 1x2x2 brick on top of the right moving section on the back wall so it is centered horizontally on this row. Horizontally place a tan 1x2x3 window panel on top of the ppp, so the hollow side faces the front.

Step 41

Diagonally place the left column of a tan 3x3x6 corner wall panel to the right of the ppp, so the hollow side faces the front. Repeat symmetrically to the left. Place a tan 1x1x3 brick in front of the right column and frontmost row of the right corner wall panel.

Step 42

Horizontally place the right column of a tan 1x2x3 slope brick in front of the ppp, so it slopes to the left.

Step 43

Vertically place the front row of a tan 1x2 brick with clip on 1 long side on the ppp, so the clip faces the right. Vertically place a tan 1x2 log brick on top of the ppp.

Step 44

Horizontally place a nougat 1x2 masonry brick on the back wall of the right moving section on its 2 right columns, so the masonry pattern faces the back. Horizontally place a tan 1x2 log brick to the left of the ppp. Vertically place another on top of the right wall

on the 2nd and 3rd rows from the front. Horizontally place a tan 1x2 inverted slope brick in front of the ppp, so it slopes upward to the left and 1 column overhangs to the left.

Group 12:

Step 45.1

Let's make a part. Let's build a table. horizontally place a nougat 2x4 plate in front of you. Vertically place a reddish brown 1x2 log brick underneath the leftmost column of the ppp. Repeat symmetrically to the right.

Step 45.2

Vertically place a tan 1x2 tile with Wingardium Leviosa pattern on the 2nd column from the left. Place a black 1x1 round tile with upright bar to the right of the back row of the ppp, this is the inkwell. Insert the bottom bar of a white quill from top to bottom into the top hole of the ppp so the feather curves to the front right.

Group 13:

Step 45.3

Place a gold 1x1 round tile with upright bar on the back row on the rightmost column. Place a gold weapon hilt on the ppp. Then place a dark pink technic ball on the ppp. Bring back your main build and position it horizontally in front of you, so the open side faces the front. Horizontally place the table with its accessories on the 3rd and 4th rows from the front on top of the right moving section, so it is centered horizontally.

Step 46

Vertically place a tan 1x2 log brick on the 2 front rows on the 8th column from the right. Place a dark tan 1x1 brick on the back row of the ppp. Horizontally place a tan 1x2 log brick on the front row on the 9th and 10th columns from the right.

Step 47

Horizontally place the 2 left columns of a tan 1x3 brick on the ppp. horizontally place a tan 1x2 slope tile on the 2 left columns of the ppp, so it slopes to the front.

Step 48

Vertically place a tan 1x2x3 window panel to the right of the ppp, so the hollow side faces the right.

Step 49

Vertically place the 2 front rows of a tan 1x3 brick on the ppp.

Step 50

Horizontally place the leftmost column of a dark tan 1x8 plate on the front row of the ppp.

Step 51

Let's make a part! Horizontally place a dark tan 4x8 half round plate in front of you, so the rounded edge faces the back. Place a tan 2x2 brick on top of the ppp on the 2 back rows, so it is centered horizontally. Place a tan 2x2 corner brick with cut corner on the 2nd and 3rd rows from the back on the 2 right columns, so the cut corner faces the back right, and it looks like a braille letter E. Place a tan 1x2 plate horizontally on the 2 left columns of your part on the 2nd row from the front. Place a tan 1x1 round plate with horizontal bar behind the right column of the ppp, so the bar faces the left. Stack 2 tan 2x2 plates with cut corner. Place your stack on top of the ppps on the 3rd and 4th rows from the front on the 2 left columns, so the right angle faces the front right. Bring back your main build and position it horizontally in front of you so the open side faces the

front. Place your part horizontally on top of the right moving section on the 4 back rows, so the rounded edge faces the back.

Step 52

Vertically place a tan 1x2 plate on top of the right section on the 2 front rows on the leftmost column. Repeat symmetrically to the right.

Step 53

Place a tan 1x1 slope tile on the right column of the ppp on the front row, so it slopes to the left. Repeat symmetrically to the left.

Step 54

Take a green 4x3 leaf and hold it vertically upright so the longer narrow end faces up. Attach the right facing hole from left to right onto the left facing bar on top of your right section.

Group 14:

55 Let's make a sub build. Horizontally place a dark grey 2x10 plate in front of you. Place a tan 1x1 brick on the back row on the leftmost column of the ppp.

Step 56

Horizontally place a dark grey 1x2 log brick to the right of the ppp. Place a grey 1x1 slope tile in front of the left column of the ppp, so it slopes to the front.

Step 57

Horizontally place a grey 1x3 brick on the back row of your sub build on the 3 left columns.

Step 58

Horizontally place the left column of a dark grey 1x2x2 brick in front of the rightmost column of the ppp. Place a grey 1x1 slope tile to the right of the ppp, so it slopes to the right.

Group 15:

Step 59

Place a dark tan 1x1 brick to the left of the ppp. Vertically place the front row of a tan 1x2 log brick to the left of the ppp.

Step 60

Place a sand green 2x2 corner plate on top of the 2 ppps, so it looks like a braille letter H. Vertically place a tan 1x2 plate on the left column of the ppp. Place a tan 1x1 slope tile to the right of the front row of the ppp, so it slopes to the back.

Step 61

Rotate your sub build 180 degrees. Bring back your main build and position it horizontally in front of you so the rounded edge of the base faces the back. Place the front right corner of your sub build underneath the 2 left overhanging columns of your main build.

Step 62

Horizontally place a tan 1x2x2 brick on the front row on the 9th and 10th columns from the left of your build, so it sits on a 1x4 hinge brick.

Step 63.1

Let's make a part! Vertically place a tan 1x2 brick with 2 pin holes in front of you, so the pin holes face the right and the left. Insert the pin end of a tan 2L pin axle into the back left facing pin hole, so the 1L axle end protrudes to the left.

Step 63.2

Vertically attach the right facing axle hole of a dark grey axle connector hub with 2 perpendicular bar holders onto the protruding axle end of the ppp.

Step 63.3

Stack a black 1x1 round tile with upright bar on a grey 1x1 round plate. Insert the upright bar of your stack from front to back into the front facing hole of the front bar holder.

Step 63.4

Insert a transparent 4L antenna from back to front into the back facing hole of the back bar holder, so 3L of the antenna extends to the back and the antistud faces the back. Place a transparent 1x1 plate with clip upright on the back facing antistud of the ppp, so the clip faces the top.

Step 63.5

Bring back your main build so it is horizontally in front of you and the rounded edge of the base faces the back. Vertically place your part on the 2 front rows on the 8th column from the left.

Step 64

Place the right column of a nougat 2x2 plate on the ppp.

Group 16:

Step 65

Horizontally place a tan 1x4x5 wall panel with arched window on the front row on the 3rd through 6th columns from the left, so the hollow side faces the front. Vertically place the front row of a grey 1x2 slope brick to the left of the ppp, so it slopes to the back. Vertically place a grey 1x2 plate to the left of the ppp.

Step 66

Now we will assemble 1 tan 1x4 hinge brick! Locate a tan 1x2 brick which has a downward pointing pin on one short end, and a tan 1x2 brick which has a pin hole at the bottom of one short end. Push the pin from the first piece into the hole on the second, keeping the studs of both pointed up. You can open the hinge to create a 1x4 brick, close the hinge to make a 2x2 brick, or make it some angle in between. Horizontally place it on the front row on top of the front wall on the 9th through 12th columns from the left, so the rounded hinge part faces the front.

Step 67

Horizontally place a tan 1x2x2 brick on the 2nd row from the front on the 7th and 8th columns from the left, so it sits on the nougat 2x2 plate.

Step 68

Horizontally place the 2 right columns of a tan 1x3 brick in front of the ppp. Horizontally place a nougat 1x2 masonry brick to the left of the ppp, so the masonry pattern faces the back.

Group 17:

Step 69

Take a folded dark grey 1x4 hinge plate and orient it so the rounded hinge part faces the front. Place its right column on the leftmost column of your build, so 1 column overhangs to the left. Vertically place a sand green 1x2 plate on the right column of the ppp.

Step 70

Vertically place a dark grey 1x2x3 slope brick on the ppp, so it slopes to the back. Place a grey 1x1x3 brick to the right of the front row of the ppp.

Step 71

Place a grey 2x2 inverted slope brick on the 2 ppps, so it slopes upward to the back and 1 row overhangs to the back.

Group 18:

Step 72

Let's make a sub build. Place a nougat 2x2 plate in front of you. Vertically place a tan 1x2 plate on the right column of the ppp.

Step 73

Place a tan 1x1 slope tile to the left of the back row of the ppp, so it slopes to the front.

Step 74.1

Let's make a part! Vertically place a tan 1x2 brick with 2 pin holes in front of you, so the pin holes face the right and the left. Insert the pin end of a tan 2L pin axle into the back left facing pin hole, so the 1L axle end protrudes to the left.

Step 74.2

Vertically attach the right facing axle hole of a dark grey axle connector hub with 2 perpendicular bar holders to the protruding axle end of the ppp.

Step 74.3

Stack a black 1x1 round tile with upright bar on a grey 1x1 round plate. insert the upright bar of your stack from front to back into the front facing hole of the front bar holder.

Step 75

Insert a transparent 4L antenna from back to front into the back facing hole of the back bar holder, so 3L of the antenna extends to the back and the antistud faces the back. Place a transparent 1x1 plate with clip upright on the back facing antistud of your part, so the clip faces the top. Bring back your sub build so the 1x2 plate faces the right. Place your part vertically on the right column of the ppp, so the bar protrudes to the back.

Step 76

Bring back your main build so it is horizontally in front of you and the rounded edge of the base faces the back. Place your part on the 2 front rows on the 3rd and 4th columns from the left.

Step 77

Vertically place a dark grey 1x2 log brick to the left of the ppp.

Group 19:

Step 78

Vertically place a tan 1x2 log brick on the 2 front rows on the 13th column from the left so it sits on the left half arch brick and on a 1x4 hinge brick. Vertically place a tan 1x2 inverted slope brick to the left of the ppp, so it slopes upward to the back. Repeat both parts symmetrically to the right of the arch.

Step 79

Vertically place a tan 1x2 inverted slope brick on the front row on the 5th column from the left, so it slopes upward to the back and 1 row overhangs to the back. Horizontally place a tan 1x3 brick to the right of the front row of the ppp. horizontally place a tan 1x2

log brick to the right of the ppp. Vertically place the front row of a tan 1x2 inverted slope brick to the right of the ppp, so it slopes upward to the back and 1 row overhangs to the back.

Step 80

Horizontally place a dark tan 2x10 plate on the 2 front rows on the 11th through 20th columns from the right counting the entire build, so it sits on top of the arch and to the left of a horizontal 1x2 slope tile.

By finishing Bag 2, you've lifted another quiet corner of Hogwarts into place — Professor McGonagall's office, perched high above the grounds. From her window, she watches the sky where Harry and Draco once darted between branches in their fiery first flying duel, and now your build echoes that moment with every brick you've set. You've also added new stretches of castle wall, giving Hogwarts more height, more story, more life. The castle is growing under your hands, stone by stone. Ahead waits the next bag, ready to carry you deeper into its magic.

Building Instructions (Bag 3, Book 1):

Group 20 – Madam Hooch.

Sub build 3. Locate a pair of dark blue legs, a dark blue torso printed with a white shirt, a tie with a gold pin, a gold neckless with a gold whistle, and black arms, a tan dual-sided head with two expressions — one cheerful and one worried with glasses—, a grey spiky hair part, a black fabric cape, and a dark tan set of wands.

Assemble your minifigure. Choose which facial expression you want to display, either the cheerful smile or the angry face. Ask a sighted helper to help you identify the face. Break off a wand and attach it to Madam Hooch's right hand.

Group 21:

Step 81

Let's make a sub build. Vertically place a dark grey 2x10 plate in front of you. Horizontally place the 2 right columns of a dark tan 1x4 plate on the back row of the ppp, so 2 columns overhang to the left. Repeat symmetrically to the front.

Step 82

Vertically place a grey 2x4 tile behind the 2 right columns of the ppp. Repeat symmetrically to the back.

Step 83

Horizontally place the 2 right columns of a dark grey 1x10 plate underneath the front left overhang, so 8 columns are exposed to the left. Repeat symmetrically to the back.

Group 22:

Step 84

Horizontally place a grey 1x4 plate on the back row on the 4 right columns of your sub build. Horizontally place a grey 1x4 brick with horizontal groove on the ppp, so the groove faces the front. Repeat both parts symmetrically to the front.

Step 85

Place a grey 1x1 quarter round tile on top of your sub build on the front row on the rightmost column, so the right angle faces the back left and the rounded edge faces the front right. Horizontally place a dark grey 1x3 plate to the left of the ppp. Repeat both parts symmetrically to the back.

Step 86

Horizontally place a dark grey 1x4 brick to the left of the 2 ppps. Repeat symmetrically to the front.

Step 87

Place a sand green 1x1 brick with side stud to the left of the ppp, so the side stud faces the front. Place a dark tan 1x1 brick to the left of the ppp. Horizontally place the 4 right columns of a dark grey 1x6 plate on the back row on the 4 left columns, so 2 columns overhang to the left.

Step 88

Vertically place the back row of a dark grey 2x10 plate underneath the left overhang.

Step 89

Horizontally place a dark tan 1x2 plate on the 4th row from the front on the 2 left columns. Vertically place another behind the leftmost column of the ppp. Vertically place the left column of a grey 2x3 plate behind the ppp.

Step 90

Horizontally place a dark grey 1x4 brick on the front row on the 4 left columns. Vertically place a grey 1x2 log brick behind the leftmost column of the ppp.

Step 91

Horizontally place a dark grey 1x8 brick on the front row on the 3rd through 10 columns from the left. Place a grey 1x1 quarter round tile on the back row on the 5th column from the left, so the right angle faces the front right and the rounded edge faces the back left. Place a grey 1x1 plate to the right of the ppp.

Step 92

Vertically place a grey 2x3 plate on the back left corner of your sub build.

Step 93

Rotate your sub build 90 degrees clockwise. Bring back your main build and position it horizontally in front of you, so the open side faces the front. Place the left overhanging column of your main build on the rightmost column of your sub build on the 3rd and 4th rows from the back.

Group 23:

Step 94

Vertically place a dark grey 1x6 plate on the 6 back rows of the 10th column from the left (here, we are counting only the rows within this mentioned column). Vertically place a reddish brown 1x2 plate with bar handle on one short side to the left of the 2 back rows of the ppp, so the bar handle faces the back.

Step 95

Place a dark grey 1x1 round brick to the left of the back row of the ppp. Place a black 1x1 brick with pin hole in front of the ppp, so the pin holes face the front and the back. Insert the pin end of a blue 2L pin axle from front to back into the front facing pin hole, so the 1L axle end overhangs to the front.

Step 96

Place a dark tan 2x2 slope brick to the right of the 3 ppps, so it slopes to the back. Vertically place a dark grey 1x8 brick in front of the right column of the ppp.

Step 97

Place the right column of a dark grey 2x2 corner brick with cut corner on the back row of the ppp, so the cut corner faces the back right and it looks like a braille letter E.

Vertically place a grey 1x10 brick in front of the right column of the ppp. Vertically place a dark grey 1x2 plate with 1 stud and a slope tile on the 2 back rows of the 8th column from the left (here, we are counting only the rows within this mentioned column), so it slopes to the back and it sits to the left of the 2x2 corner brick with cut corner from the previous step. Place a dark grey 1x1 round brick on the ppp.

Step 98

Place a dark grey 1x1 round brick on the back row of the 3rd column from the left (here, we are counting only the rows within this mentioned column). Place the right column of a dark grey corner brick with cut corner to the left of the ppp, so the cut corner faces the back left and it looks like a braille letter I.

Group 24:

Step 99

Stack 2 dark tan 1x2 plates. Horizontally place the left column of your stack in front of the right column of the ppp. Place a dark tan 1x1 brick on the left column of the ppp. Place a black 1x1 brick with hole to the right of the ppp, so the pin holes face the front and the back. Insert the pin end of a blue 2L pin axle from front to back into the front facing pin hole, so the 1L axle end protrudes to the front. Horizontally place a dark tan 1x2 plate on the 2nd row from the back of the 2nd and 3rd columns from the left (here, we are counting only the rows within the 2 mentioned columns).

Step 100

Vertically place the front row of a dark grey 1x2x3 slope brick on the right column of the ppp, so it slopes to the back.

Step 101

Place a grey 1x10 brick vertically on the leftmost column of your build, so it is centered vertically. Place the left column of a dark grey 2x2 corner brick with cut corner behind the ppp, so the cut corner faces the back left and it looks like a braille letter I.

Step 102

Horizontally place a dark grey 1x2 brick on the 2nd row from the back of the 8th and 9th columns from the left (here, we are counting only the rows within the 2 mentioned columns), so it sits on the 1x1 round brick and on a 2x2 corner brick with cut corner. Vertically place the back row of a dark grey 1x4 brick to the right of the ppp, so it overhangs by 1 row to the back.

Step 103

Place a grey 1x2 log brick vertically on the 2 front rows of the ppp. Place the right column of a dark grey 2x2 corner brick with cut corner behind the ppp, so the cut corner faces the back right and it looks like a braille letter E. Place a dark grey 1x1 round brick to the left of the back row of the ppp.

Step 104

Horizontally place the leftmost column of a grey 1x3 brick on the ppp, so its back right corner overhangs. Vertically place another in front of the rightmost column of the ppp. Place a grey 1x1 plate on the 2nd row from the back of the 3rd column from the left (here, we are counting only the rows within this mentioned column), so it sits on top of a 1x2x3 slope brick.

Step 105

Fold a grey 1x4 hinge plate, so the rounded hinge part is on the front and it looks like a 2x2 plate. Place it on the 3rd and 4th rows from the back of the 10th and 11th columns from the left (here, we are counting only the rows within the 2 mentioned columns), so it sits on a vertical 1x3 brick and on a vertical 1x2 log brick.

Step 106.1

Place a grey 1x1 quarter round tile in front of the left column of the ppp, so the right angle faces the front left and the rounded edge the back right. Horizontally place a dark grey 2x4x6 rock panel on the 2 back rows of the 4th through 7th columns from the left, so the hollow side faces the front. Place a grey 1x1 plate on top of the ppp on its rightmost column.

Group 25:

Step 106.2

Place a sand green 1x1 plate on top of the ppp.

Step 107

Horizontally place a grey 1x2 log brick on the 2nd row from the back of the 3rd and 4th columns from the left (here, we are counting only the rows within the 2 mentioned columns), so it sits on top of the 2x4x6 rock panel and on a grey 1x1 plate.

Step 108

Vertically place a tan 1x2 plate on the 3rd and 4th rows from the back of the 11th column from the left (here, we are counting only the rows within this mentioned column). Place the left column of a tan 2x3 plate on the ppp.

Step 109

Horizontally place the 2 left columns of a dark tan 2x10 plate on the ppp.

Step 110

Horizontally place a tan 1x2 plate on the back left corner of the ppp. Horizontally place a tan 1x3 jumper plate to the right of the ppp. Horizontally place another to the right of the ppp. Horizontally place 2 tan 1x2 plates one to the right of the other to the right of the ppp. Horizontally place 2 tan 1x3 jumper plates one to the right of the other to the right of the ppp. Now, horizontally place a tan 1x2 plate to the right of the ppp.

Step 111

Horizontally place a tan 1x2 plate on the ppp. Horizontally place a tan 1x2 slope tile on the ppp, so it slopes to the front. Repeat the 2 parts 7 times more to the left of the ppp, so they sit on the pieces from the previous step.

Bag 3 comes to a close with a proud stretch of castle wall rising from your base, stone by stone, just like a real wizarding fortress taking shape under your hands. As the last brick clicks into place, a soft shimmer seems to run along the wall — as if the castle itself is waking up and recognizing its new strength. You've built a sturdy beginning, and the magic is gathering. When you're ready, open Bag 4 and let the next chapter of the castle unfold.

Building Instructions (Bag 4, Book 1):

Group 26 – Oliver Wood.

Sub build 4. Locate a brown pair of legs, a black torso with grey stripes representing a sweater, a light-tan dual-sided head printed with two expressions — one serious and one angry— a brown hair piece, and a brown set of wands.

Assemble your minifigure. Choose which facial expression you want to display, either the serious or the angry face. Ask a sighted helper to help you identify the face. Break off a wand and attach it to Oliver's right hand. Set him aside while you continue building the castle.

Group 27:

Step 112

Place a nougat 1x1 plate on the 2nd row from the back of the 3rd column from the left. Horizontally place a grey 1x2 slope brick to the right of the ppp, so it slopes to the left. Place a dark tan 1x1 brick to the right of the ppp. horizontally place a grey 1x2 slope brick to the right of the ppp, so it slopes to the right. horizontally place a tan 1x2 plate to the right of the ppp.

Step 113

Vertically place the back row of a tan 1x2 log brick on the right column of the ppp. Vertically place another in front of the ppp. Place a nougat 1x1 plate on the 2nd row from the back on the 7th column from the left. Horizontally place a tan 1x2 inverted slope brick to the right of the ppp, so it slopes upward to the left.

Group 28:

Step 114

Horizontally place a tan 1x2 inverted slope brick on the 2nd row from the back of the 3rd column from the left, so it slopes upward to the right. Horizontally place a dark tan 1x2 plate on the ppp.

Step 115

Place the back row of a tan 2x2x5 corner wall panel to the left of the ppp, so the hollow side faces the front. Vertically place a tan 1x2x5 brick in front of the left column of the ppp.

Step 116

Stack 3 tan 2x2 corner bricks with cut corner. Then, place your stack on the 2nd and 3rd rows from the back of the 9th and 10th columns from the left, so the cut corner faces the back right.

Step 117

Place a tan 1x1x3 brick in front of the right column of the ppp. Place a nougat 1x1 plate in front of the ppp. Place a dark tan 1x1 brick on top of the ppp. Place a nougat 1x1 plate on top of the ppp.

Step 118

Place a dark tan 1x1 brick on the 5th row from the back of the leftmost column. Vertically place a dark tan 1x2 plate behind the ppp. Horizontally place a tan 1x3 plate on the 2nd row from the back of the 2nd through 4th columns from the left. Horizontally place a tan 1x4 brick to the right of the ppp.

Step 119

Horizontally place a nougat 1x2 masonry brick on the 2 right columns of the ppp, so the masonry pattern faces the back. Horizontally place a tan 1x4 brick to the left of the ppp. Place the back row of a tan 2x2 corner brick with cut corner to the left of the ppps, so the cut corner faces the back left, and it looks like a braille letter I. Place a dark tan 1x1 brick in front of the left column of the ppp.

Group 29:

Step 120

Vertically place a nougat 1x2 masonry brick on the 3rd and 4th rows from the back on the leftmost column, so the masonry pattern faces the left. horizontally place the left column of a tan 1x2 log brick behind the ppp, so it only attaches by its right column and its back left corner overhangs. Vertically place the front row of a tan 1x2 inverted slope brick to the right of the ppp, so it slopes upward to the back. Horizontally place a tan 1x4 brick to the right of the front row of the ppp. Vertically place the front row of a tan 1x2 inverted slope brick to the right of the ppp, so it slopes upward to the back and 1 row overhangs to the back. Place a tan 1x1 round tile on the back row of the ppp. Place another on the back row of the left 1x2 inverted slope brick.

Step 121

Vertically place a tan 1x2 slope tile on the 6th and 7th rows from the back of the leftmost column, so it slopes to the left. Place another symmetrically on the 10th column from the left.

Step 122

Vertically place a tan 1x6x7 arched door frame on the 2nd through 7th rows from the front on the leftmost column, so the rounded side faces the left. Repeat symmetrically on the 10th column from the left.

Step 123

Vertically place the front row of a tan 1x4 arch brick on the back row of the ppp. Repeat symmetrically to the left.

Step 124

Place a tan 1x1 brick with clip on the 2nd row from the front on the leftmost column, so the clip faces the front. Vertically place the back row of a tan 1x2 inverted slope brick on the 2nd row from the front on the 10th column from the left, so it slopes upward to the front and 1 row overhangs to the front.

Step 125

Vertically place a tan 1x8 plate behind the ppp. Repeat symmetrically to the left.

Step 126

Horizontally place a tan 2x10 plate on the 2 front rows on the 10 left columns, so the front left corner overhangs. Horizontally place 2 tan 2x4 tiles one to the right of the other on top of the ppp, so together they are centered horizontally.

Step 127

Vertically place the 2 front rows of a tan 1x4 tile with 2 studs to the right of the 2 ppps. Vertically place a tan 1x3 plate behind the ppp. Vertically place a tan 1x6 tile behind the ppp, so its back right corner overhangs.

Step 128

Horizontally place 2 tan 1x4 tiles with 2 studs one to the left of the other to the left of the back row of the ppp. Vertically place a tan 1x6 tile in front of the leftmost column of the left ppp. Vertically place a tan 1x3 plate in front of the ppp. Vertically place a tan 1x4 tile with 2 studs in front of the ppp.

Step 129

Let's make a part! Let's build a plant. Hold a reddish brown 4L antenna with an antistud on 1 end vertically upright, so the antistud is at the bottom. Slide the open stud of a green 1x1 round plate with upright leaf from top to bottom through the top end of the

ppp, so the leaf points upright to the back and 3.5L of the bar extends upward. Slide the open stud of another from top to bottom through the top end of the bar, so the leaf points upright to the left and 3L of the bar extends upward. Place a reddish brown bar holder with clip on top of the bar, so the hands of the clip face the front and the back. Place a green 1x1 inverted cone with bar on the bottom of your part, so the bar faces the bottom. Turn your part upside down, so the ppp is at the top. Bring back your main build and position it horizontally in front of you, so the open side faces the front. Locate a back left facing bar handle on the back wall of the left section and clip the plant to this bar handle.

Bag 4 settles into place with the bottom left floor -left section of the castle unfolding beneath your hands — the quiet corner that will soon become the Quidditch equipment room. As you lock in the last bricks, it feels as if the castle leans in, curious, sensing the promise of fast broomsticks and soaring matches. You've shaped a hidden nook where future magic will be stored. When you're ready, open Bag 5 and let the castle reveal its next secret.

Building Instructions (Bag 5, Book 1):

Group 30 – Professor McGonagall.

Sub build 5. Locate a long skirt piece printed with a dark green robe over a black dress, a torso printed with a dark green robe over a black dress and decorated arms, a tan dual-sided head printed with glasses and with two expressions—a stern look on one side and a slight smile on the other—a gray bun hair piece, and a black set of wands. Assemble the Professor McGonagall minifigure, choose which face you want to display. Ask a sighted helper to help you identify the face. Then break off a wand and attach it to her left hand.

Group 31:

Step 130

Let's make a sub build. Horizontally place a dark tan 2x8 plate in front of you. Horizontally place a tan 1x2 log brick on top of the ppp on the back row, so it is centered horizontally.

Step 131

Horizontally place a tan 1x2 log brick to the right of the ppp. Repeat symmetrically to the left.

Step 132

Place a black 1x1 brick with pin hole in front of the left column of the ppp, so the pin holes face the front and the back. Insert the pin end of a blue 2L pin axle into the front facing pin hole of the ppp, so the 1L axle end protrudes to the front. Repeat both parts symmetrically to the right.

Step 133

Place a black 1x1 tile on the front right corner of your sub build. Repeat symmetrically to the left.

Step 134

Place the right column of a tan 2x2 corner brick with cut corner behind the ppp, so the cut corner faces the back left, it looks like a braille letter I, and 1 column overhangs to the left. repeat symmetrically to the right.

Step 135

Horizontally place a dark tan 2x8 plate on top of your sub build, so it is centered horizontally.

Step 136

Horizontally place 2 tan 1x4 arch bricks 1 to the right of the other on the back row of the ppp.

137 Place a tan 1x1 slope tile on the leftmost column of the left ppp, so it slopes to the back. Horizontally place a tan 1x6 tile to the right of the ppp. Place a tan 1x1 slope tile to the right of the ppp, so it slopes to the back.

Step 138

Stack 2 dark grey 1x8 plates and horizontally place your stack on top of your sub build on the front row, so it is centered horizontally. Horizontally place a dark tan 1x6 brick on the ppp, so it is centered horizontally.

Step 139

Let's make a part! Vertically place a dark tan 1x10 plate in front of you. Vertically place a tan 1x4 brick with horizontal groove on the 4 front rows of the ppp, so the groove faces the right. Vertically place a tan 1x8 brick behind the ppp, so 2 rows overhang to the back. Vertically place the 2 front rows of a dark tan 1x4 plate underneath the back overhang. Bring back your sub build and position it horizontally in front of you so the axles face the front. Vertically place the 2 back rows of your part underneath the left overhang of your sub build.

Step 140

Let's make a part! Vertically place a dark tan 1x10 plate in front of you. Vertically place a tan 1x4 brick with horizontal groove on the 4 front rows of the ppp, so the groove faces the left. Vertically place a tan 1x8 brick behind the ppp, so 2 rows overhang to the back. Vertically place the 2 front rows of a dark tan 1x4 plate underneath the back overhang. Bring back your sub build and position it horizontally in front of you so the axles face the front. Vertically place the 2 back rows of your part underneath the right overhang of your sub build.

Group 32:

Step 141

Vertically place a tan 1x2 log brick on the 2nd and 3rd rows from the back on the rightmost column counting the entire build. Repeat symmetrically to the left.

Step 142

Let's make 4 identical windows! Place a reddish brown 1x2x2 window frame flat in front of you, so the ridges face up. Attach a black 2x2 lattice pane to the window by pressing it into the top facing ridge. You will hear it snap into place. You should now have 4 identical windows! Make 2 stacks of 2 windows each. Then, place them horizontally, one to the right of the other, on the back row of the build so together they are centered horizontally and the lattices face the back.

Step 143

Place a tan 1x1x3 brick to the left of the pppls. Then, place a nougat 1x1 round brick on the same row on the 3rd column from the right.

Step 144

Place a tan 1x1x3 brick on top of the ppp. Place a nougat 1x1 round brick on the same row on the 3rd column from the left, so it sits on the left 1x1x3 brick.

Step 145

Place the back row of a tan 2x2x5 corner wall panel to the left of the ppp, so the hollow side faces the front. Repeat symmetrically to the right.

Step 146

Horizontally place a tan 1x8 brick on top of the back row of the ppps, so there's no overhang.

Step 147

Place a tan 1x1x5 brick on the 3rd row from the back of visible studs on the leftmost column. Vertically place a tan 1x2 slope tile in front of the ppp, so it slopes to the left. Repeat both parts symmetrically to the right.

Step 148

Vertically place a tan 1x2x5 brick in front of the right vertical 1x2 slope tile. Vertically place a tan 1x2 slope tile in front of the ppp, so it slopes to the right. Repeat both parts symmetrically to the left.

Step 149

Vertically place a tan 1x4x5 wall panel with window in front of the ppp, so the hollow side faces the right. Repeat symmetrically to the right.

Step 150

Vertically place the back row of a tan 1x4 arch brick on the back row of the ppp. Vertically place another behind the ppp. Repeat both placements symmetrically to the left.

Step 151

Place a tan 1x1 brick on the front row on the leftmost column. Vertically place a nougat 1x2 masonry brick behind the ppp, so the masonry pattern faces the left. Vertically place a tan 1x2 log brick on the 2 front rows on the rightmost column. Place a nougat 1x1 brick with side stud behind the ppp, so the side stud faces the right.

Step 152

Vertically place a tan 1x12 brick on top of the right column of your sub build, so there's no overhang. Repeat symmetrically to the left.

Step 153

Take a green 4x3 plant with leaves and hole and place it vertically upright on the right facing side stud so the longer, narrow side faces up.

Bag 5 comes to life as you finish shaping the top-left section of the castle — the quiet perch that will one day become the Transfiguration classroom. With each brick you place, the walls seem to hum softly, as if already practicing their first spells. This new height gives the castle a proud lift, like it's stretching upward to welcome the magic you're bringing into being. When you're ready, open Bag 6 and let the next layer of Hogwarts unfold beneath your hands.

Building Instructions (Bag 6, Book 1):

Group 33 – Neville Longbottom.

Sub build 6. Locate a short black pair of legs, and a torso printed with a black closed hooded jacket, with the white shirt collar and the red-and-yellow Gryffindor tie peeking out from underneath and visible at the top. Locate a light-tan dual-sided head printed with glasses and with two expressions — one scared and one calm— a black hair piece. A tan broom bristles with stud holder, a reddish brown 4L antenna with antistud,

a transparent 1x1 minifigure head with red in the center simulating a Remembrall red smoke, and a brown set of wands.

Assemble your minifigure. Choose which facial expression you want to display, either the calm or the scared face. Ask a sighted helper to help you identify the face. Break off a wand and attach it to Neville's right hand. Assemble the broom. You can choose whether to attach the Remembrall or the broom to his left hand. Set him aside while you continue building the castle.

Group 34:

Step 154

Place a tan 2x2 corner brick with cut corner on the back right corner of the wall, so the cut corner faces the right and it looks like a braille letter E. Vertically place the front row of a dark tan 1x2 inverted slope brick to the left of the back row of the ppp, so it slopes upward to the back and 1 row overhangs to the back. Place a tan 1x1 round tile on the back row of the ppp. Repeat the 3 parts symmetrically to the left. Horizontally place a tan 1x4 brick on top of the back wall, so it is centered horizontally.

Step 155

Vertically place a tan 1x8 brick on the 8 front rows on the rightmost column of your sub build. Place a tan 1x1 brick behind the ppp. Place the left column of a tan 2x2 inverted slope brick behind the ppp, so it slopes upward to the right and 1 column overhangs to the right. Vertically place a tan 1x8 brick on the 8 front rows on the leftmost column. Vertically place a tan 1x2 log brick behind the ppp. Place a tan 1x1 brick behind the ppp.

Step 156

Vertically place a tan 1x2 plate on top of the left wall on the 2 front rows. Vertically place a tan 1x10 plate behind the ppp. Repeat both parts symmetrically to the right. Horizontally place a tan 1x10 plate on top of the back wall, so there's no overhang.

Step 157

Horizontally place a dark tan 6x10 plate on top of your sub build on the 6 front rows, so there's no overhang. Place a tan 2x2 corner brick with cut corner on the front right corner of the ppp, so the cut corner faces the front right and it looks like a braille letter I. Horizontally place a tan 1x3 jumper plate to the left of the front row of the ppp. Horizontally place a tan 1x2 plate on top of the 2 studs of the ppp. Horizontally place a tan 1x2 slope tile on top of the ppp, so it slopes to the back. Repeat the 4 parts symmetrically to the left.

Step 158

Horizontally place 2 dark tan 4x10 plates one behind the other on top of your sub build behind the 6x10 plate, so 1 row overhangs to the back.

Step 159

Horizontally place a tan 1x3 jumper plate on the back row of visible studs of your sub build on the 3rd through 5th columns from the right. Place the back row of a tan 2x2 corner brick with cut corner to the right of the ppp, so the cut corner faces the back right. vertically place a tan 1x10 plate in front of the ppp. Repeat the 3 parts symmetrically to the left.

Group 35:

Step 160

Vertically place a tan 1x2 slope brick on the 2nd column from the right on the 3rd and 4th rows from the back, So it slopes to the back and it sits in front of the back right 2x2

corner brick with cut corner. Vertically place another in front of the ppp, so it slopes to the front.

Step 161

Vertically place a tan 1x2 plate in front of the ppp. Skip 1 row to the front and place another vertically. Vertically place a tan 1x2 slope tile on top of the ppps, so they slope to the left. Repeat the 4 placements symmetrically to the left. Vertically place a tan 1x2 plate on the leftmost column on the 4th and 5th rows from the back. Vertically place a tan 1x2 slope tile on top of the ppp, so it slopes to the right. Horizontally place a tan 1x2 plate on the back row on the left 1x3 jumper plate. Horizontally place a tan 1x2 slope tile on top of the ppp, so it slopes to the front. Repeat both parts symmetrically to the right.

Step 162

Vertically place a nougat 1x2 masonry brick on the rightmost column of your sub build, so the masonry pattern faces the right and it sits on a 2x2 inverted slope brick. Vertically place a tan 1x2 log brick on top of the ppp.

Step 163

Place the right column of a tan 2x2 plate on the ppp. Place a dark grey 2x2 tile with upright pin on the ppp. attach the bottom facing pin hole of a grey 2L round pin connector onto the upright pin, so 1L of the pin connector protrudes to the top. Insert a black 2L pin into the top facing pin hole, so 1L of the pin protrudes to the top. Attach the bottom facing pin hole of a grey 2L round pin connector to the ppp, so 1L of the pin connector protrudes to the top. Insert a dark grey 1L pin with stud into the top facing pin hole. Then, insert the grey 1L bar with claw into the open stud of the ppp, so the hands of the claw face the front and the back. Horizontally attach the left end of a transparent 4l antenna with antistud to the top facing claw, so the antistud faces the right. Place a transparent 1x1 plate with clip upright on the right facing antistud of the ppp, so the clip faces the top.

Step 164

Bring back your main build and position it horizontally in front of you, so the open side faces the front. place your sub build vertically on top of the bottom floor of the left section, so both front rows align.

Bag 6 finishes with the roof of the left section rising neatly under your hands, crowned by the clever little mechanism that lifts Neville Longbottom into the air. As you place the final pieces, the roof seems to sparkle — almost amused — watching Neville wobble higher and higher just like in his first flying lesson. The castle feels alive with motion now, as if the breeze itself is carrying him upward. You've added a touch of playful chaos to Hogwarts, and the magic is swirling around your build. When you're ready, open Bag 7 and let the next part of the adventure unfold.

Building Instructions (Bag 7, Book 1):

Group 36:

Step 165

Let's make a sub build! Let's start building the quidditch equipment room! Horizontally place a dark tan 6x8 plate in front of you. Horizontally place a tan 1x2 brick with 2 pin holes on the back right corner of the ppp, so the pin holes face the front and the back. Repeat symmetrically to the left.

Step 166

Vertically place a tan 1x6 brick in front of the left column of the ppp, so 1 row overhangs to the front. Repeat symmetrically to the right.

Step 167

Horizontally place a dark tan 6x8 plate in front of the horizontal 6x8 plate, so it attaches underneath the front overhanging bricks.

Step 168

Place a nougat 1x1 brick on the 5th row from the front on the rightmost column of your sub build. Repeat symmetrically to the left.

Step 169

Vertically place a tan 1x4 plate in front of the ppp. Vertically place 2 tan 1x2 plates with rail one behind the other on top of the ppp, so the rails face the left. Vertically place a tan 1x4 plate on top of the ppps, so there's no overhang. Repeat the 4 placements symmetrically to the right.

Step 170

Place a grey 1x1 quarter round tile on the 3rd row from the front on the 2nd column from the left, so the right angle faces the back left and the rounded edge faces the front right. Vertically place a grey 1x2 grille tile behind the ppp. Place a grey 1x1 quarter round tile behind the ppp, so the right angle faces the front left and the rounded edge faces the back right. Place another behind the ppp, so it's right angle faces the back left and the rounded edge faces the front right. Vertically place a grey 1x2 grille tile behind the ppp. Place a grey 1x1 quarter round tile behind the ppp, so it's right angle faces the front left and the rounded edge faces the back right.

Step 171

Vertically place a reddish brown 1x2 tile on the 2 front rows on the rightmost column. Vertically place a reddish Brown 1x8 tile behind the ppp. Place the right column of a reddish brown 2x2 corner tile behind the ppp, so the right angle faces the back right. Repeat symmetrically to the left. Vertically place a reddish brown 1x2 tile on the 2 front rows on the leftmost column of your sub build.

Step 172

Let's make 2 identical parts. Place 2 reddish brown 1x1 plates with clip one behind the other in front of you, so the clips face the right. Vertically place a reddish brown 1x4 double curved slope tile on the pppps, so it is centered vertically. You should now have 2 identical parts. Bring back your sub build and position it vertically in front of you, so the 2x2 corner tiles are on the back. Place one of your parts vertically on the 3rd through 6th rows from the front on the leftmost column, so the clips face the right and it sits behind the left 1x2 tile. Repeat symmetrically to the back.

Step 173

Let's make 2 beater bats! Attach a dark grey light bulb to the stud of a dark brown telescope. You should now have 2 identical bats. Bring back your sub build, so it is horizontally in front of you and the clips face the front. Attach one of the bats to the 2nd front facing clip from the left, so the light bulb is on the top. Attach the second to the rightmost front facing clip.

Step 174

Let's make 2 identical tables. Horizontally place a black 2x4 tile with 2 studs in front of you. Vertically place a reddish brown 1x2 log brick underneath the leftmost column. Repeat symmetrically to the right. You should now have 2 identical tables. Bring back your sub build and position it horizontally in front of you, so the bats face the front. Horizontally place the 2 tables one to the right of the other on the 2 front rows of visible studs on the 2nd through 8th columns from the right.

Step 175

Let's place the quidditch balls on the tables. Place a dark red ball on the left stud of the left table. This is the Quaffle. Place a dark grey 1x1 round plate to the right of the ppp. Place another to the right of the ppp. they are the Bludgers. Finally, place a gold winged ball to the right of the ppp. This is a golden snitch!

Step 176

Vertically place a reddish brown 1x2 log brick on the 2 front rows of visible studs on the leftmost column. Vertically place another to the right of the ppp.

Step 177

Place a black 2x2 tile with stud on top of the ppps. Place a dark grey 1x1 cone brick on the ppp. place a reddish brown helmet on the ppp, so the opening faces the back.

Step 178

Rotate your quidditch equipment room 90 degrees counterclockwise. Bring back your main build and position it horizontally in front of you, so the open section faces you. Vertically push your quidditch equipment room inside the bottom left open section by sliding it through the grooves.

Group 37:

Step 179

Let's make a sub build. Let's start building the transfiguration classroom. Place a dark tan 6x6 plate in front of you. Horizontally place a tan 1x2 brick with 2 pin holes on the back right corner of the ppp, so the pin holes face the front and the back. Repeat symmetrically to the left.

Step 180

Horizontally place a dark grey 1x2 plate on the 2nd row from the back of your sub build, so it is centered horizontally. Horizontally place a reddish brown 1x4 hinge plate to the right of the ppp, so the rounded hinge part faces the front. Repeat symmetrically to the left.

Step 181

Horizontally place a reddish brown 1x6 plate on the 2nd row from the back, so it is centered horizontally.

Step 182

Horizontally place the 2 left columns of a dark tan 1x4 plate underneath the right overhang, so 2 columns are exposed to the right. Repeat symmetrically to the left.

Step 183

Horizontally place a tan 1x8 plate on the 2 left columns of the ppp, so 6 columns overhang to the left. Repeat symmetrically to the right.

Step 184

Horizontally place the back row of a dark tan 4x6 plate underneath the right overhang. Repeat symmetrically to the left.

Step 185

Horizontally place 2 tan 1x2 plates with rail one to the right of the other on the back row on the 4 left columns of your sub build, so their rails face the back. Horizontally place a reddish brown 1x6 plate to the right of the ppps. Repeat the 3 placements symmetrically to the right.

Step 186

Horizontally place a dark grey 1x2 plate on top of your sub build on the 2nd row from the back, so it is centered horizontally. Horizontally place a reddish brown 1x4 hinge plate to the right of the ppp, so the rounded hinge part faces the front. Horizontally place a tan 1x8 plate to the right of the ppp. Repeat the 2 last placements symmetrically to the left.

Step 187

Horizontally place a reddish brown 1x2 tile on the 2nd row from the back on the 2 left columns. Horizontally place a reddish brown 1x8 tile to the right of the ppp. Place the front row of a reddish brown 2x2 corner tile to the right of the ppp, so the right angle faces the back left. Repeat the 3 placements symmetrically to the right. Close the sub build by pushing the moving sections forward. Horizontally place a reddish brown 1x2 tile on the 2nd row from the back on the 3rd and 4th columns from the right, so it sits to the left and in front of the right 2x2 corner tile.

Group 38:

Step 188

Open the sub build again by pushing the moving sections backward. Place a dark tan 1x2 tile on the front right corner of your sub build. Place a dark tan 2x2 tile with stud behind the ppp. Vertically place a reddish brown 1x3 plate to the left of the 2 ppps. Place a dark tan 2x2 tile with stud to the left of the 2 back rows of the ppp. Horizontally place a dark tan 1x2 tile in front of the ppp. Vertically place a reddish brown 1x3 plate to the left of the 2 ppps. Repeat the 6 placements symmetrically to the left.

Step 189

Place a dark brown 1x1 round brick on the front row of the leftmost vertical reddish brown 1x3 plate. Place another on the same column on the 3rd row from the front. Repeat the 2 placements on the next vertical 1x3 plate. Then, repeat the 4 placements symmetrically to the right.

Group 39:

Step 190

Vertically place a black 1x3 plate on top of the 2 rightmost 1x1 round bricks, so there's no overhang. Vertically place another on top of the next 1x1 round bricks. Repeat the 2 placements symmetrically to the left.

Step 191

Push the right and left moving sections forward, closing the room. Place a reddish brown 2x2 brick on the 3rd and 4th rows from the back on the 2nd and 3rd columns from the left of visible studs.

Step 192

Horizontally place a reddish brown 1x2 tile on the front row of the ppp. Place a black 2x2 turntable plate base behind the ppp. Insert the bottom bar of a light grey 2x2 inverted round tile with bottom bar into the center hole of the ppp, so it spins freely.

Step 193

Let's make a part. Place a black 4x4 round plate in front of you, so the studs form columns and rows. Vertically place a black 1x2 jumper plate on the rightmost column of the ppp, so it is centered vertically. Repeat symmetrically to the left.

Step 194

Place a black 2x2 round tile with stud on the 2 front rows, so it is centered horizontally. repeat symmetrically to the back.

Step 195

Horizontally place a reddish brown 1x4 brick on top of your part, so it is centered horizontally and vertically.

Step 196

Horizontally place a reddish brown 1x2 slope brick on the 2 right columns of the ppp, so it slopes to the right. Repeat symmetrically to the left.

Step 197

Horizontally place a reddish brown 1x2 log brick on the 2 ppps. Horizontally place a reddish brown 1x2 tile on the ppp.

Step 198

Place a dark brown 1x1 round brick on the front stud of your part. Place a black parrot on the ppp, so it faces the right.

Step 199

Place a dark brown 1x1 round brick on the back stud of your part. Place a transparent goblet on the ppp.

Step 200

Bring back your transfiguration classroom build and position it vertically in front of you, so the opening section is on the front. Place your part on the turntable, so it is centered horizontally and vertically on it and it spins freely.

Step 201

Let's make a candle! Open the classroom by pushing the right and left moving sections backward. Place a dark brown telescope on the center section on the 2nd row from the front on the leftmost column. Place a white candle stick on the ppp. now, place a transparent orange candle flame on the ppp.

Step 202

Close the classroom by pushing the right and the left moving sections forward.

Step 203

Bring back your main build and place it horizontally in front of you, so the open side faces the front. Place the transfiguration classroom on the top left empty section, on top of the quidditch equipment room. Vertically push it into this empty section by sliding it through the grooves.

Step 204

Let's close this part of the castle. Locate a front facing antistud on the trophy room and a front facing side stud on the bottom left section of the quidditch equipment room, they serve to close this castle wing. Push the right section forward and to the left. press to the left to secure.

Step 205

Let's make a part! Let's build a stone statue. Place a light gray 2x2 minifigure skirt in front of you, so it slopes to the back. Place a light bluish gray torso printed with dark bluish gray robe folds, a clasp on the right shoulder, and light bluish gray arms on the ppp, so the hands face the front. Attach a light bluish grey head to the ppp. finally, attach a silver stone spear to its right hand, so the pointed triangular side faces the front.

Place it on top of the castle wing on the 2 front rows, so it is centered horizontally and it faces the front.

Bag 7 wraps up with a wonderful burst of Hogwarts life. You've placed the Quidditch equipment room snugly into the bottom-left section of the castle, giving that corner a sporty, adventurous heartbeat. Above it, the Transfiguration classroom stands ready, complete with its rotating spell mechanism — you can almost hear the soft *whoosh* of a parrot turning into a goblet. Then, with a final proud touch, you've added a statue to the roof, watching over the castle like a silent guardian. Once the walls close, the rooms hide their secrets inside, waiting for curious hands to open them again. And with that last click, your castle stands complete — a magical masterpiece built brick by brick under your hands!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

At the end of the instruction booklets are advertisements for the following LEGO Harry Potter Theme kits:

76426 Hogwarts™ Castle Boathouse.

76431 Potions Class.

76435 The Great Hall.

76441 Dueling Club.

76442 Charms class.