**76450 Book Nook: Hogwarts™ Express**

Adapted by John Le and tested by Natalie Charbonneau.

Bring wizardry to kids' bookshelves with the first-ever LEGO® Harry Potter™ book nook (76450), featuring a buildable section of the Hogwarts™ Express – a creative way to make an enchanting book display. This magical toy lets children recreate iconic scenes at King's Cross Platform 9 3⁄4™ with Harry Potter and Ron Weasley™ minifigures and LEGO figures of their pets Hedwig™ and Scabbers™. The train model includes a detailed locomotive and carriage with side cutouts for minifigure access, and the carriage has mirrors at one end to create the illusion of a longer train.

A wizard gift for boys, girls and any Harry Potter fans aged 10 and up, this fun, collectible train toy is designed for customizable display. Open the model for easy play on the platform, close the model to fit neatly between books or divide the locomotive and carriage sections to create bookends. However your young wizard, witch or Muggle™ chooses to display it, this book nook makes a magical piece of Harry Potter house decor.

Magical toy to create an enchanting book display – Display books in a wizardly way with the first-ever LEGO® Harry Potter™ book nook, featuring a buildable Hogwarts™ Express locomotive and carriage.

4 Harry Potter™ characters – The set includes Harry Potter and Ron Weasley™ minifigures, plus Hedwig™ and Scabbers™ figures, which can be placed inside the train.

Fun Harry Potter™ collectible – Build a section of the Hogwarts™ Express train and the iconic Platform 9¾™ at King's Cross station with Harry, Ron and their pets ready to board.

Customizable display – Open the model for easy play on the platform (using the side cutouts to access the train's interior), close the model to fit neatly between books and split it to create bookends.

Build, display and play – This 832-piece buildable Harry Potter™ house decor measures over 6.5 in. (17 cm) high, 15 in. (38 cm) wide and 2.5 in. (7 cm) deep in open formation.

The front of the box shows the locomotive entering the train station! Harry Potter and Ron Weasley are pushing their carts of belongings to the train!

The back of the box shows the build can fold in half to make the build look like an entire train station with trains on either side!

The top of the box shows a real size image of Ron Weasley.

The build is 832 pieces in total and is for ages 10+.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.

- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- “Anti-stud” is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (https://www.lego.com/en-us/service/buildinginstructions/76450) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 8 bags labeled 1 to 8, 2 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Harry Potter, Hedwig, Luggage Cart, and Train Station
Group 1 - Pages 5-6.
Group 2 - Steps 1-7.
Group 3 - Steps 8-17.
Group 4 - Steps 18-23 and 1 black 3x3 L-shaped plate from Step 24.
Group 5 - Rest of Step 24 and Step 25.

Bag 2 - Train Station
Group 6 - Steps 26-29.
Group 7 - Steps 30-37.
Group 8 - Steps 38-55.
Group 9 - Steps 56-70.

Group 10 - Steps 71-81.
Group 11 - Steps 82-86.

Bag 3 - Train Station
Group 12 - Steps 87-100.
Group 13 - Steps 101-114.

Bag 4 - Train Station
Group 14 - Steps 115-140.
Group 15 - Steps 141-152.

Bag 5 - Ron Weasley, Scabbers, Luggage Cart, and Train Station
Group 16 - Page 2.
Group 17 - Steps 1-17.
Group 18 - Steps 18-21 and 1 light grey 1x1 tile from Step 22.
Group 19 - Rest of Step 22.

Bag 6 - Train Station
Group 20 - Steps 23-29.
Group 21 - 1 dark blue 1x1 round tile printed with a gold pentagon on it from Step 30.
Group 22 - Rest of Step 30 and Steps 31-49.
Group 23 - Steps 50-51.

Bag 7 - Train Station
Group 24 - Steps 52-63.
Group 25 - Steps 64-78.

Bag 8 - Train Station
Group 26 - Steps 79-88.
Group 27 - Steps 89-104.
Group 28 - Steps 105-112.
Group 29 - Steps 113-116.

Let’s get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Harry Potter, Hedwig, and Luggage Cart

Sub-build 1. Locate 1 short dark tan pair of legs, 1 torso printed with a black belt, green shirt, and a sand blue sweater, 1 light tan head printed with eyes, glasses, lips, 1 black hair, and 1 white owl. Assemble your minifigure then place the owl on his hand! Now put him away while we make the luggage cart!

Sub-build 2.1. Horizontally place a dark grey 2x3 plate in front of you. Then vertically place a black 1x2 hinge plate, underneath the leftmost column. Then repeat symmetrically to the right.

Sub-build 2.2. Place a light grey 2x2 tile with a stud on the 2 leftmost columns. Then vertically place a dark grey 1x2 tile with an upright horizontal bar to the right of the ppp so it slopes to the left.

Sub-build 2.3. Horizontally place a nougat 1x2 plate with a bar on the 2x2 tile with a stud so it is centered horizontally on it and the bar faces the front. Now horizontally place a nougat 1x2 tile with a sticker on top of the ppp. This is a luggage cart with Harry Potter's suitcase! Now put it away while we make the train station!

Sub-build 2.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 16 on the nougat 1x2 tile. This sticker says HP which stands for Harry Potter! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Group 2 - Train Station

Step 1

Horizontally place a black 2x10 plate in front of you.

Step 2

Horizontally place a black 2x8 slope brick on top so it is centered horizontally and slopes to the front.

Step 3

Horizontally place a black 1x2 brick with a pinhole on the back left corner so 1 column overhangs to the left. Then repeat symmetrically to the right.

Step 4.1

Let's make 2 identical parts! Place a black wheel in front of you. Then place a black 2x2 round plate with a pin underneath on top of the wheel. Now horizontally place a black 2x3 stair plate on the leftmost column so the lower side overhangs 2 columns to the left. Then repeat symmetrically to the right.

Step 4.2

Now you should have 2 identical parts! Horizontally place your part underneath the leftmost column of the main build so 1 row is exposed to the front. Then repeat symmetrically to the right.

Step 5.1

Let's make a part! Vertically place a black 1x4 plate in front of you. Then vertically place a black 1x4 brick with 3 pinholes on the front 2 rows so 2 rows overhang to the front. Then repeat symmetrically to the back.

Step 5.2

Vertically place your part on the leftmost column so 6 rows overhang to the front.

Step 6

Place a black 1x1 brick on the back right corner. Then place the right column of a black 2x2 corner brick in front of the ppp so 1 row overhangs to the front and it looks like the braille letter j.

Step 7

Horizontally place a dark grey 4x6 plate underneath the front row of the 2 rightmost columns so 3 rows are exposed to the front and 4 columns are exposed to the left.

Step 8

Vertically place a brown 1x3 plate on the front row of the rightmost column so 2 rows overhang to the front. Now vertically place a brown 1x2 plate behind the ppp.

Step 9

Vertically place a brown 1x3 plate on the front 3 rows of the 3rd column from the right. Now vertically place a brown 1x2 plate on the front 2 rows of the 5th column from the right. Then place a black 1x1 brick behind the ppp. Now horizontally place the leftmost column of a light grey 1x3 brick behind the ppp.

Step 10.1

Let’s make 2 identical parts! Place a black wheel in front of you. Then place a black 2x2 round plate with a pin underneath on top of the wheel. Now horizontally place a black 2x3 stair plate on the leftmost column so the lower side overhangs 2 columns to the left. Then repeat symmetrically to the right.

Step 10.2

Now you should have 2 identical parts! Horizontally place the leftmost column of 1 part underneath the front 2 rows of the leftmost column of the main build. Then repeat symmetrically to the right.

Step 11.1

Let’s make a part! Horizontally place a black 2x10 plate in front of you. Then horizontally place a black 1x12 brick on the front row so it is centered horizontally. Now horizontally place your part on the front 2 rows so it is centered horizontally. The 1x12 brick should be in the front and only attach to 2 studs.

Step 12

Horizontally place a light grey 1x2 log brick on the 6th and 7th columns from the left of the 2nd row from the front. Then repeat symmetrically to the back.

Step 13

Horizontally place a dark grey 1x4 tile on the 4 rightmost columns of the 4th row from the back so it sits on 2 studs. Now place a brown 2x2 corner brick on the 2nd and 3rd rows from the front of the 6th and 7th columns from the right so it looks like the braille letter j. Then repeat symmetrically to the back.

Step 14

Horizontally place a light grey 1x2 log brick on the back right corner. Then horizontally place a light grey 1x2 panel to the left of the ppp so the wall faces the front.

Step 15

Horizontally place a light grey 2x4 brick on the 4 rightmost columns of the 2nd and 3rd rows from the back so it sits in front of the 2 ppp. Now horizontally place a light grey 1x3 brick on the front row of the 2nd to 4th columns from the right.

Step 16.1

Vertically place a light grey 2x8 brick on the 2 leftmost columns so it is centered vertically. Then horizontally place a light grey 1x2 panel on the back row to the right of the ppp so the wall faces the front.

Step 16.2

Vertically place a light grey 2x8 brick to the right of the ppp so it is centered vertically. Then horizontally place a light grey 1x2 panel on the back row to the right of the ppp so the wall faces the front.

Step 16.3

Repeat the previous step 2 more times to the right. Now you should have placed 4 2x8 bricks and 4 1x2 panels in total.

Step 16.4

Vertically place a light grey 2x8 brick to the right of the ppp so it is centered vertically.

Step 17.1

Horizontally place a light grey 1x2 log brick on the front row of the 3rd and 4th columns from the left.

Step 17.2

Horizontally place a light grey 1x2 log brick to the right of the ppp so there is a 2 column gap in between them. Then repeat this step 2 more times to the right. They should sit in between the 2x8 bricks.

Group 3 - Train Station

Group 4 - Train Station

Step 18

Horizontally place a dark grey 1x12 plate on the back right corner. Then horizontally place a dark grey 1x8 plate to the left of the ppp. Now horizontally place a dark grey 2x3 plate on the 3 rightmost columns of

the 2nd and 3rd rows from the back. Then horizontally place a dark grey 1x2 plate to the left of the back row of the ppp.

### Step 19

Place a dark grey 2x2 corner plate in front of the ppp so it looks like the braille letter f. Now vertically place a brown 1x3 plate in front of the left column of the ppp.

### Step 20

Horizontally place a dark tan 2x8 plate on the 2nd to 9th columns from the left of the 2nd and 3rd rows from the back. Then horizontally place another 1 to the right of the ppp.

### Step 21.1

Horizontally place a light grey 2x4 tile on the back right corner. Then horizontally place 2 more, 1 to the left of the other, to the left of the ppp. Now place a light grey 2x2 tile with a stud to the left of the ppp. Then horizontally place another light grey 2x4 tile to the left of the ppp. Now place a light grey 2x2 tile with a stud to the left of the ppp.

### Step 21.2

Place a light grey 1x1 tile on the 2nd row from the back of the 2nd column from the left. Now horizontally place a white 1x4 tile on the 4 rightmost columns so it sits in front of the 2x4 tile.

### Step 22.1

Vertically place a brown 1x3 plate to the left of the ppp. Then vertically place a dark grey 1x2 plate in front of the ppp.

### Step 22.2

Horizontally place a white 1x4 tile on the 3rd row from the back of the 2nd to 5th columns from the left. Now horizontally place 3 more white 1x4 tiles, 1 to the right of the other, to the right of the ppp.

### Step 23

Horizontally place a black 2x8 brick on the 2nd and 3rd rows from the front of the 6th to 13th columns from the right. Then horizontally place another 1 behind the ppp.

You will have an extra black 3x3 L-shaped plate. Save it for later!

## Group 5 - Train Station

Step 24.1

Let’s make a part! Place a tan 4x4 plate in front of you. Then place a white 3x3 L-shaped plate on the back right corner so the right angle faces the back right.

### Step 24.2

Horizontally place a dark grey 1x2 plate on the front right corner. Then vertically place another 1 behind the left column of the ppp.

### Step 24.3

Place a black 2x2 tile with a stud on the front left corner. Then place a black 2x2 corner tile behind the ppp so it looks like the braille letter h.

### Step 24.4

Place a black 3x3 L-shaped plate from group 4 on the back right corner so the right angle faces the back right. Then horizontally place a red 1x1 plate with a 1x1 slope tile on the front right corner so it slopes to the left. Then vertically place a gold 1x2 ingot tile behind the left column of the ppp.

### Step 24.5

Place your part on the 2nd to 5th rows from the front of the 6th to 9th columns from the left so the 2x2 tile with a stud is in the front left corner.

Step 25

Horizontally place 2 black 2x4 bricks, 1 in front of the other, to the left of the previous part.

Building Instructions (Bag 2, Book 1):

Group 6 - Train Station

Step 26

Horizontally stack 2 red 1x3 bricks on the 4th row from the back of the 7th to 9th columns from the left so it sits to the right of a 1x1 tile gap.

Step 27.1

Horizontally place 3 red 1x2 ingot tiles, 1 to the right of the other, to the right of the 2 ppp. Then place a black 1x1 round tile to the right of the 3 ppp so there is a 1 column gap in between them.

### Step 27.2

Place a black 1x1 round tile on the 2nd row from the front of the 6th column from the right. Now horizontally place a red 1x2 ingot tile to the left of the ppp so there is a free stud in between them. Then horizontally place another red 1x2 ingot tile to the left of the ppp.

Step 28

Let’s make a part! Place 2 black 1x2 plate with 2x2 side studs hanging down, 1 to the right of the other, in front of you so the side studs face the front.

Step 29

Horizontally place a dark grey 1x2 rounded plate upright on the bottom row of front-facing side studs so it is centered horizontally. Then horizontally place a black 1x2 ingot tile upright above the ppp so it is centered horizontally.

Group 7 - Train Station

Step 30

Horizontally place a black 1x2 plate with an upright bar, upright on the bottom row of front-facing side studs so it is centered horizontally and the bar is on top.

Step 31

Horizontally place a dark grey 1x2 rounded plate upright on the ppp.

Step 32

Vertically place a black 1x2 inverted half arch brick upright on the leftmost column of front-facing side studs so it slopes up. Then repeat symmetrically to the right.

Step 33

Horizontally place 2 black 1x2 plates with a hinge, 1 to the right of the other, upright on the bottom row of front-facing side studs so the hinges face up.

Step 34

Horizontally place a red 1x2 jumper plate upright on the bottom row of front-facing side studs so it is centered horizontally. Then place a light grey 1x1 round plate with a bar upright on the ppp so the bar faces down.

Step 35

Place a red 1x1 plate on the bottom left front-facing side stud. Then place a silver 1x1 round plate upright on the ppp. Now place a black 1x1 round tile upright on the ppp. Now repeat everything symmetrically to the right.

Step 36

Vertically place your part on the 2nd to 5th rows from the front of the 5th column from the right so the upright 1x1 round tiles face the right. This is the front bumper of the train!

Step 37

Vertically place a light grey 1x2x2 brick with 2x2 side studs on the front right corner so the side studs face the right.

Group 8 - Train Station

Step 38

Let’s make a part! Horizontally place a light grey 2x10 plate in front of you. Then vertically place a transparent orange 1x2 plate on the leftmost column.

Step 39

Place a light orange 1x1 plate with 2 upright side studs on the back row of the 2nd column from the left so the side studs face the back. Now horizontally place a red 1x2 plate with 2x2 upright side studs to the right of the ppp so the side studs face the back. Then horizontally place a black set of 2 1x1 plates with 2x6 side studs to the right of the ppp so the side studs face the back.

Step 40

Horizontally place a black set of 2 1x1 plates with 2x6 side studs on the front right corner so the side studs face the front. Now place a light orange 1x1 plate with 2 upright side studs to the left of the ppp so the side studs face the front.

Step 41

Horizontally place a light grey 2x10 plate on top.

Step 42

Vertically place a dark orange 1x2 rounded plate on the rightmost column.

Step 43

Horizontally place a white 2x8 brick to the left of the ppp.

Step 44

Horizontally place a red 1x2 plate with 2x2 upright side studs on the back row of the 2nd and 3rd columns from the left so the side studs face the back. Now place a silver 1x1 round plate in front of the right column of the ppp.

Step 45

Horizontally place a red 1x2 plate with 2x2 upright side studs, on the front row to the right of the ppp so the side studs face the front. Then repeat symmetrically to the back. Now vertically place a dark orange 1x2 rounded plate to the right of the 2 ppp.

Step 46

Horizontally place a red 1x2 plate with 2x2 upright side studs, on the front row to the right of the ppp so the side studs face the front. Then repeat symmetrically to the back.

Step 47

Vertically place a lime green 1x2 brick with a pinhole on the rightmost column. Then insert a blue 2L pin axle into the right-facing pin hole so the axle faces the right.

Step 48

Horizontally place a white 2x8 brick on the 8 rightmost columns. Then place a tan 1x1 brick on the back row, to the left of the ppp.

Step 49

Horizontally place a black 1x2 plate with 2x2 side studs hanging down on the front row of the 2 rightmost columns so the side studs face the front. Then repeat symmetrically to the back.

Step 50

This is the body of the train! Horizontally place your part on the 3rd and 4th rows from the front of the 9th to 18th columns from the left so the axle faces the right. The leftmost column should sit behind the 1x1 plate of the 1x1 plate with a 1x1 slope tile.

Step 51

Place a red 1x1x3 brick to the left of the 2 1x2 ingot tiles that are in front of the previous part.

Step 52

Place a tan 1x1 brick on the front row so it sits 1 column to the left of the ppp. Then vertically place a tan 1x2x2 brick on the front 2 rows, on top of the ppp.

Step 53

Vertically place a tan 1x3 brick on top of the ppp so there is no overhang.

Step 54

Place the left column of a dark grey 2x2 corner plate on the back 2 rows of the ppp so it looks like the braille letter h.

Step 55

Horizontally place a red 1x2 ingot tile on the front row of the ppp. Then horizontally place the 2 leftmost columns of 2 light grey 1x3 rounded plates, 1 in front of the other, behind the ppp. Now horizontally place a red 2x4 plate to the right of the 2 ppp.

Group 9 - Train Station

Step 56.1

Let’s make a part! Horizontally place a red 1x3 brick with a sticker in front of you so the sticker faces the front.

Step 56.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the red 1x3 brick. This sticker says 5972. This is the number of the train! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 56.3

Horizontally place a red 1x2x2 window frame on the 2 leftmost columns so the ridged side faces the front. Then attach a transparent window pane to the front of the ppp.

Step 56.4

Place a red 1x1 plate on the rightmost column. Then place a red 1x1 telescope bar on top of the ppp.

Step 56.5

Horizontally place your part on the 4th row from the back of the 7th to 9th columns from the left so the telescope bar is on the left.

Step 57.1

Let’s make a part! Horizontally place a black 1x2 brick with 2 side studs in front of you so the side studs face the front. Then horizontally place a black 1x2 log brick on top of the ppp. Now horizontally place a black 1x2 brick with 2 side studs on top so the side studs face the front.

Step 57.2

Place 2 gold 1x1 round plates with a bar, 1 to the right of the other, upright on the bottom row of front-facing side studs so the bars face up.

### Step 57.3

Place a light grey 1x1 round tile printed with a black compass upright on the top left front-facing side stud. Then place a light grey 1x1 round part with a black antenna upright on the top right front-facing side stud so the antenna faces down.

### Step 57.4

Vertically place your part on the 3rd and 4th rows from the front of the 9th column from the left so the side studs face the left. This is the controls to slow down and speed up the train!

## Step 58

Place a red 1x1x3 brick in front of the ppp. Then horizontally place a red 1x3x2 half arch brick on top of the ppp so it arches to the left.

## Step 59

Vertically place the front stud of a red 1x3 brick on the rightmost column of the ppp.

## Step 60

Horizontally place the rightmost column of a black 2x3 plate on the back 2 rows of the ppp so it overhangs 2 columns to the left. Then vertically place a black 1x4 double sloped curved tile on the rightmost column of the ppp so it is centered vertically to it. Now place 2 black 2x2 sloped curved tiles, 1 in front of the other, to the left of the ppp so they slope outwards to the front and back.

## Step 61

Horizontally place a red 2x4 sloped curved tile upright on the 2 bottom rows of the 4 leftmost columns of front-facing side studs that are on the 8th to 11th columns from the right so it slopes down. Then horizontally place another 1 upright above the ppp so it slopes up.

## Step 62.1

Let’s make a part! Horizontally place a black 2x3 plate in front of you. Then place a black 2x2 tile on the 2 rightmost columns. Now vertically place a red 1x4 double sloped curved tile on the leftmost column so it is centered vertically.

### Step 62.2

Place your part upright on the front-facing side studs so it sits to the right of the 2 ppp and the 1x4 sloped curved tile is on the left and slopes up and down.

Step 63

Horizontally place a black 1x2 slope tile upright on the bottom row of the 2 rightmost front-facing side studs so it slopes down. Then repeat symmetrically to the top.

Step 64.1

Horizontally place a red 1x4x3 panel with a sticker on the 2nd to 5th columns from the left of the 4th row from the back so the wall faces the back.

Step 64.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the red 1x4x3 panel. This sticker has a red, green, yellow, and blue shield on it. This is the Hogwarts Latin motto! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 65

Vertically place a black 1x2x3 panel in front of the rightmost column of the ppp so the wall faces the left.

Step 66

Horizontally place the rightmost column of a red 1x4x3 panel in front of the ppp so the wall faces the front.

Step 67.1

Let’s make a part! Place a red 4x4 plate in front of you. Then vertically place a red 1x2 panel on the rightmost column so it is centered vertically and the wall faces the left. Then horizontally place a black 2x3 brick to the left of the ppp.

Step 67.2

Horizontally place a red 1x2 brick on the front left corner. Then horizontally place a red 1x2 inverted half arch brick to the right of the ppp so it slopes to the right. Then repeat both parts symmetrically to the back.

Step 67.3

Horizontally place a red 1x3 tile on the front left corner. Then repeat symmetrically to the back.

Step 67.4

Place a black 1x1 round tile on the leftmost column of the 2nd row from the back. Then place another 1 to the right so there is a 1 column gap in between them. Now place 1 more on the 2nd column from the left of the 2nd row from the front. This is the coal used to power the train!

Step 67.5

Place your part on the 2nd to 5th columns from the left of the 2nd to 5th rows from the front so it slopes to the right.

Step 68

Rotate your build 180 degrees so it is horizontal and the side studs face the front. Now vertically place a red 2x4 plate upright on the 2 rightmost columns of front-facing side studs that are on the 12th and 13th columns from the left. Then vertically place a red 2x4 tile upright on the ppp. These pieces are used to cover the engine of the train!

Step 69.1

Horizontally place a red 2x4 sloped curved tile with a sticker upright on the bottom 2 rows of front-facing side studs, to the left of the ppp so it slopes down. Then horizontally place a red 2x4 sloped curved tile upright, above the ppp so it slopes up.

Step 69.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 16 on the red 2x4 sloped curved tile. This sticker says Hogwarts Express on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 70.1

Let’s make a part! Horizontally place a black 2x3 plate in front of you. Then vertically place a red 1x4 double sloped curved tile on the rightmost column so it is centered vertically. Then place a black 2x2 tile to the left of the ppp.

Step 70.2

Place your part upright on the front-facing side studs to the left of the 2 ppp so the 1x4 double sloped curved tile is on the right and slopes up and down.

Group 10 - Train Station

Step 71

Horizontally place a black 1x2 slope tile upright on the bottom row of the 2 leftmost columns of front-facing side studs so it slopes down. Then repeat symmetrically to the top.

Step 72

Vertically place a red 1x3 jumper plate to the left of the 1x4 double sloped curved tile and 2x2 sloped curved tiles that are on the 7th to 9th columns from the right so it is centered vertically on the 2 studs. Then vertically place a black 1x2 jumper plate with a round side on top of the ppp so the round side faces the left. Now place a gold 1x1 round tile with an upright bar on top of the ppp.

Step 73

Vertically place a red 1x3 tile to the left of the ppp so it is centered vertically on the 2 studs. Now place a gold 2x2 tile with a stud to the left of the ppp. Then place a gold 1x1 half cone brick on top of the ppp. Now horizontally place a red 2x3 tile to the left of the ppp.

Step 74

Stack 2 black 2x2 round plates to the left of the ppp.

Step 75

Then insert a white 3L bar into the middle of the 2 ppp so it sticks up.

Step 76.1

Let’s make a part! Insert a red 1L pin with a stud into a gold wheel. Now place it on top of the 3L bar so the stud faces up.

Step 77

Let’s make a part! Place a black 4x4 round plate in front of you. Then place a brown 2x2 round tile with a stud on top so it is centered.

Step 78

Place a black 1x2 curved tile on the front right corner so the curve faces the front right. Then repeat symmetrically to the left. Now place another 1 on the back left corner so the curve faces the back left.

Step 79

Place 2 silver 1x1 round plates, 1 next to the other, on the back right corner.

Step 80

Place a lime green 2x2 round plate underneath your part so it is centered.

Step 81

Place a black 4x4 round plate with a 2x2 hole underneath your part so it is centered.

Group 11 - Train Station

Step 82.1

Place a red 1x2 curved tile with a sticker on the back right corner so the curve faces the back right.

## Step 82.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 9 on the red 1x2 curved tile. This sticker says Hogwarts Express. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 83

Place a black 2x2 dish on top so it is centered.

Step 84

Place your part upright on the left-facing axle so it is centered on it and the 1x2 curved tile with a sticker faces up.

Step 85

Attach the clip of a black 1x1 plate with a clip on the side to the top-facing bar that is below the ppp so the plate is on top and the stud faces the left. Now place a transparent 1x1 round tile upright on the ppp.

Step 86

Place a white 1x1 clip on the 5th row from the left of the 3rd row from the front so the clip hands face the front and back. Then horizontally attach a white cloud with a bar to the clip so the cloud faces the right. Make sure the round part of the cloud faces up.

Building Instructions (Bag 3, Book 1):

Group 12 - Train Station

Step 87

Horizontally place a tan 1x2x5 brick on the front right corner.

Step 88.1

Vertically place a tan 1x6x5 panel with a sticker on the rightmost column, behind the ppp so the wall faces the right.

## Step 88.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 12 on the tan 1x6x5 panel. This sticker has a light grey mirror. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 89

Place a tan 2x2 corner brick on the front right corner so it looks like the braille letter j.

Step 90

Place a dark grey 1x1 plate on the rightmost column, behind the ppp. Then place a light grey 1x1 plate with a side stud hanging down on top of the ppp so the side stud faces the left. Now place a black 1x1 plate with an upright side stud on top of the ppp so the side stud faces the left.

Step 91.1

Place a black 2x2 tile with a sticker upright on the 2 left-facing side stud from the previous step so 1 column overhangs to the front.

Step 91.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 6 on the black 2x2 tile. This sticker has a red, green, yellow, and blue logo on it. This is the Hogwarts Latin motto! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 92

Rotate your build 180 degrees. Now horizontally place a tan 1x2x5 brick on the front left corner.

Step 93

Place a tan 2x2 corner brick on the front left corner so it looks like the braille letter h. Then vertically place a tan 1x3 brick on the leftmost column, behind the ppp.

Step 94

Place a tan 1x1 brick on the front row of the 3rd column from the left. Then place a tan 1x1x5 brick on top of the ppp.

Step 95

Horizontally place a tan 1x6x6 rounded door frame on the front row to the right of the ppp so the round side of the pillars face the front.

Step 96

Place a tan 1x1 brick to the right of the ppp. Then horizontally place 2 tan 1x6x5 panels, 1 to the right of the other, to the right of the ppp so the walls face the front.

Step 97

Horizontally place a tan 1x2 brick on the 2nd and 3rd columns from the right of the front row. Then horizontally place a tan 1x10 brick to the left of the ppp.

Step 98

Horizontally place a tan 1x10 brick on the front row on the 2nd to 11th columns from the right. Then horizontally place a tan 1x3 brick to the left of the ppp. Now horizontally place another tan 1x3 brick on the front row, on the 2nd to 4th columns from the left.

Step 99

Place a tan 1x1x5 brick on the 2nd row from the front of the rightmost column.

Step 100

Vertically place a tan 1x2x2 brick with 2x2 side studs on the front right corner so the side studs face the right. Then vertically place a tan 1x2 rounded plate on top of the ppp.

Group 13 - Train Station

Step 101

Place a dark grey 2x2 corner plate on the front right corner so it looks like the braille letter j. Then horizontally place 3 dark grey 1x6 plates, 1 to the left of the other, on the front row, to the left of the ppp. Now place a dark grey 1x1 plate to the left of the 3 ppp.

Step 102.1

Vertically place a tan 1x2 brick on the front right corner. Then horizontally place a black 1x2 plate with 2 clips to the left of the front row of the ppp so the clips face the back. Now horizontally place a dark tan 1x4 plate to the left of the ppp.

Step 102.2

Horizontally place a black 1x2 plate with 2 clips to the left of the ppp so the clips face the back. Now horizontally place a dark tan 1x4 plate to the left of the ppp.

Step 102.3

Repeat the previous step again. Then horizontally place a black 1x2 plate with 2 clips to the left of the ppp so the clips face the back.

Step 103.1

Let’s make 4 identical parts! Horizontally place a tan 1x2x2 brick with 2x2 side studs in front of you so the side studs face the front. Then horizontally stack 2 tan 1x2 rounded plates on top.

## Step 103.2

Now you should have 4 identical parts! Horizontally place each of them on top of each of the 1x2 plates with 2 clips so the side studs face the back.

Step 104.1

Let’s make 3 identical parts! Horizontally place a dark tan 1x4 masonry brick in front of you so the brick grooves face the front. Then horizontally place a dark tan 1x4 plate on top of the ppp. Now horizontally place another dark tan 1x4 masonry brick on top so the brick grooves face the front. Then horizontally place a dark tan 1x2 brick with 2 side studs on top so it is centered horizontally and the side studs face the front.

## Step 104.2

Now you should have 3 identical parts! Horizontally place them in between each of the 4 previous parts from the previous step so the side studs face the back.

Step 105

Horizontally place a tan 1x3 brick on the front row, on the 2nd to 4th columns from the right. Then horizontally place a dark tan 1x4 brick to the left of the ppp so it sits in between the 1x2 bricks with side studs. Now horizontally place a tan 1x4 brick to the left of the ppp so it also sits in between the 1x2 bricks with side studs. Now horizontally place a tan 1x3 brick to the left of the 1x2 brick with side studs that is to the left of the ppp.

Step 106.1

Lay your build on its front-facing side so the anti-studs face the back. Place a tan 1x1 quarter circle tile on the rightmost top-facing side stud that is the front, on the 2nd column from the right so the curve faces the front left. Now place the back row of a tan 1x3 curved tile to the left of the ppp so the curve faces the front right.  Then place another 1 to the left of the ppp so it is symmetrical to it.

## Step 106.2

Place a tan 1x3 curved tile to the left of the ppp so the curve faces the front right. Then place another 1 to the left of the ppp so it is symmetrical to it.

## Step 106.3

Place a tan 1x3 curved tile to the left of the ppp so the curve faces the front right. Then place another 1 to the left of the ppp so it is symmetrical to it. Now place a tan 1x1 quarter circle tile to the left of the back row of the ppp so the curve faces the front right.

Step 107.1

Let’s make 4 identical parts! Place a black 1x1 telescope bar in front of you. Then place a black 1x1 round plate on top of the ppp. Now place a black curved bar with a stud and an axle on top so the stud faces the right and the axle faces the front. Now horizontally attach a black T-shaped bar underneath your part so the other ends of the bar faces left and right.

## Step 107.2

Now you should have 4 identical parts! Horizontally attach the T-shaped bar of 1 part to the 2 rightmost top-facing clips so the axle faces the back. Then repeat again to the other 3 sets of 2 clips that are to the left.

Step 108

Horizontally place your main build upright, then rotate it 180 degrees, so it is horizontal and the 4 axles curve to the front. Now vertically place a tan 1x2x2 brick with 2x2 side studs on the back left corner so the side studs face the left. Then vertically place a light grey 1x2 brick with a bar on top of the ppp so the bar faces the front.

Step 109

Place a tan 1x1x5 brick on the back right corner.

Step 110.1

Vertically place a tan 1x6x5 panel with a sticker in front of the ppp so the wall faces the right. Then horizontally place the right column of a tan 1x2x5 brick in front of the ppp.

## Step 110.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 11 on the tan 1x6x5 panel. This sticker is a light grey mirror. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 111

Horizontally place a dark tan 2x3 plate on the back right corner so it overhangs 2 studs in the front left corner. Now vertically place a dark tan 1x4 plate in front of the rightmost column of the ppp. Then place a dark tan 2x2 corner plate in front of the ppp so it looks like the braille letter j.

Step 112.1

Let’s make a part! Horizontally place a dark tan 2x8 plate in front of you. Then place a tan 2x2 tile on the rightmost column so 1 column overhangs to the right.

## Step 112.2

Horizontally place a dark tan 2x8 plate underneath the rightmost column so 7 columns are exposed to the right.

### Step 112.3

Horizontally place a tan 2x4 tile on the 4th to 7th columns from the right. Then repeat symmetrically to the left.

### Step 112.4

Horizontally place your part on the back row to the left of the 2x3 plate that is in the back right corner so it overhangs 1 row to the front.

### Step 113

Horizontally place a dark tan 2x3 plate on the back left corner, to the left of the ppp so it overhangs 2 studs in the front right. Now place a tan 2x2 tile on the 2 leftmost columns of the ppp.

### Step 114

Vertically place a tan 1x4 tile on the back right corner. Then vertically place a tan 1x2 ingot tile to the left of the back 2 rows of the ppp.

Building Instructions (Bag 4, Book 1):

Group 14 - Train Station

### Step 115

Let’s make a part! Horizontally place a black 1x10 plate in front of you. Then horizontally place a black 1x6 plate on the 6 rightmost columns.

### Step 116

Horizontally place a black 1x10 plate on the 4 leftmost columns so 6 columns overhang to the left.

### Step 117

Horizontally place a black 1x2 plate underneath the 5th and 6th columns from the left.

### Step 118

Horizontally place a black 1x10 plate underneath the 4 leftmost columns so 6 columns are exposed to the left.

Step 119

Horizontally place a black 1x6 plate on the 6 leftmost columns.

Step 120

Stack 2 black 1x1 bricks with a clip on the leftmost column so the clips face the front.

Step 121

Horizontally place 3 clear 1x2x2 panels, 1 to the right of the other, to the right of the 2 ppp so the walls face the back. Now stack 2 black 1x1 bricks to the right of the 3 ppp. Then horizontally place 3 clear 1x2x2 panels, 1 to the right of the other, to the right of the 2 ppp so the walls face the back. Now stack 2 black 1x1 bricks to the right of the 3 ppp. Then finally horizontally place 3 clear 1x2x2 panels, 1 to the right of the other, to the right of the 2 ppp so the walls face the back.

Step 122

Vertically place a black 1x2 brick with 2 side studs on the rightmost column so 1 row overhangs to the front and the side studs face the right. Then vertically place a black 1x2 slope brick on top of the ppp so it slopes to the front.

Step 123

Horizontally place a black 1x6 plate on the 6 rightmost columns. Then repeat symmetrically to the left. Now horizontally place a black 1x10 plate in between the 2 ppp.

Step 124.1

Let’s make a part! Horizontally stack 2 black 1x3 plates. Then horizontally place a light grey 1x2 plate with a bar underneath the 2 leftmost columns so the bar faces the left. Then horizontally place another 1 on top of the 2 leftmost columns so the bar faces the left.

Step 124.2

Place a dark tan 1x1 round plate underneath the rightmost column and another 1 on top of the rightmost column. Horizontally place a black 1x2 plate with 2 anti side studs on the 2 rightmost columns so the anti-studs face the right.

Step 124.3

Horizontally place a tan 1x2 ingot tile on the 2 rightmost columns. Now horizontally place a black 1x2 plate with 2 anti side studs underneath the 2 rightmost columns so the anti-studs face the right.

Step 124.4

Vertically attach the bars of your part to the 2 front-facing clips that are on the leftmost column so the upright anti-studs face the front.

Step 125

Let’s make another part! Place a black 1x1 round plate in front of you. Then vertically place a black 1x6x5 half arch brick on top so it overhangs to the back and slopes down to the front.

Step 126

Horizontally place a tan 1x3 tile on the back row so it overhangs 2 columns to the right.

Step 127

Horizontally place a transparent 6x6x5 half arch panel underneath the 2 rightmost columns so it slopes to the front.

Step 128

Horizontally place a tan 1x8 tile on the back row so 4 columns overhang to the right.

Step 129

Vertically place a black 1x6x5 half arch brick underneath the 4th column from the right so it slopes to the front. Now place a black 1x1 round plate underneath the front row of the ppp. Now horizontally place a transparent 6x6x5 half arch brick underneath the 3 rightmost columns so it slopes to the front and 3 columns overhang to the right.

Step 130

Horizontally place a tan 1x8 tile on the 3 rightmost columns so 5 columns overhang to the right.

Step 131

Vertically place a black 1x6x5 half arch brick underneath the 5th column from the right so it slopes to the front. Now place a black 1x1 round plate underneath the front row of the ppp. Now horizontally place a transparent 6x6x5 half arch brick underneath the 4 rightmost columns so it slopes to the front and 2 columns overhang to the right.

Step 132

Horizontally place a tan 1x3 tile on the 3 rightmost columns so 1 column overhangs to the right.

Step 133

Vertically place a black 1x6x5 half arch brick underneath the rightmost column from the right so it slopes to the front. Now place a black 1x1 round plate underneath the front row of the ppp.

Step 134

Flip your part upside down so it is horizontal and slopes to the back. The lower row should be in the front. Now horizontally place a black 1x2 plate on the front right corner. Then repeat symmetrically to the left.

Step 135

Horizontally place 2 tan 1x2 plates with 2x2 anti side studs, 1 to the right of the other, on the 3rd to 6th columns from the right of the front row so the anti-studs face the front. Then repeat symmetrically to the left.

Step 136

Horizontally place a black 1x10 plate on the front row so it is centered horizontally.

Step 137

Horizontally place a black 1x10 plate on the front right corner. Then repeat symmetrically to the left.

Step 138

Bring back your previous part and orient it in front of you so it is horizontal and the side studs face the right. Now flip your current part over and horizontally place the back row of your part on the top of the previous part so it overhangs to the front and slopes to the back. Make sure the part with the 1x1 round plates and the 1x6x6 curved panels connect!

Step 139

Bring back your main build and rotate your part 180 so it slopes to the front. Then horizontally place the back-facing anti-studs of your part on the back 2 rows so it is centered horizontally and slopes to the back.

Step 140

Lift up the 4 curved bars with an axle and a stud that are underneath the previous part so they hold up the roof.

Group 15 - Train Station

Step 141

Let’s make a part! Place a light grey 2x2 plate with 2 side studs in front of you so the side studs face the left. Then horizontally place a tan 1x3 inverted arch brick on the back row so it slopes and overhangs 1 column to the right.

Step 142

Horizontally place a tan 1x3 inverted arch brick on the front row so it slopes and overhangs 1 column to the right.

Step 143

Vertically place a tan 1x2 ingot tile on the leftmost column.

Step 144

Place a brown 2x2 plate upright on the left-facing side studs so 1 row sticks up.

Step 145

Place a black 2x2 tile upright on the left-facing side studs.

Step 146

Horizontally place a tan 2x12 plate underneath the rightmost column so 11 columns are exposed to the right. Then vertically place a tan 1x2 ingot tile on the leftmost column of studs.

Step 147.1

Horizontally place a tan 2x6 tile with a sticker to the right of the ppp.

Step 147.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 13 on the tan 2x6 tile. This sticker has a wanted poster of Sirius Black on it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 148

Vertically place a tan 1x2 ingot tile to the right of the ppp.

Step 149.1

Let’s make a part! Horizontally place a black 2x4 rounded tile with a sticker upside down in front of you.

Step 149.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 8 on the black 2x4 rounded tile. This sticker says “Platform 9 and ¾… There is no such thing”. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 149.3

Place a black 2x2 corner plate on the 2 rightmost columns so it looks like the braille letter j.

### Step 149.4

Place a black 1x6 curved plate to the left of the front row of the ppp so the curve faces the front left and it overhangs to the left. Then place another 1 to the left of the back row of the 2x2 corner plate so the curve faces the front left and it overhangs to the left.

### Step 149.5

Flip your part upside down so the 2x4 rounded tile is in the front right corner and horizontal. Now horizontally place a tan 2x6 tile with a sticker on the back 2 rows so it overhangs 4 columns to the left. Then place a black 1x1 tile with a round side to the right of the back row of the ppp so the curve faces the right.

### Step 149.6

Skip this step if you have already placed your sticker! Ask a helper to place sticker 17 on the tan 2x6 tile. This sticker has brick grooves on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

### Step 149.7

Place a black 2x2 corner plate underneath the 4th and 5th columns from the left so it looks like the braille letter f.

### Step 149.8

Horizontally place the 3 leftmost columns of your part on the 3 rightmost columns of the previous part.

## Step 150

Hold your part upright so the 2x4 rounded tile is on the top right. Then place your part upright on the left-facing side studs of the main build so it is aligned with the curve and the back 2 rows of your part is aligned with the back 2 rows of the main build.

## Step 151

Place a curved axle connector on top of the top-facing bar that is underneath the roof, and on top of a round part of the train. Then attach a white cloud with a bar to the right-facing axle hole of the ppp so the flat side faces down. This is the smoke coming from the train engine!

## Step 152.1

Vertically attach the clip of a dark grey 1x2 plate with a clip to the front-facing bar that is underneath the leftmost column of the roof and to the left of the 4 axles so the studs face the left. Then place a brown 2x2 round tile with a sticker upright on it so 1 row overhangs to the bottom. Now put your build away while we make the next build!

### Step 152.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 15 on the brown 2x2 round tile. This sticker has a clock on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Building Instructions (Bag 5, Book 2):

## Group 16 - Ron Weasley

Sub-build 3. Locate 1 short dark grey pair of legs, 1 dark green torso printed with a blue zipper, 1 light tan head printed with eyes, lips, and a light brown eyelashes, and 1 light brown hair. Assemble your minifigure then put him away while we make his luggage cart!

You will have an extra brown 1x2 plate with a bar. Save it for later!

## Group 17 - Luggage Cart

Sub-build 4.1. Horizontally place a dark grey 2x3 plate in front of you. Then vertically place a black 1x2 hinge plate underneath, underneath the leftmost column. Then repeat symmetrically to the right.

Sub-build 4.2. Vertically place a dark grey 1x2 tile with an upright horizontal bar on the leftmost column so it slopes to the right. Then place a light grey 2x2 tile with a stud to the right of the ppp.

Sub-build 4.3. Horizontally place a green 1x2 plate with a bar on top of the ppp so it is centered horizontally on it and the bar faces the front. Then horizontally place a brown 1x2 plate with a bar from group 16 on top of the ppp so the bar faces the back. Now rotate the 2 ppp 45 degrees counterclockwise so the bars face the front right and back left. Then horizontally place a dark tan rat on top so the tail faces the left. Now put it away while we make the rest of the train station!

## Group 18 - Train Station

### Step 1

Horizontally place a black 2x10 plate in front of you. Then horizontally place a black 1x12 brick on the back row so it is centered horizontally.

### Step 2.1

Let’s make 2 identical parts! Place a black wheel in front of you. Then place a black 2x2 round plate with a pin underneath on top of the wheel. Now horizontally place a black 2x3 stair plate on the leftmost column so the lower side overhangs 2 columns to the left. Then repeat symmetrically to the right.

### Step 2.2

Now you should have 2 identical parts! Horizontally place your part underneath the leftmost column of the main build so 1 row is exposed to the front. Then repeat symmetrically to the right.

Step 3

Vertically place a brown 1x3 plate on the rightmost column so 1 row overhangs to the front.

Step 4

Horizontally place the back right corner of a dark grey 4x6 plate underneath the overhang of the ppp.

Step 5

Vertically place a brown 1x2 plate on the 2nd and 3rd rows from the front of the rightmost column. Then vertically place a brown 1x3 plate on the 2nd to 4th rows from the front of the 3rd column from the right. Then vertically place another 1 to the left of the ppp so there is a 1 column gap in between them.

Step 6

Horizontally place a dark grey 1x4 tile on the 4 rightmost columns of the 2nd row from the front. It should sit on 2 studs.

Step 7

Place a black 2x2 corner brick on the front right corner so it looks like the braille letter d and 1 row overhangs to the front. Then horizontally place a light grey 1x3 brick to the left of the back row of the ppp.

Step 8.1

Let’s make a part! Vertically place a black 1x4 plate in front of you. Then vertically place 2 black 1x4 bricks with pinholes, 1 in front of the other, on top of the ppp so together they are centered vertically. Now insert a black 2L pin into the front left-facing pinhole so the pin faces the left. Then repeat symmetrically to the back.

Step 8.2

Vertically place your part on the leftmost column so 6 rows overhang to the front and the pins face the left.

Step 9.1

Let’s make 2 identical parts! Place a black wheel in front of you. Then place a black 2x2 round plate with a pin underneath on top of the wheel. Now horizontally place a black 2x3 stair plate on the leftmost column so the lower side overhangs 2 columns to the left. Then repeat symmetrically to the right.

Step 9.2

Now you should have 2 identical parts! Horizontally place 1 part underneath the front 2 rows of the leftmost column so 5 columns are exposed to the right. Then repeat symmetrically to the right.

Step 10.1

Let’s make a part! Horizontally place a black 2x10 plate in front of you. Then horizontally place a black 2x8 slope brick on top so it is centered horizontally and slopes to the front. Then horizontally place a black 1x2 brick with a pinhole on the back left corner so 1 column overhangs to the left. Then repeat symmetrically to the right.

Step 10.2

Rotate your part 180 degrees then horizontally place it on the front 2 rows so it is centered horizontally.

Step 11

Horizontally place a light grey 1x2 log brick on the 6th and 7th columns from the left of the 2nd row from the front. Then repeat symmetrically to the back.

Step 12

Place a black 1x1 brick on the front right corner. Then place a brown 2x2 corner brick on the 6th and 7th columns from the right of the 2nd and 3rd rows from the front so it looks like the braille letter j. Then repeat symmetrically to the back.

Step 13

Horizontally place a light grey 1x3 brick on the 2nd to 4th columns from the right of the back row.

Step 14

Let’s make a part! Vertically place a black 1x4 arch brick in front of you. Then place a silver 1x1 round plate underneath the front row of the ppp. Now vertically place your part in front of the leftmost column of the 1x3 brick that is in the back right corner.

Step 15

Horizontally place a light grey 1x2 log brick on the front right corner. Then horizontally place a light grey 1x2 panel to the left of the ppp so the wall faces the back. Now horizontally place a light grey 2x4 brick behind the 2 ppp.

Step 16.1

Vertically place a light grey 2x8 brick on the 2 leftmost columns so it is centered vertically. Then horizontally place a light grey 1x2 log brick on the back row to the right of the ppp.

Step 16.2

Vertically place a light grey 2x8 brick to the right of the ppp so it is centered vertically. Then horizontally place a light grey 1x2 log brick on the back row to the right of the ppp.

Step 16.3

Repeat the previous step 2 more times to the right. Now you should have placed 4 2x8 bricks and 4 1x2 log bricks in total.

### Step 16.4

Vertically place a light grey 2x8 brick to the right of the ppp so it is centered vertically.

### Step 17

Horizontally place 4 light grey 1x2 panels on the front row in between the 5 previously placed 2x8 bricks so the walls face the back.

### Step 18

Place a dark grey 3x3 plate on the front right corner. Then place 2 more, 1 to the left of the other, to the left of the ppp. Horizontally place a dark grey 2x8 plate on the front 2 rows to the left of the ppp. Then horizontally place another 1 behind the ppp.

### Step 19

Horizontally place a dark grey 1x3 plate on the front row, to the left of the 2 ppp. Horizontally place the 3 rightmost columns of a light orange 2x4 plate behind the ppp. Then place a white 4x4 tile with 4 studs behind the ppp so the studs are on the left.

### Step 20

Horizontally place 2 white 3x4 tiles with 4 studs, 1 to the right of the other, to the right of the back 3 rows of the ppp. Then place the back 3 rows of a white 4x4 tile with 4 studs to the right of the ppp so the studs are on the right. Then vertically place a light orange 2x4 plate to the right of the ppp.

### Step 21

Vertically place a black 1x2 plate with 4 side studs on top of the right column of the ppp so it is centered vertically on it and the side studs face the right.

### Step 22.1

Place a light grey 1x1 tile on the 2nd row from the front of the 2nd column from the left.

Group 19 - Train Station

Group 20 - Train Station

Step 22.2

Place a white 1x1 tile behind the ppp. Then horizontally place 5 white 1x4 tiles, 1 to the right of the other, to the right of the ppp. Now place 3 light grey 2x4 tiles, 1 to the left of the other, on the front right corner. Then place a light grey 2x2 tile with a stud to the left of the ppp. Now horizontally place another light grey 2x4 tile to the left of the ppp. Then place a light grey 2x2 tile with a stud to the left of the ppp.

Building Instructions (Bag 6, Book 2):

Group 21 - Train Station

Step 23.1

Let’s make a part! Horizontally place a dark grey 1x4 plate in front of you. Then horizontally place a black 1x2 jumper plate on top so it is centered horizontally. Then place a black 1x1 plate to the left and right of the ppp.

Step 23.2

Place a silver 1x1 round plate on the leftmost column. Then place a black 1x1 round tile on top of the ppp. Then repeat both parts symmetrically to the right. Now place a light grey 1x1 round plate with a bar on top so it is centered horizontally and the bar faces the front.

Step 23.3

Horizontally place your part upright on the right-facing side studs so the bar faces down.

Step 24

Vertically place a light grey 1x2x2 brick with 2x2 side studs on the back right corner so the side studs face the right.

Step 25

Vertically place a dark grey 2x3 plate on the 2nd and 3rd columns from the left of the 2nd to 4th rows from the back. Then horizontally place the 2 leftmost columns of a white 1x6 plate in front of the ppp. Now horizontally place 2 more white 1x6 plates, 1 to the right of the other, to the right of the ppp. Then vertically place a dark grey 2x3 plate behind the 2nd and 3rd columns from the right of the ppp. Now place a dark grey 1x1 round plate to the right of the back row of the ppp.

Step 26

Let’s make a part! Horizontally place a black 2x12 plate in front of you. Then vertically place a red 1x2 ingot tile on the rightmost column.

Step 27

Place a brown 2x2 plate on the 2 leftmost columns. Then place 3 more to the right of the ppp so there is a 1 column gap in between each of them.

Step 28.1

Let’s make a part! Vertically place a dark grey 1x3 jumper plate in front of you. Then vertically place a brown 1x3x3 window frame on top so the ridged side faces the right. Now vertically place a brown 1x3 brick on top of the ppp. Then vertically place a white 1x3 plate on top of the ppp.

Step 28.2

Vertically place your part on the 6th column from the left so it is centered vertically.

Step 29

Place a sand blue 2x2 chair on the 2 leftmost columns so the back of the chair faces the left. Then place another 1 to the right so there is a 1 column gap in between them and the back of the chair faces the left. Now repeat both parts symmetrically to the right on the 2x2 plates.

Step 30.1

Place a dark blue 1x1 round tile printed with a gold pentagon on the front stud of the leftmost chair.

Group 22 - Train Station

Step 30.2

Place a brown 1x1 frog on the back stud of the 2nd chair from the left so it faces the front.

Step 30.3

Place a gold 1x1 round tile printed with a flame on the back stud of the 2nd chair from the right.

Step 30.4

Place a white 1x1 brick printed with jelly beans on the front stud of the rightmost chair so the print faces the front. Then place a white 1x1 pyramid tile on top.

Step 31

Rotate your part 180 degrees. Now horizontally place your part on the 8 studs of the 2 white 3x4 tiles with 4 studs that are on the 2nd to 4th rows from the back so it is centered horizontally and vertically on it.

Step 32.1

Let’s make a part! Horizontally place a red 1x8 brick with a sticker in front of you so the sticker faces the front. Then horizontally place a red 1x8 plate on top of and underneath the ppp.

## Step 32.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the red 1x8 brick. This sticker says Hogwarts Railways. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

## Step 32.3

Horizontally place 2 light orange 1x4 plates, 1 to the right of the other, on top.

## Step 32.4

Horizontally place a red 1x2x3 window frame on the 2 leftmost columns so the ridged side faces the front. Then horizontally place 2 more to the right so there is a 1 column gap in between each of them. Now attach a glass pane to the front of each of the 3 ppp.

## Step 32.5

Place a red 1x1x3 brick on the 3rd column from the left. Then repeat symmetrically to the right.

## Step 32.6

Horizontally place your part on the 7th to 14th columns from the left of the 4th row from the front so the glass panes face the front.

Step 33

Horizontally place 3 dark grey 1x3 jumper plates, 1 behind the other, behind the previous part so together they are centered horizontally to it and overhang 1 column to the left and right.

Step 34

Vertically place a light orange 2x4 plate on the 3 ppp and previous part so there is no overhang. Then horizontally place a dark grey 1x2 slope tile on the front row of the ppp so it slopes to the front. Then repeat symmetrically to the back.

Step 35.1

Vertically place a red 1x2x2 brick with 2x2 side studs on the 2nd and 3rd rows from the back of the 2nd column from the left so the side studs face the left. Then vertically place a red 1x2x2 brick with 2x2 side studs in front of the ppp so the side studs face the left.

## Step 35.2

Vertically place a light orange 1x4 plate on top of the 2 ppp. Now vertically place a red 1x4x3 window frame on top of the ppp so the ridged side faces the right.

Step 36

Horizontally place a red 1x4x5 door with a window to the right of the front row of the ppp so the stud is on the left and it opens to the front. There are 2 orientations of this piece, make sure you have the right one! Now attach a glass pane to the back-facing side of the window.

Step 37.1

Horizontally place a light orange 2x8 plate in front of you. Then horizontally place 4 dark grey 1x2 slope tiles, 1 to the right of the other, on the back row so they slope to the back. Horizontally place a dark grey 2x6 plate on the front left corner so 1 row overhangs to the front.

Step 37.2

Horizontally place a light orange 2x8 plate underneath the front row so 1 row is exposed to the front and 2 columns are exposed to the right.

Step 37.3

Horizontally place 4 dark grey 1x2 slope tiles, 1 to the right of the other, on the front row so they slope to the front.

Step 37.4

Place a dark grey 2x2 tile on the 2 leftmost columns. Then place a black 2x2 tile with a stud to the right of the ppp. Then place a black 1x1 round tile on top of the ppp. Now place a dark grey 2x2 tile to the right of the ppp.

Step 37.5

Horizontally place the leftmost column of your part on the 1x4x3 window frame that is on the 2nd to 5th rows from the back of the 2nd column from the left. It should sit to the left of a 2x4 plate with 2 1x2 slope tiles.

Step 38

Vertically place a red 1x2 ingot tile to the right of the rightmost 2x2 chair that is on the 9th and 10th columns from the right.

Step 39

Horizontally place 2 dark grey 1x3 jumper plates, 1 in front of the other, to the right of the ppp.

Step 40

Place a red 1x1x2 brick with 2 side studs in front of the 2 ppp so it is centered horizontally to them and the side studs face the right. Then vertically place a red 1x2 ingot tile upright on the right-facing side studs of the ppp. Now repeat both parts symmetrically to the back.

Step 41

Let’s make a part! Place a black 2x2 slope brick in front of you so it slopes to the left. Then place a black 1x1 brick with a bottom lip on the back row so the side stud faces the right.

Step 42

Place a black 1x1 brick on the front row. Then place a silver 1x1 round plate upright on the right-facing side stud.

Step 43

Vertically place a black 1x2x2 window frame on top so the ridged side faces the right. Now attach a transparent glass pane to the right-facing side.

Step 44

Horizontally place 2 black 1x2 jumper plates, 1 in front of the other, on top so they overhang 1 column to the left.

Step 45

Vertically place a dark grey 1x2 plate with 2 upright side studs on top so the side studs face the right. Now rotate your part 90 degrees clockwise so the side studs face the front. Then place a black 1x1 quarter circle tile upright on the left front-facing side stud so the curve faces the top left. Then repeat symmetrically to the right. Now rotate it 90 degrees counterclockwise.

Step 46

Place your part on the 2 1x3 jumper plates that are on the 3rd to 5th columns from the right so the glass pane faces the right.

Step 47

Place a light orange 1x1 plate behind the previous part so it sits on the 1x1x2 brick with 2 side studs. Then place a red 1x1x3 brick on top of the ppp. Now repeat both parts symmetrically to the front.

Step 48

Horizontally place a red 1x4x5 door with a window to the left of the ppp so the stud is on the right and it opens to the front. Then attach a glass pane to the back-facing side of the window.

Step 49

Horizontally place a tan 1x6x5 panel on the back right corner so the wall faces the back. Then place a light grey 1x2 brick with a pinhole and a 1x2 plate on the 2 leftmost columns of the ppp so the pinhole faces the back and it overhangs to the front.

Group 23 - Train Station

Group 24 - Train Station

Step 50.1

Let’s make a part! Let’s make part of the train roof! Horizontally place a light orange 2x8 plate in front of you. Then horizontally place 4 dark grey 1x2 slope tiles, 1 to the right of the other, on the back row so they slope to the back.

## Step 50.2

Horizontally place a dark grey 2x6 plate on the 6 rightmost columns so it overhangs 1 row to the front. Now horizontally place a light orange 2x8 plate underneath the overhang so 1 row is exposed to the front and 2 rows are exposed to the left.

## Step 50.3

Horizontally place 4 dark grey 1x2 slope tiles, 1 to the right of the other, on the front row so they slope to the front.

## Step 50.4

Place a dark grey 2x2 tile on the 2 rightmost columns. Then place a black 2x2 tile with a stud to the left. Now place a black 1x1 round tile on top of the ppp. Now place a dark grey 2x2 tile to the left of the ppp.

## Step 50.5

Horizontally place your part to the right of the 2x4 plate with 1x2 slope tiles on the front and back row that are on the 2nd to 5th rows from the back. Your part should be aligned with all the other slope tiles that are already placed.

Step 51.1

Let’s make a part! Horizontally place a dark grey 2x6 plate in front of you. Then place a dark grey 2x2 tile on top so it is centered horizontally. Now place a dark grey 2x2 tile with a stud to the left of the ppp. Then place a black 1x1 round tile on top of the ppp. Now repeat both parts symmetrically to the right.

## Step 51.2

Horizontally place your part in the 2x6 gap made by the 1x2 slope tiles of the train roof.

Building Instructions (Bag 7, Book 2):

Group 25 - Train Station

Step 52

Place a tan 1x1x5 brick on the 2nd row from the back of the rightmost column.

Step 53

Horizontally place a tan 1x3 brick on the 2nd to 4th columns from the right of the back row. Then horizontally place a tan 1x2 brick on the 2 rightmost columns of the ppp.

Step 54

Vertically place a tan 1x2x2 brick with 2x2 side studs on the back right corner so the side studs face the right. Then vertically place a tan 1x2 rounded plate on top of the ppp.

Step 55

Horizontally place a tan 1x2x5 brick on the front left corner.

Step 56.1

Vertically place a tan 1x6x5 panel with a sticker on the leftmost column, behind the ppp so the wall faces the left.

Step 56.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 12 on the tan 1x6x5 panel. This sticker has a light grey mirror. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 57

Place a tan 2x2 corner brick on the front left corner so it looks like the braille letter h.

Step 58.1

Let’s make a part! Place a dark grey 1x1 plate in front of you. Then place a light grey 1x1 plate with a side stud hanging down on top so the side stud faces the right.

Step 58.2

Place a black 1x1 plate with a side stud sticking up on top so the side stud faces the right. Now place a black 1x1 plate with an upright side stud on top of the ppp so the side stud faces the right. Then place a black 2x2 tile with a sticker upright on the 2 right-facing side studs so 1 column overhangs to the front.

Step 58.3

Skip this step if you have already placed your sticker! Ask a helper to place sticker 6 on the black 2x2 tile. This sticker has a red, green, yellow, and blue logo on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

## Step 58.4

Place your part on the 3rd row from the front of the leftmost column so the upright tile faces the right.

### Step 59

Rotate your build 180 degrees. Now horizontally place a tan 1x2x5 brick on the front right corner.

### Step 60

Place a tan 2x2 corner brick on the front right corner so it looks like the braille letter j. Then vertically place a tan 1x3 brick on the rightmost column behind the ppp.

### Step 61

Horizontally place a tan 1x2x5 brick on the 3rd and 4th columns from the right of the front row. Then horizontally place a tan 1x2 brick on top of the ppp.

### Step 62

Horizontally place 2 tan 1x6x6 rounded door frames, 1 to the left of the other, to the left of the ppp so the round sides of the pillars face the front.

### Step 63

Horizontally place a tan 1x4 brick on the front row of the 4th to 7th columns from the left. Then horizontally place a tan 1x2 brick on the front row of the 10th and 11th columns from the right so it sits in the 1x2 gap. Then horizontally place a tan 1x4 brick on the front row of the 2nd to 5th columns from the right.

### Step 64

Place a dark grey 2x2 corner plate on the front left corner so it looks like the braille letter h. Then horizontally place 3 dark grey 1x6 plates, 1 to the right of the other, to the right of the front row of the ppp. Now place a dark grey 1x1 plate to the right of the ppp.

### Step 65.1

Vertically place a tan 1x2 brick on the front left corner. Then horizontally place a black 1x2 plate with 2 clips on the front row to the right of the ppp so the clips face the back. Now horizontally place a dark tan 1x4 plate to the right of the ppp.

## Step 65.2

Horizontally place a black 1x2 plate with 2 clips on the front row to the right of the ppp so the clips face the back. Now horizontally place a dark tan 1x4 plate to the right of the ppp.

## Step 65.3

Repeat the previous step again. Then horizontally place a black 1x2 plate with 2 clips to the right of the ppp so the clips face the back.

### Step 66.1

Let’s make 4 identical parts! Horizontally place a tan 1x2x2 brick with 2x2 side studs in front of you so the side studs face the back. Now horizontally stack 2 tan 1x2 rounded plates on top.

## Step 66.2

Now you should have 4 identical parts! Horizontally place each of them on each of the 1x2 plates with 2 clips that are on the front row so the side studs face the back.

### Step 67.1

Let’s make 3 identical parts! Horizontally place a dark tan 1x4 masonry brick in front of you so the brick grooves face the back. Then horizontally place a dark tan 1x4 plate on top. Now horizontally place another dark tan 1x4 masonry brick on top so the brick grooves face the back. Now horizontally place a dark tan 1x2 brick with 2 side studs on top of the ppp so it is centered horizontally and the side studs face the back.

## Step 67.2

Horizontally place your parts on the front row in between each of the previous 4 parts so the side studs face the back.

### Step 68

Horizontally place a tan 1x3 brick on the 2nd to 4th columns from the right of the front row. Then horizontally place a tan 1x4 brick on the 7th and 8th columns from the right of the front row so it sits in between the 1x2 bricks with side studs. Now repeat both parts symmetrically to the left.

### Step 69.1

Lay your build on its front-facing side so the anti-studs face the back. Place a tan 1x1 quarter circle tile on the rightmost top-facing side stud that is the front, on the 2nd column from the right so the curve faces the front left. Now place the back row of a tan 1x3 curved tile to the left of the ppp so the curve faces the front right.  Then place another 1 to the left of the ppp so it is symmetrical to it.

## Step 69.2

Place a tan 1x3 curved tile to the left of the ppp so the curve faces the front right. Then place another 1 to the left of the ppp so it is symmetrical to it.

## Step 69.3

Place a tan 1x3 curved tile to the left of the ppp so the curve faces the front right. Then place another 1 to the left of the ppp so it is symmetrical to it. Now place a tan 1x1 quarter circle tile to the left of the back row of the ppp so the curve faces the front right.

Step 70.1

Let’s make 4 identical parts! Place a black 1x1 telescope bar in front of you. Then place a black 1x1 round plate on top of the ppp. Now place a black curved bar with a stud and an axle on top so the stud faces the right and the axle faces the front. Now horizontally attach a black T-shaped bar underneath your part so the other ends of the bar faces left and right.

Step 70.2

Now you should have 4 identical parts! Horizontally attach the T-shaped bar of 1 part to the 2 rightmost top-facing clips so the axle faces the back. Then repeat again to the other 3 sets of 2 clips that are to the left.

Step 71

Horizontally place your main build upright so it is horizontal and the 4 axles curve to the front. Now vertically place a tan 1x2x2 brick with 2x2 side studs on the front left corner so the side studs face the left. Then vertically place a light grey 1x2 brick with a handle on top of the ppp so the handle faces the back.

Step 72.1

Rotate your build 180 degrees. Now vertically place a tan 1x6x5 panel with a sticker on the rightmost column so it is centered vertically and the wall faces the left.

Step 72.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 11 on the tan 1x6x5 panel. This sticker is a light grey mirror. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 73

Horizontally place a tan 1x2x5 brick on the front left corner.

Step 74

Place a dark tan 2x2 corner plate on the front left corner so it looks like the braille letter h. Then vertically place a dark tan 1x4 plate behind the left column of the ppp. Now horizontally place the leftmost column of a dark tan 2x3 plate behind the ppp.

Step 75.1

Let’s make a part! Horizontally place a dark tan 2x8 plate in front of you. Then place a tan 2x2 tile on the rightmost column so 1 column overhangs to the right. Now horizontally place a dark tan 2x8 plate underneath the rightmost column so 7 columns are exposed to the right.

Step 75.2

Horizontally place a tan 2x4 tile to the left of the 2x2 tile. Then repeat symmetrically to the right.

Step 75.3

Horizontally place your part to the right of the 2x3 plate that is in the back left corner so 1 row overhangs to the front.

Step 76

Horizontally place a dark tan 2x3 plate on the back right corner so 2 studs overhang to the front. Then place a tan 2x2 tile on the back right corner.

Step 77

Vertically place a tan 1x4 tile on the back left corner. Then vertically place a tan 1x2 ingot tile to the right of the back 2 rows of the ppp.

Step 78.1

Place a light brown 1x1 plate with 2 side studs hanging down on the 2nd column from the left of the front row so the side studs face the right. Now place a black 4x4 round tile with a sticker upright on the right-facing side studs of the ppp so it is centered vertically and 2 columns overhang to the front.

Step 78.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 10 on the black 4x4 round tile. This sticker says 9 and ¾ on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Building Instructions (Bag 8, Book 2):

Group 26 - Train Station

Group 27 - Train Station

Step 79

Let’s make a part! Horizontally place a black 1x10 plate in front of you. Then horizontally place a black 1x6 plate on the 6 rightmost columns.

Step 80

Horizontally place a black 1x10 plate on the 4 leftmost columns so 6 columns overhang to the left.

Step 81

Horizontally place a black 1x2 plate underneath the 5th and 6th columns from the left.

Step 82

Horizontally place a black 1x10 plate underneath the 4 leftmost columns so 6 columns are exposed to the left.

Step 83

Horizontally place a black 1x6 plate on the 6 leftmost columns.

Step 84

Stack 2 black 1x1 bricks with a clip on the rightmost column so the clips face the front.

Step 85

Horizontally place 3 clear 1x2x2 panels, 1 to the left of the other, to the left of the 2 ppp so the walls face the back. Now stack 2 black 1x1 bricks to the left of the 3 ppp. Then horizontally place 3 clear 1x2x2 panels, 1 to the left of the other, to the left of the 2 ppp so the walls face the back. Now stack 2 black 1x1 bricks to the left of the 3 ppp. Then finally horizontally place 3 clear 1x2x2 panels, 1 to the left of the other, to the left of the 2 ppp so the walls face the back.

Step 86

Vertically place a black 1x2 brick with 2 side studs on the leftmost column so 1 row overhangs to the front and the side studs face the left. Then vertically place a black 1x2 slope brick on top of the ppp so it slopes to the front.

Step 87

Horizontally place a black 1x6 plate on the 6 rightmost columns. Then repeat symmetrically to the left. Now horizontally place a black 1x10 plate in between the 2 ppp.

Step 88.1

Let’s make a part! Horizontally stack 2 black 1x3 plates. Then horizontally place a light grey 1x2 plate with a bar underneath the 2 leftmost columns so the bar faces the left. Then horizontally place another 1 on top of the 2 leftmost columns so the bar faces the left.

### Step 88.2
Place a dark tan 1x1 round plate underneath the rightmost column and another 1 on top of the rightmost column. Horizontally place a black 1x2 plate with 2 anti side studs on the 2 rightmost columns so the anti-studs face the right.

### Step 88.3
Horizontally place a tan 1x2 ingot tile on the 2 rightmost columns. Now horizontally place a black 1x2 plate with 2 anti side studs underneath the 2 rightmost columns so the anti-studs face the right.

### Step 88.4
Vertically attach the bars of your part to the 2 front-facing clips that are on the rightmost column so the upright anti-studs face the front.

## Group 28 - Train Station

### Step 89
Let’s make another part! Place a black 1x1 round plate in front of you. Then vertically place a black 1x6x5 half arch brick on top so it overhangs to the back and slopes down to the front.

### Step 90
Horizontally place a tan 1x3 tile on the back row so it overhangs 2 columns to the right.

### Step 91
Horizontally place a transparent 6x6x5 half arch panel underneath the 2 rightmost columns so it slopes to the front.

### Step 92
Horizontally place a tan 1x8 tile on the back row so 4 columns overhang to the right.

### Step 93
Vertically place a black 1x6x5 half arch brick underneath the 4th column from the right so it slopes to the front. Now place a black 1x1 round plate underneath the front row of the ppp. Now horizontally place a transparent 6x6x5 half arch panel underneath the 3 rightmost columns so it slopes to the front and 3 columns overhang to the right.

### Step 94
Horizontally place a tan 1x8 tile on the 3 rightmost columns so 5 columns overhang to the right.

Step 95

Vertically place a black 1x6x5 half arch brick underneath the 5th column from the right so it slopes to the front. Now place a black 1x1 round plate underneath the front row of the ppp. Now horizontally place a transparent 6x6x5 half arch panel underneath the 4 rightmost columns so it slopes to the front and 2 columns overhang to the right.

Step 96

Horizontally place a tan 1x3 tile on the 3 rightmost columns so 1 column overhangs to the right.

Step 97

Vertically place a black 1x6x5 half arch brick underneath the rightmost column from the right so it slopes to the front. Now place a black 1x1 round plate underneath the front row of the ppp.

Step 98

Flip your part upside down so it is horizontal and slopes to the back. The lower row should be in the front. Now horizontally place a black 1x2 plate on the front right corner. Then repeat symmetrically to the left.

Step 99

Horizontally place 2 tan 1x2 plates with 2x2 anti side studs, 1 to the right of the other, on the 3rd to 6th columns from the right of the front row so the anti-studs face the front. Then repeat symmetrically to the left.

Step 100

Horizontally place a black 1x10 plate on the front row so it is centered horizontally.

Step 101

Horizontally place a black 1x10 plate on the front right corner. Then repeat symmetrically to the left.

Step 102

Bring back your previous part and orient it in front of you so it is horizontal and the side studs face the right. Now flip your current part over and horizontally place the back row of your part on the top of the previous part so it overhangs to the front and slopes to the back.

Step 103

Bring back your main build and rotate your part 180 so it slopes to the back and the anti-studs of the 1x2 plates with 2x2 anti side studs are in the front and face down. Now horizontally place the bottom-facing

antistuds of your part on the back 2 rows so it is centered horizontally and slopes to the back. Make sure you attach the part with the 1x6x6 curved panels and 1x1 round plates.

Step 104

Lift up the 4 curved bars with an axle and a stud that are underneath the previous part so they hold up the roof.

Group 29 - Train Station

Step 105

Let’s make a part! Place a light grey 2x2 plate with 2 side studs in front of you so the side studs face the right. Then horizontally place a tan 1x3 inverted arch brick on the back row so it slopes and overhangs 1 column to the left.

Step 106

Horizontally place a tan 1x3 inverted arch brick on the front row so it slopes and overhangs 1 column to the left.

Step 107

Vertically place a tan 1x2 ingot tile on the rightmost column.

Step 108

Place a brown 2x2 plate upright on the right-facing side studs so 1 row sticks up.

Step 109

Place a black 2x2 tile upright on the right-facing side studs.

Step 110

Horizontally place a tan 2x12 plate underneath the leftmost column so 11 columns are exposed to the right. Then vertically place a tan 1x2 ingot tile on the rightmost column of studs.

Step 111.1

Horizontally place a tan 2x6 tile with a sticker to the left of the ppp.

Step 111.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 14 on the tan 2x6 tile. This sticker has a wanted poster with Sirius Black on it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 112

Vertically place a tan 1x2 ingot tile to the left of the ppp.

Step 113.1

Let’s make a part! Horizontally place a black 2x4 rounded tile with a sticker upside down in front of you.

Step 113.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 7 on the black 2x4 rounded tile. This sticker says “Do you really have the scar?”. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 113.3

Place a black 2x2 corner plate on the 2 leftmost columns so it looks like the braille letter h.

Step 113.4

Place a black 1x6 curved plate to the right of the front row of the ppp so the curve faces the front left and it overhangs to the left. Then place another 1 to the right of the back row of the 2x2 corner plate so the curve faces the front left and it overhangs to the left.

Step 113.5

Flip your part over so the 2x4 rounded tile is in the front right corner and vertical. Now horizontally place a tan 2x6 tile with a sticker on the back 2 rows so it overhangs 4 columns to the right. Then place a black 1x1 tile with a round side to the left of the back row of the ppp so the round side faces the left.

Step 113.6

Skip this step if you have already placed your sticker! Ask a helper to place sticker 17 on the tan 2x6 tile. This sticker has brick grooves on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 113.7

Place a black 2x2 corner plate underneath the 4th and 5th columns from the right so it looks like the braille letter j.

Step 113.8

Horizontally place the 3 rightmost columns of your part on the 3 leftmost columns of the previous part.

Step 114

Place your part upright on the right-facing side studs of the main build so it is aligned with the curve and the back 2 rows of your part is aligned with the back 2 rows of the main build.

Step 115.1

Let’s make a part! Vertically place a light grey 1x2 plate with a clip in front of you so the clip faces the right. Then horizontally place a red 2x3 tile with a sticker on top so 2 columns overhang to the left.

Step 115.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the red 2x3 tile. This sticker says 9 ¾ and Hogwarts Express. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 116

Bring back your previous build from the first instruction booklet and horizontally attach it to the left-facing pins of your current build so the roof slopes to the back.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let’s feature your build on our Builders page. It’s easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please signup for our newsletter and follow us on Facebook and Instagram to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind are able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a $5 donation at https://www.gofundme.com/f/bricks-for-the-blind-gofundme. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please sign up for our newsletter and follow us on Facebook and Instagram to be the first to know when new instructions are available!

At the end of the instruction booklets, there are no ads.