

76786 Morticia's Cottage

Set adapted by Phineas Shapiro-Braddock and tested by Natalie Charbonneau.

Adventures await Wednesday fans aged 10 and up with a fun modular building activity for kids and families in this imaginative Morticia's Cottage (76786) LEGO® Wednesday Addams playset. The model house building kit features a 6-room, 2-floor, brick-built cottage with opening sides, featuring a fully equipped kitchen, living room with fireplace, bedroom, séance room and a bathroom. There's also a buildable family car, loads of play starters and accessories, and 4 mini-doll figures to inspire role play, including Bianca Barclay, Lurch, Morticia Addams and Wednesday Addams.

This set is an interactive playset, including an entertaining building activity and a set that you can play through scenes from the show. It also includes a car that fits 4 minifigures.

Inspire imagination – LEGO® Wednesday sets encourage mystery fans in their quest for truth, with building options, creative details and a bit of dark humor to expand storytelling skills and creativity. Dimensions – Featuring a 1,002-piece modular Wednesday toy cottage that, when closed, measures over 8 in. (21 cm) high, 7.5 in. (19 cm) wide and 4.5 in. (12 cm) deep.

On the left side of the front of the box, it displays some of the stats of the set, the Lego and Wednesday logos, and a picture of Wednesday from the show with Thing on her shoulder. On the bottom right corner, it shows the different mini dolls in the set. In the middle is a picture of the fully put together set, with the mini dolls out front. The car is off to the side with a chest on top, and the background is the forest, in print, not Lego.

The back shows the cottage taken apart to show the 6 different rooms. There is the Addams' car, and rooms with the front door, a mini kitchen, the bedroom, the bathroom, a living room with a chair and fireplace, and a room where Morticia is spiritually connected with an orb. There are also smaller pictures showing how the cottage can come apart to get to the different rooms, and pictures with the characters interacting.

The top of the box shows the different mini dolls 1:1 to the Lego pieces. Lurch is standing next to a spider and has an umbrella, Bianca has a checklist and pen, Morticia has Goody's book, with Wednesday giving her the cold shoulder.

This set has 1002 pieces and is for ages 10+. There are 8 plastic bags with Lego pieces, and a brown package that you have to open with 4 different instructions booklets. There are also 2 sticker sheets in the paper package.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers:

bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front:
towards you. - Behind/Back:
away from you. - Up: towards
the ceiling.

- Down: towards the floor.

- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it. - Vertically: with the longest side going from front to back

- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner who may want to follow along with the printed visual instructions that come with each set, PDF versions are always online at [\[https://www.lego.com/en-us/service/buildinginstructions/76786\]](https://www.lego.com/en-us/service/buildinginstructions/76786): As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

To begin a successful build, it helps to sort the pieces into groups, bags or small containers. Have a sighted friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted into groups according to the building steps in the set. Doing this in advance makes locating the pieces easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers or meaningful names. The parts will be collected into a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2 and 3, and put them in one container.

This set comes with 8 bags, 2 sticker sheets, and 4 instruction booklets. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 – Lurch and half of the car, first booklet

Note that this bag includes a minifigure and an orange connector tool.

Group 1: Page 5

Group 2: Steps 1-7

Group 3: Steps 8-15

Group 4: Steps 16-20

Group 5: Steps 21-22

Bag 2 – Second half of car, first booklet

Group 6: Steps 23-31

Group 7: Steps 32-37
Group 8: Steps 38-43
Group 9: Steps 44
Group 10: Step 45

Bag 3 – First half of the first building, second booklet Note that this bag has a minifigure.

Group 11: Page 2
Group 12: Steps 1-5
Group 13: Steps 6-9
Group 14: Steps 10-18
Group 15: Steps 19-26
Group 16: Steps 27-29
Group 17: Steps 30-35

Bag 4 – Second floor of first building, second booklet

Group 18: Steps 36-42
Group 19: Steps 43-46
Group 20: Steps 47-52
Group 21: Steps 53-59
Group 22: Steps 60-65
Group 23: Steps 66-73
Group 24: Steps 74-83
Group 25: Steps 84-94

Bag 5 – First floor of second building, third booklet Note that this bag includes a minifigure.

Group 26: Page 2
Group 27: Steps 1-8
Group 28: Steps 9-17
Group 29: Steps 18-28
Group 30: Steps 29-32
Group 31: Steps 33-38
Group 32: Step 39
Group 33: Steps 40-41

Bag 6 – Second floor of second building, third booklet

Group 34: Steps 42-49
Group 35: Steps 50-58
Group 36: Steps 59-66
Group 37: Steps 67-73
Group 38: Steps 74-81
Group 39: Steps 82-88

Bag 7 – First floor of third building, fourth booklet

Group 40: Page 2 (minifigure)
Group 41: Steps 1-9
Group 42: Steps 10-17
Group 43: Steps 18-27
Group 44: Steps 28-31
Group 45: Steps 32-35
Group 46: Steps 36-37

Bag 8 – Second floor of third building, fourth booklet

Group 47: Steps 38-47
Group 48: Steps 48-55
Group 49: Steps 56-60

Group 50: Steps 61-68
Group 51: Steps 69-72
Group 52: Steps 73-77

Time to build!

Building instructions (Bag 1)

Group 1 – Lurch

First, we'll make the Lurch figurine. Locate the pair of long black skinny legs and the small pair of jet-black boots. Start by placing the legs on the boots, with the back edge of the feet going into the taller end of the boots. Next, locate the torso wearing a black suit and place it on the legs so the arms face the same way as the feet. After that, locate the skin-colored head and hair piece. Place the head on so that the nose, which you can feel on the face faces the same way as the arms. Place the hair on the head so the longer end is on the back of his head. Lastly, locate the umbrella and place it in his hand and he is complete!

Group 2 – Starting the car (Steps 1-7)

Step 1

Locate a light grey 2x6 plate with 2 round corners, and a light grey 2x2 skinny curved corner tile. Place the 2x6 plate horizontally in front of you with the round corners facing away from you. Place the tile on the plate so it covers the corner on the right side.

Step 2

Locate another 2x2 light grey skinny curved corner tile and a 2x2 jumper plate with 2 studs. Place the curved corner tile symmetrical to the other one, covering the left corner. Place the jumper plate between them with the studs on the front row.

Step 3

Locate a 2x4 dark grey plate and place it under the 2x6 plate vertically, and centered horizontally so the 2 rows sticking out are facing you.

Step 4

Locate a 1x4 light grey plate and place it horizontally centered on the back open row of the 2x4 plate, creating a stud of overhang on the left and right sides.

Step 5

Locate a 2x3 red plate and place it on the last open row of the 2x4 plate centered vertically, so there are 2 rows of overhang facing you.

Step 6

Locate a 2x12 dark grey plate and place it under the overhanging studs of the 2x3 red plate centered vertically so 10 rows stick out facing you and it's on the same level as the 2x4 dark grey plate from step 3.

Step 7.1

Set what you currently have aside, and locate a dark grey 4x8 plate and a light grey 2x8 plate with a door rail meaning it only has a 1x8 row of studs. Place the dark grey plate centered vertically in front of you and place the 2x8 plate under it, so the 1x8 row is under the left most row of the big plate, covering the studs completely.

7.2 Locate another light grey 2x8 plate with a door rail and place it symmetrical to the other one, on the rightmost side with all the studs completely covered.

7.3 Locate 8 black 2x2 sloped bricks that look like 1x2 bricks with a 1x2 plate extending from the middle of each of them. Place them along the edges of the 4x8 plates and door rails, so the extended 1x2 plates cover both the leftmost and rightmost columns. They will fit in nicely but be careful because this is tricky. This will leave 2 8 stud rows of the dark grey plate open.

7.4 Place this vertically on the build from steps 1-6, as far down as it can go meaning it is up against the red 2x12 plate and leaving 2 2 stud rows of the 2x12 plate open at the front.

Group 3: Continuing the car (Steps 8-15)

Step 8

Locate a light blue 2x3 plate and place it vertically centered over the last open studs of the 2x12 plate. There will be 1 row of overhang.

Step 9

Locate a dark grey 2x4 plate and place it under the overhang row of the 2x3 blue plate, oriented vertically and extending past the 2x12 plate on the same level.

Step 10

Locate a light grey 1x4 plate and 2 1x1 round plates. Place the 1x4 plate down horizontally and place the studs on the far left and right studs of that plate. Place that on the 2x4 plate from the last step centered horizontally on the 3rd row from the front, so there is a stud of overhang on the left and right sides.

Step 11.1

Locate a light grey 2x6 plate with 2 round corners, and a light grey 2x2 skinny curved corner tile. Place the 2x6 plate horizontally in front of you with the round corners facing away from you. Place the tile on the plate so it covers the corner on the right side.

11.2 Locate another 2x2 light grey skinny curved corner tile and a 1x2 light grey tile. Place the curved corner tile symmetrical to the other one, covering the left corner. Place the 1x2 tile between them, on the back row.

11.3 Place this mini build centered horizontally symmetrically to the last one, so the curved corners face you.

Step 12

Locate 2 1x10 light grey plates and a 2x4 dark grey plate. Place the 2x4 plate directly behind the 1x2 tile from the last step, going back to cover 2 rows of the blue plate from step 8. Place the 2 1x10 plates directly behind that, vertically and placed next to each other, continuing one to 1 row behind the black sloped bricks from step 7.

Step 13

Locate a 2x3 red brick and place it directly behind the 1x10 plates, oriented vertically.

Step 14.1

Locate a red 2x4 sloped brick and place it centered horizontally in front of the brick from the last step. It should slope down towards you.

14.2 Locate 4 red 1x2 jumper plates and place them side by side across the rows in front of the sloped 2x4 brick.

Step 15.1

Locate a 1x2 tan plate and a red 2x2 sloped brick. Place the 2x2 brick on the 1x2 plate so the bottom levels out. Place this on the left side of the car in front of 2 of the 1x2 jumper plates. It should be sloped towards you again.

15.2 Locate a red 2x2 jumper plate with 2 studs. Place this to the right of the sloped brick from 15.1, with the studs on the back row of the plate.

Group 4: Continuing the car (Steps 16-20)

Step 16

Locate a light blue 1x2 tile and a light grey 1x2 jumper plate. Place the jumper plate on the frontmost row, on the front row of the 2x4 plate from step 12. Place the tile directly behind it, both plates centered horizontally.

Step 17

Locate 4 2x2 corner plates with 3 studs and stack them 2 make 2 stacks of 2 plates. Place one stack left and frontmost, with a column alongside the plates from step 16 and the last stud on the front of the 2 rows. Place the other stack symmetrically to that stack.

Step 18

Locate a 2x4 dark grey brick and place it behind the plates from step 16, centered vertically.

Step 19

Locate a tan 1x4 plate directly behind the brick from step 18, centered horizontally. Locate a 2x2 tan plate and place it on the 2 back rows of the 2x3 red brick from step 13.

Step 20.1

Locate a black 1x6 plate and 2 1x2 light grey brackets with 1x2 studs sticking up. Place the 2 brackets down horizontally next to each other, with the 1x2 studs sticking up facing you. Place the 1x6 plate on those, centered horizontally, leaving 1 stud of overhang each to the left and right.

20.2 Locate 2 1x1 black plates and place them on either side of the brackets, on the underside of the black 1x6 plate creating no overhang on the mini build.

20.3 Locate a light grey 1x2 tile and place sticker #1 on the flat side. This sticker is the license plate for the car, showing the text "ADD4M5". Place this centered horizontally on the brackets, leaving 1 stud sticking up on either side. Locate the 2 1x1 round red transparent tiles and place them either side of the license plate.

20.4 Flip the base of the car around 180 degrees, so you are on the side of the 2x3 red brick. Place this license plate-build on the front row, where there are 2 studs to place it on. Make sure it is centered horizontally.

Group 5: Finishing off bag 1 (Steps 21-22)

Step 21.1

Flip the build so it's upside down, and the side with the 2x3 red bricks is facing away from you.

21.2 Locate the 2 red 1x10 plates and place them centered vertically on the 2x12 plate, leaving 1 row of the 2x12 plate at the front and back. Locate 2 dark grey 2x4 bricks with divots in the middle and 1x2 bricks with axle holes on the sides. Place them directly in front of and behind the red 1x10 plates, centered horizontally.

Step 22.1

Flip the car so it's right side up and the license plate side is facing you.

22.2 Locate the 4 black 2x2 bricks with wheel arches, which will feel like a half oval. Place them on top of the 1x2 brick parts of the 2x4 bricks from step 21.2, with the arches facing away from the car.

Congratulations, you've completed the 1st bag of the build!

Bag 2:

Group 6: Continuing the car (Steps 23-31)

Step 23.1

Make sure the license plate side of the car is facing you. Locate a tan 1x2 brick with 2 studs on one side. Place this directly in front of vertical 2x4 brick towards the back, on the 2nd and 3rd columns from the left side with the studs on the side pointing towards you.

23.2 Locate a tan 1x2 log brick, which has 2 round grooves. Place it to the right last brick, fully covering the 1x4 plate.

Step 24

Locate a tan 1x4 plate and place it on top of the bricks from step 23.

Step 25

Locate 3 1x2 tan panel bricks with thin central dividers. Place 2 of them across the red 1x2 jumper plates in the middle of the car, taking up all the studs and make sure the panels are facing away from you. Place the last brick directly in front of the log brick, with the panel again on the far side away from you.

Step 26

Locate 2 1x3 black curved slope bricks. They are raised for one antistud to make the bottom different levels. Place one vertically on both front leftmost and front rightmost sides so they connect to the black tire rims. They are raised to reach the higher level of the tire rims. They should be sloped down facing you.

Step 27

Locate a tan 2x4 plate and place it between the back 2 rows of the 1x3 sloped bricks.

Step 28.1

Locate 2 1x2 black slope bricks that are about the height of a regular brick. Place them in the front row, with the slope pointing down towards you. They will fit in nicely between the other bricks.

28.2 Locate 2 2x2 jumper plates with 2 studs on one side. Place them behind those slope bricks, which will be leveled at the top. They should be on top of the tan 2x4 plate from step 27 and the studs should be on the far side away from you.

Step 29

Flip the car around so the license plate is now facing away from you. Locate 2 black 1x1 plates and place them directly in front of the 1x3 curved bricks. The slope should now be going down away from you now.

Step 30.1

Locate 2 1x2 black inverted slope bricks, that have a 1x1 stud base and the slope going up and away from the base. Place them directly in front of the 1x1 plates from the last step, so the inverted slope part covers the gap, and the base connects to the base level of the car with the red bricks that will become seats. The slope should be going up, away from you.

30.2 Locate 2 black 1x6 bricks and place them directly in front of the inverted slope bricks, on the same columns. There will be 1 more stud on each column open.

30.3 Locate 2 more 1x2 black inverted slope bricks. Place them on the last open studs of the column talked about in step 30.2. The inverted slope should cover the gap going up to the tire-rim brick. The slope should face you now.

Step 31

Locate a 1x6 black plate and place it on the row in front of the inverted slope bricks from step 30.3. It should span the width of the car but be careful not to knock out the tire rim bricks on this side. Locate a dark grey 1x2 plate and place it centered horizontally in the next row to the front from the last plate.

Group 7: Continuing the car (Steps 32-37)

Step 32.1

Locate a round 2x2 plate with an axle cut out in the middle. Place it on the 1x2 plate from the last step, connecting to the 2-stud section of the 1x6 plate behind it.

32.2 Locate 2 2x2 corner plates with 3 studs. Place one to the right of the 2x2 plate, with the other stud pointing away from you, connecting on the same level. Place the other one symmetrical to that one on the left side.

32.3 Locate 2 black 1x10 plates and place them behind the extended part of the corner plates. They should cover the 1x6 bricks from step 30.2. They will extend back to the 1x3 sloped bricks.

Step 33.1

Locate 2 more 1x3 black sloped bricks. Place them on the left and right most columns as close to the front as they can be while still being on the car.

33.2 Locate 2 1x2 black jumper plates. Place one to the left of the 1x3 sloped brick on the right. There is a little 1x2 area for it. Place the other one symmetrical to that plate. They will be placed vertically.

33.3 Locate 2 1x1 slope tiles and place them in the next row back from the jumper plates. The slope should be pointed down towards you and into the jumper plates. There is one stud on each side for them at the level of the jumper plates.

Step 34

Locate 4 light grey 2x2 dishes. These are round plates that are sloped off to all sides like a sphere. Stack them together so you have a stack of 4 dishes. Place this stack on the grey 1x2 jumper plate that is placed horizontally, between and below the ones from step 33.2.

Step 35

Locate 2 1x1 transparent round plates and 2 1x1 black bricks with a side stud on one side and the other side being rounded over. Place a transparent plate on each side stud. Place these on the black 1x2 jumper plates to the left and right of the stack from the last step. The transparent 1x1 plates should point towards you, acting as headlights next to the engine.

Step 36.1

Locate a 1x2 plate with round ends. Place this on the stud from the top of the stack of dishes. Make sure it's centered horizontally, putting the stud in the absolute middle of the 1x2 plate.

36.2 Locate both the right and left versions of the 3x6 black wedge wing plate. Take the one that has its slope going to the left and place it on the car so that the tip of the wedge reaches the 1x2 plate from the last step. It will go down right before the divot for the seats. Place the right version of this piece symmetrically to this one.

36.3 Locate 2 1x1 black plates and place them on the parts of the long columns just behind the wedge plates.

Step 37

Locate a black 2x2 round jumper plate and a black 2x4 tile. Place the jumper plate half on the 1x2 round plate from step 36 and half on the tips of the wedge plates. Place the 2x4 tile directly behind that, oriented vertically.

Step 38

Locate a 2x6 transparent windscreen brick. This is the piece with studs, not the one without studs. Place it on the back row, extending down the columns so it fits on the level of open studs. It should line up on the columns. Make sure the actual slanted down part is slanted down to the back.

Step 39

Locate 2 black 1x2 window frame bricks and 2 transparent glass panes. Place the glass in the frames by pushing them in through the back. You will hear a satisfying click when they are in. Place these pieces on the columns in front of the windshield, with the pane facing outside the car,

Step 40.1

Locate 2 black 1x2 jumper plates and place them on top of the windshield, taking up the middle 4 studs out of 6 of the top of the windshield.

40.2 Locate 2 1x3 black plates and place them on top of the columns of the window frame and windshield, one on each side. This will completely cover the tops of these pieces.

Step 41

Locate a black 2x6 windshield frame and a 2x6 transparent windshield without studs. This will click on the frame if you push in from the back. Line it up and apply pressure but stop if you are worried you are doing it wrong and might break something. Then, try to line it up again and click it in. Place this on the back 2 rows of the wedge plates. It will fit nicely, and there will be 4 rows of studs between the front and back window frames.

Step 42

Locate 2 1x8 black tiles and place them on top of the windshields so they connect the front and back windshields all the way from the back to front. They will cover the area where there is not window in the build. It will line up sweetly if correct.

Step 43

Locate a grey gargoyle statue that has 1 antistud to place itself and wings. Place it on the black 2x2 round jumper plate near the front of the car.

Group 9: Top of the car (Step 44)

Step 44.1

Locate a black 4x6 piece with 4 studs and curved edges. Place it down vertically so the 4 studs are on the right side. Locate a 1x2 light grey plate with end bar handles on both sides. Place the 1x2 bar on the back row centered horizontally with 1 stud of overhang to the right.

44.2 Locate another black 4x6 piece and place it symmetrical to the other one. Connect the other half of the 1x2 bar to the new plate. Locate another light grey bar with end bar handles and place it on the front row, which should now be 2 studs.

44.3 Flip this upside down and locate a tan 2x4 plate. Put the plate in upside down to connect to the build, in the 8 antistuds, vertically centered.

44.4 Locate 2 1x4 black plates with round edges. Place them on the left and right most sides and then flip this back over so it's right side up.

44.5 Locate the 2 parts of the chest and clip them together by placing the long end of the top into the shorter end of the bottom section of the chest. It's hard to connect, so be careful, but you will hear a satisfying click when it's in place. Place this on top of the build you've been making, between the light grey bars horizontally.

44.6 Place this on the roof on top of the car frame so it clicks onto the top. This will be light so you can take the top on and off to put the minifigures in. Make sure both the car and roof are horizontal, but it doesn't matter which end of the roof goes which way on the frame.

Group 10: Finishing the car! (Step 45)

Step 45.1

Locate a black rubber tire frame, a white wheel for inside the tire, a technic pin connector that is half tan axle and half pin, a small black round piece bigger than a 1x1 with an antistud on the bottom and a stud on top, and a 1x1 light grey tile. Place the wheel inside the black rubber tire by pushing it in and then put the pin part of the axle connector and in the pin hole of the white wheel. Make sure you push hard, it takes a lot of effort to get the wheel in. Put the black round piece's antistud on the stud on the other side and place the tile onto the stud of that piece.

45.2 Repeat step 45.1 3 more times to have 4 wheels in total.

45.3 Place the wheels in the 4 axle slots around the car. You can find them by feeling the tire rim and then placing it in the slot below the tire rim. Repeat this for every tire.

You have now completed the car! It can move around on its wheels to know that it can move around pretty quickly. You can take the roof of the car on and off to put the characters in and out, and for now you can put Lurch in the driver's seat and secure him by clicking his feet into the 2 studs near the driver's seat. You can place more figures after you build them. Also, while driving you can put the character's accessories in the chest on top to hold them. Congratulations on finishing the first section of the build!

Bag 3:

Group 11: Wednesday (Page 2)

You are now starting a new booklet, meaning the step numbers have restarted.

First, we'll make the Wednesday figurine. Locate the pair of legs with a dress going down most of the way, and the boots already attached. The dress is striped and her shoes have little ties on them. Next, locate the torso wearing the iconic black nevermore uniform and place it on the legs so the arms face the same way as the feet. After that, locate the skin-colored head and hair piece. Place the head on so that

the nose, which you can feel on her face faces the same way as the arms. Place the hair on the head so pigtails rest on her back. Lastly, locate her silver cleaver, and place it in her hand, and she is complete!

Group 12: Floor of first building (Steps 1-5)

Step 1

Locate a sand colored 6x8 plate and a 1x6 sand blue brick. Place the plate down horizontally and place the brick on the back row, centered horizontally.

Step 2.1

Locate 2 brown 1x2 plates and a brown 1x2 plate with a vertical clip attachment. Make a sandwich with them, with the clip attachment plate in the middle and the regular plates on the outside.

2.2 Repeat step 2x1 one more time.

2.3 Place them vertically on the sides of the 1x6 brick with the clips at the back on the left and right corners.

Step 3.1

Locate 2 1x1 brown bricks and place one to the open stud to the right of the sandwich build on the left side. Place the other one mirrored on the other side.

3.2 Locate 2 2x4 red tiles and place them vertically between the 1x1 bricks and going down 3 rows towards you.

Step 4.1

Locate a 2x2 brown brick and place it the back and left most you can. It will cover the 1x1 brick and the sandwich from step 2.1.

4.2 Locate 2 2x2 brown plates and stack them. Place them symmetrical to the 2x2 brick on the right side.

Step 5

Locate a 1x2 light brown plate and 2 1x1 light brown bricks with a scroll and open stud attachment.

Place the plate down horizontally. Place the bricks on the plate so the attachments face the same way.

Place this mini build in front of the 2x2 brick from step 4.1. It won't reach the top, and the attachments should face you.

Group 13: Clock and window (Steps 6-9)

Step 6.1

Locate a 2x2x3 brown brick. Place it right side up and have a sighted friend help you put sticker #4, which looks like the bottom 2 thirds of a grandfather clock on one of the long sides. Locate a brown 2x2 plate and place it on top of the big brick.

6.2 Make sure the sticker is facing you and locate a 1x2 brown plate. Place it on the left out of 2 columns and locate a brown 1x2 plate with a clip attachment. Place it on the right side with the clip facing away from you, opposite the sticker.

6.3 Locate a 1x2 brown brick and place it on the back row. Locate a 1x2 brown brick with 2 studs on one side. Place this on the front row, with the studs facing you, like the sticker.

6.4 Locate a round 2x2 tile with a clock design on it. Have a sighted friend help you make sure the clock is right side up and place it on the 1x2 brick with 2 studs up, with the top of the clock being on those 2 studs.

6.5 Place this grandfather clock on the stack of 2x2 plates in the back right row. Make sure the clock side is facing you.

Step 7.1

Locate a brown 2x2x3 brick, just like the one in the last step. Locate a 1x2 brown plate and place it on the right out of 2 columns, vertically. Locate a 1x2 brown plate with a clip attachment. Place it on the left column with the clip facing away from you.

7.2 Locate a 2x2 brown brick and place it on top of this mini build. Place this build on top of the 2x2 black brick in the back left, with the clip overhanging away from you.

Step 8.1

Locate a black 2x2 plate and place it down. Locate a 1x2 black jumper plate and put it on the back row. Locate a 1x1 black plate with a clip instead of a stud on top. Place this 1x1 plate on the jumper plate with the clip vertically across the jumper plate.

8.2 Locate a black telephone piece. Place it in the clip so it goes across the jumper plate. Locate a 1x2 black sloped tile. Place it in the front row, with the slope going down and towards you.

8.3 Place this phone build on the light brown colored bricks from step 5. It will fully attach because of the studs on top of the scrolls. Make sure the phone is in the back of the 2 rows.

Step 9.1

Locate a grey 1x4 plate and place it down horizontally. Locate a 1x4x6 grey door frame. Place the door frame on the 1x4 plate. Locate a 1x4x6 transparent glass piece to go inside the door frame. Have a sighted friend help you apply sticker #13, a mosaic with colorful flowers acting as stained glass panes, to the transparent glass piece. Also have that sighted friend help you put the glass in on the right side up now that it has the sticker on it, with the color outlines on the bottom and going out on both sides.

9.2 Place the glass door between the grandfather clock and brown pole on the other side with the telephone. The glass should face away from you, facing outside the house.

Group 15: Extending the floor (Steps 10-18)

Step 10

Locate 2 black 2x2 corner bricks with 3 studs. Place one on top of the grandfather clock so the ends point towards you and right. Place the other one symmetrical on the other pillar

Step 11

Locate 2 2x4 red tiles. Place them in front of the columns from the ones placed in step 3, going closer to you. They will only cover one row on the bottom plate, leaving 3 rows of overhang.

Step 12

Locate another 6x8 sand colored plate and place it horizontally centered in front of the last one. It should connect via the red tiles and be horizontally centered as it is connected to them.

Step 13.1

Locate 2 sand blue 2x2 facet bricks. They are like corner bricks, but with a slanted end where the middle stud should be. Place one in the front row on the far left, with the ends pointing left and away from you. It will go in 2 columns. Place the other one symmetrical to that one on the right side.

13.2 Locate 2 1x1x3 grey bricks. Place them behind the ends of the facet bricks pointing away from you. They will be on the second column from the edge on each side.

Step 14.1

Locate the 1x2 light grey tiles that cut left and right with no slope. Place the one that cuts right on the left side, where it fits in with the slanted edge on the facet brick. It fits in with the slope, and then it goes into the next column with the other antistud. Place the other one that cuts left on the other side symmetrically.

14.2 Locate 2 1x1 light grey tiles. Place them behind the full studs of the light grey tiles that cut left and right. They will be next to the parts of the facet bricks that point away from you.

Step 15.1

Locate the 2 grey 1x1 round tiles with hollow bars in the middle. Also locate 2 grey rod pieces that are hollow and have small bars on one end. Place the hollow part of the rods through the hollow bars on the tiles.

15.2 Locate 2 grey 1x1 round plates with hollow studs. Place them on the bar on top of the rods. Place these complete 3-piece rods on the sections sticking away from you on the facet bricks.

Step 16

Locate 2 more 1x1 light grey round plates with hollow studs and 2 1x2 light grey plates with round edges. Place a 1x1 plate on each 1x2 plate. Place those on the rods from the last step and the tall bricks from step 13 behind them, with the sides with the stud on them being on the side away from you.

Step 17

Locate 2 1x2x5 dark grey bricks. Place one to the right of the rod/tall brick set on the right, on the far column. Place the other one symmetrical on the opposite side.

Step 18.1

Locate a 1x1 light grey brick and a 1x1 light grey plate with a clip attachment. Place the brick on the plate with the clip. Locate a gold 1x1 tile with a hollow bar and clip it through the clip attachment with the antistud facing up. Locate a transparent orange flame with a pin on the end. Place it through the antistud on the 1x1 gold tile.

18.2 Repeat step 18.1 to have 2 of the mini builds with flames.

18.3 Place those mini builds on the hollow 1x1 plates on the 1x2 plates, with the flames facing away from you.

Group 16: Front door (Steps 19-26)

Step 19.1

Locate a dark brown 1x4x6 door with a stud. Have a sighted friend to help you apply stickers 2 and 3 to the door. This makes it look more like a wooden oak door, adding to the detail.

19.2 Locate a dark grey 1x4x6 door frame for the dark brown door. Have a sighted friend to help you make sure the door gets put in right with the sticker the right way up and down. The stickers should be facing the inside of the door, and the part without stickers should be facing outside the door.

19.3 Locate a 1x1 round plate with a hollow stud. Place it on the side of the door without stickers. Place this door between the flame mini builds; the row right behind the 1x1 tiles back from step 14. Make sure the side of the door with stickers is facing you.

Step 20

Locate 2 dark grey 1x1 bricks with a stud on one side, "headlight bricks". Place them down and then locate 2 1x1x3 dark grey bricks. Place them on the headlight bricks. Place those combos in front of the 1x2x5 bricks, on the last open studs of the facet bricks. The studs should be facing you, and they should be in the front row.

Step 21.1

Locate 2 1x2 dark grey plates. Place them on the headlight poles from last step, and the stud of the 1x2x5 respectively on the rows behind them. They should be placed vertically.

21.2 Locate 2 light grey 1x2 "log" bricks that have indents in the middle creating log shapes around both studs of each brick. Place them behind the 1x2 plates from 21.1, and they should form an 8-stud row with the top of the front door.

Step 22

Locate a light grey 1x8 plate and place it along the top of the front door and log bricks, which should be a level 8-stud row.

Step 23

Locate 2 1x3x3 light grey arch pieces with 3 studs on top across 2 different levels. Place them on top of the rods from step 15. They should come across the front door to form an arch over it.

Step 24

Locate a black 2x4 tile and place it over the top of the arches centered horizontally, covering the tops of the arches and 4 studs of the 1x8 plate from step 22.

Step 25.1

Locate 2 1x2 dark grey bricks and place them on top of the 1x2 plates from step 21.

25.2 Locate a 1x1 light grey brick and place it in the pocket on the right side between the arch and 1x5x2 brick. Also locate a 1x1x3 light grey brick and place it in the same place on the opposite side.

Step 26

Locate 2 black 1x10 bricks and place them along the top of this room. Place one along the top of the column on the right side, covering all but the front and back rows. Place the other one symmetrically across the opposite side.

Group 17: Skylight and roof (Steps 27-29)

Step 27.1

Have a sighted friend separate the 1x1 clear and red transparent plates for you.

27.2 Locate a black 1x2 plate and place it down horizontally. Place a clear square on the right side and a red square on the left side. Place another clear square on top of the left side this time, and a red square on top of the right side.

27.3 Locate another 1x2 black plate and place it on top of the whole build so far. Place a clear square on top to the right and a red square on top to the left. After that, switch them again by placing a clear square on top to the left and a red square on top to the right.

27.4 Repeat step 27.3 on top of what you already have. Locate a black 1x2 grated plate and place it on top of what you already have.

27.5 Locate a 1x1 brick with 2 studs on one side. Connect those studs to the bottom of the mini build with the colored squares, which is a black 1x2 plate. Locate a 1x2 light grey plate with one regular stud and one sloped with no stud. Place the whole mini build on that one stud, connected by the bottom of the light grey brick with studs 2 on one side.

27.6 Place this on top of the black tile on the arches, across from the 1x1x3 brick. They should completely fill the space on top of the tile across the top of the arch.

Step 28.1

Locate a red 6x8 plate and place it horizontally across from the back, 6 rows closer to the front. Locate a red 4x8 plate and place it closer now to the front, filling in the roof all the way to the skylight mini build.

28.2 Locate 2 1x1 black plates. Place them on the open studs in the next row closer to you from the 4x8 plate. There are only 2 open slots, on the leftmost and rightmost columns. They will all now be at one level.

Step 29.1

Locate a 2x6 light grey plate with 2 round corners, across one long side. Have the round corners face you. Locate a 2x4 red tile and place it in the middle of the 2x6 plate. Make sure it is vertical and there are 2 rows of overhang facing away from you. Locate 2 1x1 light grey quarter circle tiles. Place them next to the 2x4 plate, angled the same way as the round corners.

29.2 Place this on the room by placing it on the front 2 rows centered horizontally. It will be leading back to the front door.

Group 17: Finishing up the bottom floor (Steps 30-35)

Step 30

Locate 2 dark red 1x1 flower plates and teal 1x1 plates with 3 leaves. Place the flower plates on the studs of the 3 leaved plates, meaning the flowers are on top of the leaves. Place on the right side, on the stud of the headlight brick from step 20. Make the leaves point right and up. Place the other one symmetrically on the left side. Those ones should have the leaves facing left and up.

Step 31

Locate a dark grey 1x8x2 arch brick and place it in the row closer to you than the skylight. It should bridge across the 2 poles that have the headlight bricks in them. It should be on the same level as the skylight.

Step 32

Locate 2 1x2 black slope tiles. Place one on the far-right column, 1 row from the front row with the slope going down to the right. This means it should be in the row with the skylight and the one right behind it. Place the other one symmetrical on the far-left column.

Step 33.1

Locate a dark grey 2x6 plate and place it horizontally centered in the front 2 rows of the second floor, over the skylight and the arch. Locate a dark grey 2x2 brick and place it in the next 2 rows behind the plate, also horizontally centered. It should be level with the plate.

33.2 Locate 2 1x1 dark grey slope tiles. Place one on each side of the front row of the 2x6 plate, sloped down and going away from the building.

Step 34.1

Locate 2 1x2 dark grey bricks. Place one directly to the right of the sloped tile on the far left, on the front row, on the 2x6 dark grey plate. Place the other one symmetrically on the right side.

34.2 Locate 2 1x2 yellow jumper plates. Place them behind the dark grey 1x2 bricks, on the back row of the 2x6 plate.

Step 35

Locate 2 1x1 yellow bricks and place one on each of the jumper plates. Locate a dark grey 2x4 brick and place it between everything we just build, centered horizontally in the first 4 rows.

Bag 4:

Group 18: Starting second floor (Steps 36-42)

Step 36

Locate a dark grey 1x2 brick and place it on the back row of the 2x4 brick from the last step, horizontally.

Step 37.1

Locate 2 dark grey 2x2 corner plates and place them across the top front row in the middle so the one on the left points towards you and left, and the one on the right points towards you and to the right, with 2 studs of overhang in the front.

37.2 Locate the 2 1x1 dark grey plates and place them on the left and rightmost columns of the upper 1x6 section on the front row.

Step 38.1

Locate a light grey 1x2 brick with 2 holes. Also locate 2 blue half axles, half pin pieces with the section separated in the middle. Place the pins through the holes of the bricks, so the axles hang out towards you.

38.2 Locate 2 black technic through axle connectors that have an axle hole perpendicular to another axle hole, meeting it in the middle. Also locate 2 red 2l axles with grooves. Place the technic pieces down so one axle hole is horizontal, and the other one is vertical facing you. Place the red axles through the holes facing you. This should form a "T" shape with the red axle extending the vertical part of the "T", while the horizontal part is the top of the T.

38.3 Locate 2 yellow "half brushing" technic pieces that are 1x1 round and have an axle hole. Place them around the red 2l axles and place those connected pieces on the blue half axles from step 38.1, with the red 2l axles and yellow half brushings pointed up.

38.4 Place the build you've made in this step in the row in front of the dark grey 1x2 brick from step 36. The technic pieces should point up.

Step 39

Locate a dark grey 2x2 brick and a dark grey 2x2 plate. Stack the plate on the brick and place the stack on top of the light grey brick with holes and on the 1x2 dark grey brick.

Step 40

Turn the technic pieces so they point at a 45-degree angle away from pointing straight up.

Step 41

Locate a 1x2x2 brick and place it in the row in front of the technic pieces, centered horizontally.

Step 42

Locate a dark grey 2x4 brick and place it on top of bricks at the highest level, vertically. It will be on the 2x2 stack, and 1x2x2 brick.

Group 19: Front wall of the second floor (Steps 43-46)

Step 43.1

Locate 2 1x2x5 dark grey bricks. Place them horizontally in line with the back row of the 2x4 dark grey brick from step 42. There should be 1 open stud on the far sides because they are in the middle 6 out of 8 studs in the row.

43.2 Locate 2 more 1x2x5 bricks and place them vertically in the rows behind the 1x2 black sloped tiles on the left and right most columns.

Step 44

Locate 2 dark blue 2x3 plates and place them on top of the 1x2x5 bricks so they cover all the bricks and overhang on 2 studs.

Step 45.1

Locate a black 2x4 brick and black 1x4 brick. Place down the 2x4 brick horizontally and place the 1x4 brick across the back row. Locate and stack 2 1x2 black plates. Place this centered horizontally across the front row.

45.2 Locate 2 1x1 black bricks and place them next to the 1x2 plate stack meaning there are no more open studs from the 2x4 brick.

45.3 Flip the build around so the door is on the end away from you. Place this mini build across the dark blue 2x3 plates centered horizontally with the side with the 1x2 stack facing you.

Step 46.1

Locate a light grey 1x4 tile and place it on the rightmost side back all the way to the 1x2x5 brick so as far as it can go. Locate a 1x4 light grey jumper plate with 2 studs on the far ends. Place it symmetrically to the other 1x4 plate.

46.2 Locate 2 1x1 light grey tiles and place 1 in the row in front of each 1x4 plate/tile.

Group 20: Starting the bed (Steps 47-52)

Step 47

Locate a dark grey 4x8 plate. Place it horizontally down in front of you. Locate a brown 2x8 plate and place it vertically centered on this plate, meaning the back and front rows are open.

Step 48

Locate and stack 2 brown 1x2 plates. Place them on the left most column of the 2x8 brown plate.

Step 49

Locate 2 white 1x2 slope bricks with plates. They have a 1x1 sloped section and a 1x1 plate attached. Place them on the column to the right of the 1x2 stack with the plate part going on the 2x8 plate and the sloped part going on the 4x8 dark grey plate. Remember how these bricks go on this build because you'll have to do it again.

Step 50

Locate 5 light grey slope bricks with plates and 5 black ones. Have a sighted friend help you place the light grey ones in one pile, and the black legos in another pile so you know which piece to use. Placing them how you did last step, start on the front row from left to right going light grey, black, light grey, black, and light grey. They should start on the column next to the white sloped bricks. Place the remaining pieces on the back row going from left to right: black, light grey, black, light grey, black. They should go every other for the colors and be opposites when placed across from each other.

Step 51

Locate a white 1x2 plate. Also locate a 1x2 white tile with round ends. Place the tile on the plate. Place this stack on the studs on the white sloped bricks, on the column to the right of the brown 1x2 plates.

Step 52.1

Locate a light grey 2x4 tile and have a sighted friend to help you apply sticker #5 to it. This sticker displays the cover of the beds with the pattern of Wednesday's necklace that flips from W to M for Wednesday and Morticia. Make sure they help you place it with the colors opposite the sloped bricks, on the 4 columns directly to the right of the pillow.

52.2 Locate a black 1x2 brick with a panel and thin central divider. Place it on the last open row of sloped bricks with the open side facing left.

Group 21: Finishing the bed (Steps 53-59)

Step 53

Locate 2 brown 1x2 plates and stack them. Place them on the rightmost row, centered vertically on top of the 1x2 plate already there.

Step 54

Locate 4 1x1 round bricks with an open stud at the top. Place them on the corners of the plate, 2 on opposite poles of the back row and 2 on the opposite poles of the front row. They will act as posts for the bed.

Step 55

Locate 2 1x4 plates with round edges. Place one on each of the left and right most columns. They will completely cover the columns.

Step 56.1

Locate a brown 1x2 brick with slopes on 3 sides. Place it on the leftmost column centered vertically with the non-sloped side facing right.

56.2 Locate 2 brown 1x1 tiles with 1 round end. Place them on the rightmost column with 1 end facing you and 1 end facing away from you.

Step 57

Locate 4 brown candle holder pieces that are hollow on one side and have a bar coming out of the other. Place them above where you placed the 1x1 round bricks, placing the bars through the holes in the 1x4 plates.

Step 58

Locate 4 dark grey stone unicorn horn pieces with bars on the other end that will feel like drills. Place the bars on these pieces through the hollow ends of the candle holders.

Step 59

Grab the house again and place it with the front door side away from you. Place the bed horizontally as far back as it can go before the wall. On one side it will attach to the 1x4 light grey jumper plate with 2 studs, and one will just rest on a 1x4 tile. Make sure the side with the pillow, a white 1x2 tile with round ends, is on the left side.

Group 22: Back wall of the house (Steps 60-65)

Step 60

Locate 2 1x2x5 dark grey bricks and 2 1x2x1 dark grey bricks. Stack them by placing the 1x2x1 bricks on top of the 1x2x5 bricks. Place one of these stacks on the rightmost column vertically, across the front 2 rows. Place the other one symmetrically to this one on the leftmost column.

Step 61.1

Locate a light blue 1x6x7 door frame with an arch. Also locate the transparent glass that fits in this arch with an arched shape on one side. Place the glass through the arch, so it clicks into place. Then, have a sighted friend to help you place sticker #12 on the glass, on the side of the glass facing the same way as the rounded sides on the arch. This sticker continues the flowery design and stained-glass display from the floor below.

61.2 Place this between the 1x5x2 bricks in the front row, centered horizontally. Make sure the side with the round edges on the arch and with the sticker facing you, and away from the build.

Step 62

Locate 2 2x2 dark grey corner bricks. Place them across the top of the 1x2x5 stack and the stud of the arch that's open next to them, on the front rows and extending into the second on top of the 1x5x2 dark grey stack.

Step 63.1

Locate 2 dark blue 2x3 plates and place them horizontally on top of the front 2 rows, on opposite sides leaving the middle open. They will cover the corner bricks and 1 stud of the arch each. They will both leave 2 studs of overhang.

63.2 Locate a dark blue 2x8 plate and a dark flesh colored spider. Place the plate down vertically and place the spider in the middle of the 2x2 square of the plate that starts 4 rows from the front and 2 rows from the back.

63.3 Place the plate with the spider vertically across the top of the building connecting from the middle of the front row to the divot in the black bricks across from it on the front row. The spider should be slightly on the far side but if it's too much work you don't have to place it because it can be placed anywhere in the house as a fun surprise.

Step 64.1

Locate a black 2x4 brick and place it vertically on the highest 2x4 section on the columns that are 4th and 5th from the left.

64.2 Locate 2 3x4 sloped bricks with 1 row of studs and the brick sloping down from them. Place them across the front 3 rows of the roof with the bricks sloping down towards you. They will cover all the dark blue 2x3 plates and some of the 2x8 plates together. Make sure they are placed horizontally and cover all the front 3 rows. There will be 3 studs of overhang from each brick.

Step 65.1

Flip the build so the side with the front door is facing you.

65.2 Locate 2 2x2 sloped bricks that have 1 1x2 row of studs and a steep slope going down from the row. Place them next to the 2x4 brick on the open 2x2 squares that are a lot lower than the 2x4 brick. Make sure they are sloping down and towards you, and the front door.

Group 23: Roof of the house (Steps 66-73)

Step 66.1

Locate a black 6x8 plate and place it down horizontally. Also locate 2 1x4 black rack pieces that have lots of spiky rows. Place them across the back row of 8 studs. Lastly, locate a light green 1x1 plate with 3 leaves. Place it in the middle of the plate; it doesn't practically matter where as long as it's relatively in the middle.

66.2 Place this at the top of the cottage horizontally with the end with the side with the spiky rows facing you. It should connect to the tops of the black sloped bricks leading up to the roof.

Step 67

Locate 2 1x2x3 black sloped bricks and place their flat sides across from the sloped edges back-to-back. Locate a black 1x2 plate with round edges and use it to connect to the top 2 studs. Place them together on the row in front of the spiky rows, on the open 1x4 section with the slopes going down and left/right.

Step 68

Locate 2 dark grey 1x2x3 sloped bricks. Locate the left technic rod you made in step 39 and place a brick directly in the row in front of it, with it sloping down to the left. Place the other one symmetrically to that.

Step 69.1

Locate a dark blue 1x2x2 window frame and a grated piece that will fit in. Place it in the frame by feeling for the side it clicks easily into, without applying too much force. Locate a 1x2 black brick that's

sloped on 3 sides. Place it on the frame so the biggest slope is sloped down on the same side as the grate.

69.2 Place this on the 1x2 plate sticking out in the row in front of the sloped bricks you place in step 68. Make sure the sloped brick is sloped down away from the cottage.

Step 70

Locate 2 light blue 1x2x3 sloped bricks and place them back-to-back like you did before. Locate a 1x2 dark grey jumper plate and place it on top of the top 2 studs. Place this in the row in front of the black 1x2x3 sloped bricks, but a lot lower. Make sure it's centered horizontally, and there will be a stud of overhang on both sides.

Step 71

Locate 2 1x2x3 dark grey sloped bricks and place them back-to-back. Locate a dark grey 1x2 jumper plate and place it on the top 2 studs. Place this 2 rows in front of the light blue sloped bricks, across the open 1x4 area, horizontally.

Step 72.1

Locate a black 1x3 plate and a black 1x1 plate with a clip attachment. Place the 1x3 plate vertically. Place the clip plate in the front row with the clip allowing an item to clip vertically.

72.2 Locate a black piece that is used for the bottom of a lightsaber. Clip this in with the side with a stud facing you. This is the side with 2 small lines around the cylinder directly before the stud.

72.3 Place this across the 2 jumper plates from the last couple steps with the lightsaber stud facing out towards you.

Step 73.1

Locate a black hose nozzle piece that has a longer end and a shorter end. Place it down so the longer end points left and the shorter end points toward you. Locate another black lightsaber base and place the end without the stud through the shorter end as far as it goes.

73.2 Locate a black spear tip piece with 4 fins going off and a connector bar at the bottom. Place that bar through the stud side of the lightsaber to connect it to the mini build.

73.3 Place the mini build on the house by placing the long end of the nozzle through the stud of the lightsaber from step 72 as far as it can go and making sure the spear tips point up.

Group 24: Right roof piece (Steps 74-83)

Step 74

Locate a black 4x12 plate. Place it down horizontally. Also locate a black 2x2 curved sloped tile. Place the tile down on the back 2 rows of the left most column with the base part going off the left side of the plate.

Step 75

Locate another 2x2 curved sloped tile and place it in the front 2 rows of the left most column, directly in front of the last one the same way.

Step 76.1

Locate 2 1x8 black tiles and place one of them on the back row directly to the right of the sloped tile, leaving 3 open studs to the right. Place the other one the same way, just in the front row.

76.2 Locate a light green 1x1 plate with 3 leaves. Place it a row up from the front row, 4 studs from the sloped tiles, and 3 studs from the edge of the tiles on the right. Make the middle leaf point away from you and left.

Step 77

Locate a black 1x3 tile. Place it to the right of the back 1x8 tile, meaning together they fully cover the back row. Also locate a light grey 1x3 plate. Place it on the rightmost column, covering all rows but the back row.

Step 78.1

Flip the build so it is upside down with the sloped tiles still on the left.

78.2 Locate 2 light grey 1x1 plates and place them on the rightmost column upside down, on the front and back rows.

Step 79

Locate a long light grey plate with 4 studs and an "x" shaped hole in the middle. Place it horizontally upside down in the second row from the front. Place it as right as it can go without overhanging at all.

Step 80

Locate a light grey 2x2 inverted curved sloped tile meaning it's like the ones from earlier, but instead of antistuds it has 4 studs on different levels at the bottom. Place it so the studs click into the light grey plate from last step and 4x12 black plate, on the left most side of the light grey plate leading down to the front row of the black plate.

Step 81.1

Locate a 1x2 black inverted curved sloped tile and a 1x1 dark blue flower plate. Place it down horizontally and place the flower plate on the lower stud, making it at an equal level with the other stud of the inverted curved sloped tile.

81.2 Repeat step 81.1 4 more times meaning you have 5 of the pieces which will be shingles.

81.3 Place one of these shingles directly to the left of the 1x1 grey plate on the back row, with the flower being to the right and the open stud of the tile being to the left. Continue placing them to the left of that shingle, the same way with the flower on the right and stud on the left until you've placed all the shingles, leaving 2 open antistuds to the left of the last shingle.

Step 82.1

Flip the build so the black curved sloped tiles from the start are on the left and the shingles are on the side facing you.

82.2 Locate 3 black 1x3 inverted arches with 1 stud meaning they go down from the stud. Place one on the front row with the raised stud going on the light grey 1x3 plate and the rest sloping down from it to the left. Place the others directly behind it, leaving only the back row without an inverted arch brick.

Step 83

Place this whole tile of the roof on the right side of the house by connecting the middle of the light grey plate on the bottom of the roof tile with the x shaped hole with the red axle sticking out on the right side. It will connect easily if it is in the right place, but it might take a little bit to line it up. Push it in as close as it gets to the middle. Make sure the shingles are on the side facing you, and the axle connects to the lower half of the roof tile.

Group 25: Second roof tile, completing the first part of the cottage (Steps 84-94)

Step 84

Locate a black 4x12 plate. Place it down horizontally. Also locate a black 2x2 curved sloped tile. Place the tile down on the back 2 rows of the right most column with the base part going off the right side of the plate.

Step 85

Locate another 2x2 curved sloped tile and place it in the front 2 rows of the right most column, directly in front of the last one, placed the same way.

Step 86.1

Locate 2 1x8 black tiles and place one of them on the back row directly to the left of the sloped tile, leaving 3 open studs to the right. Place the other one the same way, just in the front row.

86.2 Locate a light green 1x1 plate with 3 leaves. Place it a row up from the front row, the rightmost it can be so it's up against the curved sloped tiles and the middle leaf points left and away from you.

Step 87

Locate a black 1x3 tile. Place it to the left of the back 1x8 tile, meaning together they fully cover the back row. Also locate a light grey 1x3 plate. Place it on the leftmost column, covering all rows but the back row.

Step 88.1

Flip the build so it is upside down with the sloped tiles still on the right.

88.2 Locate 2 light grey 1x1 plates and place them on the leftmost column upside down, on the front and back rows.

Step 89

Locate a long light grey plate with 4 studs and an "x" shaped hole in the middle. Place it horizontally upside down in the second row from the front. Place it as left as it can go without overhanging at all.

Step 90

Locate a light grey 2x2 inverted curved sloped tile. Place it so the studs click into the light grey plate from last step and 4x12 black plate, on the rightmost side of the light grey plate leading down to the front row of the black plate.

Step 91.1

Locate a 1x2 black inverted curved sloped tile and a 1x1 dark blue flower plate. Place it down horizontally and place the flower plate on the lower stud, making it at an equal level with the other stud of the inverted curved sloped tile.

91.2 Repeat step 81.1 4 more times meaning you have 5 of the pieces which will be shingles.

91.3 Place one of these shingles directly to the right of the 1x1 grey plate on the back row, with the flower being to the left and the open stud of the tile being to the right. Continue placing them to the right of that shingle, the same way with the flower on the left and stud on the right until you've placed all the shingles, leaving 2 open antistuds to the right of the last shingle.

Step 92.1

Flip the build so the black curved sloped tiles from the start are on the right and the shingles are on the side facing you.

92.2 Locate 3 black 1x3 inverted arches with 1 stud meaning they go down from the stud. Place one on the front row with the raised stud going on the light grey 1x3 plate and the rest sloping down from it to the right. Place the others directly behind it, leaving only the back row without an inverted arch brick.

Step 93

Locate another light green 1x1 plate with 3 leaves. Place it on the leftmost side of the second to last row of the black 4x12 plate, with the middle leaf pointing to the right and towards you.

Step 94

Place this whole tile of the roof on the left side of the house by connecting the middle of the light grey plate on the bottom of the roof tile with the x shaped hole with the red axle sticking out on the left side. It will connect easily if it is in the right place, but it might take a little bit to line it up. Push it in as close as it gets to the middle. Make sure the shingles are on the side facing you, and the axle connects to the lower half of the roof tile.

You have now completed the middle of the house! Congratulations, and feel free to place the minifigures in and around the house.

Bag 5:

Group 26: Morticia Addams (Page 2)

First, we'll make Morticia Addams. Locate the long black and red dress piece. Next, locate the torso wearing a black shirt and place it on the dress so the arms face the opposite way as the hole on the back of the dress. After that, locate the skin-colored head and jet-black hair piece. Place the head on so that the nose, which you can feel on the face faces the same way as the arms. Place the hair on the head so the longer end is on her long straight end rests on her back. Also locate a transparent 1x1 cup piece and clip it into one of her hands.

Let's build Goody's diary. Locate a black book half with 2 studs. Also locate a white 1x2 tile and place it on the 2 studs. Have a sighted friend help you place sticker #9 and place it on the 1x2 tile. It contains unreadable scripture from the book, containing writing and images. Locate a black book half cover and clip in onto the bottom half by connecting the half with holes on to the higher rod on the bottom part of the

book. Also have a sighted friend help you place sticker #8 on the cover of the book. This represents the cover of the book, with more unreadable scripture. Clip it into Morticia's other hand, and you're complete with her figurine.

Group 27: Starting the second building (Steps 1-8)

Step 1

Locate a tan 6x8 plate and place it down horizontally. Locate a light blue 1x6 brick and place it horizontally centered across the back row.

Step 2.1

Locate 2 brown 1x2 plates and 1 1x2 brown plate with a vertical clip attachment. Stack them so the plate with an attachment is between the normal plates.

2.2 Place the stack leftmost on the back 2 rows with the clip attachment pointing away from you.

Step 3

Locate a 1x1 brown brick and place it to the right of the stack in the row 2nd from the back.

Step 4.1

Locate a light grey 2x2 facet brick, which you will remember from earlier in the build. Place it in the 2 right most rows as far back as it can go so it's up against the 1x6 blue brick with the ends pointing towards you and left.

4.2 Locate a light grey 1x4 jumper plate with 2 studs and place it in the front 3 rows of the rightmost column with 1 stud of overhang out in front of you.

Step 5

Locate a tan 6x8 plate like the one from before and place it horizontally in front of the one from before connecting to the light grey stud overhanging.

Step 6.1

Locate a light grey 1x1 plate and place it in the open slot between the facet brick. Also locate a dark grey 1x4 tile and place it horizontally in front of the 1x1 light grey plate, to the left of the 1x4 light grey jumper plate

6.2 Locate another 1x1 light grey plate and place it in front of the silver tile, still in the same column.

Step 7.1

Locate 2 1x1 round light grey tiles and place them to the left of the light grey 1x1 plates, meaning they're in the 3rd row from the far right.

7.2 Locate 2 1x1 black plates with clip attachments and place one in front of the back 1x1 round tile, with the clip allowing an attachment to go vertically. Place the other one behind the front round tile, the same way.

7.3 Locate a 1x2 black tile and place it between the 1x1 plates with clips so it covers the 2 studs between them.

Step 8

Locate 2 black horn-like pieces with bars on the ends and clip the bars into the clips so the horns meet over the 1x2 tile.

Group 28: Continuing the base of the house (Steps 9-17)

Step 9.1

Locate another light grey 2x2 facet brick and place it vertically symmetrically to the other one, across the 1x4 light grey 2 stud jumper plate, so the ends point away from you and left.

9.2 Locate a light blue 1x6 brick and a light grey 1x1 round tile. Place the brick horizontally centered across the 3rd row from the front, directly in front of the facet brick. Place the tile in the same row on the rightmost column

Step 10.1

Locate 2 1x1 red quarter circle tiles. Place them in the row behind the brick from the last step, behind the 2 leftmost studs of the brick cresting down to meet pointing towards you.

10.2 Locate a red 2x4 jumper plate with 2 studs separate from each other. Place it vertically behind the last 2 quarter circle tiles. Locate another 2 red 1x1 quarter circle tiles and place them behind the 2x4 plate so the half circle they form is pointing away from you, opposite the one from before.

Step 11.1

Locate a light blue 1x2 sloped brick with the slope going down horizontally from a 1x1x1 stud. Place it vertically in the leftmost column next to the 1x6 brick in the 2 rows behind the front row with it sloping down towards you.

11.2 Locate a light grey 1x2 half circle tile. Place the half circle tile in the front row, in the 2 columns to the left of the rightmost column, leaving 1 column open to the right. Make sure the half circle end points away from you.

11.3 Locate 2 light grey 1x1 round tiles. Place one 3 columns left from the half circle, leaving 2 open between them in the front row. Place the other one in the row behind the front row, with 3 studs to the end on the right and 3 studs to the sloped brick on the left.

Step 12.1

Locate a light grey 1x4x3 panel with side supports and place it horizontally with the panel on the side facing away from you. Locate 2 1x1 light grey plates and place them on the ends of the top, leaving 2 studs open in the middle

12.2 Locate 1 light grey 1x2 plate with a bar attachment coming out of one horizontal end. Place it between the 2 1x1 plates with the bar on the side facing away from you. Locate 2 light grey 1x2 sloped bricks with no studs and place them across the top of the 1x4x3 brick, sloping down towards you.

12.3 Place this mini build on the 1x4 light grey jumper plate in the rightmost column with the panel side facing right

Step 13.1

Locate 2 transparent orange 1x1 round plates and 2 black 1x1 bricks with a round side and a side stud. Place the 1x1 plates on the side studs.

13.2 Locate 2 transparent orange flame feather pieces with a small bar to attach. Place those small bars through the studs with the flames pointing up.

13.3 Place these flame builds in the 1x1 area created by the facet bricks. They should meet in the middle of what will be the fireplace.

Step 14

Locate 2 light grey 1x2x1 bricks. Place one horizontally on the 2 rightmost columns, on the 3rd row from the back, and place the other horizontally on the 2 rightmost columns, but this time on the 5th row from the front.

Step 15

Locate 2 light grey 1x1 plates and 4 1x1x1 light grey bricks. Place down the plates next to each other and then stack 2 of the bricks on each one. Place them on the rightmost column, one on each of the 1x2 light grey bricks from last step stud on that column

Step 16

Locate 2 dark grey 1x1x2 bricks with 2 side studs on one side. Place them on the open studs of the 1x2 light grey bricks with the studs pointing left.

Step 17.1

Locate a light grey 1x6 plate and place it down horizontally. Also locate 2 light grey 1x2 light grey bracket pieces with 2 studs up on one horizontal side. Place them in the middle of the 1x6 plate, leaving only an outer stud open on each side. The studs should face you.

17.2 Locate 2 more light grey bracket pieces, but this time make them 1x1 with 1 stud up. Place them on the open studs of the 1x6 plate, with the studs facing you as well.

17.3 Place this minibuild spanning the distance from the top of the dark grey 1x1x2 bricks, with the studs on the bracket bricks facing left.

Group 29: Building around the fireplace (Steps 18-28)

Step 18

Locate a light grey 2x6 plate and place it down horizontally. Also locate a light grey 1x2 brick engraved with brick patterns from a wall. Place it horizontally centered in the back row with the more brick-y pattern facing away from you and the side with a single line facing you.

Step 19

Locate 2 1x2x2 light grey sloped bricks with the slope going steeply down from a top stud. Place them around the 1x2 brick with the slopes pointing away from the brick, meaning the back row is completely covered.

Step 20

Locate a light grey 1x4x1 brick and place it centered horizontally centered in the front row of the 2x6 plate. Also locate 2 light grey 1x1 plates and place them on either side of the brick to fully cover the front row.

Step 21

Locate a light grey 2x2 brick and place it centered horizontally on the 2 rows. It should be between the sloped bricks. Also locate 2 light grey 1x1 bricks and place them on either side of the front row of the 2x2 brick, on top of the 1x4 brick.

Step 22

Locate 2 dark grey 1x1x1 bricks with holes that go through the entire brick. Place them on top of the light grey 1x1 plates from step 20, with the holes going horizontal.

Step 23

Locate a light grey 2x4 plate and place it centered horizontally on top of everything you've already built, there is a 2x4 area created that you can put it on.

Step 24

Place this entire mini build on top of the fireplace where there is a 2x6 open area created that will fit it. Place it vertically so the dark grey bricks with holes are on the left side

Step 25

Locate 2 dark grey 1x2x5 bricks. Place one vertically on the back 2 rows in the column 2nd from rightmost. Place the other one the same way, farther down in the column in the 3rd and 4th rows from the front. They should be on either side of the fireplace.

Step 26

Locate 2 1x2 black log bricks and place them vertically on either side of the tallest area, the 2x4 plate you put on in step 23, in the same column from last step.

Step 27.1

Locate 2 1x2 light grey jumper plates and 2 black 1x1 plates with claws added on one side. Place the black plates on the jumper plates with the claws going off a horizontal side.

27.2 Place these horizontally on the 1x6 bracket area on top of the fireplace, leaving the 2 studs in the middle open so the ends have the jumper plates with the claws pointing up.

Step 28.1

Locate a 2x4 light grey wing plate that when you place down vertically so it points away from you and is slanted so it goes to the right. This is the right-wing plate. Also locate one of the same kind but is slanted to the left. This is the left-wing plate.

28.2 Place the right-wing plate below the back jumper plate from last step on the studs below it so the 1x2 section is below the jumper plate and it goes down to be just a 1x1 area. Place the other one symmetrical to that below the front jumper plate.

Group 30: Continuing building wall (Steps 29-32)

Step 29.1

Locate a brown 1x2 bracket with 1x2 up and locate 2 1x1 round plate with hollow bars instead of studs. Place the plates on the normal 1x2 part of the bracket.

29.2 Locate 2 more 1x1 round plates with hollow bars and place them on the 1x2 up of the bracket.
29.3 Locate 2 brown plant pieces that have the connector for the hollow bar and a branch leading off of them that has a stud. Place them by placing the hollow parts of the branches on the hollow bars on the 1x2 up.
29.4 Place this on the 1x2 open space between the jumper plates with the branches going up.

Step 30.1

Locate 2 brown cattle horn pieces that have a small attachment bar on one end. Also locate 2 brown bar holders with clip attachments on the ends. Place the bar of the cattle horns through the bar holders to connect them, creating 2 combinations.

30.2 Clip these mini builds on to the hollow bars in the same row as the jumper plates and black claws with the horns going around the fireplace in the same way as the wing plates.

Step 31.1

Locate a round 2x2 plate and place it down. Also locate 2 1x2 black brackets with 2x2 up. Place them so they cover the full 2x2 plate with the brackets pointing in opposite directions, horizontally.

31.2 Locate a red 1x2 plate and place it in the front row, connecting the 1x2 plates at the bottom of the brackets. Also locate a 1x2 red bracket with 2x2 up and place it in the back row with the 2x2 up studs pointing away from you.

31.3 Locate a red 2x2 tile and have a sighted friend help you place sticker #11 on it, which makes it look like a fancy cushion. Place the 2x2 tile on the plate and bracket from the last step.

31.4 Locate 2 red 1x2 ingot pieces that are taller than regular tiles and have divots like a gold ingot. Place them in the bottom rows of the 2x2 up of the black brackets.

31.5 Locate 4 1x1 red curved bricks that don't have a stud but curved up taller than a typical plate. Place them on the top rows of the 2x2 up on the black brackets horizontally, so they act like the arm rests.

31.6 Locate a 2x2 black tile and place it on the 2x2 up on the red bracket. Place this whole chair on the front stud of the 2x4 jumper plate with 2 studs in the middle of the floor, with the front of the chair pointing away from you.

Step 32.1

Locate a dark grey 1x4 plate and place it down horizontally. Also locate 2 black 2x2 wedge plates with corners cut out and place them on 1x4 plate so they overhang on the front side and come to meet in the middle with the corners on the left for the left plate and right for the right plate.

32.2 Locate 2 1x2x2 dark blue window frames and the 2 black grated frames that go inside them as the windows. Try fitting the grated frames on both sides, and it will give a satisfying click when it's locked in on the correct side. Place them across the back row so the side with the windows is closer to you.

32.3 Locate 2 dark blue 1x2 window frames that have a rounded top, so they are arched, and the black grated frames that go in those with curved tops. Place them in like the last frames and place the frames on top of the frames from last step, in the back row.

32.4 Place this whole build on the taller row that goes across, which is the 3rd row back. Place it as far right as it can go, so directly next to the 1x5x2 brick back from step 25. The windows should be facing the front.

Group 31: Continuing the walls (Steps 33-38)

Step 33

Locate a dark grey 1x2x5 brick and place it vertically to the left of the window build from last step, on the only 2 open studs.

Step 34

Locate a 1x6x1 black arch brick where the bottom arches up and the top is a straight row. Place it across the top of the window build so it covers 1 stud on each of the 1x2x5 dark grey bricks.

Step 35.1

Locate 2 dark grey 1x2x2 bricks. Place them horizontally on the back row, which is raised by a light blue brick, centered horizontally across the whole row leaving 2 open studs to the left and going straight up to the wall to the right.

35.2 Locate a black 1x4x3 window frame and the transparent piece that fits in it. Click it into the frame by trying it on both sides and not trying too hard to force it in because it will click in easily if it's on the right side. Make sure the side with the edge rods are on the top, with the studs.

35.3 Place this window frame on top of the dark grey 1x2x2 bricks from step 35.1 with the window opening to the side away from you, and the back of the cottage

Step 36.1

Locate a brown 2x2x1 brick and a brown 2x2x3 brick. Stack them by placing the taller brick on top. Also locate a brown 1x2 plate and a brown 1x2 plate with a horizontal clip attachment. Place them vertically with the regular plate on the right and the plate with attachment on the left. The clip should overhang on the back.

36.2 Locate 2 2x2 brown plates and place them on top of the plates by stacking both of them on.

36.3 Place this whole build on the left most section of the back 2 rows with the clip attachment pointing away from you. It should line up to the 1x4x3 black window frame with the 1x2 plates being vertical.

Step 37.1

Locate a black 1x6x1 brick and place it horizontally across the 1x7 high section of the back row, leaving only 1 stud to the left open.

37.2 Locate a black 1x10x1 brick and place it vertically across the leftmost column. It should cover from the dark grey 1x5x2 brick to the back row of the building.

Step 38.1

Locate a light green 1x1 plate with 3 leaves. Also locate a 1x1 dark green plate and place it on the stud of the light green plate. Locate a brown plant stalk piece with 3 stems. Place it through the dark green 1x1 plate. Lastly, locate a dark red maroon 1x1 flower plate and place it on the tallest stem, so the stem goes through the hole of the flower.

38.2 Repeat step 38.1 except instead of using a 1x1 flower plate, use a red 1x1 red flower piece with 2 layers of petals on the outside around the stud.

38.3 Place these little plants on the 1x2 section overhanging on the second to front row created by the grated window mini build with the maroon flower on the left and red flower on the right.

Group 32: Poles around the cottage (Step 39)

Step 39.1

Locate a black 1x1 round plate with a hollow bar instead of a stud. Also locate 4 black candle holder pieces with a hole on one end and a bar on the other. Stack them all on the 1x1 plate by placing one on the plate's hollow bar and then stacking the rest on one another.

39.2 Locate a black candle holder that has a branch like attachment going off it. The branch should have a stud level going up like the bar. Place it on the top of the last hollow bar from step 39.1 by placing it in the same way as stacking the other candle holders with the stud pointing up.

39.3 Locate a black 1x2 plate with round ends so it's like an oval. Place it on top of the whole pole by placing it on the bar and stud of the piece from step 39.2.

39.4 Repeat steps 39.1-39.3 2 more times so you have 3 poles in total, including the one you just made.

39.5 Place one pole on the leftmost stud of the bottom row with the branch extending out to the right. Place the other one horizontally symmetrical meaning it is on the rightmost stud of the front row extending out to the left.

39.6 Place the last pole on the rightmost stud of the back row with the branch extending towards you, so it's pointing towards the front.

Group 33: Connecting the bottom half of this section (Steps 40-41)

Step 40.1

Locate a light grey 2x3 tile and place it vertically on the leftmost section of the first 3 rows. It should cover the 1x2 oval plate from the bottom left pole and the 2 studs behind it in the third row back. Also locate a light grey 1x8 tile and place it behind the first plate in the leftmost column going back to all but the back row, leaving just the back row open.

40.2 Locate 2 light grey 2x6 tiles. Place one vertically the same way as the 2x3 tile, except on the right side and going back farther because it's bigger. Place the other one directly behind it, covering everything including the back row.

40.3 Locate 2 light grey 1x4 jumper plates with 2 studs on the edges instead of the middle. Place one on top of the mini build with grated windows, tightly between the 2 tiles that connect the main cottage to the poles. Place the other one directly behind it in the back row, covering the same columns.

40.4 Locate a light grey 1x2 grated tile. Place it on the last open section of the top, on the 2 leftmost studs of the back row.

Step 41.1

Flip the build around so the 2 brown clip attachments are now pointing towards you.

41.2 Locate 2 black 1x2x1 oval bricks with open centers and 2 dark grey 1x2 oval tiles. Place the tiles on the bricks and then clip them on to the clip attachments by making sure they overhang on the right side, so they clip on the left side

Bag 6:

Group 34: Starting second floor (Steps 42-49)

Step 42

Locate a red 6x10 plate and place it down horizontally. Also locate a black 1x3 plate and place it on the 3 leftmost studs of the back row of the red plate, also horizontally.

Step 43.1

Locate a black 1x6 plate and place it vertically across the rightmost column.

43.2 Locate 2 black 1x1 cones and place one on the leftmost stud of the front row. Place the other one 4 rows back, leaving 3 studs between them. Locate a black 1x3 plate and place it between the cones, so the entire leftmost column is covered.

Step 44

Locate 2 black 1x3 black inverted arches that go down from their raised studs. Place one vertically going back from the left most column by clipping onto the left most stud of the back 1x3 plate and arching down away from you. Place the other one horizontally going right from the right most stud in the front row, on top of the 1x6 black plate from step 43.1.

Step 45

Locate a black 2x10 plate and place it horizontally behind the 6x10 red plate, clipped on only by the overhanging 2 studs of the inverted arch piece.

Step 46.1

Locate 2 more black 1x3 inverted arches. Place them to the right of the one in the back row, so they also hold the back plate in place.

46.2 Locate a black 2x6 inverted curved slope piece. Place it across the back 2 rows, leaving 1 column to the right and going up against the inverted arches on the left. They should line up, sloping down away from you.

Step 47

Locate a black 2x8 plate. Place it vertically so it clips onto the 2 studs of the overhanging inverted arch with its front row.

Step 48

Locate 4 more inverted arch 1x3 pieces and place them horizontally going directly back from the one in the front right and only leaving 3 rows at the back.

Step 49.1

Locate a dark grey 1x2 brick. Place it vertically in the front 2 rows in the second from the left most column. Locate a dark grey 1x3 brick and place it directly behind the last one in the second from left most column, tightly fitting between the 1x2 brick and the inverted arch brick in that column.

49.2 Locate a light grey 1x4x1 brick and place it horizontally across the sixth row back, to the right of the studs of the back inverted arch bricks. Also locate a dark grey 2x2 corner brick that is missing a 1x1 section. Place it to the right of 1x4 brick so the ends point left and towards you.

Group 35: More of second floor (Steps 50-58)

Step 50

Locate 2 dark red 1x2 jumper plates and place them horizontally in front of the 1x4 light grey brick. Also locate a dark red 2x2 jumper plate and place it in front of the right 1x2 jumper plate.

Step 51

Locate a black 1x1 cone and place it on the right 1x2 jumper plate. Locate a black 1x1x0.7 brick that is shorter than a regular brick and place it on the left 1x2 jumper plate.

Step 52

Locate 2 dark grey 1x2 bricks and stack them. Place the stack vertically on the front 2 rows in the rightmost open column.

Step 53.1

Locate another dark grey 1x2 brick and place it vertically across the second and third rows on top of the studs on the front right inverted arches. Also locate a dark blue 1x2 brick with a brick pattern engraved in it. Place it behind the last 1x2 grey brick so it's still on the inverted arches' studs and the pattern faces right.

53.2 Locate another dark grey 2x2 corner brick and place it on top the one from before, from step 49.2

Step 54.1

Rotate the build 180 degrees so what was the front side is now the back and vice versa.

54.2 Locate a black 3x3 curved corner sloped brick that comes up to meet the slopes in a diagonal line. Place it in the front left so it connects the 2 slopes you've made throughout this bag.

Step 55

Locate 2 dark grey 1x2 bricks. Place one horizontally on the front row, on the 2 studs of the corner brick on the left side. Place the other one behind it horizontally, one stud more to the left than the first one.

Step 56

Locate another 2x2 dark grey corner brick. Place it across the front 2 rows, the leftmost it can go with the end pointing left and towards you. It should cover the whole back 1x2 brick from the last step and 1 stud of the front 1x2 brick.

Step 57

Locate a dark blue 1x2 window frame with an arched top, and the black grated piece that fits in it. Place in the grated piece by trying to place it on both sides and feeling which one is easier. Place this on the leftmost column directly behind the stud of the corner brick with the side with the grate facing left.

Step 58.1

Locate a dark grey 2x2 corner brick and place it down so the endpoint left and towards you. Also locate a dark grey 1x2 brick and place it across the back row of the corner brick, which should be the one with 2 studs.

58.2 Locate a dark grey 1x1 brick with a stud up on one side. Place it on the open stud of the corner brick with the stud pointing towards you.

58.3 Locate a light green 1x1 plate with 3 leaves and a 1x1 dark red flower plate. Place the flower plate on the other and then place this plant on the stud pointing towards you with the leaves pointing down.

58.4 Locate a dark grey 1x2 brick and place it on top of the one from before, on the back row. Rotate the build 90 degrees, so the grated window faces you.

58.5 Place this minibuild to the left of the window with the leaves pointing towards you.

Group 36: Building walls (Steps 59-66)

Step 59

Locate a dark grey 1x4 arch brick. Place it horizontally over the blue arched window, so it fully covers the arch and leaves a stud on each side, which should be pretty snug.

Step 60.1

Locate a light grey 1x2 plate and place it down vertically. Also locate a light grey 2x2 plate and place it on the other, so there are 2 studs of overhang to the right, and it fully covers the left side.

Step 60

2 Locate a black 2x2 piece that is half just a plate and half an inverted curved section. Place it by connecting it under the overhanging studs from the 2x2 plate, so the curved is off to the right of the 2x2 plate.

60.3 Locate another light grey 1x2 plate and place it vertically across the leftmost column. Rotate the whole build 180 degrees, so the window side faces away from you.

60.4 Place the minibuild horizontally starting 4 rows back with the curve pointing right the leftmost it can be. There should be 3 rows in front of the minibuild and the entire 2x2 curved brick should overhang to the right.

60.5 Locate a light grey 1x2 brick that is engraved with a brick pattern. Place it vertically on the leftmost column behind the minibuild with the brick pattern side facing right.

Step 61

Locate a dark grey 1x6 brick and place it horizontally across the row second from the front, where it should cover the entire row. Also locate a dark grey 1x1 brick and place it in the leftmost column, directly behind the 1x6 brick.

Step 62

Locate a 1x4 light grey brick and place it across the leftmost column, covering everything but the 2 front rows. Also locate a dark grey 2x2 corner brick and place it in front of the 1x4 brick, so it covers those 2 open studs in that column and extends one stud to the right.

Step 63

Locate 2 sand colored 1x1x3 bricks and place one so that it completes the 2x2 square by placing it in the slot left open by the corner brick. It should come up to be level with the corner brick because they are both elevated. Place the other one in the same column as far back as it can go.

Step 64

Locate a black 1x2 log brick and place it horizontally down. Also locate a golden 1x1 faucet piece, and place it on the right stud of the log brick with the tap pointing out towards you. Place this minibuild vertically directly behind the front 1x1x3 brick with the faucet piece on the side away from you, pointing right.

Step 65

Locate 2 black 1x2 plates with rounded edges and stack them. Locate a black 1x2 tile with rounded edges and place it on top of the previous pieces to finish the stack. Place this stack centered vertically on the cone, meaning the cone attaches to the middle of the stack.

Step 66.1

Locate a black 1x2 panel piece with closed corners and place it on the overhanging slope piece to the right of the faucet piece with the panel on the right side.

66.2 Locate a black 2x2 circular tile and a 2x2 black round inverted dome. Place the tile on the open end of the dome and then place that by putting the stud of the dome on the stud of the 2x2 jumper plate to the right of the stack from step 65. Congratulations, you've now completed the toilet!

Group 37: Building walls (Steps 67-73)

Step 67.1

Locate a dark grey 2x2 corner brick and a 1x1 dark grey brick. Place the corner brick on top of the corner brick from step 62, on the left side of the build. Place the 1x1 brick 5 studs to the right of the 2 studded back row of the corner brick.

67.2 Locate a light grey 1x2 brick patterned brick and 2 1x1 light grey bricks with holes through the middle. Place the 1x2 brick centered horizontally between the pieces you placed in step 67.1 with the brick pattern facing away from you. Place the 1x1 bricks on either side of it with the holes horizontally, so they are completely covered up.

Step 68

Locate 2 2x2 dark grey corner bricks and a light grey 1x4 brick. Place one corner brick on top of the one from step 67.1 and then place the 1x4 brick horizontally directly to the right of it. Place the other corner brick to the right of the 1x4 brick, mirrored so the ends point towards you and left.

Step 69

Locate a tan 1x6x2 arch brick that arches up on both sides to the top. Place it in the row directly in front of the 1x4 brick from the last step, between the space created by the corner bricks.

Step 70

Locate a black 1x4x3 window frame and the 1x4x3 transparent glass piece that fits in it. Click the glass into the frame by feeling for the side that has a slight divot. Lightly press the glass in until you hear a click, meaning the glass is in. Place it vertically on the column second from the leftmost column, across the front 4 rows.

Step 71

Locate 2 black 1x2x2 slope bricks that should have the slope leading up to a stud. Place them vertically on the rightmost column of the top of the build, which should have 4 available studs. Place them back-to-back so the one farther away from you slopes away from you and vice versa.

Step 72

Locate 2 dark blue 2x6 plates. Place one vertically on the 2 leftmost columns of the top of the build, which will leave 2 studs of overhang, over the room, to the right. Place the other one on the 2 columns to the left of the slope bricks, with 4 studs of overhang, also over the room, to the left.

Step 73

Locate a 2x2 light grey brick and place it on the left side of the 2x4 section of the back 2 rows between the dark blue plates. Also locate 2 1x2 light grey brick patterned bricks and place them horizontally to the right of the 2x2 brick with the sides with the pattern facing out on both sides, meaning the sides with a single line across the middle are touching.

Group 38: Starting the roof (Steps 74-81)

Step 74

Locate a light grey 1x4 brick. Place it on top of the back row of the top level, on the 2x2 brick and one of the 1x2 brick patterned bricks.

Step 75

Locate 2 1x2 light grey bricks with a stud on one side and 2 light grey 1x1 round plates. Place one round plate on each stud on the 1x2 bricks. Place them on the row in front of the 1x4 brick with the studs on the sides facing you.

Step 76

Locate another 2x2 light grey brick and 2 more 1x2 light grey brick patterned bricks. Place the 2x2 brick on the right half of the 1x4 brick and a 1x2 brick with a stud on one side. Place the 1x2 patterned bricks on the left half of the 1x4 brick and the other 1x2 brick with a stud on the side horizontally with the brick patterns on the outside and single lines touching.

Step 77

Locate a light grey 2x4 plate and a light grey 1x4 plate. Place the 2x4 plate horizontally in front of you and place the 1x4 plate horizontally on the back row. Place it on the 2x4 section that has been raising over the top horizontally with the 1x4 plate still being on the back row.

Step 78

Locate a grey short sword and a light grey bar with clip. Place the clip through the left stud on the wall from the 1x2 brick and clip the sword into it. Maneuver the sword to point up and to the right at a 45-degree angle.

Step 79

Repeat step 78 on the right stud except maneuver the sword to point left and up at a 45-degree angle, with this sword overlapping the other one but being closer to you.

Step 80

Locate 2 black 2x2x3 slope bricks that are sloped on 2 sides and regular on 2 sides. Place them on either side of the 2x4 section that has been rising, with the one on the left having slopes going down to the left and back, and the right one having slopes going down to the right and back.

Step 81

Locate 4 2x2x3 black slope bricks that are sloped on 1 side and regular on the other 3 sides. Place 2 on the left 2x6 blue plate on the front 4 rows with the slopes going down to the left and place the other 2 on the left 2x6 blue plate with the slopes going down to the right.

Group 39: Finishing the roof (Steps 82-88)

Step 82

1. Locate a black 4x6 plate and place it across the top of the house centered horizontally so it covers the middle of the room, but leaves 1 row open at the front, meaning it pushes back to the grey 1x4 plate placed in step 77.

82.2. Locate a black 1x6 plate and place it centered horizontally across the front row, in front of the 4x6 plate. 83.1. Locate 2 light grey 2x2 bricks that have a 1x2 section of studs and then slope down on the 3 sides of the other 1x2 section. Place them with the studs back-to-back, centered horizontally across the back 2 rows. They should be on the 1x4 section extending out from the back and 16 stud row.

Step 83.2

Locate around 2x2 light grey jumper plate with 1 stud and place it on the 2x2 section created by the studs that are back-to-back created in the last step.

Step 84.1

Locate a light grey 1x2 plate with round ends. Place it centered horizontally on the 2x2 round jumper plate, where it should align in the direct middle because of the little rod in the middle of the bottom.

84.2. Locate 2 light grey candle pieces, each have 1 end with a rod and 1 end that's hollow. Place the rods through the hollow studs of the 1x2 plate you just put down, meaning the hollow ends of the candles are on top.

84.3. Locate 2 light grey 1x1 plates with hollow bars instead of studs. Place those hollow bars through the hollow ends of the candles.

Step 85.1

Locate 2 1x1 dark blue flower plates and 2 black 1x1 flowers with 2 levels of petals. Place the black flowers on the dark blue flowers. Place these stacks on the leftmost and rightmost columns of the back 1x6 row.

85.2 Locate 2 black sticks with 4 fins extending out. They should have bars on the bottom. Place those bars through the tops of the black flowers.

Step 86.1

Locate a light green 1x1 plate with 3 leaves and place it on the 3rd stud from the right of the 2nd to back row with the leaves pointing towards you and left.

86.2 Locate a black 1x4 gear rack piece that has many wedges pointing up instead of studs. Place it vertically on the rightmost column, which should have 4 open studs.

Step 87

Locate a black 1x2 sloped piece that goes up and meets in the middle but also inverts out to one side and continues the ridge line across, with it sloping up in an overhang. Place it vertically on the 2 sloped bricks that are 2 columns to the right and below the top roof level with the overhanging section pointing to the left.

Step 88

Place this mini build on the bottom half of the building by making them both horizontally and making the openings to the rooms face you, with the outside of the buildings facing away from you.

Congratulations, you've finished the second section of the building! Clip it on to the first section of the building by making the first section horizontal and finding the clips that are in the front row of the rightmost column and finding the bars for clipping onto on the second section of the building and clipping them together. You should now be able to slide them together to make 2/3 of the building, and the outer walls of the buildings should feel connected when the buildings are slid together.

Bag 7:

Group 40: Page 2 (minifigure)

First, we'll make Bianca Barclay. Locate the long black pants piece. Next, locate the torso wearing the purple and black nevermore uniform shirt and place it on the pants so the arms are pointing the same way as the shoes. After that, locate the skin-colored head and jet-black hair piece. Place the head on so that the nose, which you can feel on the face, faces the same way as the arms. Place the hair on the head so the longer end is on the back of her head, facing the opposite way as arms and feet. Also locate a pen piece and place it in one of her hands, and the 1x2 white tile that represents a page out of a journal and clip it into her other hand.

Group 41: Start floor of third building (Steps 1-9)

Step 1

Locate 2 brown 1x2 plates and 1 brown 1x2 plate with a clip. Stack them so the plate with the clip is in the middle, and the regular 1x2 plates surround it.

Step 2

Locate a sand-colored 6x8 plate and place it down horizontally. Place the stack from step 1 across the back 2 rows of the rightmost column with the clip overhanging on the back of the plate.

Step 3

Locate a light blue 2x4x1 brick and a light blue 2x2x1 brick. Place the 2x2x1 brick directly to the left of the stack placed in step 2, across the back 2 rows. Place the 2x4x1 brick horizontally to the left of the 2x2x1 brick, again on the back 2 rows. This should leave just the leftmost column open.

Step 4

Locate a brown 2x2x1 brick and place it on top of the stack and half of the 2x2x1 light blue brick, meaning it's in the back 2 rows and rightmost 2 columns.

Step 5.1

Locate a brown 1x2x3 brick and place it horizontally on the back row of the 2x2x1 brown brick.

5.2 Locate a light grey 1x2x3 panel brick. Have an sighted friend help you place sticker #10 on the inside of the panel. Make sure it doesn't get placed on the normal wall, but on the inside that is enclosed. This sticker adds a shelving display, including 2 cups, scissors, a flowerpot, and an urn with a skull picture on it.

5.3 Place this brick horizontally on the row in front of the brown 1x2x3 brick with the side with the wall facing the back, meaning the sticker is facing you.

Step 6

1 Locate a brown 1x2 plate with a clip attachment and place it vertically on the right column of the 2 bricks placed in step 5, which should have created a 2x2 space. Make sure the clip faces off to the back.

6.2 Locate a brown 1x2 plate and place it vertically to the left of the plate placed in step 6.1. This should now fully cover the 2x2 space from the bricks in step 5.

Step 7

Locate 2 dark brown 2x2 plates and stack them. Place them on top of the plates you just put down in step 6.

Step 8

Locate 2 dark grey 1x2x2 bricks and place them horizontally on the back row, on top of the 2x4 and 2x2 bricks on the back 2 rows. Place them directly to the left of the brown 1x2x3 brick, leaving 2 columns to the left of the new bricks, 1 on raised and one just on the plate.

Step 9

1 Locate a black 1x4x3 window frame and the 1x4x3 glass that fits inside of it. Click it in by feeling for the side with indents, and then put it in. You'll know it is in when you hear a click and it swings in and out of the window but stays locked in the frame.

9.2 Place this window on dark grey 1x2x2 bricks horizontally so that the window opens out to the back.

Group 42: Start walls of third building (Steps 10-17)

Step 10.1

Locate 2 green 1x1x1 headlight bricks. Place them side by side, with their studs facing you.

10.2 Locate a dark green 1x2 jumper plate and place it on the headlight studs, connecting the headlight bricks. Locate a tan 1x2 plate and place it on top of the headlight bricks, also connecting them.

10.3 Locate a light grey 1x1 faucet piece, with a hole in the end where water comes out. Place it on the right stud of the 1x2 tan plate, with the tap end pointing out to the right.

10.4 Locate a white 1x2 panel brick with closed corners. Place it vertically directly in front of the right 1x2x3 dark grey brick, with the side with the panel on the front and the open side on the back.

10.5 Place the mini build vertically in front of the left 1x2x3 dark grey brick. The faucet should have the tap overhanging the 1x2 panel brick.

Step 11

Locate a dark grey 1x2x5 brick. Place it vertically across the back 2 rows of the 2nd from the leftmost column. It should be on a light blue brick.

Step 12

Locate a black 1x6x1 brick and place it centered horizontally on the back row. There should be 1 column to the left which is the plate and 1 column to the right which is at the level of the base of the 1x6x1 brick.

Step 13.1

Locate light blue 1x6x7 arched door frame brick and the 1x6x7 arched glass that fits inside it. Place the glass in by pushing it in on the side with rounded edges until it clicks. Have an sighted friend help you make sure the glass is put right by looking to see if it's in the holes.

13.2 Have a sighted friend help you place sticker #14 on the glass, on the side with rounded edges. This sticker adds in stained glass and a pattern involving flowers, while the sticker is transparent, so it lets very cool light into the room.

13.3 Place this door with glass vertically across the 2nd from leftmost column, starting as far back as it can go. It should have 2 studs of overhang on the front side. Make the side with stained glass and rounded edges on the left.

Step 14

Locate a tan 6x8 plate and place it horizontally in front of the first one, so it lines up. Clip it on with the 2 studs of overhang from the light blue arched glass window and make sure it connects on the back 2 rows of the 2nd from leftmost column on the new plate.

Step 15.1

Rotate the build 90 degrees counterclockwise so the side with the stained glass is now the front.

15.2 Locate 2 light grey 1x1 round tiles and place them on the front row on the 4th stud from the left and the 5th stud from the right.

15.3 Locate a light grey 1x2 half circle tiles. Place it so it connects the 2 tan 6x8 plates with the circle meeting in the front, meaning it's to the left of the right 1x1 round tile and 2 studs to the right of the left 1x1 round tile.

Step 16.1

Rotate the build 180 degrees clockwise so the stained glass arched window is facing the back.

16.2 Locate a light grey 2x2 jumper plate with 1 stud and place it on the 4th and 5th rows back, on the 7th and 8th columns from the left.

16.3 Locate 4 light grey 2x2 corner tiles that should have 1 square stud taken out of them. Place them around the 2x2 jumper plate with each corner tile going around a corner of the 2x2 jumper plate.

Step 17.1

Locate 2 light blue 1x1x1 bricks. Place one on the front row 3 columns from the left and place the other on the 4th column from the left in the 2nd row from the back.

17.2 Locate a light blue 1x6x1 brick and place it vertically behind the 1x1x1 brick in the 3rd column, leaving only one open stud behind it.

Group 43: Building up walls (Steps 18-27)

Step 18.1

Locate 3 light grey 1x1 round tiles and place one on the leftmost column in the 2nd row from the front, one on the leftmost column in the 6th row from the front, and one on the 2nd column from the left in the back row.

18.2 Locate a light grey 1x2 half circle tile and place it vertically on the 2nd column from the left on the 4th and 5th rows from the front with the circle pointing to the left.

Step 19

Locate a dark grey 1x2x5 brick and place it to the left of the light blue arched glass window frame horizontally. It should be raised a brick higher because it is on the light blue brick base.

Step 20

Locate 2 black 1x2x1 log bricks. Place them on either side of the raised 4 stud of arched window frame horizontally, leaving 1 stud open to the left of the left log brick and the right log brick being right up against the 1x6x1 black brick.

Step 21

Locate a dark green 3x3 plate and place it down in front of you. Locate a 2x2 black corner panel brick and place it along the top right corner, meaning it covers 2 studs on the back row, and one on the left column, with overall covering 3 studs because of the one cut out making it a corner tile.

Step 22.1

Locate 2 dark green 1x2x1 bricks and place one on the front row on the right and middle stud. Place the other one on the left column on the front and middle stud.

22.2 Locate a black 1x1 panel piece with panels on 2 sides and no panels on the other 2 sides. Place it on the back left stud so the panels are on the back and left side, helping continue the wall around the middle.

Step 23

Locate red hot dog/sausage piece. Place it inside this mini build, where it should fit easily.

Step 24.1

Locate a light brown 2x3 tile and place it over the back 2 rows, where it should cover both rows and be only connected by 1 stud which is on the leftmost column of the middle row.

24.2 Locate a 1x3 light brown jumper plate with 2 studs and place it on the front row of the mini build.

Step 25.1

Flip the build so it's upside down.

25.2 Locate 5 dark grey 1x1 round studs and place them upside down so they clip onto the 3x3 dark green plate on the bottom. Place 1 on each corner and place the last one in the middle.

Step 26.1

Flip the build so it's right side up with the jumper plate being the front row.

26.2 Locate the clear 1x1 cup piece and the dark green transparent 1x1 bottle piece. Place the cup piece on the left stud and the bottle piece on the right stud.

Step 27

Place this mini table build on the jumper stud on the light grey 2x2 jumper plate that's surrounded by light grey corner tiles by placing the middle stud on the bottom of the table on the stud of the 2x2 jumper plate and having the side with the bottles in the front and the plain flat side on the back with the glass.

Group 44: Building up walls (Steps 28-31)

Step 28

1. Locate a light grey 1x2x2 window frame brick and the transparent black glass that fits inside it. Click the glass into the frame. This is not the grated piece that would fit in; that's for later in the group.

28.2 Locate 2 light grey 1x1 round tiles and place them on top of the frame – one for each stud.

28.3 Place this window vertically as far back as it can go in the fourth column from left, all the way back to the wall, with the side with the glass on the right.

Step 29.1

Locate a dark green 1x2x1 brick and place it down horizontally. Locate 2 green 1x1 headlight bricks and place them on it, one headlight brick on each stud of the 1x2x1 brick.

29.2 Locate a 1x2 dark green jumper plate and place it on the headlight studs, connecting the 2 bricks. Locate a reddish-brown 1x2 plate and place it on top of the headlight bricks, this time connecting them from the top.

29.3 Place this mini build vertically in the 4th column from the left, as far back as it can go with the jumper plate on the right side. The window from the last step should be directly behind it in that column.

Step 30.1

Locate a black 1x2x5 brick and place it down horizontally. Have a sighted friend help you put sticker #6 on to one of the 2 larger sides of this brick. This sticker puts a picture of a refrigerator, with various bottles behind a shaded door.

30.2 Locate a 1x2 light grey grated plate and place it on the 1x2x5 black brick.

30.3 Place this build vertically across the front 2 rows of 4th column from left, finishing off the appliances in this section of the kitchen. Make sure the side with the sticker is facing right.

Step 31.1

Locate a dark grey 1x4 plate and place it down horizontally in front of you. Also locate 2 black 2x2 wedge plates that have a small corner cut off them and place them on the plate by placing the 2 stud rows on the plate and having the single studs meet in the middle.

31.2 Locate 2 dark blue 1x2x2 window frame bricks and the 1x2 black grated panes that fit them. Click those in, then place them onto the back row by placing them both on and making sure the grates are facing the front, just like the point that the wedge points meet to make.

Step 31

3 Locate 2 dark blue 1x2x2.7 window frames that have rounded tops, and the grated panes with round ends that fit them. Click those in, then place them on top of the first ones while making sure the panes face the same way.

31.4 Place this mini build vertically on 3rd column from the left, on the 3rd-6th rows from the front with the pointed side with wedges and the panes facing out to the left. It should be raised because it's on a brick.

Group 45: Building frame (Steps 32-35):

Step 32

Locate a dark grey 1x2x5 brick and place it vertically across the front 2 rows of the 3rd column from the left.

Step 33.1

Locate a black 1x10x1 brick and place it across the front row at the top, creating a bridge between the wall on the far right and the left. There should be 2 open columns to the left. On the left side it should connect to the brick from step 32.

33.2 Locate a black 1x6 arch brick that is arched on the bottom. Place it vertically on the 3rd column from the left, starting in the back row and ending the 2nd row from the front.

Step 34.1

Locate a light green 1x1 plate with 3 leaves. Also locate a dark green 1x1 plate and place it on the light green plate.

34.2 Locate a brown plant stalk with 3 stems coming out of the top and a hollow bottom. Place the hollow bottom through the dark green 1x1 plate.

34.3 Repeat steps 34.1-34.2 one more time to have 2 plants in total. Locate a maroon 1x1 flower plate and place it on the biggest stem on one of the plants.

34.4 Locate a 1x1 red flower with 2 levels of petals. Place it on the biggest stem of the other plant.

34.5 Place these plants on the wedge plates extending out on the left wall, where there should be 2 studs. Place the plant with the smaller, maroon flower on the back stud and the plant with the larger, red flower on the front stud.

Step 35.1

Locate a black 1x1 plate with a hollow bar instead of a stud, and 4 black candles. Stack them by placing the hollow bottom end of one candle on the hollow bar of the plate and then stack the next 3 on it by stacking the hollow bottoms on the top bars.

35.2 Locate a black piece that is like a candle, but shorter and has a curved stem coming out of it with a stud on the end. Stack it on the candles by placing the bar of the top candle through the hole at the bottom of this piece.

35.3 Locate a black 1x2 plate with round ends and place it on the top candle with a stem, where it should click on the stud and top of the short candle.

35.4 Repeat steps 35.1-35.3 so you have 2 more stacks, meaning you should have 3 stacks in total.

35.5 Rotate the build 180 degrees clockwise so the side with the stained-glass arch door is facing you.

35.6 Place one stack in the front row on the leftmost stud with the top overhanging toward the right. Place another stack in the front row on the rightmost stud with the top overhanging toward the back. Place the last stack in the back row on the rightmost stud with the top overhanging toward the front.

Group 46: Steps 36-37

Step 36.1

Locate 2 light grey 2x6 tiles and place them horizontally across the front 2 rows, and if evenly spaced, they should cover the whole 2 rows.

36.2 Locate 2 light grey 1x4 jumper plates with 2 studs on the outer ends. Place one vertically on the leftmost column, in the middle 4 rows between the 2 with the 2x6 tile and 2 open studs behind it. Place the other one just like that, but on the column 3rd from the right, which is also elevated on the upper frame.

36.3 Locate a light grey 1x2 grated plate and place it vertically on the last 2 open studs on the leftmost column.

36.4 Locate a light grey 1x8 tile and place it across the back row horizontally, across the columns 2nd-9th from the left.

36.5 Locate a light grey 2x3 tile and place it horizontally across the back 2 rows on the three columns closest to the right.

Step 37

1. Locate 2 black 1x2 bricks with round ends and open centers, and 2 dark grey 1x2 tiles with round ends. Place a tile on each brick.

37.2 Rotate the build 90 degrees counterclockwise so the side with 2 clips extending out of the wall is facing you.

37.3 Clip these Minibuilds on the building by clipping the bars inside the bricks onto the clips from the building. Make sure the mini build overhang out to the left, meaning they are clipped on the right side.

Bag 8:

Group 47: Starting the second floor (Steps 38-47):

Step 38.1

Place the first floor of the building off to the side. Locate a red 6x10 plate and place it down horizontally.

38.2 Locate a black 1x3 plate and place it horizontally across the 3 rightmost studs of the back row of the red plate.

Step 39.1

Locate a black 1x6 plate and place it vertically across the leftmost column, where it should cover the whole column.

39.2 Locate 2 black 1x1 cone bricks with hollow studs on top. Place them both in the rightmost column, in the front row and the 2nd from the back row.

39.3 Locate a black 1x3 plate and place it vertically between the cones, where there should be 3 open studs in the rightmost column.

Step 40

Locate a black 1x3 inverted arch brick that is raised by about 1 plate worth where it has a stud. We'll call this an inverted arch brick. Place it vertically on the back right stud, with 2 studs of the arch overhanging to the back and the part with the stud being connected onto the 1x3 plate placed in step 38.2.

Step 41

Locate a black 2x10 plate and place it horizontally behind the red plate, where it should line up and connect to the inverted arch bricks' 2 open studs. It should be below them with its rightmost column of 2 studs.

Step 42.1

Locate 2 more 1x3 black inverted arch bricks and place them vertically to the left of the first one, with the flat arches extending out again to connect to the black 2x10 plate.

42.2 Locate a black 2x6 inverted curve brick. Place it horizontally to the left of the inverted arch bricks with it arching away to the back, meaning the highest point is on the side close to you.

Step 43.1

Locate 2 1x2 dark grey bricks. Place them horizontally on the third to back row, which is the back row of the original red plate. Place them as far right as possible while still on the plate, leaving 2 open studs of the original plate to the left.

43.2 Locate a dark grey 2x2 corner brick and place it to the left of the last 2 bricks with 2 studs in the row 3rd from back in the 2nd and 3rd columns from left and the last stud in the 2nd column from left but in the 4th row from the back.

Step 44

Locate a 1x3 black inverted arch brick and place it horizontally in the front row in the leftmost column, with the 2 studs of overhanging flat arch overhanging to the left.

Step 45

Locate a black 2x8 plate and place it vertically clipping on to the 2 studs of overhang from the most recent 1x3 inverted arch brick. Make sure where it connects is the front row of the new plate, meaning it goes back to line up with the rest of the build.

Step 46

Locate 4 more black 1x3 inverted arch bricks and place them horizontally behind the one from step 44 in the front left, with the flat arched stud extending out onto the 2x8 black plate you just placed.

Step 47

Locate a dark grey 1x2 brick and a dark grey 1x3 brick. Place the 1x2 brick vertically across the front 2 rows on the 2nd from rightmost column, and the 1x3 brick behind it vertically on the 2nd from rightmost column on the 3rd-5th rows from the front.

Group 48: Building up walls (Steps 48-55):

Step 48.1

Locate 2 dark grey 1x6 bricks, and place one vertically on the column 2nd from left across the front 6 rows. Place the other one horizontally on the back 3rd from the back row, which is the 6th from the front. Place it across the 3rd-8th columns from the right.

48.2 Locate a dark grey 1x2 brick and place it vertically on the 4th column from the left, across the 5th and 6th rows from the front.

Step 49.1

Locate a dark blue 1x2 brick with brick patterns on it. Place it vertically on the 3rd column from the left on the 4th and 5th rows from the front. Make the side with just a line across it on the left and the side with the actual brick patterns on the right.

49.2 Locate a dark grey 1x2 normal brick and place it in front of the dark blue patterned brick vertically, meaning in the 3rd column from the left across the 2nd and third rows from the front.

Step 50

Locate a black 3x3 brick with 2 studs on opposite ends of each other, 1 raised and 1 not. Place it across the back 3 rows and 3 leftmost columns, with the raised stud on the front right of that 3x3 stud and the other, non-raised stud on the back left.

Step 51

Locate 2 dark grey 1x2 bricks and stack them. Place this stack vertically across the front 2 rows on the 4th column from the left, the first open one on just the original red plate.

Step 52.1

From now on, the back row will mean the back row with studs, and the leftmost row will mean with the leftmost column with studs to make the descriptions less confusing.

Step 52

2. Locate 2 dark grey 1x1 bricks with 1 stud on 1 side. Also locate a light green 1x1 plate with 3 leaves and a brown bar with clip attachment on the end. Place the green plate on one stud on the side with the leaves pointing up and the brown bar through the other. Make sure the clip is horizontal, meaning the bar that would go through it would be vertical. Place the brick with the bar back row, on the 4th column from the left, with the clip pointing out to the back. Place the one with the leaf plate 3 columns over to the right, leaving 2 open in the middle, still in the back row. The leaves should face out to the back as well.

52.3 Locate a dark blue 1x2 brick with patterned bricks. Place it horizontally on the back row on the 2nd and 3rd from left columns, with the brick pattern facing the front and the single line facing the back.

52.4 Locate a dark grey 2x2 corner brick and place it along the back row in the 2nd and 3rd columns from the right, with the stud sticking out towards the front on the column 2nd from right.

Step 53.1

Locate 2 1x1x3 sand-colored bricks. Place them both in the 5th row from the front, up against the back. Place one on the rightmost stud on the plate before the wall, and the other one on the leftmost stud before the wall. There should be 4 open studs between them.

53.2 Locate a 1x1 dark blue brick and place it in the same row as the sand-colored bricks, to the left of the left 1x1x3 brick, which should be already raised so when the dark blue brick is placed it will be at the same level as the 1x1x3 bricks.

Step 54.1

Locate a 1x1x1 dark grey brick with a stud on the side, and a light green 1x1 plate with 3 leaves. Place the plate on the stud on the side, with the leaves pointing down. Locate a 1x1 maroon flower plate, and place it on the light green plate, which should make them both extend out from the stud on the side.

54.2 Place this on the 5th row from the front, on the leftmost stud, which should be 1 to the left of the 1x1x1 dark blue brick. Have the side with the leaves facing the left.

Step 55

Locate a 1x2x2.7 dark blue arched frame brick. Also locate the grated window piece that fits inside of it. Click the grated piece into the frame and then place the window horizontally on the back row, on the open 1x2 section that's only 2 bricks high instead of 3, like everything around it. Make sure the grated section is facing the back.

Group 49: Adding to walls (Steps 56-60)

Step 56.1

Locate a dark grey 2x2x1 corner brick and place it across the back 2 rows on the leftmost 2 columns with the back left stud being the one that's empty in the 2x2 section.

56.2 Locate a dark blue 1x2x1 patterned brick. Place it horizontally on the back row, on the 2 studs between the window and the corner brick. Make sure the pattern side is facing the front, inside the room.

56.3 Locate a dark grey 1x3x1 brick and place it horizontally across the back row, directly to the right of the window. Also locate a dark grey 1x1x1 brick with a hole through the middle. Place it on the second row from the back, on the 2nd from the rightmost column, with the hole vertical and facing the back and front instead of left and right.

Step 57.1

Locate a dark grey 2x2x1 corner brick and place it across the back 2 rows, with it being on the back row of the 2nd and 3rd columns from left, and the 2nd from back row on the 2nd column from left.

57.2 Locate a dark grey 1x4x1 arch brick and place it horizontally across the back row with the arch being over the window, leaving 2 studs open to the right on the raised level. Also locate a dark grey 1x2x1 brick and place it vertically on the rightmost raised level, across the back 2 rows.

Step 57

3 Locate a dark grey 1x1x1 brick with a stud on the side and a brown bar with a clip attachment on one end. Place the bar through the stud on the side and make sure the clip is vertical, meaning a bar would have to be horizontal to clip in. Place this brick on the back row, between the 1x4x1 arch brick and the 1x2 brick. Have the clip pointed out to the back.

Step 58

Locate a tan 1x6x2 arch brick and place it horizontally on the 2 1x1x3 tan bricks placed in step 53.1. It should arch over that area and clip onto both of the bricks nicely.

Step 59

Locate a black 1x4x3 window frame and the transparent plastic piece fits inside of it. Click the plastic into the frame. Place this brick vertically on the 2nd from the rightmost column across the front 4 rows with the plastic opening out to the right.

Step 60

Locate a dark blue 1x2x2.7 arched window frame brick and the grated piece that fits inside it. Click in the grated piece and place this window vertically on the leftmost column across the 3rd and 4th rows from the front with the side with the grated piece on the left.

Group 50: Starting interior (Steps 61-68):

Step 61

Locate 2 dark grey 2x2x1 corner bricks and stack them. Place them on the front 2 rows, with 1 stud on the front row in the 2nd column from the left and the other 2 in the 2nd row from the front, on the 2 leftmost columns.

Step 62.1

Locate a dark grey 1x4x1 arch brick and place it vertically across the leftmost column, over the window and on the only 4 raised studs.

62.2 Locate a dark grey 1x2x1 brick and place it vertically across the front 2 rows on the column 2nd from the left.

Step 63.1

Locate a black 2x2x2 stand piece that is a very skinny pole except at the bottom and top where it is a 2x2 round plate and place it down. Also locate a red 2x2 plate that is extended and goes down to look like frosting dripping off the top layer of a cake. Place it on the stand.

63.2 Locate a black 1x1 piece that has a statue that looks like a small minifigure on top. Place it on the middle of the red 2x2 plate that looks like frosting, in the middle of all 4 studs, where it should fit nicely.

63.3 Locate a transparent 2x2 crystal ball/globe piece. Place it around the statue so it clips on around the 4 studs.

63.4 Place this stand with the minifigure in the room, on the 3rd and 4th columns from the wall on the left and the 3rd and 4th rows from the front.

Step 64.1

Locate a gold telescope piece, and a black candle. Place the telescope down with the skinny end with a stud on top. Place the bar of the candle through the stud. Also locate a transparent orange small flame with a pin on the bottom and place the bar through the open hollow part of the candle.

64.2 Repeat step 63.1 once to have 2 total full candle sticks.

64.3 Place both candle sticks on the front row, with one on the leftmost stud before the left wall and the other one on the rightmost stud before the right wall. Make sure the flames are horizontal.

Step 65.1

Locate 2 dark blue 2x6 plates and place one vertically on the 2nd and 3rd from left columns, across all 6 rows. Some of it will be overhanging. Place the other one vertically across the rightmost 2 columns, also across all 6 rows, with some also overhanging.

65.2 Locate a dark blue 1x4 plate and place it horizontally on the back row, between the 2 2x6 plates where there should be 4 open studs.

Step 66.1

Locate 2 light grey 1x2 bracket pieces with 2x2 up. Place them down horizontally next to each other with the sides with 2x2 up facing the front.

66.2 Locate a black 2x4 tile and place it on 2x2 up sections, where it should cover both sections. Have a sighted friend to help you place sticker #7 on the tile. This sticker depicts a picture of Morticia and Gomez Addams around some dark plants, as a portrait they would hang in their house.

66.3 Place this portrait build horizontally on the row 2nd from back, on the 4 studs that are lower than the rest, in the middle. Make sure the side with the tile is facing the front.

Step 67

Locate 2 black 2x2x3 sloped bricks that are sloped on one side from a 1x2 section at the top. Place them across the back 2 rows, behind the portrait meaning they together take up the 4th-7th rows from the left. Have them sloping down to the back.

Step 68

Locate 2 black 2x2x3 sloped bricks that are sloped on 2 sides, so they slope down on 2 sides from a 1x1 section at the top. Place one directly to the right of the single sided sloped bricks, with the slopes going down to the back and right. Place the other one directly to the left of the single sided sloped bricks, with the slopes going down to the back and left.

Group 51: Building roof (Steps 69-72):

Step 69

Locate 4 black 2x2x3 sloped bricks that are sloped on one side from a 1x2 section at the top. Place 2 of them on the 2 rightmost columns of the raised section which should have an empty 2x4 section on the dark blue plate, with the slopes going down to the right. Place the other 2 on the 2 leftmost columns, where there should be another open 2x4 section on the dark blue plate. Have them sloping down to the left.

Step 70.1

Locate a black 4x6 plate and place it horizontally across the back 4 rows of the section on top of the 2x2x3 sloped bricks. It should be overhanging when it's over the center.

70.2 Locate a black 1x6 plate and place it horizontally across the front row, on the black sloped bricks.

Step 71.1

Locate 2 black 1x4 gear rack pieces that have many divots on top instead of studs. Place one on the back row, centered horizontally on the black 4x6 plate. Place the other one vertically on the leftmost column of the top section, across the front 4 rows.

71.2 Locate a light green 1x1 plate with 3 leaves, and place it on the top section, 1 column from the left and 3 rows from the front with the leaves pointing to the front and right.

Step 72.1

Locate a dark blue 1x1 flower plate, and a black 1x1 flower piece with 2 levels of petals. Place the black flower on the dark blue flower. Also locate a piece that has 4 rows going down in all 4 directions, and a bar at the bottom. Place the bar through the black flower.

72.2 Repeat step 72.1 so you have 2 of these small minibuilds in total.

72.3 Place one of the flower minibuilds on the back row of the top section, on the leftmost stud and the other one on the back row of the top section, on the rightmost stud.

Group 52: Finishing the build! (Steps 73-77)

Step 73

Locate 2 black 1x2 sloped bricks that slope down on one side from a 1x1 section at the top. Place them on the open 1x4 section that is about halfway upon the left side, which is directly to the left of the left 2x2x3 sloped bricks. Place them back-to-back vertically so the one on the back slopes down to the back and vice versa.

Step 74

Locate a black 1x2 piece that has an inverted slope and an open bottom under the inverted slope. Place this piece on the 1x2 section created by the tops of both bricks placed in the last step, with the side with the inverted slope pointing out to the right, onto the building.

Step 75.1

Rotate the build 180 degrees so the side with 2 brown clips is on the front.

75.2 Locate 2 dark green vine pieces that have bars on one end. Place them in the clips with the one in the top clip going down to the left and eventually down, and the one in the bottom clip going down and eventually to the left. They should come together to almost meet in the bottom left corner.

Step 76

Locate the first floor of this building and place it down horizontally so the side that's open so you can see inside the room is on the front and the side with 2 bars on the side is on the left. Place the 2nd floor of the building on this so the side that opens out so you can see in is also facing you.

Step 77

Locate the connected 2 sections of the whole house and place them so they are lined up with the clips on the back in the front, meaning the front door is facing away from you. Place the 3rd section of the building you just built down, so it lines up with its back facing you. This will mean the side that opens out so you can see in is facing the left. Clip it onto the main building by finding the clip attachments on the back of the right side of the middle building and attach them to the clips on the left side of the back of the building you just made.

Congratulations, you've completed Morticia's cottage! Flip it around so the front door is facing you, and you can open it up to reenact the memorable scenes that took place on this interesting site. Remember you also have the car and the 4 minifigures. The building can open to allow easy access to all 6 rooms. When the front door of the building is facing you, the left side 2 rooms are the secret room with the crystal ball upstairs, and the kitchen downstairs. In the middle building the upstairs room is the bedroom with a huge stained-glass window in the back, and the downstairs room is an entry room with a clock and another huge stained-glass window. On the right side, upstairs is a bathroom and downstairs is a sitting room with a fireplace.

At the end of the instruction booklets there are advertisements for the LEGO Rebuild the World campaign, and a QR code to a short feedback survey which can be completed to be entered into a sweepstake to win a "cool LEGO prize". If you would like to complete this survey, you can go to LEGO.COM/PRODUCTFEEDBACK.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our Builders page. It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen! Please sign up for our newsletter and follow us on Facebook and Instagram to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.