

76959 Triceratops Research

Adapted by John Le and tested by Jolene Nemeth.

Kids who are into dinosaurs and cool cars will love this collectible LEGO® Jurassic World Triceratops Research (76959) playset. An awesome gift toy for ages 8 and up, it features an authentically detailed Jurassic Park Ford Explorer with an onboard navigation system element to track dinosaurs and space for the 2 minifigures – Dr. Ellie Sattler and Ian Malcolm. The set also includes a posable Triceratops, buildable pile of dinosaur poop with a toxic berry element inside, and a shovel accessory, so children can play out the famous Jurassic Park scene that inspired the set.

Playset for children who love dinosaurs and toy vehicles – Play out a memorable Jurassic Park scene with this Triceratops Research (76959) set, featuring a buildable Ford Explorer and dinosaur poop.

Toy dinosaur and 2 minifigures – A posable Triceratops figure, plus Ian Malcolm and Dr. Ellie Sattler with a shovel element to scoop the hidden toxic berry element from the buildable dinosaur poop.

Ford Explorer – The toy vehicle is packed with authentic details of the off-roader in Jurassic Park and has space inside for both minifigures and an onboard navigation system element.

Portable play – The buildable Ford Explorer measures over 3 in. (8 cm) high, 6.5 in. (16 cm) long and 2.5 in. (6 cm) wide. The set will fit in a kid's backpack, so they can play on the go.

The front of the box shows the car in the background parked in the grasslands. To the right, there is a dinosaur poop waiting to be explored! In the front, Ian Malcolm and Dr. Ellie Sattler are researching a large triceratops! Hopefully, it doesn't eat them!

The back of the box shows the car parked in the grasslands. The triceratops is to the right watching Ian and Ellie dig up the dinosaur poop to see if they can find anything important to research!

The top of the box shows a real size image of Ian Malcolm.

The build is 281 pieces in total and is for ages 8+.

Bag 1 includes the pieces for a minifigure, triceratops, and part of the car.

Bag 2 includes the pieces for the rest of the car.

Bag 3 includes the pieces for another minifigure and dinosaur poop.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back

- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/76959>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1, 2, and 3, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Triceratops, Minifigure, and Part of Car

Group 1 - Pages 6-10 and 1 light blue 1x2 plate with 2 side studs from Step 3.

Group 2 - Steps 1-6 and 1 light blue 2x5 stair plate from Step 7.

Group 3 - Rest of Step 7 and Steps 8-14.

Group 4 - Steps 15-20.

Group 5 - Steps 21-26.

Group 6 - Steps 27-32.

Bag 2 - Part of Car

Group 7 - Steps 33-36.

Group 8 - Steps 37-40.

Group 9 - Steps 41-45 and 2 transparent 1x1 slope tiles from Step 46.

Group 10 - Rest of Step 46 and Steps 47-51.

Group 11 - Steps 52-54.

Group 12 - Steps 55-64.

Group 13 - Steps 65-70.

Bag 3 - Minifigure and Dinosaur Poop

Group 14 - Page 54.

Group 15 - Steps 1-14.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Triceratops and Minifigure

Step 1

Horizontally place 1 large brown and dark tan triceratops body with a tail and spots on it in front of you so the tail faces the right. There are 5 holes on this body that are for the legs and head.

Step 2

Insert the pin of a brown leg into the right front-facing hole so the toes face the left. Then repeat symmetrically to the back. These are the bigger legs with a sharp inward curve behind the knee.

Step 3

Insert the pin of a brown leg into the left front-facing hole so the toes face the left. Then repeat symmetrically to the back. These are the smaller legs with no inward curve behind the knee.

Step 4

Attach a large brown triceratops head with dark tan spikes and horns to the left-facing hole so the face faces the left and the horns face the ceiling! Put this aside while we make a minifigure!

Sub-build 1. Dr. Ellie Sattler. Locate 1 tan pair of legs printed with holes, 1 torso printed with a pink roughed-up jacket over a light blue shirt, 1 tan female head printed with a smirk and pink lipstick, and 1 light yellow hair. Assemble your minifigure then put everything away while we build the car!

You will have an extra light blue 1x2 brick with 2 side studs. Save it for later.

Group 2 - Car

Step 1

Horizontally place a black 2x16 plate in front of you. Then vertically place a red 1x2 brick with 2 side studs on the rightmost column so the side studs face the right.

Step 2

Vertically place a light grey 2x4 plate with 2 pins to the left of the previous brick so it is centered vertically and overhangs in the front and back. Then horizontally place a dark grey 4x10 plate to the left of the previous 2x4 plate with pins so it is centered vertically and overhangs in the front and back.

Step 3

Vertically place a light grey 2x4 plate with 2 pins to the left of the previous 4x10 plate so it is centered vertically and overhangs in the front and back. Then vertically place a light blue 1x2 brick with 2 side studs from group 1 on the leftmost column of the build so it is centered vertically and the side studs face the left.

Step 4

Horizontally place a black 1x8 plate with a rail underneath the front overhang of the 4x10 plate so it is centered horizontally and the rail faces the front. Then repeat symmetrically to the back.

Step 5

Place a white 2x2 sloped curved brick to the left of the right 1x2 brick with side studs so it slopes to the left. Then repeat symmetrically to the left.

Step 6

Place a tan 2x2 plate with 2 side studs on the leftmost column so it is centered vertically and the side studs face the left. Then repeat symmetrically to the right.

You will have an extra light blue 2x5 stair plate. Save it for later.

Group 3 - Car

Step 7

Horizontally place the tall end of a light blue 2x5 stair plate from group 2 on top of the right column of the left previous tan 2x2 plate with 2 side studs so the rest of the stair plate sits to the right. Then repeat symmetrically to the right with a light grey 2x5 stair plate.

Step 8

Place a white 4x4 plate in between the 2 previous stair plates so it is centered vertically.

Step 9

Horizontally place a light grey 1x6 plate to the left of the back and front rows of the previous 4x4 plate. Then repeat symmetrically to the right.

Step 10

Horizontally place a light grey 2x8 plate on top of the short ends of the 2 previous stair plates so it is centered vertically.

Step 11

Horizontally place a lime green 2x4 mudguard in the front left corner so the arch faces the front. Then place a black 1x1 round plate in the back left and back right corner of the mudguard. Now repeat this symmetrically to the back. Then repeat both parts symmetrically to the right.

Step 12

Horizontally place 4 dark grey 1x2 plates with 2 side studs, 1 to the right of the other, on the front row in between the 2 arch bricks so the side studs face the front. Then repeat symmetrically to the back.

Step 13

Vertically place 2 tan 1x2 jumper plates, 1 in front of the other, on the 5th column from the right so they are centered vertically. Then vertically place a tan 1x4 tile to the left so it is centered vertically. Then vertically place a brown 1x2 plate to the left so it is also centered vertically.

Step 14

Vertically place 2 tan 1x2 jumper plates, 1 in front of the other, to the left of the previous 1x2 plate so they are centered vertically. Then vertically place a tan 1x4 tile to the left so it is centered vertically. Now horizontally place a white 2x3 plate to the left so it is centered vertically.

Group 4 - Car

Step 15

Place 2 tan 1x1 round plates on the leftmost column, 1 on the 2nd stud from the front and one on the 2nd stud from the back. Then repeat symmetrically to the right. They should sit on top of the black 1x1 round plates. Now place a tan 1x1 round plate to the left of each of the 1x1 round plates you placed on the rightmost column so there are 2 free columns in between.

Step 16

Vertically place 3 lime green 1x2 bricks with 2 side studs, 1 in front of the other, on the rightmost column so they are centered vertically and the side studs face the right.

Step 17

Vertically place a tan 2x4 tile to the left of the previous bricks so it is centered vertically. Then vertically place a tan 1x4 plate to the left of the previous 2x4 tile. Then place a lime green 1x1 plate in front of and behind the previous 1x4 plate.

Step 18

Vertically place 2 tan 1x2 slope tiles, 1 in front of the other, on top of the previous 1x4 plate so they slope to the left. Now stack 2 lime green 1x3 plates together so there is no overhang, then horizontally place them on the front row to the left of the rightmost 1x2 brick with 2 side studs. Then repeat symmetrically to the back.

Step 19

Place a light brown 1x1 plate with 2 side studs on the front row in front of a 1x2 plate and to the left of a 1x4 tile so the side studs face the front. Then repeat symmetrically to the back. Horizontally place a brown 1x2 plate with 2x2 side studs to the left so it sits in front of the right 2 columns of a 2x3 plate and the side studs face the front. Then place a light brown 1x1 plate with 2 side studs to the left so the side studs face the front. Then repeat both steps symmetrically to the back.

Step 20.1

Let's make a part! Stack 2 tan 1x4 plates on top of each other so there is no overhang then place them horizontally in front of you.

Step 20.2

Then horizontally place 2 tan 1x2 slope tiles on top so they slope to the front. Now vertically place your part in between the 2 previous 1x1 plates with 2 side studs that are on the right so it slopes to the left.

Group 5 - Car

Step 21

Place a black 2x2 plate on the 5th and 6th columns from the left so it is centered vertically. Horizontally place a tan 1x3 plate in front of it so the right 2 columns are in front of the 2x2 plate. Repeat symmetrically to the back.

Step 22

Vertically place a black 1x2 steering wheel on the front 2 stud rows in front of the front-facing side studs and to the left of the 1x4 tile so the steering wheel faces the right. Then vertically place a brown 1x2 plate behind it.

Step 23.1

Vertically place a tan 1x2 log brick to the left of the steering wheel. Then place a brown 2x2 slope brick with a sticker behind it so it slopes to the right. Make sure the studs are aligned with the previous brick.

Step 23.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 7 on the brown 2x2 sloped brick. It is a sticker of a green island surrounded by blue water. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 24

Vertically place a light grey 2x4 brick to the left of the previous 2x2 slope brick and 1x2 log brick so it is centered vertically. Then place a lime green 1x1 plate in front of and behind the leftmost column of the previous 2x4 brick. Then vertically place a black 2x4 plate to the left of the previous 2x4 brick.

Step 25

Stack 2 lime green 1x3 plates together so there is no overhang then place them on the front row in front of the previous 2x4 plate and right column of the previous 2x4 brick. Then repeat symmetrically to the back.

Step 26

Vertically place 3 lime green 1x2 bricks with 2 side studs, 1 in front of the other, on the leftmost column so the side studs face the left.

Group 6 - Car

Step 27

Place a tan 3x3 plate upright on the front-facing 3x3 set of studs so there is no overhang. Then horizontally place a light brown 1x2 plate with a rail upright to the right of the bottom row of the previous 3x3 plate so the rail faces up. Then vertically place a tan 1x3 plate upright to the right of the previous 1x2 plate with a rail. Then horizontally place a light brown 1x2 plate with a rail upright to the right of the bottom stud of the previous 1x3 plate so the rail faces up.

Step 28

Horizontally place a yellow 1x8 tile upright on the bottom row of front-facing side studs.

Step 29.1

Place a lime green 2x2 tile with a sticker upright on the front-facing side studs above the 2 leftmost columns of the previous 1x8 tile.

Step 29.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the lime green 2x2 tile. This sticker has a half-brown spot coming from the top and a circle in the middle with a black T-rex skeleton on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 29.3

Horizontally place a lime green 2x6 tile with a sticker upright to the right of the previous 2x2 tile.

Step 29.4

Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the lime green 2x6 tile. This sticker has half-brown spots coming from the top and the word Jurassic Park on it in all capital letters. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 30

Rotate your car 180 degrees. Place a tan 3x3 plate upright on the front-facing 3x3 set of studs so there is no overhang. Then horizontally place a light brown 1x2 plate with a rail upright to the left of the bottom row of the previous 3x3 plate so the rail faces up. Then vertically place a tan 1x3 plate upright to the left of the previous 1x2 plate with a rail. Then horizontally place a light brown 1x2 plate with a rail upright to the left of the bottom stud of the previous 1x3 plate so the rail faces up.

Step 31

Horizontally place a yellow 1x8 tile upright on the bottom row of front-facing side studs.

Step 32.1

Place a lime green 2x2 tile with a sticker upright on the front-facing side studs above the 2 rightmost columns of the previous 1x8 tile.

Step 32.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the lime green 2x2 tile. This sticker has a half-brown spot coming from the top and a circle in the middle with a black T-rex skeleton on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 32.3

Horizontally place a lime green 2x6 tile with a sticker upright to the left of the previous 2x2 tile.

Step 32.4

Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the lime green 2x6 tile. This sticker has half-brown spots coming from the top and the word Jurassic Park on it in all capital letters. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Building Instructions (Bag 2, Book 1):

Group 7 - Car

Step 33

Let's make a part! Horizontally place a lime green 2x6 plate with 4 side studs in front of you so the side studs face the back. Then place a dark grey 2x2 plate on the front row so it is centered horizontally and overhangs to the front.

Step 34

Then place a black 1x1 round plate to the left and right of the back row of the previous 2x2 plate. Then vertically place a transparent red 1x2 plate on the leftmost and rightmost columns so there is no overhang.

Step 35.1

Vertically place a black 1x2 grill tile on the leftmost and rightmost columns so there is no overhang. Then horizontally place a lime green 2x4 tile with a sticker in between so there is no overhang.

Step 35.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the lime green 2x4 tile. This sticker has 3 half-brown spots coming from the top and a blue oval with the word ford in the bottom right corner. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 36

Place 2 yellow 1x1 plates with 2 side studs underneath the front overhang so the side studs face the left and right.

Group 8 - Car

Step 37

Horizontally place a yellow 1x2 plate on the front row in between the 2 previous 1x1 plates with side studs.

Step 38.1

Horizontally place a yellow 1x2 tile with a sticker on the front row on top of the previous 1x2 plate.

Step 38.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 6 on the yellow 1x2 tile. This sticker has a little white rectangle with a T-Rex on it and the numbers 04 to the right. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 39

Place your part upright on the left-facing side of the build so it is centered. The 4 top-facing studs of this part should align with the studs to the right.

Step 40.1

Let's make a part! Horizontally place a yellow 1x2 plate in front of you.

Step 40.2

Stack 2 black 1x1 round plates on top of each other then place them on the right stud of the previous 1x2 plate.

Step 40.3

Horizontally place a yellow 1x1 sloped curved brick with a 1x1 plate on top so it slopes to the left. There should be no overhang. Then place a yellow 1x1 tile on top of the previous slope bricks. Now repeat the previous steps so you have 2 of these parts in total.

Step 40.4

Horizontally place 1 part upright on the 2 leftmost columns on the front-facing side studs of your previous part so it slopes to the left. Then repeat symmetrically to the back.

Group 9 - Car

Step 41

Vertically place a transparent 2x6 windshield on the 2 leftmost columns so it is centered vertically and slopes to the left. Then vertically place a transparent red 1x2 plate on top of the windshield so it is centered vertically.

Step 42

Rotate your build 180 degrees so the windshield faces the right. Now horizontally place a transparent 1x2x2 panel on the front and back rows to the left of the windshield so the walls face outwards. Then place a dark red 1x1 tile to the left of each of the previous panels.

Step 43

Horizontally place a black 2x3 angled plate on the rightmost column in front of the 1x2 plate. Make sure it is horizontal and the angled side is in the back so the short end faces the left. Then repeat symmetrically to the back.

Step 44

Vertically place a dark red 1x6 tile on the rightmost column so there is no overhang. Then place a dark red 1x1 tile to the left of the previous tile on the front and back rows.

Step 45

Let's make a part! Horizontally place a lime green 2x6 plate in front of you. Vertically place a black 2x3 plate on top so it is centered and overhangs 1 row to the front.

You will have 2 extra transparent 1x1 slope tiles. Save them for later.

Group 10 - Car

Step 46

Vertically place a black 1x2 plate to the left and right of the 2x3 plate so there is no overhang. Then place a transparent orange 1x1 slope tile on the front row of the leftmost and rightmost columns so they slope outwards to the left and right. Now place a transparent 1x1 slope tile from group 8 behind each of the previous slope tiles so they slope outwards to the left and right.

Step 47

Horizontally place 2 lime green 1x2 grill tiles, 1 to the right of the other, on the back row so they are centered horizontally. Then horizontally place a yellow 1x4 tile with 2 studs in front so it is centered horizontally.

Step 48

Place 2 yellow 1x1 plates with 2 side studs underneath the front row so the side studs face left and right.

Step 49

Horizontally place a yellow 1x2 brick on the front row between the 2 previous plates with side studs. Then horizontally place a black 1x2 plate on top so there is no overhang.

Step 50

Place 2 transparent 1x1 round plates on top of the previous 1x2 plate.

Step 51

Now horizontally place your part on the left-facing side studs of the main build so it is centered. Make sure the extended part is at the bottom.

Group 11 - Car

Step 52.1

Let's make a part! Horizontally place a yellow 1x2 plate in front of you.

Step 52.2

Stack 2 black 1x1 round plates on top of each other then place them on the right stud of the previous 1x2 plate.

Step 52.3

Horizontally place a yellow 1x1 slope brick with a 1x1 plate on top so it slopes to the left. There should be no overhang. Then place a yellow 1x1 tile on top of the previous slope brick. Now repeat the previous steps so you have 2 of these parts in total.

Step 52.4

Horizontally place 1 part upright on the 2 leftmost columns on the front-facing side studs of your previous part so it slopes to the left. Then repeat symmetrically to the back.

Step 53

Vertically place a yellow 1x2 brick on the 3rd column from the left so it is centered vertically. It should sit to the left of a 2x4 brick.

Step 54.1

Vertically place a lime green 4x6 car hood on top of the leftmost side so there is no overhang and it slopes to the left.

Group 12 - Car

Step 55.1

Let's make a part! Horizontally place a black rectangular bar with 4 studs in front of you. Then place 1 transparent 1x1 round plate on the back row on top of each of the studs.

Step 55.2

Then vertically place 2 black 1x1 round plates with a bar on the front row, 1 on each of the studs so the bars face the back.

Step 55.3

Vertically place a black 1x1 round plate with a bar on top of each of the previous plates with a bar so the bars face the front.

Step 55.4

Horizontally attach your part on the 2 left-facing side studs that are below the grill tiles so the bars go down and sit to the left and right of a 1x2 set of studs.

Step 56

Let's make a part! Horizontally place a black bar with a stop in the middle in front of you. Then attach a black bent skeleton hand to the left and right sides of the bar so the bend faces the back. This piece is a bent piece with a clip on either end. Now repeat these steps so you have 2 parts in total. Now attach the clips to the front-facing bar of your previous part that is on the leftmost column so it bends to the right. The bar with a stop in the middle should sit to the right. Then repeat symmetrically to the back.

Step 57.1

Let's make a part! Horizontally place a dark red 1x6 plate in front of you.

Step 57.2

Horizontally place 2 lime green 1x2 grill tiles on top of the previous plate so together they are centered horizontally.

Step 57.3

Place a dark red 1x1 tile on the rightmost column to the right of the grill tiles. Then horizontally place a dark red 1x1 plate with a double-sided stud on the leftmost column so the double-sided stud is on the left. Now attach a transparent 1x1 round plate upright to the front of the double-sided stud.

Step 57.4

Now vertically place your part to the right of the 4x6 car hood so it is centered vertically and the double-sided stud is in the back.

Step 58.1

Let's make a part! Horizontally place a dark red 2x6 plate in front of you.

Step 58.2

Horizontally place a transparent 3x6 windshield on top so it slopes to the back and overhangs to the front.

Step 58.3

Place a black 1x1 plate with a side stud underneath the overhang on each side so the side stud faces outwards to the left and right.

Step 58.4

Place a black 1x1 slope tile on the left-facing and right-facing side studs so they slope to the back.

Step 58.5

Now vertically place your part to the right of the previous part you placed so it is centered vertically and slopes to the left.

Step 59

Let's make a part! Horizontally place a dark red 2x6 plate in front of you.

Step 60

Vertically place a black 2x3 plate on top so it is centered horizontally and overhangs 1 row to the front.

Step 61

Horizontally place a dark red 1x6 plate underneath the overhang so it is centered horizontally.

Step 62

Horizontally place a dark grey 1x2 plate with 4 side studs on the back row so it is centered horizontally and the side studs face the back. Now horizontally place 2 black 1x2 grill tiles on the back-facing side studs so there is no overhang.

Step 63

Place a dark grey 2x2 plate in front of the previous 1x2 plate with 4 side studs so it is centered horizontally.

Step 64

Vertically place 2 dark red 2x3 slope bricks on the leftmost and rightmost columns so they slope outwards.

Group 13 - Car

Step 65

Horizontally place a dark red 1x2 jumper plate on the front row so it is centered horizontally. Then place a dark red 2x2 tile behind it so it is also centered horizontally.

Step 66

Place 3 transparent 1x1 slope tiles on the front row so they slope to the back.

Step 67.1

Put this part aside while we make another part! Horizontally place a dark red 6x8 plate with 2 clips and a 4x6 gap in front of you so the clips are on the left.

Step 67.2

Now place a transparent 6x6 windshield on the leftmost column so there is no overhang and it slopes to the left.

Step 68

Vertically place your previous part to the right of the windshield so it is centered vertically and the 3 slope tiles face the left.

Step 69

Now horizontally place your part on top of the windshield and 2 studs on the right side so it is centered vertically. Make sure the windshield of your part is on the left.

Step 70

Place 4 yellow 2x2 round tiles printed with 5 black triangles upright on the side of 4 black wheels, 1 in each of them. Now attach your wheels to the front-facing and back-facing pins so the tiles face outwards.

Building Instructions (Bag 3, Book 1):

Group 14 - Ian Malcolm

Sub-build 2. Locate 1 black pair of legs, 1 torso printed with a v-neck shirt, 1 tan head printed with a smile and glasses on his face, 1 black hair, and 1 dark grey shovel. Assemble your minifigure and put the shovel in his hand!

Group 15 - Dinosaur Poop

Step 1

Horizontally place a tan 4x6 plate in front of you.

Step 2

Horizontally place a brown 2x6 plate on top of it so it is centered.

Step 3

Place a light green 2x2 tile on the front row so it is centered horizontally and overhangs to the front. Then repeat symmetrically to the back.

Step 4

Horizontally place a tan 2x6 plate with a rounded side underneath the front overhang so it is centered horizontally and the rounded side faces the front. Then repeat symmetrically to the back.

Step 5

Place a light green 2x2 plate with a missing corner to the left of the front 2x2 tile so the missing corner faces the front left. Repeat symmetrically to the right. Then repeat both parts symmetrically to the back.

Step 6

Horizontally place 2 brown 1x2 plates with 2x2 side studs, 1 in front of the other, in between the 2 light green 2x2 tiles so the side studs face front and back.

Step 7

Place a dark tan 2x2 plate on top of the 2 previous 1x2 plates with side studs so there is no overhang.

Step 8.1

Let's make a part! Place a dark tan 2x2 plate in front of you.

Step 8.2

Place a light brown 1x1 round plate in the back left corner of the 2x2 plate. Then vertically place a brown 1x2 slope brick to the right so it slopes to the front.

Step 8.3

Then vertically place a brown 1x2 sloped curved tile on the left column so there is no overhang and it slopes to the front. Now repeat the previous steps so you have 2 of these parts in total.

Step 8.4

Place 1 part upright on the front-facing 2x2 studs so it slopes up. Then repeat symmetrically to the back.

Step 9

Vertically place 2 brown 1x2x2 slope bricks on the 2nd column from the left so they are centered vertically and they slope outwards to the front and back. Then repeat symmetrically to the right.

Step 10

Vertically place a dark brown 1x2 slope tile on top of the left 2 previous slope bricks so it slopes to the left. Then vertically place another 1 to the left so it is centered vertically and slopes to the left. Now repeat both parts symmetrically to the right.

Step 11

Place a dark green 1x1 plate with 3 leaves behind the leftmost 1x2 slope tile so the leaves face the back left. Then place another 1 in front of the rightmost 1x2 slope tile so the leaves face the front right.

Step 12

Place a light green 1x1 round plant with 3 stems in each of the previous leaf plates.

Step 13

Place a purple pair of cherries inside the middle 2x2 gap.

Step 14.1

Let's make a part! Place a dark tan 2x2 plate in front of you.

Step 14.2

Place a light brown 1x1 round plate in the back left and front right corner of the previous plate.

Step 14.3

Horizontally place a brown 1x2 slope brick in the front left corner of the plate so it slopes and overhangs to the left. Then horizontally place another 1 in the back right corner so it slopes and overhangs to the right

Step 14.4

Horizontally place a brown 1x2 sloped curved tile in the front right corner on top of the 1x1 round plate so it slopes and overhangs to the right. Then horizontally place another 1 in the back left corner so it sits on the 1x1 round plate and slopes to the left.

Step 14.5

Place a brown 1x1 slope tile on top of the back 1x2 slope brick so it slopes to the right. Then place a brown frog on the front 1x2 slope brick so it faces the right.

Step 14.6

Vertically place your part on top of the 2x2 gap so it is centered.

Thank you so much for building this set!

Visit bricksfortheblind.org for more accessible instructions, sign up for our newsletter, and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our [Facebook](#) and [Instagram](#) accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 4 LEGO Jurassic Theme kits:

76957 Velociraptor Escape

76958 Dilophosaurus Ambush

76959 Triceratops Research

76960 Brachiosaurus Discovery