

77075 Peely & Sparkplug's Camp

Adapted by John Le and tested by Jolene Nemeth.

Thrill gamers with this LEGO® Fortnite® Peely & Sparkplug's Camp (77075) building set for kids aged 7 and up. Packed with recognizable elements and iconic characters, the video game set encourages fans to create their own LEGO Fortnite adventure.

The playset replicates the first challenges players encounter in the LEGO Fortnite Odyssey video game, and boys and girls will have fun building the campfire, a workbench and ruins that can be deconstructed and reconfigured. It also features a Supply Llama figure and a wolf figure with a movable tail and legs. The action is brought to life by minifigures of Peely, Sparkplug and a skeleton, who come with weapon accessories to encourage imaginative role play.

LEGO® Fortnite® playset – Spark imaginative play with the LEGO Fortnite Peely & Sparkplug's Camp building set for kids aged 7 and up

Video game building set – The set replicates the first challenges that players encounter in the LEGO® Fortnite®Odyssey video game and features a campfire, workbench and ruins

Video game figures – Includes Peely, Sparkplug and skeleton minifigures, as well as a Supply Llama figure and a wolf figure with a movable tail and legs so kids can act out different scenes

Bonus in-game item – The set comes with a bonus Sparkplug Outfit for the LEGO® Fortnite® video game, which builders redeem by scanning a QR code on the building instructions

Dimensions – The set includes 250 pieces and the ruins part of the build measures over 3.5 in. (9 cm) high, 3.5 in. (10 cm) wide and 2.5 in. (6 cm) deep

The front of the box shows 2 minifigures in the open plains with a supply llama building a campfire, workbench and ruins! They have to be careful because there is a wolf and skeleton nearby!

The back of the box shows 3 smaller pictures which show Sparkplug fighting a skeleton, everyone sitting around the fireplace, and the wolf and skeleton walking in the plains!

The top of the box shows a real size image of a spider.

The build is 250 pieces in total and is for ages 7+.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.

- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/77075>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 4 bags labeled 1 to 4, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Peely, Skeleton, and Workbench

Group 1 - Page 7.

Group 2 - Page 8.

Group 3 - Steps 1-8 and 1 light grey 1x2 tile from Step 9.

Group 4 - Rest of Step 9 and Steps 10-15.

Bag 2 - Supply Llama, Ruins, and Fireplace

Group 5 - Steps 1-8 and 4 light blue 1x1 quarter circle tiles from Steps 9-10.

Group 6 - Rest of Steps 9-10 and Steps 11-19.

Group 7 - Steps 1-17.

Group 8 - Steps 18-24.

Group 9 - Steps 1-4 and 2 transparent orange 1x1 cone bricks from Step 5.

Group 10 - Rest of Step 5 and Steps 6-9.

Bag 3 - Sparkplug and Wolf

Group 11 - Page 48.

Group 12 - Steps 1-10.

Bag 4 - Wolf

Group 13 - Steps 11-14 and 1 black 1x1 plate from Step 16.

Group 14 - Step 15, Rest of Step 16, and Steps 17-22.

Group 15 - Steps 23-32.

Group 16 - Steps 33-38.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Peely

Sub-build 1. Locate 1 yellow pair of legs printed with 2 brown diamonds, 1 yellow torso, 1 yellow banana-shaped head printed with 2 black eyes and a mouth, 1 red dynamite, and 1 silver knife. Assemble your minifigure, make sure the stem curves to the front, then put him away while we make a skeleton!

Group 2 - Skeleton

Sub-build 2. Place a white skeleton body in front of you so the neck bar faces the back. Now attach a white skeleton leg to each of the 2 bars that are in the front so the ridged sides face up. Then attach a white skeleton arm with 2 clips to the bar on the right so the other clip faces the front. Then repeat symmetrically to the left. Now stand up your minifigure, then place a white skeleton head printed with a skull face on top. Then attach a dark grey pickaxe to his hand! Now put him away while we make a workbench!

Group 3 - Workbench

Step 1

Vertically place a dark grey 2x3 brick in front of you.

Step 2

Horizontally place a dark grey 1x6 plate on the back row so it overhangs 4 columns to the left.

Step 3

Vertically place a dark grey 1x4 arch brick underneath the leftmost column so 3 rows are exposed to the front.

Step 4

Horizontally place a light grey 1x2 rounded plate on the 2nd row from the front of the 2 rightmost columns. Now place a dark grey 1x1 round plate on the leftmost column on the 2nd row from the back.

Step 5

Horizontally place the leftmost column of a dark grey 2x6 plate on the front left corner so it overhangs in the front right.

Step 6

Place 2 dark grey 1x1 bricks with a side stud and bottom lip, 1 to the right of the other, underneath the front right corner so the side studs face the front.

Step 7

Horizontally place a dark tan 1x2 jumper plate upright on the 2 front-facing side studs.

Step 8

Vertically place a light grey 1x4 tile with 2 studs on the leftmost column. Then repeat symmetrically to the right.

Step 9.1

Horizontally place a light grey 1x2 tile on the front row so it is centered horizontally.

Group 4 - Workbench

Step 9.2

Place a yellow 1x1 tile on the front row to the right of the ppp. Now vertically place a yellow 1x2 tile printed with diagonal black stripes on the front 2 rows of the 2nd column from the left.

Step 10

Horizontally place a dark grey 1x4x2 panel on the back row so it is centered horizontally the wall faces the front.

Step 11

Place a dark tan 1x1 brick on the back left corner. Then repeat symmetrically to the right.

Step 12

Horizontally place a dark tan 1x1 tile with a 1x1 slope tile on the back left corner so it slopes to the left. Then repeat symmetrically to the right.

Step 13.1

Let's make a part! Horizontally place a sand green 1x2 plate with a stud and a pinhole in front of you so the pinhole is on the left. Now insert a tan 2L pin axle into the back-facing hole so the axle faces the back. Now attach a light grey gear to the back-facing axle.

Step 13.2

Horizontally place your part on the 2nd row from the front so it is centered horizontally and the gear faces the back.

Step 14

Vertically place a sand green 1x2 slope brick on the 2nd column from the right, on the 2nd and 3rd rows from the front so it slopes to the front. Now place a sand green 1x1 tile with an upright clip on top of the ppp so the clip hands face left and right.

Step 15.1

Let's make a part! Horizontally place a sand green 1x2 inverted sloped curved tile in front of you so it slopes to the left. Now place a sand green 1x1 rounded plate with a bar on the right column so the bar faces the right. Now place a yellow 1x1 tile on the left column. Then place a sand green 1x1 plate with a side stud sticking up on the right column so the side stud faces the back.

Step 15.2

Attach the bar of your part to the top-facing clip so the side stud faces the front and the 1x2 inverted sloped curved tile is on top and slopes to the top left. Now put your workbench away while we make the next part!

Building Instructions (Bag 2, Book 1):

Group 5 - Supply Llama

Step 1

Place a purple 2x2 plate in front of you.

Step 2

Place a magenta 1x1 plate with a clip on the front left corner so the clip faces the left and the clip hands face up and down. Then repeat symmetrically to the back. Now repeat both parts symmetrically to the right.

Step 3

Place a purple 2x2 plate on top.

Step 4

Attach a blue bar holder with a handle to the front left-facing clip so the bar hole faces the left. Now attach the bar of a black 1x1 round tile with an upright bar to the ppp so the anti-stud faces the left. Now repeat both parts symmetrically to the back. Then repeat everything symmetrically to the right.

Step 5

Horizontally place a blue 2x4 plate on top so it is centered horizontally.

Step 6

Horizontally place a purple 1x2 plate with 2x2 side studs hanging down on the front left corner so the side studs face the front. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.

Step 7.1

Let's make a part! Vertically place a purple 1x2 plate in front of you. Then horizontally place a purple 1x1 plate with a short 1x1 sloped curved brick on the front row so it slopes to the right and overhangs to the left. Now repeat symmetrically to the back.

Step 7.2

Place your part on the rightmost column so it slopes and overhangs to the right.

Step 8

Vertically place a light blue 1x2 slope tile on the leftmost column so it slopes to the right. Now horizontally place a dark grey 1x2 plate with a stud and an upright clip on the front row to the right of the ppp so the clip is on the left. Then repeat symmetrically to the back.

Step 9.1

Place 2 light blue 1x1 quarter circle tiles, 1 to the right of the other, upright on the top left front-facing side studs so the curves face the bottom right.

You will have 2 extra light blue 1x1 quarter circle tiles. Save them for later!

Group 6 - Supply Llama

Step 9.2

Horizontally place a dark tan 1x2 plate upright on the top right front-facing side studs. Now place 4 light purple 1x1 quarter circle tiles, 1 to the right of the other, upright on the bottom row of front-facing side studs so the curves face the bottom right.

Step 10.1

Rotate your build 180 degrees. Place 2 light blue 1x1 quarter circle tiles from group 5, 1 to the right of the other, upright on the top right front-facing side studs so the curves face the bottom left.

Step 10.2

Horizontally place a dark tan 1x2 plate upright on the top left front-facing side studs. Now place 4 light purple 1x1 quarter circle tiles, 1 to the right of the other, upright on the bottom row of front-facing side studs so the curves face the bottom left.

Step 11

Horizontally place a dark grey 1x2 plate with a bar on the long side on the front left corner so the bar faces the front. Then repeat symmetrically to the back.

Step 12.1

Let's make a part! Place a dark grey 2x2 plate with a bar underneath in front of you so the bar is on the right and vertical. Now place a light blue 2x2 plate on top. Now vertically place a blue 1x2 plate with a bar on the long side on the left column so the bar faces the left. Then place a blue 2x2 sloped curved tile on top so it slopes to the right.

Step 12.2

Attach the bar of the 2x2 plate with a bar underneath of your part to the 2 top-facing clips so the other bar faces up and the sloped curved tile is on the right.

Step 13

Let's make a part! Place a magenta 1x1 plate with a clip in front of you so the clip faces the left and the clip hands face up and down. Now place a white 1x1 tile with a round side on top so the round side faces the right.

Step 14

Attach a dark grey 1x1 plate with 2 bars to the left-facing clip so the anti-stud faces up.

Step 15.1

Let's make another part! Place a dark grey 1x1 round plate in front of you. Then place a black 1x1 tile with an upright clip on top so the clip hands face left and right.

Step 15.2

Orient your part so the clip faces the right and the clip hands face up and down. Now attach the short bar of a black T-shaped bar to the left-facing anti-stud so the bar faces the front and back.

Step 15.3

Attach a magenta bar holder with a clip to the front-facing bar so the bar hole faces the left. Then repeat symmetrically to the back.

Step 15.4

Attach the right-facing clip of your part to the left-facing bar of your previous part so the bar holes face the left.

Step 16.1

Let's make a part! Place a dark grey 1x1 plate with an upright side stud in front of you so the side stud faces the right. Now place a magenta 1x1 brick with 2 side studs on top so the side studs face the front and back.

Step 16.2

Place a white 1x1 round tile printed with a black eye upright on the front-facing side stud. Then repeat symmetrically to the back.

Step 16.3

Place a dark grey 1x1 plate on top. Then place a magenta 1x1 slope tile on top so it slopes to the left.

Step 16.4

Now place the right-facing side stud of your part on the top-facing anti-stud so the slope tile faces the right.

Step 17

Place a black 1x1 tile with an upright clip on the bottom-facing stud so the clip hands face left and right.

Step 18

Attach the bottom-facing clip of your part to the top-facing bar of the 1x2 plate with a bar on the long side so the 1x1 slope tile faces the right and the bar holes face the left.

Step 19

Orient the bar holders with a clip so they face up. These are the llama's ears! Now put it away while we make the ruins!

Group 7 - Ruins

Step 1

Place a green 8x8 plate with 1x4 gaps on each side in front of you.

Step 2

Place a dark grey 2x2 tile with 2 studs on the front left corner so the studs are in the back. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.

Step 3

Horizontally place a dark grey 1x4 tile with 2 studs on the 2nd row from the back so it is centered horizontally. Now vertically place another 1 on the 2nd column from the right so it is centered vertically.

Step 4

Let's make a part! Place a light grey 2x2 brick in front of you.

Step 5

Vertically place an olive green 1x2 masonry brick on the left column so the brick grooves face the left. Then repeat symmetrically to the right.

Step 6

Place a light grey 2x2 brick on top.

Step 7

Horizontally place a dark tan 1x1 plate with a 1x1 slope tile on the back row so it slopes to the right.

Step 8

Place a light grey 1x1 brick with a clip on the back left corner so the clip faces the front. Now place an olive green 1x1 slope tile on top of the ppp so it slopes to the right.

Step 9

Place your part on the back right corner of the build so the clip faces the front.

Step 10.1

Let's make a part! Vertically place a light grey 1x4 brick in front of you. Then place a dark grey 1x1 plate with a clip on the back row so the clip faces the right and the clip hands face the front and back. Now vertically place a light grey 1x3 inverted arch brick on the back 3 rows so it slopes to the front. Now place an olive green 1x1 slope tile on top of the ppp so it slopes to the front.

Step 10.2

Vertically place your part on the 2nd column from the right, in front of the previous part so it slopes to the front.

Step 11

Let's make a part! Horizontally place a light grey 1x6x6 curved door frame in front of you so the rounded sides of the pillars face the front.

Step 12

Place a dark tan 1x1 brick on the leftmost column. Then repeat symmetrically to the right.

Step 13

Place a light grey 2x2 plate on top so it is centered horizontally and overhangs 1 row to the front. Now place a light grey 2x2 plate with a cutoff corner to the left of the ppp so 1 row overhangs to the front and the cutoff corner faces the front left. Then repeat symmetrically to the right.

Step 14

Place a dark grey 1x1 quarter circle tile on the back left corner so the curve faces the front left. Then place another 1 on the back right corner so the curve faces the back right. Now horizontally place a dark grey 1x4 tile with 2 studs on the back row, in between the 2 ppp.

Step 15

Horizontally place a light grey 1x4 tile on the front row.

Step 16

Horizontally place your part on the 6 leftmost columns of the 2nd row from the back so the overhang is in the front.

Step 17

Place a dark grey 1x1 plate on the back row on the 3rd column from the right. Now horizontally place a light grey 1x3 inverted arch brick on top of the ppp so it slopes 2 columns to the left over the base plate.

Group 8 - Ruins

Step 18

Let's make a part! Horizontally place a green 2x4 plate in front of you. Now horizontally place a dark grey 1x3 inverted arch brick on the front left corner so it slopes and overhangs 2 columns to the left.

Step 19

Horizontally place a green 4x8 plate with a round side underneath the front row so 2 columns are exposed to the right and the round side is exposed 3 rows to the front.

Step 20

Vertically place a light grey 1x2 slope brick in front of the rightmost column of the 1x3 inverted arch brick that is on the back left corner so it slopes to the front.

Step 21

Vertically place a light grey 1x2x2 slope brick on top of the ppp so there is no overhang and it slopes to the front. Now place an olive green 1x1 slope tile on top of the ppp so it slopes to the front.

Step 22

Place a lime green 1x1 plant with a swirl on the left stud of the front row so it swirls to the front.

Step 23

Rotate your part 90 degrees clockwise so the round side faces the left. Now vertically place the rightmost column of your part on the leftmost column of the build so it is centered vertically.

Step 24

Place a black spider on the back row to the left of the 1x3 inverted arch brick. Now put it away while we make the fireplace!

Group 9 - Fireplace

Step 1

Place a dark grey 4x4 round plate in front of you.

Step 2

Place a black 2x2 round plate on top so it is centered.

Step 3

Place a light grey 1x1 round tile on the left stud of the front row. Then place 1 on the right stud of the back row. Now place 1 on the front stud of the rightmost column. Then place another 1 on the back stud of the leftmost column.

Step 4

Place a black 2x2 plate with bars all around on top so it is centered.

Step 5.1

Place a transparent orange 1x1 cone brick on the front left corner of the ppp. Then repeat symmetrically to the back right corner.

Group 10 - Fireplace

Step 5.2

Place a transparent yellow 1x1 cone brick on the front right corner. Then place another 1 on the back left corner.

Step 6

Place a transparent orange flame on top of the front right corner so the flame faces the left. Then place 1 on the back left corner so the flame faces the left.

Step 7

Let's make 2 identical parts! Attach a brown fang to a bar holder with a clip. Now you should have 2 identical parts! Attach 1 to the left-facing bar so the fang is on top and faces the left. Make sure the fang curves up. Then repeat symmetrically to the right.

Step 8

Let's make 2 identical parts! Attach a brown 2L bar with a stop to a bar holder with a clip. Now you should have 2 identical parts! Attach them to the front-facing bar so the bar is on top and faces up and to the back. Then repeat symmetrically to the back. Now put everything away while we make the next part!

Building Instructions (Bag 3, Book 1):

Group 11 - Sparkplug

Sub-build 3.1. Locate 1 light blue pair of legs printed with caution tape, pockets, and a red scratch mark, 1 light blue torso printed with a shirt and red straps, 1 light tan head printed with eyes, brown lips, and eyelashes, 1 red hat with light brown hair, and 1 black axe. Assemble your minifigure then attach the axe to her hand!

Sub-build 3.2. Let's make a part! Place a brown 1x1 telescope bar in front of you so the anti-stud faces up. Now place a dark red 1x1 round plate on top. Then place a transparent orange flame on top! This is a torch! Now attach it to your minifigure then put her away while we make the wolf!

Group 12 - Wolf

Step 1

Horizontally place a black 2x3 plate in front of you. Then place a black 1x2 plate with a 1x2 inverted sloped curved brick on the leftmost column so it slopes and overhangs to the left. Then repeat symmetrically to the right.

Step 2

Vertically place a black 1x2 rounded plate on top so it is centered horizontally.

Step 3

Horizontally place a black 2x3 plate on top so it is centered horizontally.

Step 4

Vertically place a dark grey 1x2 plate with a ball on the long side on the rightmost column so the ball faces the right. Now horizontally place a black 2x6 plate to the left of the ppp so it overhangs 2 columns to the left.

Step 5.1

Let's make a part! Place a dark grey 2x2 inverted sloped curved tile in front of you so it slopes to the right. Now horizontally place a dark grey 1x2 plate with a ball on the long side on the front left corner so 1 column overhangs to the left and the ball faces the front. Then repeat symmetrically to the back.

Step 5.2

Vertically place a black 1x2 rounded plate underneath the leftmost column. Then vertically place a light grey 1x2 plate with a bar on the long side on the leftmost column so the bar faces the left.

Step 5.3

Horizontally place the 2 rightmost columns of your part underneath the 2 leftmost columns of the build so 1 column is exposed to the left and the bar faces the left.

Step 6

Place a dark grey 2x2 plate on the 2 leftmost columns. Then place 4 black 1x1 pyramid tiles on top of the ppp.

Step 7

Horizontally place a dark grey 1x2 plate with a ball on the long side on the front right corner so the ball faces the front. Then repeat symmetrically to the back.

Step 8

Place a black 1x2 plate with 3 spikes on the 2nd and 3rd columns from the right so it slopes to the left.

Step 9

Place 4 black 1x1 pyramid tiles on the 2 rightmost columns.

Step 10

Attach a black clip with a bar holder to the left-facing bar so it is centered vertically and the bar hole faces the left. Now attach a black ridged blade with a bar to the ppp so it faces the left. This is the tail!

Building Instructions (Bag 4, Book 1):

Group 13 - Wolf

Step 11

Let's make a part! Let's make the head! Horizontally place a black 1x2 inverted sloped curved tile in front of you so it slopes to the left. Now place a dark grey 1x1 plate with a clip on the right column so the clip faces the right and the clip hands face up and down.

Step 12

Horizontally place a light grey 1x2 plate with a socket on the short side on top so the socket faces the left.

Step 13

Attach the bar of a dark grey 1x1 rounded plate with a bar to the right-facing clip so the stud faces up.

Step 14

Place a black 1x1 brick with 2 side studs on the leftmost column so the side studs face front and back. Now place a black 1x1 plate to the right of the ppp.

You will have an extra black 1x1 plate. Save it for later!

Group 14 - Wolf

Step 15

Place a transparent yellow 1x1 plate on the 2nd column from the left.

Step 16.1

Let's make a part! Place a black 1x1 plate with a side stud sticking up in front of you so the side stud faces the right. Now place a black 1x1 plate upright on the right-facing side stud. Then place a black 1x1 slope tile upright on the right-facing side stud so it slopes down.

Step 16.2

Now horizontally place the leftmost column of your part on the 2nd column from the left of the previous part so it slopes to the right.

Step 17

Place a black 1x1 plate with a horizontal tooth upright on the front-facing side stud so the tooth faces up. Then repeat symmetrically to the back. This is the wolf head!

Step 18

Attach the left-facing socket of your part to the right-facing ball of the build.

Step 19.1

Let's make a part! Vertically place a black 1x2 plate with a clip on the short side in front of you so the clip faces the front and the clip hands face left and right. Now vertically place a light grey 1x2 plate with a socket on the short side on top so the socket faces the back. Then place a dark grey 1x2 plate with spikes on top so the toes overhang to the left.

Step 19.2

Attach the socket of your part to the right front-facing ball so the clip faces the front and the spikes face the left. This is part of the leg!

Step 20

Let's make a part! Place a dark grey 2x2 plate with a cutoff corner in front of you so the cutoff corner faces the back left. Now vertically place a light grey 1x2 plate with a socket on the long side on the right column so the socket faces the right.

Step 21

Place a black 1x1 plate with a clip on the front left corner so the clip faces the left and the clip hands face the front and back.

Step 22

Horizontally place a light grey 1x2 plate with 2 side studs hanging down on the front row so the side studs face the front.

Step 23

Vertically place a dark grey 1x2 sloped curved tile on the right column so it slopes to the back.

Step 24

Place a silver 1x1 plate with a horizontal tooth upright on the right front-facing side stud so the tooth faces the right. Now horizontally place a dark grey 1x2 sloped curved tile upright on the front-facing side studs so it slopes to the left.

Step 25

Attach the socket of your part to the left front-facing ball so the clip faces the front and the upright sloped curved tile faces the right. This is part of the leg!

Step 26.1

Let's make a part! Vertically place a black 1x2 plate with a clip on the short side in front of you so the clip faces the front and the clip hands face the left and right. Now vertically place a light grey 1x2 plate with a socket on the short side on top so the socket faces the back. Then place a dark grey 1x2 plate with spikes on top so the spikes overhang to the right.

Step 26.2

Rotate your wolf build 180 degrees so the head faces the left. Now attach the socket of your part to the left front-facing ball so the clip faces the front and the toes face the right. This is part of the leg!

Step 27

Let's make a part! Place a dark grey 2x2 plate with a cutoff corner in front of you so the cutoff corner faces the back right. Now vertically place a light grey 1x2 plate with a socket on the long side on the left column so the socket faces the left.

Step 28

Place a black 1x1 plate with a clip on the front right corner so the clip faces the right and the clip hands face the front and back.

Step 29

Horizontally place a light grey 1x2 plate with 2 side studs hanging down on the front row so the side studs face the front.

Step 30

Vertically place a dark grey 1x2 sloped curved tile on the left column so it slopes to the back.

Step 31

Place a silver 1x1 plate with a horizontal tooth upright on the left front-facing side stud so the tooth faces the left. Now horizontally place a dark grey 1x2 sloped curved tile upright on the front-facing side studs so it slopes to the right

Step 32

Attach the socket of your part to the right front-facing ball so the clip faces the front and the upright sloped curved tile faces the left. This is part of the leg!

Group 16 - Wolf

Step 33

Let's make 4 identical parts! Horizontally place a dark grey 1x2 plate with a bar on the short side in front of you so the bar faces the right. Now horizontally place a light grey 1x2 plate with a socket on the short side on top so the socket faces the left.

Step 34

Place a dark grey 1x1 plate on the left column.

Step 35

Horizontally place a dark grey 1x2 sloped curved tile on top so it slopes to the right.

Step 36

Vertically attach the ball of a dark grey 1x2 plate with a ball on the long side to the left-facing socket. Now vertically place a black 1x2 plate with 3 teeth underneath the ppp so the teeth face the left.

Step 37

Now you should have 4 identical parts! These are the feet! Attach 2 parts to the 2 front-facing clips so the studs face the left and the teeth face the front. Then repeat symmetrically to the back.

Step 38

Now orient the legs so they face down and your wolf can stand on its own!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 3 LEGO Fortnite Theme kits:

77077 Klombo

77076 Durr Burger Restaurant

77075 Peely & Sparkplug's Camp 77075 | LEGO® Fortnite