

77076 Durrr Burger Restaurant

Adapted by John Le and tested by Natalie Charbonneau.

Indulge kids' creativity with the LEGO® Fortnite® Durrr Burger Restaurant (77076) building set for boys and girls aged 10 and up. Based on an iconic gaming location, the video game toy lets fans cook up creative stories.

Gamers will have fun assembling the Durrr Burger restaurant model, which is modular to encourage customization, before discovering all the deliciously fun details. Inside, kids will find a condiment station, a soda machine and a cash register, and outside they'll find a seating area that includes a cup and a fried egg. There's also a removable attic that includes a spider figure and enough room for other accessories, including a shovel and dynamite. Beach Bomber, Beef Boss, Grimey and skeleton minifigures bring the action to life and encourage imaginative role play.

Durrr Burger restaurant model – Feed imaginations with the LEGO® Fortnite® Durrr Burger Restaurant building set for kids aged 10 and up.

Video game toy – This modular build includes a cash register, condiment station, soda machine and drive-through sign featuring a menu, as well as a spicy pepper plant and fertilizer.

4 LEGO® minifigures – Beach Bomber, Beef Boss, Grimey and skeleton minifigures bring the action to life and encourage imaginative role play.

Dimensions – The burger model includes 546 pieces and measures over 10.5 in. (27 cm) high, 7 in. (18 cm) wide and 3.5 in. (9 cm) deep.

The front of the box shows the Durrr Burger restaurant! There is a huge cheese burger on top of the sign! In the front, there is a sign to order from! There is also a seating area, and people fighting in the front!

The back of the box shows that the build is made up with a lot of different portions that can be moved around! This allows for more customizing and custom builds!

The top of the box shows a real size image of dynamite!

The build is 546 pieces in total and is for ages 10+.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the

table.

- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/77076>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 5 bags labeled 1 to 5, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Beef Boss, Skeleton, and Durrr Burger Restaurant

Group 1 - Page 8.

Group 2 - Page 9.

Group 3 - Steps 1-8.

Group 4 - Step 9 and 1 light grey 1x4 rounded plate, 4 light grey 1x1 bricks with a side stud and bottom lip, and 1 transparent red 1x1 round tile from Step 10.

Group 5 - 1 transparent green 1x1 round tile from Step 10.

Group 6 - 1 transparent yellow 1x1 round tile from Step 10.

Group 7 - Rest of Step 10, Step 11, and 1 yellow 1x1 round plate from Step 12.

Group 8 - 1 lime green 1x1 round plate from Step 12.

Group 9 - Rest of Step 12.

Group 10 - Step 13-16.

Group 11 - 1 brown 2x2 round plate and 1 yellow 1x1 round plate from Step 17.

Group 12 - Rest of Step 17 and Steps 18-19.

Bag 2 - Durrr Burger Restaurant

Group 13 - Step 20.

Group 14 - Step 21.
Group 15 - Steps 22-33.
Group 16 - Steps 34-39.
Group 17 - Steps 40-42.
Group 18 - Steps 43-47.
Group 19 - Steps 48-49.
Group 20 - Steps 50-51.

Bag 3 - Durrr Burger Restaurant

Group 21 - Steps 52-59.
Group 22 - Steps 60-63.
Group 23 - Steps 64-69.
Group 24 - Steps 70-76.

Bag 4 - Grimey and Durrr Burger Restaurant

Group 25 - Page 66.
Group 26 - Steps 77-78.
Group 27 - Steps 79-86.
Group 28 - Steps 87-95.
Group 29 - Steps 96-97.
Group 30 - Steps 98-110.
Group 31 - Steps 111-119.

Bag 5 - Beach Bomber and Durrr Burger Restaurant

Group 32 - Page 88.
Group 33 - Steps 120-130.
Group 34 - Steps 131-141.
Group 35 - Steps 142-144 and 1 yellow 2x6 plate with a round side from Step 145.
Group 36 - Rest of Step 145 and Steps 146-148.
Group 37 - Steps 149-151.
Group 38 - Steps 152-154 and 1 red 1x1 round tile from Step 155.
Group 39 - Rest of Step 155 and Steps 156-157.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Beef Boss

Sub-build 1. Locate 1 orange pair of legs printed with a light grey patch and purple straps, 1 torso printed with an orange and purple tux with a brown belt and orange bowtie, and 1 light brown and brown burger head printed with white eyes, yellow cheese, and a pink tongue, and 1 silver sword. Assemble your minifigure, attach the sword to his hand, then put him away while we make the skeleton!

Group 2 - Skeleton

Sub-build 2. Locate 1 white skeleton body, 2 white arms, 2 white legs, 1 white head printed with skull face, and 1 dark grey pickaxe. Assemble your minifigure, make sure the toes face the front, the clips of

the arms face the front, and attach the pickaxe to their hand! Now put it away while we make the restaurant!

Group 3 - Durrr Burger Restaurant

Step 1

Horizontally place a light grey 8x16 plate with 1x4 gaps on the sides in front of you. Then horizontally place a dark grey 1x4 plate on the front row on the 3rd to 6th columns from the left. Then repeat symmetrically to the right.

Step 2

Place a blue 2x2 tile with 2 studs on the front left corner so the studs are in the back. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back. Then place 2 blue 2x2 tiles with 2 studs, 1 to the right of the other, on the back 2 rows so together they are centered horizontally and the studs are in the front.

Step 3

Vertically place a blue 1x4 tile with 2 studs on the 2nd column from the left so it is centered vertically. Then horizontally place another 1 on the 2nd row from the back, on the 3rd to 6th columns from the left. Now repeat both parts symmetrically to the right.

Step 4

Let's make a part! Horizontally place a purple 2x4 plate in front of you.

Step 5

Place 2 orange 2x2 round bricks, 1 to the right of the other, underneath the ppp.

Step 6

Horizontally place an orange 1x4 brick on the back row.

Step 7

Horizontally place 2 light grey 1x2 grill tiles, 1 to the right of the other, on the front row.

Step 8

Horizontally place an orange 1x4 brick on the back row. Then place 4 orange 1x1 bricks with a side stud and bottom lip, 1 to the right of the other, on the back row so the side studs face the front.

Group 4 - Durrr Burger Restaurant

Step 9

Horizontally place a purple 1x4 plate on the back row. Then horizontally place a purple 1x2 plate on top so it is centered horizontally. Now horizontally place a light grey 1x2 grill tile on top of the ppp. Then place a purple 1x1 slope tile to the left of the ppp so it slopes to the left. Then repeat symmetrically to the right.

Step 10.1

Let's make a part! Horizontally place a light grey 1x4 rounded plate in front of you. Then place 4 light grey 1x1 bricks with a side stud and bottom lip, 1 to the right of the other, on top of the ppp so the side studs and lips face up, and the anti-studs face the back. Now place a transparent red 1x1 round tile upright on the leftmost front-facing side stud.

Group 5 - Durrr Burger Restaurant

Step 10.2

Place a transparent green 1x1 round tile upright on the 2nd front-facing side stud from the left.

Group 6 - Durrr Burger Restaurant

Step 10.3

Place a transparent light blue 1x1 round tile upright on the 2nd front-facing side stud from the right.

Group 7 - Durrr Burger Restaurant

Step 10.4

Place a transparent yellow 1x1 round tile upright on the rightmost front-facing side stud. Now place 4 orange 1x1 slope tiles, 1 to the right of the other, on top so they slope to the front.

Step 10.5

Horizontally attach the back-facing anti-studs of your part upright on the front-facing side studs of the previous part so the slope tiles are on top.

Step 11

This is a soda machine! Vertically place it on the 3rd and 4th columns from the left so it is centered vertically and slopes to the right.

You will have an extra yellow 1x1 round plate. Save it for later!

Group 8 - Durrr Burger Restaurant

There are no steps in this group. You will have an extra lime green 1x1 round plate. Save it for later!

Group 9 - Durrr Burger Restaurant

Step 12.1

Let's make a part! Place an orange 2x2 round brick in front of you. Then horizontally place a purple 2x3 plate with a round side and a pinhole on top so the round side overhangs 1 column to the left.

Step 12.2

Vertically place a light grey 1x2 hinge base on the rightmost column so the wall faces the right. Then vertically place a light grey 1x2 slope tile to the left of the ppp so it slopes to the left. Now place a light grey 2x2 plate with a bar underneath on top of the hinge base so 1 column overhangs and slopes to the left. It should rest on the 1x2 slope tile!

Step 12.3

Place a yellow 1x1 round plate from group 7 on the back left stud. Then place a lime green 1x1 round plate from group 8 on the front right stud. Now place a red 1x1 round plate on the front left stud and back right stud.

Step 12.4

Rotate your part 180 degrees. Then horizontally place it on the front 2 rows on the 3rd and 4th columns from the left so the round side faces the right. This is the condiments! There is ketchup, mustard, and relish!

Group 10 - Durrr Burger Restaurant

Step 13.1

Let's make a part! Stack 2 orange 2x2 round bricks in front of you. Then horizontally place a purple 2x3 plate with a round side and a pinhole on top so the round side overhangs to the left. Now place a light grey 2x2 tile with a stud on top.

Step 13.2

Place a white 1x1 round plate on top of the ppp. Then place a white unicorn horn on top. Now place a green 1x1 round brick on top of the ppp so it sits on the 1x1 round plate.

Step 13.3

This is a table with a bottle of relish on it! Vertically place your part on the 3rd and 4th rows from the back, and in front of the left 2x2 tile with 2 studs that is in the middle of the back 2 rows so the round side faces the front.

Step 14

Let's make a part! Horizontally place a purple 2x4 plate in front of you.

Step 15

Place 2 orange 2x2 round bricks, 1 to the right of the other, underneath the ppp.

Step 16

Horizontally place a light grey 2x4 tile with 2 studs on top.

Group 11 - Durrr Burger Restaurant

There are no instructions in this group. You will have an extra brown 2x2 round plate and 1 yellow 1x1 round plate. Save them for later!

Group 12 - Durrr Burger Restaurant

Step 17.1

Let's make a part! Place a tan 2x2 round plate in front of you. Then place a brown 2x2 round plate from group 16 on top.

Step 17.2

Place a yellow 1x1 round plate from group 11 on the front left corner. Then place a red 1x1 round plate on the back right corner. Now place a green 1x1 round flower plate on the front right corner and back left corner. Then place a tan 2x2 round tile on top.

Step 17.3

This is a burger! Place it on the left stud of the previous part so it is centered on the stud.

Step 18.1

Let's make a part! Place a yellow 2x2 tile with 2 studs in front of you so the studs are in the back. Now horizontally place a light orange 1x2 plate with a rail on the long side on top so the rail faces the front.

Step 18.2

Horizontally place a light orange 1x2 slope tile with a sticker on top of the ppp so it slopes to the front.

Step 18.3

Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the light orange 1x2 slope tile. This sticker has red and blue buttons on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 18.4

This is the cash register! Place your part on the right stud of the counter so it sits to the right of the burger and it is centered on it and it slopes to the front.

Step 19

This is a cash register with a burger! Horizontally place your part on the 3rd and 4th rows from the front, on the 3rd to 6th columns from the right so the burger is on the left.

Building Instructions (Bag 2, Book 1):

Group 13 - Durrr Burger Restaurant

Step 20

Let's make 5 identical parts! Let's make the pillars! Place a blue 2x2 brick in front of you. Then horizontally place a white 1x2 masonry brick on the front row so the brick grooves face the front. Then repeat symmetrically to the back.

Group 14 - Durrr Burger Restaurant

Step 21

Place an orange 2x2 brick on top. Now vertically place a white 1x2 masonry brick on the left column so the brick grooves face the left. Then repeat symmetrically to the right.

Group 15 - Durrr Burger Restaurant

Step 22

Place a white 2x2 brick on top.

Step 23

Horizontally place a white 1x2 masonry brick on the front row so the brick grooves face the front. Then repeat symmetrically to the back.

Step 24

Place a white 2x2 brick on top.

Step 25

Place an orange 2x2 plate on top. Then place a blue 2x2 tile with a stud on top.

Step 26

Now you should have 5 identical parts! Rotate your main build 180 degrees so the soda machine is on the right. Place 1 part on the back left corner so the brick grooves of the bottom masonry bricks face the front and back. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the front. Now place 1 pillar on the front 2 rows on the 7th and 8th columns from the left so the brick grooves of the bottom masonry bricks face the front and back.

Step 27

Let's make 2 identical parts! Horizontally place a blue 1x4 brick in front of you.

Step 28

Horizontally place a dark grey 1x2x2 window frame on the 2 leftmost columns so the ridged side faces the front. Now attach a blue window pane to the front of the ppp. Now repeat both parts symmetrically to the right.

Step 29

Horizontally place a dark grey 1x2x3 window frame on the 2 leftmost columns so the ridged side faces the front. Now attach a transparent window pane to the front of the ppp. Now repeat both parts symmetrically to the right.

Step 30

Horizontally place a light grey 1x4 brick with 4 side studs on top so the side studs face the front.

Step 31

Horizontally place an orange 1x2 tile upright on the front-facing side studs so it is centered horizontally. Now vertically place an orange 1x2 tile with a cutoff corner upright on the leftmost front-facing side stud so 1 row overhangs to the bottom and the cutoff corner faces the bottom right. Then repeat symmetrically to the right.

Step 32

Place an orange 2x2 plate with a cutoff corner on the 2 leftmost columns so 1 row overhangs to the back and the cutoff corner faces the back left. It should look like the braille letter j. Then repeat symmetrically to the right.

Step 33

Horizontally place a blue 1x4 tile with 2 studs on the front row.

Group 16 - Durr Burger Restaurant

Step 34

Horizontally place a black 1x2 tile on the back row so it is centered horizontally.

Step 35

Now you should have 2 identical parts! Vertically place 1 part on the 2nd column from the left so it is centered vertically and the window frames face the left. Then repeat symmetrically to the right.

Step 36

Let's make a part! Horizontally place a blue 1x6 brick in front of you.

Step 37

Horizontally place 3 dark grey 1x2x2 window frames, 1 to the right of the other, on top so the ridged sides face the front. Now attach a blue window pane to the front of each of the 3 ppp.

Step 38

Horizontally place 3 dark grey 1x2x3 window frames, 1 to the right of the other, on top so the ridged sides face the front. Now attach a transparent window pane to the front of each of the 3 ppp.

Step 39

Horizontally place a light grey 1x4 brick with 4 side studs on top so it is centered horizontally and the side studs face the front. Then place a light grey 1x1 brick with a side stud on the leftmost column so the side stud faces the front. Then repeat symmetrically to the right.

Group 17 - Durr Burger Restaurant

Step 40

Horizontally place 2 orange 1x2 tiles, 1 to the right of the other, upright on the front-facing side studs so together they are centered horizontally. Now vertically place an orange 1x2 tile with a cutoff corner upright on the leftmost front-facing side stud so 1 row overhangs to the bottom and the cutoff corner faces the bottom right. Then repeat symmetrically to the right.

Step 41

Place an orange 2x2 plate on top so it is centered horizontally and 1 row overhangs to the back. Now place an orange 2x2 plate with a cutoff corner to the left of the ppp so 1 row overhangs to the back and the cutoff corner faces the back left. It should look like the braille letter j. Then repeat symmetrically to the right.

Step 42

Horizontally place a blue 1x4 tile with 2 studs on the front row so it is centered horizontally. Now place a blue 1x1 tile to the left of the ppp. Then repeat symmetrically to the right.

Group 18 - Durr Burger Restaurant

Step 43

Horizontally place 2 black 1x2 tiles, 1 to the right of the other, on the back row so together they are centered horizontally.

Step 44

Horizontally place your part on the 2nd row from the front, on the 3rd to 8th columns from the right so the window panes face the front.

Step 45

Let's make a part! Horizontally place a blue 1x4x6 door frame in front of you so the ridged side faces the front. Now attach a transparent door frame to the front so it opens to the left.

Step 46

Now place an orange 1x1 round tile upright on the front-facing side stud.

Step 47

Horizontally place a light grey 1x4 brick with 4 side studs on top so the side studs face the front.

Group 19 - Durrr Burger Restaurant

Step 48

Horizontally place 2 orange 1x2 tiles, 1 to the right of the other, upright on the front-facing side studs.

Step 49

Place an orange 2x2 plate with a cutoff corner on the 2 leftmost columns so 1 row overhangs to the back and the cutoff corner faces the back left. It should look like the braille letter j. Then repeat symmetrically to the right. Now horizontally place a blue 1x4 tile with 2 studs on the front row.

Group 20 - Durrr Burger Restaurant

Step 50

Horizontally place a black 1x2 tile on the back row so it is centered horizontally.

Step 51

Horizontally place your part on the 2nd row from the front, on the 3rd to 6th columns from the left so the door opens to the front.

Building Instructions (Bag 3, Book 1):

Group 21 - Durrr Burger Restaurant

Step 52

Let's make a part! Let's make the roof! Horizontally place a light grey 8x16 plate with 1x4 gaps on the sides in front of you. Now horizontally place a dark grey 1x4 plate on the front row on the 3rd to 6th columns from the left. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back. Then vertically place a dark grey 1x4 plate on the leftmost column so it is centered vertically. Then repeat symmetrically to the right.

Step 53.1

Horizontally place a black 1x2 plate with 2 side studs hanging down on the front row so it is centered horizontally. Now horizontally place 2 blue 1x2 plates with 1x4 side studs hanging down, 1 to the right of the other, to the right of the ppp so the side studs face the front. Then repeat symmetrically to the left.

Step 53.2

Vertically place 2 blue 1x2 plates with 1x4 side studs hanging down, 1 in front of the other, on the leftmost column so together they are centered vertically and the side studs face the left. Make sure there is no overhang. Then repeat symmetrically to the right.

Step 54.1

Place a light tan 1x1 round plate on the back left corner. Then vertically place a tan 1x2 rounded plate on the leftmost column so it is centered vertically. Now repeat both parts symmetrically to the right.

Step 54.2

Horizontally place a tan 1x2 rounded plate on the front row on the 3rd and 4th columns from the left. Then place a tan 1x1 round plate to the right of the ppp so there is a 2 column gap in between them. Now repeat both parts symmetrically to the right.

Step 55

Vertically place a blue 1x6 plate upright on the back 6 left-facing side studs. Then horizontally place a tan 1x2 rounded plate upright on the front 2 left-facing side studs. Then repeat both parts symmetrically to the right. Now horizontally place 3 blue 1x6 plates, 1 to the right of the other, upright on the front-facing side studs so there is no overhang.

Step 56

Horizontally place a blue 1x8 tile upright on the left-facing side studs. Then repeat symmetrically to the right. Now horizontally place a blue 1x2 tile upright on the front-facing side studs so it is centered horizontally. Then horizontally place a blue 1x8 tile upright to the left of the ppp. Then repeat symmetrically to the right.

Step 57

Place a red 2x2 corner tile on the 2nd and 3rd columns from the left, on the 2nd and 3rd rows from the front so it looks like the braille letter h. Then repeat symmetrically to the right.

Step 58

Vertically stack 2 black 2x4 plates on the 3rd and 4th columns from the left so they are centered vertically. Then repeat symmetrically to the right.

Step 59

Vertically place a light grey 3x4 tile with 4 studs on the back 4 rows on the 5th to 7th columns from the left.

Step 60

Horizontally stack 2 black 1x2 rounded plates on the 3rd row of studs from the front, to the right of the 2x4 plates that are on the 3rd and 4th columns from the left. Then vertically stack the front row of 2 more to the right of the 2 ppp. Now repeat everything symmetrically to the right.

Step 61

Vertically place a tan 1x2 log brick on the back 2 rows on the 2nd column from the left. Then repeat symmetrically to the right. Now horizontally place another 1 on the 2nd row from the front so it is centered horizontally.

Step 62

Vertically place a black 1x2x2 panel on the back 2 rows on the 3rd column from the left so the wall faces the left. Then repeat symmetrically to the right. Now horizontally place another 1 on the 3rd row from the front so it is centered horizontally and the wall faces the front.

Step 63

Vertically place a blue 2x6 plate on the back left corner so the left column sits on upright parts. Then horizontally place a blue 1x2 plate in front of the ppp. Now repeat both parts symmetrically to the right. Then horizontally place 3 blue 2x6 plates 1 to the right of the other, on the front row so together they are centered horizontally and the front row sits on upright parts.

Group 23 - Durr Burger Restaurant

Step 64

Vertically place an orange 1x2 plate on the back 2 rows on the 2nd column from the left. Then repeat symmetrically to the right. Now horizontally place 1 on the 2nd row from the front so it is centered horizontally.

Step 65

Place an orange 2x2 slope brick on the back 2 rows on the 2nd and 3rd columns from the left so it slopes to the left. Then repeat symmetrically to the right. Now place another 1 on the 2nd and 3rd rows from the front so it is centered horizontally and slopes to the front.

Step 66.1

Place 3 light grey 1x1 half cylinder bricks, 1 in front of the other, on the back left corner so they slope to the left and right. Then vertically place a light grey 1x4 half cylinder brick in front of the 3 ppp so it slopes to the left and right. Now repeat everything symmetrically to the right.

Step 66.2

Place a light grey 2x2 corner half cylinder brick on the front left corner so it looks like the braille letter h. Then horizontally place a light grey 1x4 half cylinder brick on the front row to the right of the ppp. Now place a light grey 1x1 half cylinder brick to the right of the ppp so it slopes to the front and back. Then repeat everything symmetrically to the right. Now horizontally place a light grey 1x4 half cylinder brick on the front row so it is centered horizontally.

Step 67

Vertically place a tan 1x2 log brick on the 3rd and 4th rows from the back on the 4th column of studs from the left. It should sit 2 rows in front of and 1 column to the right of the 1x2x2 panel that is on the back left corner. Then horizontally place the leftmost column of a black 1x4 arch brick in front of the ppp. Then repeat both parts symmetrically to the right.

Step 68.1

Horizontally place a dark brown 1x3 slope brick on the 3rd row from the back, on the 3 leftmost columns of studs so it slopes to the left. Then horizontally place a brown 2x3 slope brick in front of the ppp so it slopes to the left. Now place a dark brown 3x3 corner slope brick in front of the ppp so it slopes to the front left. Now vertically place a dark brown 1x3 slope brick to the right of the ppp so it slopes to the front. Then vertically place a brown 2x3 slope brick to the right of the ppp so it slopes to the front. Now vertically place another dark brown 1x3 slope brick to the right of the ppp so it slopes to the front.

Step 68.2

Horizontally place a brown 2x3 slope brick on the 3rd and 4th rows from the back, on the 3 rightmost columns of studs so it slopes to the right. Then horizontally place a dark brown 1x3 slope brick in front of the ppp so it slopes to the right. Now place a dark brown 3x3 corner slope brick in front of the ppp so they slope to the front right. Then vertically place 2 brown 2x3 slope bricks, 1 to the left of the other, to the left of the ppp so it slopes to the front.

Step 69

Place a brown 2x2x4 slope brick on the 2 leftmost columns of studs of the 3rd and 4th rows from the back so it slopes to the left. Then place a brown 2x2x4 corner slope brick in front of the ppp so it slopes to the front left. Now place a brown 2x2x4 slope brick to the right of the ppp so it slopes to the front. Then vertically place a brown 1x2x4 slope brick to the right of the ppp so it slopes to the front. Then repeat everything symmetrically to the right.

Step 70

Place an orange 2x2x4 slope brick on the 2 leftmost columns of studs of the back 2 rows so it slopes to the left. Then repeat symmetrically to the right. Now place another 1 on the front 2 rows of studs so it is centered horizontally and slopes to the front.

Step 71

Horizontally place the front row of a brown 4x10 plate behind the ppp so it is centered horizontally.

Step 72

Horizontally place an orange 2x12 plate on the back 2 rows so it is centered horizontally . Then place an orange 2x2 plate on the front 2 rows of studs so it is centered horizontally on the 4x10 plate and 2x2x4 slope brick.

Step 73

Horizontally place 3 orange 2x4 tiles, 1 to the right of the other, on the back 2 rows so together they are centered horizontally.

Step 74.1

Let's make a part! Vertically place a nougat 3x4 crate in front of you. Place 2 red sticks of dynamite inside. Then place a dark grey shovel inside the crate too. Then attach a red fang to a green 1x1 round flower plate, then place it inside the crate. This is a pepper! None of these things should attach to any studs!

Step 74.2

Rotate your roof build 180 degrees. Then vertically place your part on the front 4 rows, on the 3x4 tile with 4 studs that is on the 6th to 9th columns from the right so there is no overhang.

Step 75

Place a black spider on the 3rd row from the front, to the left of the ppp so there is a 1 column gap in between them.

Step 76

Bring back your main build and horizontally place it in front of you so the door opens to the back. Now horizontally place your roof build on top so it is centered horizontally and vertically and slopes to the back.

Building Instructions (Bag 4, Book 1):

Group 25 - Grimey

Sub-build 3.1. Locate 1 black pair of legs, 1 black torso printed with a sweater and 3 white circle outlines with eyes, 1 aqua head printed with a black mask with white eyes and mouth, 1 black hood, and 1 silver sword. Assemble your minifigure, make sure the gap of the hood faces the front, and then attach the sword to his hand.

Sub-build 3.2. Let's make a part! Place a brown 1x1 telescope bar in front of you so the anti-stud faces up. Now place a red 1x1 round plate on top. Then place a transparent orange flame on top. This is a torch! Now attach it to your minifigure, then put it away while we continue the build!

Group 26 - Durr Burger Restaurant

Step 77.1

Rotate your main build 180 degrees so the roof slopes to the front. Now let's make a part! Horizontally place a light grey 2x4 plate in front of you. Then horizontally place a blue 1x4 tile on the back row. Then horizontally place a dark grey 2x6 plate with a round side underneath the front row so it is centered horizontally, 1 row is exposed to the front and the round side faces the front.

Step 77.2

Horizontally place the back row of your part on the front row on the 3rd to 6th columns from the left so the round side overhangs 2 rows to the front.

Step 78

Let's make a part! Horizontally place a green 4x8 plate with a round side in front of you so the round side faces the front.

Group 27 - Durr Burger Restaurant

Step 79

Vertically place 2 dark brown 2x4 plates, 1 to the right of the other, on the back 2 rows so together they are centered horizontally and overhang 2 rows to the back.

Step 80.1

Place a brown 1x1 swirl on the back row of the 2nd column from the left. Then place a brown 1x1 quarter circle tile in front of the swirl so the curve faces the front left.

Step 80.2

Place a brown 1x1 quarter circle tile on the back row of the 2nd column from the right so the curve faces the front right. Now place a brown 1x1 swirl in front of the ppp.

Step 80.3

Place a brown 1x1 swirl on the right column of the front row. Then place a brown 1x1 quarter circle tile to the left of the ppp so the curve faces the front left.

Steps 81 to 82

Stack 2 brown 2x2 round tiles with a stud on the 2nd and 3rd rows from the back so they are centered horizontally. Then place a brown 1x1 quarter circle tile behind the left column of the ppp so the curve faces the back left. Then repeat symmetrically to the right.

Step 83

Vertically place a brown 1x2 slope tile on the 2nd and 3rd rows from the back, on the 3rd column from the left so it slopes to the left. Then repeat symmetrically to the right. Now horizontally place another 1 on the 2nd row from the front so it is centered horizontally and slopes to the front.

Step 84

Place a brown 1x1 quarter circle tile on the leftmost column of the back row so the curve faces the back left. Then place another 1 in front of the 1x2 slope tile that is in front of the ppp so the curve faces the front left. Now repeat both parts symmetrically to the right.

Step 85.1

Let's make a part! Horizontally place a green 1x4 leaf plate in front of you so the stud with the long branch faces the left. Now place a light green 1x1 round plate with 3 leaves on the front left stud so the leaves face the front left. Then repeat symmetrically to the back. Now place another 1 on the leftmost stud so the leaves face the left.

Step 85.2

Place a green claw with a bar on top of each of the 1x1 round plates with 3 leaves so the claw hands face the front and back. Now attach a red fang to each of the 3 ppp so the fangs face the right.

Step 85.3

Attach the shorter bar of a brown L-shaped bar with an anti-stud to the rightmost anti-stud so the longer bar faces the right.

Step 85.4

Place the right-facing bar of your part upright on the 2x2 round tile with a stud so the fangs face the front.

Step 86

This is a plant growing peppers! Rotate your part so the round side faces the left. Now vertically place the rightmost column of your part on the leftmost column of the main build so the round side overhangs 4 columns to the left.

Group 28 - Durr Burger Restaurant

Step 87

Let's make a part! Horizontally place a light grey 2x4 plate in front of you. Then horizontally place a blue 1x4 tile on the back row.

Step 88

Horizontally place a dark grey 4x8 plate with a round side underneath the front row so the round side is exposed 3 rows to the front.

Step 89

Horizontally place a light grey 1x2 plate on the back row of studs so it is centered horizontally. Now horizontally place a light grey 1x2 sloped curved tile to the left of the ppp so it slopes to the left. Then repeat symmetrically to the right.

Step 90

Let's make another part! Let's make a dining area with an umbrella with eyes! Place a purple 2x2 round plate in front of you. Then place an orange 2x2 round tile with a stud on top.

Step 91

Place a black 2L bar with a stop on top.

Step 92

Place a white 2x2 inverted cone brick on top of the ppp.

Step 93

Stack 2 black 1x1 round plates on top of the top-facing bar.

Step 94

Place a purple 2x2 round plate on top.

Step 95

Place a white 5L bar with a stop on top of the top-facing axle hole of the ppp so the side with the stop faces up.

Group 29 - Durr Burger Restaurant

Step 96

Vertically place a pink 1x2 rounded plate on top of the 5L bar so it goes all the way down to the stop of the bar and overhangs 1 row to the front. Then place a pink 1x1 round plate underneath the front row of the ppp.

Step 97

Place an orange 4x4 dish on top of the top-facing bar.; Then place a green 1x1 tile with a clip on top so the clip hands face front and back.

Group 30 - Durr Burger Restaurant

Step 98

Attach a white telescope to the top-facing clip so the anti-studs face the front. Now attach a transparent 1x1 dish to each of the anti-studs of the ppp. Then place a black 1x1 round plate upright on each of the anti-studs of the 2 ppp.

Step 99

Place your part on the 2nd and 3rd rows from the front of the previous part so it is centered horizontally and the anti-studs of the 2 ppp face the front.

Step 100

Place an orange 2x2 round brick on the 2 rightmost columns of the 2nd and 3rd rows from the front. Then place a purple 2x2 round plate on top of the ppp. Now repeat both parts symmetrically to the left.

Step 101

Place a yellow 1x1 mug on the 3rd column from the left of the 2nd row from the front so the handle faces the left. Then place a white 1x1 round tile printed with an orange egg yolk to the back right of the ppp.

Step 102

This is the seating area! Bring back your main build and orient it so the door opens to the front. Now horizontally place the back row of your part on the front row on the 3rd to 6th columns from the right so the round side overhangs 4 rows to the front.

Step 103

Let's make a part! Horizontally place a light grey 2x4 plate in front of you. Then horizontally place a blue 1x4 tile on the back row.

Step 104

Horizontally place a dark grey 2x6 plate with a round side underneath the front row so it is centered horizontally and the round side is exposed 1 row to the front.

Step 105

Horizontally place a light grey 1x2 plate on the front row so it is centered horizontally.

Step 106

Horizontally place a light grey 1x2 sloped curved tile on the 2 leftmost columns of the 2nd row from the front so it slopes to the left. Then repeat symmetrically to the right.

Step 107

Place a light grey 2x2 round brick on the front 2 rows so it is centered horizontally.

Step 108

Horizontally stack 2 light grey 1x2 half cylinder bricks, on the 2nd row from the front so they are centered horizontally and the round sides face the back.

Step 109

Place 2 black 1x1 plates with 2 side studs sticking up, 1 to the right of the other, on the front row so together they are centered horizontally and the side studs face outwards to the left and right.

Step 110

Horizontally place a pink 1x2 rounded plate on the front row so it is centered horizontally. Then horizontally place a tan 1x2 brick with 2 side studs on top of the ppp so the side studs face the front. Now horizontally place a pink 1x2 rounded plate on top of the ppp.

Group 31 - Durr Burger Restaurant

Step 111

Place a light grey 2x2 round brick on the front 2 rows so it is centered horizontally. Now horizontally place a light grey 1x2 half cylinder brick on the back row of the ppp so the round side faces the back.

Step 112

Place a light grey 1x1 plate with 2 side studs hanging down, 1 to the right of the other, on the front row so they are centered horizontally and the side studs face outwards to the left and right.

Step 113

Stack 2 dark grey 1x4 plates upright on the 4 left-facing side studs. Then vertically place a black 2x4 wedge plate upright on the left-facing side studs so the angled side overhangs 1 row to the front and the short side faces down.

Step 114

Repeat the previous step symmetrically to the right.

Step 115.1

Place a black 4x4 tile with a sticker upright on the 2 front-facing side studs so 1 row overhangs to the bottom.

Step 115.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the black 4x4 tile. This sticker has a menu with a picture of a burger, egg, and drink, as well as a pepper! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 116

Place an orange 2x2 plate on top of the front row of studs above the ppp so it is centered horizontally and 1 row overhangs to the front. Now horizontally place 2 black 1x4 double sloped curved tiles, 1 in front of the other, on top of the ppp so they are centered horizontally.

Step 117

Horizontally place a light grey 1x2 plate with 2x2 side studs sticking up behind the 2 ppp so it is centered horizontally and the side studs face the front. Then horizontally place a light grey 1x2 slope tile on top of the ppp so it slopes to the back.

Step 118.1

Horizontally place a black 2x4 rounded tile with a sticker upright on the 2x2 front-facing side studs so it is centered horizontally.

Step 118.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the black 2x4 rounded tile. This sticker has a blue background and says order in red! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 119

This is a drive through ordering system! Bring back your main build and orient it so it is horizontal and the roof slopes to the front. Now rotate your part 90 degrees counter clockwise so the 4x4 tile faces the right. Now vertically place the leftmost column of your part on the rightmost column of the build so 2 columns overhang to the right.

Building Instructions (Bag 5, Book 1):

Group 32 - Beach Bomber

Sub-build 4. Locate 1 dark grey pair of legs printed with 2 white stripes, and black and white shoes, 1 brown torso printed with a pink shirt with a blue llama on the clouds, 1 brown head printed with eyes, eyelashes, and dark red lips, 1 black hat with pink hair printed with a rainbow, 1 silver sword, and 1 brown shield. Assemble your minifigure then attach the sword and shield to her hands! Now put her away while we make the next part!

Group 33 - Durr Burger Restaurant

Step 120

Let's make a part! Let's make the sign! Horizontally place a brown 2x8 plate in front of you. Then place an orange 2x2 tile on top so it is centered horizontally.

Step 121

Horizontally place a black 1x2 plate with a stud and a pinhole on the front left corner so the hole is on the right. Then insert a black 2L pin into the back-facing pinhole of the ppp. Now repeat both parts symmetrically to the right.

Step 122

Vertically place a brown 1x2 sloped curved tile on the leftmost column so it slopes to the back. Then repeat symmetrically to the right.

Step 123.1

Let's make 2 identical parts! Horizontally place a black axle connector with a pinhole in front of you so the axle hole faces the right, and the pinhole is on the left and faces up. Now insert a red 2L axle into the right-facing axle hole.

Step 123.2

Attach a black 2L axle connector to the right-facing axle. Now insert a yellow 3L axle into the right-facing axle hole.

Step 123.3

Attach the axle hole of a black 2L lift arm with a pinhole and axle hole to the right-facing axle so it goes all the way in and the pinhole is in the front and faces left and right.

Step 123.4

Attach the axle connector of a pin hole with an axle hole to the right-facing axle so the pinhole is on the right and faces up. Now attach a blue 2L pin axle to the right-facing pinhole so the axle faces the right.

Step 123.5

Now you should have 2 identical parts! Attach the leftmost pinhole of 1 part to the left back-facing pin of the previous part so the axle is on the left and faces up. Then repeat symmetrically to the right. They should lean onto each other!

Step 124

Attach a black 3L bent axle connector with a pinhole to the left top-facing axle so the other axle hole faces the top left. Now insert a tan 2L bar with a stop into the top-facing axle hole of the ppp.

Step 125.1

Let's make a part! Horizontally place a black 6x8 rounded tile with a sticker upside down in front of you. Then horizontally place a dark grey 1x2 rounded plate on the back row so it is centered horizontally.

Step 125.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the black 6x8 rounded tile. This sticker has a blue sign that says Durrr Burger in all capital letters! Durrr is in yellow and Burger is spelled in red! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 126

Place a dark grey 2x2 plate with 2 pins on the 2nd and 3rd rows from the back so it is centered horizontally and the pins are on the left and right. Then horizontally place a dark grey 1x2 rounded plate in front of the ppp.

Step 127

Place a light grey 2x2 round brick on the front 2 rows so it is centered horizontally.

Steps 128 to 129

Horizontally attach the pins of your part to the 2 rightmost back-facing pinholes so the 2x2 round brick is on the bottom.

Step 130

Rotate your part 180 degrees. Now horizontally place your part behind the 2x2 tile that is on the roof of your main build so it is centered horizontally and the 6x8 rounded tile faces the front.

Group 34 - Durrr Burger Restaurant

Step 131

Let's make a part. Let's make a burger! Horizontally place a brown 1x4 plate in front of you. Then horizontally place 2 black 1x2 bricks with side studs on 2 sides, 1 to the right of the other, on top so the side studs face the front and back.

Step 132

Horizontally stack 2 lime green 1x2 rounded plates, on top so they are centered horizontally.

Step 133

Horizontally place a black 1x2 brick with side studs on 2 sides on top so it is centered horizontally and the side studs face the front. Now place a dark grey 1x1x2 brick with 2 side studs on the leftmost column so the side studs face the left. Then repeat symmetrically to the right.

Step 134

Horizontally stack 2 brown 1x4 plates on top.

Step 135

Horizontally place a black 1x2 brick with side studs on 2 sides on top so it is centered horizontally and the side studs face the front. Then place a brown 1x1 plate on the leftmost column. Then repeat symmetrically to the right.

Step 136

Place a brown 1x1 slope tile on the leftmost column so it slopes to the left. Then repeat symmetrically to the right.

Step 137

Vertically place a brown 1x4 plate upright on the left-facing side studs so it is centered vertically on the side studs. Now vertically place a brown 1x2 plate upright on the left-facing side studs so it is centered vertically. Now repeat both parts symmetrically to the right.

Step 138

Horizontally place a brown 1x2 plate underneath your part so it is centered horizontally.

Step 139

Place a brown 6x6 round plate upright on the front-facing side studs so the top row is centered horizontally on the top row of front-facing side studs.

Step 140

Lay your part on its back so the 6x6 round plate faces up and the anti-studs face the front. Now stack 2 black 2x2 round plates on top so they are centered.

Step 141

Place an orange 1x4 sloped curved brick on the front right corner so it slopes to the front right. Then repeat symmetrically to the left. Now repeat both parts symmetrically to the back.

Step 142.1

Flip your part upside down so the anti-studs face the right. Horizontally place the leftmost column of a black 2x4 plate with a pinhole sticking up on the 3rd column from the left so it is centered vertically and the pinhole is on the back right and faces the front and back. Now insert a black 2L pin into the front-facing pinhole of the ppp.

Step 142.2

Horizontally attach the pinhole of a black 2x4 plate with a pinhole hanging down to the front-facing pin so the plate is upright and the studs face the right.

Step 143

Now place a red 2x2 tile on top so it is centered.

Step 144

Lower the right-facing side studs to the left so the studs face up.

You will have an extra yellow 2x6 plate with a round side. Save it for later!

Group 36 - Durr Burger Restaurant

Step 145.1

Let's make a part! Vertically place a yellow 2x6 plate with a round side from group 35 in front of you so the round side faces the left. Now horizontally place a red 2x6 plate with a round side on the back 2 rows so the round side faces the back and 4 columns overhang to the right. Then repeat symmetrically to the front.

Step 145.2

Flip your part upside down so the ends of the 2 2x6 plates with a round side face the right. Now place a yellow 2x2 plate with a cutoff corner on the front right corner so the cutoff corner faces the front right. It should look like the braille letter h. Then place a yellow 2x2 plate to the left of the ppp. Now repeat both parts symmetrically to the back.

Step 146

Flip your part over so it is right side up and the ends of the 2 2x6 plates with a round side face the right. Now place your part on top of the previous part so the 2x4 plate with a pinhole sits in the gap of it.

Step 147

Vertically place a dark grey 1x2 rounded plate on the leftmost column so it is centered vertically. Then place a pink 2x2 sloped curved tile on the 2 leftmost columns so it is centered vertically and slopes to the right.

Step 148.1

Let's make a part! Place a pink 2x2 round plate in front of you. Then vertically place a pink 1x2 tile with a round side on the leftmost column so the round side faces the left. Then place a pink 2x2 sloped curved tile on the right column so it slopes and overhangs to the right. This is the tongue!

Step 148.2

Vertically place your part upright on the 2 left-facing side studs so 1 row overhangs and slopes to the top.

Group 37 - Durr Burger Restaurant

Step 149

Let's make a part! Place a brown 6x6 round plate in front of you.

Step 150

Stack 2 black 2x2 round plates on top so they are centered.

Step 151

Place an orange 1x4 sloped curved brick on the front right corner so it slopes to the front right. Then repeat symmetrically to the left. Now repeat both parts symmetrically to the back.

Group 38 - Durrr Burger Restaurant

Step 152

Place an orange 4x4 round plate on top so it is centered. Now place an orange 2x2 round plate on top so it is centered.

Step 153

Place a brown 1x1 round plate with a bar on the front left corner of the ppp so the bar faces the front left. Then repeat symmetrically to the back. Now vertically place a brown 1x2 rounded plate to the right of the 2 ppp. Then place a brown 2x2 round tile with a stud on top of the 3 ppp.

Step 154.1

Let's make 2 identical parts! Place an orange 1x1 plate with a clip in front of you so the clip faces the right. Now place a white 1x1 ball printed with a black eye on top.

Step 154.2

Now you should have 2 identical parts! Attach the clip of 1 part to the front left facing bar so the eye faces the left. Then repeat symmetrically to the back.

You will have an extra red 1x1 round tile. Save it for later!

Group 39 - Durrr Burger Restaurant

Step 155.1

Let's make a part! Let's make an olive! Place a lime green 1x1 brick with a side stud on each side in front of you. Now place a lime green 1x1 round tile upright on the front-facing side stud. Then repeat symmetrically to the back.

Step 155.2

Place a lime green 1x1 half dome brick upright on the right-facing side stud. Then repeat symmetrically to the left. Now place a lime green 1x1 round tile upright on the left-facing side stud. Then place a red 1x1 round tile from group 38 upright on the right-facing side stud.

Step 155.3

Now insert a tan 4L bar into the bottom-facing anti-stud so a little bit sticks out from the top. Now vertically place the bar of your part on top of the 2x2 round tile with a stud of your previous part.

Step 156

Bring back your main burger part and place it in front of you so the upright 2x2 sloped curved tile faces the left. Now place your current part on top so it is centered and the eyes face the left.

Step 157

Attach the bottom-facing 2x2 round tile with a stud of your part to the top right facing bar that is on the sign of the main build so the upright 2x2 sloped curved tile faces the front.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 3 LEGO Fortnite Theme kits:

77077 Klombo

77075 Peely & Sparkplug's Camp

77076 Durr Burger Restaurant