

77246 Visa Cash App RB VCARB 01 F1 Race Car

Adapted by John Le and tested by Natalie Charbonneau.

Explore your passion for Formula 1® racing with the LEGO® Speed Champions LEGO Visa Cash App RB VCARB 01 F1® Race Car (77246) vehicle kit for adults. The F1 model car includes design details from the real-life version that raced in 2024 Formula 1 World Championship season.

The F1 model car includes a cockpit that opens by lifting the halo bar, a rear wing, wishbone suspension, sponsor stickers and wider rear tires imprinted with “Pirelli.” The F1 race car also comes with a driver minifigure wearing an RB outfit and a winged helmet to place inside the cockpit. Once complete, the F1 model car looks great on display.

RB Formula 1® vehicle kit – LEGO® Speed Champions Visa Cash App RB VCARB 01 F1® Race Car vehicle set for adults, F1 lovers and fans of the RB F1 racing team.

Explore authentic RB details – This F1® race car features design details from the real-life 2024 version, including sponsor stickers, a halo bar and wider rear tires imprinted with “Pirelli”.

1 minifigure – The vehicle kit includes a driver minifigure wearing an RB outfit and a winged helmet for builders to place inside the F1® race car’s cockpit.

F1® fun for all the family – Race for the checkered flag alongside the whole family with other building sets (sold separately) in the LEGO® F1 range.

F1® race car display model – After you’ve enjoyed a rewarding building experience, this RB F1 car model can be proudly displayed at home or in the office.

Formula 1® gift – This premium F1® merch is a great gift idea for adult LEGO® builders, F1 lovers and fans of the RB F1 racing team who want to enjoy a rewarding project.

Measurements – A 248-piece car playset featuring an RB Formula 1® car that measures over 1.5 in. (4 cm) high, 8 in. (20 cm) long and 3 in. (8 cm) wide.

The front of the box shows a blue and black race car with a little bit of red parts! The driver is dressed in a white racing suit and a blue helmet and sitting in the drivers seat!

The back of the box shows the back of the race car! It has ads on the side and back such as VISA, Cash App, Redbull, and HUGO.

The top of the box shows a real size image of a tire.

The build is 248 pieces in total and is for ages 18+.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, els and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/77246>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 6 bags labeled 1 to 6, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bags 1-2 - Driver and Race Car

Group 1 - Page 7.

Group 2 - Steps 1-9.

Group 3 - Steps 10-23.

Group 4 - Steps 24-30.

Group 5 - Steps 31-39.

Bags 3-4 - Race Car
Group 6 - Steps 40-53.
Group 7 - Steps 54-68.

Bags 5-6 - Race Car
Group 8 - Steps 69-82.
Group 9 - Steps 83-98.

Let's get to building!

Building Instructions (Bags 1-2, Book 1):

Group 1 - Driver

Step 1

Locate 1 white pair of legs, 1 white torso printed with 2 blue lines, 1 yellow head printed with eyes, pink lips, and eyelashes, 1 blue helmet with a red visor, 1 light brown hair, and 1 black wrench. Assemble your minifigure, then attach the wrench to her hand! You can switch out the helmet and hair if you want! Now put her away while we make the race car!

Group 2 - Race Car

Step 1

Horizontally place a black 4x10 car base in front of you. Then place a light blue 1x2 brick with a pinhole and a 1x2 plate on the rightmost column so the brick part overhangs to the right.

Step 2

Vertically place a green 2x4 plate on the 3rd and 4th columns from the right so it sits to the left of the ppp and is centered vertically.

Step 3

Place a red 2x2 tile with 2 studs to the left of the ppp so it is centered vertically and the studs are on the right. Now vertically place a dark grey 1x2 plate with 2x2 upright side studs on top of the ppp so the side studs face the left. Now vertically place 2 red 1x2 slope tiles, 1 to the right of the other, upright on the left-facing side studs of the ppp so they slope up.

Step 4

Place a blue 2x2 corner plate on the front 2 rows of the 5th and 6th columns from the right so it looks like the braille letter j. Then repeat symmetrically to the back.

Step 5

Horizontally place a green 2x4 plate on the 2nd to 5th columns from the right so it is centered vertically.

Step 6

Place a red 1x1 plate with a side stud hanging down on the front row of the 2nd column from the right so the side stud faces the front. Then repeat symmetrically to the back.

Step 7

Horizontally place a blue 1x2 plate with 2 upright side studs underneath the front row of the 2 rightmost columns so the side studs face the front. Then repeat symmetrically to the back.

Step 8

Place a blue 1x1 round tile with an upright bar upright on the rightmost front-facing side stud so the bar faces the front. Then repeat symmetrically to the back.

Step 9

Vertically place a blue 1x2 tile upright on the 2 front-facing side studs. Then repeat symmetrically to the back.

Group 3 - Race Car

Step 10

Place a black 2x2 corner plate underneath the front row of the 3rd column from the right so 1 row is exposed to the front and it looks like the braille letter h. Then repeat symmetrically to the back.

Step 11

Vertically place a blue 1x4 plate underneath the 3rd column from the right so it is centered vertically.

Step 12

Horizontally place a black 2x4 left wedge plate underneath the 2 rightmost columns of the front row so 2 columns are exposed to the right, the angled side faces the front, and the short end faces the right. Make sure the leftmost column of your plate is aligned with the ppp. Then repeat symmetrically to the back.

Step 13.1

Let's make a part! Vertically place a black 2x3 plate in front of you. Then horizontally place a black 1x6 plate on top so it is centered vertically and overhangs 4 columns to the left.

Step 13.2

Vertically place a blue 1x2 rounded plate underneath the 3rd column from the right so 1 row is exposed to the back. Now place the rightmost column of a black 3x3 L-shaped plate underneath the 3rd column from the right so it is centered vertically and the right angle faces the back right. Now horizontally place a black 1x2 plate with 2 upright side studs underneath the front row of the 2 leftmost columns so the side studs face the front.

Step 13.3

Horizontally place a black 1x2 sloped curved tile on the front row of the 3rd column from the left so it slopes and overhangs to the right.

Step 13.4

Horizontally place the back row of your part underneath the front row of the 3rd to 8th columns from the left so 2 rows are exposed to the front and the side studs face the front.

Step 14.1

Let's make a part! Vertically place a black 2x3 plate in front of you. Then horizontally place a black 1x6 plate on top so it is centered vertically and overhangs 4 columns to the right.

Step 14.2

Vertically place a blue 1x2 rounded plate underneath the 3rd column from the left so 1 row is exposed to the back. Now place the leftmost column of a black 3x3 L-shaped plate underneath the 3rd column from the right so it is centered vertically and the right angle faces the back left. Now horizontally place a black 1x2 plate with 2 upright side studs underneath the front row of the 2 rightmost columns so the side studs face the front.

Step 14.3

Horizontally place a black 1x2 sloped curved tile on the front row of the 3rd column from the right so it slopes and overhangs to the left.

Step 14.4

Horizontally place the front row of your part underneath the back row of the 3rd to 8th columns from the left so 2 rows are exposed to the back and the side studs face the back.

Step 15

Attach a black 2x2 tile with a clip underneath the front right-facing bar that is on the 2nd column from the right so the tile faces down. It should attach to the bar that is behind the 2x4 right wedge plate. Then repeat symmetrically to the back.

Step 16

Horizontally place a black 1x2 sloped curved tile on the front row of the 2nd and 3rd columns from the right so it slopes to the right. Then repeat symmetrically to the back.

Step 17

Insert a black 2L pin into the right-facing pinhole. Then vertically attach a black 1x2 brick with a pinhole and 2 thin lift arms with axle holes to the right-facing pin so the axle holes are on the right.

Step 18

Horizontally place a black 2x3 plate on the 2 rightmost columns so it is centered vertically and 1 column overhangs to the right over the thin lift arms.

Step 19

Horizontally place 2 white 1x2 plates with 2 side studs hanging down, 1 in front of the other, on the 2nd and 3rd columns from the right so they are centered vertically and the side studs face outwards to the front and back.

Step 20

Place a black 2x2 plate on the front 2 rows of studs of the 4th and 5th columns from the left. Then horizontally place a black 1x4 plate to the right of the front row of the ppp. Now repeat both parts symmetrically to the back.

Step 21

Vertically place 2 black 1x2 ingot tiles, 1 in front of the other, on the 3rd column from the left so together they are centered vertically.

Step 22

Horizontally place a black 1x4 plate on the 2nd to 5th columns from the left of the 2nd row from the front. Then repeat symmetrically to the back.

Step 23.1

Horizontally place a blue 1x4 slope tile with a sticker on the 2 rightmost columns of the ppp so it slopes to the right.

Step 23.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 9 on the blue 1x4 slope tile. This sticker has a white, red, and blue line! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 23.3

Repeat the previous step symmetrically to the front.

Step 23.4

Skip this step if you have already placed your sticker! Ask a helper to place sticker 14 on the blue 1x4 slope tile. This sticker has a white, red, and blue line! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Group 4 - Race Car

Step 24

Place a red 1x1 round plate with a handle to the left of the ppp so the handle faces the front. Then repeat symmetrically to the back.

Step 25

Stack 2 black 1x1 round plates to the left of the ppp. Then repeat symmetrically to the front.

Step 26.1

Let's make a part! Place a blue 1x1 plate with a clip in front of you so the clip faces the left. Then vertically place a blue 1x2 angled sloped curved tile on top so it slopes and overhangs to the front and the angled part faces the front right. Now attach the bar of a blue 1x1 round tile with an upright bar to the left-facing clip so the anti-stud faces up.

Step 26.2

Flip your part upside down then place the 1x1 round tile with an upright bar part behind the front stack of 1x1 round plates from the previous step so the 1x2 sloped curved tile is on the left and slopes to the front.

Step 27.1

Let's make a part! Place a blue 1x1 plate with a clip in front of you so the clip faces the left. Then vertically place a blue 1x2 angled sloped curved tile on top so it slopes and overhangs to the back and

the angled part faces the back right. Now attach the bar of a blue 1x1 round tile with an upright bar to the left-facing clip so the anti-stud faces up.

Step 27.2

Flip your part upside down then place the 1x1 round tile with an upright bar part in front of the back stack of 1x1 round plates from step 25 so the 1x2 angled sloped curved tile is on the left and slopes to the back.

Step 28.1

Horizontally place a blue 1x2 sloped curved tile with a sticker on the 2nd and 3rd columns from the left of the 2nd row from the front so it slopes to the right.

Step 28.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 26 on the blue 1x2 sloped curved tile. This sticker has a white, red, and blue line! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 28.3

Horizontally place a blue 1x2 sloped curved tile with a sticker on the 2nd and 3rd columns from the left of the 2nd row from the back so it slopes to the right.

Step 28.4

Skip this step if you have already placed your sticker! Ask a helper to place sticker 22 on the blue 1x2 sloped curved tile. This sticker has a white, red, and blue line! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 29.1

Let's make a part! Horizontally place a blue 1x2 jumper plate in front of you. Then place a blue 1x1 plate with 2 upright side studs on top so the side studs face the front.

Step 29.2

Horizontally place a blue 1x2 jumper plate on top of the ppp so it is centered horizontally. Now horizontally place a dark grey game controller printed with buttons upright on the top front-facing side studs so the curved parts face the bottom left and bottom right.

Step 29.3

Vertically place your part on the 2nd column from the left so it is centered vertically so the game controller faces the right.

Step 30

Place a blue 1x1 plate with 2 upright side studs underneath the front row of the 2nd column from the left so the side studs face the front. Then vertically place a blue 1x2 rounded plate upright on the front-facing side studs of the ppp. Then repeat both parts symmetrically to the back.

Group 5 - Race Car

Step 31

Place 2 green 1x1 round plates, 1 in front of the other, on the leftmost column.

Step 32

Vertically place a blue 1x2 rounded plate on the leftmost column.

Step 33

Horizontally place a blue 1x2 plate with 2 upright side studs underneath the front row of the leftmost column so 1 column is exposed to the left and the side studs face the front. Then repeat symmetrically to the back.

Step 34

Vertically place a black 1x2 brick with a pinhole and 2 thin liftarms with axle holes on the leftmost column so the liftarms overhang to the left.

Step 35

Horizontally place a white 1x2 plate with 2 side studs hanging down on the front row of the 2 leftmost columns so the side studs face the front. Then repeat symmetrically to the back.

Step 36

Place a white 2x2 sloped curved tile printed with a red and blue line and the word HUGO in red upright on the 2nd and 3rd columns of front-facing side studs so it slopes to the left. Then repeat symmetrically to the back.

Step 37.1

Vertically place a red 1x2 tile with a cutoff corner and a sticker upright on the back-facing side studs to the left of the ppp so the cutoff corner is in the top right.

Step 37.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 31 on the red 1x2 tile with a cutoff corner. This sticker is black. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 37.3

Repeat step 37.1 symmetrically to the front.

Step 37.4

Skip this step if you have already placed your sticker! Ask a helper to place sticker 34 on the red 1x2 tile with a cutoff corner. This sticker is black. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 38.1

Vertically place a blue 1x4 tile with a sticker on the 3rd column of studs from the left so it sits on a 1x2 jumper plate and is centered vertically.

Step 38.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 24 on the blue 1x4 tile. This sticker has a red line on it.. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 39.1

Vertically place a white 2x4 trapezoid plate to the left of the ppp so it is centered vertically and the short end faces the left. Then place a white 2x2 tile with a round side with a sticker on top of the ppp so the round side faces the left.

Step 39.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 18 on the white 2x2 tile with a round side. This sticker says VISA, cashapp, Tedor. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Building Instructions (Bags 3-4, Book 1):

Group 6 - Race Car

Step 40

Place the axle connector of a white pinhole with an axle connector in between the 2 axle holes on the right end of the build so the pinhole is on the right and faces up and down. Now insert a black 4L axle into the rightmost front-facing axle hole so it is centered vertically

Step 41

Horizontally stack the left axle hole of 2 black 1x2 thin lift arms with axle holes to the front-facing axle of the ppp so the other axle hole is on the right. Then repeat symmetrically to the back.

Step 42.1

Let's make 2 identical parts! Vertically place a white 3L pin axle in front of you so the 2L axle faces the front. Then attach the pinhole of a transparent neck bracket with 2 studs to the front-facing axle so the studs face down. Then attach a light grey thin bushing to the front-facing axle. Now horizontally place a black 1x4 double sloped curved tile underneath the bottom-facing studs so it is centered horizontally.

Step 42.2

Now you should have 2 identical parts! Attach the axle of 1 part to the front-facing axle hole that is on the right end so the double sloped curved tile faces down and the pin faces the front. Then repeat symmetrically to the back.

Step 43

Vertically place a black 1x2 plate with a bar on the long side on the 4th column of studs from the right so it is centered vertically and the bar faces the left.

Step 44

Horizontally place a red 1x4 brick printed with a white line to the left of an upright tile that is in front of the ppp so the print faces the front and it sits in front of the 1x4 tile. Then repeat symmetrically to the back.

Step 45.1

Let's make a part! Horizontally place a white 1x2 plate in front of you. Then horizontally place a red 1x2 tile with a sticker on top so 1 column overhangs to the left.

Step 45.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 15 on the red 1x2 tile. This sticker has a white line on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 45.3

Horizontally place a red 1x2 angled sloped curved tile with a sticker to the right of the ppp so 1 column overhangs to the right and the cutoff corner faces the front right.

Step 45.4

Skip this step if you have already placed your sticker! Ask a helper to place sticker 8 on the red 1x2 angled sloped curved tile. This sticker has a white line on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 45.5

Horizontally place your part upright on the 2 front-facing side studs that are on the 2nd and 3rd columns of studs from the right so the 1x2 tile is on the left and the leftmost column sits in front of an upright tile.

Step 46.1

Let's make a part! Horizontally place a white 1x2 plate in front of you. Then horizontally place a red 1x2 tile with a sticker on top so 1 column overhangs to the left.

Step 46.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 15 on the red 1x2 tile. This sticker has a white line on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 46.3

Horizontally place a red 1x2 angled sloped curved tile with a sticker to the right of the ppp so 1 column overhangs to the right and the cutoff corner faces the back right.

Step 46.4

Skip this step if you have already placed your sticker! Ask a helper to place sticker 6 on the red 1x2 angled sloped curved tile. This sticker has a white line on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 46.5

Horizontally place your part upright on the 2 back-facing side studs that are on the 2nd and 3rd columns of studs from the right so the 1x2 tile is on the left and the leftmost column sits behind an upright tile.

Step 47.1

Let's make a part! Place a black 2x2 plate with 2 side studs in front of you so the side studs face the right. Then place a blue 2x2 corner plate on the left column so it looks like the braille letter j.

Step 47.2

Horizontally place a blue 1x2 plate with a stud and a clip on the front right corner so the clip is on the right. Then place a blue 1x1 quarter circle tile on the back right corner so the curve faces the back right.

Step 47.3

Horizontally place the leftmost column of your part on the back row of the rightmost column of studs so 2 columns overhang to the right and the side studs face the right.

Step 48.1

Place a black 2x2 plate with 2 side studs in front of you so the side studs face the right. Then place a blue 2x2 corner plate on the left column so 1 column overhangs to the left and it looks like the braille letter d.

Step 48.2

Horizontally place a blue 1x2 plate with a stud and a clip on the back right corner so the clip is on the right. Then place a blue 1x1 quarter circle tile on the front right corner so the curve faces the front right.

Step 48.3

Horizontally place your part in front of the previous part so it is symmetrical and the side studs face the right.

Step 49

Horizontally place a blue 2x4 tile on the 2nd to 5th columns of studs from the right so it is centered vertically.

Step 50.1

Horizontally place a blue 1x6 tile with a sticker in front of the ppp so it is centered horizontally to the ppp.

Step 50.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 21 on the blue 1x6 tile. This sticker says Cash App on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 50.3

Repeat step 50.1 symmetrically to the back.

Step 50.4

Skip this step if you have already placed your sticker! Ask a helper to place sticker 20 on the blue 1x6 tile. This sticker says Cash App on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 51

Place a black 1x1 plate upright on the right front-facing side stud that is on the front left corner. Then place a black 1x1 tile upright on the ppp. Now repeat both parts symmetrically to the back.

Step 52.1

Let's make a part! Stack 2 black 1x1 plates with a tooth in front of you so the teeth face the left. Then horizontally place a black 1x3 inverted sloped curved brick with a sticker on top so 1 column overhangs to the right and it slopes to the left.

Step 52.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 12 on the black 1x3 inverted sloped curved brick. This sticker is red and says Orlen. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 52.3

Horizontally place your part upright on the front-facing side stud that is on the front left corner so 2 columns slope and overhang to the left.

Step 53.1

Let's make a part! Stack 2 black 1x1 plates with a tooth in front of you so the teeth face the right. Then horizontally place a black 1x3 inverted sloped curved brick with a sticker on top so 1 column overhangs to the left and it slopes to the right.

Step 53.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 11 on the black 1x3 inverted sloped curved brick. This sticker is red and says Orlen. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 53.3

Horizontally place your part upright on the back-facing side stud that is on the back left corner so 2 columns slope and overhang to the left.

Group 7 - Race Car

Step 54.1

Let's make a part! Place a blue 1x1 plate upside down in front of you. Then place a blue 1x1 round plate with a clip on top so the clip hands face left and right. Now attach a black spoon to the clip so the spoon faces the back and the rounded side faces the left.

Step 54.2

Place your part on the back top-facing anti-stud that is to the right of the 1x4 tile which is on the 3rd column from the left so the spoon faces the back. Then repeat everything symmetrically to the front.

Step 55

Let's make a part! Horizontally place a black 1x4 plate in front of you. Then horizontally place a black 1x2 brick with an axle hole on the 2 rightmost columns.

Step 56

Place a dark grey 1x1 round plate to the left of the ppp. Then horizontally place the pinhole of a black 2x3 plate with a round side and a pinhole on the leftmost column so 2 columns overhang to the left.

Step 57

Place a black 3x3 corner plate underneath the front left corner so the right corner faces the back right, 1 column is exposed to the left, and 2 rows are exposed to the front. Then repeat symmetrically to the back.

Step 58

Vertically place a black 1x2 jumper plate with a round side on the leftmost column so the round side faces the left. Now place a white 2x2 plate with a cutoff corner on the front 2 rows so the angled side faces the right and the short end faces the back. Then repeat symmetrically to the back.

Step 59

Vertically place a black 1x2 jumper plate with a round side on the rightmost column so it is centered vertically and the round side faces the left. Then vertically place a black 1x2 jumper plate on the 3rd column from the right so it is centered vertically.

Step 60

Vertically place a black 1x2 jumper plate with a round side on the 2nd column from the left so the round side faces the left. Then vertically place a black 1x2 jumper plate to the right of the ppp so it is centered vertically.

Step 61

Place a blue 1x1 slope tile printed with HRC on the leftmost column so it slopes to the left. Then horizontally place a blue 1x6 sloped curved brick printed with VISA, a bull, an elephant, an eagle, and Cashapp on it to the right of the ppp so it slopes to the left.

Step 62.1

Horizontally place a black 1x2 sloped curved tile with a sticker on the 2nd row from the front so it slopes and overhangs to the left. Then vertically place a black 2x3 angled plate underneath the overhang of the ppp so 1 stud is exposed to the front and the cutoff corner faces the front left.

Step 62.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 29 on the black 1x2 sloped curved tile. This sticker is black and white. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 63.1

Horizontally place a black 1x2 sloped curved tile with a sticker on the 2nd row from the back so it slopes and overhangs to the left. Then vertically place a black 2x3 angled plate underneath the overhang of the ppp so 1 stud is exposed to the back and the cutoff corner faces the back right.

Step 63.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 28 on the black 1x2 sloped curved tile. This sticker is black and white. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 64.1

Place a black 2x2 angled sloped curved tile with a sticker on the front row so it slopes to the left and the short end overhangs to the front.

Step 64.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 30 on the black 2x2 angled sloped curved tile. This sticker is black and white and says Cashapp. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 64.3

Place a black 2x2 angled sloped curved tile with a sticker on the back row so it slopes to the left and the short end overhangs to the back.

Step 64.4

Skip this step if you have already placed your sticker! Ask a helper to place sticker 27 on the black 2x2 angled sloped curved tile. This sticker is black and white and says Cashapp. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 65.1

Let's make a part! Horizontally place a black 1x2 plate with 2 upright side studs in front of you so the side studs face the front. Then place a dark grey 1x1 round plate on the right column. Now place a black 1x1 tile upright on the right front-facing side stud. Then place a black 2x2 corner tile with a cutoff corner and a sticker upright on the front-facing side stud so 1 row overhangs to the top and the cutoff corner faces the top left.

Step 65.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 13 on the black 2x2 corner tile with a cutoff corner. This sticker is black and says Cashapp. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 65.3

Horizontally place the left column of your part underneath the front row so 1 column is exposed to the right and the upright tiles face the front.

Step 66.1

Let's make a part! Horizontally place a black 1x2 plate with 2 upright side studs in front of you so the side studs face the front. Then place a dark grey 1x1 round plate on the left column. Now place a black 1x1 tile upright on the left front-facing side stud. Then place a black 2x2 corner tile with a cutoff corner and a sticker upright on the front-facing side stud so 1 row overhangs to the top and the cutoff corner faces the top right.

Step 66.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 10 on the black 2x2 corner tile with a cutoff corner. This sticker is black and says Cashapp. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 66.3

Rotate your part 180 degrees, then place the left column of your part underneath the back row so 1 column is exposed to the right and the upright tiles face the back.

Step 67.1

Vertically place a white 1x2 tile with a cutoff corner and a sticker on the front row so the cutoff corner faces the back right.

Step 67.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 19 on the white 1x2 tile with a cutoff corner. This sticker says HUGO in red. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 67.3

Repeat step 67.1 symmetrically to the back.

Step 67.4

Skip this step if you have already placed your sticker! Ask a helper to place sticker 17 on the white 1x2 tile with a cutoff corner. This sticker says HUGO in red. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 68

Insert the rightmost axle hole of your part in between the 2 axle holes of the thin liftarms that are on the left end of the main build, then insert a black 4L axle into the axle so it is centered vertically.

Building Instructions (Bags 5-6, Book 1):

Group 8 - Race Car

Step 69

Let's make a part! Horizontally place a black 1x2 plate with 2 upright side studs in front of you so the side studs face the back. Now horizontally place a black 2x4 plate on top so 1 row overhangs to the front and 2 columns overhang to the left.

Step 70

Horizontally place a blue 1x2 rounded plate underneath the front row so it is centered horizontally.

Step 71

Horizontally place a black 1x2 jumper plate on the front row so it is centered horizontally. Then repeat symmetrically to the back.

Step 72

Vertically place a black 1x2 plate with 2x2 upright side studs underneath the leftmost column so the side studs face the left. Then repeat symmetrically to the right.

Step 73

Place a black 1x1 corner panel on the front left corner so the corner wall faces the back left. Then repeat symmetrically to the right.

Step 74

Vertically place a black 1x2 ingot tile upright on the front column of right-facing side studs. Then repeat symmetrically to the left.

Step 75.1

Rotate your part 90 degrees clockwise so it is vertical. Now vertically place a black 1x2 plate with 2 upright side studs on the front-facing side studs so the side studs face the right. Now vertically place a black 1x2 tile with a cutoff corner and a sticker upright on the front-facing side studs so the cutoff corner faces the bottom left.

Step 75.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the black 1x2 tile with a cutoff corner. This sticker says HUGO in grey. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 75.3

Vertically place a black 1x2 panel with a sticker upright on the right-facing side studs so the wall faces the front.

Step 75.4

Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the black 1x2 panel. This sticker says PB and has an elephant on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 76.1

Rotate your part 180 degrees. Now vertically place a black 1x2 plate with 2 upright side studs on the front-facing side studs so the side studs face the left. Now vertically place a black 1x2 tile with a cutoff corner and a sticker upright on the front-facing side studs so the cutoff corner faces the bottom right.

Step 76.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 5 on the black 1x2 tile with a cutoff corner. This sticker says HUGO in grey. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 76.3

Vertically place a black 1x2 panel with a sticker upright on the left-facing side studs so the wall faces the front.

Step 76.4

Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the black 1x2 panel. This sticker says PB and has an elephant on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 77

Rotate your build 90 degrees clockwise so it is horizontal. Now place a short black 1x1 brick on the front row. Then place a black 1x1 tile printed with 3x6 dots on it. Then place a dark grey 1x1 round tile with an upright bar behind the ppp so the anti-stud faces the back.

Step 78

Vertically place your part upright on the right-facing side studs so it is centered vertically and the 1x1 tile is on the bottom and faces the right.

Step 79

Vertically place a black 1x2 plate with a bar on the rightmost column so it is centered vertically and the bar attaches to the 2 clips.

Step 80

Vertically place a black 2x6 sloped tile with 2 stickers on the rightmost column so it is centered vertically, 1 column overhangs to the right, and it slopes to the left.

Step 81

Attach the clip of a black L-shaped bar holder with a clip to the rightmost top-facing bar so it is centered vertically and the bar holder faces the right.

Step 82

Place 2 green 1x1 round plates, 1 in front of the other, to the left of the middle top-facing vertical bar so there is a column gap in between them and they are centered vertically. Now vertically place a blue 1x2 jumper plate on top of the 2 ppp.

Group 9 - Race Car

Step 83

Vertically place a blue 1x2x2 curved window to the right of the ppp so it is centered vertically and the bottom lip is on the left.

Step 84.1

Let's make a part! Place a blue 1x1 plate with a clip in front of you so the clip faces the front. Now horizontally place a blue 2x6 angled sloped brick printed with a grey bull on top so 1 row slopes and overhangs to the back, and it slopes and overhangs 5 columns to the left.

Step 84.2

Horizontally attach the clip of your part to the top-facing bar that is to the right of the 1x2x2 curved window so the anti-studs face the front.

Step 85

Horizontally place a blue 1x6 ski on the front-facing anti-studs of the previous part so the angled part faces the left.

Step 86.1

Let's make a part! Place a blue 1x1 plate with a clip in front of you so the clip faces the front. Now horizontally place a blue 2x6 angled sloped brick printed with a grey bull on top so 1 row slopes and overhangs to the back, and it slopes and overhangs 5 columns to the right.

Step 86.2

Horizontally attach the clip of your part to the top-facing bar that is in front of the ppp so the sloped side faces the front.

Step 87.1

Let's make a part! Place a black 1x1 round flower plate in front of you. Then place a blue 1x1 round tile with an upright bar on top of the ppp so the anti-stud faces up. Now place a blue 1x1 brick with 2 side studs on top of the ppp so the anti-stud faces the front. Now place a blue 1x1 plate on top. Then horizontally place a black 1x2 ingot tile on top of the ppp so it is centered horizontally.

Step 87.2

Place your part to the left of the 1x2x2 curved window so the anti-stud faces the left.

Step 88

Horizontally place the left column of a blue 1x2 plate with a stud and a clip in front of the ppp so the clip is on the left. Then repeat symmetrically to the back.

Step 89.1

Horizontally place a blue 1x2 angled sloped curved tile with a sticker to the left of the ppp so it slopes and overhangs to the left and the cutoff corner faces the front left.

Step 89.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 23 on the blue 1x2 angled sloped curved tile. This sticker says Tudor. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 89.3

Repeat step 89.1 symmetrically to the front.

Step 89.4

Skip this step if you have already placed your sticker! Ask a helper to place sticker 25 on the blue 1x2 angled sloped curved tile. This sticker says Tudor. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 90

Place a blue 1x1 bar holder with a handle to the back top-facing bar that is centered horizontally so the bar holder faces up. Now place a red 8L bendable bar on top of the ppp. Then attach a blue bar holder with a handle to the top of the bar so the handle is vertical.

Step 91

Bend the bar down and to the front, then attach the handle to the top-facing clip. Now bend it all the way down to the left.

Step 92

Attach a red claw to the left end of the previous bendable bar so it is centered vertically and the bar faces the left.

Step 93.1

Let's make a part! Horizontally place a blue 1x3 rounded plate in front of you. Then horizontally place a blue 1x2 rounded plate on the 2 leftmost columns.

Step 93.2

Horizontally place a blue 1x1 tile with a 1x1 slope tile on the leftmost column so it slopes and overhangs to the left. Now horizontally place a blue 1x4 sloped curved brick with a sticker to the right of the ppp so it slopes and overhangs 2 columns to the right.

Step 93.3

Skip this step if you have already placed your sticker! Ask a helper to place sticker 16 on the blue 1x4 sloped curved brick. This sticker says VISA. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 93.4

Horizontally place the 2nd column from the left of your part upright on the front-facing bar that is centered horizontally so the 1x4 sloped curved brick slopes to the right.

Step 94.1

Let's make another part! Horizontally place a blue 1x3 rounded plate in front of you. Then horizontally place a blue 1x2 rounded plate on the 2 rightmost columns.

Step 94.2

Horizontally place a blue 1x1 tile with a 1x1 slope tile on the rightmost column so it slopes and overhangs to the right. Now horizontally place a blue 1x4 sloped curved brick with a sticker to the left of the ppp so it slopes and overhangs 2 columns to the left.

Step 94.3

Skip this step if you have already placed your sticker! Ask a helper to place sticker 16 on the blue 1x4 sloped curved brick. This sticker says VISA. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 94.4

Horizontally place the 2nd column from the right of your part upright on the back-facing bar that is centered horizontally so the 1x4 sloped curved brick slopes to the right.

Step 95.1

Let's make a part! Place a black suspension block with 2 axle holes and a sticker in front of you so the curved part is in the front and on top. Make sure the axle holes face the front and back. Then insert a tan 2L pin axle into the front-facing axle hole so the pin faces the front.

Step 95.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 33 on the black suspension block. This sticker has a red L-shaped line. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 95.3

Attach your part to the front-facing axle that is on the left side so the pin faces the front.

Step 96.1

Let's make a part! Place a black suspension block with 2 axle holes and a sticker in front of you so the curved part is in the front and on top. Make sure the axle holes face the front and back. Then insert a tan 2L pin axle into the front-facing axle hole so the pin faces the front.

Step 96.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 32 on the black suspension block. This sticker has a red L-shaped line. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 96.3

Attach your part to the back-facing axle that is on the left side so the pin faces the back.

Step 97.1

Let's make 2 identical parts! Let's make the wheels! Place a larger black wheel printed with red illegible letters in front of you so the stud faces up. Then place a green 1x1 round plate on top. Now place a black 2x2 dish with a red rim on top of the ppp.

Step 97.2

Now you should have 2 identical parts! Attach 1 wheel to the rightmost front-facing pin. Then repeat symmetrically to the back.

Step 98.1

Let's make 2 identical parts! Place a black wheel with red illegible letters in front of you so the stud faces up. Now place a black 2x2 dish printed with a red rim on top.

Step 98.2

Now you should have 2 identical parts! Attach 1 wheel to the leftmost front-facing pin. Then repeat symmetrically to the back.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 9 LEGO Formula 1 Theme kits:

77243 Oracle Red Bull Racing RB20 F1® Race Car

77242 Ferrari SF-24 F1® Race Car

77244 Mercedes-AMG F1® W15 Race Car

77251 McLaren F1® Team MCL38 Race Car

77248 BWT Alpine F1® Team A524 Race Car

77245 Aston Martin Aramco F1 AMR24 Race Car

77249 Williams Racing FW46 F1® Race Car

77247 KICK Sauber F1® Team C44 Race Car

77250 MoneyGram Haas F1® Team VF-24 Race Car