

77981 Velociraptor, Stegosaurus & Pteranodon Rescue

Adapted by John Le and tested by Peter Durieux.

Kids ages 4 and up can enjoy hours of fun rescue and nurturing play with this Velociraptor, Stegosaurus & Pteranodon Rescue (77981) LEGO® Jurassic World building set inspired by the Jurassic World Dominion movie. This set features 2 minifigures, Kayla Watts and Owen Grady, 4 molded dinosaur toys, a rescue center, opening waterfall, a helicopter with spinning rotors and working winch, plus plenty of accessories for playing out action-packed rescue adventures.

DINOSAUR TOY FOR KIDS – Young boys and girls can explore their passion for dinosaurs with this Velociraptor, Stegosaurus & Pteranodon Rescue (77981) building set that inspires endless imaginative play.

EXPLORE THE RESCUE CENTER – Kids can build a detailed rescue center with immersive features to recreate movie scenes or play out their own stories.

CHARACTERS FOR ROLE PLAY – Join Kayla Watts and Owen Grady minifigures to help nurse the baby stegosaurus, pteranodon and 2 velociraptors back to health.

DINOSAUR RESCUE ADVENTURE – Use the x-ray machine on the baby stegosaurus, lower the crate of supplies with the helicopter's winch, drop the bridge to reach the cliff and open the waterfall.

DIMENSIONS – This 171-piece set includes a rescue center and waterfall with pteranodon that, together, measure over 7 in. (18 cm) high, 10.5 in. (26 cm) wide and 3.5 in. (9 cm) deep.

The front of the box shows the rescue center in the background! In the front, Owen Grady piloting a helicopter is dropping off a crate with supplies and Kayla Watts is feeding milk to the baby dinosaurs!

The back of the box shows all the accessories that the set comes with! It comes with the rescue center, a helicopter, 3 dinosaurs, 2 minifigures, a crate, container, some food, and accessories.

The top of the box shows a real size image of Kayla Watts! She is dressed in dark green pants, a sand green jacket with pockets, and black hair!

The build is 171 pieces in total and is for ages 4+.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: <https://bricksfortheblind.org/help-with-screen-readers>. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.

- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/75456>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 5 bags labeled 1 to 5, 5 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Owen Grady, Crate, and Helicopter

Group 1 - Pages 6-11.

Group 2 - Pages 12-33.

Group 3 - Pages 34-53.

Bag 2 - Velociraptor and Rescue Center

Group 4 - Pages 4-9.

Group 5 - Pages 10-33.

Group 6 - Pages 34-51.

Bag 3 - Kayla Watts, Velociraptor, and Rescue Center

Group 7 - Pages 4-7.

Group 8 - Pages 8-27.

Group 9 - Pages 28-43.

Bag 4 - Pteranodon and Rescue Center

Group 10 - Pages 4-7.

Group 11 - Pages 8-21.

Group 12 - Pages 22-37.

Group 13 - Pages 38-47.

Bag 5 - Stegosaurus and Rescue Center

Group 14 - Pages 4-5.

Group 15 - Pages 6-17.

Group 16 - Pages 18-35.

Group 17 - Pages 36-53.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Owen and Crate

Steps 6 to 7

Locate 1 dark grey pair of legs, 1 dark blue torso printed with a dark tan jacket, 1 tan head printed with eyes, lips, and a brown beard, 1 light brown hair, and 1 orange fish. Assemble your minifigure, attach the fish to his hand, then put him away while we make a crate!

Steps 8 to 9

Horizontally place a light brown 3x4 crate in front of you. Then horizontally place a light grey 3x4 tile with 4 studs on top of it.

Steps 10 to 11

Horizontally place a yellow 1x2 tile with an upright horizontal bar on top so it is centered horizontally and slopes to the front. Now put it away while we make the helicopter!

Group 2 - Helicopter

Steps 12 to 13

Horizontally place a dark grey 6x10 helicopter landing skid in front of you so the 1x3 studs are on the right.

Steps 14 to 15

Vertically place a yellow 1x2 plate with an upright bar on the rightmost column of 1x4 studs so it is centered vertically and the bar faces the right.

Steps 16 to 17

Horizontally place a red 4x14 helicopter base on top of the 2 vertical 1x4 studs so the tail faces the right.

Steps 18 to 19

Vertically place a light grey 1x2 slope tile printed with 2 speedometers on the 2nd column from the left of the ppp so it is centered vertically and slopes to the right.

Steps 20 to 21

Place a white 2x2 chair to the right of the ppp so the back of the chair faces the right.

Steps 22 to 23

Vertically place a black 1x2 plate with 2 clips to the right of the ppp so it sits on top of the helicopter base, is centered vertically and the clips face the left. Then horizontally place the leftmost column of a tan 1x4 plate in front of the ppp. Then repeat symmetrically to the back.

Steps 24 to 25

Horizontally place a dark grey 1x2 grill slope tile on the 2 rightmost columns of the ppp so it slopes to the right. Then repeat symmetrically to the front. Now vertically place a red 2x4 sloped curved tile to the left of the 2 ppp so it slopes to the left.

Steps 26 to 27

Horizontally place a transparent orange 1x2 tile on the front row of the 2 rightmost columns. Now horizontally place a dark grey 1x3 sloped curved brick behind the ppp so it overhangs 1 column to the right and slopes to the left.

Steps 28 to 29

Place a yellow 2x2 round tile with stud upright on the 2x2 front-facing side studs. Then place a yellow 2x2 round tile printed with a red background and a black T-rex upright on the 1x4 front-facing side studs so it is centered horizontally and overhangs 1 row to the bottom.

Steps 30 to 31

Rotate your build 180 degrees. Now place a dark grey 2x2 tile with an upright pin on the 8th and 9th columns from the left so it sits in between the 1x2 grill slope tiles.

Steps 32 to 33

Place a yellow 2x2 round tile with stud upright on the 2x2 front-facing side studs. Then place a yellow 2x2 round tile printed with a red background and a black T-rex upright on the 1x4 front-facing side studs so it is centered horizontally and overhangs 1 row to the bottom.

Group 3 - Helicopter

Steps 34 to 35

Let's make a part! Place a dark grey hook and ball in front of you so the hook faces the left and the tip of the hook faces the back. Then place 1 end of a black chain on top of the ppp.

Steps 36 to 37

Attach the other end of the chain of your part to the top-facing bar that is on the 5th column from the left and underneath the tail of the helicopter so the hook overhangs to the left.

Steps 38 to 39

Rotate your build 180 degrees so the tail faces the right. Now horizontally attach the bar of a transparent aqua 2x6 sloped curved windshield to the 2 left-facing clips so it slopes to the left.

Steps 40 to 41

Let's make a part! Let's make a spotlight! Place a transparent yellow 2x2 inverted round tile with a rounded bottom in front of you. Then place a light grey 2x2 half dome brick on top of the ppp. Now place a dark grey megaphone on top of the ppp so the bar faces the right.

Steps 42 to 43

Attach the bar of your part to the front-facing side stud of the 2x2 round tile with a stud so the inverted round tile with a rounded bottom faces the bottom left.

Steps 44 to 45

Place a black 5x5 black cross-shaped plate with a pinhole on top of the top-facing pin so it is centered on it.

Steps 46 to 47

Horizontally place a light grey 1x5 rounded plate with an axle hole on top of the ppp so it is centered horizontally and vertically on it.

Steps 48 to 49

Vertically place a dark grey 1x6 plate in front of the ppp so it is centered horizontally and overhangs 4 rows to the front. Then repeat symmetrically to the back.

Steps 50 to 51

Place a black 3x3 cross-shaped plate on top of the 3 ppp so it is centered horizontally and vertically on them.

Steps 52 to 53

Now the helicopter blades should freely spin! Now put your helicopter away while we make the next part!

Building Instructions (Bag 2, Book 2):

Group 4 - Velociraptor

Steps 4 to 5

Place a light blue velociraptor printed with dark blue and blue stripes on it in front of you. Now let's make an egg!

Steps 6 to 7

Place a light brown 2x2 round ridged brick in front of you. Then place a brown 2x2 round tile with a stud on top. Now place a white egg on top of the ppp.

Steps 8 to 9

Put everything away while we make the rescue center!

Group 5 - Rescue Center

Steps 10 to 11

Place a light green 8x8 plate with 1x4 gaps on the sides in front of you.

Steps 12 to 13

Horizontally place a green 1x4 plate on the back row so it is centered horizontally. Then horizontally place a tan 2x4 plate on the front row so it is centered horizontally and overhangs 1 row to the front.

Steps 14 to 15

Vertically place a light blue 2x4 tile with 2 studs on the leftmost column so it is centered vertically and overhangs 1 column to the left.

Steps 16 to 17

Vertically place a light blue 4x8 plate with a round side underneath the leftmost column so it is centered vertically and the round side is exposed 3 columns to the left. Now horizontally place a tan 2x6 plate with a round side underneath the front row, underneath the 2x4 plate so it is centered horizontally to it and the round side is exposed to the front.

Steps 18 to 19

Place a brown 2x2 plate on the back 2 rows, on the 4th and 5th columns from the right.

Steps 20 to 21

Place a light brown 2x2x3 brick on top of the ppp.

Steps 22 to 23

Horizontally place a brown 1x2 plate with an upright bar on the front row of the ppp so the bar is in the front.

Steps 24 to 25

Place a light brown 2x2 sloped curved tile on top of the ppp so it slopes to the back.

Steps 26 to 27

Vertically place a light brown 1x2x5 brick on the back 2 rows, to the left of the ppp so there is a 2 column gap in between them. Then vertically place another 1 on the back right corner.

Steps 28 to 29

Horizontally place 2 light brown 1x3x2 inverted half arch bricks, 1 in front of the other, on the 3 rightmost columns of the 3rd and 4th rows from the front so they slope to the left. Then horizontally place 2 more, 1 in front of the other, to the left of the 2 ppp so there is a 2 column gap in between them and they slope to the right.

Steps 30 to 31

Let's make a part! Let's make a heat lamp! Place a transparent red 2x2 dish in front of you. Then place a light grey 1x1 round plate with a bar and a clip on top so the clip faces the back.

Steps 32 to 33

Attach the clip of your part to the upright bar that is on the 3rd row from the back so the dish overhangs to the front.

Group 6 - Rescue Center

Steps 34 to 35

Vertically place a brown 1x2x3 brick on the front right corner, on top of the 1x3x2 inverted half arch bricks. Then repeat symmetrically to the left, on top of the inverted half arch bricks.

Steps 36 to 37

Horizontally place a light brown 1x8x2 arch brick on the back row, on top of the 1x2x5 bricks.

Steps 38 to 39

Vertically place a brown 1x6x2 arch brick in front of the leftmost column of the ppp. Then repeat symmetrically to the right.

Steps 40 to 41

Horizontally place a light brown 1x8x2 arch brick in front of the 2 ppp.

Steps 42 to 43

Vertically place 2 brown 1x4 tiles with 2 studs, 1 in front of the other, on the rightmost column, on top of the arch bricks. Then vertically place 2 more, 1 in front of the other, on the 5th column from the left so they sit on the arch bricks.

Steps 44 to 45

Horizontally place a tan 1x6 tile on the back row, in between the 1x4 tiles with 2 studs. Then horizontally place another 1 on the 3rd row from the front so it sits in between the 1x4 tiles with 2 studs.

Steps 46 to 47

Place a transparent orange 1x1 cone brick to the left and right of the ppp.

Steps 48 to 49

Now you can place your previous egg that you made underneath the heat lamp!

Steps 50 to 51

Now put your build away while we make the next part!

Building Instructions (Bag 3, Book 3):

Group 7 - Kayla Watts and Velociraptor

Steps 4 to 5

Locate 1 dark green pair of legs, 1 torso printed with a white shirt and green jacket with pockets, 1 brown head printed with eyes, eyelashes, and red lips, and 1 black hair. Assemble your minifigure then put her in front of you.

Steps 6 to 7

Attach a brown chicken leg to her hand then place a lime green and teal baby velociraptor next to her! Now put them away while we make the next part of the rescue center!

Group 8 - Rescue Center

Steps 8 to 9

Place a light green 8x8 plate with 1x4 gaps on the sides in front of you.

Steps 10 to 11

Vertically place a tan 2x4 plate on the leftmost column so it is centered vertically and overhangs 1 column to the left.

Steps 12 to 13

Horizontally place a green 1x4 plate on the back row so it is centered horizontally. Then vertically place 1 on the rightmost column so it is centered vertically.

Steps 14 to 15

Horizontally place 2 brown 2x4 bricks, 1 to the right of the other, on the back 2 rows.

Steps 16 to 17

Horizontally place a green 1x8 plate on the back row.

Steps 18 to 19

Horizontally place a brown 1x4 brick on the 3 rightmost columns of the 3rd row from the back so it overhangs 1 column to the right. Then horizontally place a tan 1x6 brick to the left of the ppp.

Steps 20 to 21

Horizontally place a tan 2x8 plate with 1 row of studs and a rail on the 2nd row from the back so it is centered horizontally and the rail faces the front.

Steps 22 to 23

Horizontally place a light brown 1x4x3 brick on the back right corner.

Steps 24 to 25

Place 2 light brown 2x2x3 bricks, 1 to the left of the other, on the 2 back rows, to the left of the ppp.

Steps 26 to 27

Horizontally place a green 1x8 plate on the back row so it is centered horizontally.

Group 9 - Rescue Center

Steps 28 to 29

Horizontally place a tan 1x4x3 brick printed with an x-ray of a stegosaurus in front of the 4 rightmost columns of the ppp so the print faces the front.

Steps 30 to 31

Place a transparent orange 1x1 cone brick on the back row of the rightmost column. Then repeat symmetrically to the left.

Steps 32 to 33

Horizontally place a transparent red 1x4x3 panel to the right of the ppp so the wall faces the front.

Steps 34 to 35

Horizontally place a tan 2x8 plate with 1 row of studs and a rail on the 2nd row from the back so it is centered horizontally and the rail faces the front.

Steps 36 to 37

Place a brown 2x2x2 slope brick on the back left corner so it slopes to the right. Then horizontally place 2 brown 2x3 tiles, 1 to the right of the other, to the right of the ppp.

Steps 38 to 39

Place a lime green 1x1 round brick with 3 leaves on the 2nd row from the front of the 2nd column from the right so the leaves face the front right corner.

Steps 40 to 41

Bring back your previous build and place it in front of you so the 4x8 plate with a round side faces the left. Now place the leftmost column of your current build on the rightmost column of the previous one so it is centered vertically and sits in the 1x4 gap.

Steps 42 to 43

Now put your build away while we make the next part!

Building Instructions (Bag 4, Book 4):

Group 10 - Pteranodon

Steps 4 to 5

Locate a sand blue pteranodon printed with lime green scars and yellow eyes and place it in front of you so the clips face the right. Now attach a yellow banana to the front right-facing clip so the banana is in the front.

Steps 6 to 7

Place a brown 2x2x2 container in front of you. Then attach a green stem to an orange carrot. Now place it inside the crate, then put everything away while we continue building the rescue center!

Group 11 - Rescue Center

Steps 8 to 9

Place a tan 8x8 plate with a round side in front of you so the round side faces the front.

Steps 10 to 11

Place a brown 1x6 curved tile on the front left corner so the curve follows the curve of the plate. Then repeat symmetrically to the right.

Steps 12 to 13

Place a brown 1x1 poop on the rightmost column of the 4th row from the back.

Steps 14 to 15

Place a brown 3x3x6 quarter circle panel with 2 branches on the back right corner so the curve faces the back right. Now horizontally place a light brown 1x4x3 brick on the back row, to the left of the ppp.

Steps 16 to 17

Vertically place a light brown 1x2 brick on the back left corner. Then vertically place a light brown 1x2 brick with a bar in front of the ppp so the bar faces the left.

Steps 18 to 19

Vertically place a light brown 1x3x2 inverted half arch brick on the back left corner so it slopes to the front.

Steps 20 to 21

Horizontally place a light brown 1x5 plate on the back left corner.

Group 12 - Rescue Center

Steps 22 to 23

Horizontally place a green 1x3x2 inverted half arch brick on the 3 rightmost columns of the ppp so it slopes to the left. Then place the back row of a light brown 3x3 plate to the right of the ppp.

Steps 24 to 25

Horizontally place a lime green 1x4 tile on top of the 2 ppp so there is no overhang.

Steps 26 to 27

Place a green 1x1 round plate with 3 leaves on the back left corner so the leaves face the left. Then place another 1 on the rightmost column so the leaves face the right.

Steps 28 to 29

Horizontally place a light green 1x2 sloped curved tile on the back left corner so it slopes to the right. Then horizontally place another 1 on the 2 rightmost columns so it slopes to the left.

Steps 30 to 31

Place a brown 2x2 round brick on the back right corner so it sits in front of the 1x4 tile. Then place a black pair of binoculars to the left of the front row of the ppp so the round parts face the front.

Steps 32 to 33

Place a brown 2x2 round brick on top of the 2x2 round brick from the previous step.

Steps 34 to 35

Place a green 2x2 round plate with bars all around it on top of the ppp.

Steps 36 to 37

Place a lime green 2x2 round plate on top of the ppp.

Group 13 - Rescue Center

Steps 38 to 39

Place a light grey 2x2 half dome brick in front of the 2 leftmost columns of the 3x3 quarter circle panel with 2 branches. Now place a lime green 1x1 round brick with 3 leaves on the rightmost stud of the 3rd row from the front so the leaves face the front right.

Steps 40 to 41

Place a light blue 1x1 baby bottle on top of the previous 2x2 half dome brick.

Steps 42 to 43

Horizontally attach the 2 clips of a brown ladder to the left-facing bar so it overhangs to the left.

Steps 44 to 45

Bring back your main build and horizontally place it in front of you so the round side faces the left. Now place the leftmost column of your build on the 5th column from the left so it sits on top of the 2nd floor, the round side faces the front, and the ladder overhangs down to the left.

Steps 46 to 47

Now put your build away while we make the next part!

Building Instructions (Bag 5, Book 5):

Group 14 - Stegosaurus

Steps 4 to 5

Locate a large orange stegosaurus with dark red spikes and eyes and place it in front of you so the spikey tail faces the right. Now put it away while we continue building the rescue center!

Group 15 - Rescue Center

Steps 6 to 7

Place a green 8x8 plate with a round side in front of you so the round side faces the front.

Steps 8 to 9

Vertically place a lime green 1x4 tile on the back left corner. Then repeat symmetrically to the right.

Steps 10 to 11

Vertically place a brown 1x3x2 inverted half arch brick on the back 3 rows, to the left of the ppp so it slopes to the front. Then repeat symmetrically to the left.

Steps 12 to 13

Horizontally place a light blue 2x4 tile with 2 studs on the back 2 rows so it is centered horizontally. Then horizontally place 2 more, 1 in front of the other, in front of the ppp.

Steps 14 to 15

Place a light blue 2x2 sloped curved tile on the front row so it is centered horizontally and slopes and overhangs to the front. Then horizontally place a light blue 1x4 tile behind the ppp so it is centered horizontally.

Steps 16 to 17

Horizontally place a light brown 1x3x3 half arch brick on the 2nd column from the left so it sits in front of the 1x3x2 inverted half arch brick and overhangs to the left. Then repeat symmetrically to the right.

Group 16 - Rescue Center

Steps 18 to 19

Place a brown 1x1 poop on the leftmost column of the 3rd row from the front so it sits to the left of a 1x4 tile. Then place the right column of a brown 2x2 dome brick behind the ppp.

Steps 20 to 21

Place a brown 1x1 poop on top of the ppp.

Steps 22 to 23

Vertically place a light brown 1x4 arch brick on the back 4 rows of the 2nd column from the left. Then repeat symmetrically to the right.

Steps 24 to 25

Horizontally place a brown 1x6x2 arch brick on the back row so it is centered horizontally.

Steps 26 to 27

Vertically place a brown 1x2 tile in front of the leftmost column of the ppp. Then repeat symmetrically to the right.

Steps 28 to 29

Horizontally place a brown 1x6x2 arch brick in front of the 2 ppp so it is centered horizontally.

Steps 30 to 31

Vertically place 3 dark grey 2x4 plates, 1 to the right of the other, on the back 4 rows so together they are centered horizontally and sit on the 1x6x2 arch bricks.

Steps 32 to 33

Place a light green 1x1 round plate with 3 leaves on the leftmost column so the leaves face the left. Then repeat symmetrically to the right.

Steps 34 to 35

Horizontally place a light green 1x2 sloped curved tile on the 2 rightmost columns, on top of the ppp so it slopes to the left. Then repeat symmetrically to the left.

Group 17 - Rescue Center

Steps 36 to 37

Horizontally place a black 1x2 plate with 2 clips on the 4th row from the back so it is centered horizontally and the clips face the front.

Steps 38 to 39

Horizontally place a light grey 1x4 double sloped curved tile on top of the ppp so it is centered horizontally.

Steps 40 to 41

Vertically place a light grey 1x2 panel on the 2nd and 3rd rows from the back of the rightmost column of studs so the wall faces the right.

Steps 42 to 43

Let's make a part! Horizontally place a transparent 1x4x6 half arch panel in front of you so it slopes to the front.

Steps 44 to 45

Horizontally place 2 light blue 1x2 plates with a bar, 1 to the right of the other, on top of the ppp so the bars face the back. Now horizontally place a light blue 1x4 tile on top.

Steps 46 to 47

Attach the bars of your part to the 2 front-facing clips so it is centered horizontally and slopes to the front.

Steps 48 to 49

Place a lime green 1x1 round brick with 3 leaves on the 2nd row from the back of the 2nd column of studs from the left so the leaves face the back left. Then place a lime green 1x1 frog to the right of the ppp so there is a 1 column gap in between them and it faces the front.

Steps 50 to 51

Lift up the half arch panel that is in front and vertically place your stegosaurus inside so it faces the front, then close it!

Steps 52 to 53

Bring back your main build and horizontally place it in front of you so the ladder is on the left. Now lift up the ladder so it is horizontal. Now rest the leftmost rung of the ladder on the 1x2 panel that is on the back right corner of your current build! This is a platform so you can step across!

Thank you so much for building this set!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind are able to create these text-based

building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

At the end of the instruction booklets are advertisements for the following 5 LEGO Jurassic World Theme kits:

77977 Baby Dinosaur: Pteranodon

77978 Young T. rex Transport Truck

77981 Velociraptor, Stegosaurus & Pteranodon Rescue

77983 Mosasaurus Dinosaur Boat Attack

77982 Spinosaurus Dinosaur Escape