43286 The Aristocats Adorable Marie

Written by Todd Kubo and Tested by Peter Durieux

Surprise Disney movie fans, kids and animal lovers with this delightful LEGO® l Disney The Aristocats Adorable Marie (43286) toy building set. Features a brick built, posable toy cat, made for girls and boys ages 7 years old and up, for creative play and a fun room decor display. The building set also includes a brick built gift box, small mouse, brush, fish and a pink textile bow to inspire endless stories. This gift giving idea for animal lovers is a great pretend play toy buildable set for birthdays or holidays. The cat building set includes features and accessories that kids and fans of Disney's The Aristocats movie can create their own stories with, while gaining confidence and boosting other life skills. Plus, they can enjoy intuitive building with the LEGO Builder app, zooming and rotating with 3D instructions, while saving and tracking progress. Contains 369 pieces.

ANIMAL BUILDING TOY FOR KIDS:
– Enchant girls and boys aged 7 and up with Disney's The Aristocats Adorable Marie (43286) fantasy movie building set that sparks fun and creativity as they assemble her.

BRICK BUILT TOY CAT FOR PLAY OR DISPLAY:
– Features Marie in a posable animal playset from Disney's The Aristocats movie, along with a gift box, bow and more, for fun play or as room décor.

CREATIVE POSE OPTIONS:
– Pose Marie by turning her head, lifting one of her paws, having her sit down, move her tail, move her ears slightly and wear the pink bow or remove it.

BUILDING TOY ACCESSORIES:
– The building playset includes a purple brick built gift box with a removable lid, a blue brush, brick built mouse, fish and a pink textile bow for Disney's Marie.

GIFT GIVING IDEA FOR KIDS:
– This LEGO® l Disney building toy is a fantasy gift giving idea for girls, boys and movie fans ages 7 years and up who love fun animal playsets or Disney's The Aristocats.

MORE BUILDABLE PRETEND PLAY TOYS:
– Add this animal building toy to a child's collection and discover more (all sold separately) in the assortment of LEGO® animal sets and LEGO l Disney building sets.

DIMENSIONS:
– The Marie character, from Disney's The Aristocats movie, in this 369 piece LEGO® l Disney building set measures over 6 in. (15 cm) high, 3.5 in. (9 cm) wide and 5 in. (13 cm) deep.

Box – The box is dark blue at the top with the word, Disney, next to the Lego logo, sparkles and small starburst are present. In the center of the box is a picture of the build adorable Marie with her front paw on her keepsake box. In the lower right corner is a pink swoosh with the animated character of Marie from the Aristocats movie. On the left middle of the box is the information regarding the set, number of parts, and our typical safety warning.

The back of the box has two small circular inset photos, first showing how Marie's tail can waggle up and down. The second inset photo, shows Marie and her ability to turn her head to the left or right. The back of the box is a dark pink and features Marie in the middle playing with her mouse toy.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

In Front of/Front: towards you.

Behind/Back: away from you.
Up: towards the ceiling.
Down: towards the floor.
Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
Vertically: with the longest side going from front to back
Horizontally: with the longest side going from left to right.
Upright: pointing up towards the ceiling.
Standing upright: The piece is perpendicular to the ground, like a wall.
Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
That one/ppp: previously placed piece.
Plate: piece with studs.
Tile: smooth piece without studs (unless otherwise specified)
A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
"Anti stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
Centered vertically: even amount of space in front of and behind piece
Centered horizontally: even amount of space left and right of piece.
Row: studs lined up horizontally (left to right/side to side).
Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner who may want to follow along with the printed visual instructions that come with each set, PDF versions are always online at https://www.lego.com/en-us/service/building-instructions/43286. As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles An axle is a connector which has an X shaped cross section. Because their cross section is not round, anything connected to an axle using an axle hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins or have circular stops on them. A stop prevents the axle from sliding through an axle hole at a specific point on the axle.

Pins A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop; however, it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick a brick which contains one or more holes which accept technic pins.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags or small containers. Have a sighted friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted into groups according to the building steps in the set. Doing this in advance makes locating the pieces easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A Z, numbers or meaningful names. The parts will be collected into a small number of steps in the instructions. Example: Steps 1 3 means collect all the parts used in steps 1, 2 and 3, and put them in one container.

This LEGO set comes with five bags labeled 1 5 and an instruction booklet. Sort the pieces into groups as described below. In some steps, multiple colors of the same part may appear. Where possible, we have added a note to the sorter and builder when these steps will occur. As the parts are used immediately in the building process, it is suggested that the parts be sorted into separate locations and the build notified which color is in which location.

The set is 369 pieces and recommended for ages 7+.

Bag 1.
Group 1. Steps 1 through 13. Build a round keepsake box for your favorite things.
Group 2. Steps 1 through 4. Build a hairbrush.
Group 3. Steps 1 through 8. Build a mouse toy and add a treat.

Bag 2.
Group 4. Steps 1 through 10. Here comes Marie! Build Marie's body.
Group 5. Steps 11 through 18. Building Marie – the back and hips.
Group 6. Steps 19 through 29. Continue building Marie. Part 1.
Group 7. Steps 30 through 43. Continue building Marie. Part 2.

Bag 3.
Group 8. Steps 44 through 57. Build Marie's collar and one front leg and paw.
Group 9. Steps 58 through 69. Build Marie's other front leg and paw.
Group 10. Steps 70 through 82. Build Marie's tail.

Bag 4.
Group 11. Steps 83 through 92. Build Marie's head. Part 1.
Group 12. Steps 93 through 104. Building Marie's head. Part 2.
Group 13. Steps 105 through 112. Building Marie's head. Part 3.

Bag 5.
Group 14. Steps 113 through 126. Building Marie's head. Part 4.
Group 15. Steps 129 through 148. Finish Adorable Marie! Build Marie's ears.

Instruction Book.
The first page of the instruction book shows the information regarding the new packaging. Some LEGO sets have parts bags that are now paper instead of the polybags of the past.

The left page has a small illustration of a hand shaking out the pieces from Bag 1. This signals the start of the build!

Bag 1.
Group 1. Steps 1 through 13. Build a round keepsake box for your favorite things.

Start Building
Step 1
Find 1 white 6x6 round plate and 1 medium lavender 1x3 curved brick. Place the 6x6 round plate in front of you so the studs run left to right and front to back. Place the 1x3 curved brick with the curve pointing back right. Place its left stud on the back row, third column from the right. Place its right stud on the third row from the back, rightmost column.

At the end of this step, the curved brick should follow the curve of the plate.

Step 2
Find 3 medium lavender 1x3 curved bricks. Place the first curved brick with the curve pointing front right. Place its left stud on the third row from the front, rightmost column. Place its right stud on the front row, third column from the right. Place the two remaining curved bricks symmetrically on the left side of the 6x6 round plate. At the end of the step, all the pieces will match the curve of the plate underneath.

Step 3
Find 1 medium lavender 1x3 curved brick. Place the 1x3 curved brick with the curve pointing back right. Place it directly on top of the 1x3 curved brick from Step 1, matching the same two studs underneath.

Step 4
Find 3 medium lavender 1x3 curved bricks. Place one 1x3 curved brick directly on top of each of the three 1x3 curved bricks from Step 2, matching the same studs underneath. At the end of this step the sides of the gift package are 2 bricks tall and follow the curves of the 6x6 round plate at the bottom.

Step 5
Find 4 white 1x2 rounded plates. Place one 1x2 rounded plate horizontally and centered horizontally on the back row. Place one 1x2 rounded plate horizontally and centered horizontally on the front row. Place one 1x2 rounded plate vertically and centered vertically on the left column. Place one 1x2 rounded plate vertically and centered vertically on the right column.

Step 6
Find 4 medium lavender 1x3 curved tiles. Place the first 1x3 curved tile with the curve pointing back right. Place its left stud on the back row, third column from the right. Place its right stud on the third row from the back, rightmost column.

Place the second 1x3 curved tile with the curve pointing front right. Place its left stud on the third row from the front, rightmost column. Place its right stud on the front row, third column from the right.

Place the two remaining 1x3 curved tiles symmetrically on the left side of the 6x6 keepsake box.

At the end of this step all the tiles will match the curve of the bricks stacked underneath. Set the bottom of the keepsake box aside.

Step 7
Build the keepsake box lid. Find 1 white 6x6 round plate and 1 medium lavender 1x3 curved tile. Place the 6x6 round plate in front of you so the studs run left to right and front to back. Place the 1x3 curved tile with the curve pointing back right. Place its left stud on the back row, third column from the right. Place its right stud on the third row from the back, rightmost column.

Step 8
Find 3 medium lavender 1x3 curved tiles. Place the first curved tile with the curve pointing front right. Place its left stud on the third row from the front, rightmost column. Place its right stud on the front row, third column from the right. Place the two remaining curved tiles symmetrically on the left side of the 6x6 round plate.

At the end of the step, all the pieces will match the curve of the plate underneath.

Step 9
Find 4 white 1x2 curved tiles. Place the first curved tile with the curve pointing back right. Place it on the studs inside the first 1x3 curved tile, with its left stud on the second row from the back, third column from the right, and its right stud on the third row from the back, second column from the right.

Place the remaining curved tiles around the inside of the other 1x3 curved tiles, completing the second ring of tiles.

Step 10
Flip the lid upside down. Find 1 magenta 4x4 round plate. Connect the 4x4 round plate centered onto the 6x6 round plate.

Step 11
Flip the lid right side up. Find 1 white 2x2 round jumper plate. Place it on the round 2x2 center of the lid.

Step 12.1
Build a bow subpart for your keepsake box. Find 2 teal 1x2 half circle tiles, 1 teal 1x1 round tile, and 1 white 1x3 rounded plate. Place the 1x3 rounded plate horizontally in front of you. Place the 1x1 round tile on the center stud of the 1x3 rounded plate. 12.2. Place the first 1x2 half circle tile vertically and centered vertically on the left stud of the 1x3 rounded plate, with the half circle pointing right. Symmetrically place the second 1x2 half circle tile on the right stud of the 1x3 rounded plate.

Place the finished bow, its center stud on the stud of the jumper plate on the top of the keepsake box lid.

Step 13
Place the lid on the top of the keepsake box. What treasures will you put inside?

Group 2. Steps 1 through 4. Build a hairbrush.

Step 1
Find 6 white 1x1 tiles with upright clip, 1 medium azure 2x3 plate, 1 medium azure 1x4 plate, 1 medium azure 1x2 plate, 1 medium azure 1x3 tile, and 1 medium azure 2x2 plate with half circle and pin hole.

Place the 2x3 plate horizontally in front of you. Place the 1x2 plate vertically in the left column.

Step 2
Place the 2x2 plate with half circle on the 2x2 section of studs, to the right of the vertical 1x2 plate, with the half circle pointing right and overhanging one column right.

Step 3
Connect the 1x4 plate horizontally, inserting its left stud into the pin hole from underneath the overhanging half circle section of the 2x2 plate, and extending three columns to the right.

Place the 1x3 tile horizontally on top of the three uncovered studs of the 1x4 plate on the right.

Step 4
Place one 1x1 tile with upright clip, with the clip oriented front to back, on each of the six studs in the 2x3 section of uncovered studs on the left.

Marie’s hairbrush is ready for every adventure she dreams up. Whether she’s getting ready for a big day or brushing through starlit stories at bedtime, this little accessory brings her world to life.

Group 3. Steps 1 through 8. Build a mouse toy and add a treat.

Step 1
Find 1 white 1x2 rounded plate and 1 black 1x2x⅔ brick with studs on 3 sides and extended anti-stud. Place the 1x2 rounded plate horizontally in front of you. Place the 1x2x⅔ brick with the studs horizontally on top of the rounded plate, with the extended anti-stud on the left and overhanging left.

Step 2
Find 1 black 1x1 round plate with open stud. Connect it upright into the extended anti-stud on the left.

Step 3
Find 1 pink 1x1 round plate. Place it upright on the right facing side stud of the 1x2x⅔ brick.

Step 4
Builder and Sorter Note: This step uses multiple parts of the same type in different colors. To avoid mix ups, sort each color into its own spot before continuing.

Find 2 teal 1x1 round tiles and 2 white 1x1 round tiles with black eye closed print. Place the first teal tile upright on the left front facing stud. Place the first white eye closed tile upright on the right front facing stud. Symmetrically place the second teal and second white eye closed tile upright on the back facing studs.

Step 5
Find 1 black 1x3 rounded plate. Place it vertically and centered vertically on top of the 1x2x⅔ brick. The ends will overhang one row forward and one row backward in the left column.

Step 6
Find 1 teal 1x2 curved slope tile. Place it horizontally on top of the mouse build, with the curved slope facing right.

Step 7
Find 2 coral pink 1x1 full arch tiles. Place the first full arch tile, with the arch curving front to back, on the front row stud of the 1x3 rounded plate in the left column. Place the second full arch tile, with the arch oriented front to back, on the back row stud of the 1x3 rounded plate in the left column.

Step 8
Find 1 orange 3L fish. Marie’s mouse toy scurries across the table, and her orange fish treat waits nearby. She laughs, brushes her hair, and sets off on new adventures with her favorite furry brothers and sisters.

Bag 2.
Group 4. Steps 1 through 10. Here comes Marie! Build Marie’s body.

Step 1
Find 1 white 2x8 plate and 1 medium azure 2x4 plate. Place the 2x8 plate horizontally in front of you. Place the 2x4 plate horizontally and centered horizontally on top.

Step 2
Find 1 white 4x4 double inverted slope with recessed 2x4 section with holes. Connect it horizontally and centered horizontally, its 2x4 plate section underneath the 2x8 plate.

Step 3
Build 2 identical paw subparts. Find 2 white 2x3 plates and 2 white 2x2 half circle curved slopes with 2 studs. Place both 2x3 plates vertically in front of you. Place a 2x2 half circle curved slope, its 2 stud section horizontally, on the front row of each 2x3 plate, with the half circle toward the front and extending one row forward.

Connect the first paw subpart vertically, its back two rows underneath the leftmost two columns, with the half circle paw facing forward. Symmetrically connect the second paw subpart underneath the rightmost two columns.

Step 4
Find 2 white 1x4 double inverted slopes with 1x2 plate. Place the first 1x4 double inverted slope vertically on the second column from the left, back two rows. This will overhang one row backward and one row forward over the front left paw. Symmetrically place the second 1x4 double inverted slope on the second column from the right.

Step 5
Find 1 lime green 2x6 plate. Place it horizontally and centered horizontally on the second row from the back.

Step 6

Find 2 white 1x4 plates. Stack the two plates horizontally on top of each other. Place the stacked plates horizontally and centered horizontally on the back row. This will sit between the 1x2 inverted slopes on the back row.

Step 7
Find 2 white 1x2 plates and 1 dark grey 1x2 plate with tow ball on the long side. Place the first 1x2 plate horizontally on the back row, leftmost two columns. Place the dark grey 1x2 plate horizontally to the right of the 1x2 plate, with the tow ball overhanging to the back. Place the second 1x2 plate horizontally in the back row, to the right of the PPP.

Step 8
Find 1 white 1x6 plate. Place it horizontally and centered horizontally on the back row.

Step 9
Find 1 medium azure 2x6 brick. Place it horizontally and centered horizontally on the second and third rows from the back.

Step 10
Find 4 white 1x1 plates. Make 2 stacks of 2 plates. Place the first stack of 1x1 plates on the overhanging stud in the second row from the front, second column from the left. Symmetrically place the second stack of 1x1 plates on the second column from the right.

Group 5. Steps 11 through 18. Building Marie – the back and hips.

Step 11.1
Build a subpart. Find 2 white 2x3 inverted slope bricks, 1 white 2x4 double jumper plate, and 1 white 1x4 plate. Place the first 2x3 inverted slope brick vertically in front of you, with the slope point toward the front. Place the 2x4 double jumper plate horizontally, its left two columns on the two back rows of the inverted 2x3 slope.

11.2. Connect the second 2x3 inverted slope brick vertically to the right of the first inverted slope brick, matching the first inverted slope brick. At the end of this step, the inverted slope bricks should be side by side, and the front row should be uncovered.

11.3. Place the 1x4 plate horizontally on the front row of uncovered studs of the subpart. Place the completed subpart horizontally, its back row on the front row of Marie's body, with the point of the inverted slopes toward the front. This will fit between the two stacks of plates you placed in Step 10.

Step 12
Find 1 white 4x6 plate. Place it vertically and centered horizontally on top of Marie's body build. The second columns from the left and right should be four studs each, uncovered and one plate lower.

Step 13
Find 1 white 1x4 brick. Place it horizontally and centered horizontally on the back row.

Step 14
Find 1 blue 2x4 brick and 1 blue 2x2 brick. Place the 2x4 brick horizontally in front of the PPP. Place the 2x2 brick centered horizontally in the rows in front of the 2x4 brick.

Step 15
Find 4 white 1x1 bricks and 2 brown 1x2 bricks with 2 side studs. Place the first 1x1 brick on the stud in the back row, second column from the left. Place the brown 1x2 brick vertically, with the 2 side studs facing the left, in front of the PPP. Place the second 1x1 brick on the stud in the front row, second column from the left.

Symmetrically repeat the build on the studs in the second column from the right with the other 1x1 bricks and the brown 1x2 brick with 2 side studs.

Step 16
Find 1 blue 2x2 brick and 2 white 1x2x2 wall panels. The 1x2x2 wall panels have an open side and a flat side.

Place the first 1x2x2 wall panel vertically, with the flat side on the left, in the second and third rows from the front, third column from the left. Place the second 1x2x2 wall panel vertically, with the flat side on the right, in the second and third rows from the front, third column from the right. Place the 2x2 brick centered horizontally between the two wall panels, in the second and third rows from the front.

Step 17
Find 2 white 1x2x2 tall bricks with 4 studs on one side. Place the first 1x2x2 tall brick horizontally, with the 4 side studs facing forward, on the front row in the third and fourth columns from the left. Place the second 1x2x2 tall brick horizontally to the right of the PPP, with the studs facing forward.

Step 18
Find 1 white 1x4 plate. Place it horizontally and centered horizontally on the front row, on top of both 1x2x2 tall bricks.

Group 6. Steps 19 through 29. Continue building Marie. Part 1.

Step 19
Rotate the body front to back, so the tow ball is facing you. Find 1 tan 1x4 brick. Place it horizontally and centered horizontally on the third row from the front.

Step 20
Find 2 medium azure 1x2 curved slope bricks with no studs. Place the first 1x2 brick horizontally, with the curve facing the front, on the second row from the front, in the third and fourth columns from the left. Place the second 1x2 brick horizontally to the right of the first, matching the curve of the first 1x2 curved slope brick.

Step 21
Find 2 pale orange 1x2 bricks. Place the first 1x2 brick vertically, on the second and third rows from the front, in the leftmost column. Symmetrically place the second 1x2 brick in the rightmost column.

Step 22
Find 4 white 1x2x2 curved slope bricks with no studs. These bricks have a 1 brick notch underneath the 2 stud side of the part.

Place the first 1x2x2 curved slope brick vertically, with the curve facing the front, on the first and second rows, in the leftmost column. Place the second 1x2x2 curved slope brick vertically, with the curved slope facing the back, on the two rows behind the first 1x2x2 curved slope brick.

Symmetrically repeat the build in the rightmost column with the remaining 1x2x2 curved slope bricks.

Step 23
Find 4 white 1x3x1 2⁄3 half arch bricks. Place the first 1x3x1 2⁄3 half arch brick vertically, with the curve facing the front, in the front row connecting to the third row, in the third column from the left.

Place the remaining 1x3x1 2⁄3 half arch bricks vertically, side by side to the right of the first, with each brick matching the curve of the first 1x3x1 2⁄3 half arch brick.

Step 24
Find 2 white 2x3 plates. Place the first 2x3 plate vertically, on the back three rows, in the second and third columns from the left. Place the second 2x3 plate vertically, to the right of the first 2x3 plate.

Step 25

Find 2 white 1x2 bricks with 2 side studs. Place the first 1x2 brick horizontally, with the 2 side studs facing backward, on the back row, in the second and third columns from the left. Place the second 1x2 brick horizontally, to the right of the first 1x2 brick, matching the first 1x2 brick.

Step 26
Find 1 white 1x4 plate. Place it horizontally and centered horizontally on the second row from the back.

Step 27
Find 4 white 1x3 inverted half arch bricks. Place the first 1x3 inverted half arch brick vertically, with the inverted curve facing the front, in the third row from the front connecting to the fifth row, in the second column from the left. Place the remaining 1x3 inverted half arch bricks vertically, side by side to the right of the first, with each brick matching the curve of the first 1x3 inverted half arch brick.

Step 28
Find 1 white 2x4 slope brick. Place it horizontally, with the slope facing the front, on the back two rows.

Step 29
Find 1 dark grey 1x2 plate with tow ball on the long side. Place it horizontally and centered horizontally, with the tow ball facing forward, on the back row.

Group 7. Steps 30 through 43. Continue Building Marie. Part 2.

Step 30.1
Build 2 duplicate hip subparts. Find 8 white 2x2 quarter circle curved tiles, 2 white 2x3 plates, and 2 white 1x4 double curved slope tiles. The 2x2 quarter circle curved tiles have a 1x1 stud notch underneath the 90° corner of the part.

Place both of the 2x3 plates vertically in front of you. Place a 2x2 quarter circle curved tile with the quarter circle toward the back right, its 1x1 notch on the back row, in the rightmost column of each of the 2x3 plates. The quarter circle curved tile will extend one row backward and one column right of each of the 2x3 plates.

30.2. Place a second 2x2 quarter circle curved tile with the quarter circle toward the back left, its 1x1 notch on the back row, in the leftmost column of each of the 2x3 plates.

30.3. Place a 1x4 double curved slope tile horizontally and centered horizontally, in the second row from the front, of each of the 2x3 plates of the hip subparts.

30.4. Place a 2x2 quarter circle curved tile with the quarter circle toward the front right, its 1x1 notch on the front row, in the rightmost column of each 2x3 plate. Place a second 2x2 quarter circle curved tile symmetrically, with the quarter circle toward the front left, its 1x1 notch on the front row, in the leftmost column of each 2x3 plate.

At the end of the step, the 2 hip subparts are 4x6 curved ovals with no studs, and the 2x3 plate sits centered beneath all of the curved slope tiles.

Find the two 1x2 sets of horizontal side studs on the left and right sides of Marie’s body. Place the first 4x6 hip subpart upright vertically and centered vertically on the left facing side studs. Place the second hip subpart symmetrically on the right facing side studs.

Step 31.1
Rotate Marie’s body front to back, so the tow ball is in the back. There will be a 1x4 and 2x4 section of front facing studs facing you.

Build a subpart. Find 2 white 1x2x2 curved slope bricks and 1 pale orange 1x2 brick. Place the 1x2 brick horizontally in front of you. Place the first 1x2x2 curved slope brick vertically, with the curve toward the front, its 1x1 notch on the left stud of the 1x2 brick. The curved slope brick will extend one row forward.

31.2. Place the second 1x2x2 curved slope brick vertically, with the curve toward the front, its 1x1 notch on the right stud of the 1x2 brick. The curved slope brick will extend one row forward.

Rotate the subpart 90° upright, so the curved slopes are facing down and the 2x2 anti-studs are in the back. The top will be a flat surface. Place the subpart upright, the top row of anti-studs, centered horizontally, on the bottom row of the 2x4 section of front facing studs.

Step 32
Find 2 white 1x1 plates. Place the first 1x1 plate upright, on the left stud on the bottom row of the 2x4 front facing studs, to the left of the subpart. Place the second 1x1 plate upright, on the right stud on the bottom row of the 2x4 front facing studs, to the right of the subpart. Set Marie's body aside.

Step 33
Find 1 white 4x4 plate and 1 red 1x2 technic brick with 1 pin hole. Place the 4x4 plate in front of you so the studs run left to right and front to back. Place the 1x2 technic brick horizontally, on the back row, in the leftmost two columns of the 4x4 plate.

Step 34
Find 1 white 2x2 technic brick with ball socket and axle hole. Place it in front of the PPP, with the arms of the ball socket on the left, extending one column to the left.

Step 35
Find 1 yellow 1x2 technic brick with axle hole. Place it horizontally, in the front row, in the leftmost two columns.

Step 36
Find 2 white 1x4 plates. Place the first 1x4 plate vertically, on the rightmost column. Place the second 1x4 plate vertically, to the left of the PPP.

Step 37
Find 2 white 1x1 plates. Place the first 1x1 plate on the back stud of the second column from the right. Place the second 1x1 plate on the front stud of the second column from the right.

Step 38
Find 2 pale orange 1x1 plates with 2x1 side studs hanging down. Place the first 1x1 plate, with the 2x1 side studs hanging down facing the left, on the back stud of the leftmost column. Place the second 1x1 plate, with the 2x1 side studs hanging down facing the left, on the front stud of the leftmost column.

Step 39
Find 2 white 2x2 corner plates and 1 white 2x2 brick. Place the first 2x2 corner plate, oriented like the Braille letter "J", on the back two rows, in the left two columns. Place the second 2x2 corner plate, oriented like the Braille letter "D", in front of the first 2x2 corner plate. Place the 2x2 brick centered vertically on the rightmost two columns.

The two white 2x2 corner plates you placed in this step will surround the pale orange 1x1 plates with the 2x1 side studs hanging down to the left.

Step 40
Rotate the build upright, so the ball socket is upward and the 2x2 section is at the bottom. Bring back Marie's body you set aside in Step 32, and confirm the front facing studs. Place the build upright, its bottom row of anti-studs on the top row of the 2x4 section of front facing studs. The rest of the build will align, and gently push it onto Marie's body to seat.

Step 41

Find 1 white 1x4 curved slope tile with right cut point and 1 white 1x4 curved slope tile with left cut point. Place the 1x4 curved slope tile with the left cut, vertically upright, its top three studs on the bottom three studs of the left column of front facing studs. Symmetrically place the 1x4 curved slope tile with the right cut, vertically upright, on the right column of front facing studs.

Step 42
Find 2 white 1x3 rounded plates. Place the first 1x3 rounded plate, vertically, on top of the left column of three studs, to the left of the ball socket at the top of Marie's body. Symmetrically place the second 1x3 rounded plate to the right of the ball socket.

Step 43.1
Build Marie's chest subpart. Find 2 white 1x1 quarter circle tiles, 2 dark pink 1x2 plates, 1 white 4x4 triple slope wedge brick, and 1 medium purple 2x3 plate. Place the 2x3 plate horizontally in front of you. Place the first 1x2 plate vertically and centered horizontally on the 2x3 plate.

43.2. Place the white 4x4 triple slope wedge brick vertically centered with the point on the right, on the right two columns. The point on the right will extend two columns to the right.

43.3. Place the second 1x2 plate vertically on the leftmost column.

43.4. Place the two white 1x1 quarter circle tiles on top of the two studs of the 4x4 triple slope wedge, with both quarter circle curves facing the front right, in the fourth column from the right.

Rotate Marie's chest subpart upright so the 1x2 section is up and the point of the 4x4 triple slope wedge is down. Place the chest subpart upright, its second row of anti-studs from the top on the top row of four front facing studs. The 1x2 section at the top of the chest subpart will extend one row up and will not be connected to Marie's body.

Bag 3.
Group 8. Steps 44 through 57. Build Marie's collar and one front leg and paw.

Step 44.1
Build Marie's collar subpart. Find 2 dark pink 1x1 plates and 1 dark pink 1x4 double curved slope tile. Place the 1x4 double curved slope tile horizontally in front of you. Connect the first 1x1 plate underneath the rightmost stud of the 1x4 tile. 44.2. Connect the second 1x1 plate underneath the leftmost stud of the 1x4 tile. Place the collar subpart upright horizontally, its 1x2 section in the center of the subpart, on the 1x2 horizontal upright section one row upward above Marie's chest.
Step 45
Find 2 dark pink 2x2 curved tiles and 2 dark pink 1x1 tiles. Place the first 1x1 tile on the first stud in the front row, in the left column behind the left side of the upright collar. Place the first 2x2 curved tile, with the curve towards the back left, its left stud on the stud in the second row, leftmost column, and connecting to the second stud from the left in the back row.

Symmetrically repeat the build on the right side with the remaining 1x1 tile and 2x2 curved tile to complete Marie's collar.

Step 46
Build a front leg and paw. Find 1 white 1x6 plate and 1 white inverted 1x2 curved slope tile. Place the 1x6 plate horizontally in front of you. Connect the 1x2 inverted curved slope tile horizontally, with the curve down towards the right, its left stud underneath the rightmost stud of the 1x6 plate. The 1x2 inverted curve slope will extend 1 stud to the right.

Step 47
Find 1 white 1x4 plate. Connect it horizontally underneath the 1x6 plate to the left of the PPP.

Step 48

Find 1 white 1x2 curved slope tile. Connect the 1x2 inverted curved slope tile horizontally, with the curve down towards the left, its right stud underneath the leftmost stud of the 1x6 plate. The 1x2 inverted curved slope will extend one stud to the left. At the end of this step the top of the leg build will be 1x8 studs.

Step 49
Find 1 white 1x6 plate and 1 white 1x2 plate with hinge finger on the short end. Place the 1x6 plate horizontally on the right six studs of the leg build. Place the 1x2 plate horizontally, with the hinge finger on the left and overhanging left, on the leftmost two studs of the leg build.

Step 50
Find 1 red 1x2 Technic brick with pin hole and 1 white 1x1 brick with side stud. Place the 1x1 brick, with the side stud facing forward, on the rightmost stud of the leg build. Place the 1x2 Technic brick horizontally to the left of the PPP.

Step 51
Find 1 white 1x4 slope brick and 1 white 1x1 quarter circle tile. Place the 1x4 slope brick horizontally, with the slope facing left, to the left of the 1x2 Technic brick. Place the 1x1 quarter circle tile, with the quarter curve facing the front left, on the leftmost stud of the leg build.

Step 52
Find 1x2 plate with 2x2 side studs. Place the 1x2 plate with 2x2 side studs horizontally, with the 2x2 side studs facing the front, on the second and third studs from the right of the leg build.

Step 53
Find 1 white 1x4 double curved slope tile. Place it horizontally on top of the PPP, its 1x2 notch on the 1x2 plate and covering the four studs on the right side of the leg build.

Step 54
Find 5 white 1x1 quarter circle tiles. Place a quarter circle tile upright, with the quarter curve pointed down to the left, onto each of the five front facing studs of the leg build.

Step 55.1
Build the paw subpart. Find 1 white 2x2 round plate, 1 white 2x2 half circle curved slope with 2 studs, and 1 white 1x2 plate with two hinge fingers on the long side. Place the 1x2 plate vertically, with the two hinge fingers on the right, onto the right column of the 2x2 round plate. 55.2. Place the 2x2 half circle curved slope vertically, with the half circle toward the left, its 2 stud section on top of the vertical 1x2 plate, and connecting to the left column of the 2x2 round plate underneath.

Clip the two hinge fingers on the right side to the single hinge finger of the leg build to connect Marie’s paw with her leg

Step 56
Find 1 black 2L Technic pin. Insert the pin into the pin hole of the Technic brick in the back of the leg. Gently push up on the bottom of the paw; you will hear small clicks as the hinge rotates the paw to 90° from the leg.

Step 57
Bring back Marie’s body and confirm the tow ball is in the back. Locate the pin hole facing right, just below the right edge of Marie’s collar, one brick down from the top edge. Insert the pin in the back of Marie’s leg build into the pin hole, and rotate the leg so her paw rests on the table.

Group 9. Steps 58 through 69. Build Marie’s other front leg and paw.

Step 58

Find 1 white 1x6 plate and 1 white inverted 1x2 curved slope tile. Place the 1x6 plate horizontally in front of you. Connect the 1x2 inverted curved slope tile horizontally, with the curve down towards the left, its right stud underneath the leftmost stud of the 1x6 plate. The 1x2 inverted curve slope will extend 1 stud to the left.

Step 59
Find 1 white 1x4 plate. Connect it horizontally underneath the 1x6 plate to the right of the PPP.

Step 60
Find 1 white 1x2 curved slope tile. Connect the 1x2 inverted curved slope tile horizontally, with the curve down towards the right, its right stud underneath the rightmost stud of the 1x6 plate. The 1x2 inverted curved slope will extend one stud to the right. At the end of this step the top of the leg build will be 1x8 studs.

Step 61
Find 1 white 1x6 plate and 1 white 1x2 plate with hinge finger on the short end. Place the 1x6 plate horizontally on the left six studs of the leg build. Place the 1x2 plate horizontally, with the hinge finger on the right and overhanging right, on the rightmost two studs of the leg build.

Step 62
Find 1 yellow 1x2 Technic brick with axle hole and 1 white 1x1 brick with side stud. Place the 1x1 brick, with the side stud facing forward, on the leftmost stud of the leg build. Place the 1x2 Technic brick horizontally to the right of the PPP.

Step 63
Find 1 white 1x4 slope brick and 1 white 1x1 quarter circle tile. Place the 1x4 slope brick horizontally, with the slope facing right, to the right of the 1x2 Technic brick. Place the 1x1 quarter circle tile, with the quarter curve facing the front right, on the rightmost stud of the leg build.

Step 64
Find 1x2 plate with 2x2 side studs. Place the 1x2 plate with 2x2 side studs horizontally, with the 2x2 side studs facing the front, on the second and third studs from the left of the leg build.

Step 65
Find 1 white 1x4 double curved slope tile. Place it horizontally on top of the PPP, its 1x2 notch on the 1x2 plate and covering the four studs on the left side of the leg build.

Step 66
Find 5 white 1x1 quarter circle tiles. Place a quarter circle tile upright, with the quarter curve pointed down to the right, onto each of the five front facing studs of the leg build.

Step 67.1
Build the paw subpart. Find 1 white 2x2 round plate, 1 white 2x2 half circle curved slope with 2 studs, and 1 white 1x2 plate with two hinge fingers on the long side. Place the 1x2 plate vertically, with the two hinge fingers on the left, onto the left column of the 2x2 round plate.

67.2. Place the 2x2 half circle curved slope vertically, with the half circle toward the right, its 2 stud section on top of the vertical 1x2 plate, and connecting to the right column of the 2x2 round plate underneath.

Clip the two hinge fingers on the left side to the single hinge finger of the leg build to connect Marie’s paw with her leg

Step 68
Find 1 red 2L Technic axle. Insert the axle into the axle hole of the Technic brick in the back of the leg. Gently push up on the bottom of the paw; you will hear small clicks as the hinge rotates the paw to 90° from the leg.

Step 69

Bring back Marie’s body and confirm the tow ball is in the back. Locate the axle hole facing right, just below the left edge of Marie’s collar, one brick down from the top edge. Insert the axle in the back of Marie’s leg build into the axle hole, and with the leg down, so her paw rests on the table.

Unlike Marie’s other leg, this one is set in position. The axle prevents the leg from rotating at the shoulder, and it will always stay down, with her paw on the table.

Group 10. Steps 70 through 82. Build Marie’s tail.

Step 70
Find 1 white 2x3 plate and 1 light grey 1x2 plate with ball socket on one side. Place the 2x3 plate vertically in front of you. Place the 1x2 plate horizontally, with the ball socket toward the back, onto the back row.

Step 71
Find 1 white 1x2 plate. Place the 1x2 plate horizontally, onto the back row, on top of the PPP.

Step 72
Find 2 white 1x1 bricks with side stud. Place the first 1x1 brick, with the side stud facing left, onto the stud in the second row from the front, left column. Symmetrically place the second 1x1 brick onto the stud in the right column.

Step 73
Find 2 white 1x2 bricks with 2 side studs. Place the first 1x2 brick vertically, with the side studs facing left, its back stud on the front left stud of the 2x3 plate. Place the second 1x2 brick vertically, with the side studs facing right, its back stud on the front right stud of the 2x3 plate. The bricks will overhang one row forward

Step 74
Find 1 white 2x2 inverted curved slope tile. Connect its back row underneath the overhanging 1x2 bricks, with the curve down and toward you. The front of the 2x2 inverted curved slope will extend one row forward and sit two plates lower than the top of the tail build.

Step 75
Find 2 white 1x2 plates. Stack the 2 plates together. Place the stacked plates horizontally on the front row. At the end of this step the top will be a vertical 2x5 section of studs, with the back row one plate lower than the rest.

Step 76
Find 2 white 1x1 plates with 1x1 curved slope. Place the first 1x1 vertically, with the 1x1 curved slope in the back, on the back two rows, in the leftmost column. Place the second 1x1 vertically, to the right of the PPP, matching the curved slope of the first part.

Step 77
Find 1 white 2x2 curved slope tile. Place it with the curved slope facing you, on the third and fourth rows from the front. Its back row should cover the 1x1 plates placed in the previous step.

Step 78
Find 2 white 1x2 inverted half arch curved bricks. Place the first 1x2 inverted half arch brick vertically, with the inverted half arch in the back, on the first two rows of the leftmost column. Place the second 1x2 inverted half arch brick to the right of the first brick, matching the direction of the half arch.

Step 79
Find 1 white 1x2 slope tile. Place it horizontally on top of the two PPPs, with the slope facing the back.

Step 80

Find 3 white 1x1 quarter circle tiles. Rotate the tail part horizontally, with the three side studs facing the front and the tow ball cup on the left. Place one quarter circle tile upright on each of the front facing studs, with the quarter circle curve downward toward the left. The top edges of the tiles will form a straight line.

Step 81
Find 3 white 1x1 quarter circle tiles. Rotate the tail part front to back, with the three side studs facing the front and the tow ball cup on the right. Place one quarter circle tile upright on each of the front facing studs, with the quarter circle curve downward toward the right. Again, the top edges of the tiles will form a straight line.

Step 82
Bring back Marie's body. Locate the tow ball on the back near the bottom of Marie. Clip the tow ball cup onto the tow ball. With Marie's tail now part of the story, she'll be ready for whatever silly adventure comes next!

Bag 4.

Group 11. Steps 83 through 92. Build Marie's head. Part 1.

Step 83
Find 1 white 4x6 plate with inverted sloped sides and 1 white 1x4 brick. Place the 4x6 plate horizontally in front of you, with the inverted sloped sides on the left and right, and the middle section as a 4x4 plate. Place the 1x4 brick horizontally and centered horizontally on the back row.

Step 84
Find 1 blue 2x4 Technic plate with 3 pin holes. Place it horizontally and centered horizontally in front of the PPP.

Step 85
Find 1 red 2x4 Technic plate with 3 pin holes. Place it horizontally and centered horizontally on top of the other 2x4 Technic plate.

Step 86
Find 2 lime green 1x2 plates. Place the first 1x2 plate vertically on the second and third rows from the front, second column from the left. Place the second 1x2 plate vertically on the second and third rows from the front, second column from the right.

Step 87
Builder and Sorter Note: This step uses multiple parts of the same type in different colors. To avoid mix ups, sort each color into its own spot before continuing.

Find 2 pale orange 1x4 plates and 1 white 1x4 plate. Place the white 1x4 plate horizontally in front of you. Place the first pale orange 1x4 plate horizontally on top of the white plate. Place the second pale orange 1x4 plate horizontally on top of the stacked plates.

Place the stack of plates horizontally and centered horizontally on the front row of the 4x6 plate with inverted sloped sides.

Step 88.1
Build a subpart. Find 2 pale orange 1x4 plates and 2 orange 1x1 round plates. Place the first 1x4 plate horizontally in front of you. Place the second 1x4 plate horizontally on top of the first 1x4 plate.

88.2. Place the first orange 1x1 round plate on the leftmost stud of the stacked 1x4 plates. Place the second orange 1x1 round plate on the rightmost stud of the stacked 1x4 plates.

Place the finished subpart horizontally and centered horizontally on the back row of the 4x6 plate with inverted sloped sides.

Step 89
Find 1 orange 2x2 round brick and 1 blue 2x2 round tile with center pin hole. Place the 2x2 round tile on top of the round brick. Place the stacked bricks into the 2x2 section of studs in the center of Marie's head build. This is the second and third rows from the front, third and fourth columns from the left.

Step 90
Find 1 yellow 1x2x2 tall brick with 4 studs on one side. Place it horizontally and centered horizontally on the back row, with the 4 side studs facing the back.

Step 91
Find 2 pale orange 1x2 bricks. Place the first 1x2 brick vertically on the second and third rows from the front, second column from the left. Place the second 1x2 brick vertically on the second and third rows from the front, second column from the right.

Step 92
Find 1 blue 1x4 brick with 4 side studs. Place it horizontally and centered horizontally on the front row, with the 4 side studs facing forward.

Group 12. Steps 93 through 104. Building Marie's head. Part 2.

Step 93.1
Build 2 identical subparts. Find 4 white 2x3 inverted slope bricks and 2 white 2x4 plates. For each subpart, place a 2x3 inverted slope horizontally in front of you, with the slope towards the left. Place a 2x4 plate vertically, its front 2 rows on the right 2 columns of the inverted slope brick. The plate will overhang 2 rows backward. 93.2. Place a second 2x3 inverted slope horizontally, behind and matching the orientation of the first slope, underneath the back 2 rows of each 2x4 plate.

Rotate the first subpart, so the 2x4 plate is vertical on the right side, with the points of the inverted slopes on the left. Place it vertically, its single column of anti-studs on the leftmost column of Marie's head build.

Rotate the second subpart, so the 2x4 plate is vertical on the left side, with the points of the inverted slopes on the right. Place it vertically, its single column of anti-studs on the rightmost column of Marie's head build

At the end of the step, Marie's head dimensions will be 4 rows from front to back and 10 columns left to right.

Step 94
Find 2 white 1x2 bricks and 2 white 1x2 plates. Place a 1x2 plate horizontally on top of each 1x2 brick. Place the first 1x2 stacked bricks horizontally on the back row, third and fourth columns from the left. Place the second 1x2 stacked bricks horizontally on the back row, third and fourth columns from the right.

Step 95
Find 1 black 2x8 Technic plate with pin holes. Place it horizontally and centered horizontally in the second and third rows from the front.

Step 96
Find 2 green 2x3 plates and 1 dark pink 2x2 round plate. Place the first 2x3 plate horizontally in the second and third rows from the front, second to fourth columns from the left. Place the 2x2 round plate to the right of the 2x3 plate. Place the second 2x3 plate horizontally to the right of the PPP.

Step 97
Find 2 white 1x6 plates. Stack the 2 plates horizontally. Place the stacked plates horizontally and centered horizontally on the front row.

Step 98

Find 4 white 1x1 bricks. Place the first 1x1 brick on the stud in the front row, second column from the left. Place the second 1x1 brick on the stud in the back row, second column from the left. Place the third 1x1 brick on the stud in the front row, second column from the right. Place the last 1x1 brick on the stud in the back row, second column from the right

Step 99
Find 1 dark pink 2x2 round plate and 1 blue 2x2 round tile with pin hole. Place the 2x2 round tile on top of the 2x2 round plate. Place the stacked round bricks on the second and third rows from the front, fifth and sixth columns from the left.

Step 100
Find 2 lime green 1x2 plates and 1 white 1x4 plate. Place the 1x4 plate horizontally and centered horizontally on the front row. Place the first 1x2 plate vertically in the second and third rows from the front, fourth column from the left. Place the second 1x2 plate vertically in the second and third rows from the front, fourth column from the right.

Step 101
Find 2 black 1x2 plates with bar on the long side and 1 medium azure 1x4 tile with studs on both ends. Place the 1x4 tile horizontally and centered horizontally on the front row, on top of the 1x4 plate.

Place the first 1x2 plate with bar on the long side vertically in the second and third rows from the front, fourth column from the left, with the bar on the left. Place the second 1x2 plate with bar on the long side vertically in the second and third rows from the front, fourth column from the right, with the bar on the right.

Step 102
Find 1 tan 4x4 plate. Place it centered horizontally on top of Marie’s head build.

Step 103
Find 2 dark tan 1x1 bricks with side stud and 2 white 1x1 plates. Place the first 1x1 plate on the stud in the back row, third column from the left. Place the second 1x1 plate on the stud in the back row, third column from the right.

Place the first 1x1 brick with side stud on the stud in the front row, third column from the left, with the side stud facing forward. Place the second 1x1 brick with side stud on the stud in the front row, third column from the right, with the side stud facing forward.

Step 104
Find 4 white 2x2 inverted curved slope bricks. Place the first 2x2 inverted curved slope brick vertically, its single column of anti-stud on the front 2 studs of the leftmost column. Place the second 2x2 inverted curved slope brick behind the first 2x2 brick, matching the orientation of the first brick.

Symmetrically place the third and fourth 2x2 inverted curved slope bricks in the rightmost column.

Group 13. Steps 105 through 112. Building Marie’s head. Part 3.

Step 105
Find 4 white 1x3 inverted half arch bricks. Place the first 1x3 inverted half arch brick horizontally on the front row, leftmost 3 columns, with the half arch facing the left. Place the second 1x3 inverted half arch brick horizontally on the back row, leftmost 3 columns, with the half arch facing the left.

Place the third 1x3 inverted half arch brick horizontally on the front row, rightmost 3 columns, with the half arch facing the right. Place the last 1x3 inverted half arch brick horizontally on the back row, rightmost 3 columns, with the half arch facing the right.

Step 106

Find 2 white 1x1 quarter circle tiles and 1 white 1x2 slope tile. Place the first 1x1 quarter circle tile on the stud in the second row from the front, leftmost column, with the quarter circle facing front left. Place the second 1x1 quarter circle tile behind and matching the orientation of the first 1x1 quarter circle tile.

Place the 1x2 slope tile vertically in the second and third rows from the front, second column from the left, with the slope facing the left.

Step 107
Find 2 white 1x1 quarter circle tiles and 1 white 1x2 slope tile. Place the first 1x1 quarter circle tile on the stud in the second row from the front, rightmost column, with the quarter circle facing front right. Place the second 1x1 quarter circle tile behind and matching the orientation of the first 1x1 quarter circle tile.

Place the 1x2 slope tile vertically in the second and third rows from the front, second column from the right, with the slope facing the right.

Step 108
Find 2 white 1x4 bricks and 1 blue 2x2 brick. Place the first 1x4 brick horizontally and centered horizontally in the front row. Place the second 1x4 brick horizontally and centered horizontally in the back row. Place the 2x2 brick centered horizontally in the second and third rows from the front, between the two PPPs.

Step 109
Find 4 white 1x2 slope bricks. Place the first 1x2 slope brick horizontally in the front row, third and fourth columns from the left, with the slope facing left. Place the second 1x2 slope brick horizontally in the back row, third and fourth columns from the left, with the slope facing left.

Place the third 1x2 slope brick horizontally in the front row, third and fourth columns from the right, with the slope facing right. Place the last 1x2 slope brick horizontally in the back row, third and fourth columns from the right, with the slope facing right.

Step 110
Find 2 white 1x4 plates and 1 tan 2x2 plate. Place the 2x2 plate on top of the 2x2 brick centered horizontally in the second and third rows from the front. Place the first 1x4 plate horizontally and centered horizontally in the front row. Place the second 1x4 plate horizontally and centered horizontally in the back row.

Step 111
Find 4 white 1x2 curved slope tiles. Place the first 1x2 curved slope tile horizontally in the front row, fourth and fifth columns from the left, with the slope facing left. Place the second 1x2 curved slope tile horizontally in the back row, fourth and fifth columns from the left, with the slope facing left.

Place the third 1x2 curved slope tile horizontally in the front row, fourth and fifth columns from the right, with the slope facing right. Place the last 1x2 curved slope tile horizontally in the back row, fourth and fifth columns from the right, with the slope facing right.

Step 112
Find 1 white 2x2 tile with 2 studs on one edge, 1 white 1x2 jumper plate, and 1 white 1x2 plate. Place the 1x2 jumper plate horizontally and centered horizontally on the front row. Place the 2x2 tile in the rows behind the 1x2 jumper plate, with the 2 studs on the one edge toward the back, in the third row from the front. Place the 1x2 plate horizontally and centered horizontally on the back row.

Bag 5.
Group 14. Steps 113 through 128. Building Marie’s head. Part 4.

Step 113
Build the back of Marie’s head. Rotate the build front to back. Find 1 bright pink 2x2 plate. Place it upright on the 2x2 section of front facing studs.

Step 114
Find 2 white 3x6x1 half circle dome tiles. This large part has a 1x2 notch on its straight edge side.

Place the first 3x6x1 half circle dome tile horizontally upright with its 1x2 notch on the top row of the 2x2 front facing studs, with the half circle upward. Place the second 3x6x1 half circle dome tile horizontally upright with its 1x2 notch on the bottom row of the 2x2 front facing studs, with the half circle downward.

Step 115
Build Marie's face. Find 1 pale orange 1x4 plate and orient it horizontally.

Step 116
Find 1 white 2x3 plate. Place it vertically, its back row centered horizontally on top of the 1x4 plate, with the plate overhanging 2 rows forward. The left and rightmost studs of the 1x4 plate remain uncovered.

Step 117
Find 1 white 2x8 plate. Connect it horizontally and centered horizontally underneath the overhanging 2 front rows of the 2x3 plate. The part is 4 studs wide in the back row and 8 studs wide in the front 2 rows.

Step 118
Find 2 tan 2x2 corner plates and 2 white 1x1 plates. Place the first 1x1 plate on the stud in the back row, leftmost column. Place the second 1x1 plate on the stud in the back row, rightmost column.

Place the first 2x2 corner plate oriented like the Braille letter D on the first 2 rows, second and third columns from the left. Place the second 2x2 corner plate oriented like the Braille letter F on the first 2 rows, second and third columns from the right.

Step 119
Find 1 white 1x2 curved slope brick. Place it horizontally and centered horizontally on the back row, with the curved slope facing the back.

Step 120
Find 1 white 1x2 curved slope tile with left cut corner and 1 white 1x2 curved slope tile with right cut corner. Place the 1x2 curved slope tile with left cut corner horizontally, its left stud on the rightmost stud of the back row, with the cut corner facing back right. Place the 1x2 curved slope tile with right cut corner horizontally, its right stud on the leftmost stud of the back row, with the cut corner facing back left.

Step 121
Find 1 pale orange 1x4 plate. Place it horizontally and centered horizontally in the second row from the front.

Step 122
Find 1 white 1x2 plate. Place it horizontally and centered horizontally in the second row from the front, on top of the PPP.

Step 123.1
Build a subpart. Find 1 white 2x6 plate with curved ends. Place it horizontally in front of you, with the curved ends facing the front. 123.2. Find 2 white 1x3 inverted half arch bricks. Place the first 1x3 inverted half arch brick vertically, its front 2 rows on the third column from the left, with the half arch facing the front, and the back of the brick overhanging 1 row backwards. Place the second 1x3 inverted half arch brick to the right of the first 1x3 brick, matching the orientation and position on the 2x6 curved plate.

Place the subpart horizontally, its overhanging back row of 2 studs centered horizontally on top of the front row of Maries face build. The subpart will extend 2 rows forward, and should be centered when connected to the face build.

Step 124

Find 1 white 1x2 half circle jumper plate and 1 white 1x2 tile with black kitten smile print. Place the 1x2 half circle jumper plate horizontally and centered horizontally on the third row from the front. This will be on top of the studs of the two 1x3 half arch bricks. Place the 1x2 tile with the black kitten smile print horizontally on the row behind the PPP with the smile facing the back. This will be upside down when viewed from the front of the build.

Step 125
Find 1 white 1x4 curved slope tile with left cut corner with 3 dark grey whiskers print and 1 white 1x4 curved slope tile with right cut corner with 3 dark grey whiskers print. Place the 1x4 curved slope tile with left cut corner horizontally, its left 3 studs on the rightmost 3 studs of the fourth row from the front, with the cut corner facing back right and overhanging right. Place the 1x4 curved slope tile with left cut corner horizontally, its right 3 studs on the leftmost 3 studs of the fourth row from the front, with the cut corner facing back left and overhanging left.

Step 126
Find 1 white 3x3 curved slope tile with **Dark Blue and Bright Light Blue Eye black eyelashes and black eyebrow** print left and 1 white 3x3 curved slope tile with **Dark Blue and Bright Light Blue Eye black eyelashes and black eyebrow** print right. Place the 3x3 curved slope tile left, its 90° on the stud in the third row from the front, third column from the left.

Place the 3x3 curved slope tile right, its 90° on the stud in the third row from the front, third column from the right.

Step 127
Find 1 bright pink 1x1 quarter circle tile. Place it on the stud of the 1x2 half circle jumper plate in the third row from the front, and rotate the part so that the 90° corner is pointed directly towards the back. The quarter circle should be towards you. Marie has a nose!

Step 128
Bring back Marie's head and rotate it so that the upright curved parts are in the back. Locate the front facing studs, a set of front facing studs 6 studs apart, 2 rows down from the top of Marie's head, and four columns from the left and right edges.
Rotate Marie's face subpart so that her nose is in the front, and the curves of the top of her nose are up. Place Marie's finished face upright on the front of Marie's head build, its second row from the top of Marie's upright face onto the mentioned front facing studs. The bottom of Marie's face will also connect to a 1x4 row of front facing studs 2 rows up from the table.

Group 15. Steps 129 through 148. Finish Adorable Marie! Build Marie's ears.

Step 129
Find 1 white 1x4 inverted curved slope brick and 1 white 1x1 plate. The 1x4 inverted curved slope has a 1x1 notch underneath the brick opposite from the curved section of the brick. There is a 1x2 notch on top of the brick over the side with the 1x1 notch.

Place the 1x4 inverted curved slope horizontally in front of you with the 1x1 notch on the right. The inverted curved slope point will be on the left. Connect the 1x1 plate into the 1x1 notch underneath the brick on the right.

Step 130
Find 1 dark grey 1x2 plate with vertical clip on the short end. Place it horizontally, into the 1x2 notch on the rightmost 2 columns on top of the 1x4 inverted curved slope, with the vertical clip overhanging on the right.

Step 131

Find 1 white 1x2 slope brick and 1 light grey 1x2 brick with 2 sets of 2 studs on both sides. Place the 1x2 slope brick horizontally on the leftmost 2 columns of the ear part, with the slope facing the left. Place the 1x2 brick horizontally on the rightmost 2 columns of the ear part. There will be a set of 1x2 side studs facing the back and the front in the rightmost 2 columns.

Step 132
Find 1 white 1x2 plate. Place it horizontally on top of the 1x2 brick in the rightmost 2 columns.

Step 133
Find 1 white 1x2 curved slope tile and 1 white 1x1 quarter circle tile. Place the 1x2 curved slope tile horizontally, on the leftmost 2 columns of the ear part with the curved slope facing the left. Place the 1x1 quarter tile to the right of the PPP, with the quarter circle facing the front left.

Step 134
Find 1 white 2x3 pointed tile. Place it upright horizontally, its top row on the front facing 1x2 studs with the point to the left. The right edge will naturally align with the right edge of the ear part.

Step 135
Rotate the ear part front to back. The point of the ear should now be on the right, and the clip on the left. Find 1 bright pink 2x3 pointed tile. Place it upright horizontally, its top row on the front facing 1x2 studs with the point to the right. The left edge will naturally align with the left edge of the ear part.

Step 136
Bring back Marie’s head and orient it so she’s facing you. With the clip of the ear part on the left, find the bar within the right open section on top of Marie’s head. Holding the ear part upright and slightly turned with the point upward and to the right, clip the ear part onto the bar.

Step 137
Find 1 white 1x4 inverted curved slope brick and 1 white 1x1 plate. Place the 1x4 inverted curved slope horizontally in front of you with the 1x1 notch on the left. The inverted curved slope point will be on the right. Connect the 1x1 plate into the 1x1 notch underneath the brick on the left.

Step 138
Find 1 dark grey 1x2 plate with vertical clip on the short end. Place it horizontally, into the 1x2 notch on the leftmost 2 columns on top of the 1x4 inverted curved slope, with the vertical clip overhanging on the left.

Step 139
Find 1 white 1x2 slope brick and 1 light grey 1x2 brick with 2 sets of 2 studs on both sides. Place the 1x2 slope brick horizontally on the rightmost 2 columns of the ear part, with the slope facing the right. Place the 1x2 brick horizontally on the leftmost 2 columns of the ear part. There will be a set of 1x2 side studs facing the back and the front in the leftmost 2 columns.

Step 140
Find 1 white 1x2 plate. Place it horizontally on top of the 1x2 brick in the leftmost 2 columns.

Step 141
Find 1 white 1x2 curved slope tile and 1 white 1x1 quarter circle tile. Place the 1x2 curved slope tile horizontally, on the rightmost 2 columns of the ear part with the curved slope facing the right. Place the 1x1 quarter tile to the left of the PPP, with the quarter circle facing the back right.

Step 142
Find 1 white 2x3 pointed tile. Place it upright horizontally, its top row on the front facing 1x2 studs with the point to the right. The left edge will naturally align with the left edge of the ear part.

Step 143

Rotate the ear part front to back. The point of the ear should now be on the left, and the clip on the right. Find 1 bright pink 2x3 pointed tile. Place it upright horizontally, its top row on the front facing 1x2 studs with the point to the left. The right edge will naturally align with the right edge of the ear part.

Step 144
Again, bring back Marie's head and orient it so she's facing you. With the clip of the ear part on the right, find the bar within the left open section on top of Marie's head. Holding the ear part upright and slightly turned with the point upward and to the left, clip the ear part onto the bar.

Step 145.1
Build Marie's ponytail and a bow. Find 1 white 1x1 short brick with side stud and curved back and 1 white 5 pointed rock part. Place the rock part on top of the 1x1 short brick. 145.2.1. Make a bow sub subpart. Find 1 white 1x3 rounded plate and 1 dark pink 1x1 round tile. Place the 1x3 rounded plate horizontally in front of you. Place the 1x1 round tile on the center stud of the 1x3 rounded plate. 145.2. Find 2 dark pink 1x2 half circle tiles. Place the first 1x2 half circle tile vertically and centered vertically, on the left stud of the 1x3 rounded plate, with the half circle curve to the right. Place the second 1x2 half circle tile vertically and centered vertically, on the right stud of the 1x3 rounded plate, with the half circle curve to the left. Turn the bow horizontally upright and place it on the side stud of 1x1 short brick with the rock piece on top. Bring back Marie's head and locate the stud of the jumper plate on top of Marie's head in the front row above her face. Place the 1x1 short brick with the bow in the upright in the front, on top of the stud.
Step 146
Find 1 tan Technic ball with axle hole and 1 brown 5L Technic axle with flat stop. Insert the axle into the Technic ball, and push the ball down until it reaches the stop. Bring back Marie's head, and tilt it backwards so you can reach the bottom 4x4 section. In the center tube of the 4x4 section there is a pin hole. Insert the completed axle and ball into the pin hole, and gently push it into Marie's head until it stops. You may have to slightly rotate the axle back and forth to get it to insert.

Step 147
Bring back Marie's body and clip the Ball underneath Marie's head into the ball cup at Marie's neckline, just behind her collar.

Step 148
Finally, find the separate paper bag or box that contains Marie's bow! This is a nice dark pink satin sheen bow with a punched hole in the center square section of the bow. Turn Marie around, and find the tow ball just below the back collar. Push the bow onto the tow ball until it seats on Marie's back.

Congratulations! With Marie fully built, the stories are hers to invent! Her tiny face beams, her tail wiggles, and every piece you placed seems to spark another silly idea. She's already dreaming up the next adventure you'll build together.

Next page feature other Disney sets:
43281 Elsa's Ice Castle & Snow Ride Adventure
43287 Olaf and Bruni's Picnic Fun
43285 Ariel's Magical Mini Palace

This page features how you can combine these 3 Disney LEGO sets to form one display with the 6 Disney princess'

43284 Mini Anna & Elsa
43303 Mini Jasmine & Rapunzel
43281 Mini Belle & Tiana with Castle

The next pages list all the parts used to build this fun set.

The final page includes a QR code for feedback at LEGO.com, with a chance to win, and along with the usual disclaimers.

Thank you so much for building this set!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our Builders page. It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind are able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a $5 donation at: https://www.gofundme.com/f/bricks-for-the-blind-gofundme.https://www.gofundme.com/f/bricks for the blind gofundme
Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please sign up for our newsletter and follow us on Facebook and Instagram to be the first to know when new instructions are available!