60493 F1® Display Truck with Audi F1® Race Car

Adapted by John Le and tested by Natalie Charbonneau.

Racing fans aged 7+ can enjoy epic motorsport action with the LEGO® City F1® Display Truck with Audi F1® Race Car (60493) set. This premium-quality toy car building kit includes an authentic Audi F1® car model with slick rubber tires and a detailed cockpit, plus a truck toy with a driver cab, storage compartments, engine bay, 6 rubber tires and a lifting platform for unloading the toy Audi F1® car from the truck to track level. The set comes with an Audi driver and 2 pit crew LEGO minifigures, plus F1-themed accessories for imaginative play and display. This vehicle toy playset makes a great gift for 7-year-old boys, girls and kids who love F1 racing and creative building fun. Discover the dynamic lineup of F1-themed LEGO building sets for kids and adults.

FORMULA 1® TOY CAR SET – Young fans of fast cars, cool trucks and Formula 1 racing will love this premium-quality LEGO® City F1® Display Truck with Audi F1® Race Car toy playset for ages 7 and up.

WHAT'S IN THE BOX – Includes everything kids need to build a LEGO® F1® display truck toy and an Audi Formula 1® race car, plus an Audi racing driver and 2 pit crew minifigures for imaginative play.

AUTHENTIC LOADING FUNCTION – Kids can lower the detailed Audi F1® race car from the truck to ground level using the lifting platform.

DIMENSIONS – The toy truck in this 508-piece LEGO® City set measures over 3 in. (8 cm) high, 9.5 in. (24 cm) long and 2.5 in. (7 cm) wide.

The front of the box shows the red, black and grey Audi F1 Car driving on the race track! In the back, the truck is following closely behind in case anything happens! There is also a huge crowd in the stands cheering on the driver!

The back of the box shows the Audi F1 race car being loaded onto the back of the display truck! There is a platform that comes off the truck so the race car can drive up it!

The top of the box shows a real size image of a black tire with a red wheel.

The build is 508 pieces in total and is for ages 6+.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: https://bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.

- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- “Anti-stud” is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (https://www.lego.com/en-us/service/buildinginstructions/60493) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 5 bags labeled 1 to 5, 2 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Driver and Audi F1 Race Car
Group 1 - Pages 4-5.
Group 2 - Steps 1-17.
Group 3 - Steps 18-37.
Group 4 - Steps 38-58.

Bag 2 - F1 Display Truck
Group 5 - Page 2.
Group 6 - Steps 1-14.
Group 7 - Steps 15-27.
Group 8 - Steps 28-29.
Group 9 - Steps 30-40.
Group 10 - Steps 41-44 and 2 transparent red 1x1 tiles from Steps 45-46.
Group 11 - Rest of Steps 45-46 and Step 47.

Bag 3 - F1 Display Truck
Group 12 - Steps 48-61.

Group 13 - Steps 62-68.
Group 14 - Steps 69-79.
Group 15 - Steps 80-82.

Bag 4 - F1 Display Truck
Group 16 - Steps 83-97.
Group 17 - Steps 98-102.
Group 18 - Steps 103-104.
Group 19 - Step 105.
Group 20 - Steps 106-120.

Bag 5 - Driver and F1 Display Truck
Group 21 - Page 114.
Group 22 - Steps 121-125.
Group 23 - Steps 126-137.
Group 24 - Steps 138-150.
Group 25 - Steps 151-152.

Let’s get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Driver

Sub-build 1.1. Locate 1 dark grey pair of legs, 1 dark grey and light grey torso printed with a racing suit, 1 yellow head printed with eyes, lips, and eyebrows, and 1 black hair. Assemble your minifigure then place him in front of you.

Sub-build 1.2. Let’s make a part! Let’s make a helmet! Locate 1 black helmet printed with a red Audi logo which is 4 overlapping circles in a row, and 1 transparent visor. Assemble your helmet, then you can interchange this with the hair if you want! Now put everything away while we make the race car!

Group 2 - Audi F1 Race Car

Step 1
Horizontally place a black 2x4 plate in front of you.

Step 2
Place a black 2x2 plate with round parts and 2 pins on the 2 leftmost columns so it is centered vertically and the pins face the front and back.

Step 3

Vertically place a light grey 1x2 plate with a bar on the leftmost column so the bar faces the left. Then place a black 1x2 plate with a 1x2 brick with a pinhole to the right of the ppp so the pinhole faces the right.

Step 4

Horizontally place 2 transparent red 1x2 plates, 1 in front of the other, on the 2 leftmost columns.

Step 5

Vertically place a tan 1x2 brick with an axle hole on the rightmost column.

Step 6

Insert a yellow 3L axle into the right-facing axle hole so it goes all the way in.

Step 7

Horizontally attach the left-facing axle hole of a dark grey 2x6 plate with bricks with axle holes on the ends to the right-facing axle. Then insert a blue 2L pin axle into the right-facing axle hole so the pin faces the right.

Step 8

Horizontally place a red 1x2 plate with 2x2 side studs hanging down on the front row of the 4th and 5th columns from the left so the side studs face the front. Then repeat symmetrically to the back.

Step 9

Place a light grey 2x2 slope brick on the 4th and 5th columns from the right so it slopes to the right.

Step 10

Place a black 2x2 sloped curved tile on the 5th and 6th columns from the right so it slopes to the right.

Step 11

Vertically place a black 2x4 trapezoid plate on the 2nd and 3rd columns from the left so it is centered vertically and the short end is on the left.

Step 12

Horizontally place 2 black 1x2 plates with a stud and an upright clip, 1 in front of the other, to the left of the ppp so together they are centered vertically and the clips overhang to the left.

Step 13

Place a black 2x2 half cylinder brick on the 2 leftmost columns of studs so it slopes to the front and back. Then place another 1 to the right of the ppp so it slopes to the front and back.

Step 14

Horizontally place a black 1x2 plate with 2 upright anti-studs on top of the ppp so the anti-studs face the right.

Step 15

Vertically place a black 1x2 jumper plate with a round side on the right column of the ppp so it is centered vertically and the round side faces the left.

Step 16

Horizontally place a black 1x4 sloped curved brick on the 4 leftmost columns so it slopes to the left.

Step 17

Place a light grey 1x1 plate upright on the top right-facing anti-stud.

Group 3 - Audi F1 Race Car

Step 18

Attach the bar of a black 2x2 plate with a bar underneath the 2 leftmost top-facing clips so it overhangs 1 column to the left. Now vertically place a black 2x4 sloped curved tile printed with a red Audi logo on top of the ppp so it is centered vertically and slopes to the right.

Step 19

Let’s make a part! Horizontally place a dark grey 2x3 plate with a round side and pinhole in front of you so the round side faces the right.

Step 20

Place a black 2x2 plate with round parts and 2 pins on top so it is centered vertically and the pins face the front and back.

Step 21

Place a black 1x2 plate with a 1x2 brick with a pinhole on the left column so the brick with a pinhole overhangs to the left. Then vertically place a light grey 1x2 plate underneath the leftmost column.

Step 22

Vertically place a light grey 1x2 plate on the rightmost column of studs.

Step 23

Place a light grey 2x2 plate on the 2 rightmost columns of studs.

Step 24

Attach the left-facing pinhole of your part to the right-facing pin of the main build.

Step 25

Horizontally place a dark grey 1x2 plate with 2x2 side studs hanging down on the front row of the 3rd and 4th columns of studs from the right so the side studs face the front. Then repeat symmetrically to the back.

Step 26

Vertically place a light grey 1x2 plate to the right of the 2 ppp so it is centered vertically.

Step 27

Let’s make a part! Vertically place a dark grey 1x5 plate in front of you.

Step 28

Horizontally place a light grey 1x3 rounded plate on top so it is centered horizontally and vertically.

Step 29

Vertically place a light grey 2x3 left wedge plate in front of the ppp so the angled side overhangs 1 column to the right and the short end faces the front. Then repeat symmetrically to the back.

Step 30

Vertically place a light grey 1x3 jumper plate on the 2nd column from the left so it is centered vertically.

Step 31

Vertically place a light grey 1x2 plate to the left of the ppp so it is centered vertically.

Step 32

Place a light grey 1x1 quarter circle tile on the 2nd row from the front so the curve faces the front right. Then repeat symmetrically to the back.

Steps 33 to 34

Place a light grey 1x1 slope tile on the front row so it slopes to the right. Then repeat symmetrically to the back. Now place 1 on the rightmost column so it is centered vertically and slopes to the right.

Step 35

Horizontally place a light grey 2x4 sloped curved brick printed with a red Audi logo on top so it is centered vertically, slopes to the right, and overhangs 2 columns to the left.

Step 36

Place the 2 leftmost columns of your part on the 2 rightmost columns of the main build so it is centered vertically.

Step 37

Place a light grey 2x2 plate with 2 side studs to the left of your part so it is centered vertically and the side studs face the left. Now horizontally place a light grey 1x2 rounded tile printed with a dark grey steering wheel and buttons upright on the left-facing side studs of the ppp.

Group 4 - Audi F1 Race Car

Step 38

Let’s make a part! Horizontally place a light grey 1x8 plate in front of you. Then horizontally place a black 1x4 panel on the 4 leftmost columns so the wall faces the front.

Step 39

Horizontally place a light grey 1x2 plate to the right of the ppp.

Step 40

Horizontally place a red 1x2 rounded plate on top of the ppp. Then horizontally place a black 1x2 grill slope tile to the right of the ppp so it slopes to the right.

Step 41

Horizontally place a black 1x3 tile on top of the 2 studs so 1 column overhangs to the right.

Step 42

Horizontally place your part upright on the bottom row of front-facing side studs so it is centered horizontally on them and the grill slope tile is on the right.

Step 43

Place a red 1x1 plate with a clip upright on the leftmost front-facing side stud so the clip faces up.

Step 44

Horizontally place a light grey 1x6 stair plate with a mudguard upright on the front-facing side studs to the right of the ppp so the mudguard faces up.

Step 45

Horizontally place a red 1x4 sloped curved brick on the 4 leftmost front-facing side studs so it slopes to the left.

Step 46

Horizontally place 2 light grey 1x2 sloped curved tiles, 1 to the right of the other, upright on the front-facing side studs, to the right of the ppp so they slope to the right.

Step 47

Let’s make a part! Horizontally place a light grey 1x8 plate in front of you. Then horizontally place a black 1x4 panel on the 4 rightmost columns so the wall faces the front.

Step 48

Horizontally place a light grey 1x2 plate to the left of the ppp.

Step 49

Horizontally place a red 1x2 rounded plate on top of the ppp. Then horizontally place a black 1x2 grill slope tile to the left of the ppp so it slopes to the left.

Step 50

Horizontally place a black 1x3 tile on top of the 2 studs so 1 column overhangs to the left.

Step 51

Rotate your build 180 degrees. Then horizontally place your part upright on the bottom row of front-facing side studs so it is centered horizontally on them and the grill slope tile is on the left.

Step 52

Place a red 1x1 plate with a clip upright on the rightmost front-facing side stud so the clip faces up.

Step 53

Horizontally place a light grey 1x6 stair plate with a mudguard upright to the left of the ppp so the mudguard faces up.

Step 54

Horizontally place a red 1x4 sloped curved brick on the 4 rightmost front-facing side studs so it slopes to the right.

Step 55

Horizontally place 2 light grey 1x2 sloped curved tiles, 1 to the left of the other, upright on the front-facing side studs, to the left of the ppp so they slope to the left.

Step 56

Let’s make a part! Let’s make the F1 halo device! This will keep the driver’s head safe if there is ever a crash or anything! Horizontally place a light grey 12L bar in front of you. Then attach a light grey bar holder with a handle to the left end. Then repeat symmetrically to the right.

Step 57

Attach the left-facing handle of your part to the back top-facing clip that is in the back right. Then curve the 12L bar and attach the other handle to the front top-facing clip that is in the front right. Now push it down to the left so it faces the left.

Step 58.1

Let’s make 4 identical parts! Place a black 2x2 round tile with a pinhole printed with red lines on top of a black wheel.

58.2. Now you should have 4 identical parts! Attach 1 wheel to the leftmost front-facing pin so the round tile faces the front. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back. Now put your race car away while we make the next part!

Building Instructions (Bag 2, Book 2):

Group 5 - Driver

Sub-build 2. Locate 1 dark grey pair of legs, 1 dark orange torso printed with pockets and a black belt, 1 yellow head printed with eyes, lips, eyebrows, and a scratch, and 1 black hair. Assemble your minifigure then put him away while we make his truck!

Group 6 - F1 Display Truck

Step 1
Vertically place a dark grey 1x4 plate in front of you.

Step 2
Horizontally place a red 2x3 plate on top so it is centered vertically and horizontally.

Step 3
Vertically place a dark grey 2x4 plate with bricks with axle holes on the ends underneath the leftmost column so it is centered vertically and 1 column is exposed to the left. Then insert a tan 2L pin axle into the front-facing axle hole so the pin faces the front. Then repeat symmetrically to the back.

Step 4
Horizontally place a red 1x2 plate on the front right corner so it overhangs 1 column to the right. Then repeat symmetrically to the back.

Step 5
Vertically place a dark grey 1x4 plate on the 2nd column from the right so it is centered vertically.

Step 6

Horizontally place the rightmost column of a tan 2x8 plate on the leftmost column so it is centered vertically and overhangs 7 columns to the left.

Step 7

Vertically place a dark grey 2x4 plate with inverted sloped sides underneath the 6th and 7th columns from the left so it is centered vertically.

Step 8

Horizontally place a dark grey 2x4 plate on the 3rd to 6th columns from the right so it is centered vertically.

Step 9

Vertically place a red 1x2 plate on the rightmost column so it is centered vertically.

Step 10

Vertically place a red 1x2 angled sloped curved tile in front of the ppp so the cutoff corner faces the front right and it overhangs to the front. Then repeat symmetrically to the back.

Step 11

Horizontally place a red 2x3 plate underneath the 3rd to 5th columns from the left.

Step 12

Place a dark grey 4x4 plate with inverted sloped sides underneath the 2 leftmost columns so it is centered vertically, is exposed 2 columns to the left, and slopes to the front and back.

Step 13

Horizontally place a tan 2x16 plate on the 2 leftmost columns so it is centered vertically and overhangs 14 columns to the left.

Step 14

Vertically place a light grey 3x4 tile with 4 studs on the 7th to 9th columns from the right so it is centered vertically. Then horizontally place a dark grey 2x4 plate to the left of the ppp so it is centered vertically.

Group 7 - F1 Display Truck

Step 15

Horizontally place a red 2x3 plate underneath the 12th to 14th columns from the left. It will go up against the piece with sloped sides.

Step 16

Vertically place a dark grey 2x4 plate with inverted sloped sides underneath the 2x16 plate, to the left of the ppp so it is centered vertically.

Step 17

Vertically place a dark grey 2x4 plate with 1x2 bricks with axle holes, underneath the 2x16 plate, to the left of the ppp so it is centered vertically. Now insert a tan 2L axle pin into the front-facing axle hole of the ppp so the pin faces the front. Then repeat symmetrically to the back.

Step 18

Place a light grey 2x2 tile on top of the previous 2x4 plate with brick with axle holes on the ends so it is centered vertically. Then place another 1 to the right of the ppp. Now vertically place a light grey 3x4 tile with 4 studs to the right of the ppp so it is centered vertically.

Step 19

Vertically place a dark grey 1x4 plate underneath the 7th column from the left so it is centered vertically. Then place a light grey 1x1 round plate on the front row of the ppp. Then repeat symmetrically to the back.

Step 20

Vertically place a dark grey 2x4 plate underneath the 5th and 6th columns from the left so it is centered vertically. Then place a light grey 1x1 round plate on the front left corner of the ppp. Then repeat symmetrically to the back.

Step 21

Vertically place a dark grey 2x4 plate with 1x2 bricks with axle holes underneath the 3rd and 4th columns from the left so it is centered vertically. Now insert a tan 2L axle pin into the front-facing axle hole of the ppp so the pin faces the front. Then repeat symmetrically to the back.

Step 22

Vertically place a dark grey 2x4 plate underneath the 2 leftmost columns so it is centered vertically. Then place a light grey 1x1 round plate on the front right corner of the ppp. Then repeat symmetrically to the back.

Step 23.1

Let’s make 4 identical parts! Place a yellow 1x1 plate with 2 upright side studs in front of you so the side studs face the front. Then place a black 1x1 tile upright on the top front-facing side stud. Then place a light grey 1x1 round plate upright below the ppp.

23.2. Now you should have 4 identical parts! Place 1 part on the front left corner so the side stud faces the front. Then place another 1 on the 6th column from the left of the front row so the side stud faces the front. Then repeat both parts symmetrically to the back.

Step 24

Vertically place a yellow 1x4 tile with 2 studs on the 5th column from the left so it is centered vertically. Then vertically place 2 more, 1 to the right of the other, to the right of the ppp.

Step 25

Place a light grey 2x2 tile on the 3rd and 4th columns from the left so it is centered vertically.

Step 26

Place a light grey 2x2 corner plate on the front 2 rows of the 2 leftmost columns so it looks like the braille letter j. Then repeat symmetrically to the back.

Step 27

Vertically place a light grey 1x2 plate with 2 side studs hanging down on the leftmost column so it is centered vertically and the side studs face the left.

Group 8 - F1 Display Truck

Step 28

Place 2 transparent yellow 1x1 round plates next to each other upright on the 2 left-facing side studs.

Step 29

Horizontally place a light grey 1x6 plate on the front row of the 5th to 10th columns from the right so it sits to the left of the 2x4 plate with 1x2 bricks with axle holes on the sides. Then horizontally place a red 1x2 plate to the left of the ppp. Now horizontally place a light grey 1x6 plate to the left of the ppp. Then repeat all 3 parts symmetrically to the back.

Group 9 - F1 Display Truck

Step 30

Place a light grey 1x1 round plate on the 2nd column from the left of the front row. Then place another 1 on the 5th column from the left of the front row. Now place 1 more on the 7th column from the left of the front row. Then repeat everything symmetrically to the back.

Step 31

Place a red 1x1 brick with a side stud on the front left corner so the side stud faces the left. Then repeat symmetrically to the back.

Step 32

Horizontally place a red 2x4 brick with a mudguard on the back row, to the right of the ppp so 1 row and the mudguard overhang to the back. Then repeat symmetrically to the front.

Step 33.1

Let’s make 2 identical parts! Place a yellow 1x1 brick with an axle hole in front of you so the axle hole faces the front and back. Then insert a blue 2L pin axle into the back-facing axle hole so the pin faces the back. Now attach a dark grey pin connector with an axle connector to the back-facing pin so the axle connector faces up.

33.2. Now you should have 2 identical parts! Place 1 part on the front row, to the right of the 2x4 brick with a mudguard so the pin connector with an axle connector is in the back. Then repeat symmetrically to the back.

Step 34

Place a red 1x1 tile upright on each of the 2 leftmost front-facing side studs. Then repeat symmetrically to the back.

Step 35

Horizontally place a red 2x4 brick with a mudguard on the front row of the 7th to 10th columns from the left so 1 row and the mudguard overhang to the front. Then repeat symmetrically to the back.

Step 36

Horizontally place a red 1x12 plate on the back row, to the right of the ppp. Then repeat symmetrically to the front.

Step 37

Vertically place a black 1x2 panel with 3 walls on the rightmost column so it is centered vertically and the long wall faces the right.

Step 38

Place a red 1x1 plate with an upright side stud on the front right corner so the side stud faces the right. Then repeat symmetrically to the back.

Step 39

Vertically place a dark grey 1x2 ridged brick in between the 2 ppp so the horizontal ridges face the left.

Step 40

Horizontally place 2 light grey 1x10 bricks, 1 in front of the other, to the left of the ppp.

Group 10 - F1 Display Truck

Step 41

Horizontally place a red 2x4 brick with a mudguard on the front right corner so 1 row and the mudguard overhang to the front. Then repeat symmetrically to the back.

Step 42.1

Let’s make 2 identical parts! Place a black 1x1 plate with a double-sided stud in front of you so the double-sided stud is on the left. Now place a transparent 1x1 quarter circle tile upright on the front-facing side stud so the curve faces the top left. Then repeat symmetrically to the back.

42.2. Now you should have 2 identical parts! Place 1 part upright on the front right-facing side stud so the quarter circle tiles are in the front. Then repeat symmetrically to the back.

Step 43

Place a black 1x1 plate with an upright side stud on the front right-facing side stud so the side stud sticks up. Then repeat symmetrically to the back.

Step 44

Horizontally place a dark grey 1x2 plate on the 2nd row from the front of the 3rd and 4th columns from the left. Then horizontally place another 1 on the 2nd row from the front of the 8th and 9th columns from the left. Then repeat both parts symmetrically to the back.

You will have 2 extra transparent red 1x1 tiles. Save them for later!

Group 11 - F1 Display Truck

Step 45.1

Let’s make a part! Place a black 2x2 plate with 2 side studs in front of you so the side studs face the front. Then horizontally place a black 1x2 plate with a rail on the back row so the rail faces the back. Then place a transparent orange 1x1 tile on the front right corner. Now place a transparent red 1x1 tile from group 10 on the front left corner.

45.2. Place your part on the back left-facing side stud so 1 column overhangs to the back, 1 row overhangs to the bottom, and the side studs face up.

Step 46.1

Let’s make a part! Place a black 2x2 plate with 2 side studs in front of you so the side studs face the front. Then horizontally place a black 1x2 plate with a rail on the back row so the rail faces the back. Then place a transparent orange 1x1 tile on the front left corner. Now place a transparent red 1x1 tile from group 10 on the front right corner.

46.2. Place your part on the front left-facing side stud so 1 column overhangs to the front, 1 row overhangs to the bottom, and the side studs face up.

Step 47

Horizontally place a black 2x3 plate on the front left corner. Then horizontally place another 1 on the front 2 rows of the 6th to 8th columns from the left. Then repeat both parts symmetrically to the back.

Building Instructions (Bag 3, Book 2):

Group 12 - F1 Display Truck

Step 48.1

Let’s make 2 identical parts! Horizontally place a light grey 1x2 plate with 2x4 side studs hanging down in front of you so the side studs face the front. Then horizontally place 2 light grey 1x2 sloped curved bricks, 1 to the right of the other, on the bottom row of front-facing side studs so they slope down.

48.2. Horizontally place a light grey 1x2 panel upright on the front-facing side studs so it is centered horizontally and the wall faces down. Then place a light grey 1x1 sloped curved brick upright to the left of the ppp so it slopes up. Then repeat symmetrically to the right.

48.3. Now you should have 2 identical parts! Horizontally place 1 part on the front row of the 7th and 8th columns from the right so it overhangs to the front. Then repeat symmetrically to the back.

Step 49.1

Let’s make 2 identical parts! Horizontally place a light grey 1x2 plate with 2x4 side studs hanging down in front of you so the side studs face the front. Then place 2 black 2x2 tiles with 2 studs, 1 to the right of the other, upright on the front-facing side studs so the studs are on the bottom.

49.2. Now you should have 2 identical parts! Horizontally place them, 1 to the left of the other, on the front row to the left of the previous part so the side studs face the front.

Step 50

Horizontally place a red 1x8 tile upright on the 8 front-facing side studs.

Step 51.1

Rotate your build 180 degrees. Now let’s make 2 identical parts! Horizontally place a light grey 1x2 plate with 2x4 side studs hanging down in front of you so the side studs face the front. Then place 2 black 2x2 tiles with 2 studs, 1 to the right of the other, upright on the front-facing side studs so the studs are on the bottom.

51.2. Now you should have 2 identical parts! Horizontally place them, 1 to the right of the other, on the front row to the right of the upright curved bricks so the side studs face the front and they are symmetrical with the previous parts that are in the back row.

Step 52

Horizontally place a red 1x8 tile upright on the 8 front-facing side studs.

Step 53

Horizontally place the leftmost column of a black 2x14 plate on the front 2 rows of the 5th column from the left so it overhangs to the front, over the upright tiles. Then repeat symmetrically to the back.

Step 54

Horizontally place a light grey 2x8 plate in between the 8 leftmost columns of the 2 ppp so it is centered vertically.

Step 55

Vertically place a black 1x4 plate to the left of the ppp so it is centered vertically.

Step 56

Place a black 2x2 corner plate on the front 2 rows, to the left of the ppp so it looks like the braille letter f. Then repeat symmetrically to the back.

Step 57

Vertically place a white 1x2 plate in between the rightmost column of the 2 ppp so it is centered vertically. Then vertically place a dark grey 1x2 plate with a bar to the left of the ppp so the bar faces the left.

Step 58

Horizontally place the right column of a black 1x2 sloped curved tile in front of the ppp so it slopes to the left. Then repeat symmetrically to the back.

Step 59

Horizontally place a black 1x2 angled sloped curved tile on the back left corner, behind the ppp so it slopes to the left and the cutoff corner faces the back left. Then repeat symmetrically to the front.

Step 60

Place a black 2x2 tile with 2 studs on the 2 leftmost columns of studs, to the right of the bar so it is centered vertically and the studs are on the right. Then vertically place a black 1x2 tile in front of the right column of the ppp. Then repeat symmetrically to the back.

Step 61

Place a light grey 2x2 plate to the right of the 3 ppp so it is centered vertically. Then place a black 2x2 tile with 2 studs in front of the ppp so the studs are on the right. Then repeat symmetrically to the back.

Group 13 - F1 Display Truck

Step 62

Vertically place a black 1x2x2 panel on the right column of the 2x2 plate from the previous step so it is centered vertically and the wall faces the right. Then vertically place 2 yellow 1x2 jumper plates, 1 to the left of the other, to the left of the ppp.

Step 63.1

Let’s make a part! Horizontally place a yellow 1x2 rounded plate in front of you. Then horizontally place a light grey 1x3 camera lens on top so the anti-stud overhangs to the right. Now horizontally place a yellow 1x2 rounded plate on top.

63.2. Place 2 light grey 1x1 skates, 1 to the right of the other, upright on the back-facing side studs so the rounded parts face up. Now horizontally place a yellow 1x2 grill tile upright on the front-facing side studs. Then horizontally place a yellow 1x2 ingot tile on top.

63.3. Horizontally place your part on top of the 2 previous 1x2 jumper plates that are on the 3rd and 4th columns from the left so it is centered vertically.

Step 64

Vertically place a black 1x6 plate to the right of the 1x2x2 panel that is to the right of the previous part so it is centered vertically.

Step 65

Vertically place a black 2x6 plate with ridges on the short sides to the right of the ppp.

Step 66

Horizontally place a black 1x4 plate on the front row, to the right of the ppp. Then repeat symmetrically to the back.

Step 67

Horizontally place 2 dark grey 2x3 plates, 1 in front of the other, in between the 3 leftmost columns of the 2 ppp so together they are centered vertically.

Step 68

Vertically place a white 1x2 brick to the right of the 1x2x2 panel that is on the 5th column from the left so it is centered vertically. Then place a black 2x2 corner brick in front of the previous 1x2 brick and 1x2x2 panel so it looks like the braille letter f. Then repeat symmetrically to the back.

Group 14 - F1 Display Truck

Step 69

Place a white 2x2 tile with 2 studs, on the back 2 rows, to the right of the ppp so the studs are on the right. Then repeat symmetrically to the front.

Step 70

Vertically place 2 white 1x2 tiles with upright horizontal bars, 1 in front of the other, to the right of the 2 ppp so together they are centered vertically and slope to the left.

Step 71

Place a white 2x2 tile with 2 studs on the 2nd and 3rd rows from the back, to the right of the 2 ppp so the studs are in the front. Now vertically place 2 white 1x2 rounded plates, 1 to the right of the other, in front of the ppp.

Step 72.1

Let’s make a part! Place a white 2x2 plate with 2 side studs in front of you so the side studs face the front. Then horizontally place a white 1x2 plate on the back row. Then place a light grey 1x2 jumper plate with a round side upright on the front-facing side studs so the round side faces up. Now horizontally place a dark grey 1x2 rounded tile printed with a steering wheel and buttons upright on the front-facing side studs.

72.2. Place a white 2x2 brick on top. Then horizontally place a white 1x2 plate on the back row. Now horizontally place a light grey 1x2 plate with an upright bar in front of the ppp so the bar is in the front. Then place a white 2x2 brick on top. Now place a white 2x2 plate on top of the ppp.

72.3. Rotate your part 180 degrees so the upright 1x2 rounded tile faces the back. Then vertically place your part to the right of the 1x2 tiles with upright horizontal bars.

Step 73

Place a red 1x1 brick with a bar in front of the left column of the ppp so the bar is in the front. Then place a black 1x1 round tile with an upright bar on top of the ppp. Now place a light grey bar holder with a clip on top of the ppp so the clip is on top and the clip hands face the front and back.

Step 74

Place a red 1x1 round brick to the right of the ppp. Then place a red 1x1 faucet on top of the ppp so the handle faces the front. This is a fire extinguisher!

Step 75

Vertically place a dark grey 1x4 brick to the right of the ppp so it is centered vertically.

Step 76

Horizontally place a black 2x4 tile on the front 2 rows, to the right of the ppp. Then place a transparent orange 1x1 round tile on the front row to the right of the ppp. Now horizontally place a black 2x4 tile to the right of the ppp. Now repeat everything symmetrically to the back.

Step 77

Place a transparent orange 1x1 round tile on the back row, to the right of the ppp. Then place a yellow 1x1 plate in front of the ppp. Now repeat both parts symmetrically to the front.

Step 78

Horizontally place a black 2x4 tile on the front 2 rows to the right of the 2 ppp. Then repeat symmetrically to the back.

Step 79

Place a transparent orange 1x1 round tile on the back row, to the right of the ppp. Then vertically place a black 1x2 tile to the right of the ppp. Now repeat both parts symmetrically to the front.

Group 15 - F1 Display Truck

Step 80

Place a yellow 1x1 round tile on the 2nd row from the front of the 7th column from the right so it sits on a 1x1 plate. Then repeat symmetrically to the back.

Step 81

Vertically place a dark grey 1x4x3 panel on the 12th column from the left so it sits on a 1x4 brick, is centered vertically, and the wall faces the right.

Step 82

Now horizontally place 2 dark grey 2x3 plates, 1 in front of the other, on top of the ppp so together they overhang 2 columns to the left.

Building Instructions (Bag 4, Book 2):

Group 16 - F1 Display Truck

Step 83

Vertically place a black 1x2 brick with a hinge on the front 2 rows of the leftmost column of studs so the hinge faces the front. Then repeat symmetrically to the back.

Step 84

Vertically place a white 1x2 steering wheel on the 2nd and 3rd rows from the front, to the right of the 2 ppp so the steering wheel faces the right. Then vertically place a white 1x2 tile behind the ppp.

Step 85

Horizontally place the leftmost column of a black 1x3x2 door in front of the 2 ppp so the stud is on the left and it opens to the front. Then repeat symmetrically to the back.

Step 86

Vertically place the right column of a transparent 2x6x2 windshield on top of the studs of the 2 ppp so it is centered vertically and slopes to the left.

Step 87

Vertically attach the 2 hinge fingers of a light grey 1x2 plate with 2 hinge fingers to the front-facing hinge that is below the ppp so it is upright and the studs face the front. Then vertically place a black 1x2 slope tile upright on the ppp so it slopes to the left. Then repeat both parts symmetrically to the back. These are mirrors!

Step 88

Let’s make a part! Horizontally place a light grey 2x3 plate in front of you.

Step 89

Vertically place a light grey 1x2 rounded plate underneath the leftmost column. Then repeat symmetrically to the right.

Step 90

Vertically place a light grey 1x2 rounded plate on top so it is centered horizontally. Then vertically place a black 1x2 plate with 2x2 upright side studs on the leftmost column so the side studs face the left. Then repeat symmetrically to the right.

Step 91

Vertically place 2 black 1x1 plates with a 1x1 slope tile next to each other, upright on the left-facing side studs so they slope up. Then repeat symmetrically to the right.

Step 92

Horizontally place a light grey 1x2 rounded plate upright on the left-facing side studs. Then repeat symmetrically to the right.

Step 93

Now lay your part on its front-facing side so the 2x3 studs face the front. Then horizontally place a black 2x3 tile printed with a red F1 logo upright on the right-facing side studs so 2 columns overhang to the back. Then attach the side studs of a light grey 1x2x1 2/3 brick with 2x2 side studs to the left-facing anti-studs of the 2x3 tile.

Step 94

Horizontally place a black 2x3 tile printed with a red F1 logo upright on the left-facing side studs so 2 columns overhang to the back. Then attach the side studs of a light grey 1x2x1 2/3 brick with 2x2 side studs to the right-facing anti-studs of the ppp.

Step 95.1

Let’s make another part! Horizontally place a black 1x5 plate in front of you. Then place a black 2x2 corner plate underneath the 2 leftmost columns so 1 row is exposed to the front and it looks like the braille letter f. Then repeat symmetrically to the right.

95.2. Vertically place the back row of 3 black 1x4 sloped curved bricks, 1 to the right of the other, on top so together they are centered horizontally and slope and overhang 3 rows to the front. Now vertically place a black 1x4 angled sloped curved brick to the left of the 3 ppp so it slopes and overhangs 2 rows to the front and the cutoff corner faces the front left. Then repeat symmetrically to the right.

95.3. Horizontally place the back 2 rows of your part on top of your previous part so it is centered horizontally and slopes to the front.

Step 96.1

Lay your part on its back-facing side so the 1x4 sloped curved bricks face the back and the anti-studs face the front.

96.2. Let’s make a part! Vertically place a dark grey 1x2 plate with a clip in front of you so the clip faces the front. Then horizontally place 2 black 1x3 tiles printed with vents, 1 in front of the other, on top so together they are centered horizontally. Then vertically place a light grey 1x2 rounded plate underneath the leftmost column. Then repeat symmetrically to the right.

96.3. Horizontally place your part on top of your previous part so the clip faces the front.

Step 97

Attach the clip of your part to the left-facing bar that is on the leftmost column of the main build so the 1x4 sloped curved bricks face the left. Then push it down to the right so the 1x4 sloped curved bricks are on top and slope to the left. This is the front of the truck!

Group 17 - F1 Display Truck

Step 98

Vertically place a light grey 1x4 tile with 2 studs to the right of the previous part so it is centered vertically on top of the 2x6x2 windshield. Then place a transparent orange 1x1 tile in front of the ppp. Then repeat symmetrically to the back.

Step 99

Place a black 2x2 corner brick on the front right corner of the 3x4 stud area that is 3 columns to the right of the ppp so it looks like the braille letter j. Then repeat symmetrically to the back.

Step 100

Place the right column of a white 2x2 tile with a round part and 2 studs in between the left column of the 2 ppp so it is centered vertically and the round part faces the left. Then stack 2 dark grey 2x2 plates on top of the ppp.

Step 101

Horizontally place a black 1x3x4 door on the front row, in front of the ppp so it sits to the right of the 1x3x1 door and the stud is on the left, and it opens to the front.

Step 102.1

Let’s make a part! Stack 2 dark grey 1x1x1 2/3 brick with 2 side studs in front of you so the side studs face the front. Then place a short black 1x1 rounded brick with a side stud on top of the 2 ppp so the side stud faces the front. Now vertically place 2 black 1x2 slope tiles, 1 above the other, upright on the top 4 front-facing side studs so they slope to the left. Then place a black 1x1 slope tile upright below the 2 ppp so it slopes to the left.

102.2. Place your part on the front row, to the right of the 1x3x4 door so the upright slope tiles face the front.

Group 18 - F1 Display Truck

Step 103

Horizontally place a black 1x4 brick with 4 side studs on top of the previous part and 1x3x4 door so the side studs face the front. Then place a red 1x1 quarter circle tile upright on the leftmost front-facing side stud of the ppp so the curve faces the top left. Then horizontally place a red 1x2 tile upright to the right of the ppp. Now place a red 1x1 slope tile upright to the right of the ppp so it slopes to the left.

Step 104

Rotate your build 180 degrees. Horizontally place a black 1x3x4 door on the front row so it sits to the left of the 1x3x1 door and the stud is on the right, and it opens to the front.

Group 19 - F1 Display Truck

Step 105.1

Let’s make a part! Stack 2 dark grey 1x1x1 2/3 brick with 2 side studs in front of you so the side studs face the front. Then place a short black 1x1 rounded brick with a side stud on top of the 2 ppp so the side stud faces the front. Now vertically place 2 black 1x2 slope tiles, 1 above the other, upright on the top 4 front-facing side studs so they slope to the right. Then place a black 1x1 slope tile upright below the 2 ppp so it slopes to the right.

105.2. Place your part on the front row, to the left of the 1x3x4 door so the upright slope tiles face the front.

Group 20 - F1 Display Truck

Step 106

Horizontally place a black 1x4 brick with 4 side studs on top of the previous part and 1x3x4 door so the side studs face the front. Then place a red 1x1 quarter circle tile upright on the rightmost front-facing side stud of the ppp so the curve faces the top right. Then horizontally place a red 1x2 tile upright to the left of the ppp. Now place a red 1x1 slope tile upright to the left of the ppp so it slopes to the right.

Step 107

Vertically place a black 2x6 inverted sloped curved tile on the 2 leftmost columns of the previous 1x4 brick with 4 side studs so it is centered vertically and slopes to the right.

Step 108

Vertically place a black 1x6 tile to the right of the ppp.

Step 109

Place a black 1x1 plate on the front row, to the right of the ppp. Then place a transparent orange 1x1 round tile on top of the ppp. Then repeat both parts symmetrically to the back.

Step 110

Let’s make a part! Horizontally place a white 1x4 rounded plate in front of you. Then place a dark grey 2x2 plate on top so it is centered horizontally and overhangs to the front.

Step 111

Horizontally place a black 2x6 plate underneath the front row so it is centered horizontally and 1 row is exposed to the front.

Step 112

Vertically place a light grey 1x2 rounded plate on the back 2 rows, to the left of the previous 2x2 plate. Then repeat symmetrically to the right.

Step 113

Vertically place 2 black 2x4 sloped curved tiles, 1 to the right of the other, on the front 2 rows so together they are centered horizontally and slope and overhang 2 rows to the front.

Step 114

Place a black 1x1 plate on the back row of the leftmost column. Then repeat symmetrically to the right.

Step 115

Vertically place a black 1x4 angled sloped curved tile on the leftmost column so 2 rows slope and overhang to the front and the cutoff corner faces the front left. Then repeat symmetrically to the right.

Step 116

Horizontally place a black 1x2 jumper plate on the back row so it is centered horizontally.

Step 117

Place a transparent orange 1x1 round tile on top of the ppp. Then place a light grey 1x1 round plate to the left of the previous 1x2 jumper plate. Then repeat symmetrically to the right.

Step 118

Place a light grey claw on top of the ppp so it goes all the way in and the claw hands face left and right. Then repeat symmetrically to the left.

Step 119

Attach a light grey 1x1 telescope bar to the ppp so the anti-stud faces the front. Then repeat symmetrically to the right.

Step 120

Rotate your part 90 degrees counterclockwise so it slopes to the right. Then vertically place the 2nd column from the right of your part on top of the 1x4 tile with 2 studs that is on the windshield.

Building Instructions (Bag 5, Book 2):

Group 21 - Driver

Sub-build 2. Locate 1 dark grey pair of legs, 1 dark orange torso printed with a black belt and pockets, 1 yellow head printed with eyes, eyelashes, and red lips, and 1 dark tan hair. Assemble your minifigure then put her away while we continue building the truck!

Group 22 - F1 Display Truck

Step 121

Rotate your main build 180 degrees. Then insert 2 yellow 9L axles into the 2 top-facing axle connectors that are centered vertically on the 7th column from the right.

Step 122

Vertically attach a dark grey 2L thin lift arm with axle holes to the 2 ppp so it goes all the way down.

Step 123

Stack 6 black 2L lift arms with pinholes on the 2 top-facing axles.

Step 124

Vertically attach a dark grey 2L thin lift arm with axle holes to the 2 top-facing axles so it goes all the way down and holds the 6 ppp in place.

Step 125

Push the 2 9L axles all the way down to the right so they face the right.

Group 23 - F1 Display Truck

Step 126

Put your main build away now while we build the truck bed! Horizontally place a dark grey 2x16 plate in front of you. Then vertically place a dark grey 2x6 plate on the 2 leftmost columns so it is centered vertically.

Step 127

Horizontally place the leftmost column of a dark grey 2x6 plate with 4 side studs underneath the front 2 rows of the 2nd column from the left so 5 columns are exposed to the right and the side studs face the front. Then repeat symmetrically to the back.

Step 128

Vertically place a dark grey 2x4 tile on the 3rd and 4th columns from the left so it is centered vertically. Then vertically place another 1 to the right of the ppp.

Step 129

Place a light grey 1x1 double slope tile on the front row of the 3rd column from the left so it slopes to the left and right. Then place another 1 on the front row of the 6th column from the left so it slopes to the left and right. Now repeat both parts symmetrically to the back.

Step 130

Place a dark grey 6x6 tile to the right of the ppp so it is centered vertically.

Step 131

Horizontally place the leftmost column of a dark grey 2x6 plate with 4 side studs underneath the front 2 rows of the 5th column from the right so 5 columns are exposed to the right and the side studs face the front. Then repeat symmetrically to the back.

Step 132

Vertically place a dark grey 2x4 tile on the 2nd and 3rd columns from the right so it is centered vertically. Then vertically place another 1 to the left of the ppp.

Step 133

Place a dark grey 2x2 sloped curved tile on the front right corner so it slopes and overhangs to the right. Then repeat symmetrically to the back.

Step 134

Vertically place a black 1x2 rounded plate on the leftmost column so it is centered vertically.

Step 135.1

Horizontally place a dark grey 3L lift arm with 2 pinholes and an axle hole in front of you so the axle hole is on the left and faces up and down. Then insert a black 2L pin into the left front-facing pinhole so the pin

faces the front. Now horizontally attach another dark grey 3L lift arm with 2 pinholes and an axle hole to the front-facing pin so it is symmetrical with the previous one.

135.2. Insert a blue 3L pin into the rightmost front-facing pinhole so the 2L pin faces the front. Then horizontally attach the pinhole of 2 dark grey 1x2 plates with a pinhole to the front-facing pin so they overhang to the right. Then repeat everything symmetrically to the back.

135.3. Vertically place the rightmost column of your part on the leftmost column of the previous part so it is centered vertically.

Step 136

Rotate your part 180 degrees. Then place 3 dark grey 2x2 sloped curved tiles, 1 in front of the other, on the 2nd and 3rd columns of studs from the right so together they are centered vertically and slope to the left.

Step 137

Place a dark grey 1x1x3 brick on the 2nd row from the front, to the right of the 3 ppp. Then repeat symmetrically to the back.

Group 24 - F1 Display Truck

Step 138

Place a short dark grey 1x1 brick on the back row, behind the ppp. Then place a dark grey 1x1x1 2/3 brick with 2 side studs on top of the ppp so the side studs face the back. Now place a short black 1x1 rounded brick with a side stud on top of the ppp so the side stud faces the back. Then repeat everything symmetrically to the front.

Step 139

Vertically place a black 1x6 plate on top of the ppp so it is centered vertically. Now vertically place 3 black 1x2 slope tiles, 1 in front of the other, on top of the ppp so they slope to the left.

Step 140

Place the top 2 rows of a black 4x4 inverted curved plate upright on the bottom 2 front-facing side studs of the rightmost column so 2 rows hang down and the inverted curve faces the top left. Then repeat symmetrically to the back.

Step 141

Horizontally place a black 1x10 plate upright on the front-facing side studs to the left of the previous 4x4 inverted curved plate. Then repeat symmetrically to the back.

Step 142

Horizontally place a black 1x4 plate upright on the 3 leftmost back-facing side studs, to the left of the ppp. Then repeat symmetrically to the front.

Steps 143 to 144

Vertically place a black 1x2 rounded plate upright on the top right front-facing side stud so it sits above the 4x4 inverted curved plate and 1 row overhangs to the top. Then repeat symmetrically to the back.

Steps 145 to 146

Place a red 1x1 quarter circle tile upright on the top right front-facing side stud so the curve faces the top left. Then vertically place a red 1x4 tile upright below the ppp. Now place a red 1x1 quarter circle tile upright below the ppp so the curve faces the bottom right. Then repeat everything symmetrically to the back.

Steps 147 to 148

Horizontally place a red 1x2 angled sloped curved tile on the leftmost front-facing side stud so it slopes and overhangs to the left and the cutoff corner faces the top left. Then horizontally place 2 red 1x8 tiles, 1 to the right of the other, upright to the right of the ppp. Then repeat everything symmetrically to the back.

Step 149

Bring back your main build and make sure it is horizontal and the front of the truck faces the left. Then lift up the 2 right-facing axles so they face up.

Step 150

Rotate your part 180 degrees. Then attach the 2 leftmost axle connectors to the 2 top-facing axles of the main build. Now move the truck bed to the left so it sits on the truck. Then when you need to load a car, you can move it to the right so the car can drive up the ramp!

Group 25 - F1 Display Truck

Step 151.1

Let’s make 2 identical parts! Insert a black wheel into a black tire and place it in front of you so the stud faces up. Then place a light grey 1x1 disc on top.

151.2. Now you should have 2 identical parts! Attach 1 wheel to the leftmost front-facing pin so the disc faces the front. Then repeat symmetrically to the back.

Step 152.1

Let’s make 4 identical parts! Insert a black wheel into a black tire and place it in front of you so the stud faces up. Then place a silver 1x1 round tile printed with bolts on top.

152.2. Now you should have 4 identical parts! Attach a wheel to each of the 2 rightmost front-facing pins so the 1x1 round tiles face the front. Then repeat symmetrically to the back.

Thank you so much for building this set!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let’s feature your build on our Builders page. It’s easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind are able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a $5 donation at: https://www.gofundme.com/f/bricks-for-the-blind-gofundme.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please sign up for our newsletter and follow us on Facebook and Instagram to be the first to know when new instructions are available!

At the end of the instruction booklets are advertisements for the following 7 LEGO City Theme kits:

60504 Coast Guard Rescue Boat & Helicopter

60503 Coast Guard Helicopter

60505 Airplane, Service Truck & Hovercraft Remix

60490 Snowplow

60478 Cement Mixer

60498 Tractor

60495 Recycling Truck