

71439 Adventures with Interactive LEGO Mario

Adapted by Arturo and tested by Natalie Charbonneau.

Give kids hours of adventures with interactive LEGO® Mario™, including a battle for Bowser Jr.'s Clown Car vehicle, with this LEGO® Super Mario™ toy playset (71439). An exciting Nintendo® gift for boys, girls and gamers aged 6 and up, the set features an interactive LEGO Mario figure, plus Bowser Jr., a Goomba and Yoshi toy figures, plus 3 environment builds. Travel from the start pipe to the goal flag pole, triggering digital reactions from LEGO Mario and collecting coins along the way. Greet Yoshi, defeat the Goomba, stomp on the question block, topple Bowser Jr. and then ride away in his Junior Clown Car.

The packaging captures the energy of a bright LEGO Super Mario starter adventure, with Interactive LEGO Mario traveling through a small course that leads toward a battle with Bowser Jr. and his clown car. The front of the box shows the full playset arranged across a colorful outdoor Super Mario landscape, with blue sky, green hills, rounded trees, and layered terrain in the background. Interactive LEGO Mario is shown large and central in his red cap, red shirt, and blue overalls, ready to move through the course. Around him are the main builds from the set, including the green start pipe, the goal flag pole with a black Bowser flag, the yellow question block, water and grass terrain, red lava terrain, Yoshi with an apple, Goomba, and Bowser Jr. in his white, green, and red Junior Clown Car. Bowser Jr. is shown as the main obstacle, with the clown car presented as an action vehicle that Interactive Mario can battle for and ride. On the top left corner, we have the classic LEGO logo, followed by the Super Mario logo. Along the front, the set information is also visible, including the age rating, set number, name, and piece count. The left of the box continues the LEGO Super Mario visual style, with branding elements and side-panel artwork connected to the same adventure course, showing the colorful builds and characters from another angle. The back of the box shows another view of the same course, now focusing more clearly on how the play experience works. Namely, small inset images highlight the main functions, including starting at the start pipe, greeting Yoshi, defeating the Goomba, stomping on the question block, battling Bowser Jr., shaking him out of the Junior Clown Car on the balancing platform, and then placing Interactive Mario into the clown car to ride away. The back also shows that Interactive Mario reacts digitally to the different action tiles and course elements, and that the layout can be rearranged for different adventures. On the top left corner, we have the LEGO logo. To its right, we have the character lineup: Interactive Mario, Bowser Jr., Yoshi, and a Goomba. The right side of the box has a warning in several different languages that states that the set contains small parts and a small ball, and it is therefore not recommended for children younger than 3 years old. The top of the box has the classic LEGO logo, the Super Mario branding, the name of the set in several other languages, and an image of Interactive Mario on a 1:1 scale. The bottom of the box is a tidy strip that contains the barcode as well as a few technical bits: the LEGO logo, Nintendo and Super Mario copyright and trademark information, the set number, recycling information, battery information, and other packaging notices.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.

- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- Hollow stud: a bump on a LEGO brick with a hole, which allows attaching bars.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Left/right wedge parts: these are parts that when placed in front of you and are pointing to the back, their wedge is on the left/right side of the part.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

Additionally, it is worth mentioning that besides the printed visual instructions that come with each kit, a PDF version for the set's instructions is always available online at [\[https://www.lego.com/en-us/service/building-instructions/71439\]](https://www.lego.com/en-us/service/building-instructions/71439). This might help a sighted building partner that may want to follow along or low vision users that may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2 and 3, and put them in one container.

This LEGO set comes with 3 numbered bags and 1 instruction booklet. Sort the pieces into groups as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split across two groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

This build is 218 pieces and 71 building steps. The set has NO stickers!

Book 1, bag 1 (7 groups of bricks)

Interactive Mario, Goomba, Terrain

Group 1: pages 4-6

Group 2: pages 7-15

Group 3: pages 16-19

Group 4: steps 1-6

Group 5: steps 7-10

Group 6: steps 11-15.1

Group 7: steps 15.2-15.6

Book 1, bag 2 (4 groups of bricks)

Pipe, Goal flag pole, Lava terrain

Group 8: steps 1-4

Group 9: steps 1-3

Group 10: steps 1-6

Group 11: steps 7-15

Book 1, bag 3 (7 groups of bricks)

Bowser Junior, Bowser Junior's clown car

Group 12: steps 1-9

Group 13: steps 10-18

Group 14: steps 1-8

Group 15: steps 9-15

Group 16: steps 16.1-16.5

Group 17: steps 17.1-17.5

Group 18: steps 18-21

Book 1, bag 4 (4 groups of bricks)

Yoshi, Yoshi's corner

Group 19: steps 1-10

Group 20: steps 11-16.1

Group 21: steps 16.2-21

Group 22: steps 1-7

Alright, we are done with sorting. Let's get building!

Building Instructions

Book 1, bag 1:

Group 1 – Interactive Mario

Page 4

Ask a sighted adult to help you install 2 AAA batteries in Interactive Mario's body.

Page 5

Grab Interactive Mario's body so that its face faces to the front. Then, insert it into Interactive Mario's blue pants, so that its side studs face to the front.

Page 6

Locate 2 light nougat 1x1 round tiles. Attach the first one to the left-facing side stud, which is Mario's right ear. Take the second one and repeat symmetrically on the right.

Group 2 – Interactive Mario (continued)

Page 7

Attach 1 yellow 1x1 round tile to each of the 2 front-facing side studs. Then, attach 1 red cap with a capital M on top of Interactive Mario's head, so that it faces to the front.

Pages 8-15

You can turn on Interactive Mario by pushing the ON button located on the bottom of his back. Interactive Mario will react to movement. He will also react when placing him on top of certain colors or interactive tiles. Interactive Mario will turn off automatically after leaving him in his place after a few minutes.

You can update Interactive Mario in the LEGO Super Mario app, which you can download from the following link [<https://www.lego.com/qr/lsm-connected>] to your preferred smart device. You can connect Interactive Mario with the smart device by pushing the Bluetooth button located on the top of his back.

Group 3 – Goomba

Pages 16-19

Place 1 reddish brown 2x2 round plate with 2 feet in front of you, so that its feet face to the front. Find 2 dark bluish gray 1x2x1 2/3 brick with side studs on 3 sides. Place the first one vertically on the left column of the ppp, so that its side studs face to the back, left, and front. Take the second one and repeat symmetrically on the right.

Attach 1 dark orange 2x2 tile with printed Goomba face to the front-facing side studs. Then, attach 1 dark orange 2x2 tile with the code for "Goomba" to the top. Ask a sighted friend to make sure that the 2 ppps are placed and oriented correctly. Lastly, attach 1 dark orange 2x2 tile to the back-facing side studs.

Grab 2 dark orange 1x2 plates. Attach the first one horizontally upright to the bottom row of left-facing side studs. Take the second one and repeat symmetrically on the right. Locate 2 dark orange 2x2 curved slope tiles. Rotate the first one so that its antistuds face to the left and it slopes to the top. Attach its bottom row to the ppp. Take the second one and repeat symmetrically on the left

Group 4 – Terrain

Step 1

Place 1 blue 4x4 rounded tile with studs on perimeter in front of you.

Step 2

Rotate 1 blue 2x4 plate horizontally. Attach its leftmost column under the rightmost column of the ppp, so that it is centered vertically and it has 3 columns exposed to the right.

Step 3

If you place Interactive Mario on top of the blue terrain, he will make water sounds!

Step 4

Place the leftmost column of 1 blue 4x4 rounded tile with studs on perimeter on top of the rightmost column of the ppp, so that it is centered vertically.

Step 5

Locate 3 medium nougat 1x2 log bricks. Place the first one horizontally on the back row of the ppp, so that it is centered horizontally. Place the second one vertically on top of the rightmost column, so that it is centered vertically. Place the last one vertically on top of the 4th column from the right, so that it is centered vertically.

Step 6

Stack 2 dark orange 1x2 plates and place them horizontally on the 2nd and 3rd columns from the right of the front row. Then, place 1 medium nougat 1x2 plate with handle on long edge horizontally on top of the 2 ppps, so that its handle faces to the front.

Group 5 – Terrain (continued)

Step 7

Place 1 bright green 4x4 rounded tile with studs on perimeter on top of the 4 rightmost columns.

Step 8

If you place Interactive Mario on top of the blue terrain, he will play some music!

Step 9

Place 1 lime 1x2 plate with handle on short edge vertically on top of the 2 back rows of the rightmost column of the ppp, so that its handle faces to the back. Then, place 1 bright pink 1x1 round plate with petals on top of the front row of the ppp.

Step 10.1

We need to assemble a small sub-build. Place 1 dark brown 1x2 inverted curved slope tile horizontally, so that it slopes to the left. Then, place 1 dark brown 1x1 plate with clip on top of the rightmost column of the ppp.

Start Building

Step 10.2

Rotate 1 green 3x5 cloud tile with 3 studs vertically. Attach its 2 rightmost columns to the sub-build, so that it is centered vertically.

10.3 The sub-build is complete. Rotate it so that its antistuds face to the left and its clip faces to the bottom. Attach the clip to the back-facing handle.

Group 6 – Terrain (continued)

Step 11

Rotate 1 blue 2x8 plate vertically. Place its 3 back rows under the 3 front rows of the 2nd and 3rd columns from the right, so that it has 5 exposed rows to the front. Place 1 bright green 2x2 round tile on top of the 2 back exposed rows of the ppp. Then, place 1 transparent light blue 1x1 round tile in front of the rightmost column of the ppp.

Step 12

Place the 2 back rows of 1 bright green 4x4 rounded tile with studs on perimeter on top of the 2 front rows, so that it is centered horizontally.

Step 13

Attach 1 medium nougat 2x3 tile with clips on short edge to the front-facing handle. Angle the ppp so that it is as close as possible to the ground. The ppp represents a bridge connecting the two pieces of terrain.

Step 14

Place 1 reddish brown 1x1 round brick on top of the 4th column from the left of the front row. Then, place 1 reddish brown 1x1 brick with side stud on top of the ppp, so that its side stud faces to the right. Lastly, attach 1 medium nougat 2x2 tile with red arrow printed on tan wood grain pattern to the right-facing side stud of the ppp. Ask a sighted friend to make sure that the ppp is oriented correctly.

Step 15.1

We need to assemble a sub-build for a question block. Place 1 yellow 2x2 round plate with axle hole in front of you. Then, place 1 yellow 1x2 brick vertically on top of the leftmost column of the ppp.

Group 7 - Terrain (continued)

Step 15.2

Place 1 yellow 1x2 brick with white question mark print vertically to the right of the ppp. Ask a sighted friend to make sure that the ppp is oriented correctly.

15.3 Place 1 yellow 2x2 tile with the interactive code for “the question block” on top of the 2 ppps. Ask a sighted friend to make sure that the ppp is oriented correctly.

15.4 Attach 1 white 1x1 round plate with open stud under the question block build.

15.5 Insert the bar of 1 transparent clear 1x1 round plate with 4L upright bar into the ppp.

15.6 The sub-build is complete. Attach it to the 2nd row from the back on the leftmost column.

Book 1, bag 2

Group 8 – Pipe

Step 1

Let's build a pipe. Place 1 bright green 6x6 plate with no studs on the corners and in the center in front of you.

Step 2

Place 2 light bluish gray 2x4 bricks vertically, one to the right of the other, on top of the ppp, so that together they are centered horizontally and vertically.

Step 3

Locate 2 bright green 1x4 tiles. Place the first one horizontally on the back row of the 2 ppps. Take the second one and repeat symmetrically on the front. Find 2 bright green 1x2 tiles. Place the first one vertically behind the leftmost column of the ppp. Take the second one and repeat symmetrically on the right. Lastly, place 1 bright green 2x2 tile with the code for "pipe" between the 2 ppps. Ask a sighted friend to make sure that the ppp is oriented correctly.

Step 4

Lastly, place 1 bright green 6x6 pipe on top of the build, so that the tiles from the previous step slide onto its center.

Group 9 – Goal flag pole

Step 1

Let's build the terrain for the goal flag pole. Place 1 dark orange 6x6 plate with no studs on the corners and in the center in front of you. Then, place 1 black 2x2 tile with the code for "goal" on the 2 front rows of the ppp, so that it is centered horizontally. Ask a sighted friend to make sure that the ppp is oriented correctly.

Step 2

Place 1 black 2x2 round tile with stud on the 2 back rows, so that it is centered horizontally.

Step 3

Insert 1 light bluish gray 16L rigid hose vertically upright into the ppp. Place 1 yellow 1x1 round plate with open stud on the top of the ppp. Then, attach 1 bright light orange technic ball to the ppp. Lastly, attach 1 black 2x3 tile with clips on short edge and white Bowser pattern to the top part of the rigid hose, below the 1x1 round plate. Rotate the flag so that it faces to the right.

Group 10 – Lava terrain

Step 1

Let's build the lava terrain. Place 1 red 6x6 plate with no studs on the corners and in the center in front of you.

Step 2

If you place Interactive Mario on top of the red terrain, he will make sounds as if he was being burned!

Step 3

Grab 3 red 2x2 tiles with 2 studs. Rotate the first one so that its studs face to the back. Place it under the front row of the ppp, so that it is centered horizontally and it has 1 exposed studless row to the front. Take the second one and repeat symmetrically on the back. Rotate the last one so that its studs face to the left. Place it under the rightmost column, so that it is centered vertically and it has 1 exposed studless column to the right. Note that we will not consider the exposed studless rows/columns when counting rows and columns.

Step 4

Rotate 1 red 2x6 plate horizontally. Place its 2 rightmost columns under the 2 leftmost columns of the lava terrain build, so that it has 4 exposed columns to the left. Then, place 1 light bluish gray 2x2 round tile on top of the 2 leftmost columns on top of the ppp.

Step 5

Place 1 black 4x4 tile with locking turntable on top of the 2nd to 5th columns from the right, so that it is centered vertically.

Step 6

Place 1 dark bluish gray 4x4 round plate on top of the ppp, so that its studs form rows and columns. Locate 2 light bluish gray 1x2 log bricks. Place the first one horizontally on the back row of the ppp. Take the second one and repeat symmetrically on the front. Then, place 1 black 2x4 brick horizontally between the 2 ppps, so that it is centered horizontally.

Group 11 – Lava terrain (continued)

Step 7

We need to assemble a sub-build. Place 1 dark bluish gray 2x12 plate vertically in front of you. Then, place 1 light bluish gray 1x2 rounded plate with open studs horizontally on the back row of the ppp.

Step 8

Place 1 light bluish gray 2x6 double inverted slope brick with 2x4 cutout horizontally in front of the ppp, so that it is centered horizontally, and it slopes and overhangs to the left and to the right by 2 columns. Then, place 1 light bluish gray 1x2 rounded plate with open studs horizontally in front of the ppp.

Step 9

Place 1 bright light orange 4x4 rounded tile with the code for “cycle” on top of the 4 front rows, so that it overhangs to the left and to the right by 1 column.

Step 10

Place 1 dark bluish gray 4x4 round plate on top of the 4 back rows.

Step 11

Place 1 light bluish gray 2x4 tile horizontally on the 2 middle rows of the ppp.

Step 12

Find 2 light bluish gray 1x2 log bricks. Place the first one vertically to the left of the ppp. Take the second one and repeat symmetrically on the right. Lastly, place 1 dark bluish gray 1x2 tile vertically on top of each of the 2 ppps.

Step 13

Grab 2 black 2x2 curved slope tiles. Rotate the first one so that it slopes to the left. Place its rightmost column on the leftmost column of the 6th and 7th rows from the front, so that it overhangs to the left by 1 column. Take the second one and repeat symmetrically to the right.

Step 14

The sub-build is complete. Bring back the lava terrain build, so that its 2x2 round tile is to the left. Attach the overhang of the 2 ppps to the leftmost and rightmost columns of the 2x4 brick located on the 3rd and 4th rows from the front of the 2nd to 5th columns from the right.

Step 15

The lava terrain build is complete!

Book 1, bag 3

Group 12 – Bowser Junior

Step 1

Place 1 yellow 2x3 rounded plate with 2 feet in front of you, so that its feet face to the front. Then, place 1 light bluish gray 1x1 round plate on the back row of the ppp, so that it is centered horizontally.

Step 2

Place 1 white 1x2x1 2/3 brick with side studs on top of the ppp, so that its side studs face to the back.

Step 3

Locate 2 yellow 1x2 bricks. Place the first one vertically on the leftmost column. Take the second one and repeat symmetrically on the right. Continue by placing 1 yellow 1x2 brick with pin hole vertically on top of each of the 2 ppps.

Step 4

Place 1 blue 1x2x1 2/3 brick with side studs on the front row, so that it is centered horizontally and its side studs face to the front. Then, place 1 light bluish gray 1x1 round plate on top of the ppp.

Step 5

Place 1 lime 2x3 brick horizontally on the back row.

Step 6

Insert 1 yellow arm and hand with pin into each of the 2 side-facing holes, so that the hands face to the front.

Step 7

Place 1 red 1x1 brick on the front row, so that it is centered horizontally. Find 2 tan 1x1 bricks with side studs on adjacent sides. Place the first one to the left of the ppp, so that its side studs face to the left and to the front. Take the second one and repeat symmetrically on the right.

Step 8

Place 1 tan 1x3 plate horizontally on the front row, on top of the 3 ppps from the previous step.

Step 9

Grab 2 lime 1x1 bricks with side studs and lip. Place the first one behind the leftmost column of the ppp, so that its side stud faces to the left. Take the second one and repeat symmetrically on the right. Then, attach 1 tan 1x1 pyramid tile to the sides stud of each of the 2 ppps.

Group 13 – Bowser Junior (continued)

Step 10

Place 1 lime 1x1 brick on the back row, so that it is centered horizontally, between the 1x1 bricks with side stud and lip from the previous step.

Step 11

Place 1 lime 1x3 plate horizontally on the back row.

Step 12

Place 1 lime 1x3 brick with printed Bowser Jr.'s eyes with large red eyebrows horizontally in front of the ppp. Ask a sighted friend to make sure that the ppp is oriented correctly.

Step 13

Rotate Bowser Jr., so that his hands face to the back. Attach 1 white 2x4 plate vertically upright to the front-facing side studs, so that its bottom edge is flush. Then, attach 1 green shell with white spikes and 2x2 recessed center upright to the ppp.

Step 14

Attach 1 green 2x2 tile with the code "Bowser Jr." to the front-facing side studs of the ppp.

Step 15

Rotate Bowser Jr., so that his hands face to the front. Attach 1 yellow 2x3 tile with a white bandana with a drawn mouth horizontally upright to the 2 bottom front-facing side studs. Then, attach 1 tan 2x4 rounded tile with a printed open mouth horizontally upright above the ppp. Ask a sighted friend to make sure that the 2 ppps are oriented correctly.

Step 16

Locate 2 lime 1x2 tiles. Place the first one vertically on top of the leftmost column. Take the second one and repeat symmetrically on the right.

Step 17

Place 1 lime 1x2 jumper plate vertically between the 2 ppps. Then, place 1 light bluish gray 1x1 round plate on top of the ppp. Lastly, place 1 red 1x1 slope tile on top of the ppp, so that it slopes to the front.

Step 18

Find 2 tan 1x1 quarter round tiles. Attach the first one to the left-facing side stud, behind the leftmost column of the 2x4 rounded tile, so that its curved edge faces to the back and to the bottom. Take the second one and repeat symmetrically on the right.

Group 14 – Bowser Junior's clown car

Step 1

Let's build Bowser Junior's clown car. Place 1 white 3x3 plate with rounded corner in front of you, so that its curved edge faces to the back and to the right. Rotate 1 white 2x2 corner brick with cut corner so that its cut corner faces to the back and to the right. Place it on top of the back right corner of the ppp.

Step 2

Place 1 light bluish gray 1x4 tile with 2 studs horizontally to the left of the front row of the ppp, so that it overhangs to the left by 2 columns.

Step 3

Rotate 1 white 3x3 plate with rounded corner so that its curved edge faces to the back and to the left. Place its 2 rightmost columns of its middle row under the overhang of the ppp.

Step 4

Rotate 1 white 2x2 corner brick with cut corner so that its cut corner faces to the back and to the left. Place its front row to the left of the ppp.

Step 5

Place 1 white 2x6 plate horizontally on the front row, so that it overhangs to the front by 1 row.

Step 6

Locate 2 white 3x3 plates with rounded corner. Rotate the first one so that its curved edge faces to the front and to the left. Place its back row under the 3 leftmost columns of the overhang of the ppp. Take the second one and repeat symmetrically to the right.

Step 7

Place 1 white 1x6 plate horizontally on the 2nd row from the front.

Step 8

Place 1 white 1x4x2 panel with clown car face with black eyes and closed mouth with orange lips horizontally in front of the ppp, so that it is centered horizontally and its flat edge faces to the front.

Group 15 – Bowser Junior's clown car (continued)

Step 9

Rotate the build so that the flat edge of the ppp faces to the back. Place 2 black 1x2 plates with door rail horizontally, one to the right of the other, on the 2nd row from the back, so that together they are centered horizontally and their door rails face to the back.

Step 10

Find 2 white 1x1 plates with 1x2 upright side studs. Place the first one to the left of the 2 ppps, so that its side studs face to the front. Take the second one and repeat symmetrically on the right. Grab 2 dark bluish gray 1x2 plates with ball on long edge. Place the first one vertically in front of the ppp, so that its ball faces to the right. Take the second one and repeat symmetrically on the left.

Step 11

Locate 2 black 1x3 plates. Rotate the first one vertically. Place its 2 back rows to the right of the ppp. Take the second one and repeat symmetrically on the right. Place 1 light bluish gray 2x2 tile with the code for "Bowser Jr. clown car" between the 2 back rows of the 2 ppps.

Step 12

Find 2 white 1x3 plates. Place the first one vertically on the 2nd to 4th row from the back on the leftmost column. Take the second one and repeat symmetrically on the right. Grab 2 white 1x3 bricks. Place the first one vertically on top of the ppp. Take the second one and repeat symmetrically on the left.

Step 13

Locate 2 white 2x2 corner bricks with cut corner. Rotate the first one so that its cut corner faces to the front and to the left. Place its leftmost column in front of the ppp. Take the second one and repeat symmetrically on the right. Then, place 1 white 1x2x2 brick horizontally on the front row, so that it is centered horizontally, between the 2 ppps.

Step 14

Find 4 lime 1x4 plates. Place the first one horizontally on the back row. Take the second one and repeat symmetrically on the front. Place the next one vertically on the leftmost column. Place the last one symmetrically on the right.

Step 15

Grab 4 lime 1x2 plates. Place the first one vertically on top of the ppp, so that it is centered vertically. Place the second one symmetrically on the left. Place the third one horizontally on the back row, so that it is centered horizontally. Place the last one symmetrically on the front. Locate 4 lime 2x2 corner tiles with cut corner. Rotate the first one so that its cut corner faces to the back and to the left. Place it on the back left corner. Take the second one and repeat symmetrically on the right. Lastly, take the remaining 2 and repeat symmetrically on the front.

Group 16 – Bowser Junior's clown car (continued)

Step 16.1

We need to assemble a sub-build for the clown car's right boxing glove. Place 1 red 2x2 round plate with axle hole in front of you. Then, place 1 light bluish gray 1x2 plate with ball socket vertically on the leftmost column of the ppp, so that its ball socket faces to the left.

16.2 Place 1 red 1x1 round plate on the front row of the ppp. Rotate 1 red 1x1 plate with 1x1 curved slope tile vertically, so that it slopes to the back. Place it behind the ppp, so that it overhangs to the back by 1 row.

16.3 Rotate 2 red 1x1 plates with 1x1 curved slope tiles horizontally, so that they slope to the right. Place the leftmost column of the first on top of the front row of the ppp. Place the second one in front of the ppp.

16.4 Place 1 red 1x2 tile vertically on top of the 2 ppps.

16.5 The boxing glove is complete. Flip it 90 degrees from back to front, so that the ppp faces to the front. Attach its left-facing ball socket to the right-facing ball of the clown car.

Group 17 – Bowser Junior's clown car (continued)

Step 17.1

We need to assemble a sub-build for the clown car's left boxing glove. Place 1 red 2x2 round plate with axle hole in front of you. Then, place 1 light bluish gray 1x2 plate with ball socket vertically on the rightmost column of the ppp, so that its ball socket faces to the right.

17.2 Place 1 red 1x1 round plate on the front row of the ppp. Rotate 1 red 1x1 plate with 1x1 curved slope tile vertically, so that it slopes to the back. Place it behind the ppp, so that it overhangs to the back by 1 row.

17.3 Rotate 2 red 1x1 plates with 1x1 curved slope tiles horizontally, so that they slope to the left. Place the rightmost column of the first on top of the front row of the ppp. Place the second one in front of the ppp.

17.4 Place 1 red 1x2 tile vertically on top of the 2 ppps.

17.5 The boxing glove is complete. Flip it 90 degrees from back to front, so that the ppp faces to the front. Attach its right-facing ball socket to the left-facing ball of the clown car.

Group 18 – Bowser Junior's clown car (continued)

Step 18

Flip the build upside down. Attach 1 white 2x2 plate with pin underneath to the top-facing antistuds, so that it is centered horizontally and vertically.

Step 19

Slide 1 lime propeller onto the pin of the ppp.

Step 20

Flip the build right-side up, so that its side studs face to the front. Locate 2 white 1x2 slope tiles. Attach the first one vertically upright to the leftmost front-facing side studs, so that it slopes to the left. Take the second one and repeat symmetrically on the right.

Step 21

The clown car is complete! You can place Bowser Junior inside. Alternatively, you can also place Interactive Mario inside, so that he can produce clown car sounds.

Book 1, bag 4

Group 19 – Yoshi

Step 1

Place 1 orange 2x2 round plate with feet in front of you, so that its feet face to the back. Place 1 lime 1x2 plate with 2x2 upright side studs horizontally on the back row of the ppp, so that its side studs face to the back.

Step 2

Place 1 lime 1x2 plate horizontally in front of the ppp.

Step 3

Place 1 lime 2x2 plate on top of the Yoshi build.

Step 4

Place 2 lime 1x1 bricks with pinhole on the back row, one to the right of the other, so that their pin holes face to the left and to the right.

Step 5

Place 1 lime 1x2 plate with 1x2 side studs hanging down horizontally in front of the 2 ppps.

Step 6

Attach 1 lime 1x2 triple slope horizontally upright to the front-facing side studs of the ppp, so that it slopes to the left, to the bottom, and to the right. Note that we will not consider the ppp when counting rows or columns.

Step 7

Place the back row of 1 white 2x2 round tile with stud on top of the front row. Then, attach 1 red 2x2 round tile with hole upside down to the ppp. Lastly, attach 1 red 2x2 inverted round tile with rounded bottom to the ppp, so that its rounded bottom faces to the top. This is Yoshi's seat.

Step 8

Rotate Yoshi so that its seat is to the back. Attach 1 white 1x2 half circle plate horizontally upright to the bottom row of front-facing side studs. Then, attach 1 white 1x2 tile horizontally upright above the ppp.

Step 9

Insert 1 lime hand and arm with pin into each of the 2 side-facing side studs, so that the hands face to the front.

Step 10

Place 1 white 1x2 plate with door rail horizontally on top of the front row, so that its door rail faces to the front.

Group 20 – Yoshi (continued)

Step 11

Let's build Yoshi's head. Place 1 lime 1x2 plate with 2x2 upright side studs horizontally in front of you, so that its side studs face to the front. Place 1 lime 1x2 brick with side studs vertically on the leftmost column of the ppp, so that it overhangs to the back by 1 row and its side studs face to the left.

Step 12

Rotate 1 lime 1x2 plate with 2x2 upright side studs horizontally, so that its side studs face to the back. Place its leftmost column under the overhang of the ppp.

Step 13

Place 1 lime 1x2 brick with side studs vertically on the rightmost column, so that its side studs face to the right.

Step 14

Attach 2 lime 1x2 jumper plates horizontally upright, one above the other, to the back-facing side studs.

Step 15

Attach 1 red 1x1 half cylinder brick to each of the 2 ppps, so that they slope to the top and to the bottom.

Step 16.1

Attach 1 lime 1x2 curved slope brick horizontally upright to the bottom row of front-facing side studs, so that it slopes to the front and to the bottom. This is the bottom of Yoshi's mouth.

Group 21 – Yoshi (continued)

Step 16.2

Attach 1 lime 1x2 curved slope brick with printed nostrils horizontally upright to the top row of front-facing side studs, so that it slopes to the front and to the top. This is the top of Yoshi's mouth.

Step 17

Locate 2 lime 1x1 quarter round tiles. Place the first one behind the leftmost column of the ppp, so that its curved edge faces to the back and to the left. Take the second one and repeat symmetrically to the right.

Step 18

Place 1 lime 1x2 brick with black eyes with white background horizontally behind the 2 ppps. Ask a sighted friend to make sure that the ppp is oriented correctly.

Step 19

Yoshi's head is complete. Bring back his body, so that its hands face to the front. Attach the back row of Yoshi's head to the front row of his body, so that his mouth overhangs to the front.

Step 20

Find 2 white 2x2 round tiles. Hold the first one upright, so that its antistuds face to the right. Attach its top row to the left-facing side studs. Take the second one and repeat symmetrically on the right.

Step 21

Put the stem of 1 red apple into Yoshi's right hand. Yoshi is complete!

Group 22 – Yoshi's corner

Step 1

Let's build Yoshi's corner. Place 1 green 2x6 plate horizontally in front of you. Then, place 1 lime 2x2 tile with the code for "Yoshi egg" on the 2 rightmost columns of the ppp.

Step 2

Place 1 reddish brown 2x2 round brick with axle hole on the 2nd and 3rd columns from the left.

Step 3

Place 1 medium nougat 2x2 jumper plate on top of the ppp. Then, place 1 red mug on top of the ppp, so that its handle faces to the back.

Step 4

Place the rightmost column of 1 bright green 4x4 rounded tile with studs on perimeter on top of the leftmost column, so that it is centered vertically.

Step 5

Place 1 lime 1x1 round plate with 3 leaves on top of the back right corner of the ppp, so that its leaves face to the back and to the right. Then, place 1 yellow 1x1 round plate with petals on top of the ppp.

Step 6

Rotate 1 green 2x6 plate vertically. Place its 2 back rows under the 2 front rows of the 2nd and 3rd columns from the left, so that it has 4 rows exposed to the front.

Step 7

Yoshi's corner is complete! Interactive Mario can react to the 2x2 Yoshi egg tile.

The build is complete! You can arrange and connect the different parts of terrain as you wish to create a course for Interactive Mario. It is suggested that you begin with the pipe and end with the goal flag pole. As advertised at the end of the instructions, if you have any of the other interactive figures (Luigi, from set 71440; or Peach, from set 71441), you can also place them on top of any of the tiles with code so that they can produce matching sounds.

At the end of the instructions, you will find a page with a picture of the Interactive Mario figure. Above him, the text "MAKE SURE TO UPDATE YOUR INTERACTIVE FIGURE IN THE LEGO SUPER MARIO APP TO BE READY TO PLAY" inside a red rectangle with rounded corners. On the right side of the page, the text is displayed in several different languages. On the bottom, there is a link to a trouble shooting website: [<https://www.lego.com/super-mario-trouble-shooting-guide>]. The next two pages advertise the functionality of play with two interactive figures: Interactive Mario with Interactive Luigi or Interactive Mario with Interactive Peach. Afterwards, the next 2 pages advertise 10 other sets from the theme: 71428 (Yoshis' Egg-cellent Forest Expansion Set), 71429 (Nabbit at Toad's Shop Expansion Set), 71430 (Penguin Family Snow Adventure Expansion Set), 71431 (Bowser's Muscle Car Expansion Set), 71432 (Dorrie's Sunken Shipwreck Adventure Expansion Set), 71433 (Goombas' Playground), 71434 (Soda Jungle Maker Set), 71435 (Battle with Roy at Peach's Castle), 71436 (King Boo's Haunted Mansion), and 71437 (The Bowser Express Train). Afterwards, you will find the set inventory and on the last page you will find an invitation to share feedback.

Thank you so much for building this set!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!