72150 Munchlax

Adapted by Carrie Blazina and tested by Natalie Charbonneau.

Ignite your Pokémon passion as you relive Trainer adventures with the Munchlax display model kit. This collectible building set offers adult gamers and fans a rewarding challenge as they create an adorable and authentically detailed figure that makes impressive room decor for a shelf in your home or office. With movable arms and legs, plus a rotatable head, the figure can be positioned and posed in endless creative ways. Find the Munchlax enjoying one of its favorite things: snacks! The figure sits on a tree stump with an apple and two apple cores.

MUNCHLAX BUILDING SET – Feast on fun with LEGO Munchlax, a model kit recreating the food-loving Pokémon as a detailed and immersive project for adult fans.

POSABLE LEGO FIGURE – Position and pose the iconic, lovable Pokémon mid-munch by moving the arms and turning the head.

DIMENSIONS – This 757-piece Munchlax figure for builders 18+ years old stands 6.5 in. (16 cm) tall and 5.5 in. (14 cm) wide.

The front of the box shows Munchlax, a baby Pokémon that will become the iconic sleepy creature Snorlax. Munchlax has a round, teal-blue body, a cream-colored spot on its chest and wide mouth that's always ready for a snack. It faces the front and is sitting on a tree stump with its feet propped up on the stump so its brown foot pads face front. He's surrounded by apple cores and a whole apple as well as some mushrooms and flowers of several colors. The box also features the iconic yellow Pokémon logo in its classic chunky, playful font with a blue border around the letters as well as Munchlax's Pokédex number, #446, and a black and white Pokéball icon.

The top of the box features a close-up of the apple and apple cores as well as a 1 to 1 scale image of the tile used for the bottom of Munchlax's foot.

The left side of the box has a close-up of Munchlax without the stand. The right side of the box features this text: "Components made in Denmark, Mexico, Hungary, China, Vietnam, the USA, Germany and the Czech Republic. Distributed in the USA by LEGO Systems, Inc., Boston, MA 02115"; the same text appears in French and Spanish.

The back of the box features Munchlax sitting next to the stump and holding one of the apple cores in its right hand. There is also a diagram showing the dimensions of the set, a photo of a builder placing Munchlax onto the stump, and a close-up showing that Munchlax's head can be turned and the hands can go up and down.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back.
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.

- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified).
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- “Anti-stud” is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece.
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner who may want to follow along with the printed visual instructions that come with each set, PDF versions are always online at LEGO.com: [https://www.lego.com/en-us/service/building-instructions/72150]. Low-vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces

To begin a successful build, it helps to sort the pieces into groups, bags or small containers. Have a sighted friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted into groups according to the building steps in the set. Doing this in advance makes locating the pieces easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers or meaningful names. The parts will be collected into a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2 and 3, and put them in one container.

The box contains six bags and an instruction booklet. Sort the pieces into groups as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split across two groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

This build has 757 pieces and 213 building steps.

Bag 1: Building the base of the stand and an apple.
Group 1: Steps 1-9, starting to build the base of the stand. Note: Please include the green 2x6 tile from step 9 in this group; the light blue tile of the same size should be in the next group.
Group 2: Steps 9-10, continuing to build the base of the stand.
Group 3: Steps 11-16, continuing to build the base of the stand.
Group 4: Steps 17-18, finishing the base of the stand and building an apple.

You will have a few leftover pieces: a dark green 1x1 quarter tile, a black 1x1 round tile and a green 1L bar with angled stud on one end.

Bag 2: Starting the stump to go on top of the base.
Group 5: Steps 19-34, starting to build the stump’s center. Note: Please include the red 4x8 half-circle plate in this group; the white plate of the same size should be in the next group.
Group 6: Steps 34-42, continuing to build the stump’s center.
Group 7: Step 43, continuing to build the stump.

You will have a few leftover pieces: a coral 1x1 round tile, a black 1x1 tile, a black 1x1 quarter tile, a black 1x2 round half-circle tile, a tan 1x1 quarter tile and a yellow 1x1 round plate.

Bag 3: Finishing the stump and the base of the stand.
Group 8: Steps 44-50, starting to build the legs of the stump.
Group 9: Steps 51-58, finishing the legs of the stump and starting to build a side of the stump.
Group 10: Steps 59-83, finishing the sides of the stump and adding mushrooms and flowers around it.
Group 11: Step 84, building two apple cores.

You will have a few leftover pieces: a reddish brown 1L bar with a 1x1 round plate on one end, a black 2L bar with a stop ring, a reddish brown 1x1 round plate, a reddish brown 1x1 slope, a bright pink 1x1 round plate with flower edges, a bright yellow 1x1 round plate with flower edges, and a sand green plant flower stem with three arms and a small bar at the base.

Bag 4: Starting to build Munchlax, including the torso and sides.
Group 12: Steps 85-89, starting to build Munchlax's torso. Note: Please place the four white 1x1 round plates in this group; the four red 1x1 round plates should be in the next group.
Group 13: Steps 89-110, continuing to build Munchlax's torso and sides.
Group 14: Steps 111-123, building Munchlax's arms.

You will have a few leftover pieces: a dark turquoise 1x1 tile, a dark turquoise 1x1 plate, a dark turquoise 1x1x1 double convex corner slope, a red 1x1 round plate, a white 1x1 round plate, a blue 1x1 round tile, a yellow 1x1 round plate with flower edges and a satin transparent blue 1x1 octagonal jewel.

Bag 5: Building more of Munchlax's body, including the back and stomach fur and feet.
Group 15: Step 124, starting to build Munchlax's back fur.
Group 16: Steps 125-134, continuing to build Munchlax's back fur.
Group 17: Steps 135-139, continuing to build Munchlax's back fur and building its stomach fur.
Group 18: Steps 140-153.2, continuing to build Munchlax's stomach fur
Group 19: Steps 153.3-174, finishing Munchlax's stomach fur and building its feet.

You will have a few leftover pieces: a tan 1x1 plate, a tan 1x1 round plate with a clip underneath and a white 1x1 double slope.

Bag 6: Building Munchlax's head and finishing the set.
Group 20: Steps 175-204, building Munchlax's head.
Group 21: Steps 205-213, finishing Munchlax's head.

You will have one leftover piece: a dark turquoise 1x2 half-circle tile.

This set has no stickers.

On the cover of the instruction booklet, Munchlax is sitting on the stump and holding an apple core in its right hand.

On the first page, LEGO informs you that they're switching from plastic to paper-based packaging and that's why you might find a mix of both in the box; there is a photo of kids playing with LEGO, and both kinds of packaging are visible on the table next to the bricks. On the next page is an ad with a QR code to download the LEGO Builder app.

On the third page, you'll find Munchlax's Pokédex entry, accompanied by a cartoon image of Munchlax. The entry uses a pixelated font reminiscent of early video game text styles and reads as follows: "Pokédex: MUNCHLAX, #0446. BIO: It needs to consume its own weight in food every day. As far as flavor is concerned, it's indifferent. CATEGORY: Big Eater. HEIGHT: 0.6 m./2'00". WEIGHT: 105 kg/231.5 lbs. GENDER: Female or male. ABILITIES: Pickup, Thick Fat. TYPE: Normal. WEAKNESSES: Fighting." The same text also appears in French and Spanish, which is true throughout these introductory pages.

On the opposite page is a Pokédex entry for LEGO Munchlax, accompanied by an image of the build, which reads: “LEGO specs: MUNCHLAX, #0446. BIO: This LEGO Munchlax is guaranteed to only chomp on its brick snacks. (No need to lock up your pantry or fridge.) PIECE COUNT: 419. HEIGHT: 12.7 cm/5". WEIGHT: 0.245 kg/0.54 lbs. ARTICULATION: Head, arms.”

On the fifth and sixth pages, there are screenshots of Munchlax from Pokémon Sun and Moon, where it stands on a gray tiled floor; Pokémon Scarlet and Violet, where it is standing on a box surrounded by a desert landscape; Pokémon Omega Ruby and Alpha Sapphire, where its cartoon Pokédex image is visible against a dark blue background; and Pokémon Sword and Shield, where its cartoon Pokédex image is visible against an orange background.

The text on the fifth page reads: “A delightful devourer: Munchlax is almost always on the move looking for something, well, anything, to eat. Eating its own weight in food every day is a full-time job. Thanks to its resilient stomach, it wastes very little time chewing, and it’s equally thrilled to dine on gourmet meals, compost scraps and food originally meant for others. Munchlax’s thick, layered fur provides ample food storage space, which is super handy in snack emergencies. It’s just that Munchlax often forgets about its hidden fur-stash, at least until the grub begins to emit fragrant surprises and/or take on a life of its own and slide out. First discovered in the Sinnoh region, this Big Eater Pokémon evolves into the sleepy Snorlax when it bonds with a Trainer.”

On the seventh page, the text reads: “From the LEGO Pokémon Trainers: This LEGO Pokémon Munchlax is a faithful recreation of the beloved character, as seen in the early video game series. Since Munchlax is known for its voracious appetite, we’ve added several brick-built items and fun elements to highlight these signature traits. Munchlax itself is the most intricate part of the model, and the surrounding scenery is designed with a variety of colors and a number of fun details. Inspired by the character’s love of hiding things in its fur, we’ve even planted a surprise for you to discover as you build. (It won’t smell, we promise!) We hope you enjoy building and displaying it as much as we enjoyed creating it.” The eighth page has a repeat of the images on the box of Munchlax with its stump.

The next page has a diagram of multiple ways to use the included brick separator. First, the underside of the brick separator’s two studs attach to the top of a plate to detach it from on top of a brick. Then, the separator’s two studs attach to the underside of a plate to detach it from under a brick. Next, the separator’s axle pushes a bar through a brick’s axle hole to remove the bar. Finally, the angled edge of the separator removes a tile from a plate.

Let’s build!

Bag 1
Building the base of the stand and an apple.

Group 1
Starting to build the base of the stand.

Step 1
Place vertically in front of you a dark green 1x4 plate. Then, horizontally place the rightmost column of a dark green 2x6 tile centered vertically on the ppp.

Step 2
Vertically place a dark green 2x4 plate to the left of the 1x4 plate under the ppp so it is centered vertically.

Step 3
Horizontally place to the left of the ppp a light gray 4x12 plate so it is flush with the ppp.

Step 4
Horizontally place the back row of a dark green 2x6 tile on the front row on the six rightmost columns of the build so it is flush with the previously placed dark green 2x6 tile. Place another horizontally symmetrically to the back of it.

Now, vertically place a black 1x6 tile to the left of the two ppp so it is flush with the three 2x6 tiles.

Step 5
Place a dark green 6x6 round corner plate in front of you so its curved side faces the front right. Place its back row under the front row of the frontmost dark green 2x6 tile on the six rightmost columns of the build. Then, place another symmetrically to the back of the ppp.

Next, place a white 4x4 plate to the left of the ppp so its front row's rightmost column is under the black 1x6 tile. Place another symmetrically to the front of the ppp.

Step 6
Vertically place a light gray 1x2 round plate on the rightmost column of the build on the fourth and fifth rows from the back (counting the whole build). Then, vertically stack a light gray 1x2 ingot tile on top of the ppp.

Now, place a dark green 1x1 quarter tile on the second column from the right on the fifth row from the front (counting the whole build) so its curved part faces the front right. Then, place a dark green 2x2 round corner macaroni tile with the curved part facing the front right so its back row is to the right of the ppp and its left column is in front of it.

Step 7
Let's make a part.

Vertically place a dark gray 1x2 hinge brick base so the shorter upward extensions are on the right. Then, place a light gray 2x2 hinge brick top plate on top of the ppp with the hinge on the left underside column so the hinge goes into the ppp's upward-facing hinge base and the 2x2 plate slopes and overhangs to the right.

Now, place this part on the second column from the right on the fourth and fifth rows from the back (counting the whole build) so the plate overhangs the ingot tile on the rightmost column.

Now, vertically place a light gray 1x2 ingot tile to the left of the part you just placed. Then, place a reddish brown 2x2 round tile to the left of the ppp, then place another behind it.

Step 8
Horizontally place a dark green 2x6 tile on the fourth and fifth rows from the front on the eighth through 13th columns from the left (counting the whole build) so it is to the left of the macaroni tile and quarter tile from step 6. Then, place a dark green 3x3 plate in front of the three leftmost columns of the ppp.

Now, place a dark green 1x1 quarter tile to the right of the ppp's back row so the curved part faces the front right. Then, place a dark green 2x2 round corner macaroni tile with the curved part facing the front right so its back row is to the right of the ppp and its left column is in front of it. Finally, place a dark green 3x3 round corner macaroni tile with the curved part facing the front right so its back row is to the right of the ppp's back row and the front row is in front of the leftmost column of the ppp.

Step 9
Vertically place a dark green 2x6 tile on the eighth through 10th rows from the front on the third and fourth columns from the left (counting the whole build) so three rows overhang to the back.

Group 2
Continuing to build the base of the stand.

Step 9 continued
Horizontally place a light blue 2x6 tile to the right of the ppp's two backmost rows. Horizontally place another on the sixth and seventh rows from the front on the third through eighth columns from the left.

Step 10
Place a dark green 6x6 round corner plate in front of you so its curved part faces the front left. Place it so its back row's three rightmost columns are under the ppp's three leftmost columns and the rest extends to the front. Now, place another symmetrically to the back of it.

Group 3
Continuing to build the base of the stand.

Step 11
Vertically place a black 1x6 tile on top of the two ppp on the build's third column from the left so its back row is on the front row of the back 6x6 plate and its front row is on the back row of the front 6x6 plate.

Next, vertically place a dark green 2x6 tile to the left of the ppp.

Step 12
Place a light gray 4x4 plate with 2x2 center cutout on the build's sixth through ninth columns from the left on the eighth through 11th rows from the front so it is on the 4x4 of studs on the left side of the build surrounded by tiles.

Then, horizontally place a dark green 2x6 tile on the fourth and fifth rows from the front of the build on the third through eighth columns from the left. Place another horizontally on the build's second and third rows from the back on the sixth through 11th columns from the left (counting the whole build).

Step 13
Horizontally place a dark green 2x4 plate with its front row under the back row of the ppp centered horizontally to that part so the gap in the two backmost rows is filled in and this piece is aligned with the back edge of the build.

Now, horizontally place another symmetrically to the front with its two rightmost columns under the dark green 3x3 plate's front two rows so the gap in the two frontmost rows is filled in and this piece is aligned with the front edge of the build.

Now, vertically place a dark green 1x4 plate under the leftmost column of the build centered vertically to fill in the gap in the leftmost column and this piece is aligned with the left edge of the build.

Step 14
Horizontally place a reddish brown 1x2 round plate on the build's back row on the fourth and fifth columns from the left. Place another horizontally on the back row on the sixth and seventh columns from the right.

Now, horizontally place a dark gray 1x4 tile between the two ppp.

Step 15
Vertically place a light gray 1x2 ingot tile on the second and third rows from the back of the build on the fifth column from the left. Place another horizontally on the second and third columns from the left on the fifth row from the back of the build.

Now, place in front of you a reddish brown 3x3 round corner macaroni tile so its curved part faces the back left. Place it so the front-facing short, flat end is behind the left column of the horizontal ingot tile you just placed and its right-facing short, flat end is to the left of the back row of the vertical ingot tile you just placed.

Next, place a black 1x1 round tile on the leftmost column of the build on the fifth row from the back.

Step 16
Stack a white 2x2 tile on top of a tan 2x2 plate. Then, place this stack in the recessed center of the light gray 4x4 plate on the seventh and eighth columns from the left on the ninth and 10th rows from the front.

Group 4
Finishing the base of the stand and building an apple.

Step 17
Place a dark green 1x1 quarter tile with the curved side facing the front left on the second column from the left on the fifth row from the front. To the left of the ppp and in front of it, place a dark green 2x2 round corner macaroni tile with its curve also facing the front left.

Next, place another dark green 1x1 quarter tile with the curved side facing the front left on the seventh column from the left on the third row from the front. To the left of the ppp and in front of it, place a dark green 2x2 round corner macaroni tile with its curve also facing the front left. Now, place a dark green 3x3 round corner macaroni tile in front of and to the left of the ppp, with its curve also facing the front left.

Then, vertically place a dark green 1x2 ingot tile on the eighth column from the left on the second and third rows from the front. Place a dark green 1x1 quarter tile in front of the ppp with the curved part facing the front right.

Step 18
Let’s make an apple.

Place in front of you a red 2x2 round brick.

Then, place a red 1x1 red brick with studs on two sides on top of the ppp’s left column on the front row so the side studs face front and left. Repeat this placement three times symmetrically counterclockwise spaced evenly.

Now, place a white 2x2 round jumper tile on top of the four ppp.

Next, hold vertically upright a red 2x2 round tile with an extended half-circle so the curved part is at the bottom. Place it on the two front-facing side studs. Then, repeat this placement three times symmetrically counterclockwise spaced evenly around the apple.

Then, place a red 3x3 inverted dish on top of the apple centered vertically and horizontally.

Next, hold the stem of a green 1L bar with an angled stud on one end so the stud faces right. Horizontally place a bright green round 1x1 plate with a leaf attached on top of the pop’s stud so the leaf extends to the right

Place this part in the center stud of the 3x3 inverted dish.

Finally, place the apple on the base: Put it on the upward-facing 2x2 plate on the fourth and fifth rows from the back on the two rightmost columns of the build.

Bag 2
Starting the stump to go on top of the base.

Group 5
Starting to build the stump's center.

Step 19
Let's start a new build.

Place upside down in front of you a light gray 8x8 round plate; ensure there are two side notches on each side facing front, back, left and right. Place upside down on top of the ppp a black 4x4 plate with a 2x2 open center so it is centered vertically and horizontally.

Step 20
Place upside down in front of you a blue 1x2x2 plate with two studs on one side so the cutout is in the front and the thicker part of the piece with the two side studs is in the back. Place it on the 8x8 centered horizontally on the back row. Repeat this placement three times symmetrically counterclockwise spaced evenly around the 8x8 plate.

Now, horizontally place upside down a light blue 1x2 round plate on the front row between the blue 1x2x2 plate with two studs on one side and the black 4x4 plate with a 2x2 open center. Repeat this placement three times symmetrically counterclockwise spaced evenly around the 8x8 plate.

Step 21
Flip this build right side up. Now, place a black 4x4 plate with a 2x2 open center on top of the build so it is centered vertically and horizontally.

Step 22
Place a coral 1x1 round tile in front of the front row of the ppp in front of its leftmost column and place another to the left of the front row's leftmost column. Repeat both of these placements three times each symmetrically counterclockwise spaced evenly around the 8x8 round plate.

Step 23
Horizontally place a white 1x4 round plate on the front row of the 8x8 round plate centered horizontally, meaning the second row from the front of the build. Repeat this placement three times symmetrically counterclockwise spaced evenly around the 8x8 round plate.

Step 24
Place a yellow 1x1 round plate in front of the frontmost coral tile from step 22 in the build's third column from the left. Repeat this placement three times symmetrically counterclockwise spaced evenly around the 8x8 round plate.

Step 25
Horizontally place a blue 1x2 brick with two side studs on the front row of the build (counting the whole build) centered vertically and horizontally so the side studs face front. Repeat this placement three times symmetrically counterclockwise spaced evenly around the build.

Step 26
Vertically place a light blue 2x8 plate centered vertically and horizontally on the build.

Next, horizontally place a black 2x3 plate to the left of the ppp's fourth and fifth rows from the front so it ends to the right of the leftmost blue 1x2 brick. Repeat this placement symmetrically to the right.

Step 27
Horizontally place a light blue 2x8 plate centered vertically and horizontally on the build.

Now, vertically place a black 2x3 plate behind the ppp's fourth and fifth columns from the left so it ends in front of the blue 1x2 brick in the back. Repeat this placement symmetrically to the front.

Step 28
Place a light blue 1x2 round plate so it is on top of the front left yellow 1x1 round plate on the third row from the front (counting the whole build) and on the third and fourth columns from the left; it should be at a 45-degree angle. Repeat this placement three times symmetrically counterclockwise spaced evenly on the build.

Step 29
On top of the ppp, place a dark gray 1x2 plate with 2x2 studs hanging down so its plate is on the ppp and the studs hang down to the back left; it'll be at the same 45-degree angle as the ppp you're placing it on. Repeat this placement three times symmetrically counterclockwise spaced evenly around the build.

Step 30
Place in front of you a blue 1x2x2 plate with two studs on one side so the cutout is in the back and the side studs face front. Place it on the front two rows of the build (counting the whole build). Repeat this placement three times symmetrically counterclockwise spaced evenly around the build.

Step 31
Vertically place a tan 2x6 plate centered vertically and horizontally on the build.

Then, place a white 2x2 round plate to the left of the ppp's third and fourth rows from the front. Repeat this placement symmetrically to the right.

Step 32
Horizontally place a light blue 2x8 plate centered vertically and horizontally on the build. Next, vertically place a black 2x3 plate behind the ppp's fourth and fifth columns from the left. Repeat this placement symmetrically to the front.

Step 33
Let's make four identical parts.

Place horizontally in front of you a dark gray 1x2 plate with 1x2 studs sticking up so the studs face front. Now, horizontally place a yellow 1x2 jumper plate on top of the ppp.

Now that you have four identical parts, place one on the angled front left 1x2 dark gray plate so it is angled the same way. Repeat this placement three times symmetrically counterclockwise spaced evenly around the build.

Step 34

Horizontally place a red 4x8 half-circle plate so its flat side faces front on top of the build’s second through fifth rows from the back centered horizontally.

Group 6
Continuing to build the stump’s center.

Step 34 continued
Horizontally place a white 4x8 half-circle plate so its flat side faces back in front of the ppp. (This step's two pieces form a hidden Pokéball design.)

Step 35
Horizontally place a light blue 1x4 plate on the front row of the ppp centered horizontally. Then, horizontally place a light blue 1x2 round plate behind the ppp centered horizontally. Repeat these two placements symmetrically to the back.

Now, vertically place another light blue 1x4 plate on the build's second column from the right. Repeat this placement symmetrically to the left.

Step 36
Place a black 1x1 quarter tile to the right of the ppp's second row from the back so the curved part faces the back right. Then, place a black 1x1 tile to the right of the ppp.

Next, horizontally place a black 1x2 tile in front of the two ppp. Now, place another black 1x1 tile in front of the ppp's right column.

Step 37
Repeat the placements from step 36 immediately to the right of the four ppp from that step: Place a black 1x1 quarter tile so the curved part faces the back right on the fifth column from the left (counting the whole build) on the sixth row from the front so it is to the right of the backmost black 1x1 tile from the previous step. Then, place a black 1x1 tile to the right of the ppp.

Next, horizontally place a black 1x2 tile in front of the two ppp. Now, place another black 1x1 tile in front of the ppp's right column.

Step 38
Horizontally place a black 1x2 half-circle tile to the right of the ppp so the flat side faces back. Then, place a black 1x1 quarter tile behind the ppp's right column so the curved part faces the back right. To the left of the ppp, place a black 1x1 tile.

Next, place a black 1x1 quarter tile behind the ppp so its curved part faces the back left. Then, place a black 1x1 tile to the right of the ppp.

(The tiles from steps 36 through 38 form the number 446 on top of the hidden Pokéball design as a reference to Munchlax's Pokédex number.)

Step 39
Horizontally place a yellow 2x4 plate on the second and third rows from the front of the build (counting the whole build) centered horizontally. Repeat this placement to the back.

Now, horizontally place two white 2x8 plates between the two ppp centered horizontally and vertically on the build.

Step 40
Horizontally place a reddish brown 1x4 brick with four side studs on the front row of the build (counting the whole build) so it is centered horizontally. Repeat this placement three times symmetrically counterclockwise spaced evenly around the build.

Step 41

Horizontally place four tan 1x2 tiles, one behind the other, starting on top of the front row's ppp centered horizontally and continuing on the three rows behind it.

Repeat these placements three times symmetrically counterclockwise spaced evenly around the build so you have 16 tan tiles on the build.

Now, place a tan 2x2 tile centered vertically and horizontally on the build (between the 16 ppp).

Step 42
Place a tan 1x1 quarter tile on the fourth row from the front (counting the whole build) on the fourth column from the right so the curved part faces the front right. Repeat this placement three times symmetrically counterclockwise spaced evenly around the build.

Next, in front and to the right of the first quarter tile you placed, place a tan 2x2 round corner macaroni tile curving to the front right. Repeat this placement three times symmetrically counterclockwise spaced evenly around the build.

Then, in front and to the right of the first 2x2 tile you placed, place a tan 3x3 round corner macaroni tile curving to the front right. Repeat this placement three times symmetrically counterclockwise spaced evenly around the build.

Finally, in front and to the right of the first 3x3 tile, place a tan 4x4 round corner macaroni tile curving to the front right. Repeat this placement three times symmetrically counterclockwise spaced evenly around the build.

Group 7
Continuing to build the stump.

Step 43
Let's make four identical parts, which will be the sides of the stump.

Place in front of you a reddish brown 4x4 plate.

Then, horizontally place two reddish brown 1x2 slope tiles, one to the right of the other, so they slope to the back on the back row of the ppp.

In front of the two ppp, horizontally place a dark brown 2x4 plate.

Now, horizontally place two reddish brown 1x2 slope tiles, one to the right of the other, so they slope to the front on the front row of the part.

Next, horizontally place two reddish brown 1x4 slope bricks, one in front of the other, on the two middle rows of the part so they slope to the left.

Now that you have four identical parts, let's place them on the build.

Rotate one part upright so the slopes slope to the back (with their studs at the bottom of the part) and place it on the build's front-facing side studs. Repeat this placement three times symmetrically counterclockwise spaced evenly around the sides of the build.

Bag 3
Finishing the stump and the base of the stand.

Group 8
Starting to build the legs of the stump.

Step 44
Let's start to build two legs of the stump; you will make this build twice (repeating steps 44 to 56).

Place vertically in front of you a reddish brown 2x4 inverted slope with a 2x2 cutout. Then, vertically place a light blue 1x2 round plate on the left column of the ppp centered vertically.

Step 45
Place a white 2x2 plate to the right of the ppp so the right column overhangs to the right.

Step 46
Vertically place a reddish brown 2x4 inverted slope with a 2x2 cutout with its left column and two middle rows under the right column of the ppp.

Step 47
Vertically place a light blue 1x2 round plate on the right column of the ppp on its two middle rows.

Step 48
Horizontally place a dark brown 2x4 plate centered vertically and horizontally on the build.

Step 49
Place a reddish brown 4x4 plate centered vertically and horizontally on the build.

Step 50
Place two reddish brown 2x2 curved slopes, one to the right of the other, so their cutouts are on the build's back row and their back row overhangs to the back. Now, place two more, one to the right of the other, so their cutouts are on the front row and their front row overhangs to the front.

Group 9
Finishing the legs of the stump and starting to build a side of the stump.

Step 51
Vertically place a light blue 1x2 round plate on the leftmost column of the build centered vertically. Next, place a reddish brown 2x2 plate to the right of the ppp. Now, place a reddish brown 2x2 wedge plate with a cut corner to the right of the ppp so the cut corner is in the back right.

Step 52
Horizontally place a reddish brown 1x2 inverted arch brick on the back row of studs (not counting the whole build) on the two leftmost columns so it slopes to the right. Then, stack two reddish brown 1x1 round plates on top of the left column of the ppp.

Step 53
Horizontally place a reddish brown 1x2x3 inverted arch brick with its leftmost column in front of the two ppp so it slopes to the right.

Step 54
Horizontally place, one behind the other, two reddish brown 1L bars with a 1x1 round plate on one end on the leftmost column of the build on the two rows of studs so the bars extend to the right.

Step 55
Vertically place a reddish brown 1x2 curved slope on the leftmost column of the build's two rows of studs so it slopes to the back.

Step 56
Let's make two identical parts.

Horizontally place in front of you an olive green 1x1 plant plate with three leaves so the leaves are on the right. Then, place a pink 1x1 round plate with flower edges on top of the plate of the ppp.

Now that you have two identical parts, flip one vertically upright and rotate it 90 degrees counterclockwise so the leaves extend to the back. Place it upright on the back right-facing bar so the bar goes through the base of the plant plate.

Flip the other part vertically upright and rotate it 180 degrees so the leaves extend to the front. Place it on the front right-facing bar so the bar goes through the base of the plant plate.

If you haven't already, repeat steps 44 to 56 to make a second part.

Step 57
Now, bring back the stump build from the previous bag.

Attach the new builds to the stump: Rotate and flip one build so the flowers face up and are in the front, the cutout corner on the third row from the left faces the top left, and the slopes slope upward, then attach it to one front-facing set of 2x3 side studs between the two sets of upward-facing slope bricks on the stump. The cut corner's top row should extend above the rest of the stump.

Rotate and flip the other build in the same orientation and attach it to the front-facing set of 2x3 side studs to the right of the other part, again with the cut corner extending one row above the rest of the stump.

Step 58
Let's start to make another side of the stump.

Place vertically in front of you a reddish brown 2x4 inverted slope with a 2x2 cutout. Then, vertically place a light blue 1x2 round plate on the left column of the ppp centered vertically.

Group 10
Finishing the sides of the stump and adding mushrooms and flowers around it.

Step 59
Place a white 2x2 plate to the right of the ppp so one column overhangs to the right.

Step 60
Vertically place a reddish brown 2x4 inverted slope with a 2x2 cutout with its left column and two middle rows under the right column of the ppp.

Step 61
Vertically place a light blue 1x2 round plate on the right column of the ppp on its two middle rows.

Step 62

Horizontally place a dark brown 2x4 plate centered vertically and horizontally on the build.

Step 63
Place a reddish brown 4x4 plate centered vertically and horizontally on the build.

Step 64
Place two reddish brown 2x2 curved slopes, one to the right of the other, so their cutouts are on the build's back row and their back row overhangs to the back. Now, place two more, one to the right of the other, so their cutouts are on the front row and their front row overhangs to the front.

Step 65
Let's make a part.

Place horizontally in front of you a reddish brown 2x6 tile upside down.

Then, place on the back row of the ppp the front row of a reddish brown 2x2 wedge plate with a cut corner so the cut corner is in the back left and overhangs to the back. Now, place another symmetrically in front of the ppp.

Flip the part over so the two ppp are on the left underside. Place an olive green 1x1 plant plate with three leaves so the leaves are on the left at a 45-degree angle on the back stud of the part. Then, place another symmetrically in front of the ppp.

Bring back the previous part (the side of the stump). Place the new part in the same orientation on top of the part's two middle rows so the leaves are to the left of the 2x2 curved slopes on the left side.

Step 66
Rotate the part and flip it upright so the leaves are at the top. Rotate the stump 90 degrees clockwise so the two sides you attached are in the left front and left back of the stump.

Attach the new part on the stump on the front-facing set of 2x3 studs so the two rows with the leaves extend above the top of the stump and the bottom is flush with the bottom of the stump.

Step 67
Let's make the last side of the stump.

Place vertically in front of you a reddish brown 2x4 inverted slope with a 2x2 cutout. Then, vertically place a light blue 1x2 round plate on the left column of the ppp centered vertically.

Step 68
Place a white 2x2 plate to the right of the ppp so one column overhangs to the right.

Step 69
Vertically place a reddish brown 2x4 inverted slope with a 2x2 cutout with its left column and two middle rows under the right column of the ppp.

Step 70
Vertically place a light blue 1x2 round plate on the right column of the ppp on its two middle rows.

Step 71
Horizontally place a dark brown 2x4 plate centered vertically and horizontally on the build.

Step 72
Place a reddish brown 4x4 plate centered vertically and horizontally on the build.

Step 73
Place two reddish brown 2x2 curved slopes, one to the right of the other, so their cutouts are on the build's back row and their back row overhangs to the back. Now, place two more, one to the right of the other, so their cutouts are on the front row and their front row overhangs to the front.

Step 74
Stack two reddish brown 1x1 bricks, one on top of the other, and place them on the back stud row on the leftmost column.

Step 75
Horizontally place a reddish brown 1x2x3 inverted arch brick to the right of the ppp so it slopes to the right. Then, horizontally place another on the front stud row's three leftmost columns so it slopes to the right.

Step 76
Place a reddish brown 1x1 slope to the right of the ppp so it slopes to the right.

Step 77
Horizontally place a reddish brown 1x2 plate on the back stud row on the two leftmost columns. In front of the ppp's left column, place a reddish brown 1x1 half-circle brick with a stud on one side so the side stud is facing the front right at a 45-degree angle.

Step 78
Vertically hold in front of you a reddish brown 1x2 curved slope so the cutout is in the front. Place it on the leftmost column of the build on the front and back stud row.

Now, place a reddish brown 1x1 slope to the right of the ppp's back row so it slopes to the back.

Step 79
Hold a sand green plant flower stem with three arms and a small bar at the base horizontally upright at a 45-degree angle with the arms facing the front right so the base's bar is in the back. Place the base's bar in the front-right-facing open stud on the leftmost column of the build on the front stud row.

Step 80
Let's make three identical parts.

Place in front of you a bright light blue 2x2 sunflower. Now, place a bright light yellow 1x1 round plate with flower edges on top of the ppp's central stud.

Now that you have three identical parts, flip one part upright so it is vertical and the 1x1 round plate faces the front right at a 45-degree angle. Attach it to one of the front-right-facing arms of the plant flower stem. Repeat this placement in this orientation with each of the other two parts.

Step 81
Flip and rotate the new part so the flowers are in the bottom right facing up and to the right and the reddish brown 1x2x2 curved slopes are on the left and right.

Rotate the stump 180 degrees so the last placed side is in the back left.

Place the new part on the left front corner's front-facing 2x3 studs; unlike the other sides, this side does not extend past the top of the stump.

Step 82
Let's attach the stump to the base you built in the first bag. Place the base in front of you so the apple is in the back right corner. Place the stump so its bottom 2x2 cutout attaches to the 2x2 tile at the approximate center of the base; the stump's side with the sunflowers should be in the front left.

Step 83
Let's make a mushroom to place on the base.

Place a white 1x1 cone with a top groove upright in front of you. Then, place a yellow 2x2 inverted dish on top of the ppp.

Place the mushroom on the base's front row to the left of the 3x3 macaroni tile.

Now, let's make another part.

Place horizontally in front of you a reddish brown 1x2 inverted arch so it slopes to the left. Then, place a reddish brown 1x1 slope on top of the right column of the ppp so it slopes to the left.

Flip the part downward so it is flat and the 1x1 slope is in the front right and its right angle is in the back right. Rotate the base 90 degrees clockwise so the apple is in the front right. Attach the part so the base of the 1x2 arch is on the stump's bottom row's front-facing studs.

Group 11
Building two apple cores.

Step 84
Let's make two identical parts.

Place in front of you a red 2x2 round plate with a rounded bottom. Now, place on top of the ppp a white 2x2 round tile with an open stud. Then, place a white 1x1 cone with a top groove on top of the ppp.

Next, place another white 2x2 round tile with an open stud upside down in front of you. Place vertically upright a black 2L bar with stop ring in the center hole of the ppp, pushing it down from the top. Attach the other end of the bar to the build's cone, pushing it down from the top.

On top of the build, place a red 2x2 inverted dish. Next, place the stud of a green 1L bar with an angled hollow stud on one end in the ppp. Finally, horizontally place the stud of a bright green 1x1 plant plate with a leaf on the ppp so the leaf extends to the right.

Now that you have two identical parts, place them on their side anywhere next to the base (they do not attach to it).

Bag 4
Starting to build Munchlax, including its torso and legs.

Group 12
Starting to build Munchlax's torso.

Step 85
Let’s start to build Munchlax’s torso. Horizontally place in front of you a white 2x4 plate. Then, place a yellow 1x2x2 plate with two studs on the side so its cutout is under the front row of the ppp on the right two columns.

Step 86
Place a yellow 1x2x2 plate with two studs on the side to the left of the ppp oriented the same way, then place another symmetrically to the back of it. Now, place another to the right of the ppp oriented the same way.

Step 87
Place a black 2x2 round brick on top of the build centered horizontally and vertically.

Step 88
Horizontally place a blue 1x2 brick with two studs on the side in front of the ppp so the studs face front. Repeat this placement three times symmetrically counterclockwise spaced evenly around the central black brick.

Step 89
Place a white 1x1 round plate in front of the ppp on the left front corner of the build; place three more symmetrically counterclockwise spaced evenly around the build.

Group 13
Continuing to build Munchlax’s torso and starting its sides.

Step 89 continued
Stack a red 1x1 round plate on top of each of the four ppp. (This will form more hidden Pokéball designs.)

Step 90
Place a yellow 1x1 plate with a stud hanging down on the front left corner of the build with the stud facing left. Repeat this placement three times symmetrically counterclockwise spaced evenly around the build.

Step 91
Place a yellow 1x2x2 plate with two studs on the side on the middle two rows on the two leftmost columns of the build so its cutout is on the right. Repeat this placement symmetrically to the right.

Step 92
Place a white 1x1 plate with a stud sticking up on the front left corner of the build with the stud facing left. Repeat this placement symmetrically opposite the ppp to the right. Then, place another in the same orientation as the ppp to the back of it. Now, place another symmetrically opposite the ppp to the left.

Step 93
Horizontally place a blue 1x2 round plate on the front row between the two front ppp, then place another symmetrically to the back.

Step 94
Horizontally place a red 1x4 plate on the front row of the build, then horizontally place another symmetrically to the back.

Step 95

Stack a black 2x2 round brick on top of a white 2x2 round plate. Place this part centered vertically and horizontally on the build.

Step 96
Place a blue 1x2 brick with two studs on the side in front of the ppp so the studs face front. Repeat this placement three times symmetrically counterclockwise spaced evenly around the central black brick.

Then, place a white 1x1 brick with studs on two sides in front of the ppp so the side studs face front and left. Repeat this placement three times symmetrically counterclockwise spaced evenly around the build.

Step 97
Place a white 4x4 plate on top of the build. Then, stack a black 4x4 turntable base on top of the ppp.

Step 98
Let's set aside the build you were working on and start to build Munchlax's sides. You will repeat steps 98 through 109 twice to make two sides.

Horizontally place in front of you a yellow 2x4 round corner plate with 1x2 cutout so the arms face back. Then, place a blue 1x1 round tile on the back row on the rightmost column.

Step 99
Horizontally place the back row of a red 2x4 brick on the front row of the build.

Step 100
Horizontally place in front of you a yellow 2x4 round corner plate with 1x2 cutout so the arms face front. Place its back row under the front row of the ppp.

Step 101
Place a blue 1x1 round tile on the rightmost column of the ppp's front row.

Step 102
Let's make a part.

Vertically place in front of you a red 1x4 plate. Next, vertically place the left column of a yellow 2x4 round corner plate with 1x2 cutout on the ppp so the arms extend to the right.

Place this part so the arms of the corner plate are on the leftmost column of the build.

Step 103
Let's make two identical parts.

Horizontally place a blue 1x2 round plate in front of you. Then, place a satin transparent blue 1x1 octagonal jewel on the right column of the ppp.

Now that you have two identical parts, place one on the two leftmost columns on the front row of the build. Place the other in the same orientation on the two leftmost columns on the back row.

Step 104
Let's make a part.

Vertically place a dark turquoise 1x2 plate in front of you. Next, place the left column of a dark turquoise 2x2 curved slope on top of the ppp with its cutout on the right.

Place the cutout of the part on the build's leftmost column centered vertically; the rest extends to the left.

Step 105
Horizontally place a dark turquoise 1x2x2 curved slope so it slopes to the left and its right column is on the leftmost column of the front row of the build. Place another in the same orientation to the back of the ppp.

Step 106
Vertically hold a light gray 1x2 plate with a centered ball socket on one side so its socket is on the left. Place it on the third column from the left on the two middle rows of the build.

Then, vertically place a blue 1x2 round plate to the right of the ppp.

Now, place a white 2x2 round plate to the right of the ppp.

Step 107
Place a blue 2x2 plate on top of the ppp.

Step 108
Let's make a part.

Vertically place a dark turquoise 1x4 plate in front of you. Now, vertically place a dark turquoise 1x2 plate centered vertically on the ppp.

Next, place a dark turquoise 1x1x1 double convex corner slope on the back row so it slopes to the front left. Place another in front of the ppp in the same orientation.

Now, place another in front of the ppp so it slopes to the back left. Place another in front of the ppp in the same orientation. (This forms the side's fuzzy fur.)

Place this part on the rightmost column of the build.

Step 109
Horizontally place two dark turquoise 1x3 curved slopes, one in front of the other, on the two middle rows of the build's second through fourth columns from the right so they slope to the left.

If you haven't already, repeat steps 98 through 109 to make a second side.

Step 110
Rotate one side 180 degrees and flip it vertically upright so the fuzzy fur is at the bottom. Place the side on the left side of the torso build so the fuzzy fur is flush with the bottom and sides of the torso and the sub-build extends above the top of the torso by one column. To ensure the side is in the right spot, check that the blue 1x1 round tile faces left, is flush with the bottom row of the torso's frontmost column and two studs are above it.

Flip the other side vertically upright so the fuzzy fur is at the bottom. Place the side on the right side of the torso build so the fuzzy fur is flush with the bottom and sides of the torso and the sub-build extends above the top of the torso by one column. To ensure the side is in the right spot, check that the blue 1x1 round tile faces right, is flush with the bottom row of the torso's frontmost column and two studs are above it.

Group 14
Building Munchlax's arms.

Step 111
Let's make four identical parts.

Vertically place a lime green 1x2 round plate in front of you. Then, vertically place a black 1x2 log brick on top of the ppp.

Next, place a yellow 1x1 round plate with flower edges on the back row of the ppp. Now, vertically place a dark turquoise 1x3 curved slope on the part so the cutout is on the ppp, it slopes to the front and one row overhangs to the front.

Now that you have four identical parts, let's place them in front of and behind each side-fur piece.

Rotate one part 90 degrees counterclockwise and flip it upright so the ppp overhangs to the bottom and is on the left. Place it in front of the left side-fur on the left-facing side studs above the blue 1x1 round tile. Rotate another part in the same orientation and place it behind the left side-fur on the left-facing side studs symmetrically to the back of the ppp.

Rotate another part 90 degrees clockwise and flip it upright so the ppp overhangs to the bottom and is on the right. Place it in front of the right side-fur on the right-facing side studs above the blue 1x1 round tile. Rotate another part in the same orientation and place it behind the right side-fur on the right-facing side studs symmetrically to the back of the ppp.

Step 112
Let's start to make two identical parts, the arms. You will repeat steps 112 through 121 to make a second arm.

Place in front of you a dark turquoise 1x1 plate with two side studs sticking up, so the side studs face right.

Now, horizontally place a light gray 1x2 brick with an axle hole with its right column on top of the ppp.

Step 113
Place under the left column of the ppp another dark turquoise 1x1 plate with two side studs sticking up, so the side studs face left.

Step 114
Hold horizontally in front of you a dark turquoise 1x1x2 brick with four side studs on one side; place it on top of the part so its side studs face front.

Step 115
Place a blue 1x1 plate with two side studs hanging down on top of the left column of the ppp so the studs face left. Then, place another symmetrically to the right of the ppp.

Step 116
Let's make two identical parts.

Vertically place in front of you a dark turquoise 1x2 plate. Next, vertically place a dark turquoise 1x2 curved slope so the cutout is on the front row of the ppp and the front row overhangs to the front. Then, place a dark turquoise 1x1 tile behind the ppp.

Now that you have two identical parts, bring back the sub-build you've been working on and keep it in the same orientation with the 2x2 studs facing front.

Flip one of the new parts to the left and hold it upright so it slopes down and the ppp is still on the top left. Place it upright on the sub-build's bottom three rows of left-facing side studs. Flip the other part to the right and hold it upright so the ppp is on the top right. Place it symmetrically opposite the other part on the bottom three rows of right-facing side studs.

Step 117
Make two stacks of two dark turquoise 1x1 plates each. Rotate one stack vertically upright so the stud is on the left and place it on the top left-facing side stud of the part. Place the other stack symmetrically opposite it on the top right-facing side stud.

Step 118
Place the part flat in front of you with the 2x2 side studs facing up and rotate it 90 degrees counterclockwise so the two ppp are on the left.

Horizontally place two white 1x3 plates, one behind the other, on the upward-facing 2x2 studs so they are nearly flush with the left side of the part and cover half of the axle hole on the right side.

Step 119
Let's make a part.

Vertically place in front of you a dark turquoise 1x4 plate. Then, vertically place a dark turquoise 1x2 plate centered vertically on the ppp.

Then, place a dark turquoise 1x1x1 double convex corner slope on the back row so it slopes to the front right. Place another in front of it in the same orientation.

Next, place another in front of it that slopes to the back right. Place another in front of the ppp in the same orientation.

Bring back the arm so it is in the same orientation as before with the 2x3 studs facing upward.

Flip this new part to the left so the slopes are on the left facing down and the part is vertical. Place the base of the part in the left-facing side studs of the arm's leftmost column.

Step 120
Vertically place a dark turquoise 1x1x4 curved double slope on the middle column of upward-facing studs.

To the left of the ppp's back row, place a dark turquoise 1x2x2 curved corner slope so its cutout is on the back left upward-facing stud and it slopes to the back left. Place another symmetrically in front of the ppp.

Now, place another opposite the ppp to the right of the 1x1x4 curved double slope so its cutout is on the front right upward-facing stud and it slopes to the front right. Place another symmetrically behind the ppp.

Step 121
Flip the arm upright and rotate it 90 degrees counterclockwise so the five ppp face back. Vertically place the axle end of a light gray 1L axle with a tow ball in the front-facing axle hole on the second row from the bottom of the arm.

If you haven't already, repeat steps 112 through 121 to make a second arm.

Step 122
Let’s attach the arms to the torso build. Bring back the torso build in the same orientation as before, so the furry sides you placed previously are on the left and right.

Rotate one arm 90 degrees counterclockwise so the fingers are on the left and then flip it forward so the tow ball faces down. Place the tow ball in the socket of the left shoulder on the second column from the left on the second row from the front.

Rotate the other arm 180 degrees so the tow ball is on top and the fingers face down. Place the tow ball in the socket of the right shoulder on the second column from the right on the second row from the front.

Rotate both arms in their sockets so the fingers face forward.

Step 123
Let’s place the last finger on each hand.

Place a dark turquoise 1x1x1 double convex corner slope on the left arm on the upward-facing stud on the second row from the front so it slopes to the back left. Place another symmetrically opposite it on the right arm’s upward-facing stud in the second row from the front.

Bag 5
Building more of Munchlax’s body, including the stomach fur and feet.

Group 15
Starting to build Munchlax’s back fur.

Step 124
Let’s start a new build.

Place vertically in front of you a dark turquoise 2x6 plate. Then, horizontally place a black 1x2 plate with a bar handle on each short end on the back row of the ppp.

Group 16
Continuing to build Munchlax’s back fur.

Step 125
Horizontally place a white 2x6 plate in front of the ppp centered horizontally.

Step 126
Horizontally place the two rightmost columns of a dark turquoise 2x3 plate under the two leftmost columns of the ppp. Place another symmetrically opposite the ppp to the right of it.

Step 127
Place a white 2x2 corner plate in the shape of a braille letter J with its horizontal arm on the second row from the back on the third and fourth columns from the left and its vertical arm on the fourth column from the left on the first and second rows from the back. Now, place another symmetrically opposite the ppp to the right of it.

Step 128
Horizontally place a dark turquoise 1x2 plate on the back row of the build centered horizontally.

Step 129
Horizontally place a dark gray 1x4 plate centered horizontally on the fourth row from the front of the build. Place another horizontally in front of the ppp.

Step 130
Place a dark turquoise 3x3 round corner plate with the right angle in the back right and that corner under the leftmost column of the ppp so the curved part faces the front left. Place another symmetrically opposite the ppp to the right of it.

Step 131
Place a dark turquoise 2x2 curved slope so its cutout is on the third column from the left on the second and third row from the back of the build. Place another symmetrically opposite the ppp to the right of it. Between the two ppp, place a dark turquoise 2x2 tile.

Step 132
Vertically place two dark turquoise 1x3 curved slopes, one to the right of the other, on the fourth and fifth columns from the left on the three frontmost rows of the build so they slope to the front.

Then, hold a dark turquoise 3x3 curved corner round slope so the right angle is in the back right and the curved part is in the front left. Place it on the first three rows of the build on the three leftmost columns. Now, place another symmetrically opposite the ppp to the right of it.

Step 133
Horizontally place a dark turquoise 1x2 curved slope on the second row from the back so its cutout is on the leftmost column of the build, the other column overhangs to the left and the part slopes to the left. Place another symmetrically opposite the ppp on the right side.

Now, place a dark turquoise 1x2 right wedge plate in front of the ppp so the angled part is in the front right. Place a dark turquoise 1x2 left wedge plate symmetrically opposite the ppp on the left side.

Step 134
Place a dark turquoise 1x1x1 double convex corner slope on the back row of the build on the fifth column from the left (counting the whole build) so it slopes to the front right. Place another symmetrically opposite the ppp to the right of it.

Group 17
Continuing to build Munchlax’s back fur.

Step 135
Let’s make a part.

Horizontally place in front of you a white 1x2 plate with a clip on one short end so the clip is on the right. Horizontally stack a tan 1x2 round plate on top of the ppp.

Now, horizontally place a dark turquoise 1x4 plate on top of the ppp so it is centered horizontally on the part.

Next, place two dark turquoise 1x1x1 double convex corner slopes, one to the right of the other, on the ppp’s two rightmost columns so they each slope to the front left.

Now, place two more, one to the right of the other, on the two columns to the left of the two ppp so they each slope to the front right.

Attach the part to the build: Place its right-facing clip on the left-facing bar handle on the back row.

Step 136
Let’s make a symmetrical copy of that part.

Horizontally place in front of you a white 1x2 plate with a clip on one short end so the clip is on the left. Horizontally stack a tan 1x2 round plate on top of the ppp.

Now, horizontally place a dark turquoise 1x4 plate on top of the ppp so it is centered horizontally on the part.

Next, place two dark turquoise 1x1x1 double convex corner slopes, one to the right of the other, on the ppp’s two rightmost columns so they each slope to the front left.

Now, place two more, one to the right of the other, on the two columns to the left of the two ppp so they each slope to the front right.

Attach the part to the build: Place its left-facing clip on the right-facing bar handle on the back row.

Step 137
Flip the build upright so the ppp are on the bottom and the base of the build faces front.

Bring back Munchlax’s body in the same orientation as before, with the arms on the left and right.

Attach the new build to the back-facing studs of the torso so it is flush with the top, bottom and sides of the torso.

Step 138
Let’s start to make Munchlax’s stomach fur.

Place a tan 4x6 plate vertically in front of you. Then, place a white 1x8 plate on the back row of the ppp centered horizontally.

Step 139
Horizontally place a tan 4x6 plate in front of the ppp.

Group 18
Continuing to build Munchlax’s stomach fur and building its feet.

Step 140
Horizontally place a tan 1x2 round plate on the back row of the build centered horizontally.

Now, horizontally place a yellow 2x4 plate in front of the ppp centered horizontally on the build.

Next, vertically place a dark gray 1x4 plate so its two back rows are to the left of the ppp. Vertically place another symmetrically opposite it on the right side of the build.

Finally, place a red 1x1 round plate to the left of the ppp’s second row from the front, then place another symmetrically opposite it on the left side of the build.

Step 141

Horizontally place a tan 1x2 slope tile centered horizontally on the front row of the build so it slopes to the front.

Then, place two white 1x1 plates with a clip behind the ppp, one to the right of the other, so the hands of the clips face front and back.

Step 142
Vertically place a dark turquoise 1x2 curved slope with a 1x1 plate cutout so the cutout is to the left of the two ppp and the curved slope is on the front row of the build. Place another in the same orientation opposite it to the right.

Step 143
Vertically place a light blue 1x3 plate behind each of the two ppp. Then, vertically place a blue 2x3 plate so its front two rows are between the back two rows of the two ppp.

Step 144
Vertically place a dark turquoise 1x2 curved slope on the second and third rows from the front on the third column from the left (counting the whole build) so it slopes to the front. Place another in the same orientation opposite it to the right.

Step 145
Horizontally place the cutout of a dark turquoise 1x3 curved slope with a 1x1 plate cutout on the second column from the left (counting the whole build) on the second row from the back so the curved slope extends to the left. Place another symmetrically opposite it on the right side of the build.

Step 146
Horizontally place a yellow 1x6 plate between the two ppp.

Next, horizontally place a dark turquoise 1x2 plate centered horizontally behind the ppp.

Now, horizontally place a dark gray 1x4 plate on the fourth row from the front centered horizontally on the build.

Step 147
Horizontally place a dark turquoise 2x3 left wedge with no studs with its cutout on the third and fourth rows from the front and the curved part extending to the left. Place a dark turquoise 2x3 right wedge with no studs symmetrically opposite it on the right side of the build.

Next, place a dark turquoise 3x3 curved corner round slope in front of the ppp so its cutout is on the second row from the front of the build and the curved part extends to the front right. Place another symmetrically opposite it on the left side of the build.

Step 148
Horizontally place a dark gray 1x4 plate on the fourth row from the front centered horizontally.

Next, place a white 2x2 corner plate in the shape of a braille letter J so its horizontal arm is behind the two left columns of the ppp and its vertical arm is on the fifth column from the left. Place another symmetrically opposite it to the right.

Step 149
Horizontally place a tan 1x2 round plate centered horizontally on the second row from the back. Then, horizontally place a black 1x2 plate with a bar handle on each short end behind the ppp.

Step 150
Horizontally place a dark turquoise 1x2 curved slope so it is on the third and fourth columns from the left on the second row from the back so it slopes to the left. Place another symmetrically opposite the ppp to the right.

Now, place a dark turquoise 2x2 curved corner round slope in front of the ppp so its right angle is in the back left and it slopes to the front right. Place another symmetrically opposite the ppp to the left.

Step 151
Place a dark turquoise 2x2 curved slope so its cutout is in the back and the part is on the second and third rows from the back centered horizontally.

Then, horizontally place a dark turquoise 1x2 plate behind the ppp.

Step 152
Place a dark turquoise 1x1x1 double convex corner slope on the left column of the ppp so it slopes to the front right. Now, place another symmetrically opposite the ppp to the right.

Step 153.1
Let’s start to make a part.

Horizontally place a dark turquoise 1x2 plate with 2x2 side studs sticking up in front of you so the side studs face front.

Step 153.2
Place the solid 1x2 plate of a white 2x2 plate with a bar on the bottom row of the ppp so the bar faces back; the row of open studs should overhang to the bottom.

Group 19
Finishing Munchlax’s stomach fur and building its feet.

Step 153.3
Place the cutout of a tan 2x2 curved corner round slope upright on the front-facing stud on the bottom row on the right column. Place three more symmetrically counterclockwise spaced evenly on the front-facing studs.

Step 153.4
Flip the part upside down so the dark turquoise 1x2 plate with 2x2 side studs is in the back centered horizontally. Now, horizontally place a tan 1x2 round plate centered horizontally on the bottom row of the part.

Next, flip the part back over and rotate it 180 degrees so the ppp is at the bottom facing back. Place the downward-facing bar into the upward-facing clips on the build. The part will be at about a 45-degree angle on the build.

Step 154
Bring back the torso so the arms are on the left and right sides and the back fur faces back.

Rotate the new build 180 degrees and flip it upright so the two turquoise 1x1 double convex corner slopes are at the bottom. Place the build on the torso's front-facing studs so it is flush with the bottom of the torso.

Step 155
Let's start to make a part — this will be Munchlax's right foot.

Place upright in front of you a black 1x1x2 tall brick with two studs on three sides so the studs face right, back and front.

Now, place a tan 1x1 plate with a clip on one side upright on the bottom row of front-facing studs so the clip faces the left. Repeat this placement symmetrically opposite the ppp to the back.

Step 156
Make two stacks of two white 1x1 round plates. Place one stack upright on the top row of front-facing studs and the other symmetrically opposite the ppp to the back.

Step 157
Place vertically upright a tan 1x2 curved slope so its cutout is on the front-facing stack of 1x1 round plates and it slopes downward. Repeat this placement symmetrically opposite the ppp to the back.

Step 158
Vertically place a tan 1x1 plate with a bar handle on each short end on top of the part's upward-facing stud so the bar handles are in the front and back and it is centered vertically on the part.

Step 159
Stack two tan 1x1 plates on top of the ppp's stud.

Step 160
Let's start to add the toes to the foot. Place a white 1x1 double slope on top of the ppp so it slopes to the front and back.

Step 161
Let's make two identical parts.

Hold in front of you a tan 1x1 round plate with a clip underneath with the clip's hands facing left and right.

Then, place a white 1x1 double slope on top of the ppp so it slopes to the left and right.

Now that you have two identical parts, let's attach them to the main build. Rotate the build 90 degrees clockwise so the clips face back.

Place one part's clip on the leftmost column's upward-facing bar and tilt it slightly to the left so it's at a 45-degree angle. Repeat this placement symmetrically to the right with the other part.

Step 162
Place upright on the build's front-facing studs a tan 3x3 round tile with a with reddish brown oval pattern so it is centered horizontally and vertically. Ask a friend to help you make sure the oval pattern is closer to the bottom (it is not perfectly in the center of the tile).

Step 163

Let’s make a part.

Horizontally place in front of you a dark turquoise 1x2 plate with a bar handle on one short end so the bar is on the right side. Then, horizontally place a dark turquoise 1x2 plate on top of the ppp.

Next, place a dark turquoise 1x1x1 double convex corner slope on the left column of the ppp so it slopes to the front right. Then, place another symmetrically opposite it to the right of it.

Now, flip the part over so the two ppp face down and flip the foot build forward so the clips face up. Place the part’s bar handle on the upward-facing clip in the rightmost column.

Step 164
Attach the foot: Flip it back upright so the 3x3 tile faces front and the toes are at the top, then place the back-facing clip in the left column on the torso’s right-side bar handle.

Step 165
Let’s start to make Munchlax’s left foot.

Place upright in front of you a black 1x1x2 tall brick with two studs on three sides so the studs face right, back and front. Now, place a tan 1x1 plate with a clip on one side upright on the bottom row of front-facing studs so the clip faces the left. Repeat this placement symmetrically opposite the ppp to the back.

Step 166
Make two stacks of two white 1x1 round plates. Place one stack upright on the top row of front-facing studs and the other symmetrically opposite the ppp to the back.

Step 167
Place vertically upright a tan 1x2 curved slope so its cutout is on the front-facing stack of 1x1 round plates and it slopes downward. Repeat this placement symmetrically to the back.

Step 168
Vertically place a tan 1x1 plate with two bar handles on two ends on top of the part’s upward-facing stud so the bar handles are in the front and back and it is centered vertically on the part.

Step 169
Stack two tan 1x1 plates on top of the ppp’s stud.

Step 170
Let’s start to add the toes to the foot. Place a white 1x1 double slope on top of the ppp so it slopes to the front and back.

Step 171
Let’s make two identical parts.

Hold in front of you a tan 1x1 round plate with a clip underneath with the clip’s hands facing left and right.

Then, place a white 1x1 double slope on top of the ppp so it slopes to the left and right.

Now that you have two identical parts, let’s attach them to the main build. Rotate the build 90 degrees clockwise so the clips face back.

Place one part's clip on the leftmost column's upward-facing bar and tilt it slightly to the left so it is at a 45-degree angle. Repeat this placement symmetrically to the right with the other part.

Step 172
Place upright on the build's front-facing studs a tan 3x3 round tile with a with reddish brown oval pattern so it is centered horizontally and vertically. Ask a friend to help you make sure the oval pattern is closer to the bottom (it is not perfectly in the center of the tile).

Step 173
Let's make a part.

Horizontally place in front of you a dark turquoise 1x2 plate with a bar handle on one short end so the bar is on the left side. Then, horizontally place a dark turquoise 1x2 plate on top of the ppp.

Next, place a dark turquoise 1x1x1 double convex corner slope on the left column of the ppp so it slopes to the front right. Then, place another symmetrically opposite it to the right of it.

Now, flip the part over so the two ppp face down and the bar handle is on the right, and flip the foot build forward so the clips face up. Place the part's bar handle on the upward-facing clip in the leftmost column.

Step 174
Attach the foot: Flip it back upright so the 3x3 tile faces front and the toes are at the top, then place the back-facing clip in the right column on the torso's left-side bar handle.

Bag 6
Building Munchlax's head and finishing the set.

Group 20
Building Munchlax's head.

Step 175
Place in front of you a yellow 1x2x2 plate with two studs on one side so the side studs face front. Now, horizontally place on the back row of the ppp a white 2x4 plate's front row and two rightmost columns.

Step 176
Place another yellow 1x2x2 plate with two studs on one side to the left of the ppp in the same orientation. Then, place two more in the back row symmetrically opposite the two ppp.

Step 177
Place a white 2x2 round brick centered vertically and horizontally on top of the build.

Step 178
Horizontally place a blue 1x2 brick with two side studs on the front row of the build centered horizontally so the side studs face front. Then, place three more symmetrically counterclockwise spaced evenly around the 2x2 round brick.

Step 179
Place a white 1x1 brick with side studs on the front left corner of the build so the studs face front and left. Now, place three more symmetrically counterclockwise spaced evenly around the build.

Step 180
Horizontally place a yellow 1x2 round plate on the front row of the build centered horizontally. Repeat this placement to the back.

Next, place a yellow 1x2x2 plate with two studs on one side on the two leftmost columns centered vertically with the studs facing left. Place another symmetrically opposite the ppp to the right of it.

Step 181
Vertically place a white 2x4 plate on the second and third columns from the left centered horizontally and vertically.

Step 182
Place a blue 1x1 round half-circle brick with a stud on one side on the left front corner of the build so its side stud faces front. Repeat this placement in the same orientation on the front right corner of the build.

Next, place another symmetrically opposite it to the back. Repeat that placement in the same orientation on the back left corner of the build.

Step 183
Place a black 2x2 tile with two studs on one edge on the two front rows of the build on the two leftmost columns so the studs are in the back. Repeat this placement in the same orientation to the right of the ppp.

Now, place another symmetrically opposite it to the back. Repeat that placement in the same orientation to the left of the ppp.

Step 184
Horizontally place a yellow 1x4 brick with four side studs on the second row from the front of the build so the studs face front. Place another symmetrically opposite it to the back.

Step 185
Let’s make two identical parts.

Place horizontally in front of you a black 1x2 plate with two side studs sticking up so the side studs face front. Then, horizontally place the two rightmost columns of a blue 1x4 tile on top of the ppp. Next, horizontally place another black 1x2 plate with two side studs sticking up so the side studs face front under the two leftmost columns of the ppp.

Now that you have two identical parts, rotate one 180 degrees so the studs face back, then flip it upright so the studs face up and the tile faces front. Place it on the front row of the top of the build, pushing its anti-studs into the yellow 1x4 brick’s front-facing studs.

For the other part, flip it upright so the studs face up and the tile faces back. Place it on the back row of the top of the build, pushing its anti-studs into the yellow 1x4 brick’s back-facing studs.

Step 186
Place a light gray 4x4 plate with a 2x2 open center on top of the build centered vertically and horizontally.

Step 187
Let’s make two identical parts — the sides of Munchlax’s head.

Place vertically in front of you a white 2x4 plate. Then, place two yellow 2x2 round plates, one behind the other, on the ppp.

Now, horizontally place the two rightmost columns of a dark turquoise 1x3 curved slope on the front row of the ppp so the cutout overhangs to the left. Repeat this placement three times behind the ppp.

Next, vertically place the right column of a red 2x4 brick under the leftmost columns of the four ppp.

Then, horizontally place the cutout of a tan 1x2x2 curved slope on the front row of the ppp's left column so it slopes to the left. Repeat this placement three times behind the ppp.

Now that you have two identical parts, flip one upright so the four ppp are on the bottom left and the part is vertical. Place it on the left-facing side studs of the build flush with the build's edges.

Rotate the other part 180 degrees so the four ppp are on the right, then flip it upright so the four ppp are on the bottom right and the part is vertical. Place it on the right-facing side studs of the build flush with the build's edges.

Step 188
Let's start to make a part — the back of Munchlax's head.

Horizontally place a yellow 1x6 plate in front of you. Then, vertically place the back row of a white 2x4 plate centered horizontally on the ppp so the rest overhangs to the front.

Step 189
Place a yellow 2x2 round plate under the ppp's second and third row from the front.

Step 190
Horizontally place a yellow 1x2 round plate on the two leftmost columns of the part's back row. Place another symmetrically opposite it on the right side.

Step 191
Horizontally place a yellow 1x6 plate on the back row of the part.

Next, vertically place a dark turquoise 2x3 plate in front of the ppp centered horizontally on the part.

Step 192
Vertically place the cutout of a tan 1x2x2 curved slope on the back row's second column from the left so the rest overhangs and slopes to the back. Repeat this placement three times to the right of the ppp.

Step 193
Place the cutout of a tan 2x2x2 round corner brick with a dome top on the leftmost column on the second row from the back so it slopes to the back left. Place another symmetrically opposite and to the right of the ppp.

Step 194
Horizontally place a yellow 1x2 round plate on the third row from the front.

Step 195
Horizontally place a dark turquoise 1x3x6 round brick half dome centered horizontally on the front three rows of the part so the curved part is in the front.

Step 196
Vertically hold a dark turquoise 3x3 sloped right wedge so the angled part is on the left and slopes to the front. Place its two rightmost columns under the two leftmost columns of the ppp. Next, vertically place a dark turquoise 3x3 sloped left wedge symmetrically opposite the ppp to the right.

Step 197
Bring back the main build so the sides from step 187 are on the left and right and there is a 2x4 of studs facing front and a 2x4 of studs facing back.

Attach the part to the back of the main build: Flip the part upright so the two ppp face front and are at the top. Place it on the back-facing 2x4 studs of the build so it is flush with the build's edges.

Step 198
Let's start to make a part — Munchlax's face.

Horizontally place a yellow 1x6 plate in front of you. Then, vertically place the back row of a white 2x4 plate centered horizontally on the ppp so the rest overhangs to the front.

Step 199
Place a yellow 2x2 round plate under the ppp's second and third row from the front.

Step 200
Horizontally place a yellow 1x2 round plate on the two leftmost columns of the part's back row. Place another symmetrically opposite it on the right side.

Step 201
Horizontally place a yellow 1x6 plate on the back row of the part.

Next, vertically place a dark turquoise 2x3 plate in front of the ppp centered horizontally on the part.

Step 202
Vertically place the cutout of a tan 1x2x2 curved slope on the back row's second column from the left so the rest overhangs and slopes to the back. Repeat this placement three times to the right of the ppp.

Step 203
Place the cutout of a tan 2x2x2 round corner brick with a dome top on the leftmost column on the second row from the back so it slopes to the back left. Place another symmetrically opposite and to the right of the ppp.

Step 204
Horizontally place a yellow 1x2 round plate on the third row from the front.

Group 21
Finishing Munchlax's head.

Step 205
Horizontally place a dark turquoise 1x3x6 round brick half dome with two black and white eyes and two fangs (Munchlax's face) centered horizontally on the front three rows of the part so the curved part is in the front.

Step 206
Vertically hold a dark turquoise 3x3 sloped right wedge so the angled part is on the left and slopes to the front left. Place its two rightmost columns under the two leftmost columns of the ppp. Next, vertically place a dark turquoise 3x3 sloped left wedge symmetrically opposite the ppp to the right.

Step 207
Bring back the main build in the same orientation with the 2x4 of open studs facing front.

Attach the face to the main build: Rotate the part 180 degrees so the two ppp are in the back and flip the part upright so its 1x3x6 half dome faces front and is on the top three rows of the part. Place it on the front-facing side studs of the build so the part is flush with the edges of the build.

Step 208
Horizontally place a white 1x4 plate on the third row from the back (counting the whole build) on the top of the build. Place another symmetrically opposite the ppp to the front. Then, horizontally place a dark turquoise 2x6 plate between the two ppp centered horizontally.

Step 209
Vertically place a dark turquoise 1x2 half-circle tile on the leftmost column of the ppp so its curved side is on the left.

Now, vertically place a dark turquoise 1x2 jumper plate to the right of the ppp and repeat the placement three times to the right.

Then, vertically place a dark turquoise 1x2 half-circle tile to the right of the ppp so its curved side is on the right.

Step 210
Place the cutout of a dark turquoise 2x2 curved corner round slope on the front left corner of the top of the build so the curved part is in the front left.

Then, place a dark turquoise 2x2 curved slope's cutout to the right of the ppp's back row so it slopes to the front.

Next, place the cutout of another dark turquoise 2x2 curved corner round slope to the right of the ppp's back row so the curved part is in the front right.

Now, place another symmetrically opposite it to the back.

Then, place another dark turquoise 2x2 curved slope's cutout to the left of the ppp's front row so it slopes to the back.

Lastly, place the cutout of another dark turquoise 2x2 curved corner round slope to the left of the ppp's front row so the curved part is in the back left.

Step 211
Flip the head upright so the ppp faces back.

Place a white 4x4 round brick centered horizontally and vertically on the part of the build that faces front (the underside).

Step 212

Flip the build back upright so the ppp is at the bottom. Bring back the torso so the feet and arms face front.

Place the head on the torso: Place the white 4x4 round brick in the upward-facing black turntable base at the top of the torso build until it clicks.

Step 213
Place upright two dark turquoise 3x3x3 cones, one to the right of the other, centered vertically on top of the head's upward-facing studs.

On the last page of the instructions, Munchlax is sitting on top of the trunk.

Congratulations, you built Munchlax and his trunk stand!

There are no ads at the back of the instruction booklet.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our Builders page. It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a $5 donation at https://www.gofundme.com/f/bricks-for-the-blind-gofundme. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please sign up for our newsletter and follow us on Facebook and Instagram to be the first to know when new instructions are available!