21585 Chicken Farm

Adapted by John Le and tested by Peter Durieux.

Care for chickens and grow crops with the LEGO® Minecraft® Chicken Farm (21585) gamer toy for girls and boys 7 years old and up. This kids' gaming building set challenges players to look after a cold chicken and a baby chicken with a Chicken Fan minifigure, while dealing with a fox (who likes to eat cold chicken) and a baby zombie (who likes to ride chickens). The pretend play chicken coop is shaped like a chicken with movable wings and a pen at the front with an opening gate. The giant chicken lays eggs at the rear and dispenses seed from its mouth into a container, which tilts forwards when the chickens need food. Fun accessories include torches, hay, a smoker stove, 2 eggs, 2 lots of seeds, a chicken leg, feather and an axe.

CHICKEN COOP BUILDING TOY – Enjoy creative adventures on a farm while caring for animal figures with this building playset and room decor for kids, girls and boys ages 7 and up

MINECRAFT® FARM CHARACTERS – The LEGO® Minecraft Chicken Farm (21585) set includes a Chicken Fan minifigure, plus a baby zombie (who likes to ride the chicken), fox, cold chicken and a baby chicken

GAMING PLAYSET – Enjoy pretend play and look after chickens using the fun features in the coop while fending off a baby zombie trying to hitch a ride on a chicken in this LEGO® Minecraft® building kit

FARM SET WITH ACCESSORIES – Inspire imaginations with this kids' building toy featuring a chicken-shaped coop that lays eggs and dispenses seeds, plus torches, hay, an axe, smoker stove and more

GAMER GIFT IDEA – This LEGO® Minecraft® set makes a great birthday, holiday or any-day treat for Minecraft players

DIMENSIONS – The 233-piece set measures over 4.5 in. (11 cm) high, 5.5 in. (14 cm) wide and 4.5 in. (12 cm) deep

The front of the box shows a farm enclosed by a gate and a huge chicken statue in the back!

The back of the box shows a fox chasing after the chickens!

The top of the box shows a real size image of a minifigure in a chicken outfit!

The build is 233 pieces in total and is for ages 7+.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.

- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- “Anti-stud” is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same

thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (https://www.lego.com/en-us/service/buildinginstructions/21585) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 2 bags labeled 1 and 2, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Chicken Minifigure, Baby Zombie, and Farm
Group 1 - Left Minifigure on Page 5.
Group 2 - Right Minifigure on Page 5.
Group 3 - Page 6.
Group 4 - Steps 1-6.
Group 5 - 2 yellow 2x2 plates and 1 yellow 2x2 tile with a stud from Step 7.
Group 6 - Rest of Step 7 and Steps 8-10.
Group 7 - Steps 11-12 and 2 transparent orange 1x1 plates from Step 13.
Group 8 - Rest of Step 13 and Steps 14-16.
Group 9 - Steps 17-19.

Group 10 - Steps 20-24 and 1 dark grey 1x2 brick printed with a furnace from Step 25.
Group 11 - Rest of Step 25.

Bag 2 - Baby Chicken, Fox, and Chicken Statue
Group 12 - Page 30.
Group 13 - Steps 26-30.
Group 14 - Steps 31 and Steps 32-38.
Group 15 - Steps 39-47.
Group 16 - Steps 48-54.
Group 17 - Steps 55-58.
Group 18 - Step 59-65.
Group 19 - Steps 66-68.
Group 20 - Steps 69 and 1 black 1x2 brick from Step 70.
Group 21 - Rest of Step 70 and Steps 71-79

Let’s get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Chicken Minifigure

Sub-build 1. Locate 1 light orange pair of legs, 1 torso printed with feathers and a red collar, 1 head printed with a white hood with a yellow outline and 2 eyes, and 1 silver axe. Assemble your minifigure then attach the axe to his hand!

Group 2 - Baby Zombie

Sub-build 2. Locate 1 light blue baby body and 1 green head printed with 2 black eyes and a mouth. Assemble your minifigure then put him in front of you. Now put them away while we make the dark grey chicken!

Group 3 - Chicken

Sub-build 3.1. Place a nougat 1x1 round plate in front of you. Then place a black 1x1 brick with side studs all around on top of the ppp.

Sub-build 3.2. Place a dark grey 1x1 tile upright on each of the side studs. Now horizontally place a dark grey 1x1 plate with a chicken head on top so the head faces the left. Now put it away while we make the farm!

Group 4 - Farm

Step 1

Horizontally place a green 1x8 plate in front of you. Then place a light green 2x2 plate on the 2 rightmost columns so it overhangs 1 row to the front.

Step 2

Horizontally place the back right corner of a green 8x16 plate underneath the overhang of the ppp.

Step 3

Place a light green 2x2 plate on the front right corner so it overhangs 1 row to the front. Then horizontally place the 2 rightmost columns of a green 1x8 plate underneath the overhang of the ppp.

Step 4

Place a nougat 2x2 brick on the back right corner. Then horizontally place a light green 2x4 tile with 2 studs to the left of the ppp. Now repeat both parts symmetrically to the front.

Step 5

Place a nougat 2x2 corner plate on the front 2 rows of the 2 rightmost columns so it looks like the braille letter h. Then place a brown 1x1 plate with a clip to the right of the back row of the ppp so the clip faces the back. Now repeat both parts symmetrically to the back.

Step 6

Place a nougat 1x1 brick on top of each of the studs of the 2x4 tile with 2 studs that is on the front 2 rows. Then place a brown 1x1 round plate on top of each of the 2 ppp. Now repeat everything symmetrically to the back.

Group 5 - Farm

Step 7.1

Stack 2 yellow 2x2 plates on the 3rd and 4th rows from the back of the 5th and 6th columns from the right.

Group 6 - Farm

Step 7.2

Place a red 2x2 plate on top of the ppp. Then place a yellow 2x2 tile with a stud on top of the ppp. This is a hay bale!

Step 8

Horizontally place a green 2x4 tile with 2 studs on the front 2 rows, to the left of the 2x4 tile with 2 studs so it overhangs 2 studs in the front left corner. Now place a dark grey 2x2 tile with a stud behind the 2 leftmost columns of the ppp. Now repeat both parts symmetrically to the back. Then place a dark grey 2x2 tile with a stud on the 2 leftmost columns so it is centered vertically.

Step 9

Horizontally place a green 1x8 plate underneath the overhang of the 2x4 tile with 2 studs that is on the front 2 rows so 6 columns are exposed to the left. Then repeat symmetrically to the back.

Step 10

Place a nougat 2x2 plate on the front 2 rows, on the right stud of the 2x4 tile with 2 studs so it is centered on the stud. Then place a nougat 2x2 brick on top of the ppp. Now repeat both parts symmetrically to the back.

Group 7 - Farm

Step 11

Place a nougat 2x2 tile with a stud on the front right corner. Then horizontally place a nougat 1x4 tile to the left of the ppp so it sits on the 2 1x1 round plates. Now place a nougat 2x2 tile with a stud to the left of the ppp. This is a fence! Now repeat everything symmetrically to the back.

Step 12.1

Let’s make 2 identical parts! Horizontally place a brown 1x2 plate with a bar in front of you so the bar faces the left. Then horizontally place a nougat 1x2 tile on top of the ppp.

Step 12.2

Now you should have 2 identical parts! Now attach the bar of 1 part to the back-facing clip that is on the 2nd row from the front of the rightmost column so the tile faces the right. Then repeat symmetrically to the back. This is the fence gate!

You will have 2 extra transparent orange 1x1 plates. Save them for later!

Group 8 - Farm

Step 13

Place a brown 1x1 telescope bar on the 2x2 tile with a stud that is on the front right corner. Then place a transparent yellow 1x1 plate on top of the ppp. Now place a transparent orange 1x1 plate from group 7 on top of the ppp. Now repeat everything symmetrically to the back. These are torches!

Step 14.1

Let’s make 2 identical parts! Vertically place a light grey 2x4 brick in front of you. Then place a dark grey 2x2 tile with a stud on the front 2 rows. Then horizontally place a light grey 1x2 brick behind the ppp.

Step 14.2

Now you should have 2 identical parts! Vertically place 1 part on the front 4 rows of the 7th and 8th columns from the left so it sits on 2 studs and the 2x2 tile with a stud is in the front. Then repeat symmetrically to the back.

Step 15.1

Let’s make a part! Place a light grey 2x2 plate with 2 pinholes underneath in front of you so the pinholes face the front and back. Now insert a black 2L pin into the front-facing pinhole. Then horizontally attach a light grey 1x2 brick with a pinhole to the front-facing pin. Then repeat both parts symmetrically to the back.

Step 15.2

Vertically place your part on the 7th and 8th columns from the left so it is centered vertically.

Step 16

Place a dark grey 2x2 tile with a stud on the 3rd and 4th rows from the front of the 7th and 8th columns from the left. Then repeat symmetrically to the back.

Group 9 - Farm

Step 17

Horizontally place a brown 2x4 brick on the 3rd and 4th rows from the front of the 3rd to 6th columns from the left. Then horizontally place a light green 2x4 tile with 2 studs on top of the ppp. Now repeat both parts symmetrically to the back.

Step 18

Place a brown 2x2 crate on the 2 leftmost columns so it is centered vertically. Then place another 1 on the 7th and 8th columns from the left so it is centered vertically.

Step 19

Let’s make a part! Place a green 6x6 plate in front of you. Then vertically place a transparent blue 2x4 plate on the back 4 rows so it is centered horizontally.

Group 10 - Farm

Step 20

Vertically place a brown 2x4 plate on the back left corner.

Step 21.1

Place a green 1x1 round flower plate on the 2nd row from the back of the leftmost column. Then place another 1 on the back row of the 2nd column from the left.

Step 21.2

Place a pink 1x1 round plate on the 3rd row from the front of the leftmost column. Then place another 1 on the 3rd row from the back of the 2nd column from the left.

Step 22

Place a green 1x1 round flower plate on top of each of the 1x1 round plates from the previous step. Now place a yellow stem on the 2nd row from the back of the leftmost column. Then place another 1 on the back row of the 2nd column from the left.

Step 23

Vertically place a light grey 2x4 tile with 2 studs on the front left corner so 2 rows overhang to the front. Then repeat symmetrically to the right.

Step 24

Vertically place the front 2 rows of overhang of your part on the back 2 rows of the 6 leftmost columns of the main build.

You will have an extra dark grey 1x2 brick printed with a furnace. Save it for later!

Group 11 - Farm

Step 25.1

Let’s make a part! Place a black 2x2 round plate in front of you. Then horizontally place a dark grey 1x2 brick printed with a furnace from group 10 on the back row so the print faces the back.

Step 25.2

Horizontally place a dark grey 1x2 brick printed with a furnace with fire on the front row so the print faces the front. Now place a dark grey 2x2 tile with a stud on top. Then place a nougat chicken leg on top so it overhangs to the right.

Step 25.3

Rotate your main build 90 degrees clockwise so the gate opens to the front. Now place your part on the front 2 rows of the 5th and 6th columns from the right so the chicken leg overhangs to the right.

Building Instructions (Bag 2, Book 1):

Group 12 - Baby Chicken

Sub-build 4. Let’s make a part! Place a yellow 1x1 round plate in front of you. Then place a white 1x1 plate with a chicken, printed with an orange nose and red chin on top so the chicken head faces the front.

Group 13 - Fox

Step 26

Let’s make a part! Let’s make a fox! Horizontally place an orange 1x4 plate in front of you. Then horizontally place an orange 1x2 plate on top so it is centered horizontally.

Step 27

Place a brown 1x1 rounded plate with a bar on the rightmost column so the bar faces the right.

Step 28

Horizontally place an orange 1x3 tile on the 3 rightmost column.

Step 29

Place an orange 1x1 plate underneath the rightmost column. Then place another 1 underneath the 2nd column from the left. Now place a black 1x1 round plate underneath each of the 2 ppp.

Step 30

Place an orange 1x1 fox head with a snout and 2 ears on the leftmost column so the snout faces the left.

Group 14 - Fox and Chicken Statue

Step 31.1

Let’s make a part! Let’s make a fox’s tail! Place a white 1x1 plate in front of you. Then place an orange 1x1 brick on top of the ppp. Place a brown 1x1 tile with a clip on top of the ppp so the clips face the front and back.

Step 31.2

Attach the clip of your part to the right-facing bar. Now put your fox away while we make the chicken statue!

Step 32

Horizontally place a light orange 2x3 plate in front of you. Then horizontally place a yellow 1x3 plate on the back row.

Step 33

Horizontally place a tan 1x5 plate on the front row so it overhangs 2 columns to the left.

Step 34

Horizontally place a light blue 1x2 tile on the 2 leftmost columns. Then place a yellow 2x2 plate to the right of the ppp.

Step 35

Vertically place a yellow 1x2 plate with 2x2 anti side studs on the rightmost column so the anti-studs face the right. Now vertically place a yellow 2x4 plate upright on the right-facing anti-studs so 2 rows overhang to the top. Now place a light orange 2x2 tile upright on the 2x2 left-facing side studs of the ppp.

Step 36

Horizontally place a light orange 2x3 plate on top. Then horizontally place a yellow 2x3 tile on top of the ppp.

Step 37.1

Let’s make a part! place a light grey 1x1 plate with 2 upright side studs in front of you so the side studs face the right. Then vertically place a black 1x2 plate upright on the right-facing side studs.

Step 37.2

Place a white 2x2 corner brick on top so it looks like the braille letter h and overhangs 1 row to the front. Now horizontally place a white 1x4 plate underneath the front row so 2 columns are exposed to the left. Now place a tan 1x1 plate with 2 side studs hanging down on the back row so the side studs face the left.

Step 37.3

Place your previous part upright so the 1x2 part is on top and the anti-studs face the right. Now horizontally place the 2 left-facing studs of your current part upright on the top 2 rows of right-facing anti-studs.

Step 38

Rotate your part 90 degrees clockwise so the 2 side studs face the front. Then horizontally place a white 2x4 tile with 2 studs upright on the front-facing side studs so 3 columns overhang to the right.

Step 39

Let’s make another part! Horizontally place a light orange 2x3 plate in front of you. Then horizontally place a yellow 1x3 plate on the back row.

Step 40

Horizontally place a tan 1x5 plate on the front row so 2 columns overhang to the right.

Step 41

Horizontally place a light blue 1x2 tile on the 2 rightmost columns. Then place a yellow 2x2 plate to the left of the ppp.

Step 42

Vertically place a yellow 1x2 plate with 2x2 anti side studs on the leftmost column so the anti-studs face the left. Now vertically place a yellow 2x4 plate upright on the left-facing anti-studs so 2 rows overhang to the top. Now place a light orange 2x2 tile upright on the 2x2 right-facing side studs of the ppp.

Step 43

Horizontally place a light orange 2x3 plate on top. Then horizontally place a yellow 2x3 tile on top of the ppp.

Step 44.1

Let’s make a part! place a light grey 1x1 plate with 2 upright side studs in front of you so the side studs face the left. Then vertically place a black 1x2 plate upright on the left-facing side studs.

Step 44.2

Place a white 2x2 corner brick on top so it looks like the braille letter j and overhangs 1 row to the front. Now horizontally place a white 1x4 plate underneath the front row so 2 columns are exposed to the right. Now place a tan 1x1 plate with 2 side studs hanging down on the back row so the side studs face the right.

Step 44.3

Place your previous part upright so the 1x2 part is on top and the anti-studs face the left. Now horizontally place the 2 right-facing studs of your current part upright on the top 2 rows of left-facing anti-studs.

Step 45

Place the 2 left-facing side studs of your current part upright on the 2 rightmost back-facing anti-studs of your previous part. These are the chicken legs!

Step 46

Let’s make a part! Horizontally place a white 2x6 plate in front of you. Then vertically place a white 1x4 brick on the leftmost column so 2 rows overhang to the back.

Step 47.1

Let’s make another part! Place a yellow 2x2 corner plate in front of you so it looks like the braille letter j. Then place another 1 to the right of it so it is symmetrical. Now horizontally place a dark grey 1x2 slope tile on the back row so it is centered horizontally and slopes to the back.

Step 47.2

Horizontally place a tan 2x4 brick on the front row so it overhangs 1 row to the front. Then horizontally place a black 1x2 plate on the back row of the ppp so it is centered horizontally.

Step 47.3

Horizontally place your part on the back row of the 2nd to 5th columns from the right so it overhangs 1 row to the back.

Group 16 - Chicken Statue

Step 48

Horizontally place a white 1x2 slope tile on the front row so it is centered horizontally and slopes to the front. Then place a white 1x1 brick to the left of the ppp.

Step 49

Vertically place a white 1x4 brick on the rightmost column so 2 rows overhang to the back. Then place a white 1x1 brick on the front row, to the left of the ppp.

Step 50.1

Let’s make another part! Place a white 4x4 plate with a 2x2 gap in front of you. Then horizontally place a white 1x2 plate underneath the front row so it is centered horizontally.

Step 50.2

Place a white 2x2 corner plate underneath the front left corner so it looks like the braille letter h and 1 column is exposed to the left. Then repeat symmetrically to the right.

Step 50.3

Vertically place a white 1x8 plate on the leftmost column so 6 rows overhang to the back. Then repeat symmetrically to the right.

Step 50.4

Vertically place your part on top of your previous part so it is centered horizontally and overhangs 2 rows to the front.

Step 51

Horizontally place a light grey 1x2 ingot tile on the 4th row from the front so it is centered horizontally. Then horizontally place a light grey 1x2 log brick behind the ppp so it is centered horizontally.

Step 52

Let’s make another part! Horizontally place a white 1x4 plate in front of you. Then horizontally place a light grey 1x4 plate with 2 hinges on top so the hinges face the back.

Step 53

Horizontally place a white 1x4 plate on top.

Step 54

Horizontally place a white 2x6 brick underneath your part so 1 row is exposed to the front and 2 columns are exposed to the left.

Group 17 - Chicken Statue

Step 55

Place a dark grey 1x1 brick on the front right corner. Then place a light grey 2x2 corner brick to the left of the ppp so 1 row overhangs to the front and it looks like the braille letter d. Now place a dark grey 1x1 brick on the front row, to the left of the ppp.

Step 56

Place a white 2x2 brick on the 2 leftmost columns. Then place a white 2x2 tile with a stud to the right of the ppp so it is centered horizontally.

Step 57

Vertically place your part on the front left corner of the previous part so the hinges face the left.

Step 58

Horizontally place a white 1x2 brick on the front row so it is centered horizontally. Then horizontally place a tan 1x2 plate on top of the ppp. Now horizontally place a white 1x2 tile on top of the ppp.

Group 18 - Chicken Statue

Step 59

Let’s make another part! Horizontally place a white 1x4 plate in front of you. Then horizontally place a light grey 1x4 plate with 2 hinges on top so the hinges face the back.

Step 60

Horizontally place a white 1x4 plate on top.

Step 61

Horizontally place a white 2x6 brick underneath your part so 1 row is exposed to the front and 2 columns are exposed to the right.

Step 62

Place a dark grey 1x1 brick on the front left corner. Then place a light grey 2x2 corner brick to the right of the ppp so 1 row overhangs to the front and it looks like the braille letter f. Now place a dark grey 1x1 brick on the front row, to the right of the ppp.

Step 63

Place a white 2x2 brick on the 2 rightmost columns. Then place a white 2x2 tile with a stud to the left of the ppp so it is centered horizontally.

Step 64

Vertically place your part on the front right corner of your previous part so the hinges face the right.

Step 65.1

Let’s make another part! Vertically place a red 2x6 tile in front of you. Then horizontally place a red 1x2 plate underneath the front row. Now horizontally place a red 1x2 brick underneath the 2nd row from the front. Then horizontally place a white 1x2 plate with a rail underneath the back row so the rail faces the front.

Step 65.2

Vertically place your part on the front 4 rows so it is centered horizontally and overhangs 2 rows to the front. It should not sit on any studs.

Group 19 - Chicken Statue

Step 66

Vertically place a white 1x2 brick on the front right corner. Then repeat symmetrically to the left. Now horizontally place a white 1x4 brick in between the back row of the 2 ppp.

Step 67.1

Let’s make a part! Horizontally place a light orange 1x6 brick in front of you. Then horizontally place a light orange 2x6 tile on top so it overhangs 1 row to the front.

Step 67.2

Place a light orange 2x2 corner brick underneath the front left corner so 1 row is exposed to the front and it looks like the braille letter d. Then repeat symmetrically to the right. Now horizontally place a light grey 2x2 brick in between them so 1 row is exposed to the front.

Step 67.3

Rotate your part 180 degrees. Now horizontally place it on the front row of studs of your previous part so it is centered horizontally and overhangs 2 rows to the front.

Step 68

Let’s make a part! Horizontally place a white 2x6 plate in front of you. Then horizontally place a white 1x2 brick on the back left corner.

Group 20 - Chicken Statue

Step 69

Horizontally place a black 1x2 brick on the front left corner. Then place a white 2x2 brick to the right of the ppp.

Step 70.1

Horizontally place a black 1x2 brick on the front right corner.

Group 21 - Chicken Statue

Step 70.2

Horizontally place a white 1x2 brick on the back right corner.

Step 71

Horizontally place a white 2x6 brick on top. Then horizontally place a white 2x6 tile on top.

Step 72

Horizontally place your part on the front 2 rows of studs so it is centered horizontally.

Step 73

Bring back the chicken legs you made and horizontally place them in front of you so the feet point to the back and the upright 2x4 tile with 2 studs faces the front. Now rotate your current part 180 degrees then horizontally place it on top so the front row sits on the front row of the leg assembly.

Step 74

Place a white 2x2 brick on the front right corner. Then horizontally place a white 1x2 brick on the back row of the ppp. Now repeat both parts symmetrically to the left.

Step 75.1

Let’s make a part! Vertically place 2 light grey 1x3 inverted tiles, 1 to the right of the other, in front of you. Then place a white 2x2 plate on the back 2 rows. Now horizontally place a white 1x2 plate with a rail on the front row so the rail faces the front.

Step 75.2

Place a light grey 2x2 tile on the front 2 rows. Then horizontally place a white 1x2 panel on the back row so the wall faces the back.

Step 75.3

Vertically place your part on the front 3 rows so it is centered horizontally and the rail faces the front. It should not sit on any studs.

Step 76

Horizontally place a white 1x6 brick on the front row so it is centered horizontally.

Step 77

Vertically place a white 2x4 tile with 2 studs on the front right corner. Then repeat symmetrically to the left. Now horizontally place a white 1x2 tile on the front row so it is centered horizontally. Then horizontally place another 1 on the 4th row from the front so it is centered horizontally.

Step 78.1

Let’s make 2 identical parts! Vertically place a light grey 3x4 plate with 2 hinge connectors in front of you so the hinge connectors face the left. Now vertically place a white 2x4 tile with 2 studs on the 2 rightmost columns. Then vertically place a white 1x4 tile to the left of the ppp.

Step 78.2

Now you should have 2 identical parts! Vertically attach the hinge connectors of 1 part to the 2 right-facing hinges so the studs face up. Then repeat symmetrically to the left. These are the wings!

Step 79.1

Place 2 transparent 1x1 round tiles printed with green specs and a white feather on the 2x2 tile that is centered horizontally on the 5th and 6th rows from the front. Now place2 eggs in the 2x2 gap that is centered horizontally on the 2nd and 3rd rows from the front. Flip 1 egg upside down so they both fit.

Step 79.2

Now you can pull on the front-facing rail to drop the eggs!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let’s feature your build on our Builders page. It’s easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind are able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a $5 donation at https://www.gofundme.com/f/bricks-for-the-blind-gofundme. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please sign up for our newsletter and follow us on Facebook and Instagram to be the first to know when new instructions are available!

At the end of the instruction booklets are advertisements for the following 6 LEGO Minecraft Theme kits:

21583 Steve's Taiga Adventure

21585 Chicken Farm

21584 Nether & End Portal Journey

21587 Zombie Dungeon

21586 The Pale Garden

21590 Wither Battle