

40922 Lilo & Stitch: Angel

Adapted by John Le and tested by Natalie Charbonneau.

Treat kids with this cute LEGO® BrickHeadz™ Lilo & Stitch: Angel (40922) building toy. Fans can act out Lilo & Stitch moments with this brick-built movie model that features Angel's signature large ears and tail.

LILO & STITCH TOY – Bring movie magic home and treat kids with the LEGO® BrickHeadz™ Lilo & Stitch: Angel (40922) building toy, inspired by the Disney movie.

PLAY AND DISPLAY – This small building kit brings the character from the screen and puts it into the hands of creative fans to make a colorful display piece for their bedroom.

The front of the box shows a pink brickhead named Angel! It has large ears, a tail, and 2 antennas!

The back of the box shows that you can place Angel on a black platform!

The top of the box shows a real size image of a pink whip.

The build is 133 pieces in total and is for ages 10+.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.

- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/40922>) As low vision users may benefit from

viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2 and 3, and put them in one container.

This LEGO set comes with 2 unlabeled bags, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bags 1-2 - Angel

Group 1 - Steps 1-4.

Group 2 - Step 5 and 2 magenta 1x1 bricks from Step 6.

Group 3 - Rest of Step 6 and Steps 7-9.

Group 4 - Steps 10-13 and 1 dark grey 2x2 brick from Step 14.

Group 5 - Rest of Step 14 and Steps 15-21.

Group 6 - Steps 22-27.

Group 7 - Steps 28-33 and 4 pink 1x2 plates from Step 34.

Group 8 - Rest of Step 34 and Step 35.

Group 9 - Steps 36-37.

Let's get to building!

Building Instructions (Bags 1-2, Book 1):

Group 1 - Angel

Step 1

Horizontally place a pink 2x4 plate in front of you. Then vertically place a pink 1x4 plate on the leftmost column so 2 rows overhang to the front. Then repeat symmetrically to the right.

Step 2

Horizontally place a pink 2x4 plate underneath the front 2 rows so it is centered horizontally.

Step 3

Horizontally place a pink 1x2 brick with a side stud on the back row so it is centered horizontally and the side stud faces the back. Now place a pink 1x1 round plate upright on the back-facing side stud.

Step 4

Horizontally place a tan 1x2 brick on the front row so it is centered horizontally. Then place a white 2x2 round brick behind the ppp.

Group 2 - Angel

Step 5

Horizontally place a magenta 1x2 brick on the back row so it is centered horizontally. Then horizontally place a pink 1x2 plate on top of the ppp.

Step 6.1

Place a magenta 1x1 brick on the back left corner. Then repeat symmetrically to the right.

Group 3 - Angel

Step 6.2

Place a pink 1x1 brick on the back left corner. Then repeat symmetrically to the right.

Step 7

Vertically place a light grey 1x2x2 brick with 2x2 side studs on the leftmost column so it is centered vertically and the side studs face the left. Then repeat symmetrically to the right. Now place a white 2x2 round brick in between the 2 ppp.

Step 8

Horizontally place a pink 2x4 plate on the 2nd and 3rd rows from the front so it is centered horizontally and vertically.

Step 9.1

Let's make 2 identical parts! Place a pink 2x2 plate in front of you. Then horizontally place a pink 1x2 tile on the back row. Now horizontally place a pink 1x2 plate with a clip on the front row so the clip faces the front.

Step 9.2

Now you should have 2 identical parts! Place 1 part upright on the 2x2 right-facing side studs so the clip faces down. Then repeat symmetrically to the left.

Group 4 - Angel

Step 10

Stack 2 pink 1x1 bricks on the front left corner. Then repeat symmetrically to the right.

Step 11.1

Let's make 2 identical parts! Place 2 tan 1x1 bricks with a side stud, 1 to the right of the other, in front of you so the side studs face the front. Then horizontally place a tan 1x2 plate on top of the 2 ppp.

Step 11.2

Horizontally place a white 1x2 tile with a round side upright on the front-facing side studs so the round side faces down.

Step 11.3

Horizontally place your part on the front row so it is centered horizontally and the upright part faces the front.

Step 12

Horizontally place a light grey 1x2x2 brick with 2x2 side studs on the back row so it is centered horizontally and the side studs face the back. Place a dark grey 2x2 brick in front of the ppp.

Step 13

Horizontally place a light grey 1x2x2 brick with 2x2 side studs on the front row so it is centered horizontally and the side studs face the front. Now vertically place 2 light grey 1x2x2 bricks with 2x2 side studs, 1 in front of the other, on the rightmost column so the side studs face the right. Then repeat symmetrically to the left.

Step 14.1

Place a dark grey 2x2 brick on top so it is centered.

Group 5 - Angel

Step 14.2

Place a tan 2x2 round plate on top of the ppp. Now place a pink 2x2 brick on top of the ppp.

Step 15

Horizontally place 2 light grey 1x2x2 bricks with 2x2 side studs, 1 to the right of the other, on the back row so together they are centered horizontally and the side studs face the back.

Step 16

Place a black 1x1 brick with a side stud and round side on the 2nd row from the back of the rightmost column so the side stud faces the right. Then place a lime green 1x1 round brick on top of the ppp. Now repeat both parts symmetrically to the left.

Step 17

Horizontally place 2 light grey 1x2x2 bricks with 2x2 side studs, 1 to the right of the other, on the front row so the side studs face the front. Now place a dark grey 1x1x2 brick with 2 side studs on the 2nd row from the front of the rightmost column so the side studs face the right. Then repeat symmetrically to the left.

Step 18

Horizontally place a pink 1x2 plate on the back row so it is centered horizontally. Then place a pink 1x1 slope tile to the left of the ppp so it slopes to the left. Then repeat symmetrically to the right.

Step 19

Place a pink 2x2 plate on the front 2 rows so it is centered horizontally. Then horizontally place 2 pink 1x2 rounded plates, 1 to the right of the other, behind the ppp so together they are centered horizontally.

Step 20

Place a pink 2x2 plate on the back 2 rows so it is centered horizontally. Then place 2 pink 2x2 sloped curved tiles, 1 to the right of the other, on the front 2 rows so they slope outwards to the left and right.

Step 21.1

Let's make 2 identical parts! Horizontally place a pink 1x2 plate in front of you. Then horizontally place a pink 1x4 double sloped curved tile on top so it is centered horizontally.

Step 21.2

Now you should have 2 identical parts! These are the sides of Angel's head! Vertically place 1 part upright on the back column of right-facing side studs so 2 rows overhang to the top. Then repeat symmetrically to the left.

Group 6 - Angel

Step 22.1

Let's make 2 identical parts! Horizontally place a pink 1x4 plate in front of you. Then horizontally place a pink 1x2 plate on the 2 leftmost columns. Now place a purple 1x1 plate to the right of the ppp. Then place a pink 1x1 slope tile to the right of the ppp so it slopes to the right.

Step 22.2

Now you should have 2 identical parts! These are the sides of Angel's head! Vertically place 1 part upright on the back column of right-facing side studs, in front of the previous part so 1 row overhangs to the top and the slope tile is on the bottom. Then repeat symmetrically to the left.

Step 23

Horizontally place a pink 1x2 slope tile upright on the front 2 columns of left-facing side studs, in front of the bottom row of the previous part so it slopes down. Then repeat symmetrically to the right.

Step 24.1

Let's make 2 identical parts! Place a pink 2x2 plate in front of you. Then place a pink 2x2 sloped curved tile on top so it slopes and overhangs 1 column to the left. Now vertically place a pink 1x2 plate to the right of the ppp.

Step 24.2

Now you should have 2 identical parts! These are the sides of the face! Vertically place 1 part upright on the front 2 rows of right-facing side studs, above the 1x2 slope tile so it slopes up. Then repeat symmetrically to the left.

Step 25

Let's make a part! Let's make the face! Vertically place 2 pink 2x4 plates, 1 to the right of the other, in front of you.

Step 26

Horizontally place a pink 2x4 plate on top so it is centered horizontally and vertically.

Step 27

Horizontally place a pink 1x4 plate on the front row. Then horizontally place a pink 1x2 plate on the back row so it is centered horizontally. Now place a pink 1x1 quarter circle tile to the left of the ppp so the curve faces the back left. Then repeat symmetrically to the right.

Group 7 - Angel

Step 28

Horizontally place a pink 1x2 plate on the front row so it is centered horizontally. Then horizontally place a tan 1x4 plate behind the ppp. Now horizontally place a pink 1x2 plate behind the ppp so it is centered horizontally.

Step 29

Place a pink 1x1 slope tile on the front right corner so it slopes to the right. Then repeat symmetrically to the left. Now place a tan 1x1 tile with a round side on the 2nd row from the back of the rightmost column so the round side faces the back. Then repeat symmetrically to the left.

Step 30

Place a pink 2x2 tile with a stud on the front 2 rows so it is centered horizontally. Now place a pink 2x2 sloped curved tile behind the ppp so it is centered horizontally and slopes to the back.

Step 31

Place a purple 1x1 ball on top of the 2x2 tile with a stud. Then place a black 1x1 round tile printed with a white eye to the right of the ppp. Then repeat symmetrically to the left.

Step 32

Place your part upright on the 4 columns of front-facing side studs so it is centered horizontally and the ball is on the bottom.

Step 33.1

Let's make a part! Let's make the back of the head! Vertically place 2 pink 2x4 plates, 1 to the right of the other, in front of you. Then horizontally place a pink 2x4 plate on top so it is centered horizontally and vertically. Now horizontally place 2 pink 1x2 slope tiles, 1 to the right of the other, on the back row so they slope to the back.

Step 33.2

Place 2 pink 2x2 sloped curved tiles, 1 to the right of the other, on the front 2 rows so they slope to the front. Then horizontally place a pink 1x4 plate behind them.

Step 33.3

Place your part upright on the back-facing side studs so it is centered horizontally and slopes up.

You will have 4 extra pink 1x2 plates. Save them for later!

Group 8 - Angel

Step 34.1

Let's make a part! Horizontally place a pink 2x4 plate in front of you. Then vertically stack 2 pink 1x2 plates from group 7 underneath the leftmost column. Then repeat symmetrically to the right. Now vertically place a bright pink 1x2 plate underneath the leftmost column. Then repeat symmetrically to the right.

Step 34.2

Horizontally place your part underneath your build so it is centered horizontally and vertically.

Step 35

Place a pink whip on the leftmost stud of your build so it curves to the back left. Then repeat symmetrically to the right. These are the antennas!

Group 9 - Angel

Step 36.1

Let's make 2 identical parts! Horizontally place a tan 1x4 plate in front of you. Then horizontally place a tan 1x2 plate on the 2 leftmost columns. Now horizontally place a tan 1x3 sloped curved brick on the 3 rightmost columns so it slopes to the right.

Step 36.2

Horizontally place a purple 1x1 plate with a 1x1 sloped curved brick on the leftmost column so it slopes and overhangs to the left. Now place a purple 1x1 plate on top of the ppp. Now horizontally place a pink 1x2 inverted sloped curved tile underneath the 2 leftmost columns so it slopes to the left.

Step 36.3

Now you should have 2 identical parts! Vertically place 1 part upright on the top 3 side studs of the back column of left-facing side studs so it sticks up. Then repeat symmetrically to the right. These are the ears!

Step 37.1

Let's make a part! Let's make the platform! Place a black 6x6 plate in front of you. Then horizontally place a black 2x4 tile on the 2nd and 3rd rows from the back so it is centered horizontally. Now horizontally place a black 1x4 tile with 2 studs in front of the ppp. Then horizontally place a black 1x4 tile in front of the ppp.

Step 37.2

Horizontally place your build on top of the platform so it is centered horizontally and vertically, and the face faces the front.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind are able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

At the end of the instruction booklets, there are no ads.