

42678 Pet Accessories Van

Adapted by John Le and tested by Peter Durieux.

The detailed building set encourages open-ended play with 2 minidolls, kitten, dog and frog animal figures and cute pet accessories. This set is full of fun moments – admire the pug-shaped van and see its tail wag as it drives along! Get creative helping the pets try on different hats including a rain hat, cowboy hat, top hat and flower crown. Check out the cute bone mascot, then load the van with the accessories, ready for the next adventure. This set makes a great gift for girls and boys who love pets and pugs.

PET PLAYSET WITH VAN – Little animal lovers ages 6+ can create endless pet stories with this toy set for girls and boys, with 2 minidolls, a kitten, a dog, a frog, and a dog-themed van and accessories.

PUG-THEMED VAN – Enjoy tail-wagging deliveries with the adorable LEGO® Friends Pet Accessories Van (42678) featuring a cute pug design, complete with puppy face and a tail that wags as the van moves.

2 LEGO® FRIENDS CHARACTERS – Storytelling and pretend play are so much fun with this toy set which includes Nova and Aliya minidolls plus 3 animal figures: a kitten, a dog and a frog.

DISPLAY THE ANIMAL ACCESSORIES – Open the van to find hats for the pets to wear: a rain hat, cowboy hat, top hat and flower crown toy, plus a cash register and a price list for pet shopping play.

DIMENSIONS – 237-piece set with a van measuring over 2.5 in. (6 cm) high, 6 in. (15 cm) long and 2.5 in. (6 cm) wide.

The front of the box shows the pet accessory van parked in the back! Nova and Aliya are in the front, on the grass, playing with their pets and dressing them!

The back of the box shows the back of the pet accessory van. It has a tail that can wag back and forth!

The top of the box shows a real size image of Nova.

The build is 237 pieces in total and is for ages 6+.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.

- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have

a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/42678>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1 to 3, 2 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Aliya, Pluto, Dango, Bone Mascot, and Accessories

Group 1 - Pages 4-6.

Group 2 - Pages 7-11.

Group 3 - Pages 12-15.

Bag 2 - Van

Group 4 - Step 1.

Group 5 - Steps 2-12.

Group 6 - Steps 13-23.

Group 7 - Steps 24-32.

Bag 3 - Nova, Hopper, and Van

Group 8 - Pages 31-32.

Group 9 - Steps 33-37 and 2 transparent red 1x1 round tiles from Step 38.

Group 10 - Rest of Step 38 and Steps 39-46.

Group 11 - Steps 47-52.

Group 12 - Steps 53-60.

Group 13 - Steps 61-66.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Aliya, Pluto, and Dango

Sub-build 1. Locate 1 light brown pair of legs printed with white shorts and yellow sandals, 1 light brown torso printed with a white and red shirt, 1 light brown head printed with brown eyes, lips, and a nose, and 1 brown hair. Assemble your minifigure then put her in front of you! Now place a black cat named Pluto and a tan dog with brown ears and face named Dango next to her! Now put everything away while we make the bone mascot!

Group 2 - Bone Mascot

Step 1

Horizontally place a light grey 2x6 plate in front of you. Then horizontally place a white 1x2 plate on the back row so it is centered horizontally.

Step 2

Place 2 black 1x1 round plates with a handle, 1 to the right of the other, on the front row so together they are centered horizontally and the handles face the front.

Step 3

Place 2 white 2x2 round plates, 1 in front of the other, on the 2 leftmost columns so together they are centered vertically, and overhang 1 row to the front and back. Now repeat symmetrically to the right.

Step 4.1

Horizontally place a white 2x4 tile with a sticker on top so it is centered horizontally and vertically.

Step 4.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the white 2x4 tile. This sticker has 2 blue eyes, pink cheeks, and a smile! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 5

Vertically place 2 white 1x2 tiles with a round side, 1 in front of the other, on the leftmost column so together they are centered vertically and the round sides face the left. Then repeat symmetrically to the right.

Step 6

Place a white 1x1 quarter circle tile on the front row of the 2nd column from the left so the curve faces the front right. Then repeat symmetrically to the back. Now repeat both parts symmetrically to the right.

Step 7.1

Let's make 2 identical parts! Let's make the feet! Horizontally place a blue 1x2 rounded plate in front of you. Then place a blue 1x1 tile with a round side on the rightmost column so the round side faces the right. Now place a black candle stick on the leftmost column.

Step 7.2

Now you should have 2 identical parts! Attach the bar hole of the candle stick of 1 part to the left front-facing bar so the anti-studs face the front, and the 1x1 tile with a round side faces up. Now repeat symmetrically to the right. Now put your bone mascot away while we make the next part!

Group 3 - Accessories

Sub-build 2.1. Vertically place a yellow 2x3 inverted slope brick upright in front of you so the studs face the front and the sloped part faces up. Now vertically place an orange 2x4 tile with a sticker upright on the front-facing side studs so 1 row overhangs to the top.

Sub-build 2.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the orange 2x4 tile. This sticker is a sign with the cost of different accessories! It has a yellow flower crown for 3 dollars, a pink fedora for 5 dollars, a yellow firefighter hat for 3 dollars, and a blue top hat for 2 dollars! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 1

Let's make 2 identical parts! Horizontally place a pink 2x4 brick in front of you. Then place an orange 2x2 round tile with a stud on the 2 leftmost columns. Then place a white 1x1 round tile with an upright bar on top of the ppp so the bar faces up. Now repeat both parts symmetrically to the right.

Step 2

Now you should have 2 identical parts! Horizontally place them 1 to the right of the other, in front of you. Place a pink cowboy hat on the leftmost top-facing bar. Then place a yellow round cap to the right of the ppp. Then place a black top hat on the rightmost top-facing bar. Now place a light orange flower crown to the left of the ppp. Now put everything away while we make the van!

Building Instructions (Bag 2, Book 2):

Group 4 - Van

Step 1

Horizontally place a light blue 2x6 plate in front of you.

Group 5 - Van

Step 2

Horizontally place a black 2x6 plate on top so 1 column overhangs to the left.

Step 3

Vertically place a light grey 1x4 rounded plate underneath the leftmost column so it is centered vertically.

Step 4

Vertically place a blue 1x2 rounded plate on the leftmost column so it is centered vertically. Then place an orange 1x1 brick with a side stud in front of the ppp so the side stud faces the left. Then repeat symmetrically to the back.

Step 5

Place a white 1x2 plate with a 1x2 brick with a pinhole on the front row of the 2nd and 3rd columns from the left so the brick with the pinhole overhangs 1 row to the front. Then repeat symmetrically to the back.

Step 6

Insert a yellow 2L pin into the front-facing pinhole. Then repeat symmetrically to the back.

Step 7

Horizontally place a red 2x3 plate on the 3 leftmost columns so it is centered vertically.

Step 8

Horizontally place a red 2x3 plate on the 2nd to 4th columns from the right.

Step 9

Horizontally place a light grey 1x12 plate underneath the front row of the 2nd and 3rd columns from the left so 10 columns are exposed to the right. Then repeat symmetrically to the back.

Step 10

Place a lime green 1x1 brick on the front row of the 4th column from the left. Then repeat symmetrically to the back.

Step 11

Place a light blue 2x2 brick on the 7th column from the left so it is centered vertically and overhangs 1 column to the right. Now vertically place an orange 1x2 plate with 2x2 upright side studs underneath the right column of the ppp so the side studs face the right.

Step 12

Horizontally place a light yellow 2x4 brick on the front row of the 5th to 8th columns from the left so 1 row overhangs to the front. Then horizontally place a light grey 1x4 rounded plate underneath the front row of the ppp. Now repeat both parts symmetrically to the back.

Group 6 - Van

Step 13.1

Let's make a part! Vertically place a pink 2x4 plate in front of you. Then place 2 lime green 2x2 plates, 1 in front of the other, on top. Now horizontally place a blue 1x2 rounded plate on the front row. Then repeat symmetrically to the back.

Step 13.2

Vertically place your part on the 6th and 7th columns from the right so it is centered vertically.

Step 14

Horizontally place a white 2x5 stair plate on the 4th to 8th columns from the left so it is centered vertically and the lower side is on the left.

Step 15

Place a lime green 1x1 brick on the 2nd row from the front of the 6th column from the left. Then repeat symmetrically to the back.

Step 16

Horizontally place a light yellow 1x4 brick on the back row, behind the ppp so there is no overhang. Then repeat symmetrically to the front.

Step 17

Place a lime green 2x2 plate on the 2 leftmost columns so it is centered vertically. Then vertically place a light blue 1x2 panel with a middle wall to the right of the ppp so it is centered vertically and the middle wall faces the right. Now place a light blue 2x2 tile to the right of the ppp.

Step 18

Vertically place a blue 1x2 rounded plate on the leftmost column so it is centered vertically. Then vertically place a white 1x2 steering wheel to the right of the ppp so the wheel faces the right.

Step 19

Horizontally place a light yellow 2x4 brick with a mudguard on the front left corner so 1 row overhangs to the front and the mudguard faces the front. Then repeat symmetrically to the back.

Step 20

Vertically place a light yellow 1x2 plate on the front 2 rows of the 4th column from the left. Then repeat symmetrically to the back.

Step 21

Horizontally place a blue 1x2 rounded plate on the 2nd row from the front of the 2nd and 3rd columns from the left. Then repeat symmetrically to the back.

Step 22.1

Let's make 2 identical parts! Place a light yellow 1x1 plate with an upright side stud in front of you so the side stud faces the left. Now place a light grey 1x1 round plate upright on the left-facing side stud. Then place a transparent 1x1 round tile upright on the left-facing side stud.

Step 22.2

Now you should have 2 identical parts! Place 1 part on the front left corner so the round tile faces the left. Then repeat symmetrically to the back.

Step 23

Vertically place a red 1x4 brick with 4 side studs on the leftmost column so it is centered vertically and the side studs face the left.

Group 7 - Van

Step 24.1

Let's make a part! Horizontally place a light grey 1x4 rounded plate in front of you. Then horizontally place a yellow 1x2 jumper plate on top so it is centered horizontally. Then place a pink 1x1 tile with a round side on top of the ppp so the round side faces the front. Now horizontally place a yellow 1x2 sloped curved tile on the leftmost column so it slopes and overhangs to the left. Then repeat symmetrically to the right.

Step 24.2

Horizontally place your part upright on the bottom 2 left-facing side studs so it is centered horizontally and the round side of the 1x1 tile with a round side faces down.

Step 25

Vertically place 2 light yellow 1x2 plates, 1 in front of the other, on the leftmost column so together they are centered vertically.

Step 26

Horizontally place a light blue 1x3 tile on the 2nd row from the front, to the right of the 2 ppp. Then repeat symmetrically to the back.

Step 27

Vertically place an orange 1x4 half cylinder brick on the 8th column from the right so it is centered vertically.

Step 28

Horizontally place a light yellow 1x6 brick on the front left corner. Then repeat symmetrically to the back.

Step 29.1

Let's make 2 identical parts! Horizontally place a lime green 1x4 brick with 3 pinholes in front of you. Then horizontally place a light yellow 2x4 brick with a mudguard on top so the mudguard overhangs 1 row to the front. Now horizontally place a blue 1x2 rounded plate on the back row so it is centered horizontally. Then vertically place a yellow 1x2 plate on the leftmost column. Then repeat symmetrically to the right.

Step 29.2

Now you should have 2 identical parts! Horizontally place 1 part on the front row of the 2nd to 5th columns from the right so 1 row overhangs to the front and the mudguard faces the front. Then repeat symmetrically to the back.

Step 30

Place a light grey 4x4 tile on the 4th to 7th columns from the right so it is centered vertically.

Step 31

Vertically place a pink 2x4 plate to the right of the ppp so it is centered vertically. Then horizontally place a lime green 1x2 jumper plate on the front row of the ppp. Then repeat symmetrically to the back.

Step 32

Horizontally place a light yellow 1x6 brick on the front right corner so there is no overhang. Then repeat symmetrically to the back. Now put your van away while we make the next part!

Building Instructions (Bag 3, Book 2):

Group 8 - Nova and Hopper

Sub-build 3. Locate 1 light tan pair of legs printed with black shoes and teal shorts, 1 light tan torso printed with a lime green, yellow, and pink long sleeve shirt, 1 light tan head printed with green eyes, nose, and lips, 1 blonde hair, and 1 green frog named Hopper. Assemble your minifigure then put Hopper next to her!

Group 9 - Van

Step 33

Bring back the main build and horizontally place it in front of you so the side studs face the left. Now place a lime green 2x2 tile with a stud on the 2nd and 3rd columns from the right so it is centered vertically and sits in between the 1x2 jumper plates.

Step 34.1

Horizontally place a pink 1x2 rounded plate in front of the ppp so it is centered horizontally on the 1x2 jumper plate. Then horizontally place a light grey 1x2 slope tile with a sticker on top of the ppp so it slopes to the back.

Step 34.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the light grey 1x2 slope tile. This sticker has buttons on it and a receipt printer. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 35.1

Let's make a part! Place a light grey 2x2 plate in front of you. Then horizontally place a light yellow 1x6 plate on the back row so it is centered horizontally. Now horizontally place a yellow 1x2 plate on the front row. Then place a light grey 1x1 round plate underneath the leftmost column. Then repeat symmetrically to the right.

Step 35.2

Place a pink 2x2 turntable plate on top so it is centered horizontally. Then place a light grey 2x2 round turntable plate on top of the ppp.

Step 35.3

Vertically place your part on the rightmost column so it is centered vertically and overhangs 1 column to the right.

Step 36.1

Let's make a part! Place a white 1x2 plate with a 1x2 brick with a pinhole in front of you so the pinhole faces the right. Now vertically place a yellow 1x2 plate on the left column. Then vertically place a dark grey 1x2 plate with a ball underneath the leftmost column so the ball faces the left. Now place a yellow 2x2 round tile on top.

Step 36.2

Place your part on the 2 rightmost column so it is centered vertically and the pinhole faces the right.

Step 37

Insert a red 1L pin with a stud into the right-facing pinhole so the stud faces the right.

You will have 2 extra transparent red 1x1 round tiles. Save them for later!

Group 10 - Van

Step 38

Place a light yellow 1x1x2 brick with 2 side studs on the front right corner so the side studs face the right. Now place a transparent orange 1x1 round tile upright on the bottom right-facing side stud. Then place a transparent red 1x1 round tile from group 9 upright on the right-facing side stud above the ppp. Now repeat everything symmetrically to the back.

Step 39

Vertically place a light yellow 1x6 brick on the rightmost column of studs so it is centered vertically.

Step 40

Vertically place a yellow 1x4 plate on the leftmost column so it is centered vertically.

Step 41

Horizontally place a yellow 1x2 plate with a clip on the front left corner so the clip faces the front. Then repeat symmetrically to the back.

Step 42

Attach a white 1x1 round tile with an upright bar to the front-facing clip that is on the front left corner so the anti-stud faces the right. Then repeat symmetrically to the back.

Step 43

Horizontally place a yellow 1x3 tile on the front row of the 3rd to 5th columns from the left. Then repeat symmetrically to the back.

Step 44

Vertically place a yellow 1x4 plate on the rightmost column so it is centered vertically. Now horizontally place 2 yellow 1x4 plates, 1 to the right of the other, on the back right corner so there is no overhang.

Step 45

Horizontally place a yellow 1x6 tile on the front right corner. Then horizontally place a yellow 1x2 plate to the left of the ppp.

Step 46.1

Let's make a part! Horizontally place a light yellow 3x4 car hood with 2 studs in front of you so the studs are in the front. Then horizontally place a yellow 1x2 plate on top. Now place the front row of a black 2x2 tile with a round side on top so it is centered horizontally and the round side faces the front.

Step 46.2

Horizontally place your part upright on the left-facing side studs so it is centered horizontally, there is no overhang, and the round side faces up.

Group 11 - Van

Step 47

Vertically place a light blue 1x6 brick on the rightmost column. Then horizontally place a light blue 1x6 brick on the back row, to the left of the ppp.

Step 48

Place a light blue 1x1 brick on the front right corner. Then vertically place a transparent 1x4 brick behind the ppp. Now horizontally place a light blue 1x2 brick on the back right corner.

Step 49

Place a light blue 1x1 brick on the back row, to the left of the ppp. Then horizontally place a blue 1x2 plate to the left of the ppp.

Step 50

Place 2 short blue 1x1 round bricks with a side stud, 1 to the right of the other, on the 4th and 5th columns from the right of the back row so the side studs face the back. Now horizontally place a light blue 1x2 brick to the left of the 2 ppp.

Step 51

Vertically place a light blue 1x6 plate on the rightmost column.

Step 52.1

Let's make a part! Vertically place a light blue 1x6x2 arch brick in front of you. Then vertically place a pink 1x2 rounded plate on top so it is centered vertically. Now place a brown 1x1 plate with 2 side studs hanging down on the front row so the side studs face the front. Then place a light grey 1x1 plate with a vertical tooth behind the ppp so the tooth faces the left. Then repeat both parts symmetrically to the back.

Step 52.2

Vertically place your part on the 8th column from the right so it is centered vertically and the vertical teeth face the left.

Group 12 - Van

Step 53

Vertically place a brown 1x2 rounded plate upright on the front-facing side studs so 1 row overhangs down. Then vertically place a brown 1x2 sloped curved tile upright on the top 2 front-facing side studs so it slopes up. Then place a brown 1x1 tile with a round side upright below the ppp so the round side faces down. Now repeat everything symmetrically to the back.

Step 54.1

Let's make a part! Horizontally place a light blue 2x6 tile in front of you. Then horizontally place 3 light grey 1x2 plates with a bar, 1 to the right of the other, underneath the front row so together they are centered horizontally and the bars face the front. Then repeat symmetrically to the back.

Step 54.2

Horizontally attach the clips of 3 light blue 1x2 plates with 2 clips, 1 to the right of the other, to the 3 back-facing bars so the studs face up. Now horizontally place a light blue 1x8 tile on the back row so it is centered horizontally.

Step 54.3

Place 2 yellow 2x2 round plates with a rounded bottom, 1 to the right of the other, underneath the front 2 rows so together they are centered horizontally.

Step 55

Horizontally place the back row of your part on the back right corner so the back row does not overhang. Now flip up the front 2 rows of your part up so the anti-studs face the front.

Step 56.1

Let's make a part! Horizontally place a light blue 1x6 brick in front of you. Then horizontally place a blue 1x2 plate on the front row so it is centered horizontally. Now horizontally place a light blue 1x2 brick on the 2 leftmost columns. Then repeat symmetrically to the right.

Step 56.2

Place a blue 1x1 round brick with a side stud on the 3rd column from the left so the side stud faces the front. Then repeat symmetrically to the right. Now horizontally place 3 light blue 1x2 plates with 2 clips, 1 to the right of the other, on top so together they are centered horizontally and the clips face the back.

Step 56.3

Horizontally place 2 light blue 1x3 tiles, 1 to the right of the other, on top. Now place a yellow 3x3 round tile with a sticker upright on the front-facing side studs so it is centered horizontally and vertically.

Step 56.4

Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the yellow 3x3 round tile. This sticker has a tan dog with brown ears and a little pink hat on top of its head! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 56.5

Horizontally attach the clips of your part to the top-facing bars of the previous part so the 3x3 round tile faces up.

Step 57

Flip the previous part down to the front so the 3x3 round tile faces the front. This is how you open and close the back of the van!

Step 58

Vertically place a light blue 1x3 tile on the front right corner. Then vertically place a light blue 1x2 tile behind the ppp. Now vertically place a light blue 1x3 tile on the front 3 rows of the 8th column from the right. Then vertically place a light blue 1x2 tile behind the ppp.

Step 59

Vertically place a transparent 2x6x2 windshield on the 2 leftmost columns of studs so it is centered vertically and slopes to the left.

Step 60

Vertically place the leftmost column of a light blue 4x6 car hood with 4 studs on top of the ppp so the studs are on the right.

Group 13 - Van

Step 61

Rotate your van 180 degrees. Now place a yellow 3x3 round tile with a sticker upright on the 2 front-facing side studs so it is centered horizontally on it and hangs 2 rows down.

Step 62

Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the yellow 3x3 round tile. This sticker has a tan dog with brown ears and a little pink hat on top of its head! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 63

Flip your van upside down so the windshield faces the left. Now place a large orange wheel in between the 1x4 bricks with 3 pinholes that are on the 3rd to 5th columns from the right so it is centered vertically and the axle hole of your wheel aligns with the middle pinhole.

Step 64

Insert a black 3L pin axle into the middle front-facing pinhole of the 1x4 brick with 3 pinholes that is on the 3rd to 5th columns from the right so the axle goes into the hole and attaches to the wheel. Make sure the pin faces the front. Then repeat symmetrically to the back.

Step 65.1

Let's make 4 identical parts! Place a white wheel into a black tire, then place it in front of you so the stud faces up. Now place a pink 1x1 round tile on top.

Step 65.2

Now you should have 4 identical parts! Attach 1 wheel to the leftmost front-facing pin so the round tile faces the front. Then repeat symmetrically to the right. Now repeat everything symmetrically to the back.

Step 66

Flip your van over so it is horizontal and the windshield faces the left. Now attach a brown tail with a handle to the right-facing side stud so the tail faces the back.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

At the end of the instruction booklets are advertisements for the following 5 LEGO Friends Theme kits:

42688 Horse Stable and Riding Academy

42687 Liann's Family House

42684 Unicorn Dream Café

42652 Friendship Tree House Hangout

42695 Horse & Baby Foal Trailer