42695 Horse & Baby Foal Trailer

Adapted by John Le and tested by Jolene Nemeth.

This set for horse lovers includes 2 minidolls plus a horse, foal, puppy and frog figures. Explore every aspect of animal care using the detailed accessories to groom the horses, transport them in the trailer and ride the horse over the jump. There are lots of different ways for girls and boys to play with this animal playset. They can create stories for Autumn and Matilde as they drive the car. Open the trailer to greet the horse and foal. Then saddle up the horse, ready for a ride. The model comes with a small side build with a picnic area, signpost, lake and a fence to jump over.

HORSE PLAYSET WITH TRAILER – Girls and boys ages 7 and up can gallop into imaginative play with this kids' animal playset with 2 minidolls, a car and trailer, a horse, foal, puppy and frog figures.

CARE FOR THE HORSE AND FOAL – Little horse lovers can explore every aspect of animal care as they groom the horses, transport them in the trailer and ride the horse over the jump.

2 LEGO® FRIENDS CHARACTERS – This detailed LEGO Friends Horse & Baby Foal Trailer (42695) pretend play set comes with Autumn and Matilde minidolls to inspire stories about their passion for horses.

LOTS OF ACCESSORIES – Accessories in this LEGO® Friends set include a fence to jump, a saddle, sandwiches, a crate, a brush, carrots for the horses, and 2 small flowers to decorate the horse blanket.

DIMENSIONS – 279-piece set with a car and trailer measuring over 4 in. (10 cm) high, 8.5 in. (21 cm) long and 2.5 in. (7 cm) wide.

The front of the box shows a light green and light purple car pulling a horse trailer! In the front, someone is riding a horse while another person is having a picnic!

The back of the box shows the back of the trailer opening up to let the horse and baby foal inside!

The top of the box shows a real size image of the horse rider!

The build is 279 pieces in total and is for ages 7+.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.

- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- “Anti-stud” is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (https://www.lego.com/en-us/service/buildinginstructions/42695) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 2 bags labeled 1 to 2, 2 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Autumn, Aira, and Car
Group 1 - Pages 4-6.
Group 2 - Steps 1-4.
Group 3 - 1 pink 2x4 plate from Step 5.
Group 4 - Rest of Step 5 and Steps 6-19.
Group 5 - Step 20 and 1 light orange 1x2 plate from Step 21.
Group 6 - Rest of Step 21 and Steps 22-30.
Group 7 - Steps 31-36.
Group 8 - Steps 37-39.
Group 9 - Steps 40-45.
Group 10 - Step 46.

Bag 2 - Matilde, Dawn, Picnic, Henry, and Trailer
Group 11 - Page 3.
Group 12 - Steps 1-7 and 2 red 1x1 quarter circle tiles from Step 8.
Group 13 - Rest of Step 8 and Steps 9-13.
Group 14 - 2 nougat 1x2 rounded plates and 2 yellow 1x1 round plates from Step 14.

Group 15 - Rest of Step 14 and Steps 15-16.
Group 16 - Steps 1-2.
Group 17 - Steps 1-11.
Group 18 - Steps 12-28.
Group 19 - Steps 29-36.
Group 20 - Steps 37-49.

Let’s get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Autumn and Aira

Sub-build 1. Locate 1 light green pair of legs printed with brown boots, 1 light tan torso with 1 hand printed with a blue plaid shirt, 1 light tan head printed with light green eyes, nose, lips, and freckles, 1 light blue helmet with light brown hair, and 1 light brown dog printed with eyes and tan paws. Assemble your minifigure and make sure the hair of the helmet faces the back, then put the dog next to her! Now put them away while we make the car!

Group 2 - Car

Step 1

Place a light grey 4x4 plate with bricks with axle holes on the sides in front of you so the brick parts are in the front and back. Then place a dark grey 1x2 plate with a 1x2 inverted sloped curved brick on the rightmost column so it is centered vertically and slopes and overhangs to the right.

Step 2

Vertically place a light purple 1x2 plate on the 3rd column from the left so it is centered vertically. Then horizontally place a yellow 2x8 plate to the left of the ppp so it is centered vertically and overhangs 6 columns to the left.

Step 3

Vertically place a dark grey 2x4 plate underneath the 5th and 6th columns from the left so it is centered vertically.

Step 4

Place a dark grey 1x2 plate with a 1x2 inverted sloped curved brick on the 2 leftmost columns of the front row so it slopes and overhangs to the front. Then repeat symmetrically to the back.

Group 3 - Car

Step 5.1

Horizontally place a pink 2x4 plate on the 2nd to 5th columns from the right so it is centered vertically.

Group 4 - Car

Step 5.2

Vertically place a white 2x4 plate to the left of the ppp so it is centered vertically.

Step 6

Place a light grey 4x4 plate with bricks with axle holes on the sides underneath the 4 leftmost columns so it is centered vertically, and the brick parts are in the front and back.

Step 7

Insert a tan 2L pin axle into the leftmost front-facing axle hole so the pin faces the front. Then repeat symmetrically to the right. Then repeat everything symmetrically to the back.

Step 8

Place a pink 2x2 plate with 2 side studs on the 2 leftmost columns so it is centered vertically and the side studs face the left. Then place an orange 2x2 plate to the right of the ppp so it is centered vertically.

Step 9

Place a light grey 2x2 plate with a socket on the 2 rightmost columns so it is centered vertically and the socket faces the right. Now horizontally place a light green 2x6 plate to the left of the ppp so it is centered vertically. Then place a green 2x2 brick to the left of the ppp so it is centered vertically.

Step 10

Horizontally place a lime green 2x4 mudguard on the front left corner so the mudguard and 1 row overhang to the front. Then repeat symmetrically to the back.

Step 11

Vertically place 2 yellow 1x2 bricks with 2 side studs, 1 in front of the other, on the leftmost column so together they are centered vertically and the side studs face the left.

Step 12

Place a lime green 1x1 tile on the front left corner. Then repeat symmetrically to the back. Now vertically place a light grey 2x4 tile on the 2nd and 3rd columns from the left so it is centered vertically.

Step 13

Rotate your build 180 degrees. Now vertically place a light purple 1x2 brick on the 2nd and 3rd rows from the front of the 4th column from the right. Then vertically place a white 1x2 steering wheel behind the ppp so the wheel faces the left.

Step 14.1

Vertically place a light grey 1x2 slope tile with a sticker in front of the steering wheel from the previous step so it slopes to the left.

Step 14.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 6 on the light grey 1x2 slope tile. This sticker has a music icon on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 15

Horizontally place a light orange 1x2 plate to the left of the front row of the ppp so it sits on the 2nd row from the front. Then repeat symmetrically to the back.

Step 16

Vertically place 2 tan 1x2 panels with a middle wall, 1 in front of the other, on the 5th column from the right so together they are centered vertically and the middle walls face the left.

Step 17

Horizontally place a lime green 1x2 brick on the 5th and 6th columns from the right of the front row. Then repeat symmetrically to the back.

Step 18

Horizontally place a lime green 2x4 mudguard on the back row, to the left of the ppp so the mudguard and 1 row overhang to the back. Then repeat symmetrically to the front.

Step 19

Place 2 pink 2x2 tiles, 1 in front of the other, on the 5th and 6th columns from the left so together they are centered vertically.

Group 5 - Car

Step 20

Horizontally place a lime green 1x4 plate on the front row of the 4th to 7th columns from the right. Then repeat symmetrically to the back.

Step 21.1

Vertically place a light orange 1x2 plate on the 4th column from the left so it is centered vertically.

Group 6 - Car

Step 21.2

Vertically place a lime green 1x2 plate on top of the ppp.

Step 22

Let’s make a part! Horizontally place a pink 1x4 plate in front of you. Then horizontally place 2 pink 1x2 sloped curved bricks, 1 to the right of the other, on top of the ppp so they slope to the front. Now vertically place your part on the 4th column from the left so it is centered vertically and slopes to the right.

Step 23

Place an orange 1x1 short brick on the leftmost column of the 2nd row from the front. Then place a teal 1x1 round plate to the right of the ppp. Now repeat both parts symmetrically to the back.

Step 24

Vertically place a lime green 1x2 brick on the leftmost column so it is centered vertically. Then place a green 2x2 brick to the right of the ppp.

Step 25

Vertically place a lime green 1x2 plate with 2x2 side studs hanging down on the leftmost column of the front 2 rows so the side studs face the left. Then repeat symmetrically to the back.

Step 26.1

Let’s make a part! Vertically place a lime green 1x2 plate in front of you. Then place a lime green 2x2 sloped curved tile with a sticker on top so it slopes and overhangs to the left.

Step 26.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the lime green 2x2 sloped curved tile. This sticker is a light blue and pink rear light. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 26.3

Place your part upright on the back 2 columns of left-facing side studs so it slopes down.

Step 27.1

Let's make a part! Vertically place a lime green 1x2 plate in front of you. Then place a lime green 2x2 sloped curved tile with a sticker on top so it slopes and overhangs to the left.

Step 27.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the lime green 2x2 sloped curved tile. This sticker is a light blue and pink rear light. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 27.3

Place your part upright on the front 2 columns of left-facing side studs so it slopes down.

Step 28

Vertically place a light purple 1x6 plate on the leftmost column so it is centered vertically. Then place 2 nougat 2x2 tiles with a stud, 1 in front of the other, to the right of the ppp so together they are centered vertically.

Step 29

Rotate your build 180 degrees. Now horizontally place a light purple 1x6 plate on the front row of the 2nd to 7th columns from the right. Then repeat symmetrically to the back.

Step 30

Place a light purple 1x1 plate on the back row, to the left of the ppp. Then repeat symmetrically to the front.

Group 7 - Car

Step 31.1

Let's make 2 identical parts! Horizontally place a light purple 1x2 plate in front of you. Then horizontally place 2 light purple 1x2 sloped curved tiles, 1 to the right of the other, on top of the ppp so together they are centered horizontally and slope outwards to the left and right.

Step 31.2

Now you should have 2 identical parts! Horizontally place 1 part on the front right corner. Then repeat symmetrically to the back.

Step 32

Place 4 nougat 1x1 half cylinder bricks, 1 in front of the other, on the rightmost column so they slope to the left and right.

Step 33

Horizontally place a light purple 1x2 tile on the front row of the 5th and 6th columns from the right. Then place a light purple 1x1 quarter circle tile to the left of the ppp so the curve faces the back left. Then repeat both parts symmetrically to the back.

Step 34

Vertically place a light purple 4x6 car hood on the 3 leftmost columns so it is centered vertically, overhangs 1 column to the left, and the studs are on the right. Now place a light grey 1x1 plate with a clip on the front row, to the right of the ppp so the clip faces the front. Then repeat symmetrically to the back.

Step 35

Attach the bar of a light grey 1x1 round tile with an upright bar to the front-facing clip so the anti-stud faces the right. Then repeat symmetrically to the back.

Step 36.1

Let’s make a part! Vertically place a transparent 2x6x2 windshield in front of you so it slopes to the left. Then vertically place a light purple 1x4 tile on top so it is centered vertically. Then place a light purple 1x1 quarter circle tile in front of the ppp so the curve faces the front left. Then repeat symmetrically to the back.

Step 36.2

Vertically place your part on the 2 leftmost columns of studs so it is centered vertically and slopes to the left.

Group 8 - Car

Step 37

Let’s make a part! Horizontally place a white 2x4 plate in front of you. Then horizontally place a light orange 1x2 plate on the back row so it is centered horizontally.

Step 38

Horizontally place a transparent orange 1x1 plate with a short 1x1 sloped curved brick on the back left corner so it slopes and overhangs to the left. Then repeat symmetrically to the right.

Step 39

Horizontally place a lime green 1x4 plate on the back row.

Group 9 - Car

Step 40

Vertically place 2 light grey 1x1 plates with a short 1x1 sloped curved brick, 1 to the right of the other, on the front row so together they are centered horizontally and slope and overhang to the front.

Step 41

Place a short light grey 2x2 corner sloped curved brick with a 1x1 plate part on the front right corner so it slopes and overhangs to the front right. Then repeat symmetrically to the left.

Step 42

Horizontally place a light grey 1x2 plate with a stud and hinge finger on the front left corner so the hinge is on the left. Then repeat symmetrically to the right.

Step 43

Horizontally place a light grey 1x2 rounded tile on the front row. Then place a transparent 1x1 saucer on the leftmost column. Then repeat symmetrically to the right.

Step 44

Place a light yellow 1x1 round tile on top of each of the 2 ppp.

Step 45

Horizontally place your part upright on the left-facing side studs so it is centered horizontally, hangs 1 row to the bottom, and the 1x1 round tiles are on top.

Group 10 - Car

Step 46.1

Let’s make 4 identical parts! Insert a white wheel into a black tire, then place it in front of you so the stud faces up. Now place a pink 1x1 round tile on top.

Step 46.2

Now you should have 4 identical parts! Attach 1 part to the leftmost front-facing pin so the round tile faces the front. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back. Now put your car away while we make the next part!

Building Instructions (Bag 2, Book 1):

Group 11 - Matilde and Dawn

Sub-build 2. Locate 1 white pair of legs printed with black boots, 1 light tan torso printed with an orange and pink shirt, 1 light tan head printed with light blue eyes, nose, and pink lips, 1 blonde hair, and 1 light yellow pony printed with a brown eye. Assemble your minifigure then put the pony next to her! Now put them away while we make the next part!

Group 12 - Picnic

Step 1

Vertically place a green 1x6 plate in front of you. Then horizontally place a light green 2x4 plate on the back 2 rows so 3 columns overhang to the left.

Step 2

Vertically place a green 4x6 plate underneath the 3 leftmost columns so 4 rows are exposed to the front, and 1 column is exposed to the left.

Step 3

Horizontally place a light green 2x4 plate on the front right corner. Then horizontally place another 1 behind the ppp.

Step 4

Place a light green 4x4 inverted curved plate on the front left corner so 3 columns overhang to the left, and the curve faces the back left.

Step 5

Place the 3 rightmost columns of a blue 6x6 quarter circle plate underneath the 3 leftmost columns so 3 columns are exposed to the left and the curve faces the back left.

Step 6

Horizontally place a light green 1x3 plate on the front left corner.

Step 7

Place a light green 1x1 quarter circle tile on the 5th column from the right of the back row so the curve faces the front left. Then place a light green 1x2 curved tile on the back 2 rows, to the left of the ppp so the curve faces the front left.

Step 8.1

Rotate your build 180 degrees. Now place a red 1x1 quarter circle tile on the 2nd row from the front of the leftmost column so the curve faces the front left. Then place another 1 on the 4th row from the front of the leftmost column so the curve faces the back left.

Group 13 - Picnic

Step 8.2

Place a white 1x1 plate in between the 2 ppp. Then place a red 1x1 tile to the right of the ppp. Now place a white 1x1 plate in front of and behind the ppp.

Step 8.3

Place a white 1x1 plate on the 3rd row from the front of the 3rd column from the left. Then place a red 1x1 tile in front of and behind the ppp.

Step 8.4

Place a red 1x1 tile on the 3rd row from the front of the 4th column from the left. Then place a white 1x1 quarter circle tile in front of the ppp so the curve faces the front right. Then repeat symmetrically to the back.

Step 9

Place a brown 1x1 round plate on the back right corner. Then horizontally place a green 1x4 tile to the left of the ppp. Now place a brown 1x1 round plate to the left of the ppp. Then place a transparent 1x1 round tile printed with a pink worm to the left of the ppp.

Step 10

Place a brown 1x1 brick with a side stud on top of the ppp so the side stud faces the front. Then place a brown 1x1 round plate on top of the ppp. Now place a brown 1x1 brick with a side stud on top of the ppp so the side stud faces the front. Then place a brown 1x1 pyramid tile on top of the ppp.

Step 11

Place a brown 1x1 brick with a side stud on the back right corner so the side stud faces the front. Now place a light brown 1x1 slope tile on top of the ppp so it slopes to the left.

Step 12

Horizontally place a light brown 1x6 tile upright on the bottom 2 front-facing side studs. Then horizontally place the leftmost column of another 1 upright on the front-facing side stud so it slants to the right.

Step 13.1

Place a light brown 5.5L antenna on the back left corner. Then attach an orange 2x2 sign tile with a sticker to the top of the ppp so it faces the front right.

Step 13.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 8 on the orange 2x2 tile with a clip. This sticker has grass, trees, and a picnic table! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Group 14 - Picnic

Step 14.1

Let’s make 2 identical parts! Let’s make sandwiches! Horizontally place a nougat 1x2 rounded plate in front of you. Then place a yellow 1x1 round plate on the left column.

Group 15 - Picnic

Step 14.2

Place a light green 1x1 round plate on the right column. Then horizontally place a nougat 1x2 rounded tile on top.

Step 14.3

Now you should have 2 identical parts! Horizontally place 1 part on the 2 leftmost columns of the 2nd row from the front so it sits on 1 stud. Then place another 1 to the back right of the ppp so it faces the back right and sits on 1 stud.

Step 15

Place a dark green 2x2 round tile with a stud on the 2nd and 3rd columns of studs from the right of the 2nd and 3rd rows from the front.

Step 16

Place a lime green frog on top of the ppp so it faces the front. Then place a pink flower with a micro pin on top of her head! Now put your picnic away while we make the next part!

Group 16 - Henry

Step 1.1

Let’s make a part! Place a tan 2x2 plate in front of you. Then horizontally place a tan 1x2 sloped curved brick on the back row so it slopes to the back. Then repeat symmetrically to the front.

Step 1.2

Let’s make another part! Horizontally place a magenta horse blanket in front of you so the side with a gap faces the left. Now attach a yellow flower with a micro pin to the middle front-facing hole.

Step 1.3

Place a teal saddle in front of you.

Step 2

Horizontally place a tan horse with brown hair in front of you. Now you can use these 3 accessories to customize your horse! You can put either the saddle, cover, or sloped curved brick part on your horse! Now put everything away while we make the trailer!

Group 17 - Trailer

Step 1

Horizontally place a dark grey 2x10 plate in front of you. Then vertically place a light grey 1x6 plate on the rightmost column so it is centered vertically.

Step 2

Place a dark grey 2x2 plate underneath the front 2 rows so 1 column is exposed to the left. Then repeat symmetrically to the back.

Step 3

Vertically place a light grey 2x6 plate on the 2nd and 3rd columns from the right so it is centered vertically. Then horizontally place an orange 2x4 plate to the left of the ppp.

Step 4

Vertically place a light grey 1x6 plate on the 3rd column from the left so it is centered vertically. Then place a dark grey 2x2 plate underneath the front 2 rows of the ppp so 1 column is exposed to the left. Then repeat symmetrically to the back.

Step 5

Vertically place an orange 1x2 plate on the 2nd column from the left so it is centered vertically.

Step 6

Horizontally place a tan 2x6 tile on the 6 rightmost columns so it is centered vertically. Then vertically place a nougat 1x2 grill tile to the left of the ppp. Now place a tan 2x2 tile to the left of the ppp so it is centered vertically.

Step 7

Place a dark grey 2x2 inverted round tile with a rounded bottom underneath the front right corner. Then repeat symmetrically to the back. Now place another 1 underneath the front 2 rows of the 2nd and 3rd columns from the left. Then repeat symmetrically to the back.

Step 8

Place a light grey 4x4 plate with bricks with axle holes on the sides underneath the 4th to 7th columns from the right so the brick parts are exposed 1 row to the front and back. Then insert a tan 2L pin axle into the front-facing axle hole so the pin faces the front. Then repeat symmetrically to the back.

Step 9

Horizontally place a tan 1x8 tile on the 8 rightmost columns, in front of the 2x6 tile so there is no overhang. Then repeat symmetrically to the back.

Step 10.1

Horizontally place a lime green 1x2 brick on the front right corner. Then horizontally place a light grey 1x2 brick with a bar on the back right corner so the bar faces the right. Now horizontally place a lime green 1x2 inverted slope brick to the left of the ppp so it slopes and overhangs to the left. Then repeat symmetrically to the front.

Step 10.2

Horizontally place a lime green 1x2 inverted slope brick on the 2nd column from the left of the front row so it slopes and overhangs to the right. Then repeat symmetrically to the back.

Step 11

Let’s make another part! Horizontally place a light grey 2x6 plate with a round side and 1x2 gap in front of you so the round side faces the back. Then place a light grey 2x2 plate with a ball on the back 2 rows so it is centered horizontally and the ball faces the back.

Group 18 - Trailer

Step 12

Stack 2 lime green 2x2 plates on top of the ppp.

Step 13

Place a lime green 1x2 curved brick on the 2 leftmost columns so the curve faces the back left. Then repeat symmetrically to the right.

Step 14

Place a tan 1x1 quarter circle tile on the 2nd column from the left of the front row so the curve faces the back left. Then repeat symmetrically to the right.

Step 15

Horizontally place a tan 1x2 rounded plate on the back row so it is centered horizontally.

Step 16

Vertically place your part on the 2 leftmost columns of the main build so it is centered vertically and the round side overhangs 1 column to the left.

Step 17

Place a tan 1x1 plate on the front right corner. Then horizontally place a tan 1x6 plate to the left of the ppp. Now place a tan 1x3 curved plate to the left of the ppp so the curve faces the front left. Now repeat everything symmetrically to the back.

Step 18

Vertically place a pink 1x2 tile with a round side on the 2nd column from the left so it is centered vertically and the round side faces the left.

Step 19

Place a light green 3x3x6 quarter dome panel on the front 3 rows of the 3 leftmost columns so the curve faces the front left. Then repeat symmetrically to the back.

Step 20

Let’s make a part! Let’s make a window! Horizontally place a white 1x4x2 window frame in front of you so the ridged side faces the front. Then horizontally attach a transparent glass pane to the front so it opens up to the top.

Step 21

Horizontally place a white 1x4 brick with 4 side studs underneath your part so the side studs face the front.

Step 22

Horizontally place 2 light brown 1x2 plates with 2 upright side studs, 1 to the right of the other, upright on the front-facing side studs so the side studs face up.

Step 23

Horizontally place a light purple 1x4 tile upright on the front-facing side studs.

Step 24

Place a light green 1x1 plate with a vertical tooth on the front right corner so the tooth faces the front.

Step 25

Place a green 1x1 round plate with 3 leaves to the left of the ppp so the leaves face the front left. Then place 1 on the front left corner so the leaves face the front.

Step 26

Place 2 light pink 1x1 round flower plates, 1 to the right of the other, on the front right corner.

Step 27

Place a light green 1x1 round plate with a bent bar on the front left corner so the stud faces the front left. Now place a yellow sunflower on top of the ppp. Then place a light brown 1x1 round tile on top of the ppp.

Step 28

Horizontally place your part on the 5th to 8th columns from the right of the front row so the flowers are in the front.

Group 19 - Trailer

Step 29

Rotate your build 180 degrees. Now horizontally stack 2 tan 1x4 plates on the 5th to 8th columns from the left of the front row.

Step 30.1

Let’s make a part! Horizontally place a tan 1x4x3 panel with a sticker in front of you so the wall faces the front. Then horizontally place a tan 1x4 plate on top of the ppp.

Step 30.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 5 on the tan 1x4x3 panel. This sticker has a window with light green blinds. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 30.3

Horizontally place your part on the 5th to 8th columns from the left of the front row so the wall faces the front.

Step 31

Vertically place a light green 1x6 curved arch brick on the 8th column from the left so it is centered vertically.

Step 32

Place a light purple 2x2 round tile on the 2 rightmost columns of studs, on top of the ppp, so there is no overhang.

Step 33

Vertically place 3 light green 1x6 curved arch bricks, 1 to the left of the other, to the left of the ppp so they are centered vertically.

Step 34.1

Horizontally place a light green 1x4x6 half arch panel with a sticker on the front left corner so it slopes to the front. Then repeat symmetrically to the back.

Step 34.2

Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on each of the 2 light green 1x4x6 half arch panels. These stickers have a blue horse shoe with a tan horse with brown hair on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 35

Horizontally place a light purple 2x4 plate on the 4th to 7th columns from the left so it is centered vertically. Then place a lime green 2x2 tile with a round side on top of the ppp so the round side faces the right, and it is centered horizontally on the ppp.

Step 36

Horizontally place a light purple 2x3 tile on the 3 leftmost columns.

Group 20 - Trailer

Step 37

Let’s make a part! Horizontally place a light grey 1x4 plate in front of you. Then horizontally place a tan 1x3 brick on the 3 rightmost columns.

Step 38

Place a tan 1x1 brick with a clip on the leftmost column so the clip faces the left.

Step 39

Horizontally place a lime green 1x2 plate on the 2 leftmost columns. Now place 2 lime green 1x1 plates with a clip, 1 to the right of the other, on the 2 rightmost columns so the clips face the front.

Step 40

Horizontally place a tan 1x4x3 panel with a sticker on top so the wall faces the back.

Step 41

Skip this step if you have already placed your sticker! Ask a helper to place sticker 6 on the tan 1x4x3 panel. This sticker has a picture of a horse, shampoo, tape, and a bottle on it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 42

Horizontally place a lime green 1x2 plate with 2x2 side studs hanging down on top so it is centered horizontally and the side studs face the back.

Step 43

Horizontally place a light green 1x2 sloped curved tile on the 2 leftmost columns so it slopes to the left. Then repeat symmetrically to the right.

Step 44

Attach a light blue hairbrush to the rightmost front-facing clip so the bristles are on top and face the front. Then attach a silver fork to the front-facing clip so the points face up.

Step 45

Rotate your part 180 degrees, then place a light purple 2x2 round tile with a sticker upright on the front-facing side studs.

Step 46

Skip this step if you have already placed your sticker! Ask a helper to place sticker 7 on the light purple 2x2 round tile. This sticker has a horse shoe with purple flowers on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Step 47

Horizontally attach the right-facing clip of your part to the left-facing bar that is on the front left corner of the trailer build.

Step 48

Rotate your build 180 degrees. Now horizontally place a light brown 2x4 chest bottom on the 4 rightmost columns so it sits on 2 studs, is centered vertically, and the lower ridge faces the back. Now place a light yellow carrot, an orange carrot, and a white bone inside the chest. Then horizontally place a light brown 2x4 chest top on top so it opens up and to the back.

Step 49.1

Let’s make 2 identical parts! Attach a white wheel to a black tire and place it in front of you so the stud faces up. Now place a light purple 1x1 round tile on top.

Step 49.2

Now you should have 2 identical parts! Attach 1 part to the front-facing pin so the round tile faces the front. Then repeat symmetrically to the back.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our Builders page. It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please signup for our newsletter and follow us on Facebook and Instagram to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a $5 donation at https://www.gofundme.com/f/bricks-for-the-blind-gofundme. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please sign up for our newsletter and follow us on Facebook and Instagram to be the first to know when new instructions are available!

At the end of the instruction booklets are advertisements for the following 8 LEGO Friends Theme kits:

42695 Horse & Baby Foal Trailer

42687 Liann's Family House

42652 Friendship Tree House Hangout

42688 Horse Stable and Riding Academy

42684 Unicorn Dream Café

42689 Heartlake City Friends Club House

42685 Heartlake City Fashion Show

42699 Beach House with Seals